


Christian-Albrechts-Universität zu Kiel





Letzte Woche: P300 speller

Christian-Albrechts-Universität zu Kiel

Psychology/Psychiatry

Visual P300 Mind-Speller Brain-Computer Interfaces: A Walk Through the Recent **Developments With Special Focus on Classification Algorithms**


Clinical EEG and Neuroscience 2020, Vol. 51(1) 19-33 © EEG and Clinical Neuroscience Society (ECNS) 2019 Article reuse guidelines: sagepub.com/journals-permissions DOI: 10.1177/1550059419842753 journals.sagepub.com/home/eeg


(S)SAGE

Jobin T. Philip and S. Thomas George 100

Brain-computer interfaces are sophisticated signal processing systems, which directly operate on **neuronal signals** to identify specific human intents.

- What is the P300 and what does it represent?
- What are the basic principles of classifiers?
- Are the P300 spellers useful yet?







Inverses Problem


Christian-Albrechts-Universität zu Kiel


Ziel:

- Quelle eines Signals finden
 - Zeit
 - Topographie

Problem:

- Keine eindeutige Lösung für Raum
 - Nur Messung an der Oberfläche
 - Zusammenhang zwischen neuronaler Quelle und Signal an Oberfläche unklar













Christian-Albrechts-Universität zu Kiel


Quellanalyse: Dipole Fitting


Ziel:

- Quelle eines Signals finden
 - Zeit
 - Topographie

Lösung:

- Vorwärts-Rechnung
 - Was ist eine mögliche Quelle für Topographie
 - Keine eindeutige Lösung!
- Rückwärts-Rechnung
 - Welche Quellen erzeugen welche Topographie







Eindeutige Lösungen?


Christian-Albrechts-Universität zu Kiel


Ziel:

 Trennung zwischen "Signal" und "Rauschen"

Problem:

- Ohne Vorwissen und Zusatzannahmen nicht lösbar
 - Nur weil ein Algorithmus eine Lösung findet, muss die nicht korrekt sein
- Gefahr der Überinterpretation





Diese Woche: Weight Vectors? Was ist das?




On the interpretation of weight vectors of linear models in multivariate neuroimaging

Stefan Haufe ^{a,b,*}, Frank Meinecke ^{c,a}, Kai Görgen ^{d,e,f}, Sven Dähne ^a, John-Dylan Haynes ^{d,e,b}, Benjamin Blankertz ^{f,b}, Felix Bießmann ^{g,a,*}

Often it is desired to interpret the outcome of these methods with respect to the **cognitive processes under study**. Here we discuss **which methods allow for such interpretations** [...].

- What are "forward" and "backward" models?
 - What are key concepts?
- How can we **interpret** the parameters (results) of these models?
- What is the **problem** with the interpretation?



Nächste Woche: Gedankenlesen?





Decoding mental states from brain activity in humans

John-Dylan Haynes * * \$ and Geraint Rees \$

Recent advances in human neuroimaging have shown that it is possible to accurately **decode a person's conscious experience** based only on non-invasive measurements of their brain activity. [...] Such applications raise important **ethical issues** concerning the privacy of personal thought.

- Review: What is the idea of "decoding"?
- What current technical challenges exist?
- What ethical issues arise from this?



Literatur

- Philip, J. T., & George, S. T. (2020). Visual P300 Mind-Speller Brain-Computer Interfaces: A Walk Through the Recent Developments With Special Focus on Classification Algorithms. Clinical EEG and Neuroscience, 51(1), 19–33. http://doi.org/10.1177/1550059419842753
- Haufe, S., Meinecke, F., Görgen, K., Dähne, S., Haynes, J.-D., Blankertz, B., & Bießmann, F. (2014). On the interpretation of weight vectors of linear models in multivariate neuroimaging. NeuroImage, 87(C), 96–110. http://doi.org/10.1016/j.neuroimage.2013.10.067
- Haynes, J.-D., & Rees, G. (2006). Decoding mental states from brain activity in humans. Nature Reviews Neuroscience, 7(7), 523–534. http://doi.org/10.1038/nrn1931
- https://www.besa.de/products/besa-simulator/besa-simulatoroverview/