


Christian-Albrechts-Universität zu Kiel





Letzte Woche

Can these observable electrical brain signals be put to work as carriers of information in man-computer communication or for the purpose of controlling such external apparatus as prosthetic devices or spaceships?


- identify appropriate correlates of mental states and decisions in external signals
- identify the relevant information carriers from the garbled and diffuse mixture that reaches the scalp
- develop appropriate software within the constraints introduced by the nature of brain messages



Diese Woche

Christian-Albrechts-Universität zu Kiel


The real-time analyses of oscillatory EEG components during right-, and left-hand movement imagination allows the control of an electric device.



Rückblick: Motorisches System

Christian-Albrechts-Universität zu Kiel


- Primärer Motorcortex
 - Somatotope
 Organisation, aber
 große Überlappung
 zwischen den Muskel Bereiche
 - Direkte Verbindung zum Rückenmark
- Pyramidenbahn
 - Steuerung der präzisen Willkürbewegung
 - Distale Extremitäten





Motorisches System


- Verschaltung im Rückenmark
 - Ein Neuron der Pyramidenbahn kann auf mehrere Motorneurone im Rückenmark verschalten
 - Gleichzeitige Aktivierung von z.B. Extensor und Hemmung von Flexor
 - Codierung von Richtung und Stärke





Bewegungssteuerung

Christian-Albrechts-Universität zu Kiel

- M1-Zellen codieren bevorzugte Bewegungsrichtung
 - Gradueller
 Zusammenhang
 zwischen Feuerrate und
 Richtung
- Komplexe Bewegung bedarf synchrone Aktivität mehrerer Neurone
 - Population coding: Vektor-Summe ergibt Richtung











Christian-Albrechts-Universität zu Kiel

(De-) Synchronisierung

- Globale Synchronisierung
 - "Ruhe"
 - Inhibition von
 Informationsverarbeitung
- Lokale Desynchronisierung
 - "Aktivität"
 - Globale Aktivität zerfällt in kleine lokale Einheiten
- Lokale Synchronisierung
 - "Aktivität"
 - Gemeinsame Verarbeitung in spezialisierten Arealen (ERP)
 - Kommunikation in synchroner Aktivität







Künstliche Bewegung

Prosthetic Control by an EEG-based Brain-Computer Interface (BCI)

Christoph Guger ¹, Werner Harkam ¹, Carin Hertnaes ¹, Gert Pfurtscheller ¹²

¹Institute of Biomedical Engineering, Department of Medical Informatics

²Ludwig-Boltzmann Institute for Medical Informatics and Neuroinformatics

University of Technology Graz

Inffeldgasse 16a, 8010 Graz, Austria

e-mail: guger@dpmi.tu-graz.ac.at

pfu@dpmi.tu-graz.ac.at

The real-time analyses of oscillatory EEG components during right and left hand movement imagination allows the control of an electric device.

- EEG-based BCI provides a control channel without motor input
- Imagination of a movement causes Event-Related Desynchronization
- Current controversies on the topic



Nächste Woche: P300 speller

Christian-Albrechts-Universität zu Kiel

Psychology/Psychiatry

Visual P300 Mind-Speller Brain-Computer Interfaces: A Walk Through the Recent Developments With Special Focus on Classification Algorithms

Clinical EEG and Neuroscience 2020, Vol. 51(1) 19–33 © EEG and Clinical Neuroscience Society (ECNS) 2019 Article reuse guidelines: sagepub.com/journals-permissions DOI: 10.1177/1550059419842753 journals.sagepub.com/home/eeg

Jobin T. Philip and S. Thomas George 0

Brain-computer interfaces are sophisticated signal processing systems, which directly operate on **neuronal signals** to identify specific human **intents**.

- What is the P300 and what does it represent?
- What are the basic principles of classifiers?
- Are the P300 spellers useful yet?



Christian-Albrechts-Universität zu Kiel

Literatur

- Guger, C., Harkam, W., Hertnaes, C., & Pfurtscheller, G. (1999).
 Prosthetic control by an EEG-based brain-computer interface (BCI).
 Proc. Aaate Th European Conference for the Advancement of
 - Assistive Technology, 3–6.
- Lindén, H., Petersen, P. C., Vestergaard, M., & Berg, R. W. (2022).
 Movement is governed by rotational neural dynamics in spinal motor networks. Nature, 610(7932), 526–531. http://doi.org/10.1038/s41586-022-05293-w
- Philip, J. T., & George, S. T. (2020). Visual P300 Mind-Speller Brain-Computer Interfaces: A Walk Through the Recent Developments With Special Focus on Classification Algorithms. Clinical EEG and Neuroscience, 51(1), 19–33. http://doi.org/10.1177/1550059419842753
- Pfurtscheller, G. (1992). Event-related synchronization (ERS): an electrophysiological correlate of cortical areas at rest. Electroencephalography and Clinical Neurophysiology, 83(1), 62–69.