REXPOSOME: A BIOCONDUCTOR PACKAGE FOR CHARACTERIZING MULTIPLE ENVIRONMENTAL FACTORS AND ITS ASSOCIATION WITH DIFFERENT OMICS BIOMARKERS AND DISEASE

Carles Hernandez-Ferrer Bioinformatic Research Group in Epidemiology Barcelona Institute for Global Health (ISGlobal) carles.hernandez@isglobal.org - http://www.creal.cat/brge/ European Bioconductor Developers' Meeting December 6th. 2016















BACKGROUND


The HELIX Project – characterize early-life exposure and association with major health outcomes trough omic data analysis



Cohort	#Sample
BiB	14 000
EDEN	2 000
INMA	2 500
KANC	4 000
MoBa	8 000
RHEA	1 500


From the total (+30 000), 1 200 will get omic data

Transcriptome, Methylome, Proteome & Metabolome



REXPOSOME – INTERNAL STRUCTURES (1/2)

ExposomeSet




- eSet based class
 - Exposures can be both numerical and factor
 - Adds a restriction to fData:
 - It must contain a column with "family definition"

Load Exposome


- from files → read_exposome
- from *data.frames* → load_exposome

Exposome Pre-Process


plotHistogram



plotMissings




plotFamily




Indivudual Clustering & Exposome Characterization






plotCorrelation




Exposome Characterization



Exposure-Wide
Association Study
ExWAS


ExposomeSet

MultiDataSet*



• add_exp → ExposomeSet & ExposomeClust

*: Hernandez-Ferrer et al.; MultiDataSet: an R package for encapsulating multiple data sets with application to omic data integration; BMC Bioinf [tentatively accepted]



Single Omic Analysis

(Exposome-Omic Data Association)


- Exposure Association to Transcriptome, Methylome and Proteome
- Health Outome Association to Genome, Transcriptome, Methylome and Proteome

Crossomics


(Exposome-Omic Data Integration)

- Supervised (2 datasets)
- Non-Supervised (N datasets)


plotAssociation




plotAssociation



plotIntegration



REXPOSOME & POSTREXPOSOME



rexposome allows to analyses each pair of exposome-omic data sets and obtain a list of significant associated features, that can be used to translate the significance from feature to *pathways level*, *disease level*, *cell type level*, *functional level* and *tissue level* in **postRexposome**

- rexposome
 - public beta
 - https://github.com/carleshf/rexposome


- postRexposome
 - private alpha

- MultiDataSet
 - published in Bioconductor

BIOINFORMATIC RESEARCH GROUP IN EPIDEMIOLOGY



This work has been supported by the Spanish Ministry of Economy and Competitiveness (MTM2015-68140-R) and **HELIX Project** supported by European Comission FP7 (GA#308333).



Any questions?

You can contact me at:

- carles.hernandez@isglobal.org
- www.creal.cat/brge

```
def success(dedication, persistence, passion):
    dedication += 1 # dedicate yourself
    persistence += 1 # be persistent
    passion = True # have passion

if passion == True:
    magic = dedication + persistence
    return magic
else:
    magic = 0
    return magic

# love it. make mistakes. learn. keep grinding.
```