A BAYESIAN FRAMEWORK FOR SPATIAL PROTEOMICS

Oliver M. Crook

Cambridge Centre for Proteomics

Computational Proteomics Unit

MRC Biostatistics Unit

SPATIAL PROTEOMICS


Where is a protein's subcellular location?

What is protein's function?

HYPERLOPIT

Subcellular Fractionation

Isobaric tagging along density gradient





6.0e + 1 4.00 + 1High-pH reverse-phase (3) SPS-MS3 for TMT (1) Full MS scan 1.5e + 08 20.000 Selection of top n 30,000 -1.0e + 08 precursors for additional HCD 20,000 -10,000 Machine learning - novelty detection, classification, transfer learning, interactive data mining and visualization


SPS-MS3

Machine learning


SVM CLASSIFICATION









DISTRIBUTION OVER LOCALISATIONS




GENERATIVE MODEL




FULL BAYESIAN INFERENCE USING MCMC



UNCERTAINTY



SOFTWARE



CONCLUSIONS AND FUTURE WORK

- Interpretable model of spatial proteomics data
- Probabilistic allocations of proteins to subcellular niches
- Quantified allocation uncertainty
- Extended to model proteins with multiple localizations
- Model protein which move dynamically after perturbation
- Integrate multiple datasets

THANK YOU

Supervisors:

Laurent Gatto

Kathryn Lilley

Paul Kirk

Useful discussions

Claire Mulvey, Sean Holden, Sylvia Richardson

Contact:

omc25@cam.ac.uk

oliver.crook@mrc-bsu.cam.ac.uk

https://github.com/ococrook

@OllyMCrook