Brain, biomedical knowledge manipulation

Samuel Croset 1,*, Co-Author 2 and Co-Author 2*

¹Department of XXXXXXX, Address XXXX etc.

²Department of XXXXXXXX, Address XXXX etc.

Received on XXXXX; revised on XXXXX; accepted on XXXXX

Associate Editor: XXXXXXX

ABSTRACT

Contact: samuel.croset@gmail.com

1 INTRODUCTION

$$\sum x + y = Z \tag{1}$$

2 APPROACH

3 METHODS

- for bulleted list, use itemize
- for bulleted list, use itemize
- for bulleted list, use itemize

Text Text Text Text Text. Figure 2 shows that the above method Text Text Text Text Text. Bauer et al., 2007 might want to know about text Text Text Text Text Text Text Text Text. Figure 2 shows that the above et al., 2007 might want to know about text text text Text Text Text Text Text Text. Figure 2 shows that the above method Text Text. Bauer et al., 2007 might want to know

^{*}to whom correspondence should be addressed

Table 1. This is table caption

head1	head2	head3	head4
row1 row2 row3 row4	row1 row2 row3 row4	row1 row2 row3 row4	row1 row2 row3 row4

This is a footnote

Fig. 1. Caption, caption.

Fig. 2. Caption, caption.

4 DISCUSSION

5 CONCLUSION

- 1. this is item, use enumerate
- 2. this is item, use enumerate
- 3. this is item, use enumerate

ACKNOWLEDGEMENT

Text Text Text Text Text Text Text Text. Bauer et al., 2007 might want to know about text text text text

Funding: Text Text Text Text Text Text Text.

REFERENCES

Bauer, M., Klau, G. W., and Reinert, K. (2007). Accurate multiple sequencestructure alignment of RNA sequences using combinatorial optimization. BMC Bioinformatics, 8, 271.

Friedrich, J., Dandekar, T., Wolf, M., and Mller, T. (2005). ProfDist: a tool for the construction of large phylogenetic trees based on profile distances. *Bionformatics*, 21(9), 2108–2109.