

head1	head2	head3	head4
row1	row1	row1	row1
row2	row2	row2	row2
row3	row3	row3	row3
row4	row4	row4	row4

4 DISCUSSION

Table 1 shows that Text Text Text Text Text Text Text Text Text Text Text Text. Figure 2 shows that the above method Text Text. Text Text Text Text Text Text Text Text Text Text. Figure 2 shows that the above method Text Text. Text Text Text Text Text Text Text Text Text Text. Figure 2 shows that the above method Text Text.

(Table 1) Text. Figure 2 shows that the above method Text Text Text Text Text Text Text Text Text Text Text Text Text. Bauer *et al.*, 2007 might want to know about text

Text Text Text Text Text Text Text Text Text Text Text Text
Text Text Text Text Text Text Text Text. Figure 2 shows that the
above method Text Text Text Text Text Text Text Text Text
Text Text. Bauer *et al.*, 2007 might want to know about text text text
text

- [illegible]

Text Text Text Text Text Text Text Text Text Text Text Text
Text Text Text Text Text Text Text Text. Figure 2 shows that the above method Text Text Text Text

Text Text Text Text Text Text Text. Bauer *et al.*, 2007 might want to know about text text text text

Funding: Text Text Text Text Text Text Text Text.

Bauer, M., Klau, G. W., and Reinert, K. (2007). Accurate multiple sequence-structure alignment of RNA sequences using combinatorial optimization. *BMC Bioinformatics*, **8**, 271.

Friedrich, J., Dandekar, T., Wolf, M., and Mller, T. (2005). ProfDist: a tool for the construction of large phylogenetic trees based on profile distances. *Bioinformatics*, **21**(9), 2108–2109.