
EFICO®

EFICO Concept

Description

Coming Soon!

Tagline

Optimise your Performance

EFICO Logo



Single Colour Logo

The EFICO logo should always be displayed in a single colour.

(See Left)



Logo Colours

The EFICO logo uses single colours. The approved colours to be used are; BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

Incorrect Uses

The dimensions for the logo are fixed, and should not be altered. The logo should never be re-created.

- Alter the dimensions
- Change the colour
- Flip the icon
- Change the spacing
- Type the logo







EFICO China Logo

Name
EFICO
艾菲科

Single Colour Logo
The EFICO 艾菲科 logo should always be displayed in a single colour.

(See Left)

Logo Fonts
The EFICO 艾菲科 logo combines two typefaces to ensure consistency across languages: Avenir Next Regular for the Latin characters (EFICO) and Noto Sans CJK SC Regular for the Chinese characters (艾菲科).

The placement and proportions of each element are fixed and cannot be modified.

Logo Colours

The EFICO logo uses single colours. The approved colours to be used are; BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

Incorrect Uses

The dimensions for the logo are fixed, and should not be altered. The logo should never be re-created.

- Alter the dimensions
- Change the colour
- Flip the icon
- Change the spacing
- Type the logo



EFICO Sub-branding







To ensure visual consistency across the EFICO portfolio, all sub-products follow a defined branding structure that maintains coherence with the core brand.

Logo Layout

The first line always displays the main EFICO logo
The second line contains the sub-brand name, left-aligned beneath it.

The EFICO logo features a distinctive symbol replacing the final "O." When a sub-brand is added, this symbol shifts to the left as a standalone element, and a standard typographic "O" is introduced into the logo to ensure legibility.

Sub-brand names should not exceed 8 -10 characters per line. If a name includes more than two words or exceeds 10 characters, a third line may be added. A maximum of three lines is allowed.

Spacing between the EFICO logo and the sub-brand name is fixed at one-tenth of the BioMar logo height. Spacing between the sub-brand and the BioMar logo is fixed at one-fifth of the BioMar logo height.

Colour usage is fixed for this system: the EFICO logo must always appear in BioMar Blue, and the sub-brand name must always appear in Leafy Green.

Typography

The main EFICO logo uses Avenir Next Regular.
The sub-brand name uses Avenir Next Medium for visual contrast.

Sub-brands Overview

EFICO® ALPHA

EFICO® BARRA

EFICO® CROMIS

EFICO® ENVIRO

EFICO® GENIO

EFICO® PONDI

EFICO® SIGMA

EFICO® YS

EFICO® ZETA

EFICO® BLACK GOLD

EFICO® DIAMOND

EFICO® RUBY

EFICO® SAPPHIRE

EFICO® EMERALD







EFICO Alpha

Duel Colour Logo
The EFICO Alpha logo should, whenever possible, be shown in 2 colours: Leafy Green and BioMar Blue.

(See first on left)

Single Colour Logo
The EFICO Alpha logo should ALWAYS be displayed with duel colours unless specific barriers are in place, eg. limited colour print available.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

Leafy Green

RGB: 151 209 48
CMYK: 56 0 92 0
PANTONE: 368 C
HEX: #97d130

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

Logo Colours

The EFICO Alpha logo uses 2 colours. The approved colours to be used are combinations of; BioMar Blue and Leafy Green.

EFICO should always be BioMar Blue.

Alpha should always be Leafy Green.

Approved colours for single colour logo are BioMar Blue and White.

EFICO Barra

Duel Colour Logo
The EFICO Barra logo should, whenever possible, be shown in 2 colours: Leafy Green and BioMar Blue.

(See first on right)

Single Colour Logo
The EFICO Barra logo should ALWAYS be displayed with duel colours unless specific barriers are in place, eg. limited colour print available.







Logo Colours

The EFICO Barra logo uses 2 colours. The approved colours to be used are combinations of; BioMar Blue and Leafy Green.

EFICO should always be BioMar Blue.

Barra should always be Leafy Green.

Approved colours for single colour logo are BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

Leafy Green

RGB: 151 209 48
CMYK: 56 0 92 0
PANTONE: 368 C
HEX: #97d130

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

EFICO Cromis

Duel Colour Logo
The EFICO Cromis logo should, whenever possible, be shown in 2 colours: Leafy Green and BioMar Blue.

(See first on right)

Single Colour Logo
The EFICO Cromis logo should ALWAYS be displayed with duel colours unless specific barriers are in place, eg. limited colour print available.







Logo Colours

The EFICO Cromis logo uses 2 colours. The approved colours to be used are combinations of; BioMar Blue and Leafy Green.

EFICO should always be BioMar Blue.

Cromis should always be Leafy Green.

Approved colours for single colour logo are BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

Leafy Green

RGB: 151 209 48
CMYK: 56 0 92 0
PANTONE: 368 C
HEX: #97d130

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

EFICO Enviro

Duel Colour Logo
The EFICO Enviro logo should, whenever possible, be shown in 2 colours: Leafy Green and BioMar Blue.

(See first on left)

Single Colour Logo
The EFICO Enviro logo should ALWAYS be displayed with duel colours unless specific barriers are in place, eg. limited colour print available.







Logo Colours

The EFICO Enviro logo uses 2 colours. The approved colours to be used are combinations of; BioMar Blue and Leafy Green.

EFICO should always be BioMar Blue.

Enviro should always be Leafy Green.

Approved colours for single colour logo are BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

Leafy Green

RGB: 151 209 48
CMYK: 56 0 92 0
PANTONE: 368 C
HEX: #97d130

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

EFICO Genio



Duel Colour Logo
The EFICO Genio logo should, whenever possible, be shown in 2 colours: Leafy Green and BioMar Blue.

(See first on right)



Single Colour Logo
The EFICO Genio logo should ALWAYS be displayed with duel colours unless specific barriers are in place, eg. limited colour print available.



Logo Colours

The EFICO Genio logo uses 2 colours. The approved colours to be used are combinations of; BioMar Blue and Leafy Green.

EFICO should always be BioMar Blue.

Genio should always be Leafy Green.

Approved colours for single colour logo are BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

Leafy Green

RGB: 151 209 48
CMYK: 56 0 92 0
PANTONE: 368 C
HEX: #97d130

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

EFICO Pondi

Duel Colour Logo
The EFICO Pondi logo should, whenever possible, be shown in 2 colours: Leafy Green and BioMar Blue.

(See first on left)

Single Colour Logo
The EFICO Pondi logo should ALWAYS be displayed with duel colours unless specific barriers are in place, eg. limited colour print available.







Logo Colours

The EFICO Pondi logo uses 2 colours. The approved colours to be used are combinations of; BioMar Blue and Leafy Green.

EFICO should always be BioMar Blue.

Pondi should always be Leafy Green.

Approved colours for single colour logo are BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

Leafy Green

RGB: 151 209 48
CMYK: 56 0 92 0
PANTONE: 368 C
HEX: #97d130

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

EFICO Sigma

Duel Colour Logo
The EFICO Sigma logo should, whenever possible, be shown in 2 colours: Leafy Green and BioMar Blue.

(See first on right)

Single Colour Logo
The EFICO Sigma logo should ALWAYS be displayed with duel colours unless specific barriers are in place, eg. limited colour print available.







Logo Colours

The EFICO Sigma logo uses 2 colours. The approved colours to be used are combinations of; BioMar Blue and Leafy Green.

EFICO should always be BioMar Blue.

Sigma should always be Leafy Green.

Approved colours for single colour logo are BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

Leafy Green

RGB: 151 209 48
CMYK: 56 0 92 0
PANTONE: 368 C
HEX: #97d130

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

EFICO YS

Duel Colour Logo
The EFICO YS logo should, whenever possible, be shown in 2 colours: Leafy Green and BioMar Blue.

(See first on left)

Single Colour Logo
The EFICO YS logo should ALWAYS be displayed with duel colours unless specific barriers are in place, eg. limited colour print available.







Logo Colours

The EFICO YS logo uses 2 colours. The approved colours to be used are combinations of; BioMar Blue and Leafy Green.

EFICO should always be BioMar Blue.

YS should always be Leafy Green.

Approved colours for single colour logo are BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

Leafy Green

RGB: 151 209 48
CMYK: 56 0 92 0
PANTONE: 368 C
HEX: #97d130

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff







EFICO Zeta

Duel Colour Logo
The EFICO Zeta logo should, whenever possible, be shown in 2 colours: Leafy Green and BioMar Blue.

(See first on right)

Single Colour Logo
The EFICO Zeta logo should ALWAYS be displayed with duel colours unless specific barriers are in place, eg. limited colour print available.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

Leafy Green

RGB: 151 209 48
CMYK: 56 0 92 0
PANTONE: 368 C
HEX: #97d130

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

Logo Colours

The EFICO Zeta logo uses 2 colours. The approved colours to be used are combinations of; BioMar Blue and Leafy Green.

EFICO should always be BioMar Blue.

Zeta should always be Leafy Green.

Approved colours for single colour logo are BioMar Blue and White.

EFICO Black Gold

Duel Colour Logo
The EFICO Black Gold logo should, whenever possible, be shown in 2 colours: Leafy Green and BioMar Blue.

(See first on left)

Single Colour Logo
The EFICO Black Gold logo should ALWAYS be displayed with duel colours unless specific barriers are in place, eg. limited colour print available.







Logo Colours

The EFICO Black Gold logo uses 2 colours. The approved colours to be used are combinations of; BioMar Blue and Leafy Green.

EFICO should always be BioMar Blue.

Black Gold should always be Leafy Green.

Approved colours for single colour logo are BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

Leafy Green

RGB: 151 209 48
CMYK: 56 0 92 0
PANTONE: 368 C
HEX: #97d130

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

EFICO Diamond



Duel Colour Logo
The EFICO Diamond logo should, whenever possible, be shown in 2 colours: Leafy Green and BioMar Blue.

(See first on left)



Single Colour Logo
The EFICO Diamond logo should ALWAYS be displayed with duel colours unless specific barriers are in place, eg. limited colour print available.



Logo Colours

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

Leafy Green

RGB: 151 209 48
CMYK: 56 0 92 0
PANTONE: 368 C
HEX: #97d130

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

The EFICO Diamond logo uses 2 colours. The approved colours to be used are combinations of; BioMar Blue and Leafy Green.

EFICO should always be BioMar Blue.

Diamond should always be Leafy Green.

Approved colours for single colour logo are BioMar Blue and White.

EFICO Ruby

Duel Colour Logo
The EFICO Ruby logo should, whenever possible, be shown in 2 colours: Leafy Green and BioMar Blue.

(See first on right)

Single Colour Logo
The EFICO Ruby logo should ALWAYS be displayed with duel colours unless specific barriers are in place, eg. limited colour print available.







Logo Colours

The EFICO Ruby logo uses 2 colours. The approved colours to be used are combinations of; BioMar Blue and Leafy Green.

EFICO should always be BioMar Blue.

Ruby should always be Leafy Green.

Approved colours for single colour logo are BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

Leafy Green

RGB: 151 209 48
CMYK: 56 0 92 0
PANTONE: 368 C
HEX: #97d130

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

EFICO Sapphire



Duel Colour Logo
The EFICO Sapphire logo should, whenever possible, be shown in 2 colours: Leafy Green and BioMar Blue.

(See first on left)



Single Colour Logo
The EFICO Sapphire logo should ALWAYS be displayed with duel colours unless specific barriers are in place, eg. limited colour print available.



Logo Colours

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

Leafy Green

RGB: 151 209 48
CMYK: 56 0 92 0
PANTONE: 368 C
HEX: #97d130

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

The EFICO Sapphire logo uses 2 colours. The approved colours to be used are combinations of; BioMar Blue and Leafy Green.

EFICO should always be BioMar Blue.

Sapphire should always be Leafy Green.

Approved colours for single colour logo are BioMar Blue and White.

EFICO Emerald

Duel Colour Logo
The EFICO Emerald logo should, whenever possible, be shown in 2 colours: Leafy Green and BioMar Blue.

(See first on right)

Single Colour Logo
The EFICO Emerald logo should ALWAYS be displayed with duel colours unless specific barriers are in place, eg. limited colour print available.







Logo Colours

The EFICO Emerald logo uses 2 colours. The approved colours to be used are combinations of; BioMar Blue and Leafy Green.

EFICO should always be BioMar Blue.

Emerald should always be Leafy Green.

Approved colours for single colour logo are BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

Leafy Green

RGB: 151 209 48
CMYK: 56 0 92 0
PANTONE: 368 C
HEX: #97d130

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

China Bag

EFICO

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

Sky Blue

RGB: 146 206 232
CMYK: 50 0 6 0
PANTONE: 297 C
HEX: #92cee8



Vietnam Bags

EFICO
for Fingerlings

Focus Teal

RGB: 0 127 164
CMYK: 100 22 24 9
PANTONE: 3145 C
HEX: #007fa4

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77



EFICO
for Pangasius

Leafy Green

RGB: 151 209 48
CMYK: 56 0 92 0
PANTONE: 368 C
HEX: #97d130

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77



EFICO
for Snakehead

Prime Grey

RGB: 84 86 91
CMYK: 63 52 46 39
PANTONE: 7540 C
HEX: #54565b

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77



EFICO
for Tilapia

Shrimp Orange

RGB: 221 105 40
CMYK: 8 68 91 1
PANTONE: 166 C
HEX: #dd6928

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77



Standard Bag

BioMar Standard Bag

Please refer to the BioMar Brand Guidelines for guidance on the correct use of the standard bag design.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77




MAXIO
TM

MAXIO Concept

Description

Coming Soon!

Tagline
Optimise your Performance

MAXIO Logo



Single Colour Logo
The MAXIO logo should always be displayed in a single colour, Ocean Blue.

(See Left)



It can also be displayed in its secondary colors, BioMar Blue or White.



Logo Colours

The MAXIO logo uses single colours. The approved colours to be used are; Ocean Blue and White.

Ocean Blue

RGB: 4 113 173
CMYK: 87 50 8 0
PANTONE: 285C
HEX: #0471ad

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

Incorrect Uses

The dimensions for the logo are fixed, and should not be altered. The logo should never be re-created.

- Alter the dimensions
- Change the colour
- Flip or rotate the icon
- Change the spacing
- Type the logo



Maxio Sub-branding







To ensure visual consistency across the MAXIO portfolio, all sub-products follow a defined branding structure that maintains coherence with the core brand.

Logo Layout

The first line always displays the main MAXIO logo
The second line contains the sub-brand name, left-aligned beneath it.

The MAXIO logo features a distinctive symbol replacing the final "O." When a sub-brand is added, this symbol shifts to the left as a standalone element, and a standard typographic "O" is introduced into the logo to ensure legibility.

Sub-brand names should not exceed 8 -10 characters per line. If a name includes more than two words or exceeds 10 characters, a third line may be added. A maximum of three lines is allowed.

Spacing between the MAXIO logo and the sub-brand name is fixed at one-tenth of the BioMar logo height. Spacing between the sub-brand and the BioMar logo is fixed at one-fifth of the BioMar logo height.

Colour usage is fixed for this system: the MAXIO logo must always appear in Ocean Blue, and the sub-brand name must always appear in BioMar Blue.

Typography

The main MAXIO logo uses Avenir Next Regular, with a costum letter "A".
The sub-brand name uses Avenir Next Medium for visual contrast.

Sub-brands Overview



Maxio Barra



Duel Colour Logo
The Maxio Barra logo should, whenever possible, be shown in 2 colours: Leafy Green and BioMar Blue.

(See first on left)



Single Colour Logo
The Maxio Barra logo should ALWAYS be displayed with duel colours unless specific barriers are in place,
eg. limited colour print available.



Logo Colours

Ocean Blue

RGB: 4 113 173
CMYK: 87 50 8 0
PANTONE: 285C
HEX: #0471ad

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

The Maxio Barra logo uses 2 colours. The approved colours to be used are combinations of; Ocean Blue and BioMar Blue.

Maxio should always be Ocean Blue.

Maxio should always be BioMar Blue.

Approved colours for single colour logo are BioMar Blue and White.

EMEA Standard Bag

BioMar Standard Bag

Please refer to the BioMar Brand Guidelines for guidance on the correct use of the standard bag design.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77




POWER™

POWER Concept

Description

Coming Soon!

Tagline

Optimise your Performance

POWER Logo



Single Colour Logo

The POWER logo should always be displayed in a single colour.

(See Left)



Logo Colours

The POWER logo uses single colours. The approved colours to be used are; BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

Incorrect Uses

The dimensions for the logo are fixed, and should not be altered. The logo should never be re-created.

- Alter the dimensions
- Change the colour
- Flip or rotate the icon
- Change the spacing
- Type the logo



POWER Sub-branding

To ensure visual consistency across the POWER portfolio, all sub-products follow a defined branding structure that maintains coherence with the core brand.



Logo Layout

The first line always displays the main POWER logo
The second line contains the sub-brand name, left-aligned beneath it.



The POWER logo features a distinctive symbol replacing the second letter, "O." When a sub-brand is added, this symbol shifts to the left as a standalone element, and a standard typographic "O" is introduced into the logo to ensure legibility.

Sub-brand names should not exceed 8 -10 characters per line. If a name includes more than two words or exceeds 10 characters, a third line may be added. A maximum of three lines is allowed.

Spacing between the POWER logo and the sub-brand name is fixed at one-tenth of the BioMar logo height. Spacing between the sub-brand and the BioMar logo is fixed at one-fifth of the BioMar logo height.

Colour usage is fixed for this system: the POWER logo and the sub-brand name must always appear in must always appear in BioMar Blue.



Typography

The main POWER logo uses Avenir Next Regular.
The sub-brand name uses Avenir Next Medium for visual contrast.

Sub-brands Overview



POWER Akai

Single Colour Logo
The POWER Akai logo should always be displayed in a single colour.

(See left)





Logo Colours

The POWER Akai logo uses single colours. The approved colours to be used are; BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

POWER Extreme

Single Colour Logo
The POWER Extreme logo should always be displayed in a single colour.

(See right)





Logo Colours

The POWER Extreme logo uses single colours. The approved colours to be used are; BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

White


RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

POWER Fusion

Single Colour Logo
The POWER Fusion logo should always be displayed in a single colour.

(See left)





Logo Colours

The POWER Fusion logo uses single colours. The approved colours to be used are; BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

POWER NDQ

Single Colour Logo
The POWER NDQ logo should always be displayed in a single colour.

(See right)





Logo Colours

The POWER NDQ logo uses single colours. The approved colours to be used are; BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

POWER H2O

Single Colour Logo
The POWER H2O logo should always be displayed in a single colour.

(See left)





Logo Colours

The POWER Smolt logo uses single colours. The approved colours to be used are; BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

POWER Rainbow Extreme

Single Colour Logo
The POWER Rainbow Extreme logo should always be displayed in a single colour.

(See right)





Logo Colours

The POWER Rainbow Extreme logo uses single colours. The approved colours to be used are; BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

POWER Quinnat

Single Colour Logo
The POWER Quinnat logo should always be displayed in a single colour.

(See left)





Logo Colours

The POWER Quinnat logo uses single colours. The approved colours to be used are; BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

POWER Rainbow

Single Colour Logo
The POWER Rainbow logo should always be displayed in a single colour.

(See right)





Logo Colours

The POWER Rainbow logo uses single colours. The approved colours to be used are; BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff



POWER Smolt

Single Colour Logo
The POWER Smolt logo should always be displayed in a single colour.

(See left)



BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

Logo Colours

The POWER Smolt logo uses single colours. The approved colours to be used are; BioMar Blue and White.

POWER Smolt Akai

Single Colour Logo
The POWER Smolt Akai logo should always be displayed in a single colour.

(See right)





Logo Colours

The POWER Smolt Akai logo uses single colours. The approved colours to be used are; BioMar Blue and White.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

White

RGB: 255 255 255
CMYK: 0 0 0 0
HEX: #ffffff

EMEA Standard Bag

BioMar Standard Bag

Please refer to the BioMar Brand Guidelines for guidance on the correct use of the standard bag design.

BioMar Blue

RGB: 31 62 119
CMYK: 100 84 26 12
PANTONE: 654 C
HEX: #1f3e77

