acc. to Safe Work Australia - Code of Practice

### Phenol ≥99 %, Ph. Eur., crystalline

article number: 3215 date of compilation: 2016-06-15 Version: GHS 5.0 en Revision: 2024-03-02

Replaces version of: 2022-08-08

Version: (GHS 4)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance **Phenol** ≥99 %, Ph. Eur., crystalline

Article number 3215 CAS number 108-95-2

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal

feedingstuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data 
Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Page 1 / 16 Australia (en)

acc. to Safe Work Australia - Code of Practice

### Phenol ≥99 %, Ph. Eur., crystalline

article number: 3215



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	3	Acute Tox. 3	H311
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.5	Germ cell mutagenicity	2	Muta. 2	H341
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure.

#### 2.2 Label elements

### Labelling

Signal word Danger

### **Pictograms**

GHS05, GHS06, GHS08



#### **Hazard statements**

H302 Harmful if swallowed

H311+H331 Toxic in contact with skin or if inhaled H314 Causes severe skin burns and eye damage H341 Suspected of causing genetic defects

H373 May cause damage to organs through prolonged or repeated exposure

### **Precautionary statements**

### **Precautionary statements - prevention**

P260 Do not breathe dusts or mists

P280 Wear protective gloves/protective clothing

### **Precautionary statements - response**

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

### **Precautionary statements - storage**

P403+P233 Store in a well-ventilated place. Keep container tightly closed

Australia (en) Page 2 / 16

acc. to Safe Work Australia - Code of Practice

### Phenol ≥99 %, Ph. Eur., crystalline

article number: 3215



For professional users only

#### 2.3 Other hazards

This material is combustible, but will not ignite readily.

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Name of substance Phenol Molecular formula  $C_6H_6O$  Molar mass  $94.11~^g/_{mol}$  CAS No 108-95-2

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

### **Following inhalation**

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

### Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Call a doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Gastric perforation, Risk of serious damage to eyes, Risk of blindness, Headache, Vertigo, Dyspnoea, Dizziness, Unconsciousness, Circulatory collapse

### 4.3 Indication of any immediate medical attention and special treatment needed

none

Australia (en) Page 3 / 16

acc. to Safe Work Australia - Code of Practice

### Phenol ≥99 %, Ph. Eur., crystalline

article number: 3215



### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

### **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO<sub>2</sub>), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains. Take up mechanically.

### Advice on how to clean up a spill

Take up mechanically. Control of dust.

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 4 / 16

acc. to Safe Work Australia - Code of Practice

### Phenol ≥99 %, Ph. Eur., crystalline

article number: 3215



### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Avoid dust formation. Clear contaminated areas thoroughly.

### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Removal of dust deposits.

### Advice on general occupational hygiene

Thorough skin-cleansing after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Hygroscopic solid. Store contents under inert gas.

### **Incompatible substances or mixtures**

Observe hints for combined storage.

### Protect against external exposure, such as

humidity, UV-radiation/sunlight, contact with air/oxygen

### **Consideration of other advice:**

Store locked up.

#### **Ventilation requirements**

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

### 7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### **National limit values**

### Occupational exposure limit values (Workplace Exposure Limits)

Coun	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES
AU	phenol	108-95-2	WES	4			Н	WES

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

H Absorbed through the skin

Inhalable fraction

Australia (en) Page 5 / 16

acc. to Safe Work Australia - Code of Practice

### Phenol ≥99 %, Ph. Eur., crystalline

article number: 3215



Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 STEL

TWA

hours time-weighted average (unless otherwise specified)

### **Human health values**

Relevant DNE	Relevant DNELs and other threshold levels					
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
DNEL	8 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects		
DNEL	16 mg/m³	human, inhalatory	worker (industry)	acute - local effects		
DNEL	1.23 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects		

### **Environmental values**

Relevant PNECs and other threshold levels					
End- point	Threshold level	Organism	Environmental com- partment	Exposure time	
PNEC	0.008 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)	
PNEC	0.001 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)	
PNEC	2.1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
PNEC	0.091 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)	
PNEC	0.009 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)	
PNEC	0.136 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)	

#### 8.2 **Exposure controls**

### Individual protection measures (personal protective equipment)

### **Eye/face protection**



Use safety goggle with side protection. Wear face protection.

### **Skin protection**



Australia (en) Page 6 / 16



acc. to Safe Work Australia - Code of Practice

### Phenol ≥99 %, Ph. Eur., crystalline

article number: 3215



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a quide.

### type of material

Butyl caoutchouc (butyl rubber)

#### material thickness

0,7mm

### breakthrough times of the glove material

>480 minutes (permeation: level 6)

### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### **Respiratory protection**



range



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state solid

Form crystalline
Colour colourless
Odour characteristic

Melting point/freezing point 40 - 42 °C Boiling point or initial boiling point and boiling 180 - 182 °C

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit 1.3 vol% (LEL) - 9.5 vol% (UEL)

Flash point 81 °C at 1,013 hPa (ECHA)

Auto-ignition temperature 715 °C at 1,013 hPa (ECHA)

Decomposition temperature not relevant

Australia (en) Page 7 / 16

acc. to Safe Work Australia - Code of Practice

### Phenol ≥99 %, Ph. Eur., crystalline

article number: 3215

pH (value) 4-5 (in aqueous solution:  $10^{9}/_{l}$ ,  $20^{\circ}$ C)

Kinematic viscosity not relevant

Dynamic viscosity 3 – 4 mPa s at 50 °C

Solubility(ies)

Water solubility  $84 \, {}^{9}/_{1}$  at 20  ${}^{\circ}$ C

Partition coefficient

Partition coefficient n-octanol/water (log value): 1.47 (30 °C) (ECHA)

Soil organic carbon/water (log KOC) >1.147 – <1.864 (ECHA)

Vapour pressure 0.2 hPa at 20 °C

Density and/or relative density

Density 1.07 g/<sub>cm³</sub> at 20 °C

Relative vapour density 3.2 (air = 1)

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.2 Chemical stability

Moisture-sensitive. Hygroscopic solid. May cause decomposition by long-term light influence.

#### 10.3 Possibility of hazardous reactions

**Exothermic reaction with:** strong oxidiser, Hydrogen peroxide, Strong acid, Strong alkali, Aldehydes, **Danger of explosion:** Nitrites, Nitro compound, Peroxides

#### 10.4 Conditions to avoid

Humidity. UV-radiation/sunlight. Contact with air/oxygen. Keep away from heat.

#### 10.5 Incompatible materials

aluminium, copper, different plastics

Australia (en) Page 8 / 16



acc. to Safe Work Australia - Code of Practice

### Phenol ≥99 %, Ph. Eur., crystalline

article number: 3215



Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### Classification acc. to GHS

#### **Acute toxicity**

Harmful if swallowed. Toxic in contact with skin. Toxic if inhaled.

Acute	toxicity
Acute	CONICILY

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	317 <sup>mg</sup> / <sub>kg</sub>	rat		TOXNET
dermal	LD50	630 <sup>mg</sup> / <sub>kg</sub>	rabbit		TOXNET

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

### Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### **Germ cell mutagenicity**

Suspected of causing genetic defects.

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

irritant effects, cough, Dyspnoea

Australia (en) Page 9 / 16



acc. to Safe Work Australia - Code of Practice

### Phenol ≥99 %, Ph. Eur., crystalline

article number: 3215



causes severe burns, causes poorly healing wounds

### Other information

Other adverse effects: Headache, Vertigo, Dizziness, Unconsciousness, Circulatory collapse

### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acu	ıte)			
Endpoint	Value	Species	Source	Exposure time
LC50	8.9 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h
EC50	3.1 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h

Aquatic toxicity (chronic)				
Endpoint	Value	Species	Source	Exposure time
LC50	21.93 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	14 d
EC50	10 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	16 d

### 12.2 Persistence and degradability

Theoretical Oxygen Demand:  $2.38 \, ^{mg}/_{mg}$  Theoretical Carbon Dioxide:  $2.806 \, ^{mg}/_{mg}$ 

### **Biodegradation**

The substance is readily biodegradable.

Process of degradability					
Process	Degradation rate	Time			
biotic/abiotic	85 %	14 d			
carbon dioxide generation	45.5 %	3 d			
oxygen depletion	96 %	20 d			

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

Australia (en) Page 10 / 16



acc. to Safe Work Australia - Code of Practice

### Phenol ≥99 %, Ph. Eur., crystalline

article number: 3215



n-octanol/water (log KOW)	1.47 (30 °C) (ECHA)
BCF	17.5 (ECHA)

### 12.4 Mobility in soil

Henry's law constant	0.022 Pa m³/ <sub>mol</sub> at 20 °C (ECHA)
The Organic Carbon normalised adsorption coefficient	>1.147 - <1.864 (ECHA)

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

#### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### Relevant provisions relating to waste(Basel Convention)

### Properties of waste which render it hazardous

**H6.1** Poisonous (Acute)

**H11** Toxic (Delayed or chronic)

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

Australia (en) Page 11 / 16

acc. to Safe Work Australia - Code of Practice

### Phenol ≥99 %, Ph. Eur., crystalline

article number: 3215



### **SECTION 14: Transport information**

### 14.1 UN number

UN 1671
IMDG-Code UN 1671
ICAO-TI UN 1671

14.2 UN proper shipping name

UN RTDGPHENOL, SOLIDIMDG-CodePHENOL, SOLIDICAO-TIPhenol, solid

14.3 Transport hazard class(es)

UN RTDG 6.1
IMDG-Code 6.1
ICAO-TI 6.1

14.4 Packing group

UN RTDG II
IMDG-Code II
ICAO-TI II

**14.5 Environmental hazards** hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

### 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

### Transport informationNational regulationsAdditional information(UN RTDG)

UN number 1671
Class 6.1
Environmental hazards Yes

Hazardous to the aquatic environment

Packing group II

Danger label(s) 6.1

Fish and tree



Special provisions (SP) 279 UN RTDG

Excepted quantities (EQ) E4

UN RTDG

Australia (en) Page 12 / 16

acc. to Safe Work Australia - Code of Practice

### Phenol ≥99 %, Ph. Eur., crystalline

article number: 3215



Emergency Action Code 2X

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name PHENOL, SOLID

Particulars in the shipper's declaration UN1671, PHENOL, SOLID, 6.1, II, MARINE POL-

LUTANT

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 6.1, "Fish and tree"

Special provisions (SP) 279

Excepted quantities (EQ) E4

Limited quantities (LQ) 500 g

EmS F-A, S-A

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Phenol, solid

Particulars in the shipper's declaration UN1671, Phenol, solid, 6.1, II

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 6.1

Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

1 kg

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Australia (en) Page 13 / 16



acc. to Safe Work Australia - Code of Practice

### Phenol ≥99 %, Ph. Eur., crystalline

article number: 3215



#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC CICR CSCL-ENCS DSL ECSI Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL)

DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

### **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 2X	yes
15.1		National inventories: change in the listing (table)	yes

Australia (en) Page 14 / 16

acc. to Safe Work Australia - Code of Practice

Phenol ≥99 %, Ph. Eur., crystalline

article number: 3215

# ® **ROTH**

### **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
MDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
STEL	Short-term exposure limit
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

Australia (en) Page 15 / 16

acc. to Safe Work Australia - Code of Practice

### Phenol ≥99 %, Ph. Eur., crystalline

article number: 3215



UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H373	May cause damage to organs through prolonged or repeated exposure.

### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 16 / 16