

SAFETY DATA SHEET

Issue Date 16-Jan-2018 Revision Date 16-Jan-2018 Version 3

Section 1: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product identifier

Product Name MEKP CATALYST C1501

Other means of identification

UN Number UN3105

Recommended use of the chemical and restrictions on use

Recommended Use Recommended for Industrial and/or Professional use only

Details of manufacturer or importer

Manufacturer

Allnex Composites
(a division of Allnex Resins Australia Pty Ltd)
49-61 Stephen Road
Botany

Botany NSW 2019

For further information, please contact

Contact Point +61 (02) 9666 0331

E-mail address complianceANZ@allnex.com

Emergency telephone number

Emergency telephone number +61 1800 022 037

Section 2: HAZARD(S) IDENTIFICATION

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonised System (GHS) Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

GHS Classification

| Organic Peroxides | Type D |
|---|-----------------------|
| Acute toxicity - Oral | Category 4 - (H302) |
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 - (H332) |
| Skin corrosion/irritation | Category 1 B - (H314) |
| Serious eye damage/eye irritation | Category 1 - (H318) |

Label elements



UGHS - NLYJ4 Page 1/11

Signal word

Danger

Hazard statements

H242 - Heating may cause a fire

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H332 - Harmful if inhaled

AUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapours/spray

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep/Store away from clothing/combustible materials

Keep only in original container

Precautionary Statements - Response

Immediately call a POISONS INFORMATION CENTRE or doctor

Specific treatment (see supplemental first aid instructions on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISONS INFORMATION CENTRE or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before re-use

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

Call a POISONS INFORMATION CENTRE or doctor if you feel unwell

Immediately call a POISONS INFORMATION CENTRE or doctor

Rinse mouth

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Store at temperatures not exceeding 25 °C/77 °F. Keep cool

Store separately

Protect from sunlight

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Toxic to aquatic life

Section 3: COMPOSITION AND INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

 Chemical Name
 CAS No
 Weight-%

 Dimethyl phthalate
 131-11-3
 30-<60</td>

 Methyl ethyl ketone peroxide
 1338-23-4
 30-<60</td>

 Methyl ethyl ketone
 78-93-3
 1-<3</td>

 Non-hazardous ingredients
 Balance

Section 4: FIRST AID MEASURES

Description of first aid measures

UGHS - NLYJ4 Page 2/11

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Emergency telephone number Poisons Information Centre, Australia: 13 11 26

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary oedema may occur. Get immediate medical advice/attention. Get medical attention immediately if

symptoms occur.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical advice/attention. Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops

and persists.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical advice/attention.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Immediate medical attention is

required. Call a doctor.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to doctors Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal oedema may occur. Marked decrease in blood pressure

may occur with moist rales, frothy sputum, and high pulse pressure.

Section 5: FIREFIGHTING MEASURES

Suitable Extinguishing Media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray or fog is preferred; if water not available use dry chemical, CO2 or regular foam. Flood fire area with water from a distance. Use water spray or fog; do not use straight streams. Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out.

Unsuitable extinguishing media

Do not use water jetstream

Specific hazards arising from the chemical

These substances will accelerate burning when involved in a fire. Some may burn rapidly with flare burning effect. Some may decompose explosively when heated or involved in a fire. May ignite combustibles (wood paper, oil, clothing, etc.). Run-off may create fire or explosion hazard. Keep product and empty container away from heat and sources of ignition. The product causes

UGHS - NLYJ4 Page 3/11

irritation of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapours.

Special protective actions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. Oxidiser. May ignite combustibles (wood paper, oil, clothing, etc.). Some may burn rapidly with flare burning effect. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do it without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn.

Hazchem code

2WE.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See section 8 for more information. Stop leak if you can do it without risk. DO NOT CLEAN UP OR DISPOSE OF, EXCEPT UNDER SUPERVISION OF A SPECIALIST. Attention! Corrosive material. Use personal protective equipment as required.

Keep combustibles (wood, paper, oil, etc.) away from spilled material. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Should not be released into the environment. Do not allow to enter into soil/subsoil.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Stop leak if you can do it without risk.

Methods for cleaning up

Cover liquid spill with sand, earth or other non-combustible absorbent material. Cover powder spill with plastic sheet or tarp to minimise spreading. Take up with inert, damp, non-combustible material using clean non-sparking tools and place into loosely covered plastic containers for later disposal. Flush area with flooding quantities of water. Prevent product from entering drains.

Precautions to prevent secondary hazards

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid contact with skin, eyes or clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Use only with adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Ensure

UGHS - NLYJ4 Page 4/11

adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Take off contaminated clothing and wash it before reuse.

General Hygiene Considerations

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e. pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Protect from moisture. Store locked up. Store separately. Store at temperatures not exceeding 25 °C/77 °F.

Incompatible materials

Organic material. Combustible material. Hydrocarbons. Strong acids. Strong bases. Strong oxidising agents.

Section 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Control parameters

Exposure Limits

. This product, as supplied, contains hazardous materials with occupational exposure limits.

| Chemical Name | Australia |
|------------------------------|----------------|
| Dimethyl phthalate | 5 mg/m³ TWA |
| 131-11-3 | |
| Methyl ethyl ketone peroxide | 0.2 ppm Peak |
| 1338-23-4 | 1.5 mg/m³ Peak |
| Methyl ethyl ketone | 150 ppm TWA |
| 78-93-3 | 445 mg/m³ TWA |
| | 300 ppm STEL |
| | 890 mg/m³ STEL |

Biological occupational exposure limits

An occupational medicine specialist familiar with national and regional regulations and standards must be consulted to establish a program of medical examinations for workers exposed to substances with biological limit values

| Chemical Name | Australia | ACGIH | United Kingdom | European Union |
|--------------------------------|-----------|--------------------------------|----------------|----------------|
| Methyl ethyl ketone 78-93-3 | - | MEK: 2 mg/L urine end of shift | 70 μmol/L | |

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protectionGloves made of plastic or rubber. Suitable protective clothing.

Hand Protection Wear suitable gloves.

UGHS - NLYJ4 Page 5/11

Respiratory protection Where respiratory protection is required, use a respirator selected and in accordance with

AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateliquidAppearanceclearColourcolourlessOdourSlight

Odour threshold No information available

Property Values Remarks • Method

pH < 7

Melting point / freezing pointNo information availableBoiling point/boiling rangeNot applicable

Flash point No information available No information available

Evaporation rateNo information availableFlammability (solid, gas)No information available

Flammability Limit in Air
Upper flammability limit:

No information a

Upper flammability limit:No information availableLower flammability limit:No information available

Vapour pressureNo information availableVapour densityNo information available

Vapour density Relative density1.17

No information avai

Water solubility

Solubility(ies)

Miscible

No information available

Partition coefficient

Auto-ignition temperature

No information available
No applicable

Decomposition temperature 60 SADT

Kinematic viscosity

21 mm2/s

Dynamic viscosity

25 mPa s

Explosive propertiesNo information available
Oxidising properties
No information available

Other Information

VOC Content (%)

Pensity

No information available
No information available

* This information may be derived from the components in the preparation.

Section 10: STABILITY AND REACTIVITY

@ 20 °C

Reactivity

No Data Available.

Chemical stability

Organic peroxide. MAY CAUSE FIRE.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge May be ignited by heat, sparks or flames.

Possibility of Hazardous Reactions

Possibility of Hazardous Reactions

None under normal processing.

UGHS - NLYJ4 Page 6/11

Conditions to avoid

Incompatible materials

Organic material. Combustible material. Hydrocarbons. Strong acids. Strong bases. Strong oxidising agents.

Hazardous Decomposition Products

Self-accelerating decomposition may occur if the specific control temperature is not maintained. Decomposition products can include and are not limited to:. Methyl ethyl ketone peroxide.

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary oedema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic oedema of the lungs.

Pulmonary oedema can be fatal.

Eye contact Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Corrosive to the eyes and may cause severe damage including blindness.

Risk of serious damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhoea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document Converted acute toxicity point estimates may have been used when only acute toxicity hazard classification is available.

ATEmix (oral) 1,018.00 ATEmix (inhalation-vapour) 1,725.09 ATEmix (inhalation-dust/mist) 3.80

0% of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour) 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (duct/mixture) of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (duct/mixture) acute inhalation acute inhalation (duct/mixture) acute inhalation (duct/mixtur

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------------|---------------------------|------------------------------|-----------------------|
| Dimethyl phthalate | = 6800 mg/kg (Rat) | - | - |
| Methyl ethyl ketone peroxide | = 470 mg/kg (Rat) = 407 | - | = 200 ppm (Rat) 4 h |
| | mg/kg (Rat) | | |
| Methyl ethyl ketone | = 2737 mg/kg (Rat) = 2483 | = 6480 mg/kg (Rabbit) = 5000 | = 11700 ppm (Rat) 4 h |
| | mg/kg(Rat) | mg/kg(Rabbit) | |

UGHS - NLYJ4 Page 7/11

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation

Classification based on individual ingredients of the mixture. Risk of serious damage to eyes. Causes burns.

Sensitisation

No information available.

Germ cell mutagenicity

No information available.

Carcinogenicity

No information available.

Reproductive toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Aspiration hazard

No information available.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Unknown Aquatic Toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Fish |
|---------------------|--|
| Dimethyl phthalate | 49.5 mg/L LC50 96 h Lepomis macrochirus 39 mg/L LC50 96 h Pimephales promelas flow-through 37 - 69 mg/L LC50 96 h Lepomis macrochirus static 100 - 220 mg/L LC50 96 h Leuciscus idus static 56 mg/L LC50 96 h Oncorhynchus mykiss flow-through 121 mg/L LC50 96 h Pimephales promelas static |
| Methyl ethyl ketone | 3130 - 3320 mg/L LC50 96 h Pimephales promelas flow-through |

| Chemical Name | Crustacea |
|---------------------|--|
| Dimethyl phthalate | 33 mg/L EC50 48 h Daphnia magna |
| Methyl ethyl ketone | 520 mg/L EC50 48 h Daphnia magna 4025 - 6440 mg/L EC50 48 h Daphnia magna Static 5091 mg/L EC50 48 h Daphnia magna |

| Chemical Name | Algae/aquatic plants | |
|--------------------|--|--|
| Dimethyl phthalate | 142 mg/L EC50 96 h Pseudokirchneriella subcapitata static 20.6 - 45.8 mg/L EC50 96 h Pseudokirchneriella subcapitata | |
| | 26.1 mg/L EC50 96 h Skeletonema costatum | |

UGHS - NLYJ4 Page 8/11

28.4 - 71 mg/L EC50 72 h Pseudokirchneriella subcapitata 204 mg/L EC50 72 h Desmodesmus subspicatus

Persistence and degradability

No information available.

Bioaccumulative potential

.

| Chemical Name | Partition coefficient |
|---------------------|-----------------------|
| Dimethyl phthalate | 2.12 |
| Methyl ethyl ketone | 0.29 |

Mobility

Mobility in soil

No information available.

Mobility

No information available.

Other adverse effects

No information available.

Endocrine Disruptor Information.

| Chemical Name | EU - Endocrine Disrupters Candidate List | EU - Endocrine Disruptors - Evaluated Substances | Endocrine disrupting potential |
|--------------------|---|---|--------------------------------|
| Dimethyl phthalate | Group III Chemical | - | - |

Section 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Refer to all federal, state and local regulations prior to disposal of container and unused

contents by re-use, recycle or disposal.

Contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations. Observe all label precautions until container is cleaned, reconditioned or destroyed. Refer to all federal, state and local regulations prior to disposal of container and unused contents by re-use, recycle or disposal.

Section 14: TRANSPORT INFORMATION

ADG

UN Number UN3105

Proper shipping name ORGANIC PEROXIDE TYPE D, LIQUID

Description UN3105, ORGANIC PEROXIDE TYPE D, LIQUID (Methyl ethyl ketone peroxide), 5.2

Hazard Class 5.2

Special Precautions for users 122, 274, 323

Hazchem code 2WE. IERG 32

IMDG

UN/ID no UN3105

Proper shipping name ORGANIC PEROXIDE TYPE D, LIQUID

Description UN3105, ORGANIC PEROXIDE TYPE D, LIQUID (Methyl ethyl ketone peroxide), 5.2

Hazard Class 5.2 EmS-No F-J, S-R Special Precautions for users 122, 274

UGHS - NLYJ4 Page 9/11

Transport in Bulk According to Annex II of MARPOL and the IBC CODE

No information available

IATA

UN/ID no UN3105

Proper shipping name Organic peroxide type D, liquid

Description UN3105, Organic peroxide type D, liquid (Methyl ethyl ketone peroxide), 5.2

Hazard Class 5.2 ERG Code 5L

Section 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonised System (GHS). Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

See section 8 for national exposure control parameters

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

S5

International Inventories

| AICS - Australian Inventory of Chemical Substances | Listed or exempt |
|--|--------------------------|
| DSL - Canadian Domestic Substances List | Listed or exempt |
| IECSC - China Inventory of Existing Chemical Substances | Listed or exempt |
| ENCS - Japan Existing and New Chemical Substances | Listed or exempt |
| KECL - Korean Existing and Evaluated Chemical Substances | Listed or exempt |
| NZIoC - New Zealand Inventory of Chemicals | Listed or exempt |
| PICCS - Philippines Inventory of Chemicals and Chemical Substances | Listed or exempt |
| CICR - Turkey Chemical Inventory Control Regulation | No information available |
| NCSR - Taiwan National Chemical Substance Registry | Listed or exempt |
| TSCA - United States Toxic Substances Control Act Section 8(b) Inventory | Listed or exempt |

For confirmation on the European REACh status contact the Allnex Compliance group at PSRA-Customer-Requests@allnex.com

International Regulations

Ozone-depleting substances (ODS) Not applicable

UGHS - NLYJ4 Page 10/11

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

Section 16: ANY OTHER RELEVANT INFORMATION

Revision Date 16-Jan-2018

Revision Note SDS sections updated

2 7

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Disclaimer

This information is given without any warranty or representation. We do not assume any legal responsibility for same, nor do we give permission, inducement, or recommendation to practice any patented invention without a license. It is offered solely for your consideration, investigation, and verification. Before using any product, read its label.

End of Safety Data Sheet

UGHS - NLYJ4 Page 11 / 11