

FORGE | complete walkthrough

Hinglish practice + English presentation | latest v21 | 2026-10-08

Read, rehearse, then show evidence. This guide is grounded in the saved source revision; it is not a fresh hosted browser pass.

Independent portfolio work. Official/public evidence or clearly labelled synthetic exercises. No invented employment, professional sign-off, commercial submission or regulatory validation.

How to use this guide

Pehle Hinglish explanation samjho. Phir English line bolkar screen par wahi proof dikhao. Agar current screen, permission ya network result alag aaye, usko honestly dikhao; script ke liye success force mat karo.

First understand the Hinglish explanation. Then rehearse the English wording while showing the cited screen or source. Use the actual returned status; a script never overrides a missing record, permission or error.

Visual provenance

Step images are extracted frames from the earlier supplied/created narrated project guides. They are explanatory illustrations, not fresh live footage of the latest revision. Latest additions are explained from current source code and delivery records.

What it is

Hinglish practice

FORGE source documents se supported CMC facts, missing information aur draft ko responsible review ke saath jodta hai.

English presentation

FORGE organizes source-backed CMC facts, visible gaps and controlled draft candidates for human review.

Why I made it

Hinglish practice

CMC mein ek number ka method, unit, batch aur source bhi important hai. Sundar draft agar missing fact ko guess kare to useful nahi. Maine original record se draft tak relation aur conflict visible rakhne ke liye FORGE banaya.

English presentation

A CMC value needs its source, unit, batch, method and version. A fluent draft is not useful if it invents missing science. FORGE is my independent work sample for making those dependencies and gaps inspectable.

How the work proceeds

Hinglish practice

Permitted original save hota hai. Exact values aur unka context nikala jata hai. Conflict/missing requirement dikhte hain. Supported reviewed facts relevant Module 3 location se judte hain. Quality checks aur independent human review ke baad bounded packet ban sakta hai.

English presentation

The workflow stores the permitted original, extracts values with their context, identifies gaps and conflicts, maps scoped content to Module 3, and checks draft candidates before independent human review and controlled output.

What the user should receive

Hinglish practice

User ko cited CMC gap assessment, supported values, missing studies/results, draft candidate, review state aur clear next action milta hai. Drug X proof synthetic hai. 98.6% aur 99.1% assay conflict unresolved hai; dissolution guess nahi kiya gaya.

English presentation

The output is a cited CMC assessment, supported facts, visible missing evidence, draft candidate, review state and next action. The Drug X proof is synthetic; its 98.6% versus 99.1% assay conflict remains unresolved and no dissolution result is invented.

Prepare the demonstration

Open `/working-proof`. This is the saved, read-only synthetic recruiter case. It is different from `/demo`, which is the separate session-only sandbox.

Prepare `/working-proof?view=sources`, `/working-proof?view=working-proof` and `/recruiter` as tabs. Prefer the saved case for the recording so the assessment stays reconstructable.

Check that CMC sources, Extraction, Gaps & conflicts, Module 3 drafts, Human review, CMC assessment and History & audit are present.

Existing fixture decisions are illustrative. Never present them as qualified professional review. An accepted submission is blocked while the conflict and required gaps remain.

Navigation map

Landing | /

Work sample navigation confirmation -> Continue; or open the prepared saved-case URL

<https://forge.r4dewangan.chatgpt.site/>

Saved CMC case | `/working-proof`

CMC assessment / CMC sources / Extraction / Gaps & conflicts / Module 3 drafts / Human review / History & audit

<https://forge.r4dewangan.chatgpt.site/working-proof>

Specific saved screen | `/working-proof?view=working-proof`

Select CMC assessment

<https://forge.r4dewangan.chatgpt.site/working-proof?view=working-proof>

Separate sandbox | `/demo`

Session-only, editable synthetic case; not the saved recruiter record

<https://forge.r4dewangan.chatgpt.site/demo>

Gap-assessment PDF | `/recruiter`

VIEW CMC GAP ASSESSMENT -> confirmation -> Continue

<https://forge.r4dewangan.chatgpt.site/recruiter>

Private work | `/app`

Your account, saved workspace and existing roles; login off-camera

<https://forge.r4dewangan.chatgpt.site/app>

Cursor and pacing

Move once to the target, pause briefly, click once, and park the cursor away from the evidence. Keep the real loading result visible. Browser zoom 100-110%, readable 1080p capture, stable 30 fps or clean 60 fps if your device supports it. Do not cut a failed request into an apparent success.

Hide passwords, API keys, personal records and authenticator codes. Sign in off-camera. Use a read-only public proof first. Private editing requires your own permitted workspace and role.


1. Introduce the CMC task | 00:00-00:12

Where: / -> /working-proof

Click / navigation: Show the landing identity, then open the prepared /working-proof tab. Do not confuse TRY SANDBOX with the saved recruiter case.

Cursor: Pause on the product name; then park beside Saved working proof.

Proof to inspect: FORGE product identity and read-only saved synthetic work sample.



Earlier narrated-guide frame; illustrative, not a fresh browser execution.

Hinglish practice: what this means

FORGE ka purpose CMC documentation support hai. Landing se saved working proof kholo. Sandbox aur saved assessment ko same mat bolna. Yeh independent synthetic exercise hai, client project nahi.

English: what to say

CMC documentation starts with dependable source facts. I am Rahul Dewangan, and FORGE is my independent work sample for organizing that evidence, identifying gaps and supporting controlled drafts.


2. Inspect the original source records | 00:12-00:27

Where: /working-proof?view=sources

Click / navigation: Click CMC sources. Inspect SYN-COA-A.json and SYN-BATCH-A.json; show source identity, original content and retained version.

Cursor: Point once to the source names and original-value area; leave the record text unobstructed.

Proof to inspect: The original synthetic records, labelled permission/scope and their source identities.



Earlier narrated-guide frame; illustrative, not a fresh browser execution.

Hinglish practice: what this means

Pehle source dikhao. Source name, original value aur version visible hona chahiye. Synthetic data ko real manufacturing batch result ya confidential company evidence nahi bolna.

English: what to say

Here are the original synthetic analytical records. Source identity, version and the original content remain attached, so a finding can be checked against the record that produced it.

3. Make the numeric discrepancy understandable | 00:27-00:43

Where: /working-proof?view=extraction

Click / navigation: Click Extraction. Inspect the SYN-A assay facts and their exact source spans, raw values, unit and method context.

Cursor: Move once between the two values. Give the numbers three seconds each; do not cover the percent sign.

Proof to inspect: 98.6% versus 99.1% for the same synthetic batch; a 0.5 percentage-point difference.

FORGE PRAMANEX / RAHUL

TWO-MINUTE WORKFLOW GUIDE

CMC evidence. Human decisions.

Animated explanation of the saved synthetic fixture. Not live screen footage.

WORKFLOW 03 / 08

A number needs its context

SOURCE-LINKED FACT

- SYN-A | COA: 98.6% | Batch record: 99.1%
- Keep the raw number, unit, batch and method together
- A candidate fact is not a qualified reviewer decision

No critical value invented. No autonomous regulatory release.

Chapter 3/8 | 30s - 45s

SYNTHETIC CASE / HUMAN REVIEW REQUIRED

Earlier narrated-guide frame; illustrative, not a fresh browser execution.

Hinglish practice: what this means

Same batch mein do alag assay values hain: 98.6% aur 99.1%. Difference 0.5 percentage point hai. Dono values ke exact source references dikhane hain; correct value khud choose nahi karni.

English: what to say

For the same synthetic batch, the COA records an assay of ninety-eight point six percent, while the batch record shows ninety-nine point one. The difference is half a percentage point.


4. Show the conflict and missing evidence | 00:43-00:58

Where: /working-proof?view=conflicts

Click / navigation: Click Gaps & conflicts. Show the open assay conflict and missing critical supporting information.

Cursor: Point beside the conflict state and one important missing item. Leave HOLD visible in the frame.

Proof to inspect: Unresolved same-batch conflict; missing dissolution and other required supporting evidence remain explicit.



Earlier narrated-guide frame; illustrative, not a fresh browser execution.

Hinglish practice: what this means

Ab gaps ka part important hai. Assay conflict unresolved rahega, aur missing dissolution missing hi rahega. Strong demo ka matlab fake complete output dikhana nahi, correct HOLD dikhana hai.

English: what to say

FORGE keeps that conflict unresolved. Required supporting evidence, including dissolution, is also missing. The system does not choose a convenient value or invent the absent result.

5. Connect the gaps to Module 3 | 00:58-01:13

Where: /working-proof?view=working-proof

Click / navigation: Click CMC assessment. Show Available evidence and unresolved gaps, the Module 3 area, why it matters and next action. Expand an exact-source-reference row.

Cursor: Move left to right across one table row, then stop next to its source-reference expansion.

Proof to inspect: Source-backed observation -> Module 3 candidate location -> gap -> action -> review status.

The screenshot shows the FORGE interface. At the top, there's a header with the FORGE logo and the user name PRAMANEX / RAHUL. Below the header, there's a section titled 'TWO-MINUTE WORKFLOW GUIDE' and 'CMC evidence. Human decisions.' with a subtitle 'Animated explanation of the saved synthetic fixture. Not live screen footage.'

The main content area is titled '05 / 08 Place evidence in Module 3'. It features a progress bar labeled 'ILLUSTRATIVE DOCUMENTATION MAPPING'. Below the progress bar, there are three rows of evidence items, each with a green dot indicating completion:

- 3.2.P.5.4 | Batch analyses
- 3.2.P.5.2 / P.5.3 | Methods / validation
- 3.2.P.8 | Stability; applicability needs review

At the bottom of the main content area, there's a status message: 'No critical value invented. No autonomous regulatory release.'

The bottom status bar shows 'Chapter 5/8 | 60s - 75s' and 'SYNTHETIC CASE / HUMAN REVIEW REQUIRED'.

Earlier narrated-guide frame; illustrative, not a fresh browser execution.

Hinglish practice: what this means

CMC assessment ki ek row dhang se explain karo: kya available hai, Module 3 mein kahan relevant hai, gap kyu matter karta hai aur next action kya hai. Mapping final applicability verdict nahi hai.

English: what to say

The saved gap assessment connects each observation to a relevant Module 3 area, explains why the gap matters and records the next evidence action. The mapping remains subject to professional review.


6. Show draft and technical check together | 01:13-01:30

Where: /working-proof?view=drafts

Click / navigation: Click Module 3 drafts. Inspect the source-linked candidate and its recorded QC/missing-evidence state.

Cursor: Keep the draft state and a cited fact in the same crop. Do not crop away the missing-evidence warning.

Proof to inspect: A draft candidate with evidence references and blockers; accepted Module 3 output remains blocked.



Earlier narrated-guide frame; illustrative, not a fresh browser execution.

Hinglish practice: what this means

Draft candidate dikhao, accepted submission nahi. Source links aur technical blockers ek saath visible hone chahiye. Evidence incomplete hai to good writing bhi approval replace nahi kar sakti.

English: what to say

The Module 3 view shows a source-linked draft candidate with technical checks and visible blockers. Accepted output remains blocked while critical evidence is incomplete or conflicting.

7. Explain illustrative decisions and real authority | 01:30-01:44

Where: /working-proof?view=reviews

Click / navigation: Click Human review. Read the illustrative request-evidence decision and current revision; do not attempt signing in the read-only case.

Cursor: Rest beside the request-evidence reason. Avoid hovering over approval controls for a misleading impression.

Proof to inspect: The exact recorded synthetic decision, its reason and the boundary requiring qualified review.

The screenshot displays the FORGE interface with a dark theme. At the top, the 'FORGE' logo is on the left and 'PRAMANEX / RAHUL' is on the right. Below the logo, a 'TWO-MINUTE WORKFLOW GUIDE' section is visible. The main heading is 'CMC evidence. Human decisions.' with a subtitle 'Animated explanation of the saved synthetic fixture. Not live screen footage.' A sidebar on the left lists workflow steps: 'Originals', 'Facts', 'Gaps & conflicts', 'Module 3', 'Quality checks', 'Human review' (highlighted), and 'Audit / output'. The main content area shows a progress bar for '07 / 08' and the title 'A human owns the decision'. Below this, a section titled 'EXACT-REVISION REVIEW' contains three items: 'Request evidence | reject | resolve with supporting records', 'Illustrative fixture decisions are labelled synthetic' (with a mouse cursor hovering over it), and 'Changed evidence requires a fresh review'. At the bottom of this section, it states 'No critical value invented. No autonomous regulatory release.' A progress bar at the very bottom indicates 'Chapter 7/8 | 90s - 105s' and 'SYNTHETIC CASE / HUMAN REVIEW REQUIRED'.

Earlier narrated-guide frame; illustrative, not a fresh browser execution.

Hinglish practice: what this means

Yahan jo example decision hai woh synthetic fixture ka part hai. Use actual qualified reviewer approval nahi bolna. Real professional ko evidence aur exact revision dekhkar decision lena hai.

English: what to say

The example review requests evidence. These fixture decisions are illustrative, not qualified professional approval. A real CMC, Regulatory or Quality reviewer remains responsible for the final judgement.

8. Show readable output and recorded history | 01:44-01:53

Where: /working-proof?view=audit; /recruiter

Click / navigation: Show History & audit and Verify audit chain: the saved-case dialog verifies the frozen work-sample hash, not a customer audit service. Close it. In the prepared recruiter tab open VIEW CMC GAP ASSESSMENT -> Continue.

Cursor: One click for the saved integrity note, close, then one click to the prepared report. Keep the report limitation visible.

Proof to inspect: Frozen saved-case integrity and a recruiter-facing gap report. No accepted submission or finalized export is claimed.



Earlier narrated-guide frame; illustrative, not a fresh browser execution.

Hinglish practice: what this means

History saved case ka hai. Verify button ka message dhyan se dikhao: yeh frozen sample integrity hai, full customer audit validation nahi. Gap report open karo, limitations ko hide mat karo.

English: what to say

The saved case preserves its evidence history. The gap report makes the findings and next steps readable, while retaining HOLD and the synthetic-exercise boundary.


9. End with the work skill | 01:53-02:00

Where: /working-proof?view=working-proof

Click / navigation: Return to CMC assessment with the controlled HOLD result visible.

Cursor: Park in a clear corner.

Proof to inspect: CMC evidence organization, missing-data discipline and human-controlled drafting.



Earlier narrated-guide frame; illustrative, not a fresh browser execution.

Hinglish practice: what this means

Closing mein apni demonstrated skill bolo: CMC facts organize karna, gaps clear rakhna aur structured draft ko human review se connect karna. Commercial experience claim nahi karna.

English: what to say

FORGE demonstrates my approach to CMC documentation: traceable facts, explicit gaps, structured drafts and accountable human review.

Latest additions - Hinglish explanation

Sources: original values, units, precision, batch aur method context preserve hote hain. Public PDF intake checks scientific extraction accuracy ka proof nahi.

Structure: current supported M4Q(R1) default hai. M4Q(R2) draft preview clearly labelled hai; us preview ko final submission output nahi banana.

Completeness: QOS, method, stability, post-approval commitment, authority response aur external handoff ke source-cited records save kiye ja sakte hain. Missing source ko complete checkbox nahi banana.

Method: procedure ka ID hona method validation pass hone ka proof nahi. Actual protocol, results, acceptance aur required review ka evidence chahiye.

Stability: batch, strength, pack, condition, time, method/result aur commitment evidence check hota hai. System apne aap shelf life assign nahi karta.

Authority response: actual question, scope, due date, evidence, gaps, reviewed response aur receipt ki coverage visible rehti hai. Received record ke bina authority acceptance claim nahi.

Output: completeness ka independent exact-digest review aur current source check draft ke relevant scope ko control karte hain. Live vendor connector aur full eCTD agency qualification alag dependencies hain.

Latest additions - English source-grounded detail

FORGE current delivery

Recorded: 2026-10-08T09:25:12.793269+00:00

Scope: bounded engineering refinements; enterprise production qualification is NOT ESTABLISHED.

Existing design, data, roles, URLs and human release boundaries were preserved. No private customer evidence, human approval or credentials were changed by this delivery.

F01 Complex-document extraction / Existing preservation/parser failure handling tested with official public documents.

Remaining proof or limitation: Lossless merged-table parsing, scientific extraction accuracy and reviewed OCR are not established.

F02 CTD profiles / M4Q(R1) default; M4Q(R2) explicitly draft preview, profile change stales approvals; preview finalization blocked.

Remaining proof or limitation: Regional profiles and future draft adoption need qualified scope review.

F03 Scientific facts / Existing original values, precision, units and batch/method context retained and regression-tested.

Remaining proof or limitation: Representative customer scientific validation remains external.

F04 QOS / Module 2.3 draft section support and completeness record required for scoped drafts; technical export accepts supported 2.3 sections.

Remaining proof or limitation: Full QOS/Module 3 narrative-consistency qualification remains partial.

F05 Analytical procedures / Saved method/revision, purpose, development, protocol/results, acceptance and transfer completeness checklist with exact citations and independent review.

Remaining proof or limitation: Coverage does not prove analytical validation, verification or transfer success.

F06 Stability / Saved batch/strength/container/condition/time/method/result/commitment checklist; scoped draft QC requires current reviewed coverage.

Remaining proof or limitation: No shelf-life assignment, extrapolation or independently qualified scientific conclusions.

F07 Post-approval / Saved product/market/registration/change/reporting/commitment evidence checklist with gaps.

Remaining proof or limitation: Jurisdiction-specific legal classification and customer commitments require review.

F08 HA response / Actual request, scope/due date, evidence, gaps, reviewed response and receipt completeness record.

Remaining proof or limitation: No invented authority expectation, submission or acceptance.

F09 eCTD preflight / Existing technical export validation retained; draft-profile finalization blocked.

Remaining proof or limitation: Agency eCTD qualification, Module 1 and publishing validation remain outside this handoff.

F10 External handoff / Saved receiving-permission, manifest, identifiers, receipt and reconciliation evidence checklist.

Remaining proof or limitation: Live LIMS/MES/QMS/RIM adapters require authorized vendor access and test data.

Shared acceptance boundaries

Authoritative current status / This report is authoritative for changes in this delivery. Earlier status/proof files describe their dated scope; they are not upgraded by a build.

Independent evaluation / Synthetic controls and public-document intake are separate from held-out reviewer-labelled scientific/regulatory evaluation.

Live model outcomes / Configured credentials and local protocol mocks do not establish fresh successful hosted inference or model quality.

Professional outcomes / No real-user pilot results, time savings or accuracy percentages were invented.

Identity/security / Existing roles, signed decisions, tenant scope and auth retained. Production identity recovery, external OAuth and complete security qualification remain separate.

Operations / Build/local persistence/export checks pass only within their stated scope; target load, alert delivery, restore/rollback/incident drills remain unqualified.

Cross-product handoff / No automatic permission bypass or transferred approval. Existing exact-revision/manual intake controls retained; receiving-system reconciliation remains scoped.

Human-readable outcomes / Visible gaps, HOLD, source references and next review owner retained. No automatic regulatory release.

Current source handling

Checked 8 October 2026: FDA M4Q(R2), January 2026, is draft guidance not for implementation. EU EudraLex lists revised Annex 19 as applicable from 24 September 2026; applicability must be assessed for the actual scope, not assumed for every customer.

<https://www.fda.gov/regulatory-information/search-fda-guidance-documents/m4qr2-common-technical-document-registration-pharmaceuticals-human-use-quality>

https://health.ec.europa.eu/medicinal-products/eudralex/eudralex-volume-4_en

See the repository test evidence for executed checks. Hosted browser journeys and real professional evaluation remain separate from a successful deployment.

How it was built

Hinglish practice

Ye sirf landing page nahi. Frontend screen API se saved workspace records leti hai. Original files aur versions, role checks, workflow state, review aur audit alag linked records hain. Tests missing, conflicting, stale aur unauthorized cases ko check karte hain. Model calls server-side permission aur configuration par depend karte hain.

English presentation

The application combines a TypeScript/React interface, server API routes, durable records and original storage, role checks, version-aware workflow decisions and audit history. Bounded AI candidates sit inside these controls. Local protocol tests, saved mock integration, hosted inference and professional acceptance are different kinds of evidence.

Code locations to inspect

app/Workspace.tsx

lib/core.mjs

lib/scientific-review.mjs

lib/working-proof.mjs

lib/format-export.mjs

Outcome, audit and export are different

User ko cited CMC gap assessment, supported values, missing studies/results, draft candidate, review state aur clear next action milta hai. Drug X proof synthetic hai. 98.6% aur 99.1% assay conflict unresolved hai; dissolution guess nahi kiya gaya.

The output is a cited CMC assessment, supported facts, visible missing evidence, draft candidate, review state and next action. The Drug X proof is synthetic; its 98.6% versus 99.1% assay conflict remains unresolved and no dissolution result is invented.

An audit record answers who did what, when and against which revision. An export packages the selected record and evidence. The real task outcome is the supported finding, gap, next decision and accountable action. A held case must remain held; an export never turns it into an approved commercial result.

Interview practice: short and honest answers

Is this commercial work?

Practice: Ye independent portfolio work hai; synthetic/public proof ko real client experience nahi bolunga.

Say: This is independent portfolio work. Synthetic and public cases are not commercial client experience.

Why can the output be HOLD?

Practice: HOLD weakness nahi: required proof ya qualified decision abhi pending hai. Guess karke green status dena galat hoga.

Say: HOLD makes missing evidence or review visible. It prevents an unsupported accepted output.

Does AI make the final decision?

Practice: AI candidate ya explanation de sakta hai. Named qualified human exact version ka decision deta hai.

Say: AI produces bounded candidates; a named qualified human remains responsible for the scoped decision.

Is it agentic or only rules?

Practice: Saved plan, specialist routing, shared task state aur human gate code mein hain. Safety checks explicit rules bhi use karte hain. Actual provider result alag proof se dikhana hoga.

Say: The implementation combines bounded orchestration, specialist work and explicit safety rules. A successful live provider run must be evidenced separately from configuration and mocks.

What if the source changes?

Practice: Affected current output stale hota hai aur fresh review chahiye. Purana decision history mein rehta hai.

Say: Changed dependencies mark affected current work stale and require fresh review while preserving history.

What is the main output?

Practice: Report/export ke saath supported finding, gap, owner aur next action. Sirf PDF ban jana poori outcome nahi.

Say: The output combines supported findings, gaps, review responsibility and next action. A PDF alone is not the whole user outcome.

How accurate is it?

Practice: Main engineering tests ka scope bataunga; unko regulatory/scientific accuracy percentage nahi bolunga. Qualified unseen-case evaluation aur pilot abhi alag kaam hain.

Say: Recorded engineering checks do not establish regulatory or scientific accuracy. Qualified held-out evaluation and supervised professional use remain separate.

How much time does it save?

Practice: Measured baseline aur real supervised results ke bina percentage claim nahi karunga.

Say: I would measure matched manual and assisted tasks, including corrections and failures, before claiming a time-saving percentage.

Is it production-ready?

Practice: Deployment aur bounded working proof hai; complete enterprise qualification claim nahi. Security, restore, target load aur real professional acceptance ke gaps openly bataunga.

Say: It has a bounded implementation and work sample, but full enterprise qualification is not established. Remaining operating and professional evidence must be stated openly.

What did you personally learn?

Practice: Original evidence preserve karna, uncertainty explain karna, review boundary define karna aur useful next action dikhana.

Say: I learned to preserve original evidence, explain uncertainty, define review boundaries and present an accountable next action.

Remember this five-part answer

Problem -> Original proof -> Supported finding and gap -> Human decision -> Saved next action/output. Har jawab mein pehle problem aur proof bolo; deep architecture tab bolo jab interviewer puche.

Problem -> original evidence -> supported finding and gap -> human decision -> saved next action/output. Start with the professional task, then show the evidence. Explain architecture only when it helps answer the question.

Practice plan

Round 1: bina script ke apne words mein purpose aur case samjhao. Round 2: har screen par ek supported statement aur ek limitation bolo. Round 3: controlled failure dikhakar next owner/action batao. Round 4: 120-second English walkthrough record karke check karo ki jo bola wahi proof dikha.

Before publishing your recording

- [] Correct public/synthetic case and current URL selected
- [] No private data or credentials on screen
- [] Synthetic labels and unresolved HOLD/UNKNOWN visible
- [] Source citations and version shown long enough to read
- [] Cursor never hides the value or uncertainty
- [] Actual loading/errors retained; no invented successful inference
- [] Latest boundary and maturity stated accurately
- [] No invented time-saving or accuracy percentage