

jQuery Selectors

Selector	Example	Example description
*	<code>\$("*")</code>	All elements
#id	<code>\$("#lastname")</code>	The element with id="lastname"
.class	<code>\$(".intro")</code>	All elements with class="intro"
.class,.class	<code>\$(".intro,.demo")</code>	All elements with the class "intro" or "demo"
element	<code>\$("p")</code>	All <p> elements
el1,el2,el3	<code>\$("h1,div,p")</code>	All <h1>, <div> and <p> elements
:first	<code>\$("p:first")</code>	The first <p> element
:last	<code>\$("p:last")</code>	The last <p> element
:even	<code>\$("tr:even")</code>	All even <tr> elements
:odd	<code>\$("tr:odd")</code>	All odd <tr> elements
:input	<code>\$(":input")</code>	All input elements
:text	<code>\$(":text")</code>	All input elements with type="text"
:password	<code>\$(":password")</code>	All input elements with type="password"
:radio	<code>\$(":radio")</code>	All input elements with type="radio"
:checkbox	<code>\$(":checkbox")</code>	All input elements with type="checkbox"
:submit	<code>\$(":submit")</code>	All input elements with type="submit"
:reset	<code>\$(":reset")</code>	All input elements with type="reset"
:button	<code>\$(":button")</code>	All input elements with type="button"
:image	<code>\$(":image")</code>	All input elements with type="image"
:file	<code>\$(":file")</code>	All input elements with type="file"
:enabled	<code>\$(":enabled")</code>	All enabled input elements
:disabled	<code>\$(":disabled")</code>	All disabled input elements

:selected	<code>\$(":selected")</code>	All selected input elements
:checked	<code>\$(":checked")</code>	All checked input elements
All Selectors like CSS Pseudo Elements		