Test Run Report

Test Run Overview

Started	01 Jun 2023, 12:12:26
Ended	01 Jun 2023, 12:25:18
Duration (mm:ss)	12:51.504

Test Results Summary

Passed	0
Failed	1
Skipped	0

Test Case Summary

📁 tests   🔴 failed
    📁 Callable   🔴 failed
       🗒 Create Case.testcase   🔴 failed

🔴 Error opening Salesforce UI Connection. Connection Name: admin, cause: [WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=113.0.5672.127) (Driver info: chromedriver=113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}),platform=Windows NT 10.0.19044 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 69 milliseconds Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'IBM-BIRAJDEB', ip: '10.101.140.137', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa.selenium.chrome.ChromeDriver$$EnhancerByCGLIB$$dace278c Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=XP, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:50938}, webauthn:extension:credBlob=true, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, webauthn:extension:largeBlob=true, unexpectedAlertBehaviour=ignore, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}), userDataDir=C:\Users\biraj.deb\Provar\Assignment\.provarCaches\.chromeProfiles\profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=113.0.5672.127, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, webauthn:extension:minPinLength=true, webauthn:extension:prf=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: b6e06c9815b7bfec7c7fc44d513ac2c5]

🔴 [WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=113.0.5672.127) (Driver info: chromedriver=113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}),platform=Windows NT 10.0.19044 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 33 milliseconds Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'IBM-BIRAJDEB', ip: '10.101.140.137', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa.selenium.chrome.ChromeDriver$$EnhancerByCGLIB$$dace278c Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=XP, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:50938}, webauthn:extension:credBlob=true, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, webauthn:extension:largeBlob=true, unexpectedAlertBehaviour=ignore, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}), userDataDir=C:\Users\biraj.deb\Provar\Assignment\.provarCaches\.chromeProfiles\profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=113.0.5672.127, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, webauthn:extension:minPinLength=true, webauthn:extension:prf=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: b6e06c9815b7bfec7c7fc44d513ac2c5]

- The required connection name isn't present. This should come from the containing With Screen API.

- The required connection name isn't present. This should come from the containing With Screen API.

🖥 Create Case.testcase

Summary

Started	01 Jun 2023, 12:12:26
Ended	01 Jun 2023, 12:16:03
Duration (mm:ss)	03:36.372
Outcome	🔴 failed

Output

● Salesforce Connect: admin (Test)   ⓘ 12:12:26(00:00.023)

   ⓘ Connecting to Salesforce as admin

   ✿ Connection details. Connection name: admin, result name: admin, result scope: Test, urlString:
   sf:user=regressionorg@provartesting.com.training;password={password};environment=SANDBOX;lightningMode=true, environment: <default>,
   userName: regressionorg@provartesting.com.training, password: [supplied] securityToken: [empty]

   ✿ Create object id log file.

   ✿ Opening Partner connection

   ✿ Opening SOAP connection

   ✿ Opening Metadata connection

   ⓘ Successfully connected to Salesforce as admin

ⓘ Loading data from Parameter Value Source ...

ⓘ Loading Parameter Value Source row 1:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Status = PrimitiveValueImpl [value: New, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Type = PrimitiveValueImpl [value: Problem, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> Origin = PrimitiveValueImpl [value: Phone, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loaded 1 rows from Parameter Value Source.

ⓘ Loading data from Parameter Value Source ...

ⓘ Loading Parameter Value Source row 1:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ContactName = PrimitiveValueImpl [value: Biraj Check_LastF1, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> AccountName = PrimitiveValueImpl [value: ProvarEY, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loaded 1 rows from Parameter Value Source.

● Creation of Case   ⓘ 12:12:36(00:09.431)

   ⓘ Loading data from Parameter Value Source ...

   ⓘ Loading Parameter Value Source row 1:

   ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> Status = PrimitiveValueImpl [value: New, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> Type = PrimitiveValueImpl [value: Problem, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> Origin = PrimitiveValueImpl [value: Phone, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ Loaded 1 rows from Parameter Value Source.

   ⓘ Loading data from Parameter Value Source ...

   ⓘ Loading Parameter Value Source row 1:

   ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> ContactName = PrimitiveValueImpl [value: Biraj Check_LastF1, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> AccountName = PrimitiveValueImpl [value: ProvarEY, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loaded 1 rows from Parameter Value Source.

🟢 **On SF Case (Inquiry) New screen** ⏱ 12:12:36(00:09.483)

ⓘ Start of With Screen. Connection Name: admin, target: sf:ui:target?object=Case&action=New&recordType=Inquiry

⚠ Failed to connect to Master Lock Manager - assuming dead. Host: localhost, port: 52453, cause: Connection refused: no further information

ⓘ Opening Chrome webdriver instance to https://test.salesforce.com/

💥 Add Chrome browser specific capabilities

ⓘ Successfully opened Chrome webdriver to https://test.salesforce.com/

ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Opening Salesforce user home page

💥 Navigate to home page

💥 Perform page load wait

ⓘ Successfully opened user home page

ⓘ Switched focus to main window. URL: https://d1x0000008idweay--training.sandbox.lightning.force.com/lightning/o/Case/list?filterName=00B0J000008hwKuUAI

ⓘ Clicking the New Button

ⓘ Find action link element using xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//div[contains(@class, 'forceListViewManager')]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, ' visible')]//a[contains(@data-aura-rendered-by, '891:0')]

ⓘ Clicking WebElement. WebElement [tag: a, text: New, href: javascript:void(0);]

ⓘ Clicking WebElement. WebElement [tag: input, text: 012200000006wQMAAY]

ⓘ Clicking WebElement. WebElement [tag: button, text: Next]

ⓘ Going to update browser window handles.

💥 Update browser window handles.

ⓘ Successfully updated browser window handles.

🟢 **UI Fill** ⏱ 12:13:23(00:56.164)

ⓘ Start of UI Fill. Connection: admin

ⓘ Processing Named Value. Name: Status, Value: PrimitiveValueImpl [value: New, valueId=2f, createdUpdateSeq=4, updatedUpdateSeq=4]

ⓘ Finding field placeholder using xpath: //*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][2]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Status'] or .//text() = 'Status')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@fd888443 -> unknown locator]] -> xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]

ⓘ Got webElement. tagName: BUTTON, id: combobox-button-164, type: button, class: slds-combobox__input slds-input_faux slds-combobox__input-value

ⓘ Typing value. tagName: BUTTON, type: button, value: New, blur: false

ⓘ Clicking WebElement. WebElement [tag: button, text: New]

ⓘ Clicking WebElement. WebElement [tag: div, text: New --None-- On Hold Escalated New Working]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]

ⓘ Processing Named Value. Name: Type, Value: PrimitiveValueImpl [value: Problem, valueId=31, createdUpdateSeq=4, updatedUpdateSeq=4]

ⓘ Finding field placeholder using xpath: //*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active')

and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains[@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][2]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Type'] or .//text() = 'Type')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@b387e5cb -> unknown locator]] -> xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]]

ⓘ Got webElement. tagName: BUTTON, id: combobox-button-172, type: button, class: slds-combobox__input slds-input_faux slds-combobox__input-value

ⓘ Typing value. tagName: BUTTON, type: button, value: Problem, blur: false

ⓘ Clicking WebElement. WebElement [tag: button, text: --None--]

ⓘ Clicking WebElement. WebElement [tag: div, text: --None-- --None-- Problem Feature Request Question]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]

ⓘ Processing Named Value. Name: Origin, Value: PrimitiveValueImpl [value: Phone, valueId=33, createdUpdateSeq=4, updatedUpdateSeq=4]

ⓘ Finding field placehoder using xpath: //*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][2]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Case Origin'] or .//text() = 'Case Origin')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@b387e5e8 -> unknown locator]] -> xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]]

ⓘ Got webElement. tagName: BUTTON, id: combobox-button-181, type: button, class: slds-combobox__input slds-input_faux slds-combobox__input-value

ⓘ Typing value. tagName: BUTTON, type: button, value: Phone, blur: false

ⓘ Clicking WebElement. WebElement [tag: button, text: --None--]

ⓘ Clicking WebElement. WebElement [tag: div, text: --None-- --None-- Email Phone Web]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]

ⓘ Going to update browser window handles.

✺ Update browser window handles.

ⓘ Successfully updated browser window handles.

● Set the Account Name reference to ProvarEY   ⏱ 12:13:31(01:04.132)

ⓘ Start of Interact. Connection: admin, Locator: ui:locator?name=AccountId&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DAccountId, before wait: null, after wait: null, auto retry: default

ⓘ Locator: ui:locator?name=AccountId&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DAccountId

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://d1x0000008idweay--training.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=168560179883977984&recordTypeId=012200000006wQMAAY

ⓘ Interaction: ui:interaction?name=set

ⓘ Finding field placehoder using xpath: //*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div)

and contains(@class,'forcePageBlockSection '))][1]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//input

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@b387e5ee -> unknown locator]] -> xpath: .//input]

ⓘ Got webElement. tagName: INPUT, id: combobox-input-286, type: text, class: slds-combobox__input slds-input

ⓘ Typing value. tagName: INPUT, type: text, value: ProvarEY, blur: false

ⓘ Clicking WebElement. WebElement [tag: lightning-base-combobox-formatted-text, text: ProvarEY]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✷ Update browser window handles.

ⓘ Successfully updated browser window handles.

● Set the Contact Name reference to Biraj Check_LastF1   ⓘ 12:13:36(01:09.745)

ⓘ Start of Interact. Connection: admin, Locator: ui:locator?name=ContactId&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DContactId, before wait: null, after wait: null, auto retry: default

ⓘ Locator: ui:locator?name=ContactId&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DContactId

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://d1x0000008idweay--training.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=168560179883977984&recordTypeId=012200000006wQMAAY

ⓘ Interaction: ui:interaction?name=set

ⓘ Finding field placehoder using xpath: //*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][1]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Contact Name'] or .//text() = 'Contact Name')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//input

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@b387e60d -> unknown locator]] -> xpath: .//input]

ⓘ Got webElement. tagName: INPUT, id: combobox-input-280, type: text, class: slds-combobox__input slds-input

ⓘ Typing value. tagName: INPUT, type: text, value: Biraj Check_LastF1, blur: false

ⓘ Clicking WebElement. WebElement [tag: lightning-base-combobox-formatted-text, text: Biraj Check_LastF1]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✷ Update browser window handles.

ⓘ Successfully updated browser window handles.

● Click the Save button   ⓘ 12:13:43(01:16.213)

ⓘ Start of Interact. Connection: admin, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3Dsave, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3Dsave

ⓘ Interaction: ui:interaction?name=action

ⓘ Switched focus to main window. URL: https://d1x0000008idweay--training.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=168560179883977984&recordTypeId=012200000006wQMAAY

ⓘ Interaction: ui:interaction?name=action

ⓘ Find action link element using xpath: //*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[ChromeDriver$$EnhancerByCGLIB$$dace278c: chrome on XP (b6e06c9815b7bfec7c7fc44d513ac2c5)] -> xpath: //*[contains(@class, 'active') and ((contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]))))]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

✷ Update browser window handles.

ⓘ Successfully updated browser window handles.

ⓘ All Sub-Test Steps were successful.

ⓘ Switched focus to main window. URL: https://d1x0000008idweay--training.sandbox.lightning.force.com/lightning/o/Case/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=168560179883977984&recordTypeId=012200000006wQMAAY

ⓘ Injecting script to get created object ID from aura component

▤ Storing created Salesforce Object ID. Result Name: CaseId, created ID: 5001x00000HR7qBAAT, location: https://d1x0000008idweay--training.sandbox.lightning.force.com/lightning/r/Case/5001x00000HR7qBAAT/view

ⓘ Logging Salesforce Object Id for clean up. Object Name: Case, id: 5001x00000HR7qBAAT

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://d1x0000008idweay--training.sandbox.lightning.force.com/lightning/r/Case/5001x00000HR7qBAAT/view

ⓘ Going to update browser window handles.

✷ Update browser window handles.

ⓘ Successfully updated browser window handles.

● SOQL Query: select CaseNumber from Case Where Id='5001x00000HR7qBAAT'=>CaseRows ⓘ 12:13:48(01:21.767)

ⓘ Reading a Salesforce object. Connection Name: admin, Query: select CaseNumber from Case Where Id='5001x00000HR7qBAAT'

ⓘ Query successful. Row Count: 1.

● On SF Cases tab (Today's Opened Cases) ⓘ 12:13:50(01:23.355)

ⓘ Start of With Screen. Connection Name: admin, target: sf:ui:target?object=Case&action=List&tab=standard-Case&application=standard__LightningService&listView=Today_s_Opened_Cases

ⓘ Opening Salesforce Tab. Tab Name: standard-Case, Url: /one/one.app#/sObject/Case/home?filterName=00B0J000008hwKu

ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Switched focus to main window. URL: https://d1x0000008idweay--training.sandbox.lightning.force.com/lightning/r/Case/5001x00000HR7qBAAT/view

ⓘ Hover>Clicking WebElement. WebElement [tag: button, text: Show Navigation Menu]

🔴 Error opening Salesforce UI Connection. Connection Name: admin, cause: [WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=113.0.5672.127) (Driver info: chromedriver=113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}),platform=Windows NT 10.0.19044 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 69 milliseconds Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'IBM-BIRAJDEB', ip: '10.101.140.137', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa.selenium.chrome.ChromeDriver$$EnhancerByCGLIB$$dace278c Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=XP, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:50938}, webauthn:extension:credBlob=true, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, webauthn:extension:largeBlob=true, unexpectedAlertBehaviour=ignore, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}), userDataDir=C:\Users\biraj.deb\Provar\Assignment\.provarCaches\.chromeProfiles\profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=113.0.5672.127, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, webauthn:extension:minPinLength=true, webauthn:extension:prf=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: b6e06c9815b7bfec7c7fc44d513ac2c5]

ⓘ Going to update browser window handles.

✳ Update browser window handles.

🔴 [WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=113.0.5672.127) (Driver info: chromedriver=113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}),platform=Windows NT 10.0.19044 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 33 milliseconds Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'IBM-BIRAJDEB', ip: '10.101.140.137', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa.selenium.chrome.ChromeDriver$$EnhancerByCGLIB$$dace278c Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=XP, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:50938}, webauthn:extension:credBlob=true, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, webauthn:extension:largeBlob=true, unexpectedAlertBehaviour=ignore, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=113.0.5672.63 (0e1a4471d5ae5bf128b1bd8f4d627c8cbd55f70c-refs/branch-heads/5672@{#912}), userDataDir=C:\Users\biraj.deb\Provar\Assignment\.provarCaches\.chromeProfiles\profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=113.0.5672.127, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, webauthn:extension:minPinLength=true, webauthn:extension:prf=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: b6e06c9815b7bfec7c7fc44d513ac2c5]

🔴 The required connection name isn't present. This should come from the containing With Screen API.

⚠ On SF Case (Inquiry) View screen	ⓘ 12:16:03(03:36.278)
⚠ On SF Account (test1) View screen	ⓘ 12:16:03(03:36.278)
⚠ On SF Account (test1) Cases related list	ⓘ 12:16:03(03:36.278)
⚠ On MyPageObject page	ⓘ 12:16:03(03:36.278)
⚠ On SF Case (Inquiry) View screen	ⓘ 12:16:03(03:36.278)
⚠ On SF Contact (test1) View screen	ⓘ 12:16:03(03:36.278)
⚠ On SF Contact (test1) Cases related list	ⓘ 12:16:03(03:36.278)
⚠ Read Object: Case = {CaseId}	ⓘ 12:16:03(03:36.278)
⚠ Extract Salesforce Layout=>	ⓘ 12:16:03(03:36.278)
⚠ Assert Salesforce Layout=>	ⓘ 12:16:03(03:36.278)