# **General Linear Model**

[DataSet1] D:\Adiss\24Column.sav

## Within-Subjects Factors

Measure: keystrokes

system	Dependent Variable
1	VAR00007
2	VAR00008
3	VAR00009

## **Descriptive Statistics**

	Mean	Std. Deviation	N
Chibipoint (crosshairs ONLY)	5.00	.603	12
Chibipoint (crosshairs AND flyouts)	4.67	.888	12
Tabbing	7.00	.000	12

#### Multivariate Tests<sup>a</sup>

Effect		Value	F	Hypothesis df	Error df	Sig.
system	Pillai's Trace	.944	83.960 <sup>b</sup>	2.000	10.000	.000
	Wilks' Lambda	.056	83.960 <sup>b</sup>	2.000	10.000	.000
	Hotelling's Trace	16.792	83.960 <sup>b</sup>	2.000	10.000	.000
	Roy's Largest Root	16.792	83.960 <sup>b</sup>	2.000	10.000	.000

# **Multivariate Tests**<sup>a</sup>

Effect		Partial Eta Squared
system	Pillai's Trace	.944
	Wilks' Lambda	.944
	Hotelling's Trace	.944
	Roy's Largest Root	.944

a. Design: Intercept

Within Subjects Design: system

b. Exact statistic

## Mauchly's Test of Sphericity<sup>a</sup>

Measure: keystrokes

					Epsilon <sup>b</sup>
Within Subjects Effect	Mauchly's W	Approx. Chi- Square	df	Sig.	Greenhouse- Geisser
system	.742	2.984	2	.225	.795

#### Mauchly's Test of Sphericity<sup>a</sup>

Measure: keystrokes

	Epsilon <sup>b</sup>		
Within Subjects Effect	Huynh-Feldt	Lower-bound	
system	.907	.500	

Tests the null hypothesis that the error covariance matrix of the orthonormalized transformed dependent variables is proportional to an identity matrix.

a. Design: Intercept

Within Subjects Design: system

b. May be used to adjust the degrees of freedom for the averaged tests of significance. Corrected tests are displayed in the Tests of Within-Subjects Effects table.

#### **Tests of Within-Subjects Effects**

Measure: keystrokes

Source		Type III Sum of Squares	df	Mean Square	F
system	Sphericity Assumed	38.222	2	19.111	54.057
	Greenhouse-Geisser	38.222	1.590	24.041	54.057
	Huynh-Feldt	38.222	1.815	21.060	54.057
	Lower-bound	38.222	1.000	38.222	54.057
Error(system)	Sphericity Assumed	7.778	22	.354	
	Greenhouse-Geisser	7.778	17.489	.445	
	Huynh-Feldt	7.778	19.964	.390	
	Lower-bound	7.778	11.000	.707	

## **Tests of Within-Subjects Effects**

Measure: keystrokes

Source		Sig.	Partial Eta Squared
system	Sphericity Assumed	.000	.831
	Greenhouse-Geisser	.000	.831
	Huynh-Feldt	.000	.831
	Lower-bound	.000	.831
Error(system)	Sphericity Assumed		
	Greenhouse-Geisser		
	Huynh-Feldt		
	Lower-bound		

## **Tests of Within-Subjects Contrasts**

Measure: keystrokes

Source	system	Type III Sum of Squares	df	Mean Square	F	Sig.
system	Linear	24.000	1	24.000	132.000	.000
	Quadratic	14.222	1	14.222	27.077	.000
Error(system)	Linear	2.000	11	.182		
	Quadratic	5.778	11	.525		

# **Tests of Within-Subjects Contrasts**

Measure: keystrokes

Source	system	Partial Eta Squared
system	Linear	.923
	Quadratic	.711
Error(system)	Linear	
	Quadratic	

## **Tests of Between-Subjects Effects**

Measure: keystrokes

Transformed Variable: Average

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Intercept	1111.111	1	1111.111	2500.000	.000	.996
Error	4.889	11	.444			

# **Estimated Marginal Means**

# system

#### **Estimates**

Measure: keystrokes

			95% Confidence Interval		
system	Mean	Std. Error	Lower Bound	Upper Bound	
1	5.000	.174	4.617	5.383	
2	4.667	.256	4.103	5.231	
3	7.000	.000	7.000	7.000	

#### **Pairwise Comparisons**

Measure: keystrokes

		Mean			95% Confidence Interval for Difference <sup>b</sup>		
(I) system	(I) system (J) system	Difference (I- J)	Std. Error	Sig. <sup>b</sup>	Lower Bound	Upper Bound	
1	2	.333	.284	.797	468	1.135	
	3	-2.000 <sup>*</sup>	.174	.000	-2.491	-1.509	
2	1	333	.284	.797	-1.135	.468	
	3	-2.333 <sup>*</sup>	.256	.000	-3.056	-1.611	
3	1	2.000*	.174	.000	1.509	2.491	
	2	2.333*	.256	.000	1.611	3.056	

Based on estimated marginal means

- \*. The mean difference is significant at the .05 level.
- b. Adjustment for multiple comparisons: Bonferroni.

#### **Multivariate Tests**

	Value	F	Hypothesis df	Error df	Sig.	Partial Eta Squared
Pillai's trace	.944	83.960 <sup>a</sup>	2.000	10.000	.000	.944
Wilks' lambda	.056	83.960 <sup>a</sup>	2.000	10.000	.000	.944
Hotelling's trace	16.792	83.960 <sup>a</sup>	2.000	10.000	.000	.944
Roy's largest root	16.792	83.960 <sup>a</sup>	2.000	10.000	.000	.944

Each F tests the multivariate effect of system. These tests are based on the linearly independent pairwise comparisons among the estimated marginal means.

a. Exact statistic