23 Utah

In 2025, we had complete survey coverage across the state of Utah (Figure 23.1).



Figure 23.1: Survey locations and strata in Utah, 2025.

23.1 Utah Statewide: Total

Utah Statewide: Total

We obtained results for Utah Statewide: Total by compiling and jointly analyzing data from 42 strata.

Field technicians completed all planned surveys (100%) in 2025. Technicians conducted 2904 point counts within the 256 surveyed grid cells between May 9 and July 10. They detected 180 bird species, including 9 priority species.

Bird Conservancy estimated densities (birds per square kilometer) for 224 species that were detected in any year during which surveys were conducted, 14 of which are priority species. The data yielded robust density estimates

(CV < 50%) for 101 species.

Bird Conservancy estimated the proportion of occupied plots throughout Utah Statewide: Total for 222 species that were detected in any year during which surveys were conducted, 14 of which are priority species. The data yielded robust occupancy estimates (CV < 50%) for 117 species.

> **View results on the Rocky Mountain Avian Data Center**
> To view a map of approximate survey locations, species counts, and density, occupancy, & trend estimates within Utah Statewide: Total across all years of the project, visit the RMADC.
>
> On the Explore the Data tab, select **UT** from the **Superstratum** drop-down filter.

23.2 All Other Lands in Utah

All Other Lands in Utah

We obtained results for All Other Lands in Utah by compiling and jointly analyzing data from four strata.

Field technicians completed 91 of 93 planned surveys (98%) in 2025. Technicians conducted 1081 point counts within the 91 surveyed grid cells between May 9 and July 10. They detected 162 bird species, including 8 priority species.

Bird Conservancy estimated densities (birds per square kilometer) for 203 species that were detected in any year during which surveys were conducted, 12 of which are priority species. The data yielded robust density estimates (CV < 50%) for 62 species.

Bird Conservancy estimated the proportion of occupied plots throughout All Other Lands in Utah for 202 species that were detected in any year during which surveys were conducted, 12 of which are priority species. The data yielded robust occupancy estimates (CV < 50%) for 70 species.

> **View results on the Rocky Mountain Avian Data Center**
> To view a map of approximate survey locations, species counts, and density, occupancy, & trend estimates within All Other Lands in Utah across all years of the project, visit the RMADC.
>
> On the Explore the Data tab, select **UT-All Other Lands** from the **Superstratum** drop-down filter.

23.3 Utah BCR 10: Total

Utah BCR 10: Total

We obtained results for Utah BCR 10: Total by compiling and jointly analyzing data from five strata.

Field technicians completed 11 of 14 planned surveys (79%) in 2025. Technicians conducted 111 point counts within the 11 surveyed grid cells between June 19 and July 6. They detected 64 bird species, including 3 priority species.

Bird Conservancy estimated densities (birds per square kilometer) for 141 species that were detected in any year during which surveys were conducted, 8 of which are priority species. The data yielded robust density estimates (CV < 50%) for 10 species.

Bird Conservancy estimated the proportion of occupied plots throughout Utah BCR 10: Total for 141 species that were detected in any year during which surveys were conducted, 8 of which are priority species. The data yielded robust occupancy estimates (CV < 50%) for 10 species.

> **View results on the Rocky Mountain Avian Data Center**
> To view a map of approximate survey locations, species counts, and density, occupancy, & trend estimates within Utah BCR 10: Total across all years of the project, visit the RMADC.
>
> On the Explore the Data tab, select **UT-BCR10** from the **Superstratum** drop-down filter.

All Other Lands in Utah BCR 10

We obtained results for All Other Lands in Utah BCR 10 by compiling and analyzing data from one stratum.

Field technicians completed 2 of 5 planned surveys (40%) in 2025. Technicians conducted 13 point counts within the 2 surveyed grid cells between June 20 and June 30. They detected 18 bird species, including 2 priority species.

Bird Conservancy estimated densities (birds per square kilometer) for 92 species that were detected in any year during which surveys were conducted, 4 of which are priority species. The data yielded robust density estimates (CV < 50%) for 0 species.

Bird Conservancy estimated the proportion of occupied plots throughout All Other Lands in Utah BCR 10 for 92 species that were detected in any year during which surveys were conducted, 4 of which are priority species. The data yielded robust occupancy estimates (CV < 50%) for 3 species.

> **View results on the Rocky Mountain Avian Data Center**
> To view a map of approximate survey locations, species counts, and density, occupancy, & trend estimates within All Other Lands in Utah BCR 10 across all years of the project, visit the RMADC.
>
> On the Explore the Data tab, select **UT-BCR10-AO: All Other Lands** from the **Stratum** drop-down filter.

23.4 Utah BCR 16: Total

Utah BCR 16: Total

We obtained results for Utah BCR 16: Total by compiling and jointly analyzing data from 18 strata.

Field technicians completed 126 of 122 planned surveys (103%) in 2025. Technicians conducted 1375 point counts within the 126 surveyed grid cells between May 9 and July 10. They detected 149 bird species, including 4 priority species.

Bird Conservancy estimated densities (birds per square kilometer) for 196 species that were detected in any year during which surveys were conducted, 10 of which are priority species. The data yielded robust density estimates (CV < 50%) for 87 species.

Bird Conservancy estimated the proportion of occupied plots throughout Utah BCR 16: Total for 195 species that were detected in any year during which surveys were conducted, 10 of which are priority species. The data yielded robust occupancy estimates (CV < 50%) for 93 species.

> **View results on the Rocky Mountain Avian Data Center**
> To view a map of approximate survey locations, species counts, and density, occupancy, & trend estimates within Utah BCR 16: Total across all years of the project, visit the RMADC.
>
> On the Explore the Data tab, select **UT-BCR16** from the **Superstratum** drop-down filter.

All Other Lands in Utah BCR 16

We obtained results for All Other Lands in Utah BCR 16 by compiling and analyzing data from one stratum.

Field technicians completed 41 of 39 planned surveys (105%) in 2025. Technicians conducted 473 point counts within the 41 surveyed grid cells between May 9 and July 10. They detected 130 bird species, including 3 priority species.

Bird Conservancy estimated densities (birds per square kilometer) for 167 species that were detected in any year during which surveys were conducted, 9 of which are priority species. The data yielded robust density estimates (CV < 50%) for 36 species.

Bird Conservancy estimated the proportion of occupied plots throughout All Other Lands in Utah BCR 16 for 168 species that were detected in any year during which surveys were conducted, 9 of which are priority species. The data yielded robust occupancy estimates (CV < 50%) for 43 species.

> **View results on the Rocky Mountain Avian Data Center**
> To view a map of approximate survey locations, species counts, and density, occupancy, & trend estimates within All Other Lands in Utah BCR 16 across all years of the project, visit the RMADC.
>
> On the Explore the Data tab, select **UT-BCR16-AO: All Other Lands** from the **Stratum** drop-down filter.

23.5 Utah BCR 33: Total

Utah BCR 33: Total

We obtained results for Utah BCR 33: Total by compiling and jointly analyzing data from two strata.

Field technicians completed all planned surveys (100%) in 2025. Technicians conducted 196 point counts within the 16 surveyed grid cells between May 9 and May 22. They detected 77 bird species, including 2 priority species.

Bird Conservancy estimated densities (birds per square kilometer) for 122 species that were detected in any year during which surveys were conducted, 4 of which are priority species. The data yielded robust density estimates (CV < 50%) for 5 species.

Bird Conservancy estimated the proportion of occupied plots throughout Utah BCR 33: Total for 121 species that were detected in any year during which surveys were conducted, 4 of which are priority species. The data yielded robust occupancy estimates (CV < 50%) for 3 species.

> **View results on the Rocky Mountain Avian Data Center**
> To view a map of approximate survey locations, species counts, and density, occupancy, & trend estimates within Utah BCR 33: Total across all years of the project, visit the RMADC.
>
> On the Explore the Data tab, select **UT-BCR33** from the **Superstratum** drop-down filter.

All Other Lands in Utah BCR 33

We obtained results for All Other Lands in Utah BCR 33 by compiling and analyzing data from one stratum.

Field technicians completed all planned surveys (100%) in 2025. Technicians conducted 167 point counts within the 13 surveyed grid cells between May 13 and May 22. They detected 69 bird species, including 2 priority species.

Bird Conservancy estimated densities (birds per square kilometer) for 116 species that were detected in any year during which surveys were conducted, 1 of which are priority species. The data yielded robust density estimates (CV < 50%) for 8 species.

Bird Conservancy estimated the proportion of occupied plots throughout All Other Lands in Utah BCR 33 for 117 species that were detected in any year during which surveys were conducted, 1 of which are priority species. The data yielded robust occupancy estimates (CV < 50%) for 8 species.

> **View results on the Rocky Mountain Avian Data Center**
> To view a map of approximate survey locations, species counts, and density, occupancy, & trend estimates within All Other Lands in Utah BCR 33 across all years of the project, visit the RMADC.
>
> On the Explore the Data tab, select **UT-BCR33-AO: All Other Lands** from the **Stratum** drop-down filter.

23.6 Utah BCR 9: Total

Utah BCR 9: Total

We obtained results for Utah BCR 9: Total by compiling and jointly analyzing data from 17 strata.

Field technicians completed 103 of 104 planned surveys (99%) in 2025. Technicians conducted 1222 point counts within the 103 surveyed grid cells between May 11 and July 9. They detected 133 bird species, including 6 priority species.

Bird Conservancy estimated densities (birds per square kilometer) for 176 species that were detected in any year during which surveys were conducted, 12 of which are priority species. The data yielded robust density estimates (CV < 50%) for 56 species.

Bird Conservancy estimated the proportion of occupied plots throughout Utah BCR 9: Total for 176 species that were detected in any year during which surveys were conducted, 12 of which are priority species. The data yielded robust occupancy estimates (CV < 50%) for 60 species.

> **View results on the Rocky Mountain Avian Data Center**
> To view a map of approximate survey locations, species counts, and density, occupancy, & trend estimates within Utah BCR 9: Total across all years of the project, visit the RMADC.
>
> On the Explore the Data tab, select **UT-BCR9** from the **Superstratum** drop-down filter.

All Other Lands in Utah BCR 9

We obtained results for All Other Lands in Utah BCR 9 by compiling and analyzing data from one stratum.

Field technicians completed 35 of 36 planned surveys (97%) in 2025. Technicians conducted 428 point counts within the 35 surveyed grid cells between May 12 and July 9. They detected 115 bird species, including 5 priority species.

Bird Conservancy estimated densities (birds per square kilometer) for 147 species that were detected in any year during which surveys were conducted, 8 of which are priority species. The data yielded robust density estimates (CV < 50%) for 31 species.

Bird Conservancy estimated the proportion of occupied plots throughout All Other Lands in Utah BCR 9 for 147 species that were detected in any year during which surveys were conducted, 8 of which are priority species. The data yielded robust occupancy estimates (CV < 50%) for 31 species.

> **View results on the Rocky Mountain Avian Data Center**
> To view a map of approximate survey locations, species counts, and density, occupancy, & trend estimates within All Other Lands in Utah BCR 9 across all years of the project, visit the RMADC.
>
> On the Explore the Data tab, select **UT-BCR9-AO: All Other Lands** from the **Stratum** drop-down filter.