

Legend of Mushroom — Config Tables Master Reference

A guide to the game's 909 configuration tables: how they are stored, how to decode and read them, how they join together, and the combat & progression formulas they drive.

Reverse-engineering reference for the LOM battle-mechanics project. Compiled by Bird → Discord @birrrd08. Data decoded from the shipped client config (`bundle-firstload-res`) and cross-checked against `game_script_pretty.js`.

0. What this document is

The LOM client ships **one binary blob** that decompresses into **909 config tables** (≈4,800 fields). Everything the game "knows" — every unit's stats, every skill coefficient, every soul's essence cost, every shop price, every language string — lives in those tables. The game engine is mostly generic; the *content* is data.

This reference covers three things:

1. **How to get the data** — the decode pipeline, the two obfuscation layers, and the schema system (Part 1).
2. **How to read and join tables** — main keys, foreign keys, attribute IDs, and language references (Part 2).
3. **What the tables mean** — the attribute model, the damage pipeline, the progression systems, and the exact formulas each table feeds (Parts 3–5), with worked examples (Part 6).

Part 7 is the **complete catalog** of all 909 tables grouped by system, with row counts, primary keys, and field shapes.

Convention. Table names are written `Like this` (matching the decoded JSON file names, e.g. `Fate_level.json`). Attribute keys are `like this`. Numbers marked "basis points" are stored ×100 (a stored `13620` means `136.20%`) or ×10000 depending on the field — see §3.2.

Part 1 — How the config system works

1.1 Where the data lives

The full config set is a single file shipped inside the first-load asset bundle:

```
.../bundle-firstload-res/native/<hash>/<hash>.8e8a4.bin      (~12.4 MB)
```

It is a **FilePack v5** container holding 908 named tables (plus the language pack). At runtime the client loads it via `BaseConfig.loadBufferData()`; individual tables are also loadable as plain JSON via `BaseConfig.loadData()` in dev builds.

1.2 The decode pipeline (two obfuscation layers)

There are **two independent obfuscation layers**. Decoding is done by `decode_config_data.py` in the repo root:

```
python3 decode_config_data.py <capture_dir> --output data/tables
```

Layer A — the binary blob (whole-file):

1. **XOR de-obfuscate** each byte: `byte = 255 & ~(32 ^ byte)`
2. **zlib decompress** the result
3. **Parse records:** `count (4B big-endian)` then `count × [ str_len (2B BE) + JSON_string ]`
4. **Map positional arrays** → **named fields** using the schema for that table

Layer B — protected numeric fields (per-field, combat-critical only):

5. Certain integer fields are additionally XOR'd with the **config key** `24455`. Decode with `realValue = rawValue ^ 24455`. Only **5 tables** use this anti-tamper layer (see §1.5).

The same two-key idea appears in the running client: `CONFIG_KEY = 24455` (used on protected fields) and the byte transform `255 & ~(32 ^ b)` (used on the blob). The `_checkValue = baseValue XOR 32` anti-cheat guard on live attributes is the same `32` constant.

1.3 The schema system

Every table has a schema, extracted to `data/schemas/ConfigXxx.json` (700 of 909 tables have one; the rest are trivial or language packs). A schema tells you the field order and which fields are obfuscated:

```
{
  "className": "ConfigFate_level",
  "tableName": "Fate_level",
  "sourceLine": 231902,
  "mainKey": "fate_id",
  "indexedKeys": { "fate_id": 0, "level": 1 },
  "usesConfigKey": true,
  "fieldCount": 7,
  "fields": [
    { "name": "fate_id", "index": 0, "type": "number", "xor": false },
    { "name": "level", "index": 1, "type": "number", "xor": false },
    { "name": "expend", "index": 2, "type": "optional_array", "xor": false },
    { "name": "attr", "index": 3, "type": "optional_array", "xor": false }
  ]
}
```

`data/schemas/_index.json` is a compact master index (className, tableName, sourceLine, mainKey, fieldCount, usesConfigKey) for quick lookup without opening 700 files.

Field types

Type	Meaning
number	Plain integer
string_ref	Language string ID — resolve via the <code>Language_*</code> tables (see §2.3)
bignum	Large number (HP/ATK/DEF that overflow normal int range)
xor_number	Integer XOR'd with the config key <code>24455</code> (Layer B)
optional_array	Nullable JSON array, e.g. <code>[[itemId, qty], ...]</code> or <code>[[attrId, value], ...]</code>

1.4 Anatomy of a decoded table

A decoded table is a JSON **array of record objects**. Records are keyed by `mainKey`; tables with a compound identity list all identity columns in `indexedKeys` (e.g. `Fate_level` is keyed by `fate_id` + `level`). Example row from `Fate_level.json`:

```
{ "fate_id": 5102, "level": 64,
  "expend": [[1020, 16800]],
  "attr": [[2006, 13620], [1052, 2355]],
  "power": 122000 }
```

Read as: *soul (fate) 5102 at level 64 costs 16800 of item 1020 (Soul Essence) to upgrade, and grants attribute 2006 = 136.20% and attribute 1052 = 23.55%.*

1.5 The 5 XOR-protected tables (Layer B)

Only combat-critical stat tables use per-field obfuscation:

Table	Fields	XOR fields	What it protects
Unit	97	77	Every combat stat for all units
MainUnit	90	70	Player-character combat stats
Petlevel	64	56	Pet per-level combat stats
Skill	28	4	autoDis, initialPower, maxPower, powerRecovery

Table	Fields	XOR fields	What it protects
Reversion_war_chess	14	2	initialCd , maxCd

If these fields look like garbage (huge random ints), you forgot to apply `^ 24455`.

Part 2 — Reading & joining tables

2.1 Keys and indexes

- **mainKey** — the primary identifier (e.g. `id`, `fate_id`, `level`).
- **indexedKeys** — all columns that together identify a row. Per-level tables (`*_level`) are almost always keyed `id + level`.
- A table named `X` and a table named `X_level` form the classic **definition + progression** pair: `X` holds identity/metadata (name, icon, quality, rarity), `X_level` holds the per-level numbers (cost, stats, power).

2.2 Foreign keys (how tables reference each other)

References are **bare integer IDs** — there is no typing, so you must know the target table by convention:

A field holding...	...points into
an <code>attr</code> pair's first element	<code>Attribute</code> (attribute ID → key/name/cap)
an <code>expend / cost</code> pair's first element	<code>Item / Goods</code> (item ID; <code>1020</code> = Soul Essence, <code>1052</code> -adjacent economy items vary)
a <code>name / desc</code> field (<code>string_ref</code>)	<code>Language_en</code> (string ID → text)
an <code>effect / skill</code> field	<code>Skill / Skilleffcet</code>
an <code>icon</code> field	client sprite atlas (string, not a table)

2.3 Language resolution

Any `string_ref` field is an integer ID resolved through the localisation tables (`Language_en.json` for English; one table per locale). Example: `Fate` row `name = 12810050` → `Language_en[12810050].text = "Forgiving Horns"`.

The engine helper is `GetStrFromConfig(id)`. IDs are global across all systems, so the same `Language_*` table serves every table's display strings.

2.4 The attribute-ID convention (the single most important join)

Almost every progression table expresses its bonuses as `attr: [[attributeId, value], ...]`. To interpret those you need the **attribute map** (Part 3). This is the backbone that links *soul levels*, *equipment*, *spirits*, *pals*, etc. to the *combat formulas*: they all just add numbers to the same attribute IDs, which the battle engine then reads.

Part 3 — The attribute system (the backbone)

Every stat in the game is an **attribute** defined in `Attribute.json` (192 rows). A progression table never "gives HP" directly — it adds a value to an attribute ID, and the battle/stat engine reads that attribute.

3.1 How an attribute value is assembled

`MetaAttrib` computes a live attribute value from four parts (engine line 349642):

```

value = roundInt( roundInt(baseValue + _addValue) × _time + _addExtraValue )
if up_limit ≠ 0: value = min(value, up_limit)           # cap
if num_type == 2: value = round(value / 10000)         # percentage display

```

- `baseValue` — assembled from all sources (equipment, souls, spirits, ...)
- `_addValue` — additive flat buffs
- `_time` — multiplicative modifier (starts `1.0`; `addMultiples(x)` → `+=x`, `multiple(x)` → `*=x`)
- `_addExtraValue` — post-multiplier flat add

Anti-cheat guard: `_checkValue = baseValue XOR 32`, verified by `checkCheat()`.

3.2 Storage scale (basis points)

Percentage attributes are stored as integers. **The divisor depends on the field/display, not on a global rule** — verify per table:

- Soul/Fate `attr` values divide by **100** (`13620` → `136.20%`, confirmed against the in-game "Global DEF" readout).
- Many engine-side rates (`crit_rate`, `resist`, ...) divide by **10000** (`num_type == 2` display path above).

When in doubt, anchor to a known in-game value (as done for the Soul calculator: `Fate_level` `def_add = 13620` shows as `136.20%`).

3.3 Core battle attribute IDs (1001–1082)

ID	Key	Meaning
1001	att	Attack
1002	hp	Hit Points
1003	att_speed	Attack Speed
1004	crit_rate	Crit Rate
1005	crit_dam	Crit Damage
1006	crit_def	Crit Defense (min 0.5)
1007	hit	Accuracy
1008	miss	Evasion
1016	double_hit	Combo Rate
1017	counter	Counter Rate
1018	att_resist	Basic-ATK Resistance (cap 80%)
1019	skill_resist	Skill Resistance (cap 80%)
1020	partner_resist	Pal Resistance (cap 80%)
1021	resist	DMG Resistance (cap 80%)
1024	def	Defense
1032	double_hit_dam	Combo DMG multiplier
1033	counter_dam	Counter DMG multiplier
1034	double_hit_def	Combo Resistance (cap 80%)
1035	counter_def	Counter Resistance (cap 80%)
1037	skill_crit_rate	Skill Crit Rate
1038	skill_crit_dam	Skill Crit Damage
1039	att_dam	Basic-ATK multiplier
1040	partner_dam	Pal DMG multiplier
1043	active_skilldamage_par	Skill Damage factor
1045	skill_dam_extra	Skill Damage extra
1046	boss_dam	Boss DMG bonus
1047	partner_dam_extra	Pal DMG extra
1048	ignore_double_hit	Ignore Combo

ID	Key	Meaning
1049	ignore_counter	Ignore Counter
1051	shield_hp_extra	Shield HP bonus
1052	boss_def	Boss DMG Resistance (cap 80%)
1057	pve_dam	PvE DMG bonus
1058	pve_resist	PvE Resistance
1060	def_coe	Defense Coefficient (applies in every damage formula)
1065	ignore_crit_rate	Ignore Crit
1067	armor_penetration_rate	Armor-pen rate
1068	armor_penetration	Armor-pen value
1071	block	Block value
1081	total_dam_add	Total DMG Bonus (final universal layer)
1082	total_dam_def	Total DMG Resistance

3.4 Extended attribute ranges

ID range	Count	Purpose
1–24	4	Base totals: <code>total_att</code> (1), <code>total_hp</code> (2), <code>total_att_speed</code> (3), <code>total_def</code> (24)
2001–2036	36	Group % bonuses — <code>hp_add</code> , <code>att_add</code> , <code>def_add</code> , <code>def_base_add</code> , ... These are the "Global %" stats that souls/gear feed. <code>2006</code> = Global DEF, etc.
3001–3024	4	Cumulative totals (<code>hp_total_add</code> , <code>att_total_add</code> , ...)
4001–4006	6	Partner (pal) stats
5001–5012	12	Rogue-mode specialisation
6001–6007	7	Spirit stats
10001–10030	30	Season-mode stats

3.5 Attribute caps (`up_limit`)

Resistances and lifesteal are capped; multipliers and Total-DMG are uncapped.

Attribute	ID	Cap
<code>att_hpsteal</code> / <code>skill_hpsteal</code>	1014 / 1015	100%
<code>att_resist</code> / <code>skill_resist</code> / <code>partner_resist</code> / <code>resist</code>	1018–1021	80%
<code>double_hit_def</code> / <code>counter_def</code> / <code>boss_def</code>	1034 / 1035 / 1052	80%
<code>control_res</code>	1042	100%
<code>season_cannon_att_def</code>	1059	60%

Part 4 — Key formulas & the tables that feed them

4.1 Math primitives (apply everywhere)

```
round(x)    = (x>0 ? floor(10000x + 0.5) : ceil(10000x - 0.5)) / 10000    # 4 dp
roundInt(x) = floor(round(x))
```

The engine applies `roundInt` at every multiplication step. Any simulator must replicate this to match the game to the integer.

4.2 Final stat assembly (Total / Base / Global)

The player's displayed final stat is three numbers multiplied — the model used by the Stat Calculator and the Soul calculator:

```
Final = Total × (1 + BaseTotal% / 100) × (1 + Global% / 100)
```

- **Total** — flat sum of all sources (initial attributes, equip, adventure, enchant, avian, ...). Tables: `Unit / MainUnit`, `Equipment_attr`, `Adventure_*`, etc.
- **BaseTotal%** — the big base multiplier row (attribute group `2001-2036`).
- **Global%** — the outer additive layer; **this is where souls, spirits, and similar "Global HP/ATK/DEF" bonuses land** (e.g. Fate `hp_add / att_add / def_add`).

Source of `Global%` from souls: `Fate_level.attr[[2006, ...]]` etc. → attribute group `2001-2036`.

4.3 The damage pipeline

Feeder tables: `Unit / MainUnit` (attacker/defender stats), `Attribute` (ids + caps), `Skill_level` (skill coefficients), `Level` (PvP factor), `Global` (battle constants), `Buff / Skilleffcet` (modifiers).

Step 1 — base (all damage types):

```
effective_def = roundInt(DEF × (1 + def_coe))          # def_coe = attr 1060
base_raw      = max(roundInt(ATK - effective_def), 1)
```

Step 2 — type multiplier & resistance:

```
Basic ATK : dmg = roundInt(base_raw × round(att_dam      × round(1 - att_resist)))
Combo     : dmg = roundInt(roundInt(base_raw × double_hit_dam) × round(1 - double_hit_def))
Counter   : dmg = roundInt(roundInt(base_raw × counter_dam) × round(1 - counter_def))
Skill      : dmg = roundInt(roundInt(base_raw × skill_dam_extra) × round(1 - skill_resist))
Pal        : dmg = roundInt(base_raw × round( round(partner_dam × PARENT.partner_dam_extra) × round(1 - partner_resist))
```

(Pal uses the parent player's ATK.)

Step 3 — DMG resistance (`calHurt`):

```
dmg = roundInt(dmg × round(1 + pve_dam))
dmg = roundInt(roundInt(dmg × round(1 - resist)) × round(1 - pve_resist))
dmg = max(dmg, 1)
```

Step 4 — crit:

```
crit_mult = max(1.5, round(crit_dam / max(0.5, crit_def)))
dmg = roundInt(dmg × crit_mult)
```

Skill crit is special: `roundInt( (dmg × (1 + skill_crit_dam))^0.98 )` — the 0.98 exponent is on the **product**.

Step 5 — Total DMG Bonus/RES (universal final layer, in `healthTarget`):

```
dmg = round(dmg × max(1 + total_dam_add - total_dam_def, 0.20))    # floor 20%
```

Step 6 — application (`Unit.addDamage`):

```
dmg = max(roundInt(dmg / injuryReduce), 1)          # PvP reduction (see 4.4)
→ shield absorption → block absorption → HP -= remaining
```

4.4 PvP reduction (`Level` table)

```
avg_level    = roundInt(sum(player_levels) / player_count)
injuryReduce = Level[avg_level].pvp_injury_reduce / 10000
final_damage = max(roundInt(pre_pvp_damage / injuryReduce), 1)
```

`Level.json` (220 rows) holds `pvp_injury_reduce`, growing ~exponentially to L130 then ~linearly (L1 = 1.0×, L100 = 56.9×, L200 = 609×).

4.5 Battle constants (`Global` table)

`Global.json` holds ~744 tunables (key → value, ±10000 where noted):

Key	Value	Meaning
miss_correct	9000	Evasion power exponent (0.9)
vertigo_correct	9000	Stun power exponent (0.9)
shield_correct	4000	PvP shield decay (0.4)
hp_recovery_correct	3000	PvP heal decay (0.3)
battle_up_limit	[[1008,8000]]	PvP evasion cap (80%)
total_damage_add_down_limit	2000	Total-DMG floor (0.2)

Part 5 — Progression systems & their tables

Every progression system is a **definition table** + a **per-level table**, and the per-level table's `attr` array feeds the attribute IDs the battle formulas read. Learn one and you can read them all.

System	Definition	Per-level / cost	Cost item	Feeds
Fate / Soul	<code>Fate</code>	<code>Fate_level</code>	Soul Essence (<code>1020</code>)	Global HP/ATK/DEF (<code>2001-2036</code>) + secondaries
Guardian Spirit	<code>Spirit</code> , <code>Spirit_affix_group</code>	<code>Spirit_level</code>	Spirit mats	<code>6001-6007</code> spirit stats
Star Hero (Angel)	<code>Angel</code> , <code>Angel_skill</code>	<code>Angel_star</code>	Hero shards	Core battle attrs
Pal / Pet	<code>Pet</code> , <code>Petrace</code> , <code>Pet_talent</code>	<code>Petlevel</code> (77-field, XOR), <code>Pet_proficiency</code>	Pet food	Pal attrs (<code>4001-4006</code>)
Avian (Fly)	<code>Fly</code> , <code>Fly_affix*</code>	<code>Fly_level</code>	Feathers	Core battle attrs
Equipment	<code>Equipment</code> , <code>Equipment_attr</code>	<code>Equipment_level</code> , <code>Equipment_refinement</code>	Gold/mats	Flat + % attrs
Artifact	<code>Artifact</code> , <code>Artifact_gemattr</code>	<code>Artifact_level</code> , <code>Artifact_gemlevel</code>	Artifact mats	Gem attrs
Relic	<code>Relic</code>	<code>Relic</code> levels inline	Relic mats	Battle attrs
Ring	<code>Ring</code>	<code>Ring_level</code>	Ring mats	Battle attrs
Statue	<code>Statue_attr</code>	<code>Statue_level</code>	Statue mats	Attr pool
Path to Divinity	<code>Path_to_divinity</code> , <code>Path_affix</code>	inline	Path mats	Affix bonuses
Mount	<code>Mount</code> , <code>Mount_ability</code>	<code>Mount_level</code>	Mount mats	Battle attrs

5.1 The Fate / Soul system (worked in detail — drives the Soul Essence Calculator)

- `Fate.json` (56 rows): one row per soul per quality. Fields: `fate_id`, `name` (string_ref), `quality` (1–6, 6=Mythic), `mutually_exclusive` (the soul's family across qualities), `icon`, `effect`, `preview`.
- `Fate_level.json` (5,600 rows = 56 × 100): `fate_id`, `level` (1–100), `expend` (`[[1020, cost]]` — Soul Essence to reach the **next** level), `attr` (`[[attrId, value], ...]`), `power`.

Key facts (verified against the game UI): - Max level is **100**; **expend** at L100 is empty (nothing to upgrade to). - Upgrade cost depends **only on quality** (all souls of a quality share the same curve; qualities 5 & 6 share one). Mythic L64 → 65 = **16,800**; maxing one Mythic soul = **1,399,000**. - Each soul's primary attr is a **Global %** stat (**hp_add** / **att_add** / **def_add** = Global HP/ATK/DEF), stored ÷100. Mythic DEF soul at L64: **def_add** = **13620** → **136.20%**, **boss_def** = **2355** → **23.55%** (matches the in-game "Soul Details" screen exactly).
Essence "worth" of a soul at level L (quality q) = $\sum \text{Fate_level}[q].\text{expend}[1..L-1]$ (you start at L1 having spent 0).

Part 6 — Worked examples

6.1 Soul set essence + Final HP

Soul (Fate) side: HP soul = Mythic, level 100. Essence invested = $\sum \text{expend}(L1 \rightarrow L100)$ for a Mythic curve = **1,399,000**. Its **hp_add** at L100 = **20250** → **+202.50%** Global HP.

Final-stat side: the player enters their three in-game numbers:

```
HP Total           = 22,276,000    (22276.0K)
Base HP Total %    = 2,308,600    (2308.6K%)
Global % (souls)   = the HP soul contributes +202.50%
Global % (other)   = 505.64%      → Global% total = 505.64 + 202.50 = 708.14%
Final HP           = 22,276,000 × (1 + 2,308,600/100) × (1 + 708.14/100) ≈ 4,156,150,977,377 ≈ 4156.2B
```

This is exactly what the Soul Essence Calculator computes: **Fate_level** gives the essence curve and the **hp_add** global; the Total/Base/Global formula (§4.2) gives the final.

6.2 One basic attack, end-to-end (PvP)

Attacker ATK 10000, **att_dam** 2.5, **crit_dam** 1.8, **crit_rate** 0.6; Defender DEF 5000, **def_coe** 0.1, **att_resist** 0.3, **crit_def** 0.8, **resist** 0.15; L?? **injuryReduce** 25.0; 500 shield.

```
base_raw = max(roundInt(10000 - 5000×1.1), 1)           = 4500
× resist = roundInt(4500 × round(2.5 × round(1-0.3))) = 7875
calHurt   = roundInt(roundInt(7875 × 0.85) × 1)         = 6693
crit      = roundInt(6693 × max(1.5, round(1.8/0.8))) = 15059
TotalDMG  = round(15059 × max(1+0-0, 0.20))           = 15059
PvP       = max(roundInt(15059 / 25), 1)               = 602
shield    = 602 - 500                                 = 102 HP lost
```

Part 7 — Complete table catalog

All 909 tables, grouped by system. Columns: **Rows** (record count), **Key** (**mainKey**), **Fields** (first fields, ... if more). Definition tables pair with their ***_level** progression tables; **attr** / **expend** arrays follow the conventions in Part 2.

Core Combat & Attributes

120 tables

Table	Rows	Key	Fields
Attr_source	29	id	id, name, order
Attribute	192	id	id, name, key, type, module, group, num_type
Battle_competition_reward	7	id	id, name, reward
Battle_competition_stage	11	id	id, group, name, open_day, desc
Battle_competition_task	10	id	id, desc, condition, reward
Battlepass	1	id	id, name, bundle_id, bundle_id2, open_time, add_reward_exp, add_reward

Table	Rows	Key	Fields
Battlepass_reward	30	id	id, level, exp, reward, high_reward, middle_reward
Battlepass_task	10	task_id	task_id, type, reset, condition, reward, desc
Buff	2476	id	id, name, type, group, icon, effect, effect_mirror, ...
Bullet	357	id	id, type, effect, destroy_effect, start_bind, end_bind, speed
Level	220	level	level, expend, num, pvp_injury_reduce, power_par
MainUnit1	660	—	—
MainUnit10	660	—	—
MainUnit100	660	—	—
MainUnit11	660	—	—
MainUnit12	660	—	—
MainUnit13	660	—	—
MainUnit14	660	—	—
MainUnit15	660	—	—
MainUnit16	660	—	—
MainUnit17	660	—	—
MainUnit18	660	—	—
MainUnit19	660	—	—
MainUnit2	660	—	—
MainUnit20	660	—	—
MainUnit21	660	—	—
MainUnit22	660	—	—
MainUnit23	660	—	—
MainUnit24	660	—	—
MainUnit25	660	—	—
MainUnit26	660	—	—
MainUnit27	660	—	—
MainUnit28	660	—	—
MainUnit29	660	—	—
MainUnit3	660	—	—
MainUnit30	660	—	—
MainUnit31	660	—	—
MainUnit32	660	—	—
MainUnit33	660	—	—
MainUnit34	660	—	—
MainUnit35	660	—	—
MainUnit36	660	—	—
MainUnit37	660	—	—
MainUnit38	660	—	—
MainUnit39	660	—	—
MainUnit4	660	—	—
MainUnit40	660	—	—
MainUnit41	660	—	—
MainUnit42	660	—	—
MainUnit43	660	—	—
MainUnit44	660	—	—
MainUnit45	660	—	—

Table	Rows	Key	Fields
MainUnit46	660	—	—
MainUnit47	660	—	—
MainUnit48	660	—	—
MainUnit49	660	—	—
MainUnit5	660	—	—
MainUnit50	660	—	—
MainUnit51	660	—	—
MainUnit52	660	—	—
MainUnit53	660	—	—
MainUnit54	660	—	—
MainUnit55	660	—	—
MainUnit56	660	—	—
MainUnit57	660	—	—
MainUnit58	660	—	—
MainUnit59	660	—	—
MainUnit6	660	—	—
MainUnit60	660	—	—
MainUnit61	660	—	—
MainUnit62	660	—	—
MainUnit63	660	—	—
MainUnit64	660	—	—
MainUnit65	660	—	—
MainUnit66	660	—	—
MainUnit67	660	—	—
MainUnit68	660	—	—
MainUnit69	660	—	—
MainUnit7	660	—	—
MainUnit70	660	—	—
MainUnit71	660	—	—
MainUnit72	660	—	—
MainUnit73	660	—	—
MainUnit74	660	—	—
MainUnit75	660	—	—
MainUnit76	660	—	—
MainUnit77	660	—	—
MainUnit78	660	—	—
MainUnit79	660	—	—
MainUnit8	660	—	—
MainUnit80	660	—	—
MainUnit81	660	—	—
MainUnit82	660	—	—
MainUnit83	660	—	—
MainUnit84	660	—	—
MainUnit85	660	—	—
MainUnit86	660	—	—
MainUnit87	660	—	—

Table	Rows	Key	Fields
MainUnit88	660	—	—
MainUnit89	660	—	—
MainUnit9	660	—	—
MainUnit90	660	—	—
MainUnit91	660	—	—
MainUnit92	660	—	—
MainUnit93	660	—	—
MainUnit94	660	—	—
MainUnit95	660	—	—
MainUnit96	660	—	—
MainUnit97	660	—	—
MainUnit98	660	—	—
MainUnit99	660	—	—
Merge_element	36	id	id, element_group, element_stage, name_group, image, value, element_name
Monster	13	id	id, obj_type, head, scene_head
Monster_buff_chapter	42	id	id, type, time, skill_id, buff_desc, target
Monster_pve_chapter	6	id	id, name, power, level, map, bossID, bossModel
Monster_pve_main	6	id	id, name, bossModel, rank_id, term_rank_id, picture
Specil_buff	12	id	id, name, type, time, quantity, param1, state_icon
Unit	10380	id	id, model, type, hatred_type, ai, att_skill, skills, ...
UnitModel	815	id	id, path, appearance, radius, scale, change_times, skill1, ...
UnitType	14	id	id, bar, target, counter, vertigo_time, suspend_time, att_skill

Skills & Effects

6 tables

Table	Rows	Key	Fields
Skill	1547	id	id, name, type, chapter_type, if_chapter_type, autoDis, quality, ...
Skill_level	18838	id	id, level, expend, ownEffect, attrType, ownDesc, ownDesc_parm
Skill_pos	6	id	id, condition, type, desc
SkillEffect	1073	id	id, type, trapId, targetType, targetRange, bullet, execute, ...
Talent_show	7	type	type, group, stage, name, item, voting_reward, worship_times, ...
Talent_show_lv_limit	13	id	id, time, num

Star Heroes / Angels

8 tables

Table	Rows	Key	Fields
Angel	35	id	id, name, quality, type, desc, image, image2
Angel_array	7	type	type, pos, pos_type
Angel_develop	6	id	id, serv_macro, desc
Angel_draw	1	id	id, name, type, banner, normal, must, open_time
Angel_draw_package	80	id	id, premise, type, act_group, bundle_id, reward, desc
Angel_draw_time_limit	5	id	id, act_type, group, name, name_color, banner, normal, ...
Angel_skill	310	id	id, skill_name, skill_effect, skillPar, skill_dec, desc_parm
Angel_star	350	id	id, star, expend, frame, attr, skill1_type, battle_skill1, ...

Classes / Jobs

3 tables

Table	Rows	Key	Fields
Jobs	38	id	id, name, type, job_pos, desc, skill, passive_skill, ...
Jobs_wakeup	2000	id	id, level, value_plus, cost, power
Science	3286	id	id, level, name, icon, type, describe, desc_parm, ...

Pals & Pets

15 tables

Table	Rows	Key	Fields
Palu_boss	6	id	id, name, index, power, level, map, part_type, ...
Palu_client_global	5	id	id, array_value, value
Palu_kv	1	id	id, array_value, value
Palu_new_artiact	36	id	id, type, type_id, level, is_unlock, chapter_progress, rank
Palu_new_equip	10	id	id, equip_id, upgrade_cost
Palu_new_pal	69	id	id, level, is_unlock, chapter_progress
Palu_new_skill	38	id	id, level, is_unlock, chapter_progress
Palu_new_unlock	21	id	id, is_unlock, chapter_progress, job_unlock, skill_unlock, pal_unlock, pass_lv
Palu_world_boss	10	id	id, name, index, power, level, map, part_type
Pet	322	id	id, name, icon, desc, quality, type, unitId
Pet_pos	6	id	id, condition, desc
Pet_proficiency	700	id	id, level, extra_star, exp, addexp, own_attrs, power
Pet_talent	70	id	id, all_star, name, effect_des, desc_parm1, effect, power_des
Petlevel	19824	id	id, level, expend, ownEffect, desc, desc_parm, equipEffect, ...
Petrace	55	id	id, name

Avians (Fly system)

16 tables

Table	Rows	Key	Fields
Fly	35	id	id, name, type, icon, quality, hybrid_type, unitid, ...
Fly_achievement	41	id	id, group, name, name_num, desc, desc_num, condition
Fly_advance	560	id	id, advance_level, expend, attr, fly_skill, entry_level, power
Fly_cd	22	times	times, type, cd
Fly_egg	13	id	id, name, path, quality, fly_weight, entry_num_weight
Fly_entry	1734	id	id, level, name, quality, passive_skill, special_effect, home_effect
Fly_entry_num	7	id	id, entry_num_weight, entry_num_fixed
Fly_entry_weight	88	id	id, extra_weight, fix_weight, var_weight
Fly_evolution_pro	18	id	id, times, pro
Fly_evolution_rate	3	id	id, rate
Fly_hybrid_template	21	id	id, template_weight
Fly_hybrid	501	id1	id1, id2, template_id, fly_weight
Fly_hybrid_time	21	id	id, time
Fly_level	5250	id	id, level, expend, if_advance, attr, power
Fly_remake_cost	5	id	id, times, cost
Fly_total_achievement	4	id	id, name, desc, num, reward

Guardian Spirits

9 tables

Table	Rows	Key	Fields
Spirit	20	spirit_id	spirit_id, mame, quality, spirit_part_amount, unit, path, model_scale, ...
Spirit_affix_group	4	affix_group	affix_group, name, icon, icon_group
Spirit_attrbonus_affix	168	affix_id	affix_id, affix_group, quality, attr_id, value, power_rate
Spirit_attrbonus_slot	22	slot_id	slot_id, affix_group
Spirit_craft	10	id	id, quality, craft_type, spirit_target_id, main_craft_material, minor_craft_material
Spirit_craft_target	4	spirit_level	spirit_level, spirit_group, material_level
Spirit_draw	1	id	id, name, type, banner, normal, must, open_time
Spirit_draw_prob	6	id	id, desc, prob, good_list
Spirit_level	72	spirit_id	spirit_id, spirit_level, expend, spirit_attr, character_attr, slot_amount, skill1

Fate / Soul system

5 tables

Table	Rows	Key	Fields
Fate	56	fate_id	fate_id, name, quality, mutually_exclusive, icon, effect, preview
Fate_chapter	1000	id	id, index, power, level, map, part_type, interval, ...
Fate_draw	32	id	id, type, reward, weights, is_guaranteed
Fate_fusion	8	id	id, get_fate_id, material_fate_id, passive_skill_group, desc, same_kind
Fate_level	5600	fate_id	fate_id, level, expend, attr, skill, breakdown_reward, power

Equipment / Artifacts / Relics / Rings / Gems

24 tables

Table	Rows	Key	Fields
Artifact	44	id	id, name, path, icon, icon_small, icon_group, quality, ...
Artifact_gem_chapter	25	id	id, index, power, level, map, part_type, interval
Artifact_gemattr	141	id	id, group_id, attr_id, pro, initial_value, upgrade_value, power_rate
Artifact_gemgenerate	6	id	id, quality_possible, slot_possible, set_possible
Artifact_gemlevel	120	quality	quality, level, exp, is_strengthten, weaken
Artifact_gemquality	6	id	id, max_level, mainattr_groups, viceattr_num, viceattr_group, quality_exp, frame
Artifact_gemsets	7	id	id, name, icon, get_way, bonus2_desc, bonus2_attr, bonus2_skill
Artifact_gemslot	6	id	id, main_attr_group
Artifact_level	300	level	level, expend_exp, expend_goods, attr, base_skill, unlock, power
Artifact_preview_chapter	1	id	id, index, power, level, map, part_type, part, ...
Artifact_skin	473	artifact_id	artifact_id, skin_level, expend, skin_skill, attr, power
Equipment	5357	id	id, name, level, part, quality, number, advanced, ...
Equipment_advancement	37	id	id, attr, cost, limit, power
Equipment_attr	2292	id	id, group_id, attr_id, type, pro, value
Equipment_guarantee	11	num	num, quality, level, part
Equipment_level	2200	part	part, level, basic, price
Equipment_refinement	151	id	id, attar, cost
Equipment_resonance	18	id	id, attr, current_attr, stage, power
Equipment_suit	3	suit_id	suit_id, num, effect, desc, name
Relic	5005	id	id, level, name, type, desc, desc_parm, icon
Relic_get	30	num	num, relic_pool, cost

Table	Rows	Key	Fields
Relic_pos	7	id	id, name, icon
Ring	5	id	id, name, path1, path2, icon1, icon2, quality
Ring_level	301	level	level, expend_exp, expend_goods, attr, base_skill, unlock, power

Mounts

15 tables

Table	Rows	Key	Fields
Mount	72	id	id, name, type, path, binds, icon, icon_small, ...
Mount_ability	1503	id	id, level, value_plus, power
Mount_abilitycost	1501	total_level	total_level, cost, success_rate, success_guaranteed
Mount_chapter	1050	id	id, index, power, level, map, part, next_part, ...
Mount_chapter_bufflist	34	mount_buff_id	mount_buff_id, skill_id, buff_desc, quality, weight
Mount_draw	895	id	id, type, group_id, reward, weight, guaranteed, limited, ...
Mount_draw_cost_get	19	id	id, cost, reward
Mount_draw_cumulative_times	582	id	id, type, group_id, cumulative_times, reward
Mount_draw_guaranteed	340	id	id, type, group_id, num, reward
Mount_level	300	level	level, name, order, star, expend_exp, expend_goods, attr
Mount_skin	660	mount_id	mount_id, skin_level, expend, skin_skill, attr, power
Parking_design	1002	id	id, level, position, expend, own_attrs, effect, pvp_effect, ...
Parking_log	26	id	id, serv_macro, name, type, desc
Parking_mount	14000	id	id, level, expend, own_attrs, rate, drop_id, drop_show
Parking_time	10	id	id, interval, rate_alter, drop_num, if_beaten

Statue / Path to Divinity

9 tables

Table	Rows	Key	Fields
Path_affix	342	affix_id	affix_id, affix_group, quality, attr_id, value, power_rate
Path_affix_levelpro	30	id	id, total_number, pro_quality
Path_sensor_node	50	node_id	node_id, trunk_id, trunk_number, affix_group, desc
Path_to_divinity	12	trunk_id	trunk_id, name, tree_id, sensor_node_list
Path_upper_limit	213	trunk_id	trunk_id, attr_id, upper_limit, show_type, unique, sort
Statue_attr	90	id	id, product, attr_id, pro, value, power_rate
Statue_level	10	level	level, expend, pro_quality, power
Statue_pos	5	id	id, level, desc
Statue_spend	5	lock_quantity	lock_quantity, spend

Back / Wing decorations

15 tables

Table	Rows	Key	Fields
Back_book	1	id	id, condition, level
Back_checkin	21	id	id, open_day, lost_day, day, reward, special
Back_decoration	48	id	id, name, form, type, path, binds, icon_small, ...
Back_lamp_attr	8	id	id, name, type
Back_lamp_chapter	36	id	id, chapter, level, name, first_reward, acc_reward, unlock
Back_lamp_item	20	id	id, type, model_change, icon, drop_text, text, bullet_model
Back_lamp_map	8	id	id, unit_event, combine_id, map_long, map_picture

Table	Rows	Key	Fields
Back_lamp_unit	11	id	id, type, move_type, picture, model
Back_level	780	id	id, level, expend_exp, expend_goods, attr, power, era_level
Back_level_rebate	12	level	level, percent, low_star_diamond, high_star_diamond
Back_mall	40	id	id, open_day, lost_day
Back_pay_rebate	15	number	number, percent, low_star_diamond, high_star_diamond
Back_skin	495	back_id	back_id, skin_level, expend, skin_skill, attr, power
Back_talent	2652	id	id, level, name, icon, job_type, color_type, describe, ...
Back_task	60	id	id, type, day, condition, reward, access, open_day

Chapters / Stages / PvE

165 tables

Table	Rows	Key	Fields
Adventure_exp_point	11	lose	lose, win, exp, ponit
Adventure_level	15	id	id, next_id, icon, avatar_frame, effect, task_group, language_id
Adventure_space_back	42	id	id, coordinate, unlock
Adventure_space_group	25	id	id, group_0, group_1, group_2, group_3, group_4, cell_refresh
Adventure_space_item	201	id	id, name, icon_lvl, level, type, quality, upgrade_cost, ...
Adventure_space_item_book	21	id	id, type_id, star_id, next_id, thrid_id, last_id
Adventure_space_job	51	id	id, name, attr, second_job, third_job, back_job, star_item, ...
Adventure_space_level	24	id	id, active_id, round_id, rank, robot
Adventure_space_number	20	id	id, active_id, challenge_num, reward
Adventure_space_rank	8	id	id, next_rank, need_experience, profession, reward, show_reward, icon
Adventure_space_robot	42	id	id, robot_job, robot_weapon, robot_badge, robot_item
Adventure_space_rule	1	id	id, win_number, lose_number, battle_gold, job_round, job_round_special, job_star
Adventure_space_shop	762	id	id, group, item_id, prob
Adventure_task	42	id	id, condition, desc, reward, guide
Chapter1	500	—	—
Chapter10	500	—	—
Chapter100	500	—	—
Chapter11	500	—	—
Chapter12	500	—	—
Chapter13	500	—	—
Chapter14	500	—	—
Chapter15	500	—	—
Chapter16	500	—	—
Chapter17	500	—	—
Chapter18	500	—	—
Chapter19	500	—	—
Chapter2	500	—	—
Chapter20	500	—	—
Chapter21	500	—	—
Chapter22	500	—	—
Chapter23	500	—	—
Chapter24	500	—	—
Chapter25	500	—	—
Chapter26	500	—	—

Table	Rows	Key	Fields
Chapter27	500	—	—
Chapter28	500	—	—
Chapter29	500	—	—
Chapter3	500	—	—
Chapter30	500	—	—
Chapter31	500	—	—
Chapter32	500	—	—
Chapter33	500	—	—
Chapter34	500	—	—
Chapter35	500	—	—
Chapter36	500	—	—
Chapter37	500	—	—
Chapter38	500	—	—
Chapter39	500	—	—
Chapter4	500	—	—
Chapter40	500	—	—
Chapter41	500	—	—
Chapter42	500	—	—
Chapter43	500	—	—
Chapter44	500	—	—
Chapter45	500	—	—
Chapter46	500	—	—
Chapter47	500	—	—
Chapter48	500	—	—
Chapter49	500	—	—
Chapter5	500	—	—
Chapter50	500	—	—
Chapter51	500	—	—
Chapter52	500	—	—
Chapter53	500	—	—
Chapter54	500	—	—
Chapter55	500	—	—
Chapter56	500	—	—
Chapter57	500	—	—
Chapter58	500	—	—
Chapter59	500	—	—
Chapter6	500	—	—
Chapter60	500	—	—
Chapter61	500	—	—
Chapter62	500	—	—
Chapter63	500	—	—
Chapter64	500	—	—
Chapter65	500	—	—
Chapter66	500	—	—
Chapter67	500	—	—
Chapter68	500	—	—

Table	Rows	Key	Fields
Chapter69	500	—	—
Chapter7	500	—	—
Chapter70	500	—	—
Chapter71	500	—	—
Chapter72	500	—	—
Chapter73	500	—	—
Chapter74	500	—	—
Chapter75	500	—	—
Chapter76	500	—	—
Chapter77	500	—	—
Chapter78	500	—	—
Chapter79	500	—	—
Chapter8	500	—	—
Chapter80	500	—	—
Chapter81	500	—	—
Chapter82	500	—	—
Chapter83	500	—	—
Chapter84	500	—	—
Chapter85	500	—	—
Chapter86	500	—	—
Chapter87	500	—	—
Chapter88	500	—	—
Chapter89	500	—	—
Chapter9	500	—	—
Chapter90	500	—	—
Chapter91	500	—	—
Chapter92	500	—	—
Chapter93	500	—	—
Chapter94	500	—	—
Chapter95	500	—	—
Chapter96	500	—	—
Chapter97	500	—	—
Chapter98	500	—	—
Chapter99	500	—	—
Chapter_type	58	id	id, name, config, ad, open_id, desc, time_type, ...
Danjon_meshi_dinner	10	id	id, exp, box_reward, count, figure, figure_food, figure_anim
Danjon_meshi_event_preview	7	id	id, type, icon, desc, reward
Danjon_meshi_kv	19	id	id, key, desc, info
Danjon_meshi_lv	10	id	id, exp, atk, monster, food_reward, box_per, box_reward
Danjon_meshi_recipe	10	id	id, exp, reward
Danjon_meshi_recipe_preview	3	id	id, reward
Dragon_map_chapter	1	id	id, index, power, level, map, part_type, part, ...
Dragon_map_event	17	id	id, type, name, level, model, scale, icon, ...
Dragon_map_guide	12	id	id, name, show, show_tab, icon, desc, guaranteed_drop
Dragon_map_kv	32	id	id, key, desc, info, info_type
Dragon_map_pvp_damage	6	id	id, win, loser_hp, coefficient

Table	Rows	Key	Fields
Dragon_map_rank_reward	18	id	id, type, range, reward, show
Escort_boss_bullet	6	id	id, energy, name, hurt, gap, prob, cost
Escort_boss_report	9	id	id, text
Escort_boss_skill	3	id	id, name, name2, skill_icon, energy, dec, effect, ...
Escort_building	9	id	id, name, image
Escort_chapter	98	id	id, part_type, level, index, power, map, part, ...
Escort_chapter_reward	18	id	id, type, level, index, output, display, dec
Escort_global	36	id	id, key, desc, info
Escort_goods	12	id	id, name, escort_image, grade, escort_coin, escort_time, dec
Escort_monster	120	id	id, monster_group, image, name, unit, rank, attr
Escort_rank_reward	20	id	id, type, range, show, reward
Escort_route	49	id	id, start, finish
Illustrated	1040	id	id, level, type, name, condition, attr, skill
Reversion_war_boss	45	id	id, name, desc, unitId, range
Reversion_war_chapter	15	id	id, desc, index, power, level, diff, map
Reversion_war_chess	31	id	id, name, spend, unlock_day, initialCd, maxCd, icon, ...
Reversion_war_reward	45	id	id, day, star_num, get_way, reward, desc, desc_parm
Rogue_chapter	1	id	id, index, power, level, map, part_type, part, ...
Rogue_draw	12	id	id, reward, weight, guaranteed, limited, order, is_jackpot, ...
Rogue_draw_cumulative_times	8	id	id, cumulative_times, reward
Rogue_draw_guaranteed	11	id	id, num, reward
Rogue_enemy	63	enemy_id	enemy_id, rank_id, main_rank, minor_rank, range, attr_data, luggage
Rogue_gift	118	id	id, level, name, node_type, type, icon, icon_group, ...
Rogue_global	20	key	key, info_type, info, desc
Rogue_goods	177	id	id, name, type, quality, effect, uniqueness, loseable
Rogue_goods_mall	163	id	id, goods, price, weight_sidestory, weight_boss, name, limit
Rogue_main_chapter	85	id	id, name, icon, part_type, map, enemy_type, enemy_id, ...
Rogue_output	267	id	id, groupid, item, othergroup, probtype, prob
Rogue_rank_reward	9	id	id, rank_range, show, rank_reward
Rogue_sidestory_chapter	8	id	id, group_id, name, pre_level_id, times_limit, part_type, map
Rogue_sidestory_times	30	id	id, cost, random_level
Rogue_weekly_reward	10	id	id, point, reward
Towerdefence	16	id	id, lev, point, num
Towerlevel	3	id	id, num
Towermonster	2	type	type, hp, point
World_boss	100	id	id, index, power, level, map, part_type, part
World_boss_bufflist	5	buff_id	buff_id, skill_id, buff_desc, target
World_boss_rank	9	rank	rank, reward_rank
World_boss_total_dmg	30	day	day, total_dmg, reward_participate

PvP / Season / Cross-server / League

91 tables

Table	Rows	Key	Fields
Cross_limited_rank	96	id	id, match_id, act_type, rank_id, rank_condition, task_group_id, bundle_group_id
Cross_limited_rank_reward	479	id	id, rank_group_id, range, reward, show, spec_reward
Cross_limited_rank_task	544	id	id, task_group_id, small_group_id, is_stage, condition, reward, desc

Table	Rows	Key	Fields
Cross_pvp_chapter	1	id	id, index, power, level, map, part_type, part, ...
Cross_pvp_extra_reward	30	id	id, grade_id, rank, reward
Cross_pvp_grade	37	id	id, main_rank, minor_rank, next_rank, range, part_type, part_num, ...
Cross_pvp_grading_match	11	id	id, rank_id, promote_win_num
Cross_pvp_robot	275	id	id, rank, level, job, active_skill, passive_skill, pet
Cross_war_head_scale	10	id	id, power_radio, big_scale, small_scale
Cross_war_idle_reward	19	id	id, power, reward
Cross_war_job	4	id	id, name, buff, speed, attack_distance, auto_attack, sight_list
Cross_war_kv	28	id	id, value
Cross_war_match	37	id	id, time, num
Cross_war_point	30	id	id, object, condition, point
Cross_war_rank_reward	36	id	id, type, range, reward
Kf_war_chapter	1	id	id, index, power, level, map, part_type, part, ...
Kf_war_chapter_monster	2	id	id, index, power, level, map, part_type, part, ...
League_gve_bonus_level	30	id	id, bonus_level, prob, desc, base_id, complete_drop_reward
League_gve_buff_effect	16	id	id, type
League_gve_chapter	150	id	id, index, power, level, map, part_type, interval, ...
League_gve_chapter_control	10	id	id, type, map_group, level, level_desc, name, open_time, ...
League_gve_chapter_monster	160	id	id, index, power, level, map, part_type, part, ...
League_gve_chapter_rank	80	rank_damage	rank_damage, reward_rank
League_gve_chapter_show	1	type	type, name, reward_show, key_show, banner
League_gve_chapter_task	3	id	id, desc, val
League_gve_chapter_type	13	id	id, type, name, map_prefab_name, prefab_name
League_gve_event_buff	16	id	id, adventure_event, prob, buffid, desc, icon, icon_group
League_gve_event_game	30	id	id, event_game, name, desc, goal, prob, entryid
League_gve_map	1900	map_id	map_id, id, type, base_id, unlock, event_id, bonus_level_id
League_gve_map_group	40	map_id	map_id, map_group, map_name, weight, aoimap_id
League_solo_chapter	100	id	id, index, power, map, part_type, part, next_part
League_solo_chapter_chest	15	guild_level	guild_level, normal_chest_limit, rare_chest_limit, normal_chest_reward, rare_chest_reward
League_solo_hard_chapter	100	id	id, index, power, map, part_type, part, next_part
League_solo_hard_chest	15	guild_level	guild_level, normal_chest_limit, rare_chest_limit, normal_chest_reward, rare_chest_reward
League_solo_hard_rank	20	id	id, type, range, reward
League_solo_hard_turn	4	turn_number	turn_number, buff_id, desc, bossModel, bossBanner, boss_name, appearance_id
Pvp_chapter	1	id	id, index, power, level, map, part_type, part, ...
Pvp_competition_chapter	1	id	id, index, power, level, map, part_type, part, ...
Pvp_reward	18	id	id, type, rank, reward, title_reward
Season_achievement	30	level	level, condition, reward, season_type
Season_battle_guide	119	id	id, season_type, tab, type, txt_title, txt_rule, txt_extra
Season_battle_guide_new	147	id	id, season_type, tab, type, txt_title, txt_rule, txt_extra
Season_battle_score	17	id	id, type, score_method, item_num
Season_building_function	9	id	id, name, icon
Season_building_plot	53	id	id, type, name, plot_number, plot_number_even, prefab_name, ui_scale, ...
Season_cabin	6	cabin_id	cabin_id, condition, type, condition_special, condition_text
Season_command_center	45	id	id, level, name, icon, type, describe, desc_parm, ...
Season_draw_guaranteed	35	id	id, season_type, type, num, reward

Table	Rows	Key	Fields
Season_equipment	2960	id	id, name, level, part, quality, number, advanced
Season_equipment_attr	500	id	id, group_id, attr_id, type, pro, value
Season_equipment_attr_s4	500	id	id, group_id, attr_id, type, pro, value
Season_equipment_guarantee	11	num	num, quality, level, part
Season_equipment_level	100	part	part, level, basic, price
Season_equipment_level_s4	100	part	part, level, basic, price
Season_equipment_s4	2960	id	id, name, level, part, quality, number, advanced
Season_event	24	id	id, season_type, type, base_id, map_position, name, event_desc
Season_favor	101	level	level, expend, attr, medal_icon, power
Season_kv_new	23	season_type	season_type, kv_id, desc, info, info_type
Season_mapevent_reward	41	id	id, type, reward_method, reward_cd, reward, buff_reward, level
Season_notice	10	id	id, type, condition, content
Season_notice_condition	5	id	id, name, des
Season_port_supply	30	level	level, cost, reward
Season_port_supply_item	3	id	id, exp, limit_time
Season_pvp_chapter	1	id	id, index, power, level, map, part_type, part
Season_pvp_robot	20	id	id, name, rank, rank_number, robot_ship_attr, level, job, ...
Season_rank_reward	31	id	id, type, range, reward, season_type
Season_recovery_speed	21	id	id, level, speed
Season_ship	8	id	id, name, quality, path, icon, appearance, item_id
Season_ship_appearance	2168	id	id, part, spine, atlas, icon, model_ID, ship_plot
Season_ship_draw	16	id	id, reward, weight, is_jackpot, limited, quality, fragment
Season_ship_draw_guaranteed	5	id	id, num, reward
Season_ship_level	20	level	level, expend_exp, expend_goods, attr, cost, power
Season_ship_level_s4	20	level	level, expend_exp, expend_goods, attr, cost, power
Season_ship_skin	87	mount_id	mount_id, skin_level, expend, attr, use_attr, skin_skill_season, skin_skill
Season_station_level	20	level	level, expend, attr, special_attr
Season_target	13	id	id, season_type, condition, name, script_desc, mission_desc, reward
Season_transform	8	id	id, transform_item
Season_treasure	165	id	id, level, name, type, icon, item_id, attr_type, ...
Season_treasure_bag_effect	9	id	id, number, attr, skill_buff, desc, power
Season_treasure_draw	90	id	id, season_type, type, reward, weight, is_jackpot, limited
Season_treasure_level	15	level	level, expend, cost, pro_quality
Season_treasure_level_s4	15	level	level, expend, cost, pro_quality
Season_workshop_level	11	level	level, expend, attr, special_attr
Strategy_activity_chapter	50	id	id, name, index, power, level, diff, map, ...
Strategy_activity_commodity	72	id	id, name, reward, expend, radio
Strategy_activity_level	5	chapter_progress	chapter_progress, level, equipments, refresh_cost
Strategy_activity_milestone	50	id	id, condition, get_way, reward
Strategy_activity_pet	60	id	id, level, chapter_progress, open_day, unlock_cost, is_unlock
Strategy_activity_shop	22	id	id, commodity, weight, limit, guarantee_num
Strategy_activity_skill	34	id	id, level, chapter_progress, open_day, unlock_cost, is_unlock
Strategy_artiact	35	id	id, type, type_id, chapter_progress, open_day, unlock_cost, is_unlock

Guild / Social / Marriage

12 tables

Table	Rows	Key	Fields
Chat_bubble	30	id	id, name, icon, get_way, text_color, preview, open_time
Chat_keywords	2	id	id, type, keywords, reward, reward_group, title
Guild_activity	5	id	id, name, time_desc, desc, icon, is_show, schedule_button
Guild_career	5	id	id, name, permissions, number, low_job, recall, expel
Guild_level	15	level	level, exp, max_num, max_exp, help_limit, carrer_num
Guild_log	13	id	id, serv_macro, type, name, desc
Guild_permission	14	id	id, permission_desc
Guild_permission_show	8	id	id, text, permission_desc, rank
Guild_rank	3	id	id, refresh, show_num
Marry	3	id	id, spend, reward, show_reward, invite_num, num_max, enter_spend, ...
Marry_anniversary	24	time	time, reward, desc
Marry_task	7	id	id, desc, condition, reward

Minigames / Farm / Fishing / Mining / Events

104 tables

Table	Rows	Key	Fields
Break_gold_egg_layers	50	id	id, layers, type, group_id, num
Break_gold_egg_weight	16511	id	id, type, group_id, layers, reward, weight, limited, ...
Card_pool	40	type	type, level, num, group
Card_pool_type	2	id	id, name, treasure, icon, condition, open_id
Cut_rope_art	5	id	id, type, avatar
Cut_rope_level	13	id	id, lecel_id, unlock, active_id, line_dot, unit_dot, safe_place
Double_cumulative_reward	32	id	id, act_type, group_id, time, reward
Double_draw	4	act_type	act_type, group_id, turn_id, draw_expand, draw_reward, cumulative_reward_id, reward_inform
Double_draw_guaranteed	40	id	id, turn_id, num, reward
Double_ladder_assist_reward	20	id	id, reward
Double_ladder_chapter	150	id	id, index, power, chapter, map, part_type, interval, ...
Double_ladder_strategic	9	id	id, condition, effect1, effect2, effect3, effect4, name
Double_probability	80	reward_id	reward_id, id, reward, reward_limit, weight, reward_type, limited
Farm_action	11	id	id, serv_macro, name, type, desc
Farm_buildings	33	id	id, level, effect, pvp_effect, pvp_effect1, time, condition
Farm_buildings_details	3	id	id, name, effect, desc
Farm_greens	6	id	id, time, harvest_time, reward, value, try_stolen_limit, stolen_limit, ...
Farm_level	50	level	level, expend, effect, power
Farm_pos	6	id	id, condition, desc
Farm_pvp_chapter	1	id	id, index, power, level, map, part_type, part, ...
Farm_seed	6	id	id, harvest, icon, activity
Fish_mission	45	id	id, group, day, score, get_way, reward, desc
Fish_ocean	3	id	id, depth, back, brightness, fish_refresh_rate, is_pet_refresh, pet_refresh_rate
Fish_species	35	id	id, group, appearance, image, image_size, obj_type, name, ...
Fish_species_reward	5	id	id, group, unlock, reward
Fish_tackle	30	id	id, level, upgrade_cost, effect, num_desc, upgrade_pre, name
Fish_turntable	12	id	id, group, reward, weight, rank
Ggbond_bead	24	bead_id	bead_id, icon, effect, picture_book
Ggbond_chapter	7	chapter_id	chapter_id, type, group_id, monster, initial_bead, bead, open_day

Table	Rows	Key	Fields
Ggbond_monster	8	monster_id	monster_id, spine, is_model, monster_hp, scale
Goldfish_scooping_fish	5	id	id, name, model, scope, score, radius, normal_speed
Goldfish_scooping_level	8	id	id, open_time, end_time, two_player, pass_score, gold_fish_weight, gold_fish_num
Ippon_matsu_pool	4	gacha_group	gacha_group, pull_price, black_hole_times, act_type, act_group, title
Ippon_matsu_prob	28	id	id, gacha_group, reward, reward_limit, weight, reward_type, limited, ...
Ippon_matsu_times	98	id	id, act_type, group_id, times, reward
Left_right_crush	10	difficulty	difficulty, id, effect, picture_book, score, text
Left_right_crush_block	24	id	id, color_class, color_count, icon, trans
Lucky_bag_preview	57	id	id, act_type, type, reward, weight
Lucky_bag_store	12	id	id, type, name, icon, paymall, custom_reward
Lucky_cat	1	type	type, group_id, get_lucky_cat_cost, get_lucky_cat_limit, get_lucky_cat_count, show_per_condition
Lucky_cat_reward	64	id	id, act_type, activity_group, time, per, weight, icon_picture
Merge	1558	id	id, slave_ids, date
Merge_box	3	id	id, image, reward, name, des
Merge_card	10	id	id, icon, num, merge_id
Merge_level	10	id	id, act_type, group, chess_board, initial_element, initial_cover, initial_order, ...
Merge_order	185	id	id, order_group, order_appear, order_demand, order_reward, box
Merge_pet	6	id	id, model
Mine	34	id	id, range, template
Mine_add	32	id	id, range, template
Mine_grid	21	id	id, goods, reward, icon, num
Mine_hole_auto	32	id	id
Mine_hole_reward	60	id	id, type, range, drop
Mine_hole_type	10	id	id, name, arrange, mine_per, mine_max, small_picture, big_picture
Mine_template	22	id	id, arrange, hole
Mining_config	350	id	id, group, row
Mining_item	21	level	level, hp, attack, image, price, gift
Mining_level	5	id	id, group, round, condition, buy, gift, gift2
Mining_main	1	id	id, level, initial_coin, initial_pick
Mining_reward	13	id	id, group, free_reward, pay_reward, condition
Mining_soil	30	level	level, hp, attack, image, spine, price, effect
Monopoly	40	id	id, act_type, name, type, city_lv_reward, reward, random
Monopoly_random	48	id	id, type, desc
Monopoly_turnreward	7	id	id, act_type, turns, reward
Moonfestival_bullet	3	id	id, name, type, first_force, speed_effect, damage_num, bomb
Moonfestival_card	31	id	id, type, group, open_time, item_weight
Moonfestival_riddle	10	id	id, type, group_id, rank_num, subject, subject_detail, answer
Moonfestival_search	40	id	id, type, group_id, rank_num, clue, system_view, picture
Moonfestival_stage	7	id	id, template, open_day, limit, star_step
Moonfestival_stagetemplate	12	id	id, arrange
Moonfestival_unit	6	id	id, type, rebound_effect, speed_effect, enemy_hp, defeat_reward, radius
New_year_couplets	30	id	id, text_group, text
New_year_drive_away	20	id	id, type, grid_id, reward
New_year_gift	12	id	id, send_reward, get_reward
Newyear_dinner_dish	6	id	id, name, picture, foods, reward

Table	Rows	Key	Fields
Pac_man_cha	7	id	id, monster, Buff, start_point, turning_point
Pac_man_level	7	id	id, open_day, monster, interval, map, hp, start_point
Pac_man_monster	4	id	id, type, image, speed, behavior
Pac_man_plot	5	id	id, type, effect, image, txt
Planting_trees	1	id	id, turns_group, water_reply, water_grow_value, water_upper_limit, water_friend_times, water_friend_get_times
Planting_trees_reward	60	id	id, group, level, exp, reward
Planting_trees_turns	3	id	id, group, turns, tree_type, reward, turn_name, num
Planting_trees_type	4	id	id, type, level, name, shape_change, shape_change2, scale
Seven_sign_loop	21	id	id, name, type, reward
Seven_trial_bullet	2	id	id, name, type, first_force, speed_effect, damage_num, bomb
Seven_trial_chapter	100	id	id, index, power, map, part_type, part, next_part, ...
Seven_trial_stage	7	id	id, template, open_day, limit, star_step
Seven_trial_stagetemplate	12	id	id, arrange
Seven_trial_unit	6	id	id, type, rebound_effect, speed_effect, enemy_hp, defeat_reward, radius
Sevenlogin	917	condition	condition, goods, big_pic
Snake_chapter	7	id	id, obstacle, location
Snake_fruit	4	id	id, buff, icon, weight, sound
Sugar_bawl_reward	3	id	id, type, name, icon, limit, reward
Sugar_card_weight	8	id	id, weight
Sugar_chapter	8	id	id, open_day, score, is_challenge
Sugar_item	6	id	id, item_id, type, icon, mult, time, exchange
Sugar_item_new	7	id	id, item_id, type, icon, mult, time, score
Sugar_main	13	id	id, key, desc, info
Toy_game	5	id	id, name, type, score, desc, player_min, player_max, ...
Toy_game_global	10	id	id
Treasure_hunt	110	member_num	member_num, turn, chest_num, chest_pick_num, pick_limit, reward
Treasure_hunting	3	type	type, group_id, cost, all_cost, refresh_item, free_refresh_limit, treasure_num
Treasure_hunting_draw	88	id	id, type, group_id, reward_group, reward, weight, guaranteed, ...
Treasure_hunting_num_reward	30	id	id, type, group_id, cumulative_times, reward
Turntable	12	id	id, reward, weight

Quests / Achievements / Tasks

16 tables

Table	Rows	Key	Fields
Achievement	105	id	id, group, name, name_num, desc, desc_num, condition
Achievement_total	5	id	id, name, desc, number, reward
Eye_task	92	id	id, name, num, answer
Eye_task_group	123	id	id, task
Quest_house_chapter	11	id	id, index, map, part_type, bossId, time, bossModel
Quest_house_facilities	186	facilities_id	facilities_id, level, name, facilities_icon, effect, money_cost, level_up_exp, ...
Quest_house_global	18	id	id, key, desc, info
Quest_house_level	23	id	id, exp, att, def, hp, att_speed, model
Quest_house_pet	16	id	id, name, model, image, cost, three_bar, three_bar_growth
Quest_house_quest	41	id	id, type, name, quest_dec, quest_icon, star, quest_point, ...
Quest_house_robot	23	id	id, name, level, job, attr, power

Table	Rows	Key	Fields
Task_force_attr	8	id	id, name, type
Task_force_chapter	7	id	id, open_time, map, type
Task_force_item	20	id	id, type, model_change, icon, drop_text, text, bullet_model
Task_force_map	8	id	id, unit_event, combine_id, map_long, map_picture
Task_force_unit	11	id	id, type, move_type, picture, model

Economy / Shop / Gacha / Rewards

22 tables

Table	Rows	Key	Fields
Appearance	3813	id	id, name, part, spine, spine2, bullet, soundid
Break_big_prize_preview	150	id	id, type, good_id, level
Break_cumulative_times	43	id	id, type, cumulative_times, reward
Breakbricks	25	id	id, shape, color, hp
Breaklevel	7	id	id, open_day, map, hp, item_prob
Card_card	10	id	id, name
Card_level	14	id	id, open_day, two_player, scope, card, time
Goods	2353	id	id, name, type, subtype, quality, effect, desc, ...
Goods_refresh	9	id	id, serv_macro, name, type, init, max, quantity
Goods_source	46	id	id, name, desc, view, show_btn, icon, icon_atlas, ...
Mall	1370	id	id, type, goods, price, icon, name, goods_type, ...
Output	6576	id	id, groupid, item, othergroup, probtype, prob
Pay_activity	3	activity_code	activity_code, channel_code, reward, mail_id
Pay_mall	4791	id	id, name, type, pre_id, next_id, bundle_group, mutually_exclusive, ...
Pay_rebate_reward	5	id	id, act_group, order, limit, reward
Privilege	2	id	id, serv_macro, bundle_id
Privilege_card	36	id	id, privilege_type, desc, value
Privilege_carditem	20	id	id, serv_macro, desc, value
Privilege_cardtype	8	id	id, serv_macro, privilege_type, gift_id, open_condition, card_bg, card_poster, ...
Wartoken	95	id	id, serv_macro, name, bundle_id, bundle_id2, wartoken_type, link_id, ...
Wartoken_reward	1928	id	id, level, exp, reward, high_reward, middle_reward
Wartoken_task	62	task_id	task_id, type, reset, condition, reward, desc

Localization

31 tables

Table	Rows	Key	Fields
Init_language	25	id	id, zh_text, en_text, tr_text, es_text, pt_text, de_text
Language	27952	id	id, text
Language_ar	27800	id	id, text
Language_de	27798	id	id, text
Language_en	27798	id	id, text
Language_es	27798	id	id, text
Language_fr	27798	id	id, text
Language_id	13172	—	—
Language_it	27809	id	id, text
Language_pt	27798	id	id, text
Language_ru	27798	id	id, text

Table	Rows	Key	Fields
Language_th	13172	—	—
Language_tr	27798	id	id, text
Language_tw	13288	—	—
Language_ui	6230	id	id, text
Language_ui_ar	6238	id	id, text
Language_ui_de	6237	id	id, text
Language_ui_en	6239	id	id, text
Language_ui_es	6237	id	id, text
Language_ui_fr	6237	id	id, text
Language_ui_id	2133	—	—
Language_ui_it	6237	id	id, text
Language_ui_pt	6237	id	id, text
Language_ui_ru	6236	id	id, text
Language_ui_th	2133	—	—
Language_ui_tr	6237	id	id, text
Language_ui_tw	2133	—	—
Language_ui_vn	2134	—	—
Language_vn	13172	—	—
Tlanguage	19	id	id, language_short, language_name, alliance_language, sdk_language
Trans_language	10	type	type, name, rank, language_t

UI / System / Global / Config

12 tables

Table	Rows	Key	Fields
Ads	36	id	id, serv_macro, name, reward, times, cd, desc, ...
Ads_reward	11	id	id, name, des
Appid	11	fnchannel	fnchannel, appid, type
Client_global	18	id	id, array_value, value
Common_condition	23	id	id, name, type, des
Douyin_card	11	id	id, reward_index, card_id, douyin_card_show
Gamecentre	7	id	id, order, icon, name, background, viewName, location
Gameid	7	game_id	game_id, key, desc
Globalzone	55	id	id, zone
Guide	175	id	id, step, force, next, save, scene, clickObj, ...
Notice	8	id	id, key, grop, title, tip, desc, limit
Red_packet	976	id	id, amount, quantity_limit, quantity_max, valid_period, valid_period2, quality

Other systems

211 tables

Table	Rows	Key	Fields
Act_cohesion_reward	6	id	id, act_type, act_group, goods_id, limit, reward
Act_guild_pay	6	id	id, act_type, group_id, pay_num, reward
Act_login	220	id	id, act_type, group_id, day, reward, acc_login
Acticity_sheet	6	id	id, language_ui_id, banner, open, view_rank, gradientColor1, gradientColor2
Activity_adjust	252	type	type, week, day
Activity_boss	8	id	id, type, group_id, boss_id, bossModel, serv_reward, reward

Table	Rows	Key	Fields
Activity_boss_level	80	boss_id	boss_id, level, boss_hp, spine
Activity_control	751	id	id, name, type, is_round, round_day, pre_display, main_icon
Activity_rank_reward	689	id	id, type, group_id, rank_range, show, rank_reward, rank_reward_spec
Activity_rank_score	13	id	id, type, round_range, condition, score
Activity_schedule	7	id	id, name, time_type, type, time_desc, desc, icon
Activity_task	3267	id	id, desc, condition, difference, acces, reward
Activity_task_group	453	id	id, task_list, reward, open_day
Activity_term	882	id	id, type, round_range, name, group_id, task_list, rank_id
Activity_wartoken_reward	55	id	id, num, cost, reward
Alchemy_enemy	1	id	id, name, bossmodel, bossid, time, map, appear_prob, ...
Alchemy_enemy_reward	14	id	id, group, damage, reward
Alchemy_main	15	id	id, key, desc, info
Ani_emoji	14	id	id, item_id, spine, get_way, open_time
Appads	253	id	id, fnchannel, desc, key
Archery_chapter	7	id	id, open_day, template, scale, distance, wind_power, wind_direction
Auto_share	53	id	id, text
Avatar_frame	100	id	id, item_id, icon, icon_group, get_way, preview, open_time
Badge	25	badge_id	badge_id, level, all_name, name, get_desc, baegc_icon, level_icon
Beast_chapter	7	id	id, open_day, monster, boss, interval
Beast_job	7	id	id, type, att, att_speed, spine
Beast_monster	10	id	id, model, skill, hp, speed, att_speed, skill_interval
Bingo	16	type	type, level, bingo_map, bingo_reward, preview
Bonfire	1	type	type, group, goods_id, progress_speed, progress_reward
Bonfire_donation_reward	6	id	id, exp, reward
Box_tower_box	3	id	id, group, output_id, shape, quality, item, image
Box_tower_level	34	id	id, group, level, final, grand_prize, box_prob, big_prize_prob
Box_tower_reward_preview	27	id	id, group, goods, box_type, prob, shape
Capture_slave	1	id	id, index, power, level, map, part_type, part, ...
Capture_slave_earnings	11	id	id, interval, rate
Capture_slave_pvp_debuff	6	num	num, skill_id, desc
Celebration_active_chapter	1	id	id, index, power, level, map, part_type, part, ...
Christmas_pack	16	id	id, type, name, icon, pay_mall_id, price, buy
Christmas_tree	13	lv	lv, exp, reward
Circle_label	20	id	id, name
Circle_location	11	id	id, belong, type, name, rank
Circle_location_small	279	id	id, name
Coin_chapter	150	id	id, index, power, level, map, part_type, interval
Collect_cards	10	act_type	act_type, cards, gift_live_time
Color	11	id	id, name, statue_name, color, color2, path, big_path
Combat_manual	5	id	id, title, rule
Complaint	7	id	id, desc, complaint_type
Condition	211	id	id, name, des, guide
Connect_pipe_chapter	7	id	id, open_day, template
Connect_pipe_grid	19	id	id, path_way, type, rotate, identifier
Cost_level	18	id	id, USD, HKD, IDR, SGD, THB, PHP, ...
Countdown_box	9	id	id, reward, cli_weight, serv_weight, act_day

Table	Rows	Key	Fields
Craft_preview	16	id	id, craft_target, main_craft_material, minor_craft_material
Custom_mall	182	id	id, regular_reward, custom_reward
Daily_task	16	id	id, desc, guide, condition, reward, value, open_func
Daily_task_reward	5	box_id	box_id, point, reward
Dark_trial_chapter	200	id	id, index, type, power, level, map, part_type, ...
Default_speed	7000	level	level, treasure_level, attr
Dialogue	34	id	id, text
Diamond_chapter	750	id	id, index, power, level, map, part, next_part
Diamond_mall	6	id	id, recharge, first_gift, gift
Difficult_artifact_chapter	125	id	id, index, power, level, map, part_type, interval, ...
Difficult_chapter_type	1	id	id, name, banner, main_background, attr_background, open, sort
Difficult_coin_chapter	125	id	id, index, power, level, map, part_type, interval, ...
Difficult_diamond_chapter	625	id	id, index, power, level, map, part, next_part, ...
Difficult_mount_chapter	875	id	id, index, power, level, map, part, next_part, ...
Discount_price	15	id	id, item_id, price, discount_price
Divi	9	id	id, level, icon, name_1, frequency, name, weight
Divi_reward	22	id	id, type, fre, act_type, reward
Divi_tree_chapter	100	id	id, index, power, map, part_type, bossId, interval, ...
Dup	3	id	id, key, name, scene_list
Effect	943	id	id, path, radius, scale, dead_time, max_num, max_time
Emoji	55	id	id, emoji_icon, emoji_rank, show_time, type, sheet, sheet_icon
ErrorInfo	589	id	id, info
Eye_item	76	id	id, icon, icon_group
Eye_location	40	id	id, location, icon
Facebookshare	6	id	id, name, reward
Fail_tips	4	id	id, name, icon, desc, view, open_id
Fairy_colors	19	id	id, type, reward
Familybrawl	1	group	group, self_rank_id, self_rank_reward, family_rank_id, family_rank_reward, self_rank_cross_id, self_rank_cross_reward, ...
Familybrawl_rank	4	group	group, rank_name, point_require, rank_picture, rank_name_picture, rank_picture_g, self_rank_reward
Familybrawl_rank_reward	70	rank_id	rank_id, group, rank_range, show, rank_reward
Familybrawl_result_reward	1	group	group, self_rank_id, self_rank_reward, family_rank_id, family_rank_reward, win_reward, lose_reward
Family_brawl_chapter	1	id	id, index, power, level, map, part_type, part, ...
Famliy_gvg_bufflist	14	buff_id	buff_id, skill_id, buff_desc, target
Fashion_mall	50	id	id, type, free, custom_reward, name, price, gift, ...
Fashion_skin	693	skin_id	skin_id, skin_level, expend, attr, power
Favorability	8	id	id, serv_macro, favorability, times_limit, desc
Favorability_level	14	level	level, level_group, favorability, reward, reward_times, buff, icon
Flappy_bird	5	score	score, scene_speed, safe_length, lower_half_length, length_offset, barrier_interval
Food	5	id	id, name, icon, approach, power, time
Forum_checkin	6	id	id, desc, condition, reward
Forum_condition	14	id	id, desc
Forum_task	6	id	id, desc, condition, reward, view
Fountain_preview	33	id	id, act_type, type, reward, weight
Fund	2	id	id, serv_macro, name, gift_id, mid_gift_id, open_condition, privilege_poster

Table	Rows	Key	Fields
Fund_reward	30	id	id, level, condition, reward, high_reward, mid_reward
Halloween_group_buy	78	id	id, type, name, reward, expend, times, members
Halloween_pvp	1	id	id, index, power, level, map, part_type, part, ...
Housekeeper	2	id	id, type, name, desc, price
Housekeeper_chapter	12	id	id, type, chapter_type, chapter_name, chapter_banner, condition, dungeon_class
Housekeeper_shopping	8	id	id, type, type_argu_list, mall_name, condition
Ice_game_daily	12	id	id, type, condition, reward, show_item, desc, desc_args
Ice_random_pet	4	id	id, random, type, model_id, reward
Icebond_chapter	7	chapter_id	chapter_id, type, group_id, initial_bead, ice_location, snow_location, bead
Idol_show	4	id	id, name, background, banner, rally, select, story, ...
Idol_story	16	id	id, type, condition, story, reward, title
Inspire	6	id	id, cost, skill_id, show
Jump_link	30	id	id, group, language, link, time_stamp, text, pic
Legacy_team_chapter	750	id	id, index, power, level, diff, map, part, ...
Likability	4	id	id, type, group, name, model, icon, level
Loop_break_cumulative_times	210	id	id, type, group_id, cumulative_times, reward
Loop_break_gold_egg_weight	342	id	id, type, group_id, loop, layers, reward, weight, ...
Mail	118	id	id, title, type, content, mount, time
Main_task	715	id	id, desc_client, desc_parm, trigger, guide, force_guide, condition
Mainicon	157	id	id, order, icon, name, viewName, effect, right_button
Mandela_grass_chapter	100	id	id, index, power, map, part_type, part, next_part
Map	55	id	id, path, points, color, move
Mario_main	7	id	id, type, time, task, day, points, guanqia
Mario_milestone	21	id	id, condition, get_way, reward
Mayday_lottery	49	id	id, day, ball, time, type, rewards, people
Mbti	16	id	id, type
Mix	140	id	id, type, id2, quality, cost
Mole_enemy	5	id	id, type, hp, attack, speed, shape, enter, ...
Mole_hammer	5	id	id, type, group, name, attack, attack_range, energy_multiplier, ...
Mole_level	13	id	id, type, group, challenge_level, time, monster_id, guard_point, ...
Mole_main	1	id	id, type, level, guard_zone, safety_zone, monster_spawning_area, special_move
Music_main	5	id	id, type, rank_id, day, bgm, time, speed
Music_notes	829	id	id, barrier, type, appear_time, number, direction, click_time
Nation_flag	11	id	id, flag_name, person, person_rank, family, family_rank
NewFuncOpen	120	id	id, key, desc, level, taskId, guankaId, open_day
New_server_launch	8	id	id, act_type, group_id, day, free, diamond, diamond_price
New_server_meet	8	id	id, desc, condition, day, reward, access
News	684	id	id, group, condition, coefficient, rank, content, red_packet
Ninja_chapter	5	id	id, level, type, name, unlock, map
Ninja_item	7	id	id, type, move, model, icon
Ninja_map	4	id	id, item_event, long
Note_matching_level	7	id	id, act_day, time, origin_probability, up_probability, ori_speed, up_speed
Paint_color	28	id	id, color, open_times
Panda_enemy	3	id	id, speed, score, image
Panda_level	7	id	id, open_day, enemy, enemy_frequency, hp, time, initial_enemy
Park_cross_pvp_chapter	1	id	id, index, power, level, map, part_type, part, ...

Table	Rows	Key	Fields
Park_cross_reward	20	id	id, type, rank, reward
Park_pvp_chapter	1	id	id, index, power, level, map, part_type, part, ...
Park_pvp_debuff	37	num	num, type, skill_id, time, lose_cd, debuff_desc, desc_parm
Phoenix_tips	20	id	id, type, skill, open_time
Pic_text_guide	11	id	id, type, order, pic, text
Pk_chapter	1	id	id, index, power, level, map, part_type, part, ...
Pre_func	18	id	id, desc, condition, reward, main_desc, condition_desc, icon
Program_reset	12	id	id, desc, show_descition, icon, sort
Quiz	111	question_id	question_id, question_text, type, options, answers
Quiz_dice	16	dice_point	dice_point, reward
Ranktype	171	id	id, rank_type, refresh_time, show_num, name, prefix, is_show
Recall_reward	21	id	id, desc, type, condition, reward
Recall_turantable	8	id	id, reward, weight, special
Reservation	28	product_id	product_id, reward, mail_id
Robot	229	id	id, level, point, num, type, rank
Scene	12	id	id, name, type, map_wh, desc, picture, level
Scene_object	28	id	id, key, name, forbid_move_range, attack_cd
Server_puzzle	4	type	type, group, goods_id, output, progress_puzzle, progress_speed, progress_reward
Setting	14	id	id, type, rank, state, title, default_value, is_show
Sever_list	303	id	id, name, sever_id, type, plat
Share	30	id	id, type, num, stage_num, reward, desc
Sheep_a_sheep_card	16	id	id, icon
Sheep_a_sheep_chapter	21	id	id, chapter, open_day
Shooting_chapter	21	id	id, open_day, template, scale, distance, speed, wind_power
Shooting_chapter_cha	20	id	id, template, scale, distance, speed, wind_power
Ski	10	id	id, depth, obstacle_condition, obstacle_time, obstacle_generation, coin_condition, coin_generation
Ski_chapter	8	id	id, open_day, coin, is_challenge
Skin	74	id	id, name, type, icon, spine, condition, open_time
Sorting_master_chapter	7	id	id, basket_num, basket_speed, basket_content, shelf_content, star_num, open_day
Sorting_master_item	16	id	id, icon
Sound	245	id	id, path, cd, max
Star_diamond_mall	7	id	id, reward, first_reward
Star_rain	5	type	type, group_id, star_draw, pool_accumulation
Star_rain_draw	72	id	id, type, group_id, goods_icon, percentage, reward, weight, ...
Star_rain_draw_guaranteed	20	id	id, type, group_id, num, reward
Star_rain_draw_times	40	id	id, type, group_id, cumulative_times, reward
Summoner_passive	20	id	id, skill, num, passive_skill, petrace
Sys_progress	31	id	id, name, lang_id
Talk_option	66	id	id, type, option, differnece, jump_stage, jump_view, remind
Talk_stage	36	id	id, type, talk, differnece, options, options_color, size
Tanabata_checkin	5	id	id, type, group_id, reward
Tanabata_flower	4	id	id, flower_number, giftflower_number, lovesickness_number, is_show
Text_adventure	280	id	id, chapter, part, next_part, event_group, event_guarantee, map
Text_adventure_buff	127	text_adventure_buff	text_adventure_buff, skill_id, skill_lv, buff_name, buff_desc, restore_blood, pic
Text_adventure_buff_group	151	id	id, group_id, attr_id, type, pro

Table	Rows	Key	Fields
Text_adventure_chapter	14	id	id, name, map, poster, time_limit, pre_text, poster_position
Text_adventure_event	64	id	id, type, button, map_element, monster, attribute, buff_num
Text_adventure_event_pack	71	id	id, step, weight, desc, button_text1, result_text1, button_text2
Thanksgiving_food	16	id	id, exp, tag
Thanksgiving_recipe	4	id	id, act_type, act_group, name, pic, cost, level_reward, ...
Thanksgiving_serv_level	7	id	id, act_type, act_group, goods_id, level, exp, reward
Title	120	id	id, item_id, icon, icon_group, get_way, preview, open_time
Tournament_chapter	1	id	id, index, power, level, map, part_type, part, ...
Trap	269	id	id, type, duration, triggerRange, triggerTarget, target, buffId
Treasure_level	35	level	level, expend, pro_quality, time, ticketprob, ticketmax, skin
Treasure_skin	10	id	id, path, shendeng_plot, shendeng_scale, equip_path, icon, icon_scale, ...
Trick_or_treat_chapter	15	chapter_id	chapter_id, type, name, skills, reward
Tzone	77	id	id, zone_id, zone_name, zone_short, language, time_zone, areacode
Valentine_reward	13	id	id, size, num, reward, output, open_view, back_color
Valentine_template	8	id	id, fixed_reward, random_reward, select_gift, diamond_shop
Wedding_talk	3	id	id, question1, answer1, question2, answer2, question3, answer3
Wedding_time	84	id	id, week, time, pre_time
Weekly_card	7	id	id, act_group, day, reward
Welfare	3	id	id, openfunc, name, last_time, mainicon, wartoken
Welfare_task	26	id	id, group_id, desc, condition, reward, reset
Work_log	20	id	id, serv_macro, type, title_type, title, messge
Work_team	9	team	team, system, type_name, team_name, talent, is_pet_work, desc
Workshop	3	id	id, team_id, name, item, is_lock
_index	0	—	—