MTXQCvX Part4: PROJECT NAME *

Secret Secret **Christin** Kempa Lab

Contents

Metmax-parser for MTXQC	1
Project settings	-
GC-Performance	2
Absolute Quantification	2
Stable isotope incorporation	2
General report parameter	

MTXQC part 4 provides the transformation of Metmax-derived files for the usage as input files for MTXQC part 1. This report provides three modes - (1) basic - creates tables required for GC-MS performance, (2) Quant - Generation of ManualQuantTable (3) Inc - Calculation of 13C-isotope incorporation.

Keywords: MTXQCvX, pSIRM time course, cell extracts, manual validation, quantities, stable isotope incorporation

Metmax-parser for MTXQC

Project settings

```
#set path for figure export and size
set_input = "input/"
set_output = "output/"
## subfolder for postprocessing
\#directory\ definition\ and\ figure\_name\ definition
if (params$spath == "") {
 path_setup = ""
 set_fig = paste0(path_setup, 'figure/MTXQCp4-')
} else {
  path_setup = paste0(params$spath, "/")
  set_fig = paste0(path_setup, 'figure/MTXQCp4-')
knitr::opts_chunk$set(fig.width = 8, fig.align = 'center', fig.height = 7,
                      fig.path = set_fig,
                      echo = FALSE, #TRUE - show R code
                      warning = FALSE, #show warnings
                      message = TRUE,
                      eval = TRUE
                      ) #show messages
```

Correct input format of files defined! metmax

^{*}Template MTXQCvX part 4 written by Christin Zasada, Kempa Lab

```
## File imported! file annotation
```

File imported! sample_extracts

PeakArea matrix imported!

No file for m/z 73 values defined!

No file for mass isotopomer distributions (MIDs) defined!

Internal Standard defintion detected in conversion_metabolite.csv.

Alkane standard annotation detected in conversion_metabolite.csv.

GC-Performance

Internal extraction standard

Data file for internal standard generated and exported to: input/gc/InternalStandard.csv

Defined internal standard: CinAcid

Alkane intensity distribution

Alkane intensities have been exported to input/gc/Alcane_Intensities.csv

PeakDensities

Derivatisation efficiency

No input file generated. Check your parameter selection.

Absolute Quantification

Generation of ManualQuantTable and PeakArea-matrix

ManualQuantTable for standard calibration curves has been generated. Quant1_v3

quantMassAreaMatrix.csv has been generated and saved in input/quant/.

Stable isotope incorporation

Calculation of stable isotope incorporation

No application of stable isotopes defined in the ExperimentalSetup.

General report parameter

Metmax_params.csv exported.

Parameter	Value
spath	test2/
matrix	metmax_area_ser.csv
mz	
mid	
inc_data	DataMatrix.csv
inputformat	metmax
intstd	TRUE
alkanes	TRUE
peakchroma	FALSE
mqt	TRUE
inc	FALSE