bishOS — The Complete Guide

Your founder Life OS: every module, page and element explained in simple words — with your daily routine, one-time setup, the frameworks behind it, and a full testing guide.

62	195	2428	1052
modules	pages	elements explained	terms defined

Generated 2026-10-20. The same content lives in the app at `/guide`.

Contents

PART 1 · YOUR RHYTHM

One-time setup Once, over your first 2–3 days (about 90 minutes in total)

Every day Workdays (Free Days are fully off)

Every week Monday plan · midweek content · Friday review

Every month (the 1st) First day of the month — a natural fresh start

Every 12 weeks End of each 12-week cycle

Every year Late December / early January

Your first week

PART 2 · MODULES

START HERE

How bishOS works

TODAY

Today (your home screen) /today · /today → click a task title

Morning start-up ritual Start my day (overlay, any page) · Start my day — step 1 · Start my day — step 2 · Start my day — step 3 (only with leftovers) · Start my day — step 4 · Start my day — step 5 · Start my day — step 6 · Start my day — step 7 · Start my day — step 8

Evening shutdown ritual Shutdown (overlay, any page) · Shutdown — step 1 · Shutdown — step 2 · Shutdown — step 3 · Shutdown — step 4 · Shutdown — step 5 · Shutdown — step 6 · Shutdown — step 7

Inbox /inbox

Quick capture Press C (overlay, any page)

Command palette Ctrl+K (overlay, any page)

Journal /journal · /journal/[date]

XP, levels, streaks & achievements /today → Trophy button · Any page (automatic)

DIRECTION

Compass /compass

Goals · 12 weeks /goals · /goals (wizard) · /goals (new goal dialog) · /goals/[id]

Week /week · /week (Ideal Week editor)

Reviews /reviews · /reviews/[kind] · /reviews/weekly · /reviews/monthly · /reviews/quarterly · /reviews/annual

Habits /habits · /habits (habit dialog) · /habits/[id]

Routines /routines · /routines (run mode) · /routines (routine editor)

FOUNDER

Founder HQ /founder

Pipeline /pipeline · /pipeline?deal=<id> · /pipeline · /pipeline · /pipeline

People /people · /people · /people/<id>

Customers /customers · /companies/<id>

Commitments /commitments · /commitments · /commitments

Offers /offers · /offers/<id>

Campaigns /campaigns · /campaigns/<id>

Scorecard /scorecard · /scorecard

Decisions & Issues /decisions · /decisions · /decisions?tab=issues

Strategy AI /offers/<id> · /campaigns · /pipeline

Finance · cash, spending & runway /finance (first visit) · /finance · /finance · /finance?add=1 · /finance?tab=transactions · /founder · /today · /scorecard

Finance · budgets, bills, invoices & goals /finance?tab=budgets · /finance?tab=recurring · /finance?tab=recurring · /finance?tab=invoices · /finance?tab=invoices · /finance?tab=accounts · /finance?tab=accounts · /finance?tab=accounts

CONTENT

Content Studio /content · /content?tab=board · /content?tab=calendar · /content?tab=ideas · /content?tab=pillars · /content?tab=analytics · /content?tab=analytics (Weekly content review) · /content (New piece dialog) · Publish checklist (gate dialog)

Playbook 1–2: the loop and positioning /content?tab=playbook · /content?tab=playbook#pb-loop · /content?tab=playbook#pb-position

Playbook 3–4: data system and the 60-day lab /content?tab=playbook#pb-data · /content?tab=playbook#pb-lab · Creator dialog (Add creator)

Playbook 5: YouTube long-form /content?tab=playbook#pb-long

Playbook 6–7: iterate and convert /content?tab=playbook#pb-iterate · /content?tab=playbook#pb-convert

Piece editor /content/[id] · /content/[id] (sidebar) · /content/[id] (Repurpose dialog)

Video workflow 1–4: idea gate, angle, hook, structure /content/[id] (Video workflow panel) · /content/[id] (Workflow step 1 · Idea gate) · /content/[id] (Workflow step 2 · Angle & facts) · /content/[id] (Workflow step 3 · Hook) · /content/[id] (Workflow step 4 · Structure)

Video workflow 5–8: script, convert, packaging, post-mortem /content/[id] (Workflow step 5 · Script & retention) · /content/[id] (Workflow step 6 · Convert) · /content/[id] (Workflow step 7 · Packaging) · /content/[id] (Workflow step 8 · Post-mortem)

Inspiration, hook library and watchlist /swipes · /swipes (Save inspiration dialog) · /swipes (Remix dialog) · /swipes?tab=hooks · /swipes?tab=watchlist

AI content coach /content/[id] and /swipes (AI buttons)

MIND

Notes /notes · /notes/[id]

Learning /learning · /learning · /learning/[id] · /learning/[id] · /learning/[id] · /learning/[id] · /learning/[id]

Library /library · /library · /library · /library

Recall /recall · /recall?tab=notes · /recall?tab=browse · /recall?tab=create

AI helpers for notes and learning /notes/[id] · /learning/[id] · /library · /recall?tab=create

WORK

Tasks /tasks · /tasks (New task window) · /tasks/[id]

Projects /projects · /projects/[id] · /projects/[id] (sprint)

Focus /focus · (every page)

Life Areas /life-areas · /life-areas/[id] · /life-areas/[id]/sections/[sectionId]

Wins /momentum · (tasks, projects, goals, habits, notes, area hubs)

Challenges /challenges · /challenges/[id] · /challenges/[id] (a day) · /challenges/[id] (Days table · Health tracker)

Calendar /schedule · /schedule (block window)

SYSTEM

Sidebar & mobile navigation Left side (desktop, every page) · Bottom of the screen (phones and small tablets) · Top of the screen (phones)

Topbar Top of every page · Topbar → Day button · Topbar → avatar

Global search Topbar (every page)

Notifications Topbar → bell

Settings /settings

Profile /profile

AI chat /chat · /chat → Save to notes

AI module assistant (floating ✦ button) /goals, /tasks, /notes, /projects, /habits, /focus

Guide page /guide

Setup & onboarding /today (banner) · /today?setup=1

Delegation /delegation · /delegation · /delegation · /delegation · /delegation · /delegation · /tasks

Energy & Wellbeing /insights · /today · /settings

Analytics /dashboard · /dashboard (Growth) · /dashboard (Consistency) · /dashboard (Execution) · /dashboard (Founder flywheel) · /dashboard (Content) · /dashboard (Time) · /dashboard (Mind & body)

PART 3 · GLOSSARY

All 1052 terms A–Z

PART 4 · TESTING GUIDE

30-minute test + per-module tests

Part 1 · Your rhythm

What to do once, every day, every week, every month, every 12 weeks and every year. Follow this and the system runs itself.

The whole system in one sentence: Life Areas are the spine → a 12-week cycle holds at most 3 goals → each goal has weekly tactics → projects and tasks serve them → every Monday you set a Weekly Big 3 → every morning you pick a Top 3 and every evening you shut down → every Friday the weekly review closes the loop.

One-time setup

Once, over your first 2–3 days (about 90 minutes in total)

Set up the spine of the system once. After this, the daily check-in, reviews and dashboards fill themselves. Do the steps in order — each one makes the next smarter.

#	STEP	WHERE	TIME	WHAT TO DO
1	**Profile**	`/profile`	5 min	Add your name, city, business and current situation. The AI assistant reads this so it can talk to you as you.
2	**Life Areas**	`/today?setup=1`	10 min	Run the setup wizard. Keep Company Operations, Company Sales & Marketing, Personal Learning & Content and Fitness. Give each a standard (what 'good' looks like) and weekly hour budget.
3	**Settings**	`/settings`	5 min	Set your daily capacity (≈5.5h), outreach quota, meetings goal, hub content per week, currency, Free Day and review day. These numbers drive Today and Founder HQ.
4	**Compass**	`/compass`	15 min	Write your purpose, 3–5 values, a 3-year vision, a not-to-do list and a theme for the year. Rate each Life Area 1–10 (Wheel of Life).
5	**First 12-week cycle**	`/goals`	20 min	Start a cycle (next Monday). Pick at most 3 goals. For each: a key result (the outcome number) and 1–3 weekly tactics (actions you control).
6	**Ideal Week**	`/week`	10 min	Design your template week: maker mornings for delivery, manager afternoons for calls, a content block, a Friday buffer + review, a Free Day. Apply it to this week.
7	**Routines**	`/routines`	5 min	Turn on the default start-up, shutdown, morning and evening routines (edit the steps to fit you).
8	**Keystone habits**	`/habits`	5 min	Add 1–3 habits with an if–then anchor ('After I… I will…'), a 2-minute minimum version and 2 planned skips per week.
9	**Founder scorecard**	`/scorecard`	5 min	Click 'Start with the founder scorecard' to get 5–7 weekly numbers (outreach, conversations, deals, revenue, content, deep work).

#	STEP	WHERE	TIME	WHAT TO DO
10	**Pipeline + people**	`/pipeline`	10 min	Add your current deals, each with a dated next step. Add key people with a reconnect cadence.
11	**Finance**	`/finance`	10 min	Run 'Set up finance', add your accounts with opening balances, your recurring bills/subscriptions and any unpaid invoices.
12	**Content positioning**	`/content?tab=playbook`	20 min	Playbook → Positioning for Personal and Company: content game, KPI, authority statement, audience of one, bullseye, 3-2-1 buckets, contrarian takes, lead magnet.
13	**Learning area**	`/learning`	5 min	Create one learning area with a target performance and a weekly minutes target.
14	**Export once**	`/settings`	1 min	Download a full JSON export so you know your data is yours.

Every day Workdays (Free Days are fully off)

Two 5-minute rituals bracket the day. In between: capture everything, work your Top 3 in maker blocks, run one sales block, tick habits.

#	STEP	WHERE	TIME	WHAT TO DO
1	**Morning start-up**	`/today → Start my day`	5 min	Check in (sleep, energy, mood), decide every leftover, choose the day type, pick your Top 3, check it fits your capacity, write one if–then plan, lock it in. +25 XP.
2	**Capture all day**	`Press C anywhere`	—	Every idea, promise, task or link goes to the Inbox in 2 seconds — no filing. Use Brain dump when your head is full.
3	**Maker block (morning)**	`/today → Top priorities`	120 min	Work Top 1 first. Start the focus timer on the task so the hours count for its Life Area.
4	**Sales block**	`/pipeline`	60 min	Do every deal's next step due today, then outreach until your quota or meetings goal is hit. Log each touch (+2 XP).
5	**Content rep**	`/content`	45 min	During the 60-day lab: one short video a day, built with the 8-step workflow on the piece. Log yesterday's numbers.
6	**Habits + recall**	`/today habits strip · /recall`	10 min	Tick habits (the minimum version counts). Clear due recall cards in ~10 minutes.
7	**Evening shutdown**	`/today → Shutdown`	5 min	Inbox zero, decide every leftover, tick habits, glance at tomorrow (optionally pre-pick its Top 3), write a resume note, a progress line and a lesson. +25 XP.

Every week Monday plan · midweek content · Friday review

Plan outcomes (not a full schedule) on Monday, build content midweek, and close the loop with the weekly review on Friday.

#	STEP	WHERE	TIME	WHAT TO DO
1	**Plan the week (Monday)**	`/week`	20 min	Set the Weekly Big 3, check this week's tactics, apply the Ideal Week, protect the Free Day.
2	**Hub content piece (Wednesday)**	`/content`	150 min	Write one long 'hub' piece (or a YouTube video on the weekly track). Packaging first: title + thumbnail before the script.
3	**Repurpose (Thursday)**	`/content → piece → Repurpose`	75 min	Cut the hub into 5–10 short pieces for each platform.
4	**Pipeline review**	`/pipeline`	60 min	Every open deal must have a dated next step. Look at idle (7d), stuck (14d) and proposal-open (9d) flags.
5	**Weekly review (Friday)**	`/reviews/weekly`	60 min	Celebrate wins, score the week (execution %), empty inboxes, check projects/deals/promises, fill the scorecard, work the top issues, set next week's Big 3. 20-minute minimum mode exists. +120 XP.
6	**Money check**	`/finance`	10 min	Log missing transactions, mark paid bills and invoices, look at runway and budget bars.
7	**Content review**	`/content?tab=analytics`	20 min	Top and bottom 3 pieces, one lesson each, save winning hooks. Mark the weak brick on each rep.
8	**Free Day**	–	—	One full day with no work. It never breaks your streak.

Every month (the 1st)

First day of the month — a natural fresh start

Tune direction, not tasks: re-rate Life Areas, check goals, adjust habits and hours, prune stale tasks.

#	STEP	WHERE	TIME	WHAT TO DO
1	**Monthly review**	`/reviews/monthly`	40 min	Re-rate every Life Area 1–10, mark goals on track / at risk, graduate or shrink habits, compare hours by area with budgets, migrate stale tasks, answer the 3-question burnout pulse. +150 XP.
2	**Budgets**	`/finance?tab=budgets`	10 min	Check last month's budget vs actual, adjust amounts.
3	**Own-channel content audit (every 2 weeks)**	`/content?tab=playbook`	20 min	Find your own winners and remake them.

Every 12 weeks

End of each 12-week cycle

Grade the cycle honestly, check for burnout, prune the system, and set the next three goals.

#	STEP	WHERE	TIME	WHAT TO DO
1	**Quarterly review**	`/reviews/quarterly`	150 min	Grade each key result 0–1, look at average execution, list successes and mistakes, burnout check, set ≤3 new goals with tactics and a WOOP, prune areas/habits/projects. +300 XP.
2	**Start the next cycle**	`/goals`	20 min	Launch the next 12-week cycle from the review.
3	**Niche scan (every 3–4 weeks)**	`/swipes?tab=watchlist`	30 min	Check your watchlist creators for new 5×+ outliers and save them with the 7 bricks.

Every year Late December / early January

Look back at the whole year, keep what gave energy, drop what drained it, set the year's theme and book Free Days first.

#	STEP	WHERE	TIME	WHAT TO DO
1	**Annual review**	`/reviews/annual`	240 min	Past Year Review (top positive and negative peaks), what went well/badly, goals per area (~80% hit rate is healthy), a theme for the year, Free Days and holidays first. +500 XP.
2	**Update Compass**	`/compass`	30 min	Refresh vision, values, not-to-do list and year theme.

Your first week

DAY	FOCUS	TASKS
Day 1	Spine	• Profile + Life Areas setup • Settings numbers • Run your first start-up ritual • Capture 10 things with C • Evening shutdown
Day 2	Direction	• Compass • Start the first 12-week cycle (≤3 goals) • Ideal Week + apply it • Start-up and shutdown
Day 3	Habits + money	• Routines + 1–3 habits • Finance setup, accounts, recurring bills • Scorecard defaults

DAY	FOCUS	TASKS
Day 4	Sales	• Add all deals with dated next steps • Add key people + cadences • Log today's outreach
Day 5	Content	• Playbook → Positioning (Personal + Company) • Watchlist: add 10 creators • Save 3 outliers with the 7 bricks • Start the 60-day lab
Day 6	Learning	• Create a learning area • Log a practice session • Make 5 recall cards
Day 7	Review	• First weekly review (minimum mode is fine) • Set next week's Big 3 • Take your Free Day

Part 2 · Modules

Every module, page and element — what it is, how it works, how it helps you, and how to test it.

START HERE

How bishOS works

bishOS is one place for your whole life and your company. Everything hangs from a few Life Areas. You run it with one daily loop (start-up, capture, work, shutdown) and one weekly review.

Why it helps: You stop holding plans in your head. Every morning you know the few things that matter. Every idea is captured in two seconds. Every evening ends with a clear mind. XP, levels and forgiving streaks make the habit stick, and caps stop you from taking on too much.

One-time	Day one: set up your Life Areas (Today → Start setup), fill in your Profile, check the numbers in Settings, and turn on desktop notifications. Then work through the 'What next?' setup steps (purpose, 12-week cycle, Ideal Week, routines, habits, scorecard, content pillars, learning area) over a few days.
Daily	Morning: open Today and run the 5-minute start-up. During the day: press C to capture anything, work your Top priorities, tick habits. Evening: run the 5-minute shutdown.
Weekly	On your weekly review day (Friday by default): do the weekly review, score the week, empty the inbox, and set next week's Big 3 on the Week page.
Monthly	On the 1st of the month: the monthly review (Today shows a banner). Re-rate your Life Areas and tune habits.
Quarterly	When your 12-week cycle ends: the quarterly review. Grade your goals and pick the next 3.

Frameworks & terms in this module

The spine bishOS (built on PARA areas + the 12 Week Year)

The order everything in bishOS follows: Life Areas → 12-week goals → projects → tasks → week → day. Big things at the top, today's actions at the bottom. Every task belongs to a Life Area, so you always know which part of life it serves.

Example: Area 'Company Sales & Marketing' → goal 'Sign 5 new clients this cycle' → project 'Outbound campaign' → task 'Send 20 LinkedIn messages' → this week's Big 3 'Book 4 discovery calls' → today's Top 3 'Send 20 messages'.

Life Area Tiago Forte, PARA method

A part of your life you must keep healthy forever, like company operations, sales, learning or fitness. Each area has a standard (what 'maintained' looks like) and a weekly hour budget. Areas never finish; goals and projects do.

Example: Fitness — standard: 'Move 4× a week, 7+ hours of sleep'. Budget: 4 hours a week.

12-week goal Brian Moran, The 12 Week Year

A goal you commit to for one 12-week cycle. You keep 3 or fewer active at once. Each goal has a key result (the outcome) and weekly tactics (the actions you control).

Example: Goal: 'Reach $10k monthly revenue by week 12'. Weekly tactic: '20 outreach messages every weekday'.

Project GTD / PARA

A piece of work with a clear finish line that takes more than one step. Projects contain tasks. You keep 5 or fewer active (Settings → Caps).

Example: 'Launch the new agency website' — done when the site is live.

Task GTD (next actions)

One concrete action. A task has a Life Area, a priority, an optional 'when' day (the day you plan to do it), an optional deadline, and an optional time estimate.

Example: 'Call Sara about the proposal' — when: tomorrow, estimate 15 min, area Sales.

Week Michael Hyatt, Full Focus (Weekly Big 3)

The week layer: your Weekly Big 3 outcomes, your Ideal Week template of time blocks, and one protected Free Day. You plan it on the Week page and close it with the weekly review.

Example: Big 3 this week: 'Send 2 proposals', 'Record 3 videos', 'Close the books for March'.

Day bishOS

Each date has one day record: your check-in, day type, Top priorities, intention, if–then plan, resume note, progress line, lesson, journal and day score. The start-up fills the morning part; the shutdown fills the evening part.

Example: Tuesday: energy 4/5, Focus day, Top 3 picked, shutdown done, day score 90.

Daily loop Full Focus + Cal Newport, Deep Work

Start-up (plan) → capture (C) → work the Top priorities in focus blocks → shutdown (close every loop). About 10 minutes of planning a day buys a calm, focused day.

Example: 8:30 start-up, 9:00–12:00 deep work on Top 1 and 2, 14:00 sales block, 17:30 shutdown.

Weekly loop David Allen, GTD (weekly review)

Once a week you review: celebrate wins, score execution, empty inboxes, check each project has a next step and each deal a dated next step, then set next week's Big 3.

Example: Friday 16:00: weekly review (60 min, or 20 min in minimum mode) for +120 XP.

Capture, then process David Allen, GTD

Two separate moments. When a thought appears, you only capture it (press C, type, Enter). Later, in the Inbox or the shutdown, you decide what it is and where it goes. Mixing the two breaks your focus.

Example: In a meeting you press C and type 'ask Ali for logo files'. At 17:30 you turn it into a task.

Defaults, not laws bishOS

Numbers like 5.5 hours of daily capacity, 3 goals, 85% execution or 20 outreach touches are starting points. You change them in Settings.

Example: You work 4 focused hours on school-run days, so you lower Daily capacity to 4.

How to test it

1. Open bishOS. The address / redirects you to /today.
2. Click 'Start my day' on Today. A full-screen ritual opens. Go through every step and click 'Lock in my day'. Confetti shows and a toast says 'Day locked in. Go win it.' with +25 XP.

3. Press C anywhere (not inside a text box). Quick capture opens. Type a thought and press Enter. Toast: 'Captured to Inbox'.
4. Open Inbox from the sidebar. Your thought is in the 'To process' tab. Press T, check the fields, press Enter. Toast: 'Task created' with +2 XP.
5. Back on Today, tick a Top priority. Toast 'Top priority done' with +20 XP. The day score ring goes up.
6. Click 'Shutdown' on Today (or the Day button in the Topbar). Finish all steps. The last screen shows 'Shutdown complete.' with your day score.
7. Open Journal. Today's square is coloured and shows the sun and moon marks.

Tips

- Live in Today. Most other pages feed it.
- If you miss a few days, don't fix the past. Click 'Fresh start' and decide what still matters.
- Keep the two shortcuts in your fingers: C to capture, Ctrl+K to go anywhere.

TODAY

Today (your home screen)

Today is the cockpit you open every morning. One screen shows your day score, level and streak, your Top priorities, habits, today's task list with a capacity check, your time blocks, and a right rail with the week, sales, promises, content and routines.

Why it helps: You never wonder 'what should I do now?'. Everything that needs you today is in one place, ranked. The capacity bar warns you before you over-plan, and every tick gives instant feedback (XP, confetti).

One-time	First visit: the 'Set up your Life OS' banner. Click 'Start setup' to create your Life Areas.
Daily	Open it first thing and click 'Start my day'. Keep it open while you work: tick tasks, tick habits, glance at the timeline. In the evening click 'Shutdown'.
Weekly	The 'This week' card shows your Weekly Big 3 and execution score every day. On review day a banner links to the weekly review.

Today `/today`

The home screen. It shows what matters today and lets you act on it without leaving the page.

HOW TO USE IT

1. Open Today in the morning. Read the banners first (fresh start, setup, review day, leftovers).
2. Click 'Start my day' and finish the ritual (5 minutes).
3. Work your Top priorities from 1 down. Use the play button to time each one.
4. Tick habits in the Habits card as you do them.
5. Add surprise tasks with the quick add field. Watch the capacity bar; if it turns yellow, move something to tomorrow with the '...' menu.
6. Check the right rail between blocks: promises, deals, inbox count.
7. In the evening click 'Shutdown' and finish it.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Topbar	The bar across the top of every page: search, Day button, focus timer, full screen, bell and profile.	See the 'Topbar' section of this manual.
Date line	Today's date in words, for example 'Tuesday, October 20'.	
Greeting	'Good morning', 'Good afternoon' (from 12:00), 'Good evening' (from 17:00) or 'Late night' (before 5:00), followed by your first name from Profile.	Add your name on the Profile page to see it here.

ELEMENT	WHAT IT IS	HOW TO USE IT
Week N/12 chip	Shows which week of your current 12-week cycle you are in, plus the cycle theme if you set one. Only shows when a cycle is running.	Click it to open Goals.
Day type chip	'Focus day', 'Buffer day' or 'Free day' — the day type you chose in the start-up ritual (or the Free Day you picked on the Week page).	
Low-energy mode chip	Shows when today is a low-energy day. Today then asks for only one Top priority and the habit minimum counts fully.	
Energy N/5 chip	Your energy score from this morning's check-in.	
Intention line	Your one-line intention for the day, in quotes. Set in the start-up ritual (Day shape step).	
If–then line	Your if–then plan: 'If [obstacle], then [response].' Set in the start-up ritual.	
Start my day · 5 min	The main button before you have done the morning start-up. It glows to get your attention.	Click it to open the Morning start-up ritual.
Shutdown · 5 min	Replaces 'Start my day' once the start-up is done. From 16:00 it becomes the highlighted (glowing) button.	Click it to open the Evening shutdown ritual.
Day complete — enjoy your evening	A green badge that replaces the ritual buttons when both start-up and shutdown are done today.	
Brain dump	Opens Quick capture in Brain dump mode, where you can type or speak everything in your head and let AI sort it.	Click it, ramble, then click 'Sort with AI' or 'All to Inbox'.
Re-plan	Appears after the start-up is done. Re-opens the start-up ritual with today's answers filled in, so you can change your plan.	Use it when the day changes (a client emergency, a cancelled meeting). You don't earn the start-up XP twice.
Day score ring	A live score from 0 to 100 for today. Start-up done = 20, Top priorities done share = up to 30, habits done share = up to 20, shutdown done = 20, a progress line or win written = 10. The ring turns green at 80 or more.	Raise it by doing the rituals, finishing Top priorities and ticking habits.

ELEMENT	WHAT IT IS	HOW TO USE IT
Score checklist (Start-up · Top x/y · Shutdown)	Three small lines under the ring. A dot turns green when that part is done. 'Top x/y' shows how many Top priorities are finished (shows /3 when none are picked).	
Level card — Level N and title	Your current level and its title (Starter, Builder, Operator…). Levels come from your total XP.	See 'XP, levels, streaks & achievements'.
Trophy button	The trophy icon on the level card.	Click it to open the Achievements window (all 19 badges and your progress).
XP bar (into/span XP)	How far you are into the current level. Example: '120/250 XP' means 120 XP earned since this level started, 250 XP needed for the next level.	
+N today	XP you earned today.	
N day streak	Your ritual streak: days in a row where you did the start-up or the shutdown. Free days don't break it.	
Reserve shields	Two shield icons. A blue shield is still available this week; a faded shield was used. Each shield covers one missed day so your streak survives. They refill every Monday.	Hover to read 'Reserve shields: missed days that won't break your streak this week'.
XP this week chart	Seven small bars, one per day (the last 7 days). Today's bar is solid. Taller bar = more XP.	Hover a bar to see the date and its XP.
Welcome back banner	Blue banner: 'Welcome back. N days away is normal…'. Shows when your last ritual was 3 or more days ago and you haven't done today's start-up.	Click 'Fresh start' to open the start-up ritual and decide what still matters, without guilt.
Set up your Life OS banner	Setup checklist with a ring (for example 3/9), the text 'Nine small steps. Each one makes the daily check-in smarter.', and one chip per step (green with a tick when done). Shows until you save your Life Areas in the setup window.	Click 'Start setup' (or 'Continue setup') to open the Life Areas setup. Click any chip to jump to that step's page.

ELEMENT	WHAT IT IS	HOW TO USE IT
Review banners	A purple banner that links to a review. 'It's weekly review day' (on your review weekday, if this week isn't reviewed yet, +120 XP). 'New month, fresh start' (on the 1st, monthly review, +150 XP). 'Your 12-week cycle is ending' (cycle week 12 or later, quarterly review, +300 XP). Only one shows at a time.	Click the banner to open that review.
Leftovers banner	Yellow banner: 'N tasks from earlier days still need a decision.' These are open tasks planned for a past day (not Someday). Shows only after today's start-up.	Click 'All to today' to plan them all for today, or 'All to backlog' to remove their day. Or decide one by one in tomorrow's start-up.
Top priorities	Card with your Top priorities for today, ranked 1, 2, 3… The title becomes 'Your one thing' on a low-energy day. The hint says 'x of y done · +15 XP each'. A small ring on the right counts how many are done.	Pick them in the start-up ritual, or use the '…' menu on any task → 'Make it a Top'.
No priorities picked yet	Empty state of the Top priorities card.	Click 'Start my day' to pick your Top 3 and check the day fits.
Rank number	The number (1, 2, 3…) in front of each Top priority. It turns green when that task is done.	
Task checkbox (circle)	The circle in front of every task.	Click to mark done (+5 XP; a Top priority gives +20 XP in total). Finishing all Top priorities fires confetti and 'All Top priorities done. That's a winning day'. Click again to un-tick; the XP is taken back.
Task title	The task name. Under it: the Life Area (coloured dot + name), the time estimate (clock) and 'deep' when the task needs high energy.	Click the title to open the task drawer.
overdue chip	Red chip: the task's deadline was before today.	
due today chip	Yellow chip: the task's deadline is today.	
Goal chip (target icon)	Purple target: this task moves a 12-week goal ('Moves a 12-week goal' on hover).	

ELEMENT	WHAT IT IS	HOW TO USE IT
Play button (timer)	Starts a focus timer on this task. Appears on hover (always on phones).	Click → choose 'Pomodoro' or 'Stopwatch'. While it runs the button shows the time. Click again for 'Stop & log' or 'Open Focus'.
'...' More menu	The three-dots button on open tasks (on hover; always on phones).	'Make it a Top' / 'Remove from Top' adds or removes the task from Top priorities. 'Move to tomorrow' plans it for tomorrow. 'Remove from today' clears its day (back to the backlog). Top priority rows only show 'Remove from Top'.
Habits	Card with today's active habits as pills, and a counter 'done/total' (planned skips don't count). See the next elements.	
Habit pill	One habit. Shows the name, 'min' or 'stretch' if you logged that version, a flame with the habit streak, and the consistency % (last 30 days).	Tap to tick (+5 XP). On a low-energy day a tap logs the minimum version (+3 XP) if the habit has one. Tap again to clear. Hover the flame to see reserve skips left this week.
Habit menu (small arrow)	Options for one habit. Shows the anchor ('After coffee') if set.	'Done' (+5 XP), 'Minimum' (+3 XP, shows the minimum version text), 'Stretch' (+5 XP), 'Planned skip' (no XP, your streak is safe; limited to the habit's reserve skips per week), 'Clear'.
No habits yet	Empty state: 'No habits yet. Start with one keystone habit.'	Click 'Add habit' to open the Habits page.
Today	The task list for today. Header hint: 'Xh planned of Yh', plus 'Zh over capacity' in yellow when too full. On the right: 'N done' today. The list holds tasks planned for today, tasks that start today, and tasks due today (Top priorities are shown above, not here).	
Capacity bar	Fills with planned time (open tasks + meetings) against your daily capacity. It turns yellow above 100%. Tasks without an estimate count as 30 minutes. Meetings = 'manager' time blocks today.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Quick add field	Placeholder: 'Add to today… try: Follow up Sara fri #sales ~15m'. Adds a task to today in one line.	Type and press Enter (or the Enter button that appears). It understands dates (tomorrow, fri, next week), #area, !high and ~30m. Without a date it goes to today; with 'someday' it goes to Someday. Default priority: Medium. Toast: 'Added to today' or 'Added for [day]'.
Nothing else planned	Empty state: 'Nothing else planned. Protect the space — or pull something in from Tasks.'	
N completed	A folded list of tasks you finished today.	Click to open it. Un-tick a task to reopen it.
Overdue deadlines strip	Red box under the list: 'N overdue deadlines:' followed by up to 3 task names.	Click a name to open that task and fix it (do it, move the deadline, or delete it).
Timeline	Today's time blocks from your calendar, in time order. 'Calendar ↗' opens the Calendar page.	
Time block row	Start–end time, a coloured bar for the block type (maker, manager, free), the title, and the type label. The block happening now has a 'now' chip and a highlighted border. Past or finished blocks fade.	
No time blocks today	Empty state: 'Maker mornings, calls in the afternoon.'	'Apply Ideal Week' opens the Week page to load your template. '+ Block time' opens the Calendar to add a block.
This week	Right-rail card for the week. 'Week ↗' opens the Week page.	
Execution score	A ring and 'Execution score — x/y lead actions this week · aim for 85%'. It counts the weekly tactics of your active 12-week goals. Green at 85+, normal at 60+, yellow below. Shows only while a cycle is running.	Click to open Goals and log tactics.
Weekly Big 3 list	This week's Big 3 outcomes with a circle each.	Click a circle to mark the outcome done (+30 XP). All three done fires confetti and 'Weekly Big 3 complete. Huge week'.

ELEMENT	WHAT IT IS	HOW TO USE IT
No Weekly Big 3 yet	Empty state of the week card.	Click 'Set them →' to open the Week page.
Inbox tile	Number of items waiting in your Inbox. Sub-line: 'to process', 'zero' when empty, or 'N older than 48h' in yellow when items are getting old.	Click to open the Inbox.
Recall tile	Number of recall (flashcard) cards due now, or 'all caught up'.	Click to open Recall.
Focus tile	Focus time logged today (from focus sessions).	Click to open Focus.
Content tile	Hub content pieces published this week / your weekly target ('hub pieces this week'). An extra line 'Lab: x/y reps this week' shows your content lab practice; it turns green when you hit the target.	Click to open Content Studio.
Sales today	Right-rail sales card. 'Pipeline ↗' opens the Pipeline.	
Outreach ring	Outreach touches logged today (outreach and follow-up interactions) against your daily quota, for example '7/20 outreach touches'. Green when you hit the quota.	
Conversations line	'x/y conversations today' (meetings and calls logged). When you hit the goal it says 'Meetings goal hit — you can stop prospecting today.'	
Deal next steps	Up to 8 open deals whose next step is due today or overdue, or that have no next step. Shows the next step and when. 'No next step — set one' in red when a deal has none.	Click a deal to open the Pipeline.
Due to reconnect	Up to 5 people you haven't contacted within their reconnect cadence, as chips.	Click a name to open that person.
Promises	Right-rail card of promises. 'All ↗' opens Commitments.	
Promise row	A promise you made (I owe) due by tomorrow: title, the person and the date. Red when overdue.	Click the circle when you deliver. Toast 'Promise kept' (+10 XP if on time).
Check on (waiting for)	Things others owe you whose check date has arrived, with the person's name.	

ELEMENT	WHAT IT IS	HOW TO USE IT
No promises due	Empty state: 'No promises due. Keep it that way.'	
Content due	Shows only when content pieces are scheduled for today or earlier and not yet published. Each row: brand chip (personal/company), title, current stage (red when late).	Click a row to open that piece.
Routines	Shows your active routines with a done circle and 'done steps/total steps'. 'Run ↗' opens Routines.	Click a routine to run it on the Routines page.
Keyboard hint	Footer reminder: 'C capture · Ctrl K anything'.	

Task drawer `/today → click a task title`

Edit any task without leaving Today. It slides in from the right over a dark backdrop. The same panel is used on the Tasks pages.

HOW TO USE IT

1. Click a task title on Today.
2. Set 'When' to the day you will really do it, and 'Due / end' only if there is a real deadline.
3. Pick an estimate so the capacity check is honest.
4. Close with the X or by clicking the dark backdrop.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Backdrop	The dark area outside the drawer.	Click it to close the drawer. Your typing is saved.
Side peek	View button (panel icon): the drawer sits on the right side.	Click to switch to side view.
Center peek	View button (square icon): the task opens as a large centred window.	Click to switch to centre view.
Open as full page	View button (expand icon): opens the task on its own page (/tasks/[id]).	Click it. '← Back' on that page returns you to where you came from.
Close (X)	Closes the drawer.	
Title	The task name, editable in place.	Click, type, then click outside to save.

ELEMENT	WHAT IT IS	HOW TO USE IT
Play button (timer)	Starts a focus timer for this task.	Choose 'Pomodoro' or 'Stopwatch'. While running: 'Stop & log' or 'Open Focus'.
Momentum	Logs this task as something that 'moved the needle'. Shows a counter if already logged.	Click → choose Impact 1–5 → optionally write 'Why did it move the needle?' → 'Add to Momentum'. The button shows 'Added' for a moment.
Status	'Not started', 'In progress' or 'Done'.	Click one to set it.
Priority	'Low', 'Medium' or 'High'.	Click one to set it.
Life area	The Life Area this task belongs to.	Pick from the list. Changing it clears the section.
Section	An optional section inside the Life Area.	Pick one, or 'None'.
When (plan to work on it)	The day you plan to do the task. This is not the deadline.	Click 'Today', 'Tomorrow', 'Someday' or 'Backlog' (no day), or pick any date in the date box.
Estimate	How long the task will take: 5, 15, 30, 45 min, 1, 1.5, 2, 3 or 4 h. Used by the capacity check.	Pick from the list, or '—' for none (counts as 30 min).
Energy needed	'High (deep work)', 'Medium' or 'Low (admin)'. High shows 'deep' on Today.	
Moves goal	Link the task to an active 12-week goal, or '— none (maintenance)'. Linked tasks show the target chip and rank higher in start-up suggestions.	
Should not be me	Checkbox: 'Should not be me — record it next time (Delegation)'. Flags work you want to hand off.	
Moved N× warning	Yellow note when the task was pushed to tomorrow 3 or more times: 'keep, schedule for real, or drop it?'	
Start	Optional start date and time (default 09:00). A task that starts today shows in Today's list.	
Due / end	The deadline: date and time (default 23:59). Drives the 'due today' and 'overdue' chips and notifications.	
Tags	Free labels on the task.	Type in 'Add tag…' and press Enter. Click the x on a tag to remove it.

ELEMENT	WHAT IT IS	HOW TO USE IT
Description	Notes for the task, with a rich editor.	Click 'Edit' and write; press / for commands. Click 'Preview' to read. It autosaves.
Attachments	Files attached to the task. Click a file name to open it; x removes it.	Click '+ Add to task' → 'Upload PDF / doc / image' or 'Add description block (/)'.
Time tracked	Total focus time on this task and the number of sessions.	'Focus on this' opens the Focus page with this task selected.
Log time	Manual time entry: a minutes box (default 25) and 'Log time'.	Type minutes and click 'Log time' to add a session you forgot to time.
Session list	Each logged session: minutes and when it ended.	Hover a session and click x to delete it.
Duplicate task	Opens 'Duplicate task': copies the task (priority, area, tags, description, attachments) to another day. Times of day stay the same.	Pick a date in 'Move to date' and click 'Duplicate task'.
Delete task	Deletes the task for good and closes the drawer.	

Frameworks & terms in this module

Day score bishOS

A 0–100 score for one day. Start-up done 20 + share of Top priorities done × 30 + share of habits done × 20 + shutdown done 20 + a progress line or win written 10. Today shows it live; the shutdown saves the final score to the Journal.

Example: Start-up (20) + 2 of 3 Top done (20) + all habits (20) + shutdown (20) + progress line (10) = 90.

Top priorities (Top 3) Michael Hyatt, Full Focus (Daily Big 3)

The few tasks that make today a win if they get done, ranked 1, 2, 3. Do them first, in order, before anything else. Each finished Top priority gives +15 XP on top of the normal +5.

Example: 1. Send Acme proposal. 2. Record onboarding video. 3. 20 outreach messages.

Capacity check Sunsama (daily planning workload)

Before the day starts, add up the time of everything planned (open tasks + meetings) and compare it with the hours you really have. Default capacity is 5.5 hours of planned work on a normal day. Over capacity = something must move.

Example: You planned 7h of tasks plus 1h of calls but have 5.5h. The bar is yellow: move 2.5h to tomorrow.

Today list bishOS

Tasks planned for today (their 'when' is today), tasks that start today, and tasks due today. Top priorities sit above it.

Example: 'Pay VAT' is due today, so it appears even though you never planned it.

'When' vs deadline Things / Sunsama style planning

Two different dates. 'When' is the day you plan to work on a task — it puts the task on that day's list. The deadline ('Due / end') is when it must be finished — it drives overdue warnings. Many tasks have a 'when' but no deadline.

Example: Proposal deadline: Friday. You plan to write it ('when') on Wednesday, so Friday stays calm.

Backlog Agile / GTD next-actions list

Open tasks with no 'when' day and not Someday. They wait on the Tasks page until you plan them.

Example: 'Redesign invoice template' sits in the backlog until a quiet Buffer day.

Leftover Sunsama / Full Focus (no silent rollover)

An open task whose planned day is in the past. bishOS never moves leftovers forward silently: you decide each one (today, tomorrow, backlog, someday, drop) in the start-up, the shutdown, or with the banner buttons.

Example: Yesterday's 'Call the bank' wasn't done. This morning you choose 'Today'.

Overdue bishOS

A task whose deadline was before today and is still not done. It shows a red chip and a notification.

Example: 'Send contract' was due Monday; on Tuesday it shows 'overdue'.

Maker vs manager time Paul Graham, 'Maker's Schedule, Manager's Schedule'

Maker time is long, quiet blocks for deep work (writing, designing, coding). Manager time is calls and meetings. Mix them and both suffer. bishOS suggests maker mornings and calls in the afternoon; time blocks are coloured by type.

Example: 9:00–12:00 maker block for the website; 14:00–16:00 manager block for client calls.

Weekly Big 3 Michael Hyatt, Full Focus

The three outcomes that would make this week a success. Set on the Week page; tick them on Today (+30 XP each).

Example: 'Send 2 proposals', 'Publish the case study', 'Hire a VA'.

Execution score Brian Moran, The 12 Week Year

The share of this week's planned lead actions (weekly tactics of your 12-week goals) that you actually did. Aim for 85% or more; that level of execution usually reaches the goal.

Example: You planned 20 tactics and did 17 → 85%.

Lead action (tactic) The 12 Week Year / 4 Disciplines of Execution

An action you control that drives a result, like 'send 20 messages'. The result (revenue) is the lag measure. You score yourself on lead actions.

Example: Lead: 5 discovery calls a week. Lag: 2 new clients a month.

Outreach touch Alex Hormozi, $100M Leads (Rule of 100)

One logged outreach or follow-up message to a prospect. Today counts them against your daily quota (20 by default).

Example: 10 LinkedIn DMs + 5 follow-up emails = 15 touches.

Meetings goal ('open to goal') Sales prospecting practice

A daily number of real conversations (calls or meetings). Once you hit it you may stop prospecting for the day. Default: 2.

Example: You booked 2 calls by 11:00, so you switch to delivery work.

Next step (deal) Sales pipeline practice

Every open deal should have one concrete next action with a date. A deal without a next step is a deal you are slowly losing.

Example: Deal 'Acme website' — next step 'Send revised quote' — Thursday.

Reconnect cadence Personal CRM practice

How often you want to contact a person (every N days). When the time passes, they appear in 'Due to reconnect'.

Example: Mentor every 30 days; the chip appears on day 30.

Promise (I owe) and Waiting for David Allen, GTD (Waiting For list)

A promise is something you told someone you would do, with a date. 'Waiting for' is something someone owes you, with a date to check in. Both live in Commitments.

Example: I owe: 'Send Sara the deck by Thursday'. Waiting for: 'Ali sends logo files — check Monday'.

Routine Full Focus (rituals)

A fixed checklist you run the same way each time, like a morning routine. Today shows your active routines and how many steps are done.

Example: Morning routine: water, 10 push-ups, review Top 3 — 3/3 done.

How to test it

1. Open /today. Check the greeting matches the time of day and shows your first name (set it in Profile if missing).
2. Before the start-up: the 'Start my day · 5 min' button glows and the day score ring shows 0.
3. In the quick add field type 'Test call Sara tomorrow #sales ~15m' and press Enter. Expected: toast 'Added for Tomorrow' (or similar). The task does not appear in today's list. Open Tasks to confirm it is planned for tomorrow, area Sales, 15 min.
4. Type 'Write test note ~45m' and press Enter. Expected: toast 'Added to today', the task appears in the Today list with '45m', and the 'planned of' hint grows by 45 minutes.
5. Add tasks until planned time is more than your capacity. Expected: the capacity bar turns yellow and the hint says 'over capacity'.
6. Open the '...' menu on a task and click 'Make it a Top'. Expected: it moves up into Top priorities with a rank number.

7. Tick that Top priority. Expected: toast 'Top priority done' with +20 XP; '+N today' on the level card rises; the score ring rises. Tick all Top priorities: confetti and 'All Top priorities done'.
8. Un-tick it. Expected: the XP is taken back (the '+N today' number drops).
9. Tap a habit pill. Expected: it turns green, toast shows +5 XP, the counter goes up. Open its menu and choose 'Minimum'. Expected: 'min' label and 'Minimum counts. Streak safe.' with +3 XP.
10. Click a task title. Expected: the task drawer opens. Change 'Estimate' to 1 h and close. Expected: the task row shows '1h'.
11. Click a circle in 'This week' (needs Big 3 set on the Week page). Expected: toast 'Weekly outcome done' with +30 XP.
12. Click the Inbox tile. Expected: the Inbox page opens and the number matches the tile.
13. Click the trophy button. Expected: the Achievements window opens with 'Achievements · x/19'.
14. Plan a task for yesterday (task drawer → When → yesterday's date), do the start-up, and return. Expected: the yellow leftovers banner appears. Click 'All to backlog'. Expected: the banner disappears.

Tips

- If the Today list is long, the plan is wrong, not you. Move things to tomorrow before you start.
- Give every task an estimate. The capacity check is only as honest as your estimates.
- Use 'Re-plan' instead of fighting a broken plan.

TODAY

Morning start-up ritual

A calm, full-screen, 5-minute ritual that plans your day one step at a time: a check-in, closing old loops, choosing the day type, picking your Top priorities, checking they fit, and writing one if–then plan.

Why it helps: Five minutes of thinking before you start saves hours of drifting. You start with a realistic plan, matched to your real energy, and you've already decided what to do when distraction hits.

One-time	Nothing to set up. Life Areas must exist so new tasks have an area.
Daily	Every working morning, before email and chat. Also use 'Re-plan' later in the day if the plan breaks.

Ritual frame (top bar and footer) `Start my day (overlay, any page)`

The frame around every step of the start-up. It shows where you are and moves you forward.

HOW TO USE IT

1. Open it with 'Start my day' on Today, the Day button in the Topbar, the command palette ('Start my day'), or the Journal day page.
2. Move with the Next button; go back with Back.
3. Close with X or Esc if you need to stop.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Morning start-up label	Sun badge at the top left that names the ritual.	
Progress bars	One short bar per step (on wider screens). Done steps are solid, the current step is lighter. On phones a single thin bar fills up instead.	Hover a bar to see the step name.
Step counter	For example '3/8 · Day shape'. The 'Close yesterday' step only appears when you have leftovers, so the total is 7 or 8.	
Close (X)	Closes the ritual without locking in the day.	Click X or press Esc. Your check-in and any estimate changes are already saved; the rest is not.
Back	Goes to the previous step. Disabled on the first step.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Next button	Moves forward. It says 'Let's go' on the first step, 'Continue' in the middle, and 'Lock in my day' on the last step. On the Top priorities step it is disabled until you pick at least one task (unless it is a Free day).	

Good morning `Start my day — step 1`

A gentle welcome that reminds you where you left off and what this week is about.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Date and greeting	Today's date and 'Good morning, [name].'	
Intro line	'Five calm minutes now buy you a focused day. Let's set it up.'	
Fresh start card	Shows when you've been away 3 or more days: 'You've been away N days — that's normal. No guilt: we'll decide what still matters and start clean today.'	
Where you stopped	Yesterday's resume note (from last night's shutdown), so you restart in seconds.	
Yesterday's progress	Yesterday's progress line from the shutdown.	
12-week cycle	'Week N of 12 · [cycle name]' with a progress bar. Only when a cycle is running.	
This week's Big 3	Your three weekly outcomes, crossed out when done.	
Streak line	'Ritual streak N days · N shields left this week'.	

Check-in `Start my day — step 2`

Ten seconds to measure sleep, energy and mood, so today's plan matches the real you.

HOW TO USE IT

1. Answer honestly — nobody else sees it.
2. Click Continue. The check-in is saved right away (+10 XP, once per day).

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
How are you, really?	Step title. Hint: 'Ten seconds. Your energy decides how ambitious today should be.'	
Sleep last night	Slider from 3 to 11 hours in half-hour steps (starts at 7h). The number shows on the right.	Drag to your real sleep.
Sleep quality	Five faces: Awful, Poor, OK, Good, Great.	Tap one.
Energy	Five faces: Empty, Low, OK, Good, Charged (1–5).	Tap one.
Mood	Five faces: Rough, Meh, Fine, Good, Great.	Tap one.
Low-energy day	Checkbox: 'Top 1 only, habits at their minimum version.'	Tick it yourself, or let bishOS suggest it: when you click Continue with energy 2 or lower, or less than 6 hours of sleep, it switches on and shows 'Low-energy day mode on'.

Close yesterday `Start my day — step 3 (only with leftovers)`

Decide every open task that was planned for an earlier day, so nothing rolls forward silently.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Close the loops from before	Step title. Hint: 'Nothing rolls forward silently. If it isn't worth deciding, it probably isn't worth doing.'	
All → today	Sets every leftover to 'Today' in one click.	
All → backlog	Sets every leftover to 'Backlog' in one click.	
Leftover card	Area colour dot, task title and 'Planned [date]'. If the task was already moved 2 or more times: 'moved N× — keep or drop?' in yellow.	
Decision buttons	'Today' (plan for today), 'Tomorrow' (plan for tomorrow and count one more deferral), 'Backlog' (remove the day), 'Someday' (park it in Someday), 'Drop' (delete the task, red).	Click one per task. Decisions are applied when you lock in the day.
Decided counter	'x/y decided · undecided items stay where they are.'	

Day shape `Start my day — step 4`

Choose what kind of day it is and how many priorities fit it.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
What kind of day is it?	Step title. Hint: 'Protect maker time on Focus days. Buffer days are for admin and prep. Free days are fully off.'	
Focus day	Card: 'Revenue + deep work'. The default.	Click to choose.
Buffer day	Card: 'Admin, prep, catch-up'.	Click to choose.
Free day	Card: 'No work. Recharge.' Pre-selected when today is the Free Day you picked on the Week page. Free days never break your streak.	Click to choose.
Daily shape	Switch between 'Big 3' ('Three things that make today a win.'), 'Ivy Lee 6' ('Six ranked items, worked strictly in order.') and '1 · 3 · 5' ('One big, three medium, five small.'). Hidden on Free days and low-energy days.	Click one. It sets how many tasks you can pick: 3, 6 or 9.
One-line intention (optional)	Text field, for example 'Close the Acme deal and ship the onboarding video'. Shown on Today in quotes.	

Top priorities (or Top 1) `Start my day — step 5`

Pick the tasks that will make today a win.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Pick your Big 3 / Ivy Lee 6 / 1 · 3 · 5	Step title (on a low-energy day: 'Your one thing'). Hint: 'Aim for at least one delivery item and one revenue item (sales or marketing).' On a Free day: 'pick nothing, or one tiny thing that recharges you.'	
Add a new one…	Field to create a new task right here. Example: 'Call Sara about the proposal #sales ~30m'.	Type and click '+ Add' (or Enter). It creates a High-priority task for today and adds it to your picks (if there is room).
Picked list	Your chosen tasks, numbered in order. In '1 · 3 · 5' each one is labelled Big, Medium or Small.	Click 'Remove' to un-pick. The order you pick is the order you work.
Suggestions · x/y picked	Up to 40 open tasks, best first: planned for today, due today or earlier, linked to a goal, then by priority. Chips show 'goal', 'due', 'today' and 'high'.	Click a task to pick it. When you reach the limit the rest are greyed out.

ELEMENT	WHAT IT IS	HOW TO USE IT
No open tasks yet	Shown when there are no candidates: 'No open tasks yet — add your first above.'	

Capacity `Start my day — step 6`

Check that the plan fits the hours you really have.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Will it fit?	Step title. Hint: 'Plan about 5–6 focused hours on a normal day. Over-planning is the #1 reason daily plans collapse.'	
Capacity ring	Percent of your available time already planned. Green when it fits, yellow when over.	
Planned of	'Xh planned of Yh', plus 'incl. Xh of calls/meetings' when you have manager blocks today.	
Fit message	'Realistic. You've left room for the unexpected.' or 'Xh over — defer something below.'	
Available today	Slider from 1 to 10 hours in half-hour steps. Starts at your Settings capacity (5.5h by default).	Drag it to the hours you truly have today (fewer on a day full of errands).
Today's task rows	Every open task for today (Top picks marked 'Top'), with estimate buttons 15m, 30m, 1h, 1.5h, 2h. A task without an estimate counts as 30m.	Click an estimate to save it on the task immediately. Click '→ tomorrow' on a non-Top task to move it to tomorrow.

If–then plan `Start my day — step 7`

Name the most likely distraction and decide your response now.

HOW TO USE IT

1. Leave both fields empty to skip; the plan is saved only when both are filled.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
What will try to derail you?	Step title. Hint: 'If–then plans are one of the best-proven tools in behaviour science. Name the obstacle, decide the response now.'	

ELEMENT	WHAT IT IS	HOW TO USE IT
If…	Field for the trigger, for example 'I feel the urge to check messages before my Top 1 is done'.	
…then I will	Field for the response, for example 'write it in the Inbox and go back for 10 more minutes'.	
Ideas	Four ready-made plans: phone during focus → another room + 5 more minutes; client message before noon → note it, reply in afternoon office hours; stuck on Top 1 → write the next physical step; 4 pm without outreach → send 10 messages first.	Click one to fill both fields, then edit it.

Lock it in `Start my day — step 8`

Read your day once, then start.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Here's your day	Step title. Hint: 'Read it once. Then close everything else and start with #1.'	
Summary chips	Day type, 'Low-energy mode' (if on), capacity (for example '5h 30m capacity') and 'Energy N/5'.	
Intention	Your intention in large text.	
Numbered priorities	Your picks in order (only as many as the shape allows).	
If–then box	'If [trigger], then [response].'	
XP line	'+25 XP for the start-up · +15 XP for each Top item you finish'.	
Tonight line	'Tonight: a 5-minute shutdown closes the loop.'	
Lock in my day	The final button.	Click it. bishOS applies your leftover decisions, plans your picks for today, saves everything, fires confetti and shows 'Day locked in. Go win it.' (+25 XP the first time today).

Frameworks & terms in this module

Start-up ritual Michael Hyatt, Full Focus (workday start-up ritual)

A short, fixed routine at the start of the workday to decide what matters before the world decides for you.

Example: 8:30, coffee, 5 minutes in bishOS, then straight into Top 1.

Check-in bishOS (energy management)

A quick self-rating of sleep, sleep quality, energy (1–5) and mood (1–5). It is saved to the day and shown in Journal, and it can switch on low-energy mode.

Example: 6h sleep, energy 2 → bishOS suggests a low-energy day.

Low-energy mode bishOS, inspired by James Clear's 2-minute rule

A kinder version of the day for bad days. You pick only one Top priority ('Your one thing') and the minimum version of each habit counts fully. Suggested automatically when energy is 2 or lower or sleep is under 6 hours.

Example: Your child was sick all night. You pick only 'Reply to the client' and do 2-minute habit versions.

Focus day / Buffer day / Free day Dan Sullivan, Strategic Coach (Free, Focus, Buffer days)

Three day types. Focus day: revenue and deep work. Buffer day: admin, prep and catch-up. Free day: no work at all, midnight to midnight. Free days are neutral for your ritual streak.

Example: Mon–Wed Focus, Thursday Buffer for invoices and email, Sunday Free.

Daily shape bishOS

How you structure your priority list: Big 3, Ivy Lee 6 or 1 · 3 · 5. It sets how many tasks you may pick.

Example: Heavy delivery day: Big 3. Many small client requests: 1 · 3 · 5.

Big 3 Michael Hyatt, Full Focus (Daily Big 3)

Pick three things that make today a win. Fewer goals, more finishing.

Example: Proposal, video, outreach.

Ivy Lee 6 Ivy Lee (1918), popularised by James Clear

Write the six most important tasks, rank them, and work strictly in order. Don't start #2 until #1 is done. Unfinished items move to tomorrow's list.

Example: 1 Contract, 2 Invoice, 3 Hiring post, 4 Two calls, 5 Blog draft, 6 Inbox.

1-3-5 rule The Muse (Alex Cavoulacos)

Plan one big task, three medium tasks and five small tasks — nine in total. Good for days with many small requests.

Example: Big: website launch. Medium: 3 client calls. Small: 5 quick emails.

Intention Full Focus

One sentence that says what today is about. It keeps you pointed when small things pull at you.

Example: 'Close the Acme deal and ship the onboarding video.'

If–then plan Peter Gollwitzer (implementation intentions)

A plan in the form 'If X happens, then I will do Y'. Deciding the response in advance makes you far more likely to follow through when the moment comes.

Example: 'If a client messages before noon, then I note it in the Inbox and reply at 14:00.'

Leftover decisions Sunsama / GTD

Today: plan it for today. Tomorrow: plan it for tomorrow (counts as one deferral). Backlog: no day. Someday: park it for later, out of sight. Drop: delete it. Done (shutdown only): you actually did it.

Example: 'Update LinkedIn banner' moved 3 times → Someday.

Deferral count bishOS

How many times a task was pushed to tomorrow. From 2 deferrals the start-up asks 'keep or drop?'; from 3 the task drawer warns you. A task moved again and again is usually not important or not clear.

Example: 'Write ebook' moved 4× → you break it into 'Outline chapter 1 (30 min)'.

Fresh start Hengchen Dai & Katy Milkman (the fresh start effect)

After 3 or more days without a ritual, bishOS greets you with 'Welcome back' instead of a wall of red. People restart more easily at a clean 'new beginning'. You decide what still matters and move on.

Example: Back from a 5-day trip: 'Fresh start' → all leftovers to backlog → pick today's Top 3.

How to test it

1. On Today click 'Start my day'. Expected: a full-screen overlay with 'Morning start-up' at the top and '1/7' or '1/8'.
2. Click 'Let's go'. On Check-in set sleep to 5h and energy to 'Low', then click Continue. Expected: toast 'Low-energy day mode on' and the next step titles say 'Top 1'.
3. Go back, untick 'Low-energy day', continue. On Day shape choose 'Ivy Lee 6'. Expected: the hint changes to 'Six ranked items, worked strictly in order.'
4. On Top priorities type 'Test start-up task ~30m' and click Add. Expected: it appears as #1 in the picked list. The counter reads '1/6 picked'.
5. Try clicking Continue with nothing picked (remove all). Expected: the button is disabled (unless Free day).
6. On Capacity drag 'Available today' to 1h. Expected: the ring turns yellow with 'over — defer something below'. Click an estimate button on a task; expected: it highlights and stays after you go back and forward.
7. On If–then click an idea. Expected: both fields fill.
8. Click 'Lock in my day'. Expected: confetti, toast 'Day locked in. Go win it.' with +25 XP, Today shows your picks under Top priorities, and the 'Start-up' dot is green.
9. Click 'Re-plan' on Today and lock in again. Expected: your answers are pre-filled and no second +25 XP is shown.
10. With a leftover task (planned for yesterday, not done), open the ritual. Expected: a 'Close yesterday' step appears; choosing 'Drop' and locking in deletes that task.

Tips

- Pick at least one revenue task (sales or marketing) every Focus day.
- If you can't decide a leftover, choose Someday. You can always bring it back.
- Lower 'Available today' honestly on days with errands or school runs.

TODAY

Evening shutdown ritual

A 5-minute, step-by-step ritual that ends your workday: empty the inbox, decide every leftover, tick habits, glance at tomorrow, leave a note for tomorrow-you, and write what moved forward.

Why it helps: Unfinished work keeps running in your head all evening. The shutdown closes every open loop, so your brain can rest and tomorrow starts in seconds instead of minutes.

Daily	At the end of every workday, before you close the laptop. From 16:00 the Shutdown button glows on Today and in the Topbar.

Shutdown frame `Shutdown (overlay, any page)`

Same frame as the start-up, with 'Evening shutdown' (moon) at the top and 7 steps.

HOW TO USE IT

1. Open it with 'Shutdown' on Today, the Day button in the Topbar, the command palette ('Shutdown'), or the Journal day page.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Evening shutdown label	Moon badge naming the ritual.	
Progress bars and step counter	For example '2/7 · Decide leftovers'.	
Close (X)	Closes without finishing. Esc does the same. Inbox actions and habit ticks you already made stay saved.	
Back	Previous step. Hidden on the final screen.	
Next button	'Continue' on most steps, 'Shutdown complete' on the Reflect step (this saves everything), and 'Close' on the final screen.	

Inbox zero `Shutdown — step 1`

Give every capture a home so your brain can let go.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Empty the inbox	Step title. Hint: 'Give every capture a home so your brain can let go. Two-minute items: just do them.'	

ELEMENT	WHAT IT IS	HOW TO USE IT
Inbox item row	The text of one open inbox item. Up to 12 are shown.	
Task	Makes the item a backlog task in your first Life Area (no day). Only shows when you have at least one Life Area. +2 XP.	
Note	Saves the item as a fleeting note. +2 XP.	
Done (tick icon)	Marks the item done — you did it in under 2 minutes. +2 XP.	
Discard (bin icon)	Throws the item away. No XP. You can restore it from Inbox → History.	
+N more	When more than 12 items wait: 'finish them on the Inbox page tomorrow.'	
Inbox zero	Empty state: 'Nothing waiting. Beautiful.'	

Decide leftovers `Shutdown — step 2`

Every task planned for today that isn't done gets a clear decision.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Decide every leftover	Step title. Hint: 'Nothing rolls forward silently. Tomorrow, backlog, someday — or drop it with a clear conscience.'	
All → tomorrow	Sets every leftover to 'Tomorrow'.	
Leftover card	Area dot, title, and a 'Top' chip if it was a Top priority. Covers today's open Top priorities, planned tasks and tasks that started today.	
Decision buttons	'Actually done' (green: marks it done, +5 XP, +15 more if it was a Top priority), 'Tomorrow', 'Backlog', 'Someday', 'Drop' (red: deletes it).	Click one per task. Applied when you finish the shutdown.
Undecided warning	'N still undecided — they'll show up tomorrow morning.' (They become leftovers in tomorrow's start-up.)	
Everything planned today is done	Empty state: 'That's what a good day looks like.'	

Habits `Shutdown — step 3`

Tick today's habits before the day ends.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Tick today's habits	Step title. Hint: 'Did the 2-minute version? That counts. Planned skip? Your streak is safe.'	
Habit row	Habit name and 'Minimum: [text]' if it has a minimum version.	
Done / Minimum / Planned skip	Log the habit as done (+5 XP), minimum (+3 XP) or a planned skip (no XP, streak safe, limited by the habit's weekly reserve skips).	Click to log right away. Click the same button again to clear it.
No habits yet	Empty state: 'Add 1–3 keystone habits on the Habits page.'	

Look ahead `Shutdown — step 4`

See tomorrow so nothing ambushes you, and optionally pre-pick tomorrow's Top 3.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Glance at tomorrow	Step title. Hint: 'See what's coming so nothing ambushes you. Optionally pre-pick tomorrow's Top 3.'	
Tomorrow card	Tomorrow's date and its time blocks with start times, or 'No blocks yet.'	
Deadlines · next 2 weeks	Up to 10 open tasks with deadlines in the next 15 days and how far away they are, or 'Clear runway.'	
Tomorrow's Top 3 (optional) · x/3	A list of tasks you can pre-pick for tomorrow: first the leftovers you just set to 'Tomorrow', then the best candidates (up to 20). Pre-filled if tomorrow already has a Top 3.	Click up to 3 tasks; each shows its rank number. Click again to un-pick. They become tomorrow's Top priorities and are planned for tomorrow.

Ready to resume `Shutdown — step 5`

Leave a note for tomorrow-you.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Leave a note for tomorrow-you	Big text box. Hint: 'Where exactly did you stop, and what's the very next step? This kills attention residue — tomorrow you start in seconds.' Example: 'Stopped at the pricing section of the Acme proposal. Next: add the 3 package options and send to Sara before 11.'	Write 1–3 sentences. Tomorrow's start-up shows it as 'Where you stopped'.

Reflect `Shutdown — step 6`

Notice what moved forward. One line each.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
What moved forward?	Step title. Hint: 'Noticing progress is the #1 driver of good workdays. One line each — it takes a minute.'	
Progress today	One line, for example 'Sent the proposal; recorded 2 shorts'. Writing this (or a win) adds 10 to the day score. Tomorrow's start-up shows it.	
Win of the day	One line, for example 'Client said yes to the call'.	
Lesson learned	One line, for example 'Booking the next call before hanging up works'.	
Grateful for (optional)	One line.	
Shutdown complete (button)	Saves leftover decisions, notes, reflection and tomorrow's Top 3, and records the shutdown. +25 XP (once per day). Writing a win or gratitude of more than 3 characters also gives +5 XP for the journal.	

Shutdown complete `Shutdown — step 7`

Celebrate and switch off.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Day score ring	Your final day score for today, also saved to the Journal.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Shutdown complete.	'Everything is captured, decided and planned. Your brain is allowed to rest now — work can wait until tomorrow.'	
Result chips	'+25 XP' (if earned now), 'N day streak', 'N shields left', 'Level N · [title]'.	
Close	Closes the ritual. Today now shows 'Day complete — enjoy your evening'.	

Frameworks & terms in this module

Shutdown ritual Cal Newport, Deep Work

A fixed routine that ends work: review open loops, make a plan for them, then say the day is over. After it, you don't check work. Your brain can only rest when it trusts that nothing is forgotten.

Example: 17:30: shutdown in bishOS, close the laptop, say 'shutdown complete', go to the gym.

Inbox zero Merlin Mann (Inbox Zero), based on GTD

Processing your inbox until it is empty: every item gets a decision and a home. Empty does not mean done — it means decided.

Example: 8 captures at 17:30 → 3 tasks, 2 notes, 1 done, 2 discarded → zero.

Resume note (ready-to-resume plan) Sophie Leroy (attention residue research)

A short note about exactly where you stopped and the very next step. It removes 'attention residue' — the part of your mind still stuck on unfinished work — and makes restarting fast.

Example: 'Stopped at slide 7 of the investor deck. Next: add the revenue chart from the March sheet.'

Attention residue Sophie Leroy

When you switch from an unfinished task, part of your attention stays on it. That leftover attention makes your next work worse and keeps you thinking about work at night.

Example: You leave a half-written proposal and keep thinking about it during dinner.

Progress line Teresa Amabile, The Progress Principle

One sentence about what moved forward today. Seeing progress, even small, is the strongest booster of motivation at work.

Example: 'Sent the proposal; recorded 2 shorts.'

Win, lesson, gratitude Positive psychology (daily reflection)

Three short reflection prompts. Win: the best thing that happened. Lesson: what you learned to repeat or avoid. Gratitude: one thing you are thankful for. They fill your Journal.

Example: Win: 'Client renewed'. Lesson: 'Send the agenda the day before'. Grateful: 'My team covered for me'.

Tomorrow's Top 3 (pre-pick) Full Focus / Ivy Lee

Choosing tomorrow's priorities tonight, while today's context is fresh. Tomorrow's start-up then only needs to confirm them.

Example: You pick 'Finish Acme deck' as #1 for tomorrow before leaving.

How to test it

1. Capture two items with C first. Then click 'Shutdown' on Today. Expected: a full-screen overlay with 'Evening shutdown' and '1/7 · Inbox zero', listing your two items.
2. Click 'Task' on one item and the tick on the other. Expected: both disappear; the list shows 'Inbox zero'.
3. Continue. On Decide leftovers click 'All → tomorrow'. Expected: every card shows 'Tomorrow' selected and no undecided warning.
4. Continue. On Habits click 'Done' on a habit. Expected: it highlights; clicking it again clears it.
5. Continue. On Look ahead pick one task. Expected: it shows '1' and the counter reads '1/3'.
6. Continue. Write a resume note. Continue. Write a progress line and a win.
7. Click 'Shutdown complete'. Expected: confetti, toast 'Shutdown complete. You're done for today.' with +25 XP, and the final screen with the day score ring and chips.
8. Click 'Close'. Expected: Today shows 'Day complete — enjoy your evening' and the 'Shutdown' dot is green.
9. Tomorrow, open the start-up. Expected: 'Where you stopped' shows your resume note, 'Yesterday's progress' shows the progress line, and the pre-picked task is already #1.
10. Open Journal → today. Expected: the reflection fields show what you wrote and the day score is saved.

Tips

- Do the shutdown even on bad days. A 3-minute shutdown beats none.
- Write the resume note as an instruction to a stranger: specific file, specific next action.
- After 'Shutdown complete', don't open work chat again. That is the whole point.

TODAY

Inbox

The one place where everything you capture lands. You process it later, one item at a time, giving each a home: task, note, promise, waiting-for, person, content idea, something to learn, done, snooze or discard. Keyboard keys make it fast, and AI can suggest a home for each item.

Why it helps: Capturing without filing keeps your focus. Processing in one batch keeps your system clean. Inbox zero means nothing is lost and nothing is nagging you.

Daily	Process it once or twice a day (the evening shutdown does a quick pass). Try not to let items get older than 48 hours.
Weekly	In the weekly review, empty it fully.

Inbox `/inbox`

Turn raw captures into the right kind of item, fast.

HOW TO USE IT

1. Open Inbox. Optional: click 'Sort with AI' first.
2. For the selected item, decide: can I do it in under 2 minutes? Then do it and press D.
3. Otherwise press the key for its home (T, N, O, W, P, I, L), fill the short form if one opens, and press Enter.
4. Not ready to decide? Press S (snooze to tomorrow 9:00). Not needed? Press X.
5. The next item is selected automatically. Repeat until 'Inbox zero'.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Inbox (title)	Page title with the subtitle 'Everything you capture lands here. Give each item a home — the 2-minute rule decides what to just do.'	
Capture (C)	Opens Quick capture in Inbox mode.	Click it, or press C anywhere.
Sort with AI	Asks the AI to suggest a home for up to 30 open items: a type (task, note, commitment, idea, person, resource or trash), a clean title, a Life Area, and whether it takes under 2 minutes. Nothing is saved as a task yet.	Click it on the 'To process' tab. A spinner shows while it works, then a toast: 'AI suggested a home for N items — Tap a suggestion to accept it.'
Tabs: To process · Snoozed · History	'To process' shows open items (plus snoozed items whose time has come) with a count. 'Snoozed' shows items waiting for their snooze time. 'History' shows the last 60 processed or discarded items.	Click a tab. Processing buttons only work on 'To process'.

ELEMENT	WHAT IT IS	HOW TO USE IT
Older than 48h chip	Yellow chip: 'N older than 48h — process or discard'.	
Item list	Each row: a dot (yellow when older than 48 hours), the text (2 lines), its age ('just now', '5h', '3d'), its source ('quick' or 'brain-dump'), the AI's suggested type in blue if any, and '→ task' (etc.) in History.	Click a row to select it, or use J/K or the arrow keys.
Back to inbox (↺)	On Snoozed and History rows: puts the item back into 'To process'. If it had earned XP, that XP is removed (so you can earn it again when you re-process it).	
Give it a home	The processor panel for the selected item. Hint: 'Shortcut keys shown on each button · J/K to move'.	
Item text box	The full text of the item.	Edit it; it saves when you click outside the box.
AI suggests bar	Blue bar after 'Sort with AI': 'AI suggests: [type] in [area] · under 2 minutes — just do it', with the matching key.	Click it to accept the suggestion (uses the AI's title). For types that need details, the form opens first.
Task (T)	Makes a task. Opens a form: Title, Area, Priority, When.	Press T (or click), check the form, press T again, Enter, or 'Save'. +2 XP.
Note (N)	Saves the item as a fleeting note in Notes (with the chosen area). One step, +2 XP.	
I owe (O)	Logs a promise you made. Opens Title + 'Promised by' date.	Press O, set the date, then O/Enter/Save. Toast 'Commitment logged'. +2 XP.
Waiting for (W)	Logs something someone owes you. Opens Title + 'Check again on' date.	Press W, set the date, save. Toast 'Added to Waiting for'. +2 XP.
Person (P)	Creates a person in People (relation: lead) with the item text as notes. One step, +2 XP.	
Content idea (I)	Creates a content piece at the 'idea' stage. Opens Title + 'Personal brand' / 'Company'.	Press I, choose the brand, save. +2 XP.
To learn (L)	Saves a resource to your Library (queued). Opens Title + 'Why are you saving it? (required — fights the collector's fallacy)'. A link in the text is picked up automatically.	Press L, write one line of why, save. Without a reason you see 'Why are you saving it? One line.'. +2 XP.

ELEMENT	WHAT IT IS	HOW TO USE IT
Done (2 min) (D)	Marks the item done because you just did it (it took under 2 minutes). Toast 'Done in under 2 minutes'. +2 XP.	
Snooze (S)	Hides the item until tomorrow at 9:00, then it returns to 'To process'. Toast 'Snoozed until tomorrow 9am'. No XP.	
Discard (X)	Throws the item away (it stays in History, where you can restore it). No XP.	
Title (form)	The title of the new item, pre-filled with the first line (or the AI's title).	Edit it. Enter saves, Esc cancels.
Area (task form)	The Life Area for the task (pre-selected from the AI's suggestion when it matches).	
Priority (task form)	'High', 'Medium' (default) or 'Low'.	
When (task form)	'Today', 'Tomorrow', 'This week' (this Friday, or today if Friday has passed), 'Backlog' (no day, default) or 'Someday'.	
Promised by / Check again on (date)	The date field for I owe and Waiting for.	
Personal brand / Company	Brand switch for content ideas.	
Cancel / Save	Close the form, or save the item. Save shows the action's key.	
Inbox zero (empty state)	'Your head is clear. Press C anywhere to capture the next thought in two seconds.' When you process the last item you get confetti and 'Inbox zero. Mind like water.'	Click 'Brain dump' to empty your head into Quick capture.
Nothing snoozed / No history yet	Empty states of the other two tabs.	

Frameworks & terms in this module

> **Inbox (capture bucket)** David Allen, GTD
> One trusted place where every loose thought, request and idea goes first, without deciding anything. You empty it on a schedule.
> *Example:* 'Idea: reel about pricing', 'Ali logo files?', 'Book dentist' — all go to the Inbox.

Processing David Allen, GTD

Taking each inbox item, one at a time, from the top, and deciding what it is and what the next action is. You never put an item back unprocessed.

Example: 'Book dentist' → Task, Personal area, This week.

2-minute rule David Allen, GTD

If an item takes less than two minutes, do it now instead of tracking it. Tracking it would cost more time than doing it.

Example: 'Reply yes to Sara' → reply now → press D.

Someday David Allen, GTD (Someday/Maybe list)

A parking place for things you might do later but not now. They don't appear in daily lists, so they don't nag you. Review them in the weekly or monthly review.

Example: 'Learn Spanish', 'Write a book' → Someday.

Snooze Email clients (Superhuman, Gmail)

Hide an item until a set time (here: tomorrow 9:00) when you can't decide yet. It comes back on its own.

Example: 'Ask about the event invite' — snooze until you hear back tomorrow.

Stale item (48h) bishOS

An open inbox item older than 48 hours. Old items lose context and become guilt. bishOS marks them yellow, adds a chip, and sends a notification.

Example: A capture from Monday morning is stale on Wednesday morning.

Collector's fallacy Christian Tietze (zettelkasten.de)

The feeling that saving something is the same as learning it. Saving a link costs nothing and teaches nothing. That's why 'To learn' asks why you are saving it.

Example: Instead of saving 40 sales articles, you save one 'to improve my cold-call opener'.

Mind like water David Allen, GTD

A calm state where your mind responds to what happens without being full of open loops — possible because everything is captured and decided.

Example: After inbox zero you can think about one thing at a time.

Fleeting note Sönke Ahrens, How to Take Smart Notes

A quick, rough note to keep a thought. Later you turn the good ones into proper notes or throw them away.

Example: 'Clients buy outcomes, not hours — blog idea?'

How to test it

1. Press C, type 'Test reply to Sara', press Enter. Press C again, type 'Test idea: reel about pricing', Enter. Open /inbox. Expected: 'To process' shows 2 more items, newest first, with 'just now · quick'.
2. Select 'Test reply to Sara' and press D. Expected: toast 'Done in under 2 minutes' with +2 XP; the item disappears; the next one is selected.

3. Select the idea and press I. Expected: a form with Title and 'Personal brand / Company'. Press Enter. Expected: 'Content idea saved'.
4. Capture 'Test book dentist', select it, press T. Choose When = 'Tomorrow', press Enter. Expected: 'Task created'. Open Tasks: the task exists, planned for tomorrow.
5. Capture 'Test link https://example.com', press L, then Enter with an empty 'Why'. Expected: a warning 'Why are you saving it? One line.'. Type a reason and save. Expected: 'Added to your Library'.
6. Capture one item and press S. Expected: 'Snoozed until tomorrow 9am'; it is now in the 'Snoozed' tab.
7. In 'History' click ↺ on a processed item. Expected: it returns to 'To process' and its XP is removed.
8. Capture 3 items and click 'Sort with AI'. Expected: toast 'AI suggested a home for 3 items'; each row shows a blue type; selecting one shows the 'AI suggests' bar; clicking the bar processes it.
9. Process the last item. Expected: confetti and 'Inbox zero. Mind like water.'
10. Click inside the text box and press X. Expected: nothing is discarded (keys are ignored while typing).

Tips

- Don't process while capturing. Capture all day; process once or twice.
- Use D generously — many items are 2-minute items.
- If the AI is wrong, ignore the suggestion and press your own key.

TODAY

Quick capture

A small window that opens anywhere with the C key. Three modes: Inbox (dump a thought), Task (create a task in one line with natural language), and Brain dump (type or speak everything; AI splits it into items you review before saving).

Why it helps: A thought you don't capture in seconds is lost, or it keeps nagging you. Quick capture is always one key away, so your head stays free for real work.

Daily	All day, whenever something pops into your head: press C, type, Enter.
Weekly	Before the weekly review, do a Brain dump to empty your head.

Quick capture window `Press C (overlay, any page)`

Capture in two seconds without leaving what you are doing.

HOW TO USE IT

1. Press C anywhere (not inside a text box, and not while another window like a ritual is open).
2. Type the thought and press Enter. Done — go back to work.
3. For a ready task, switch to Task and type, for example, 'Call Ali fri #sales ~15m'.
4. For a full head, switch to Brain dump, type or speak everything, click 'Sort with AI', review, then 'Save N items'.
5. Other ways to open it: the Capture button in the sidebar, the big + on the phone bar, the + in the Topbar on phones, 'Brain dump' on Today, 'Capture' on Inbox, or the command palette.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Mode switch: Inbox · Task · Brain dump	Three tabs at the top. The C key always opens Inbox mode.	Click a tab to switch.
N captured	Green chip that counts how many things you captured since opening. The window stays open so you can capture several in a row.	
Close (X)	Closes the window. Esc or a click outside does the same.	
Text box (Inbox mode)	Placeholder: 'What's on your mind? Dump it — decide later.'	Type and press Enter (or 'Capture'). Shift+Enter makes a new line. Toast: 'Captured to Inbox — Process it later — no filing now.'

ELEMENT	WHAT IT IS	HOW TO USE IT
Text box (Task mode)	Placeholder: 'Send proposal to Ali tomorrow #sales !high ~45m'. Creates a task directly.	Type a sentence with tokens and press Enter (or 'Add task'). Without a date token the task goes to the backlog. Toast: 'Task added · [day]'.
Parsed chips (Task mode)	Live chips that show what bishOS understood: date (calendar), area (#), priority (flag), estimate (clock).	
Area select (Task mode)	Shown when you didn't type a #area. Remembers the last area you used.	Pick the Life Area for the task.
Token hint	'today · tmr · fri · #area · !high · ~30m' — a reminder of the main tokens.	
Text box (Brain dump mode)	Large box. Placeholder: 'Everything in your head — calls to make, promises, ideas, people, links to study… one per line or just ramble.'	
Speak / Stop	Dictation using your browser's speech recognition (Chrome and Edge). A red 'listening…' shows while it records; spoken text is added to the box.	Click 'Speak', talk, click 'Stop'. The button only appears in browsers that support it.
All to Inbox (Brain dump)	Saves each line as its own Inbox item, without AI. Toast 'N items in your Inbox'.	
Sort with AI (Brain dump)	Sends the text to the AI, which splits it into separate items and guesses each type, area, day and priority. Nothing is saved yet.	Click it or press Ctrl+Enter.
Review tray	'Review before saving — untick anything wrong, change the type with one tap.' One card per item the AI found.	
Include checkbox	Untick an item to leave it out.	
Item title	Editable title of the item.	
Type buttons	'Task', 'Note', 'Commitment', 'Content idea', 'Person', 'To learn'.	Tap to change the type.
Area select (task items)	The Life Area for a task item.	
I owe / Owed to me (commitment items)	The direction of a commitment item.	
Date chip	The day the AI found in your text (for example 'Friday' → its date).	

ELEMENT	WHAT IT IS	HOW TO USE IT
Back	Returns to the text box to edit your dump.	
Save N items	Saves every included item to its home (tasks, notes, commitments, content ideas, people, Library). Toast: 'N items filed from your brain-dump' with +2 XP per item.	
Nothing found	'Nothing found — try writing a bit more.'	
Footer hints	'C capture anywhere · Ctrl K command' and 'Enter to save · Shift+Enter new line' (or 'Ctrl+Enter to sort' in Brain dump).	

Frameworks & terms in this module

Capture habit David Allen, GTD

Writing every open loop down the moment it appears, in one trusted place. Your brain is for having ideas, not holding them.

Example: Walking to a meeting you remember the VAT form: C → 'VAT form' → Enter.

Brain dump (mind sweep) David Allen, GTD (mind sweep)

Writing down everything on your mind in one go — tasks, worries, ideas, promises — so nothing is left in your head.

Example: Sunday evening: 10 minutes of rambling → 14 items sorted by AI.

Natural-language tokens Todoist (Quick Add)

Short words bishOS reads inside a task sentence and removes from the title. Dates: 'today', 'tonight', 'tdy'; 'tomorrow', 'tmrw', 'tmr'; 'next week' (next Monday); 'in 3 days' (1–99); a weekday 'mon'…'sun' or 'monday'…'sunday', also 'on fri' (always the next one — today's weekday means one week later). Someday: 'someday', 'later', 'sometime' (only if no date). Area: '#' + the start of an area name or any word in it ('#sales' → Company Sales & Marketing); if no area matches, the # text stays in the title. Priority: '!high' '!h' '!!!', '!med' '!m' '!!', '!low' '!l'. Estimate: '~30m', '~1h', '~1.5h', or '~45' (minutes).

Example: 'Send proposal to Ali tomorrow #sales !high ~45m' → title 'Send proposal to Ali', tomorrow, Sales, High, 45 min.

Review tray Todoist Ramble

A check step where you see what the AI understood before anything is saved. The AI may split or label things wrongly; you stay in control.

Example: The AI marked 'Ali owes me the logo' as I owe; you switch it to 'Owed to me'.

Dictation Web Speech API

Speaking instead of typing. bishOS uses the speech recognition built into Chrome and Edge, in your browser's language.

Example: Driving home (parked), you speak a brain dump of tomorrow's calls.

How to test it

1. On any page (click on empty space first) press C. Expected: the window opens in Inbox mode with the cursor in the box.
2. Type 'Test capture 1', Enter. Expected: toast 'Captured to Inbox', the box clears, chip '1 captured'. Type 'Test capture 2', Enter. Expected: '2 captured'.
3. Switch to Task. Type 'Test call Ali fri #sal !high ~15m'. Expected chips: 'Friday', your Sales area, 'High', '15m'. Press Enter. Open Tasks: title 'Test call Ali', planned for the next Friday, High, 15 min.
4. Type 'Fix bug #123' in Task mode. Expected: no area chip; the title keeps '#123'.
5. Type 'Call Tom' in Task mode. Expected: no date chip — 'Tom' is not read as tomorrow.
6. Switch to Brain dump. Type 'Call Sara Friday about the deck. I promised Ali the invoice by Monday. Idea: reel about pricing.' Click 'Sort with AI'. Expected: the review tray shows about 3 items (task, commitment, content idea) with a date chip on the first ones.
7. Untick one item, change another's type, click 'Save N items'. Expected: toast 'N items filed from your brain-dump' with +2 XP per item; the unticked one is not saved.
8. In Chrome click 'Speak', say a sentence, click 'Stop'. Expected: the text appears in the box.
9. Open the start-up ritual and press C. Expected: Quick capture does not open on top of the ritual.

Tips

- Inbox mode is the default for a reason: capture first, think later.
- Brain dump before big planning moments (weekly review, after a trip).

TODAY

Command palette

A search box that opens with Ctrl+K (⌘K on Mac). Type to run an action (start my day, capture, shutdown…), jump to any page, or find any item (tasks, people, deals, notes…).

Why it helps: You reach anything in bishOS in two seconds, without the mouse and without remembering where things live.

Daily Whenever you want to go somewhere or start something: Ctrl+K, type 2–3 letters, Enter.

Command palette `Ctrl+K (overlay, any page)`

One box to run actions, open pages and search your data.

HOW TO USE IT

1. Press Ctrl+K (or click the search button next to 'Capture' in the sidebar).
2. Type a few letters, for example 'shut'.
3. Move with ↑ and ↓ (or hover with the mouse) and press Enter (or click).

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Search box	Placeholder: 'Type a command, page or search…'. An 'Esc' key hint sits on the right.	Type to filter. Esc closes. Ctrl+K again also closes it.
Actions	13 quick actions: 'Start my day', 'Shutdown', 'Capture to Inbox', 'New task' (Task mode), 'Brain dump', 'Weekly review', 'Plan this week', 'Start focus session', '12-week goals', 'Open pipeline', 'Content Studio', 'Commitments', 'Recall session'. With an empty box the first 6 show.	
Go to	Every page in the sidebar. Matches the page name and hidden keywords (for example 'crm' finds Pipeline and People, 'pomodoro' finds Focus).	
Search results	From 2 typed characters, matching items from your data appear in groups (Tasks, Notes, Projects, Goals, People, Deals, Content, Inbox and more).	
Result row	Icon, name and a grey hint (page path, shortcut or item detail). The selected row is highlighted with an Enter icon.	
No matches.	Shown when nothing matches.	

Frameworks & terms in this module

Command palette Software pattern (Sublime Text, Superhuman, Linear)

A keyboard-first launcher: one shortcut opens a box where you type what you want instead of clicking through menus.

Example: Ctrl+K → 'pipe' → Enter opens the Pipeline.

How to test it

1. Press Ctrl+K. Expected: the palette opens with 'Actions' (6 items) and 'Go to' (all pages).
2. Type 'shut' and press Enter. Expected: the Evening shutdown ritual opens.
3. Press Ctrl+K, type 'pomodoro'. Expected: 'Focus' appears under 'Go to'.
4. Type the first word of one of your task titles (2+ letters). Expected: a 'Tasks' group with that task; clicking it opens the Tasks page.
5. Type 'zzzzqq'. Expected: 'No matches.'
6. Press Esc. Expected: the palette closes.

TODAY

Journal

Every day becomes a page. The Journal shows a month calendar coloured by day score with ritual marks, monthly stats, and a feed of your progress lines, wins and lessons. Each day page shows that day's reflection (editable), priorities, completed tasks, habits, time blocks, business activity and captures.

Why it helps: Patterns show up here first: which days go well, how your energy moves, what you learned. Looking back at progress keeps motivation high, and it gives you material for weekly and monthly reviews.

Daily	Usually filled by the shutdown. Open today's page if you want to write more (what was hard, free writing).
Weekly	Scan the last 7 days during the weekly review.
Monthly	Check the month's colours, ritual days and average energy in the monthly review.

Journal `/journal`

See your days at a glance and read your recent reflections.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Journal (title)	Subtitle: 'Every day is a page: check-in, priorities, progress, lessons. Patterns show up here first.'	
Today's page	Button that opens today's day page.	
Month name with ‹ ›	The month shown, with previous and next buttons. You can't go past the current month.	
Weekday header	M T W T F S S — weeks start on Monday.	
Day square	One square per day. Green colour = day score (stronger = higher). Days without a saved score get a light colour if a ritual was done. A small sun = start-up done, a small moon = shutdown done. Dashed border = Free day. A ring marks today. Future days are greyed out.	Click a past day to open its page. Hover to see the date and score.
ritual days	Number of days this month with a start-up or shutdown.	
avg day score	Average saved day score this month ('—' if none).	

ELEMENT	WHAT IT IS	HOW TO USE IT
avg energy /5	Average check-in energy this month ('—' if none).	
Legend	'Colour = day score. ☀ start-up done · ☾ shutdown done · dashed = free day.'	
Day cards (feed)	Recent days that have content, newest first (up to 40): the date, the day score chip (green at 80+), the energy chip, a 'Free day' chip, then the progress line (sparkle), win (trophy) and lesson (bulb).	Click a card to open that day.
Your journal starts tonight	Empty state: 'Finish today's shutdown — your progress line, win and lesson appear here.'	

Day page `/journal/[date]`

Everything about one day, plus a full reflection you can edit.

HOW TO USE IT

1. Open Journal and click a day (or 'Today's page').
2. Write in any reflection field; it saves on its own.
3. Use ‹ and › to walk through the week.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Date title	The full date, for example 'Tuesday, October 20, 2026'. Subtitle: 'Today's page — fills itself as you live it.' or 'A page from your journal.'	
‹ Journal ›	Previous day, back to Journal, next day. 'Next' is disabled on today.	
Day score / Energy / Sleep / Focus	Four stat boxes: saved day score (after the shutdown), check-in energy, sleep hours, and focus time logged that day.	
Reflection	Card with the hint 'Autosaves as you type.' Every field saves itself about half a second after you stop typing.	
Progress — what moved forward?	The progress line (same as the shutdown's 'Progress today').	
Win of the day	Your best moment of the day.	
Lesson learned	What you learned.	
Grateful for	One thing you are thankful for.	

ELEMENT	WHAT IT IS	HOW TO USE IT
What was hard?	Only on this page: what was difficult today.	
Do differently tomorrow	Only on this page: one change for tomorrow.	
Free writing	A big box for anything: 'Anything on your mind…'.	
Ready-to-resume note	The resume note (same as the shutdown's note for tomorrow-you).	
Priorities	That day's Top priorities, with a tick for done ones, plus the intention and if–then plan. 'No Top priorities were set' if none.	
Start-up / Re-plan and Shutdown buttons	Only on today's page: open the start-up (or 'Re-plan' if done) or the shutdown ritual.	
Completed (N)	Tasks finished that day, or 'Nothing ticked off.'	
Habits	Habits logged that day as chips, with 'min', 'stretch' or 'skip' when not a normal done.	
Time blocks	That day's calendar blocks with start times (done blocks in normal colour).	
Business	Sales interactions logged that day ('outreach: …', 'call: …') and content published that day.	
Captured	Notes created that day (click to open) and inbox captures from that day.	
Rituals	'Start-up done' or '—', 'Shutdown done' or '—'.	

Frameworks & terms in this module

Journal (daily log) Reflective practice / Bullet Journal

A short written record of each day: what moved, what you learned, how you felt. Over weeks it shows patterns you can't see day to day.

Example: You notice your best day scores come after 7+ hours of sleep.

Ritual day bishOS

A day where you did the start-up or the shutdown (or both). This is what the ritual streak counts.

Example: Start-up only on Saturday still counts as a ritual day.

> **Heatmap** GitHub contribution graph
>
> A calendar where colour strength shows a number — here, the day score. Gaps and pale weeks jump out.
>
> *Example:* Three pale squares in a row = the week you were sick.

How to test it

1. After a shutdown with a progress line, open /journal. Expected: today's square is green with sun and moon marks, and a card at the top shows today's progress line and win.
2. Click ‹ to go to last month and › to return. Expected: › is disabled on the current month.
3. Click today's square. Expected: the day page opens with your reflection filled in.
4. Type in 'What was hard?', wait 1 second, reload the page. Expected: the text is still there.
5. Write more than 3 characters in 'Win of the day' on a day that had no journal yet. Expected: +5 XP is added for that day (check '+N today' on Today when it is today).
6. Click › on today's page. Expected: it is disabled.
7. Open /journal/abc. Expected: 'Not a valid day'.

Tips

- Use 'What was hard?' and 'Do differently tomorrow' on bad days. They turn a bad day into a lesson.

TODAY

XP, levels, streaks & achievements

bishOS rewards good actions with XP (experience points). XP builds levels with titles. A forgiving ritual streak counts the days you do the start-up or shutdown, with two reserve shields per week. 19 achievements mark milestones.

Why it helps: Small, instant rewards make good habits feel good now, not only later. Rewards are positive only (you never lose XP for a bad day), and undoing an action takes its XP back, so the numbers stay honest.

Daily	You earn XP automatically while you work. Watch '+N today' on Today and the XP pill in each toast.
Weekly	Shields refill every Monday. Weekly reviews give the biggest regular reward (+120 XP).

Achievements window `/today → Trophy button`

See every badge, which ones you unlocked, and how close you are to the rest.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Achievements · x/19	Window title with your unlocked count.	
Badge card (unlocked)	Coloured icon, badge name and how you earned it.	
Badge card (locked)	Grey lock icon, dashed border, the badge name and what to do.	
Progress bar	On locked badges with a goal above 1: a thin bar and 'progress/goal', for example '12/50'.	
Close	Closes the window (X, Esc or click outside).	

XP toasts, confetti and unlock alerts `Any page (automatic)`

Instant feedback when you do something good.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Toast	A small message at the bottom of the screen (above the phone bar on phones) for about 3 seconds. Green tick = success, yellow = warning, blue = info. Up to 4 show at once.	

ELEMENT	WHAT IT IS	HOW TO USE IT
+N XP pill	The blue pill on the right of a toast showing the XP you just earned.	
Confetti	A burst of confetti for big wins: start-up and shutdown done, all Top priorities done, all habits done, Weekly Big 3 complete, inbox zero, an achievement unlocked.	Turn it off in Settings → Celebrations. It also stays off if your device asks for reduced motion.
Achievement unlocked	Toast 'Achievement unlocked: [name]' with confetti the moment a new badge unlocks. The first time you open bishOS on a device, already-unlocked badges are recorded silently.	

Frameworks & terms in this module

XP (experience points) bishOS (gamification)

Points for good actions. Start-up ritual 25. Shutdown 25. Morning check-in 10. Task done 5. Top priority done +15 extra (20 in total). Weekly Big 3 outcome 30. Habit done or stretch 5, minimum version 3. Routine 10. Inbox item processed 2. Promise kept on time 10. Outreach touch 2. Deal advanced 10. Deal won 100. Content published 40. Recall card 1. Practice session 10. Journal entry 5. Goal tactic 8. Weekly review 120. Monthly review 150. Quarterly review 300. Annual review 500. Each reward can be earned only once per action (no farming), and undoing the action removes it.

Example: Start-up 25 + check-in 10 + 3 Top priorities 60 + 3 habits 15 + shutdown 25 = 135 XP in a good day.

Level bishOS

Your level grows with total XP. Level n starts at $50 \times (n - 1)^2$ XP: level 2 at 50, level 3 at 200, level 4 at 450, level 5 at 800, level 6 at 1,250, level 7 at 1,800, level 8 at 2,450, level 9 at 3,200, level 10 at 4,050. Each level needs a bit more XP than the last.

Example: With 900 XP you are level 5, 100 XP into it, needing 450 XP more for level 6.

Level titles bishOS

Each title covers two levels: Starter (1–2), Builder (3–4), Operator (5–6), Closer (7–8), Creator (9–10), Strategist (11–12), Founder (13–14), Architect (15–16), Visionary (17–18), Legend (19 and up).

Example: Level 7 shows 'Closer'.

Ritual streak bishOS (forgiving streaks, inspired by Duolingo's streak freeze)

The number of days in a row you did the start-up or the shutdown. Free days are neutral (they don't count and don't break it). Today not done yet doesn't break it. Missed days use a reserve shield; when a week's shields are used up, the next miss ends the streak.

Example: Mon–Fri rituals, Saturday missed (shield used), Sunday Free day, Monday ritual → streak 6.

Reserve shields Phillippa Lally (habit research, 2009) + Duolingo

Two per Monday-to-Sunday week. Each one absorbs one missed day so your streak survives. They refill every Monday. Research shows that missing one day doesn't hurt a habit, but a broken streak hurts motivation — shields protect you from that.

Example: You were travelling Wednesday: one shield used, 1 left this week.

Best streak bishOS

Your longest ritual streak ever, using the same shield rules. It drives the 'Week Warrior' (7) and 'Unbreakable' (30) badges.

Example: Current streak 4, best 22.

Achievements (19 badges) bishOS

Day One (first start-up), Loop Closer (first shutdown), Week Warrior (7-day ritual streak), Unbreakable (30-day streak), Mind Like Water (process 50 inbox items), Top Performer (finish 25 Top priorities), Promise Keeper (keep 10 promises on time), First Close (win your first deal), Rainmaker (win 10 deals), Dialer (log 100 outreach touches), Publisher (first content published), Content Machine (publish 25 pieces), Deliberate Student (10 practice sessions), Memory Palace (review 500 recall cards), The Reviewer (4 weekly reviews), Quarter Master (a quarterly review), Habit Hero (100 habit check-ins), Strategist (reach level 5), Visionary (reach level 10).

Example: After your 50th processed inbox item you see 'Achievement unlocked: Mind Like Water'.

Positive-only rewards bishOS (behaviour design)

bishOS never takes XP away as a punishment. XP is only removed when you undo the action that earned it (for example un-ticking a task).

Example: A bad day earns little XP, but your level never drops.

How to test it

1. Note '+N today' on Today's level card. Tick a normal task. Expected: toast 'Done' with +5 XP and '+N today' rises by 5. Un-tick it: it drops by 5.
2. Tick a habit (+5 XP), then choose 'Minimum' from its menu. Expected: toast 'Minimum counts. Streak safe.' and '+N today' ends 3 XP above where it started — the habit is now worth 3, not 5 (no double reward).
3. Process one inbox item with D. Expected: +2 XP. Restore it from History and process it again: +2 XP again (not 4 in total).
4. Do today's start-up. Expected: the streak on the level card counts today, and the Topbar Day button shows the flame number.
5. Check the shield icons: with no missed days this week both are blue.
6. Click the trophy. Expected: 'Day One' is unlocked after your first start-up; 'Mind Like Water' shows a progress bar like '3/50'.
7. Turn off Settings → Celebrations, then finish all Top priorities. Expected: the toast shows but no confetti.

Tips

- Chase the streak with the minimum: on a hard day a 2-minute shutdown keeps it alive.

- XP is a mirror, not the goal. A day with few XP but one big deal moved is still a great day.

DIRECTION

Compass

Your north star on one page: purpose, values, vision (overall and per life area), a not-to-do list, the year theme, a standard and an hour budget for each life area, and the Wheel of Life rating.

Why it helps: When you know why you work and what "good" looks like, choices get easy. Goals, the Ideal Week, the Week page and the reviews all read from here. The Wheel of Life shows which part of your life needs the next goal before it turns into a crisis.

One-time	First setup, about 15 minutes: write your purpose, 3–5 values, a 3–5 year vision, the not-to-do list and a year theme. Give every life area a standard and weekly hours. Once a year (annual review) rewrite the purpose and pick a new theme.
Daily	Nothing to do daily. Open it when you feel lost, or when you must choose between two good options.
Monthly	Rate every life area 1–10 on the Wheel of Life. The monthly review does this step for you and saves into the same chart.
Quarterly	Read your vision before you plan the next 12-week cycle. Change area standards or weekly hours if your life changed.

Compass `/compass`

Write down why you work, what you stand for and where you are going, then check every month how each life area is really doing.

HOW TO USE IT

1. Write your purpose in one or two sentences: "I build ___ so that ___."
2. Add 3–5 values in rank order. Use number 1 to break ties.
3. Add the things you will stop doing to the Not-to-do list.
4. Write the 3–5 year vision in the present tense, as if it is already true. Add one or two lines per area.
5. Give each area a standard and weekly hours. Keep the total under 55 hours.
6. Rate every area 1–10 for this month. The lowest spoke is a good place for your next 12-week goal.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Compass (page header)	Page title with the line "Why you work, what you stand for, where you're headed — and how each area of life is really doing."	
Year theme · … (chip)	Small chip at the top right. It shows your year theme once you have one.	Set it in the Year theme field below, or from the annual review ("Save as year theme").

ELEMENT	WHAT IT IS	HOW TO USE IT
Purpose	A text box for why you do this work. Placeholder: “I build ___ so that ___. My work matters because…”. Hint: read it when you feel lost, rewrite it yearly.	Just type. It saves by itself after a short pause or when you click away. A small “Saving” then “Saved” label confirms it.
Year theme	One word or one line for the whole year, for example “Leverage”.	Type it. It autosaves and the header chip updates.
Values	A numbered list of your standards, in rank order. Hint: “Your standards, ranked. Use them to break ties.” If empty you see “Start with 3–5. Fewer values are easier to live by.”	Type a value in “Add a value (e.g. Ship small, ship often)…” and press Enter. Click a value to edit it; clear the text to delete it, or hover and click ×. Number 1 wins every tie.
Not-to-do list	Things you decided to stop doing. Hint: “What you've decided to stop doing. Protects the yes.”	Type an item (e.g. “No calls before noon…”) and press Enter. Click to edit, × to remove.
Vision · 3–5 years	A large text box for a vivid picture of success, written in the present tense. Placeholder: “It's 2030. The company… My days look like… I'm known for…”	Write freely. It autosaves.
Vision by area	One small text box per life area: “In 3 years this area looks like…”. Each box has the area's colour dot and name. With no life areas you see “Add life areas first — they're the spine of everything else.”	Write one or two lines per area. Leave a box empty to remove that area's vision.
Area standards & weekly hours	For every life area: a standard field (what “maintained” means) and an “h / week” number box. A chip on the right shows the total, e.g. “37h / week”.	Type the standard (e.g. “Every client gets a weekly update; inbox zero by Friday”). Type hours (0–100, half hours allowed) and press Enter or click away. Above 55 hours a warning says: “That's more than 55 hours a week. Consider what you could buy back or drop.”
Wheel of Life (card)	Monthly 1–10 rating of every life area. Hint: “Re-rate each area 1–10 once a month. Low spokes are where the next goal lives.”	
Previous month / Next month arrows	‹ and › next to the month name. They change which month you see and rate.	Click ‹ to go back. › is disabled on the current month (you can't rate the future).

ELEMENT	WHAT IT IS	HOW TO USE IT
Radar chart	One spoke per life area. The solid filled shape is the month you are viewing. The dashed shape is the previous month, or the last month you rated if last month is empty. The legend names both. With fewer than 3 areas you get simple bars instead.	Hover an area name to read “Sales: 7 (was 6)” under the chart.
Average	The average rating of the rated areas, e.g. “6.5 / 10 · 4/5 rated”.	
Rating rows (1–10)	One row per area with ten buttons. Filled buttons show your score in the area's colour. The big number on the right is the score; a green “+2” shows the change versus the comparison month. A thin ring marks last month's score.	Click a number. It saves about half a second later. Click another number to change it.
12-month average	A mini bar chart: one bar per month for the last 12 months (letters below). The viewed month is darker. Months with no ratings show a flat grey line.	Hover a bar to see “October 2026: 6.4”.

Frameworks & terms in this module

Purpose Start With Why (Simon Sinek)

One or two sentences about why you do your work and who it helps. It is the reason behind every goal.

Example: “I build simple software for small clinics so that doctors spend their time with patients, not paperwork.”

Values Personal values practice (Brené Brown, Dare to Lead)

Your ranked standards of behaviour. When two good options conflict, the higher value wins.

Example: 1. Tell clients the truth early. 2. Ship small, ship often. A feature will be late: value 1 says tell the client today, not on the deadline.

Vision (3–5 years) Vivid Vision (Cameron Herold)

A vivid picture of success, written in the present tense as if it is already true. It makes long-term choices concrete.

Example: “It's 2030. We serve 400 clinics with a team of 12. I work four days a week and take every August off.”

Vision by area

One or two lines per life area that say what “great” looks like in about three years.

Example: Fitness: “I run a half marathon each spring and sleep 7+ hours.”

Not-to-do list Stop-doing list (Jim Collins, Tim Ferriss)

Things you have decided to stop doing. Every no protects time and energy for your real yes.

Example: No calls before noon. No custom work under $5k. No email before the Top 3 is done.

Year theme Yearly themes (CGP Grey); Past Year Review (Tim Ferriss)

One word or a short line that guides the whole year. You choose it last in the annual review, after looking back.

Example: "Leverage" — every decision asks: does this let the team or the product do more without me?

Wheel of Life Wheel of Life (Paul J. Meyer; classic coaching tool)

Rate each life area from 1 to 10 once a month and see them as a radar. A lopsided wheel shows where life is out of balance and where the next goal should go.

Example: Sales 4, Operations 8, Fitness 3, Learning 7 → the next 12-week goal belongs in Sales or Fitness.

Area standard Areas of responsibility (Tiago Forte, PARA)

What "maintained" means for a life area: the level you keep, not a goal you chase. Rate the Wheel of Life against this standard, not against perfection.

Example: Operations: "Every client gets a weekly update; inbox zero by Friday."

Weekly hours target Time budgeting (bishOS)

The hours per week you budget for one area. The Week page and the monthly review compare it with planned blocks and actual focus time.

Example: Operations 20h + Sales 8h + Content 5h + Fitness 4h = 37h a week.

How to test it

1. Open Compass from the sidebar (Direction → Compass). Expected: Purpose, Values, Not-to-do list, Vision · 3–5 years, Vision by area, Area standards & weekly hours, and the Wheel of Life card on the right.
2. Type a sentence in Purpose and wait one second. Expected: "Saving" then "Saved". Reload the page. Expected: the text is still there.
3. Type "Leverage" in Year theme. Expected: the chip "Year theme · Leverage" appears at the top right.
4. In Values type "Ship small" and press Enter. Expected: it shows as item 1. Click it, delete all the text, press Enter. Expected: it disappears.
5. Add a not-to-do item the same way. Expected: it appears in the list.
6. In Area standards type 30 in the hours box of two areas. Expected: the chip shows "60h / week" and the 55-hour warning appears.
7. In Wheel of Life click 7 for one area. Expected: the row fills to 7, the radar point moves, Average updates (e.g. "7 / 10 · 1/5 rated") and this month's bar appears in 12-month average.
8. Click ‹ (Previous month), rate the same area 5, then click › to come back. Expected: the row shows a green "+2", the dashed shape shows last month and the legend names it.
9. On the current month, try ›. Expected: the button is disabled.

Tips

- Rewrite the purpose once a year, not every week. Stability is the point.
- Rate the Wheel against each area's standard. A 6 can be fine.
- The annual review can copy your negative peaks into the Not-to-do list and save the year theme here with one click.

DIRECTION

Goals · 12 weeks

Plan in 12-week cycles instead of years. Pick up to 3 goals, give each a key result (the outcome number) and 1–3 weekly tactics (actions you control). Every week you get one number: the execution score. Annual goals, a someday backlog and your older goals live on the same page.

Why it helps: A year is too long to feel urgent; 12 weeks is not. You stop judging yourself by results you can't control and start scoring the actions you can. Hit 85% of your tactics and the results usually follow. The cap of 3 goals stops you from spreading thin.

One-time	Start your first cycle (about 20 minutes): Goals → Start a cycle. Add up to 8 annual goals. Convert old goals you still care about.
Daily	Click + on a tactic every time you do it (on Goals, Week or Today). Update a key result when its number changes.
Weekly	Check the execution ring. Under 85%? Find out why in the weekly review. Finishing the weekly review freezes that week's score.
Monthly	Mark each goal On track, At risk or Off track in the monthly review.
Quarterly	In week 13 run the quarterly review: grade each goal 0–1, close the cycle and launch the next one.

Goals · 12 weeks (cockpit) `/goals`

The cockpit of your current cycle: which week it is, this week's execution score, your active goals with their tactics, plus annual goals, the someday backlog, older goals and past cycles.

HOW TO USE IT

1. Click “Start a cycle” and complete the 4 wizard steps.
2. Every time you do a tactic, click its + button. Made a mistake? Click −.
3. When a key result changes (a new client, more revenue), click + or − on the card, or type the exact value on the goal page.
4. Glance at the execution ring. Aim for 85% or more every week.
5. New idea in the middle of a cycle? Add it as an annual goal or park it in the backlog. Don't start it now.
6. In week 13 click “Quarterly review” to grade the goals and close the cycle.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Goals · 12 weeks (page header)	Title. The line under it shows the cycle theme in quotes, or “Three goals. Twelve weeks. Score the actions you control, grade the results at the end.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
12-week goal (button)	Opens the “New 12-week goal” dialog. Shown while a cycle exists and has not ended (planned, running or week 13) and you are under the goal cap.	Click it, fill in the goal, click “Add goal”.
Start a cycle / Start next cycle (button)	Opens the “Start a 12-week cycle” wizard. Shown when you have no cycle, during week 13, or after the cycle ended.	Click it and follow the 4 steps.
Start your first 12-week cycle (hero, no cycle only)	Intro card with the chip “12 Week Year”, a short explanation, a big “Start a cycle” button, the note “You can bring in goals you already have.” and four tiles: “≤ 3 goals”, “Key result = lag”, “Tactics = lead”, “≥ 85% execution”.	Read the four tiles, then click “Start a cycle”.
Cycle name · dates	Small line at the top of the cycle header, e.g. “Q4 sprint · Oct 27 – Jan 18”.	
Week label	The big text: “Week 4 of 12”, “Starts in 5 days”, “Week 13 · buffer” or “Cycle ended”.	
Days left	Days until the end of week 12. Shows 84 before the cycle starts.	
Active goals	Active 12-week goals versus the cap, e.g. “2/3”.	
Avg execution	Average execution score of the finished weeks (the current week is left out). Green at 85% or more.	
13-week progress strip	13 small segments, one per week. Filled = past weeks, shining = this week, grey = future. The short 13th segment is the review-and-recharge week.	Hover a segment to see “Week 5” or “Week 13 · review & recharge”.
Week 13 banner	Green box during week 13: “Week 13: review, celebrate and recharge. Grade your key results and plan the next cycle.” with a “Quarterly review” button.	Click “Quarterly review” to grade and close the cycle.
Cycle ended banner	Orange box after week 13: “This cycle has ended. Close it with a quarterly review, then start the next one.” with a “Close the cycle” button.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Starts … note	Before the start: “Starts Monday, Oct 27. Use the days before to set up tactics and your Ideal Week.” Goal cards are read-only until then.	
Next: … starts … note	Shown when another cycle is already planned after the current one.	
Execution score (card)	Hint: “Tactics done ÷ planned. 85% is the bar.”	
Execution ring	This week's score in %, labelled “this week” (or “week 12” during week 13). Below it: “X of Y reps done”, or “Add tactics to your goals to get a score”. The ring turns green at 85%+.	
On the bar — keep the streak of weeks going (chip)	Green chip that appears when this week is at 85% or more.	
12-week bars	One bar per cycle week with a dashed 85% line. Green bars reached 85%. The current week has an outline. Empty weeks show a dashed stub.	Hover a bar: “Week 5: 78%”, “upcoming”, “no tactics”, or “· frozen at review” when the weekly review saved it.
Goal card	One card per active goal: life-area dot and name, an “outcome” or “learning” chip, the goal title (click to open the goal page), this week's score badge (green at 85%+) and a small trend line with a dashed 85% line.	
Key result rows (on the card)	Each key result with a flag, its name, − and + buttons, “current/target unit” and a progress bar (green at 100%). With no key result you see “+ Add a key result — the number that proves it worked”.	Click + or − to change the current value by 1. Crossing the target shows “Key result reached”.
This week (tactic counters)	Each active tactic: name, small pips (one per rep, up to 14), − (undo one), “done/target”, + (log one).	Click + each time you do the tactic. Each rep up to the target gives 8 XP. Reaching the target shows “Tactic target hit”. − removes the rep and its XP. Buttons are hidden before the cycle starts.
Habit lead rows (dashed)	Habits linked to this goal, with “done/target” for this week. They count in the score.	Click to open Habits. Log habits there or on Today, not here.

ELEMENT	WHAT IT IS	HOW TO USE IT
+ Add 1–3 tactics (weekly actions)	Link on a goal with no tactics. Opens the goal page.	
Add a 12-week goal (dashed tile)	Big dashed tile after the goal cards: “N of 3 active — a key result to aim at, tactics to do weekly.” Hidden when the cycle is full or ended.	Click it to open the “New 12-week goal” dialog.
Annual goals (card)	Hint: “Up to 8 for the year. Each 12-week cycle pulls from here.” A chip shows “n/8” (orange above 8). Empty text: “Where do you want to be by December? Add the few that matter most.”	
Annual goal row	Area dot, title (struck through when achieved), a “N cycle goals” chip when 12-week goals sit under it, and buttons that appear on hover: “This cycle” (rocket), trophy, archive.	“This cycle” opens the 12-week goal dialog pre-filled and linked to this annual goal (only when a cycle runs and you're under the cap). Trophy = “Mark achieved” / “Mark not achieved”. Archive = “Drop”.
Add an annual goal… (form)	Text field, Life area picker and “Add” button.	Type, pick an area, click Add. Above 8 you get the tip “More than 8 annual goals — consider trimming the list.”
Someday backlog (card)	Hint: “12-week goals waiting their turn. Activating one respects the cap.” Empty text: “Nothing waiting. When a new idea shows up mid-cycle, park it here instead of starting it.”	
Backlog row	Area dot, title, a “from a past cycle” chip for goals still active in an older cycle, an “Activate” button, archive (“Drop”) and trash (“Delete”).	“Activate” moves it into the current cycle (only shown when there is room). Delete asks you to confirm. When full you see “The cycle is full (3 active). Finish or drop one to activate another.”
Other goals (card)	Only shown if you have goals from before the 12-week system. Hint: “Goals from before the 12-week system. Convert the ones still alive.” Each card: title, area · “x/y milestones”, progress % and a bar.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Convert to 12-week goal / Make annual	Buttons on each old goal.	“Convert to 12-week goal” puts it in the current cycle if there is room, otherwise in the backlog. “Make annual” makes it an annual goal. Its metric or milestones become a starting key result.
Finished & past cycles (card)	Collapsed text: “N finished this cycle · N past cycles”. Open it to see this cycle's achieved/dropped goals and up to 6 closed cycles with dates, “avg grade 0.72” and each goal's grade (green at 0.7+).	Click “Show” / “Hide”. Click a goal to open it.

Start a 12-week cycle (wizard) `/goals (wizard)`

A 4-step dialog that creates the cycle with its goals, key results and tactics in one go.

HOW TO USE IT

1. Step 1 — name the cycle, add a theme if you like, choose the start Monday.
2. Step 2 — tick up to 3 existing goals, or click “New goal”.
3. Step 3 — for each goal set the type, ranked reasons, one key result and 1–3 tactics. Try “Suggest tactics”.
4. Step 4 — check the summary and click “Launch cycle”.
5. A start date of today or earlier makes the cycle active at once. A future date shows “Starts in N days”. Cycles cannot overlap: you get an error naming the cycle in the way.
6. An annual goal you bring in stays annual. A new 12-week goal is created under it and linked back.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Stepper: 1 Cycle · 2 Goals · 3 Plan · 4 Launch	Shows where you are. Finished steps turn green with a check.	Click a finished step to go back to it.
Step 1 intro	Explains: you score your actions every week (lead) and grade the results at the end (lag). Week 13 is a buffer to review and recharge.	
Name	Required. Pre-filled like “Cycle · Oct 27”. Placeholder “Q4 sprint”.	
Theme (optional)	One word or line for the 12 weeks, e.g. “Pipeline before polish”. It shows under the Goals title.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Start on a Monday	Three choices: “This Monday”, “Next Monday” and “Another week” (a date picker). Every date snaps to its Monday. The app pre-selects This Monday on a Monday or Tuesday, otherwise Next Monday.	Click a box, or pick a date under Another week.
Date range line	Shows the 12 weeks and the buffer, e.g. “Oct 27 – Jan 18 · week 13 buffer Jan 19 – 25”.	
Close-previous warning	Orange note when your current cycle is in week 13 or ended: it will be closed. Ungraded goals get a grade from their key results (0.7+ counts as achieved; the rest move to the backlog). For a proper close, run the quarterly review first.	
Step 2: Pick up to 3 + “x/3 chosen” chip	Explains that more than three active goals splits your attention. The chip turns orange at the cap.	
Chosen goal pills	Round pills with the chosen goal titles (or “New goal 1”).	Click × on a pill to remove it.
Candidate cards	Goals you already have, each with its area and a source label: “Carried over” (still-active goals from the ending cycle, or from an older cycle — those older ones are pre-selected), “Backlog”, “Annual goal” or “Existing goal” (old-style goals).	Click a card to select or unselect it. Past the cap you get “3 goals max — focus is the point.”
New goal (button)	Adds an empty goal to plan from scratch. Disabled at the cap.	
Step 3: goal tabs	One tab per goal. A green check means it is ready; an orange dot means something is missing.	Click a tab to plan that goal.
Goal plan editor	Goal, Life area, Type, ranked reasons, key results and tactics. It is the same editor as the “New 12-week goal” dialog (see that page).	
Still needs … (warning)	Lists what blocks the goal: a title, a life area, at least one tactic. Existing goals that already have tactics don't need new ones.	
Step 4: summary card	Name, theme and “Oct 27 – Jan 18 · 12 weeks · aim for ≥85% execution each week”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Goal summary cards	For each goal: area · type, title, “KR: New MRR → 10000 $” and the tactics with “20×/wk”.	
Cancel / Back	Bottom left. Cancel on step 1, Back on later steps.	
Next	Bottom right. Disabled until the step is complete (step 1 needs a name and start date; step 2 at least one goal; step 3 no missing fields).	
Launch cycle	Last step button. Creates everything and celebrates: “Q4 sprint launched — 12 weeks, 3 goals 🚀”.	

New 12-week goal (goal plan editor) `/goals (new goal dialog)`

Add one more goal to the current cycle with its key result and tactics. The same editor is step 3 of the cycle wizard.

HOW TO USE IT

1. Write a clear goal title and pick the life area.
2. Choose Outcome if you know the path, Learning if the work is new.
3. Add 1–3 ranked reasons.
4. Add one key result with a target number and unit.
5. Add 1–3 tactics with a weekly count and an if-then plan. Use “Suggest tactics” if you're stuck.
6. Click “Add goal”.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Goal	The goal title. Placeholder “Reach $10k MRR” (outcome) or “Run 10 pricing experiments” (learning).	
Life area	Picker with your life areas (“Pick an area…”). Required.	
Type: Outcome / Learning	Switch with a one-line hint. Outcome: “A result you want (revenue, clients, launches). Best when you know how to get there.” Learning: “A capability to build (“find 5 strategies”). Beats outcome goals on new, complex work.”	
Why it matters — ranked reasons	Numbered list of reasons. Number 1 is the strongest.	Type a reason in “Add a reason and press Enter…” and press Enter.

ELEMENT	WHAT IT IS	HOW TO USE IT
Key result (lag) — how you'll know it worked	Rows with a name (“New monthly recurring revenue”), a Target number, a unit and a trash button.	Fill name, target and unit. “+ Key result” adds a row (up to 3 here; up to 5 on the goal page).
Tactics (lead) — what you do every week	Section for 1–3 weekly actions under your control.	
Suggest tactics (AI)	Asks the AI for 3 lead-measure tactics with weekly targets and if-then plans, based on the goal, key result and area.	Write the goal title first (otherwise: “Write the goal first, then ask for tactics.”), then click.
Kept: …	Shown when an existing goal already has active tactics, e.g. “Kept: Outreach (20×/wk)”. They count toward the 3.	
Tactic row	Tactic name (“Send 20 outreach messages”), times per week (1–50, default 3) “/wk”, a trash button, and an “If-then: If it's 9:00 and I open my laptop, then I…” field.	
+ Tactic	Adds another tactic row while you have fewer than 3.	
AI suggestions — click to use	Dashed box with the AI ideas: title, “×/wk” and the if-then line.	Click an idea to add it. When full: “Three tactics max — remove one first.”
Needs … (footer warning)	Orange text listing what is missing: a title, a life area, at least one tactic.	
Cancel / Add goal	Add goal stays disabled until the goal is complete. It celebrates “New 12-week goal · …”.	If the cap is reached you see “Goal cap reached: this cycle already has 3 of 3 active 12-week goals. Finish, drop or move one to the backlog first (or raise the cap in Settings).”

Goal page `/goals/[id]`

Everything about one goal: progress, level and status, deadline, reasons, key results and the final grade, tactics with 12-week history, the WOOP coach, linked work, SMART, a measurable target, milestones and tags.

HOW TO USE IT

1. Read “Why it matters” when motivation dips.
2. Update key results as numbers change.
3. Keep 1–3 active tactics; pause one before adding another.
4. Fill the WOOP coach, especially Obstacle and Plan, for the riskiest goal.
5. At the end of the cycle set the Final grade (or do it in the quarterly review).

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Goals › title (breadcrumb)	Path back to the Goals page.	Click “Goals” to go back.
Goal title	Large editable title.	Click, type, then click away to save.
Life area link	The goal's area with ↗.	Click to open the life area.
Cycle chip	“Cycle name · dates” when the goal belongs to a cycle.	Click to open Goals.
Parent chip	With a link icon: the annual goal this 12-week goal serves.	Click to open the annual goal.
Grade chip	“Grade 0.70” once graded. Green at 0.7 or more.	
Momentum (button)	Logs this goal as something that moved the needle, with a 1–5 impact and a why.	Click, choose impact, optionally write why, save. The button shows “Added”.
Delete goal (trash)	Deletes the goal with its tactics and their weekly logs.	Click and confirm “Delete “…” and its tactics?”.
Progress (card)	Progress in % and where it comes from: “from metric” (when a measurable target is set), “from key results”, or “from milestones”.	
Level: 12-week / Annual / Plain	Switch for the goal's level. Plain = an old-style goal outside the 12-week system.	Switching a plain goal to 12-week puts it in the current cycle if there is room, otherwise the backlog. Switching an annual goal to 12-week puts it in the backlog.
Status picker	Active / Backlog / Achieved / Dropped (not shown for Plain).	Active joins the current cycle and respects the cap. Achieved celebrates “Goal achieved · …”.
Type: Outcome / Learning	Switch to change the goal type (not shown for Plain).	
Deadline (card)	A date picker and a Timeframe picker (Weekly, Monthly, Yearly, Custom). A 12-week goal gets the cycle's end date automatically.	
Why it matters (card)	Ranked reasons. Hint: “Ranked reasons — read them when motivation dips.”	Type and press Enter to add; click to edit; × to remove.
Key results (lag) (card)	Hint: “The numbers that prove it worked. Graded 0–1 at the end of the cycle.” Empty text: “No key result yet. What number would make this a clear win?”	

ELEMENT	WHAT IT IS	HOW TO USE IT
Key result row	Name (click to edit; clear it to delete), −, current value box, "/", target box, +, and a bar with "% · unit".	Use − and + for steps of 1, or type the exact current value and click away. Crossing the target celebrates "Key result reached · …".
Add a key result… (form)	Name, Target, unit and "Add". Up to 5 key results.	
Final grade	Appears after the cycle ends (or once a grade exists): the grade, a slider from 0 to 1 in steps of 0.05, and "0.6–0.7 is a success for a stretch goal. Suggested from key results: 0.80."	Drag the slider and release to save.
Tactics (lead) (card)	Shown for 12-week goals or any goal with tactics. Hint: "1–3 weekly actions you fully control. Each one you log counts toward the execution score." Chip: "This week · Oct 20".	
Tactic box	Name (click to edit), "Target … /wk" box, Pause/Resume button, trash, an if-then line ("Add an if-then plan…"), the "This week" counter (−, done/target, +) and 12 small history bars.	Changing the target also updates this week's target. Paused tactics fade and stop counting. Delete asks "Delete tactic "…" and its history?". Counters are read-only when the goal is not Active.
12-week tactic history	One mini bar per cycle week: green = target hit, blue = partly done, grey = nothing, faint = upcoming. This week has an outline.	Hover a bar: "Week 3: 2/3".
New tactic (form)	"New tactic, e.g. 5 discovery calls", a "/wk" number, "Add", and "If-then (optional): If it's 9:00 Monday, then I…". At 3 active tactics it is replaced by "Three active tactics is plenty. Pause one to add another."	
WOOP coach (card)	Hint: "Wish · Outcome · Obstacle · Plan — name the obstacle before it shows up."	
W O O P badges	Four letter badges and "x/4 — mental contrasting + an if-then plan". A badge turns dark when its step has text.	
WOOP step boxes	Four boxes — Wish, Outcome, Obstacle, Plan — each with an autosaving text field and a hint (e.g. Obstacle: "The main INNER obstacle: a habit, feeling or belief of yours.").	Type your own answer, or click "Coach me".

ELEMENT	WHAT IT IS	HOW TO USE IT
Coach me	The AI coach asks one probing question and offers a draft answer in your voice.	Click “Use this” to save the draft, or type in “Answer the coach…” and click “Reply” for a better suggestion.
Linked work (card)	Projects (n) with status, “12-week goals (n)” under an annual goal, Tasks (done/total — up to 40, done ones struck through) and Habits (n) with “×/wk”. Empty text explains how to link from a project, task or habit.	Click any item to open it.
SMART goal (card)	Badge “x/5 defined” (green at 5/5) and five boxes: S Specific, M Measurable, A Achievable, R Relevant, T Time-bound. A letter turns dark when filled.	Type in a box; it saves when you click away.
Measurable target (card)	Current / target / unit (“unit (e.g. pages, $, reps)”). When the target is above 0 a bar appears and this number drives Progress.	Type the numbers; each saves when you click away.
Milestones (x/y) (card)	A list of action steps with checkboxes and × to remove.	Type in “Add a milestone / action step…” and click Add. Click a box to tick it.
AI milestones	The AI breaks the goal into 4–6 sequenced milestones and adds them to the list.	Click it; the button shows “Thinking…” while it works.
Tags	Small chips under the milestones with ×, plus an “Add tag…” field.	Type a tag and press Enter.

Frameworks & terms in this module

12 Week Year The 12 Week Year (Brian Moran & Michael Lennington)

Treat 12 weeks as a full “year”. You plan, execute and review on this short cycle, so every week matters and deadlines feel close.

Example: “Q4 sprint”, Oct 27 – Jan 18: goal “Close 5 new clients”; tactics: 20 outreach messages and 5 discovery calls every week.

Cycle week 12 Week Year

A cycle always starts on a Monday and lasts 84 days. Week N = full weeks since the start + 1, shown from 1 to 12 (“Week 4 of 12”).

Example: Start Monday Oct 27. On Wednesday Nov 19 you are in week 4.

Week 13 12 Week Year

The 7 days after week 12. No new work goals: review, celebrate, rest and plan. The cockpit keeps showing week 12's tactics. The quarterly review closes the cycle.

Example: Jan 19–25: quarterly review on Monday, two Free Days, launch the next cycle for Monday Jan 26.

Outcome vs learning goal Goal-setting research (Locke & Latham; Seijts & Latham)

An outcome goal names a result (revenue, clients, a launch) and works best when you know the path. A learning goal names a capability to build (find what works) and works better on new, complex work.

Example: Outcome: "Reach $10k MRR." Learning: "Run 10 pricing experiments and find one that lifts conversion."

Ranked reasons 12 Week Year (compelling vision)

Your reasons why the goal matters, strongest first. Strong reasons carry you through the boring middle weeks.

Example: 1. Runway is 4 months. 2. Prove the model before the investor call. 3. Afford a developer hire.

Key result (lag measure) OKRs (Andy Grove, John Doerr); lag measures (The 4 Disciplines of Execution)

The number that proves the goal worked. It moves late, after the work. You update it as it changes and grade it 0–1 at the end of the cycle.

Example: "New MRR: 3,500 / 10,000 $".

Tactic (lead measure) 12 Week Year; lead measures (The 4 Disciplines of Execution)

An action fully in your control that you repeat every week, with a target count. Log each rep with +. Keep 1–3 per goal.

Example: "Send 20 outreach messages" (20/wk), "Book 5 discovery calls" (5/wk).

Execution score 12 Week Year

Tactics done ÷ tactics planned for a week, in %. Each tactic counts at most its target, so extra reps can't hide a miss. Habits linked to an active goal count too (done days that week vs the habit's weekly target; skips don't count). Formula: Σ min(done, target) ÷ Σ target.

Example: Outreach 15/20 + calls 5/5 + gym habit 3/3 → (15 + 5 + 3) ÷ (20 + 5 + 3) = 23/28 = 82%.

The 85% bar 12 Week Year

If you execute 85% or more of your tactics, you usually reach the goal. Under 85%, fix execution before you change the plan. The app colours everything green at 85%+.

Example: 82% this week: find the one tactic that slipped and give it an if-then plan.

Goal cap The 4 Disciplines of Execution (few wildly important goals); Essentialism (Greg McKeown)

At most 3 active 12-week goals per cycle (change it in Settings → Caps → "Active 12-week goals", 1–8). The app blocks one more: finish, drop or move one to the backlog first.

Example: You run a Sales, a Product and a Fitness goal. A podcast idea goes to the Someday backlog.

Someday backlog bishOS

12-week goals waiting for a future cycle. Parking an idea here stops it from stealing focus now. Carried goals from a closed cycle land here too.

Annual vs cycle goals 12 Week Year + annual planning

Annual goals (up to 8) say where you want to be by December. Each cycle picks a few and turns them into 12-week goals with key results and tactics. One annual goal can have several cycle goals under it.

Example: Annual: "Reach $30k MRR". Cycle 1: "Reach $10k MRR". Cycle 2: "Reach $20k MRR".

Final grade (0–1) OKR grading (Google)

At the end of the cycle each goal gets a grade from 0 to 1. The app suggests one: the average of the key results' completion (each capped at 1). 0.7 or more counts as achieved.

Example: New MRR 8,000/10,000 = 0.8 → achieved.

WOOP Gabriele Oettingen (Rethinking Positive Thinking)

Wish (what you want), Outcome (the best result, imagined vividly), Obstacle (your main INNER obstacle), Plan (one if-then plan for that obstacle). Thinking about the obstacle, not only the dream, makes you act more.

Example: Wish: 5 new clients. Outcome: a calm runway. Obstacle: I avoid sales calls when tired. Plan: If it's 2pm and I want to skip calls, then I dial the first number before I open email.

If-then plan Implementation intentions (Peter Gollwitzer)

A plan that names a trigger and an action: "If <situation>, then I will <action>." It turns intention into an automatic response.

Example: "If it's 9:00 and I open my laptop, then I send 5 outreach messages before email."

SMART goal George T. Doran (1981)

Five checks for a clear goal: Specific, Measurable, Achievable, Relevant, Time-bound.

Example: "Sign 5 new clinic clients at $500/month by Jan 18" passes all five.

Goal progress % bishOS

Comes from the measurable target when one is set; otherwise the average of the key results (each capped at 100%); otherwise milestones done ÷ total.

Plain (legacy) goal bishOS

A goal from before the 12-week system. Convert it: as a 12-week goal it joins the cycle if there is room, otherwise the backlog. Its metric or milestones become a starting key result.

How to test it

1. Open Goals with no cycle. Expected: the "Start your first 12-week cycle" hero with four tiles.
2. Click "Start a cycle". Step 1: keep the name, choose "This Monday" (to test scoring today). Expected: the range line shows 12 weeks and the week 13 buffer. Click Next.
3. Step 2: click "New goal" four times. Expected: the fourth is blocked with "3 goals max — focus is the point." Keep one. Click Next.
4. Step 3: leave the title empty. Expected: "Still needs a title, at least one tactic." and Next is disabled. Fill "Reach $10k MRR", an area, key result "New MRR" target 10000 unit $, tactic "Send 20 outreach messages" 20/wk. Click "Suggest tactics" and click one idea. Expected: the idea is added and the tab gets a green check.
5. Step 4: click "Launch cycle". Expected: a celebration toast and the cockpit shows "Week 1 of 12" with your goal card. (With "Next Monday" you would see "Starts in N days" and read-only cards.)
6. On the goal card click + on the tactic three times. Expected: pips fill, "3/20", +8 XP toasts, the execution ring and this week's bar go up. Click − once. Expected: "2/20" and the XP for that rep is removed.
7. On the goal page set the tactic target to 2 and click + until 2/2. Expected: "Tactic target hit" celebration; if it is the only tactic the ring shows 100% and turns green with the "On the bar" chip.

8. Click + on a key result until it passes the target. Expected: “Key result reached” celebration and a green bar.
9. Add goals until 3/3. Expected: the dashed “Add a 12-week goal” tile and the “12-week goal” button disappear; backlog rows no longer show “Activate” and the full note appears.
10. Add an annual goal “Reach $30k MRR”. With room in the cycle, click “This cycle” on it. Expected: the dialog opens pre-filled; after saving, the annual row shows “1 cycle goal” and the new goal page shows the parent chip.
11. On a goal page change Status to Backlog. Expected: the card leaves the cockpit and the goal appears in Someday backlog with “Activate”.
12. On the goal page click “Coach me” on Obstacle. Expected: a question and a suggestion. Click “Use this”. Expected: the text is saved and the O badge turns dark (x/4 goes up).
13. Click “AI milestones”. Expected: 4–6 milestones appear. On a goal without key results or a metric, tick one and Progress changes.
14. Pause a tactic. Expected: it fades, its counter disappears and the execution score no longer counts it.

Tips

- Three goals is a maximum, not a target. One finished goal beats three half-done ones.
- If you are under 85% for two weeks, shrink a tactic's weekly count instead of adding more tactics.
- There is no button to rename or delete a cycle yet, so pick the start Monday with care.
- Habits linked to a 12-week goal count in the execution score — use that for things like “gym 3×/week” under a health goal.

DIRECTION

Week

Your week plan on one page: three outcomes (Weekly Big 3), this week's tactics and score, a 7-day overview, hours by life area, a protected Free Day, notes, and your Ideal Week template. In the sidebar it sits under Today → Week.

Why it helps: A week is the right size to plan: big enough for real outcomes, small enough to see at once. The Big 3 keeps you on results, not busywork. The Free Day and the Ideal Week protect deep work and rest before meetings fill the calendar.

One-time	Design your Ideal Week (about 10 minutes): start from the founder default, set day types and themes, add or edit blocks, then click “Apply to this week”.
Daily	Tick a Big 3 outcome when it lands. Log tactics with +. Glance at the 7-day strip for Top 3, blocks and rituals.
Weekly	In the weekly review (or on Sunday/Monday): set next week's Big 3, protect the Free Day, apply the Ideal Week to next week and write notes.
Monthly	Compare hours by area with your targets. The monthly review shows the same chart for the whole month.

Week `/week`

Plan objectives, not a schedule: three outcomes, your tactics, and a week shape that protects deep work and rest.

HOW TO USE IT

1. Write three outcomes for the week — results, not tasks. Link at least one to a goal.
2. Pick the Free Day first.
3. Check the tactics card daily and log reps with +.
4. Use the 7-day strip to see which days had a start-up, a shutdown and a finished Top 3.
5. Compare actual hours with targets at the end of the week.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Week (page header)	Title with “Objectives, not a schedule: three outcomes, your tactics, and a week shape that protects deep work and rest.”	
Week switcher	‹ (Previous week) and › (Next week) with a label in the middle: “This week”, “Next week”, “Last week” or the date range, plus the dates.	Click the arrows to move. Click the middle label to jump back to this week.
Weekly review (button)	Opens the weekly review for the week you are looking at.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Reviewed · execution frozen at X% (banner)	Green banner after that week's weekly review is complete. The score is saved and will not change.	
Weekly Big 3 (card)	Hint: “Three outcomes that would make this week a win. Check them off as they land.”	
Big 3 row	Number, a round check button, the outcome text, an optional goal tag (target icon + goal title) and a trash button on hover (“Remove outcome”).	Click the circle to mark done or not done: +30 XP each, removed if you undo. Click the text to edit; clear it to delete. When all are done: “Weekly Big 3 complete 🎉” with confetti.
Add outcome (form)	Field “Outcome #1 — what must be true by Sunday?”, a goal picker (“No goal” or one of the cycle's active goals) and “Add”. Shown while you have fewer than 3.	
Tip line	When the Big 3 is empty: “Tip: tie at least one outcome to a 12-week goal and one to revenue.”	
Tactics this week (card)	Hint “Cycle name · week N” and a “Goals” link. Without a cycle: “Tactics come from your 12-week goals — the weekly actions you score.” and a “Start a 12-week cycle” button.	
Execution ring (week)	The week's score labelled “so far” (this week) or “score” (other weeks), with “x/y reps” and “85% is the bar — partial weeks still count.”	
Tactic counters (week)	Every active tactic with its goal name below, pips, −, done/target and +. Habit lead rows (dashed) show linked habits. “Add tactics to your goals to score this week.” when there are none.	Click + / − to log. Counters are read-only for future weeks. Editing a past week after its review does not change the frozen score.
7-day strip	Seven day cards, Monday to Sunday (scroll sideways on a small screen). Today has a blue outline, the Free Day is tinted green, past days are faded.	
Day header (weekday + date)	Top of each day card.	Click: today opens the Today page; other days open that day's Journal.

ELEMENT	WHAT IT IS	HOW TO USE IT
Day-type chip	Focus (blue), Buffer (orange) or Free (green). Faded = still the Ideal Week default for that weekday. A palm icon marks the protected Free Day.	Click to cycle Focus → Buffer → Free. Choosing Free also makes it the week's Free Day if none is set; leaving Free clears it.
Day theme	The day's intention, or the Ideal Week theme for that weekday (e.g. “Delivery + sales”).	
Top 3 (dots)	One dot per Top 3 task of that day; green = done. “—” when none were picked.	
Blocks	Done block time / planned block time, e.g. “2h/5h 30m”. Skipped blocks don't count.	
Tasks done	Tasks completed that day.	
Sun / Moon icons + day score	Sun turns green when the start-up ritual was done, Moon when the shutdown was done. The number on the right is the day score from the shutdown.	
Hours by life area (card)	Hint: “Target (from the Compass) vs planned blocks vs actual focus + done blocks.” Legend: Planned (light bar), Actual (dark bar in the area colour), Target (thin line).	
Area hours row	Area name and “Xh actual · Yh planned · Zh target”. Actual is green when it reaches the target and orange when under 60% of it. An “Unassigned” row collects time with no area. A Total line sits at the bottom.	Hover the bar for exact numbers. With no data: “No hours yet. Set weekly targets on the Compass, plan blocks, or run a focus session.”
Protected Free Day (card)	Seven day buttons (letter + date). Hint: “Plan rest first. No work, midnight to midnight.”	Click a day to protect it (toast “Free Day protected · Sunday”, palm icon, “Protected” chip and “… — no work, midnight to midnight.”). Click it again to clear. Without one: “Plan the Free Day first — rest you schedule is rest you get.”
Notes (card)	Autosaving text: “Context for the week: travel, launches, constraints, who to follow up with…”. Each week keeps its own note.	
Ideal Week (card)	Hint: “Your template week. Apply it and the calendar fills with blocks — no overlaps, no duplicates.” Holds the Ideal Week editor (next page).	

Ideal Week editor `/week (Ideal Week editor)`

Design your template week once, then pour it into any real week with one click.

HOW TO USE IT

1. Start from the founder default. Change titles and times to match your real week.
2. Put maker blocks in the mornings and batch calls into the afternoons.
3. Set day types: Focus for delivery and sales, Buffer for prep and admin, Free for one full rest day.
4. Tag blocks with a life area so the hours add up.
5. Click “Next week” during the weekly review. Then adjust single days in the Calendar.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Block-type legend	Maker, Manager, Admin, Routine, Free — each with its colour and the total hours of that type in your template. Hover for the meaning.	
Apply to this week	Creates real calendar blocks for this week from the template.	Click. Rules: no blocks in the past, no duplicates (same title and times), anything that overlaps an existing block is skipped, and only Free blocks go on a Free Day. It also fills empty day types and the Free Day. Toasts: “Ideal Week applied to this week · N blocks” or “Nothing new to add to this week”, plus “Skipped N overlapping · N already there · N in the past · N on the Free Day”.
Next week	Same as above, for next week.	
Undo apply	Removes this week's blocks that came from the template and are still only planned, from today on.	Click. Toast: “Removed N untouched template blocks from this week”. Blocks you marked done stay.
Reset	Restores the founder default template.	Click and confirm “Reset your Ideal Week to the founder default?”.
Founder default note	Blue note shown until you change anything: maker mornings, manager afternoons, a daily sales block, Wednesday content, Friday buffer + review and a protected Free Day.	
Day header (Mon … Sun)	Weekday name, a day-type chip and a “Theme…” line.	Click the chip to cycle Focus → Buffer → Free. Click the theme to edit it.

ELEMENT	WHAT IT IS	HOW TO USE IT
Time grid	06:00 to 22:00, hour lines, times on the left. Free days are tinted green; an empty Free day shows “Free Day”.	Click an empty spot to create a 1-hour block at that half hour.
Template block	Coloured by type, with title, time and area dot. Overlapping blocks sit side by side.	Hover for details. Click to edit.
New template block / Edit block (dialog)	Fields: Title (“Delivery deep work”), Type, Day, Start, End (5-minute steps), Life area (optional — “Tags the hours so target vs actual adds up by area.”).	Fill and click Save. “End must be after start.” blocks saving. In edit mode, “Delete” removes the block. “Cancel” closes.
Type switch (in the dialog)	Maker “Deep work in half-day units”, Manager “Calls, meetings, office hours”, Admin “Buffer: email, finance, processes”, Routine “Rituals, workouts, reviews”, Free “Protected rest — no work”.	

Frameworks & terms in this module

Weekly Big 3 Rule of 3 (J.D. Meier, Getting Results the Agile Way)

Three outcomes that would make the week a win — results, not a task list. Tie at least one to a 12-week goal and one to revenue. Each done outcome gives 30 XP.

Example: 1. Proposal sent to Acme. 2. Pricing page live. 3. Three discovery calls held.

Free Day Free Days (Dan Sullivan, Strategic Coach)

A full day, midnight to midnight, with zero work: no email, no calls, no “quick check”. You plan it first so rest is not leftovers. The default weekday is set in Settings → Protected Free Day.

Example: Sunday: family, sport, no laptop. The Ideal Week never puts work blocks on it.

Ideal Week Ideal Week (Michael Hyatt; Dan Sullivan)

A template of what a good week looks like, block by block. You apply it to a real week and adjust, instead of planning from zero every time.

Example: Apply it on Friday for next week, then move Tuesday's calls because of a client trip.

Maker block Maker's Schedule, Manager's Schedule (Paul Graham)

Deep, creative work in large uninterrupted chunks, ideally half a day.

Example: Mon–Thu 9:00–12:30 “Delivery deep work”.

Manager block Paul Graham

Calls, meetings and office hours, batched together so they don't break maker time.

Example: 14:30–17:00 “Client calls · office hours”.

Admin block

Buffer work: email, finance, processes, recordings, pipeline review.

Example: Friday 9:00–12:00 “Buffer: processes, recordings, finance”.

Routine block

Rituals, workouts and reviews: start-up, shutdown, weekly review, gym.

Example: 8:30–9:00 “Start-up ritual”, Friday 14:00 “Weekly review”.

Free block

Protected rest with no work. The only kind of block allowed on a Free Day.

Focus / Buffer / Free day types Entrepreneurial Time System (Dan Sullivan)

Every day gets a type. Focus = revenue and delivery work. Buffer = prep, admin and catch-up. Free = no work, midnight to midnight. Set defaults in the Ideal Week; change single days on the 7-day strip.

Example: Mon–Thu Focus, Fri–Sat Buffer, Sun Free.

Founder default week bishOS Founder OS

The starting template: start-up 8:30 on weekdays; Mon/Tue/Thu delivery deep work 9:00–12:30; outreach & follow-ups every weekday after lunch; client and sales calls in the afternoons; Wednesday content hub writing and pipeline review; Thursday “Cut hub into short posts”; Friday buffer, weekly review 14:00 and co-founder sync; shutdown ritual each workday; workouts Mon/Wed/Fri 7:00 and Saturday 17:00; a Saturday learning session; and a protected Free Day (Sunday by default). Blocks are tagged with matching life areas when the names fit.

Hours by area: target vs planned vs actual bishOS

Target = the area's weekly hours from the Compass × number of weeks. Planned = calendar blocks (not skipped). Actual = focus sessions + blocks marked done that have no focus session (so nothing counts twice).

Example: Sales: 8h target, 6h planned, 4.5h actual → orange (under 60%).

How to test it

1. Open Week (sidebar: Today → Week). Expected: “This week” and its dates in the switcher.
2. In Weekly Big 3 type “Proposal sent to Acme”, pick a goal, click Add. Expected: row 1 with the goal tag. Add two more. Expected: the add form disappears at 3.
3. Click the circle on outcome 1. Expected: +30 XP and the row turns green. Click again. Expected: undone and XP removed. Tick all three. Expected: “Weekly Big 3 complete 🎉” and confetti.
4. In Protected Free Day click Sunday. Expected: “Free Day protected · Sunday”, a palm icon, and Sunday's chip in the 7-day strip says Free.
5. Click a day-type chip in the 7-day strip. Expected: Focus → Buffer → Free in turn.
6. Type in Notes, go to next week and back. Expected: each week keeps its own note.
7. In the Ideal Week click an empty spot on Tuesday at 9:00. Expected: “New template block” 09:00–10:00. Title “Delivery deep work”, type Maker, an area, Save. Expected: the block appears and Maker hours in the legend go up.
8. Click “Next week”. Expected: “Ideal Week applied to next week · N blocks” (and a “Skipped …” toast if anything clashed). Open the Calendar for next week to see the blocks.
9. Click “Next week” again. Expected: “Nothing new to add to next week” — no duplicates.
10. Click “Apply to this week”, then “Undo apply”. Expected: “Removed N untouched template blocks from this week”. Nothing was created on past days.

11. Set a weekly hours target for an area on the Compass and run a focus session on a task in that area. Expected: Hours by life area shows the target and the actual hours.
12. Click “Weekly review”. Expected: the weekly review for the week shown opens.

Tips

- Plan the Free Day before anything else; it is the first thing to disappear otherwise.
- The Big 3 is outcomes. “Work on proposal” is a task; “Proposal sent to Acme” is an outcome.
- Apply the Ideal Week during the weekly review so next week starts already shaped.

DIRECTION

Reviews

Guided, pre-filled reviews: weekly, monthly, quarterly and annual. Each one is a step-by-step wizard that saves as you go, has a short minimum mode, freezes your scores and gives XP once.

Why it helps: Reviews keep the system true. Without them, lists go stale and goals drift. bishOS fills in the numbers for you — tasks, focus hours, execution, habits, pipeline, inbox, ratings — so you spend the time thinking, not collecting. The weekly review is the most important ritual in the whole app.

One-time	Annual review once a year, late December or in January: half a day, minimum 1 h. +500 XP. Nothing to set up — just open Reviews.
Weekly	Weekly review every week: 60–90 min, or 20 min in minimum mode. The founder default Ideal Week has it on Friday 14:00. +120 XP.
Monthly	Monthly review in the first days of each month: 30–45 min, minimum 15 min. +150 XP.
Quarterly	Quarterly review in week 13 of each 12-week cycle: 2–3 h, minimum 45 min. It closes the cycle and launches the next one. +300 XP.

Reviews (hub) `/reviews`

Shows the review each kind should cover right now, its status and progress, and the history of finished reviews.

HOW TO USE IT

1. Open Reviews every week and click the weekly card's button.
2. Use the other cards when their time comes; the hub tells you which period is due.
3. Use “Unfinished” links to close old drafts.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Reviews (page header)	Title with “Look back, get current, score, commit. The weekly review is the product — everything else feeds it.”	
N-week review streak (chip)	Flame chip at the top right: how many weeks in a row you finished the weekly review, counting back from this week or last week.	
Review card (Weekly, Monthly, Quarterly, Annual)	Icon, status chip, title, period, short description, steps progress, time, last done, XP and the main button. The weekly card has a highlighted border; done cards a green border.	
Status chip	“Done” (green), “In progress” (blue) or “Not started”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Period label	“Week of Oct 20 – 26”, “October 2026”, “Q4 sprint · Oct 27 – Jan 18” (or “2026-Q4 · …” without a cycle), “2026”.	The card picks the period for you. Weekly: this week, but on Monday or Tuesday last week if its review is unfinished or not started (and last week had a plan). Monthly: this month, but in the first 7 days the previous month (same rule). Quarterly: the running cycle; else a cycle closed in the last 45 days that isn't reviewed; else the calendar quarter. Annual: this year, but in January the previous year.
x/y steps + time + progress bar	Finished steps, the usual time and the minimum time (e.g. “60–90 min · min 20 min”) and a bar.	
Last done … · +XP	When you last finished this kind (e.g. “3 days ago”, “never”) and the XP it gives.	
Start / Resume / View (button)	Opens the wizard for that period.	
Unfinished: … (links)	Up to two older drafts of the same kind.	Click to finish an old review.
History (card)	The last 40 finished reviews: kind chip, period, key numbers (e.g. “execution 82% · Big 3 2/3”, “areas avg 6.4”, “avg grade 0.68 · avg execution 79%”, “80% goals achieved”, “minimum mode”) and the date.	Click a row to open that review. With none: “No reviews yet” and a “Start the weekly review” button.

Review wizard (all kinds) `/reviews/[kind]`

The wizard frame used by all four reviews. You can stop anytime: answers autosave and finished steps are remembered.

HOW TO USE IT

1. Open a review from the hub. Read the steps on the intro screen.
2. Short on time? Tick Minimum mode.
3. Work through each step and click “Done · next”.
4. On the last step click “Complete review”.
5. Need to fix something later? Click “Reopen”, change it, complete again.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Review title + period	E.g. “Weekly review” and “Week of Oct 20 – 26”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Previous period / Next period arrows	‹ › to open the previous or next week, month or year. Not shown for the quarterly review.	
All reviews (button)	Back to the hub.	
Intro screen (before you start)	Description, chips (e.g. “60–90 min”, “Minimum 20 min”, “+120 XP”) and the numbered list of all steps, each with its one-line prompt; essential steps say “ESSENTIAL”.	
Minimum mode — only the essential steps (checkbox)	Non-essential steps fade in the list.	Tick it before you click Start review.
Start review	Creates the review draft and opens the first step. Note below: “Everything is pre-filled from your data and saves as you go — stop anytime and resume later.”	
Minimum … (toggle button)	Top right after you start, e.g. “Minimum 20 min”. Dark when on.	Click to switch minimum mode on or off at any time.
Done banner	Green banner after completing: “Done · date” and, for weekly, “· execution frozen at 82%”. A “Reopen” button lets you edit again (XP is not given twice).	
Step rail	Left column (a sideways list on phones): “% done”, “x/y”, a bar and the numbered steps. Green check = finished, filled = current.	Click any step to jump to it.
Step panel	“STEP 2 OF 8 · ESSENTIAL”, the step title, its prompt and the step's content.	
Back	Goes to the previous step.	
Done · next	Marks the step finished and opens the next one. Says “Next” if the step was already finished.	
Essential left: …	Hint on the last step listing essential steps you haven't finished.	
Complete review · +XP	On the last step. Marks it done, freezes the scores, gives XP once and throws confetti. Afterwards it becomes “Back to reviews”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
AI draft box	Appears in several steps: “AI draft — from your numbers; edit before saving” with “Draft with AI” (or a special label like “Suggest a Big 3”), then “Redraft”.	Click, edit the text, then “Save” (stored with the review and still editable) or “Discard”. The AI only uses your data and answers.
Resume behaviour	Opening a started review jumps to the first unfinished step.	
What “Complete” saves	All kinds: tasks done, focus hours, minimum mode. Weekly: the execution score is frozen into the week plan (tactics with no log get a 0 entry so history stays honest), Big 3, habit %, open inbox. Monthly: average rating, every area's rating, habit %, hours. Quarterly: average execution, average grade, burnout answers. Annual: % goals achieved, deals won, content published.	

Weekly review (8 steps) `/reviews/weekly`

Look back, get current, score the week, then commit to next week's Big 3. Essential steps: 1, 2, 4 and 7 (minimum 20 min).

HOW TO USE IT

1. Block 60–90 minutes (or 20 in minimum mode). Open Reviews → Weekly → Start.
2. Celebrate, then look at the score without judging.
3. Empty every inbox, then make every loose end current.
4. Plan next week: Big 3, Free Day, Ideal Week, one if-then.
5. Copy the update to your co-founder. Click “Complete review”.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Step 1 · Celebrate wins (essential)	Prompt: “Progress you made — big or small. Name the three you're proudest of.”	
Celebrate · stat tiles	Tasks done, Focus hours, Big 3 (done/total), Progress lines (from your daily shutdowns).	
Celebrate · Done this week	Tasks you finished this week with their area.	Shows 10; click “+N more” / “Show less”.
Celebrate · From your days	Your daily progress lines and journal wins, with the weekday.	
Celebrate · quiet week message	If nothing is recorded: “Quiet week on the record — progress still happened. What moved, even a little?”	

ELEMENT	WHAT IT IS	HOW TO USE IT
My three proudest wins	Text box: “1. Closed … 2. Shipped … 3. Finally …”. Used later in the Share update.	
Step 2 · Score the week (essential)	Prompt: “Big 3, execution and habits. No judgement — just the numbers.”	
Score · execution ring + bars	Ring with the week's execution and “x/y reps” (or “No tactics scored” / “No 12-week cycle yet”), the 12-week bars, and each tactic or linked habit with its goal and done/target (green when hit).	
Score · Big 3 · N%	Last week's outcomes with done marks. Empty: “No Big 3 was set for this week — you'll set next week's at the end.”	
Score · Habits · N%	Up to 8 active habits with done/target for the week, skips, and a bar (green at 85%+). Below: “Rituals: x/7 start-ups · y/7 shutdowns”.	
What drove the score?	Text box: what helped, what got in the way.	
Step 3 · Reflect	Prompt: “Keep · Improve · Start · Stop.”	
Keep / Improve / Start / Stop	Four boxes: what worked and should stay; what worked but could be better; what to try next week; what to stop.	
Reflect · AI draft	Drafts Keep / Improve / Start / Stop from your numbers.	
Step 4 · Get clear (essential)	Prompt: “Empty every inbox so nothing is living in your head.”	
Inbox card	Number of open items “open in the bishOS inbox · N older than 48h”, with “Process inbox ↗” or an “Inbox zero” chip.	
Get clear checklist	“bishOS inbox at zero”, “Email inbox processed”, “Messages & DMs answered or captured”, “Notes, voice memos & screenshots captured”, “Desktop & downloads cleared”, “Head emptied — brain dump below”.	Click the circles to tick.
Brain dump	Text box for anything still on your mind. Hint: capture items into the Inbox when you're done; this note stays with the review.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Step 5 · Get current	Prompt: “Calendar, projects, pipeline and promises — every loose end gets a next step.”	
Calendar checklist	“Last 2 weeks: loose ends captured”, “Next 4 weeks: prep and travel planned”, “Waiting-for list checked”, plus “Open calendar ↗”.	
Projects without a next action · N	Open projects with no open task. Click one to open it and add a next action.	
Untouched 30+ days · N	Tasks not done, not someday, older than 30 days and not planned or due in the last 30 days. Each shows its age. Note: “No silent rollover: each one gets a decision.”	Click “Next week” (plans it for next Monday), “Someday”, or “Drop” (deletes after you confirm).
Pipeline	Open deals with “no next step”, deals “idle Nd” (no touch for 7+ days), and “N next steps are past their date.” Link “Pipeline ↗”.	
Commitments	“I owe (N) — handle these first” and “Waiting for (N)”, up to 6 each with person and date (highlighted when overdue). Link “Ledger ↗”.	
Get current · Notes	Text box for follow-ups to send and things to prep.	
Step 6 · Scorecard & issues	Prompt: “Your weekly numbers on or off track, the top issues and someday ideas.”	
Scorecard	Each active weekly number: “value/target unit” and a chip “on track”, “off track”, “no entry” or “auto”. Link “Scorecard ↗”. Empty: set up 5–7 founder numbers on the Scorecard.	
Top issues · IDS	Up to 8 open or discussing issues, top 3 highlighted, link “Issues ↗”, and a box “Identify the real issue → discuss → decide the solution and the to-do.”	
Someday / maybe · N	Your someday tasks and a box: “Anything ready to become active? Anything to delete?”	
Step 7 · Plan next week (essential)	Prompt: “Three outcomes, your tactics, a protected Free Day and one if-then for the riskiest item.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
Next week's Big 3 · dates	Big 3 editor for next week (add, edit, link to a goal; no ticking yet).	
Tactics to place first	Your tactics with "×/wk", so you book time for them first.	
Protect next week's Free Day	The Free Day picker for next week.	
Shape the week · Apply Ideal Week to next week	Text: "Place maker blocks first, then calls. Your Ideal Week does it in one click — overlaps are skipped."	Click the button. Toast: "Added N blocks to next week" or "Next week already has these blocks".
WOOP the riskiest item	Two fields: "Riskiest item & its obstacle" and "If-then plan".	
Suggest a Big 3 (AI draft)	Suggests three outcomes from your goals, tactics and loose ends.	
Step 8 · Share	Prompt: "Optional: send the score to your co-founder. Public reporting strengthens follow-through."	
Update to share	Text box pre-written from your numbers: week, execution, Big 3, tasks done, focus hours, your wins and next week's Big 3.	
Copy	Copies the update. Toast: "Copied — paste it to your co-founder".	
Rebuild from numbers	Throws away your edits and rebuilds the update from the latest numbers.	
Share · AI draft	Drafts a 4–6 line co-founder update.	

Monthly review (7 steps) `/reviews/monthly`

Re-rate your life areas, check goals, tune habits and compare hours with targets. Essential steps: 1, 2 and 7 (minimum 15 min).

HOW TO USE IT

1. In the first days of the month open Reviews → Monthly.
2. Rate every area, then mark each goal.
3. Decide each habit's fate and apply graduations.
4. Check hours, clear stale tasks, answer the pulse.
5. Write one focus for next month and complete.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Step 1 · Re-rate life areas (essential)	Prompt: “Wheel of Life: 1–10 for each area. Be honest, not harsh.”	
Rate · radar + rating rows	Radar (this month solid, last month dashed) and a 1–10 row per area with the change versus last month. Ratings save straight into the Compass Wheel of Life for that month. If areas have standards: “Rate against each area's standard (set on the Compass), not against perfection.”	
What stands out?	Box: the lowest spoke and one small move for it.	
Step 2 · Goal status (essential)	Prompt: “On track, at risk or off track? One line on why.”	
Goal rows	Active 12-week goals and active annual goals: title (link), “On track / At risk / Off track” switch (default On track), a level chip (12-week / Annual) and a progress bar with %.	
Why — and what changes	Box for the reason and the change you'll make. With no goals: “No active goals” and a “Goals” button.	
Step 3 · Habits	Prompt: “Graduate the automatic ones, shrink the hard ones, drop what no longer serves.”	
Habit rows	Hint: “Last 30 days, skips excluded. Suggestions: ≥85% for 60+ days → graduate · under 30% → shrink or drop.” Each habit: title, “% · day N”, bar and a Graduate / Keep / Shrink / Drop switch with the suggestion pre-selected.	Pick a decision. For Graduate or Drop click “Apply” (Drop archives the habit). For Shrink use the “Edit the minimum version (now: …)” link.
Step 4 · Time by area	Prompt: “Where did the hours actually go versus your targets?” Hours by life area for the whole month.	
Re-weight next month	Box: “More sales, less admin? Adjust targets on the Compass.”	
Step 5 · Migrate stale tasks	Prompt: “Anything waiting 30+ days gets a decision: schedule, someday or drop.” Same list as in the weekly review, with Next week / Someday / Drop. Empty: “No tasks have waited 30+ days. Nice and fresh.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
Step 6 · Energy pulse	Prompt: “Three quick questions to catch burnout early.”	
Pulse questions (1–5)	“How drained do you feel at the end of a typical day?” (Fresh–Empty), “How cynical or detached do you feel about your work?” (Engaged–Detached), “How often do you feel ineffective, even when busy?” (Rarely–Constantly).	Click 1–5 for each. After all three: average 3.5+ shows an orange warning with concrete advice; 2.5+ “Some strain. Keep the Free Day sacred and watch sleep this month.”; lower “You're in a good place. Keep the rhythm that got you here.”
Step 7 · Next month (essential)	Prompt: “One focus for the month ahead and the adjustments you'll make.”	
Next month · stat tiles	Tasks done, Focus hours, Deals won, Published (content) for the month.	
One focus for next month	Field, e.g. “Fill the pipeline: 3 discovery calls a week”.	
Adjustments	Box: what you'll change in your week, habits or targets.	
Next month · AI draft	Suggests one focus and 2–3 concrete adjustments.	

Quarterly review (5 steps) `/reviews/quarterly`

Close the 12-week cycle: grade key results, read your execution, check for burnout, prune, then plan the next three goals. Essential steps: 1, 2, 3 and 5 (minimum 45 min).

HOW TO USE IT

1. In week 13 click “Quarterly review” on the Goals page (or open it from Reviews).
2. Grade every goal and choose Achieved, Carry or Drop.
3. Read your execution, write lessons, answer the burnout check.
4. Prune what no longer serves you.
5. Close the cycle, launch the next one, then complete the review.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Step 1 · Grade key results (essential)	Prompt: “Score each goal 0–1. 0.6–0.7 on a stretch goal is a win.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
Goal grade box	Per cycle goal: title, the grade (green at 0.7+), each key result with current/target and a bar, a slider 0–1 (steps of 0.05), and “Suggested from key results: 0.80” (or “No key results — grade by judgement.”).	Drag and release the slider — the grade saves to the goal at once.
Outcome switch	“Achieved”, “Carry to backlog”, “Drop”. Pre-selected: Achieved when the grade is 0.7+, otherwise Carry to backlog. Used when you close the cycle.	
Grade notes	“0.6–0.7 on a stretch goal counts as success. 1.0 every time means the goals were too easy.” With no cycle: “No 12-week cycle in this period” — use the review for the scan and pruning.	
Step 2 · Execution & lessons (essential)	Prompt: “Average execution, key successes and key mistakes.”	
Average execution ring + bars	The cycle's average execution, “N weeks at ≥85%”, and the 12-week bars.	
Key successes / Key mistakes & lessons	Two lists. Type and press Enter to add items.	
Execution · AI draft	Lists 3 key successes and 3 mistakes/lessons.	
Step 3 · Life scan & burnout check (essential)	Prompt: “How are you, really? Three questions.”	
Wheel of Life link	“Scan each life area on the Wheel of Life — which spoke needs the next goal?” with a “Wheel of Life ↗” button to the Compass.	
Burnout questions	The same three 1–5 questions as the monthly pulse, with the same feedback. Saved in the review's scores.	
Scan · Notes	Box: energy, health, relationships, money…	
Step 4 · Prune	Prompt: “Archive projects, habits and areas that no longer serve you.”	
Prune lists	Three columns: Projects (not completed) with “Close” (marks it completed), Habits (active) with “Archive”, Life areas with “Archive” (asks: “Archive the area “…”? It disappears from the Wheel and pickers.”). Handled rows fade.	

ELEMENT	WHAT IT IS	HOW TO USE IT
What else to prune?	Box: tools, subscriptions, meetings, commitments…	
Step 5 · Next cycle (essential)	Prompt: “Close this cycle and launch the next: ≤3 goals with tactics and a WOOP.”	
Close “cycle name” box + Close cycle	“Saves each goal's grade and outcome. Carried goals move to the backlog.”	Click “Close cycle”. Toast: “… closed — well played”. Goals without a grade get the suggested grade.
Launch the next cycle	Green box after closing (or “Ready for a fresh cycle.” with no cycle): “Pick ≤3 goals with tactics. Give the riskiest one a WOOP on its goal page.”	Click to open the cycle wizard with your backlog and annual goals as candidates.
Intentions for the next 12 weeks	Box: theme, what to protect, what to say no to.	

Annual review (5 steps) `/reviews/annual`

Past Year Review: peaks and valleys, what went well and badly, the goal hit-rate, next year's theme — and Free Days first. Essential steps: 1, 2, 4 and 5 (minimum 1 h).

HOW TO USE IT

1. Block half a day in late December or January. Open Reviews → Annual.
2. Collect peaks from the momentum log, push negatives to the Not-to-do list.
3. Write 6–8 things that went well and badly.
4. Check your hit-rate and set up to 8 annual goals.
5. Choose the theme last, then put next year's Free Days on the calendar and complete.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Step 1 · Past year peaks (essential)	Prompt: “Top positive and negative peaks. Book more of the good; put the bad on your Not-To-Do list.”	
Peaks · stat tiles	Tasks done, Focus hours, Deals won, Published for the year.	
Your momentum log — biggest moments	Up to 15 Momentum entries from the year, sorted by impact (stars) with the why.	
Life-area average by month	Mini bar chart of your Wheel of Life average for each month. Hover a bar for the value.	
Positive peaks — book more of these	List: people, projects, trips that lit you up.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Negative peaks — avoid + Not-To-Do	List of what drained you, with a "+ Not-To-Do" button.	Click "+ Not-To-Do" to copy the negative peaks into the Compass Not-to-do list ("Added to your Not-To-Do list").
Peaks · AI draft	Picks the top positive and negative peaks and what to repeat or avoid.	
Step 2 · Went well / went badly (essential)	Prompt: "6–8 of each. Specific beats general."	
Went well · n/6–8 / Went badly · n/6–8	Two numbered lists with a counter.	
Lists · AI draft	Drafts 6 "went well" and 6 "went badly" items from your data.	
Step 3 · Goals for next year	Prompt: "About 80% achieved is healthy. Set up to 8 annual goals across your areas."	
Achieved ring + verdict	% of this year's decided cycle goals that were achieved (achieved or graded 0.7+), "x/y graded goals", and a verdict: 95%+ "your goals may have been too safe", 70%+ "Healthy", below 70% "aim for fewer goals, or smaller ones". Below: each cycle of the year with goal count and average grade.	
Annual goals · n/8	Your annual goals (achieved ones marked) and a form "A measurable goal for next year…" with a Life area picker and Add.	
Step 4 · Year theme (essential)	Prompt: "Pick the theme last — one word or line that ties it together."	
Theme for the year ahead + Save as year theme	Field (e.g. "Year of leverage"), a button, and "Current: "…"" if one is set.	Click "Save as year theme" to store it on the Compass ("Year theme set · …").
Step 5 · Free Days first (essential)	Prompt: "Put holidays and Free Days on next year's calendar before anything else."	
Free day form	Date picker (starts at 1 January of next year), a label field ("Family trip") and Add. Added dates show as a list with × to remove. Duplicate dates are ignored.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Put N on the calendar	Creates a Free block 08:00–20:00 (titled with your label, or “Free Day — no work”) on each date and sets the day type to Free. Dates that already have a Free block are skipped.	Click. Toast: “N Free Days protected on the calendar”.

Frameworks & terms in this module

Weekly review steps Getting Things Done (David Allen) + 12 Week Year + EOS

1 Celebrate wins, 2 Score the week, 3 Reflect, 4 Get clear, 5 Get current, 6 Scorecard & issues, 7 Plan next week, 8 Share. Essential (minimum mode): 1, 2, 4, 7.

Monthly review steps bishOS

1 Re-rate life areas, 2 Goal status, 3 Habits, 4 Time by area, 5 Migrate stale tasks, 6 Energy pulse, 7 Next month. Essential: 1, 2, 7.

Quarterly review steps 12 Week Year (week 13)

1 Grade key results, 2 Execution & lessons, 3 Life scan & burnout check, 4 Prune, 5 Next cycle. Essential: 1, 2, 3, 5.

Annual review steps Past Year Review (Tim Ferriss)

1 Past year peaks, 2 Went well / went badly, 3 Goals for next year, 4 Year theme, 5 Free Days first. Essential: 1, 2, 4, 5.

Get clear / Get current Getting Things Done (David Allen)

Get clear = empty every inbox (email, messages, notes, your head) so nothing lives only in memory. Get current = check the calendar, projects, pipeline and promises so every loose end has a next step.

Example: Process 14 inbox items, then give the 2 projects without a next action a task each.

Keep · Improve · Start · Stop Team retrospective format (Agile)

A quick reflection: what to keep doing, what to do better, what to try, and what to stop.

Example: Keep: maker mornings. Improve: shorter calls. Start: send proposals within 24h. Stop: checking Slack during deep work.

IDS (Identify · Discuss · Solve) EOS / Traction (Gino Wickman)

For each top issue: find the real root issue, discuss it briefly, then decide a solution and a to-do with an owner.

Example: Issue “Leads go cold” → real issue: no follow-up rule → decide: follow up within 48h → to-do: add a pipeline reminder.

Weekly scorecard EOS / Traction (Gino Wickman)

5–7 numbers you check every week, each with a target. On track or off track, no story.

Example: Outreach 50, conversations 8, proposals 2, revenue $3k, deep-work hours 15.

Minimum mode bishOS

A short version of a review with only the essential steps. A finished minimum review beats a perfect one you skip. It still gives full XP and is marked “minimum mode” in History.

Example: Busy launch week: 20-minute weekly review — celebrate, score, clear the inbox, plan next week.

Frozen score bishOS

Completing the weekly review saves that week's execution score in the week plan. It no longer changes, even if you log more later. The bars show “· frozen at review” and the Week page shows the banner.

Stale task (no silent rollover) bishOS; Bullet Journal migration (Ryder Carroll)

A task older than 30 days that is not done, not someday and not planned or due in the last 30 days. Each one gets a decision: next week, someday, or drop.

KR grading 0–1 OKR grading (Google)

At the end of a cycle each goal gets a grade from 0 to 1. The app suggests the average completion of its key results. 0.6–0.7 on a stretch goal is a success; 0.7+ counts as achieved; 1.0 every time means the goals were too easy.

Example: New MRR 6,500 / 10,000 → 0.65: a good result for a stretch goal.

Carry to backlog bishOS

A quarterly outcome: the goal is not finished but still matters. Closing the cycle moves it to the Someday backlog with its grade, ready for the next cycle.

Burnout pulse Maslach Burnout Inventory (three dimensions)

Three 1–5 questions on the three signs of burnout: exhaustion, detachment (cynicism) and low efficacy. Average 3.5+ means “running hot” and gives concrete advice. It is an observation, not a diagnosis.

Example: Answers 4, 4, 3 → protect two Free Days next week, pause one goal, hand off one recurring task.

Pruning bishOS

Every quarter, close projects, archive habits and retire life areas that no longer serve you, so your system only holds what is alive.

Past Year Review Tim Ferriss

Go through last year's calendar and notes, list the positive and negative peaks, then book more of the positives and avoid the negatives next year.

Example: Positive: the offsite with the co-founder. Negative: weekend client calls → Not-to-do list.

Goal hit-rate (~80%) bishOS; OKR practice

The share of your decided goals that were achieved. About 80% is healthy. Near 100% means the goals were too safe; below 70% means too many or too big.

Free Days first Dan Sullivan (Strategic Coach)

Put holidays and Free Days on next year's calendar before any work, so rest is protected, not squeezed in.

Review streak bishOS

Weeks in a row with a finished weekly review, counted back from this week or last week.

How to test it

1. Open Reviews. Expected: four cards with status chips; the weekly card has a highlighted border.
2. Click Start on the weekly card. Expected: the intro with 8 steps, 4 marked ESSENTIAL, and chips 60–90 min / Minimum 20 min / +120 XP.
3. Tick “Minimum mode” and click “Start review”. Expected: the rail shows 4 steps: Celebrate wins, Score the week, Get clear, Plan next week.
4. Type three wins and click “Done · next”. Expected: step 1 gets a green check and the rail says 25% done.
5. Go back to Reviews. Expected: the weekly card says “In progress” with “Resume”. Click it. Expected: it opens at the first unfinished step.
6. In Plan next week add a Big 3 outcome and protect a Free Day. Expected: both appear on next week's Week page.
7. Click “Complete review · +120 XP”. Expected: +120 XP toast, confetti, a green “Done · … · execution frozen at X%” banner. The Week page shows “Reviewed · execution frozen at X%”.
8. Click Reopen, then complete again. Expected: no second +120 XP.
9. Back on the hub: History lists the weekly review with its numbers and “minimum mode”; the chip shows “1-week review streak”.
10. Open the monthly review and rate an area 8 in step 1. Expected: the Compass Wheel of Life shows 8 for that month.
11. Monthly step Habits: choose Graduate on a habit and click Apply. Expected: “Graduated · …” celebration; the habit moves to the Graduated tab on Habits.
12. Monthly step Energy pulse: answer 4, 4, 4. Expected: the orange “running hot” advice. Change to 1, 1, 1. Expected: “You're in a good place. Keep the rhythm that got you here.”
13. Quarterly (with a cycle): drag a goal's grade to 0.65 and pick “Carry to backlog”. In Next cycle click “Close cycle”. Expected: “… closed — well played”, the goal sits in the Goals backlog with grade 0.65, and “Launch the next cycle” opens the wizard.
14. Annual: add a negative peak and click “+ Not-To-Do”. Expected: “Added to your Not-To-Do list” and it shows on the Compass.
15. Annual Year theme: type “Leverage”, click “Save as year theme”. Expected: the Compass header chip shows it.
16. Annual Free Days first: add two dates next year with the label “Family trip”, click “Put 2 on the calendar”. Expected: “2 Free Days protected on the calendar”; the Calendar shows a Free block 08:00–20:00 on those days.
17. In Reflect click “Draft with AI”. Expected: an editable draft. Save stores it (still editable); Discard removes it.

Tips

- Never skip a week — do the 20-minute minimum instead. The streak and the frozen scores depend on it.
- Do the weekly review before you apply the Ideal Week to next week; step 7 has the button.
- The quarterly review is the proper way to close a cycle. The wizard can close it too, but it grades goals automatically.

DIRECTION

Habits

Small, anchored, forgiving habits. Each habit has an if-then cue, a 2-minute minimum version, an optional stretch version, a weekly target and reserve skips. Consistency comes first, a forgiving streak second. You build 1–3 new habits at a time; the rest wait in a queue.

Why it helps: Most habit apps punish one missed day and you quit. bishOS counts the tiny version as a full rep, lets you plan skips, gives you 48 hours to repair a miss, and shows consistency % before streaks. Habits linked to a 12-week goal count in your execution score.

One-time	Design 1–3 keystone habits (about 5 minutes): New habit → cue, habit, 2-minute version, weekly target, 2 reserve skips, life area, optional 12-week goal.
Daily	Tap each habit when you do it (Habits → Today, or the Today page). Bad day? Long-press → 2-minute version. Planned rest? Use a reserve skip. Missed yesterday? Fix it in the Repair window.
Weekly	Shields (reserve skips) refill every Monday. The weekly review shows each habit's done/target for the week.
Monthly	Answer the day 30/60/90 automaticity checks when they appear. In the monthly review graduate, keep, shrink or drop each habit. When one sticks, start the next one from the Queue.
Quarterly	Archive habits that no longer serve you in the quarterly Prune step.

Habits `/habits`

Log today's habits, repair misses, see consistency and streaks, and manage the queue and graduates.

HOW TO USE IT

1. Click “New habit” and fill the if-then sentence, minimum version, target and reserves.
2. Each day tap the big square when you do the habit.
3. Bad day: long-press → “2-minute version”. Planned rest: “Use a reserve skip”.
4. Missed yesterday? Use the Repair window within 48 hours.
5. When a day 30/60/90 check appears, answer it honestly. Graduate at 4–5.
6. When you are at your limit, add new ideas to the Queue.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Habits (page header)	Title with “Small, anchored and forgiving. Consistency beats perfection.”	
New habit (button)	Opens the “Design a new habit” dialog.	
Today (header stat)	A ring and “done/active” for today, e.g. “3/5”. Green when every habit is settled.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Consistency · 30d (header stat)	Average consistency of your active habits that have data. Sub-line “before streaks”.	
Best active streak (header stat)	The longest current forgiving streak among active habits (flame).	
Shields left (header stat)	Reserve skips left this week across all active habits, e.g. “4/6”. Sub-line “refill every Monday”.	
Tabs: Today · All habits · Queue · Graduated	Each tab shows a count. Today = active habits; All habits = active + graduated; Queue = waiting habits; Graduated = habits on lighter tracking.	
Day N check-in (automaticity prompt)	Card on the Today tab when a habit reaches day 30, 60 or 90: “How automatic does “…” feel now?” with buttons 1–5 (“I have to remind myself” … “I do it without thinking”).	Click a number. 1–3 saves at once with an encouraging message. 4–5 offers “Graduate” or “Keep tracking”. × = “Ask me later” (hides it for now).
All of today's habits are done (banner)	Green banner when every active habit is logged (done or skipped) and at least one is done. The first time each day you also get confetti and “Every habit done today 🎉 ”.	
Repair window	Card listing up to 6 habits not logged yesterday or the day before (after their start). Hint: “Missed a day? Log it within 48 hours — repairs keep your streak. A missed day is normal.”	Each chip: habit, “· Yesterday”, and buttons “Done”, “2-min” (if the habit has a minimum version) and a shield (count it as a planned rest day).
Time-of-day groups	Habits grouped as Morning, Afternoon, Evening, Anytime, each with “done/total”. The current part of the day shows a “Now” chip.	
Habit card · big square button	The main log button. Empty = not logged; green with a check = done; lighter green with a feather = 2-minute version; green with a rocket = stretch; dashed blue with a shield = reserve skip.	Tap = done (+5 XP); tap again = undo. Long-press (about half a second), right-click or the ⋯ button opens the log menu.
Habit card · title	The habit name.	Click to open the habit's page.
Habit card · ⋯ (More log options)	Opens the log menu.	
Habit card · anchor line	“After I pour my morning coffee” — the cue.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Habit card · consistency	Mini ring and %, or “New” before there is data. Green at 80%+, never red.	
Habit card · streak pill	Flame with the forgiving streak in days. Orange when above 0.	
Habit card · shields	One shield icon per reserve skip; filled = still available this week.	
Habit card · status chips	“2-min counts”, “Stretch”, “Shield used” or “Repaired”. When not done: “Bad day? <minimum version>”.	
Log menu	Heading with the habit name, then: “Done — The standard version”, “2-minute version” (your minimum text), “Stretch” (your stretch text), “Use a reserve skip — N shields left this week · keeps the streak”, and “Clear this day” if something is logged.	Click an option. With no shields left the skip option is disabled: “No shields left this week — try the 2-min version”. Toasts: “Shield used — streak protected”, “2-minute version counts · …” (+3 XP), “Stretch! …” (+5 XP), “Streak repaired · …”.
Tap to log · long-press or ⋯ … (hint)	Line under the list: “Tap to log · long-press or ⋯ for the 2-minute version, stretch or a reserve skip.”	
Start with one tiny habit (empty state)	Shown with no active habits, with “New habit” and, if you have queued habits, “Open queue (N)”.	
All habits · heatmap legend	Done (solid), 2-min (light), Stretch (dot), Skip (outlined circle), Repaired (blue ring), Not logged (grey).	
Overview card (All habits / Graduated)	Big consistency ring, title (click to open), “X of the last Y days · day N” (or “Consistency starts with your first log”), streak pill, “best N”, shields, the if-then sentence, a 12-week heatmap, and chips: life area, linked goal (“Counts toward your 12-week execution score”), target (“Daily” or “3× / week”), “Graduated”.	
Momentum (small button)	On All habits cards: log the habit as something that moved the needle.	

ELEMENT	WHAT IT IS	HOW TO USE IT
⋯ actions menu	“Edit habit”, “Start now” (queued; “Start now (at your limit)” is disabled when full), “Graduate (lighter tracking)”, “Pause → queue”, “Resume daily tracking” (graduated), “Delete”.	
Queue · capacity card	“Building X of 3 new habits this month” and “One to three new habits at a time is the sweet spot. Habits take ~66 days on average — when one feels automatic, start the next from here.”	
Queue card	“#1 in queue”, title, ⋯ menu, the if-then sentence, chips (2-min, target, area, goal) and a “Start now” button.	Click “Start now” to make it active with today as its start. When full the button reads “At your limit — graduate one first” and is disabled.
Queue · Nothing waiting (empty state)	“When you're at your new-habit limit, extra ideas wait here instead of overloading your week.” with “Add an idea”.	
Graduated tab	Overview cards of graduated habits with a “Resume” button. Empty: “No graduates yet” and an explanation of the day 30/60/90 checks.	
Delete this habit? (dialog)	Warns that the habit and its full history will be removed. Buttons: “Move to queue” (active habits only) and “Delete”.	

Design a new habit / Edit habit (dialog) `/habits (habit dialog)`

Create or edit a habit. Each field teaches the method in one line.

HOW TO USE IT

1. Write the cue as an action you already do every day.
2. Make the minimum version tiny (about 2 minutes).
3. Pick a weekly target you can keep in a bad week, and 2 reserve skips.
4. Choose the time of day, the life area and, if it serves a 12-week goal, link it.
5. Click “Start habit” (or “Add to queue”).

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Your if-then plan	Live sentence that updates as you type: “After I pour my morning coffee, I will journal for 5 minutes.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
After I… (the cue)	The anchor. Hint: “Anchor it to something you already do daily — “pour my coffee”, not “in the morning”.” A leading “After I” or “When I” is removed for you.	
I will… (the habit)	Required. “One specific behaviour you can see yourself doing.” Placeholder “Journal for 5 minutes”.	
Minimum version (≈2 minutes)	“On bad days the tiny version counts fully — it protects the streak.” Placeholder “Write one sentence”.	
Stretch version (optional)	“For great days. Never required.” Placeholder “Write a full page”.	
Weekly target · every day / N× a week	Buttons 1–7. Hint: “Pick what you can sustain in a bad week, not your best week.”	
Reserve skips · N a week	Buttons 0–3 (default 2). Hint: “Planned skips keep your streak — people with reserves hit goals up to 40% more often.”	
Time of day	Morning / Afternoon / Evening / Anytime. “Groups it on Today so it shows up when the cue does.”	
Life Area (required)	“Every habit lives in one area of your life.”	
12-week goal (optional)	Picker grouped as “12-week goals” and “Other goals”. “Habits linked to a goal count as lead measures in your execution score.”	
More: why it matters · amount	Fold-out with “Why it matters” (“Read it on the days motivation is low.”) and “Amount (optional)” (e.g. 30 min, 10 pages).	Click the line to open it.
Capacity note	Blue box when you are at your limit: “You're already building N new habits (your limit is N). Habits take about 66 days to stick — add this one to the queue and it'll get its turn.”	
Error box	Orange box with a friendly message if saving fails.	
Cancel / Add to queue / Start habit / Save changes	“Add to queue” saves it as waiting (shown when you are under the limit). The main button is “Start habit”, or “Add to queue” when you are full, or “Save changes” when editing. Needs a habit name and a life area.	

Habit page `/habits/[id]`

Log or repair any day, read the full stats, and see the habit's design and automaticity checks.

HOW TO USE IT

1. Use the heatmap to fix a wrong day or back-fill a missed one.
2. Read the design card when you want to adjust the habit; click Edit.
3. Answer automaticity checks; graduate when it feels automatic.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Habit title + links	Title, a "← Habits" link and the life area (· section) link with ↗.	
Status chip	"queued", "graduated" or "archived" when the habit is not active.	
Momentum / Edit / Delete	Log as momentum, open the edit dialog, or delete (with a "Pause instead" option for active habits).	
Log today (card)	Big button "Mark done for today" (or "Done today — nice.", "2-min version today — nice.", "Reserve skip today"), with the anchor below.	Click to mark done or undo. "2-min: …" logs the minimum version. "More" opens the log menu for today.
Consistency (stat)	Ring and "x of last y days".	
Forgiving streak (stat)	Days, with the shields left this week.	
Best streak (stat)	Lifetime record in days.	
Total done (stat)	All done days, plus "day N · x/y this week".	
Last 6 months (heatmap)	26 weeks, one column per Mon–Sun week, legend below and "All-time: N%" (done days ÷ days tracked).	Tap a past day to open the log menu for that date (log, change or clear it). Future days can't be logged.
Completions per month	Bar chart of done days for the last 6 months.	
Habit design (card)	The if-then plan (or "Add a cue — habits anchored to an existing routine stick far better."), 2-min, Stretch, Target ("Every day · 2 reserve skips · 5 min"), When, Goal (link), Started (date · day N, "(median habit: ~66 days)" before day 66) and the why text.	Buttons at the bottom: "Graduate" and "Pause → queue" (active), "Start now" (queued), "Resume daily tracking" (graduated or archived). "Edit" opens the dialog.

ELEMENT	WHAT IT IS	HOW TO USE IT
Automaticity checks (card)	Hint: “Day 30 · 60 · 90 — how automatic does it feel (1–5)?” A due check shows as a prompt. Rows Day 30 / 60 / 90 show a 5-segment bar and “4/5” when answered, “Answer now” when reached, or “in N days”. Off-schedule check-ins are listed too.	Click “Answer now” or, after day 7, “Check in early”.

Frameworks & terms in this module

If–then anchor Implementation intentions (Peter Gollwitzer); Tiny Habits (BJ Fogg); habit stacking (James Clear)

Tie the habit to something you already do every day: “After I <cue>, I will <habit>.” A clear cue beats a vague time like “in the morning”.

Example: “After I pour my morning coffee, I will journal for 5 minutes.”

Minimum / standard / stretch versions Two-minute rule (James Clear); Tiny Habits (BJ Fogg); Elastic Habits (Stephen Guise)

Three sizes of the same habit. Standard = the normal version (“Done”, 5 XP). Minimum = the ≈2-minute version for bad days; it fully counts for streak and consistency (3 XP). Stretch = for great days, never required (5 XP).

Example: Standard: 30-minute run. Minimum: shoes on, walk 2 minutes. Stretch: 10 km.

Weekly target bishOS

How many days per week the habit is due, from 1 to 7. Pick what you can keep in a bad week. Days off inside the target are built-in rest days (7 − target).

Example: Gym 3× a week = 4 built-in rest days. Missing Tuesday breaks nothing.

Reserve skips (shields) Emergency reserves research (Marissa Sharif & Suzanne Shu)

Planned skips per week, 0–3 (default 2). Using one keeps the streak and removes that day from consistency. They refill every Monday. With no shields left, the app suggests the 2-minute version instead.

Example: Flu on Thursday: long-press → “Use a reserve skip”. The streak stays alive.

Forgiving streak bishOS; “Never miss twice” (James Clear)

Counts days you did the habit (done, 2-minute or stretch). Skips and misses don't break it while each Mon–Sun week stays within its allowance: rest days (7 − target) + reserve skips. A full week with nothing logged always breaks it. Today doesn't break it before the day ends.

Example: Daily habit with 2 reserves: you can miss or skip 2 days a week and keep the streak.

Consistency % bishOS

The main score. Over the last 30 days (since the habit started): days done ÷ days expected by your weekly target. Skip days are removed. Today counts only once logged. Capped at 100%. Shows “New” until there is data.

Example: 3×/week habit, 28 counted days → 12 expected; you did 9 → 75%.

Streak repair bishOS

Missed yesterday or the day before? Log it within 48 hours and it counts as a repair: the streak is kept and the heatmap cell gets a blue ring.

Example: Monday morning the Repair window shows “Journal · Yesterday”. Click Done → “Streak repaired”.

Automaticity Lally et al. (2010); Self-Report Behavioural Automaticity Index (Gardner)

How automatic a habit feels, from 1 (“I have to remind myself”) to 5 (“I do it without thinking”). The app asks at day 30, 60 and 90. A 4 or 5 offers graduation. Habits take about 66 days on average to become automatic.

Example: Day 60: you rate journaling 4 → “Graduate” moves it to lighter tracking.

Graduate bishOS

Move an automatic habit to lighter tracking. It leaves the Today list and no longer counts in the execution score, but keeps its history. Resume anytime.

Queue (new-habit limit) bishOS; habit research (one change at a time)

You build at most N new habits at once (default 3; Settings → Caps → “New habits at once”). “New” = active and started in the last 30 days. When you are full, new habits wait in the queue. Start one when another sticks or graduates; it gets a fresh start date.

Example: Journaling, gym and reading started this month → a fourth idea, “Meditate”, waits as #1 in queue.

Habit as a lead measure 12 Week Year; 4DX lead measures

A habit linked to a 12-week goal counts in the execution score: done days this week versus its weekly target (skips don't count).

Example: “Gym 3×/week” linked to the health goal: 2 of 3 done adds 2/3 to the week's score.

Time of day bishOS

Morning (before noon), Afternoon (noon–6pm), Evening (after 6pm) or Anytime. It groups habits on Today so each shows up when its cue happens.

How to test it

1. Open Habits → click “New habit”. Type cue “pour my morning coffee” and habit “Journal for 5 minutes”. Expected: “After I pour my morning coffee, I will journal for 5 minutes.” at the top.
2. Set minimum “Write one sentence”, weekly target 7, reserve skips 2, time Morning, a life area. Click “Start habit”. Expected: a “New habit: …” toast and the habit under Morning on the Today tab with “New” consistency.
3. Tap the big square. Expected: green with a check and +5 XP. Tap again. Expected: undone and the XP removed.
4. Long-press the square (or right-click, or ⋯) → “2-minute version”. Expected: light green with a feather, chip “2-min counts”, +3 XP.
5. ⋯ → “Use a reserve skip”. Expected: dashed blue shield, “Shield used — streak protected”, header “Shields left” drops by 1. Use skips until none are left. Expected: the option is disabled with “No shields left this week — try the 2-min version”.
6. Leave a habit (started before yesterday) unlogged for yesterday. Expected: the Repair window lists it with “· Yesterday”. Click Done. Expected: “Streak repaired · …” and a blue ring on that heatmap cell.

7. Log every active habit today. Expected: confetti, “Every habit done today 🎉” and the green “All of today's habits are done.” banner (only once per day).
8. Create habits until you reach the limit (3 started in the last 30 days). Expected: the dialog shows the blue capacity note and the main button says “Add to queue”. The Queue tab shows “#1 in queue” with a disabled “At your limit — graduate one first”.
9. On an active habit ⋯ → “Graduate (lighter tracking)”. Expected: “… graduated 🎓”, it moves to Graduated, and “Start now” in the Queue becomes available.
10. Open a habit page. Tap a past day in the heatmap → “2-minute version”. Expected: the cell turns light green and consistency updates. Future days are not clickable.
11. Edit a habit and link it to a 12-week goal. Expected: on Goals the goal card shows it as a dashed habit row and the execution score includes it.
12. ⋯ → Delete. Expected: a dialog with “Move to queue” and “Delete”.
13. On a habit older than 30 days, the “Day 30 check-in” appears. Click 5. Expected: “Graduate” / “Keep tracking”. On another habit click 3. Expected: saved at once with a kind message.

Tips

- If you keep using the 2-minute version, that's fine — it still counts. Shrink the standard version in the monthly review.
- Two reserve skips a week is a good default. Zero reserves makes the habit fragile.
- Start one habit at a time when life is busy; the limit is a maximum.

DIRECTION

Routines

Short checklists set off by one cue — like a work start-up or a shutdown — tracked as one unit. Each step can be part of the minimum version for bad days. A run mode with a timer walks you through the steps.

Why it helps: Rituals at the start and end of the workday make the day begin and end on purpose: you plan before you react, and you close every loop before you stop. A routine bundles 3–8 tiny steps behind one trigger, so you don't need willpower for each step.

One-time	Your first visit adds 4 starter routines: Start-up, Shutdown, Morning and Evening. Edit their steps to fit your day (about 5 minutes).
Daily	Morning routine after you get up, Start-up when you sit down to work, Shutdown after your last work block, Evening after dinner. Bad day? Click “Minimum”.
Weekly	Use a routine of kind Weekly for a weekly reset; it is counted in weeks, not days.
Monthly	Check each routine's 30-day dots and consistency. Remove steps you never do; keep 3–8.

Routines `/routines`

See all routines, tick steps for today, complete the full or minimum version, and track consistency and streaks.

HOW TO USE IT

1. Read the four starter routines and edit them to fit your day.
2. Each day, tick steps as you go, or click “Run now”.
3. Finish with “Complete” — or “Minimum” on a bad day.
4. Pause routines you don't need now instead of deleting them.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Routines (page header)	Title with “Short checklists set off by one cue. Each has a minimum version for bad days.”	
New routine (button)	Opens the routine editor.	
Done today (header stat)	Ring and “done/active”. Green when all active routines are done.	
Consistency · 30d (header stat)	Average consistency of active routines. Sub-line “minimum versions count”.	
Planned time (header stat)	Total planned minutes of active routines. Sub-line “start-up ≤15 · shutdown ≤10”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Starter routines toast	On your first visit: “Added 4 starter routines — Start-up, Shutdown, Morning and Evening — edit them to fit your day.”	
No routines yet (empty state)	If you deleted everything: explains routines, with “Add starter routines” and “Build your own”.	
Routine card · ring	Shows how many steps you ticked today. A green check when complete; otherwise the kind icon.	
Routine card · name and kind line	Name and “Kind · ≤N min” (or “N steps”) and “· min N steps” when there is a minimum version. Paused routines are faded.	
Routine card · anchor	The trigger, e.g. “When I sit down at my desk to start work”.	
Routine card · ⋯ menu	“Edit routine”, “Move up”, “Move down”, “Pause routine” / “Activate routine”, “Reset today” (only when some steps are ticked and it is not complete — clears today's ticks and XP), “Delete”.	
Step list	A round tick per step, the text, a “min” chip for minimum-version steps, and minutes. Empty: “No steps yet — edit to add 3–8 short steps.”	Click a step to tick or untick it. Ticks are saved per day.
Run now	Opens the full-screen run mode with a timer.	
Complete	Marks the whole routine done for today (all steps ticked).	Click. +10 XP once per routine per day: “… complete”.
Minimum	Shown when the routine has minimum steps. Completes the minimum version (ticks those steps). Counts as done for consistency and streak.	Click. +10 XP: “… · minimum version done”.
Done today / Minimum done (chip) + Undo	After completing: the chip (with the time if you used run mode, e.g. “· 8:42”) and an “Undo” button.	Undo removes the completion and its XP; ticked steps stay.
30-day dots	One dot per day: green = complete, light green = minimum, ring = started but not finished, grey = nothing, faint = before the routine existed.	Hover a dot for the date and status.

ELEMENT	WHAT IT IS	HOW TO USE IT
Consistency %	Last 30 days: completed days ÷ days since the routine started (today counts once it's done). Weekly routines: weeks done over the last 8 weeks.	
Streak (flame)	Days in a row (weeks for Weekly routines). Up to 2 missed days a week are reserve days and keep it alive.	
Delete this routine? (dialog)	"… and its history will be removed. To take a break, pause it instead — it keeps its history." Buttons: "Pause instead" and "Delete".	

Run mode `/routines (run mode)`

A focused full-screen checklist with a timer, so you do the routine step by step without distractions.

HOW TO USE IT

1. Click "Run now" on a routine card.
2. Tap each step as you finish it; follow the outlined next step.
3. Click "Complete" (or "Complete minimum"). The card then shows "Done today · m:ss".

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Top bar	Routine name, "Kind · date", and × "Close run mode".	Click × or press Esc to close. Ticks are kept.
Timer ring	Elapsed time "m:ss" and "of N min" (planned minutes). Over time it shows "+m:ss · that's fine". The timer keeps running if you close and reopen within 6 hours on the same day in the same browser tab.	
Anchor	The routine's trigger, under the timer.	
Step buttons	Big buttons with a number (or a check when done), the text, a "min" chip and minutes. The next step to do has an outline.	Tap a step to tick or untick it.
Complete minimum (N steps)	Shown when the routine has minimum steps; shows ✓ when all minimum steps are ticked.	Click to finish the minimum version and save the time.
Complete	Finishes the full routine, saves the duration and closes run mode. It shines when every step is ticked.	

New routine / Edit routine (dialog) `/routines (routine editor)`

Create or change a routine: its name, kind, trigger and steps with minutes and the minimum version.

HOW TO USE IT

1. Name the routine and choose its kind.
2. Write one clear trigger in Anchor.
3. Add 3–8 short steps with minutes.
4. Mark the 1–3 most important steps as “min” — that is your bad-day version.
5. Click Create (or Save) routine.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Name	Required, up to 60 characters. Placeholder “Gym prep”.	
Kind	Morning, Work start-up, Shutdown, Evening, Weekly or Custom. Start-up aims for ≤15 minutes and Shutdown for ≤10. Weekly is counted in weeks.	
Anchor (one trigger)	The cue, e.g. “When I sit down at my desk”. Hint: “A routine is a short checklist set off by one cue, tracked as one unit.”	
Steps header + total	“Steps · keep it to 3–8 · mark the minimum version” and the total, e.g. “12 min · aim ≤10” (orange when over the kind's cap).	
Step row	Number, step text, minutes box (“min”, 0–240), a “min” toggle (green = part of the minimum version), ↑ ↓ to reorder (on wider screens) and × to remove.	
Add a step… + Add	Adds a step at the end (Enter works too). Text left in this field is also saved when you save the routine.	
Delete (edit only)	Deletes the routine and its history.	Click once to arm (“Tap again to delete”), click again to delete.
Cancel / Create routine / Save routine	Saving needs a name. Empty steps are dropped.	

Frameworks & terms in this module

> **Routine vs habit** bishOS
>
> A habit is one behaviour with its own streak and consistency. A routine is a short checklist of several steps behind ONE cue, tracked as one unit: complete, minimum or started. Use habits for single behaviours you want on autopilot; use routines for sequences.
>
> *Example:* Habit: “After coffee, journal 5 minutes.” Routine: Shutdown = empty inbox → review lists → check calendar → decide leftovers → resume note → progress line → “shutdown complete”.

Minimum steps bishOS; Tiny Habits (BJ Fogg)

Steps marked “min” form the routine's minimum version. On a bad day click “Minimum”: it counts as done for consistency and streak, and gives the same XP.

Example: Start-up minimum: “Pick today's Top 3” + “Set one if-then plan” — about 6 minutes.

Anchor (one trigger) Implementation intentions (Peter Gollwitzer)

The one moment that starts the routine. A routine has exactly one cue, so you never wonder when to do it.

Example: “When I finish my last work block.”

Start-up ritual Daily planning ritual (Sunsama-style)

A short ritual (≤15 minutes) before work: review the calendar and week plan, process the inbox, pick today's Top 3 (one delivery, one revenue), and set one if-then plan for the biggest distraction.

Shutdown ritual Cal Newport (Deep Work)

A short ritual (≤10 minutes) after the last work block: empty the inbox, review and date open lists, check the next 2 weeks, decide every leftover, write a ready-to-resume note and a progress line, then say “shutdown complete” and close the laptop.

Starter routines bishOS (Newport shutdown, Sunsama start-up)

The four routines added on your first visit. Start-up (4 steps), Shutdown (7 steps), Morning (water, move 5 minutes, no phone for 30 minutes) and Evening (lay out tomorrow, screens off, read 10 minutes). Each has minimum steps marked.

Routine streak and reserve days bishOS

Consecutive days (or weeks for Weekly routines) with the routine complete. Up to 2 missed days per Mon–Sun week are absorbed as reserve days. A minimum completion counts as complete.

Example: You skip the evening routine on Friday and Saturday; the streak survives. A third miss that week breaks it.

Routine kinds bishOS

Morning, Work start-up (aim ≤15 min), Shutdown (aim ≤10 min), Evening, Weekly (tracked in weeks) and Custom.

How to test it

1. Open Routines for the first time. Expected: the toast “Added 4 starter routines” and four cards: Start-up, Shutdown, Morning, Evening.
2. On Start-up tick the first step. Expected: the ring fills a little. Reload. Expected: the tick is still there for today.
3. Click “Minimum”. Expected: “Start-up · minimum version done” with +10 XP, the chip “Minimum done”, and today's dot is light green.
4. Click “Undo”. Expected: the chip goes away and the XP is removed; ticked steps stay.
5. Click “Run now”. Expected: full-screen run mode with a running timer. Tick steps — the next step is outlined. Click “Complete”. Expected: +10 XP and the card shows “Done today · m:ss”.
6. ⋯ → “Edit routine”. Change Kind to Shutdown and add minutes until the total is over 10. Expected: the total turns orange with “aim ≤10”.

7. Add a step, mark it “min”, click Save routine. Expected: the card shows “· min N steps” and the step has a “min” chip.
8. ⋯ → “Pause routine”. Expected: the card fades and the header “Done today” no longer counts it.
9. ⋯ → “Move up”. Expected: the order changes and stays after reload.
10. Tick a step on an unfinished routine, then ⋯ → “Reset today”. Expected: today's ticks are cleared.
11. ⋯ → Delete. Expected: a dialog with “Pause instead” and “Delete”.

Tips

- Keep start-up under 15 minutes and shutdown under 10. Long rituals get skipped.
- The minimum version is not cheating; it keeps the chain alive on hard days.
- Routines are tracked separately from the Today page's start-up and shutdown. The Sun/Moon icons on the Week page come from the Today rituals, not from these checklists.

FOUNDER

Founder HQ

The CEO view of your company on one page: this week's Big 3, six key numbers, the revenue engine (pipeline and promises), the marketing engine (content, offers, campaigns), the scorecard, where your hours went, and what needs your attention.

Why it helps: As a founder you do sales, marketing and delivery yourself. It is easy to lose the big picture. Founder HQ pulls every engine into one screen, so in two minutes you know: is money coming in, is marketing running, are you keeping promises, and are you burning out? Every number is a link to the page where you fix it.

One-time	Nothing to set up on this page. It fills itself from other modules. To make every panel useful: set your Weekly Big 3 (Week page), click "Start with the founder scorecard", add your open deals in Pipeline, set weekly hour targets per area in Compass, and set the hours cap in Settings → Wellbeing.
Daily	Open it first thing in the morning. Read the status line under the Big 3. Click any warning (deal steps due, promises overdue) and clear it.
Weekly	Use it as the first screen of your weekly review: check the scorecard, the won-this-week tile, hub cadence, hours by area and the top issues. Then click "Weekly review".
Monthly	Look at the 8-week trend lines in the KPI row and the Scorecard panel. Flat or falling lines are a topic for your monthly review.

Founder HQ `/founder`

Read the whole business top to bottom: focus → key numbers → revenue and marketing engines → scorecard and time → attention items.

HOW TO USE IT

1. Open Founder HQ (Founder → Founder HQ) in the morning.
2. Read the Big 3. If empty, click "Set the Big 3".
3. Read the status line. Click every amber item and clear it.
4. Scan the six KPI tiles. Red or amber? Click the tile.
5. In Revenue engine, do the next steps due today.
6. Once a week, go through the Scorecard, Time & operations and Needs your attention panels, then click "Weekly review".

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Founder HQ (page header)	Title with a crown icon. The line under it greets you by time of day and names the week, e.g. "Good morning. The CEO view for the week of Oct 19 – Oct 25." (Late night, Good morning, Good afternoon or Good evening.)	

ELEMENT	WHAT IT IS	HOW TO USE IT
Weekly review (button)	Outline button at the top right. Opens the Reviews page.	Click it at the end of the week to run your weekly review.
Scorecard (button)	Dark button at the top right. Opens the full Scorecard page with the 13-week grid.	Click it to fill in manual numbers or see the full history.
This week's founder focus (focus strip)	A card under the header with your Weekly Big 3 from the Week page. On the right: “2/3 done” (green when all done) and a link “Edit in Week →” (or “Plan the week →” if empty).	Click the link to change the Big 3 on the Week page. You tick them done there, not here.
Big 1 / Big 2 / Big 3	Three slots. Each shows an empty circle (not done) or a green check (done) and the outcome text. A done outcome is struck through.	
+ Add Big N	Shown in an empty slot when you have fewer than 3 outcomes.	Click it to go to the Week page and add the missing outcome.
No Weekly Big 3 yet (empty state)	Text “No Weekly Big 3 yet. Pick the three outcomes that would make this week a win.” with a “Set the Big 3” button.	Click “Set the Big 3” to open the Week page.
Status line	A grey strip at the bottom of the focus card with short linked messages, each with a coloured dot: “5 of 7 scorecard numbers on track” (green when all on track and nothing blank, red when more are off than on), “3 deal steps due (1 overdue)” or “… due today”, “2 deals need a next step”, “1 promise overdue”, “1 decision to review”, “1 load signal worth a look”. With nothing urgent you see “Nothing urgent: steps, promises and reviews are clear”.	Click a message to jump to Scorecard, Pipeline, Commitments, Decisions or Insights and fix it.
KPI row (six tiles)	Six equal tiles: Scorecard, Open pipeline, Won this week, Promises kept, Hub content, Hours this week. Each tile has a label and icon, a big number, a mini chart and a context line. The whole tile is a link.	Click a tile to open the module behind it. Hover the mini bars to see each week's value.
Scorecard (tile)	Numbers on track this week out of all active numbers, e.g. “5/7”. Mini chart: the share of numbers on track for each of the last 8 weeks. Context line: “on track · 2 off · 1 blank”. Green when nothing is off or blank, red when more are off than on. Shows “—” and “Not set up yet” with no scorecard.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Open pipeline (tile)	Total value of all open deals (Target to Verbal yes). Mini chart: one strip split by stage, bigger segment = more deals, later stages darker. Context line: “8 deals · 33% win rate”. This win rate is all-time: won ÷ (won + lost).	
Won this week (tile)	The value of deals won this week (or the number of deals if they have no value). Green when you won at least one. Mini chart: deals won per week for 8 weeks. Context line: “1 deal · avg $2.5K/wk” (average of the 7 earlier weeks).	
Promises kept (tile)	Your promise-keeping rate for the last 28 days, e.g. “92%”. Mini chart: a bar with a marker at the 90% goal. Green at 90% or more, amber under 70%. Context line: “11/12 on time · 1 overdue”, or “None due in 28 days”.	
Hub content (tile)	Hub pieces published this week out of your weekly target, e.g. “1/1”. Green when you hit the target. Mini chart: hub pieces per week for 8 weeks, dashed line = target. Context line: “3 published · 4-wk streak”.	
Hours this week (tile)	Hours worked this week out of your cap, e.g. “41h/55h”. Amber at or above the cap. Mini chart: a bar against the cap (blue from 85% of the cap). Context line: “18h deep focus · cap 55h”. The tile links to Insights.	
Revenue engine (panel)	Big panel on the left with a handshake icon. Hint: “Pipeline by stage, next steps and promises to clients”. Link “Pipeline ↗” at the top right.	
Cash & runway tile (Finance)	The first row inside Revenue engine, a link to Finance. With Finance set up it shows four numbers: Business cash, Runway (months; amber under 6, red under 3, or “Not burning”), This month net (green or red) and Receivables (open invoices, with a red chip for overdue ones). Before setup: “Set up Finance to see cash, burn and runway here.”	Click it to open Finance. The Finance chapter explains these numbers.

ELEMENT	WHAT IT IS	HOW TO USE IT
Pipeline by stage	One bar per open stage: Target, Contacted, Booked, Discovery, Proposal, Verbal yes. The bar length = number of deals (the number is printed inside). The value of each stage is on the right. Above it: the total, e.g. “$24K open”.	Read it like a funnel. Many deals at Target and none at Proposal means you need more conversations, not more leads.
No open deals (empty state)	Text “No open deals. Every deal you add gets a dated next step, so nothing goes cold.” with the link “Add a deal →”.	Click the link to open the Pipeline.
Next steps due	Up to 4 open deals whose next step is due today or overdue. Each row: the deal name, then the date (“Overdue · 3 days ago” in amber, or “Today”) and the step text. A count chip shows how many are due (amber when some are overdue). Link “Deals →”.	Do the step, then update the deal in the Pipeline. If no steps are due you see “No steps due. All are in the future.”
Promises due	Up to 4 of your “I owe” promises: overdue ones first (amber “Overdue · …”), then ones due in the next 7 days (“Due · Friday”). Count chip and link “Commitments →”. Empty: “Nothing owed in the next 7 days.” or, if you never logged one, “Log what you promise clients and partners to track your follow-through. Log a promise →”.	
Pipeline health chips	Small chips at the bottom of the panel: “2 without a dated next step” (amber) or “Every open deal has a next step” (green), “3 idle 7+ days” (hover to see which deals), “1 promised for today”, “2 waiting-for to check”.	Hover the idle chip to read the deal names. Then open the Pipeline and touch those deals.
Marketing engine (panel)	Panel on the right with a megaphone icon. Hint: “Content cadence, work in production, offers and campaigns live”. Link “Studio ↗” opens the Content Studio.	
Hub cadence	Bars for the last 8 weeks: hub pieces published per week. Green bars hit the target; the dashed line is the target. On the right: “1/1 this week”. Under the bars: “8 weeks ago”, a flame with “4-week streak” (weeks in a row that hit the target) and “dashed = 1/week target”.	Hover a bar to see “Week of Oct 6: 1 hub · 3 published”.

ELEMENT	WHAT IT IS	HOW TO USE IT
In production / Offers live / Campaigns live (stat cells)	Three small linked boxes. In production: content pieces from Brief to Scheduled, with "12 ideas banked". Offers live: live offers, with "1 testing" or "none testing". Campaigns live: live campaigns, with "2 planned" or "none planned". Green when at least one is live.	Click a box to open Content Studio, Offers or Campaigns.
In production (list)	Up to 3 pieces in production with their stage (e.g. "Script"). A small purple dot marks a hub piece. Link "Studio →". Empty: "Nothing in production. Move an idea to Brief to start this week's hub piece. Brief a piece →".	Click a piece to open it in the Content Studio.
Live offers & campaigns	Up to 3 live items: offers (package icon, price) and campaigns (megaphone icon, number of leads). Link "Campaigns →". Empty: "Nothing live. One live offer plus one focused campaign is the engine. Build an offer →".	Click an item to open the offer or campaign.
Scorecard (panel)	Panel with a gauge icon. Hint: "5 of 7 on track this week · ⚡ = fills itself". Link "Full grid ↗".	
Scorecard table	One row per active number. Columns: Number (name, with ⚡ if automatic), 8 weeks (a trend line with a dashed target line; hidden on phones), This week (value / target, green or red), vs last (arrow and change vs last week, "same" or "—"; wide screens only) and a status chip: On track, Off track or No entry.	A manual number with no value shows "+ add". Click it to open the Scorecard page and type the value.
Start with the founder scorecard (button)	Shown when you have no scorecard. Text: "Seven numbers that tell you if the business is on track. Six fill themselves in."	Click it once. Seven numbers are created, a toast says "Founder scorecard ready" and confetti plays.
Time & operations (panel)	Panel with a clock icon. Hint: "Where this week's hours went, and what's ready to hand off". Link "Week ↗".	

ELEMENT	WHAT IT IS	HOW TO USE IT
Hours by Life Area	One row per life area: colour dot, name, a bar and “12/20h” (actual / weekly target). With a target the bar is a bullet bar with a marker at the target (green when reached). Without targets you see plain bars and the hint “Set weekly hour targets per area in Compass to see target vs actual.” A “No area” row shows hours not linked to any area. At the top right: total hours, focus hours and an 8-week trend line against your cap.	Hours count focus sessions that ended this week plus schedule blocks marked done (without a focus session). The area comes from the session, its task or its project.
Delegation readiness	One row per rung of the Replacement Ladder: Admin, Delivery, Marketing, Sales, Leadership. Each shows a bar and “2/5” (processes documented or delegated / all processes in that rung) or “none”. At the top right: “4/10 ready · 40%”. Under it: “3 tasks marked “should not be me”: record the process next time.” Link “Delegation →”. Empty: “No processes yet. Start with the admin rung: what you repeat every week. Document a process →”.	
Needs your attention (panel)	Full-width panel with a siren icon. Hint: “Issues to solve, decisions to review, and how you're holding up”. Three columns.	
Top issues (column)	Your top 3 open issues, numbered 1–3, ranked by priority then age. Each shows a P1/P2/P3 chip and “Identified” or “Discussing”. Count chip and link “IDS →”. Empty: “No open issues. Log what's in the way before it grows. Add an issue →”.	
Decisions to review (column)	Up to 4 decisions whose review date has arrived, with an hourglass: “Review due today · you were 70% sure”. A “Review now” button opens the Decisions page. Count chip and link “Journal →”. Empty: “No reviews due (2 awaiting an outcome later). Journal big calls to learn how good your judgement is.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
Energy & load (column)	A bar “Hours this week 41 / 55h cap”. Three small boxes: sleep 7d (average sleep from check-ins, amber under 6.5h), energy (average energy /5) and days since rest (amber at 14+, “28+” when longer). Then observations with icons, e.g. “41h this week, close to your 55h cap.”, “Sleep averaged 6.1h over the last 7 days (under 6.5h).”, “16 days since a day off.” or “No load warnings this week. Sustainable pace.” At the bottom: “Free Day protected: Saturday.” or “No Free Day protected this week yet.” with a “Plan the week” link.	Click an observation to open Insights or the Week page. A rest day is a Free Day, or a day with no focus session.

Frameworks & terms in this module

The CEO view Founder dashboards; EOS Scorecard (Gino Wickman, Traction)

One screen that shows the health of every engine of the business at the same time: sales, marketing, delivery, money promises, time and energy. You look at it often, so problems show up early.

Example: Monday 9:00: Bish sees 0 deals won for 3 weeks and 2 deals without a next step. He blocks 2 hours for sales before any delivery work.

Weekly Big 3 The Rule of 3 (Chris Bailey, The Productivity Project)

The three outcomes that would make this week a win. You set them on the Week page. Fewer goals means more focus.

Example: 1. Send 2 proposals. 2. Publish the hub video. 3. Close the Acme deal.

Revenue engine bishOS

Everything that turns strangers into paying clients: open deals, their next steps, and the promises you made to clients.

Example: 8 open deals worth $24K, 3 steps due today, 1 promise overdue.

Marketing engine bishOS

Everything that makes people know and want your offer: the weekly hub content, pieces in production, live offers and live campaigns.

Example: 1 hub video a week, 1 live offer, 1 live LinkedIn campaign.

Hub content and hub cadence Pillar / hub-and-spoke content (Gary Vaynerchuk content model)

A hub piece is one big piece of content (a long video, a long article) that you cut into many small posts. Hub cadence is how many hub pieces you publish per week compared with your target (Settings → Founder engines → Hub content pieces / week).

Example: Target 1. You published one podcast episode this week → 1/1, green bar, streak +1.

Hours by area vs budget Time budgeting (bishOS); Calendar audit (Dan Martell, Buy Back Your Time)

Each life area has a weekly hour budget in Compass. Founder HQ compares it with the hours you really worked (focus sessions + done schedule blocks). It shows if your time matches your priorities.

Example: Sales budget 10h, actual 3h. Delivery budget 20h, actual 31h. Delivery is eating your sales time.

Delegation readiness Buy Back Your Time (Dan Martell)

How many of your repeated processes are written down (documented) or already handed off (delegated). A process that is documented can be given to a freelancer or hire tomorrow.

Example: Admin rung: 4 of 5 processes documented → 80% ready. You could hire a VA next month.

Replacement Ladder Buy Back Your Time (Dan Martell)

The order in which a founder hands off work: first Admin, then Delivery, then Marketing, then Sales, and last Leadership. The rungs in Delegation readiness follow this order.

Example: Bish first hands off invoicing and scheduling (Admin), then project delivery to a developer (Delivery).

"Should not be me" tasks Buy Back Your Time (Dan Martell)

Tasks you marked for delegation. Founder HQ counts them and reminds you to record the process the next time you do one.

Example: "Send monthly invoices" is marked. Next time, record your screen while you do it and save it as a process.

Hours cap WHO/ILO study on long working hours (2021)

The weekly work hours you don't want to cross (Settings → Wellbeing → Weekly work-hours warning, default 55). The Hours tile turns blue near it (85%) and amber at or above it.

Example: Cap 55h. You logged 48h by Thursday → blue. 56h on Saturday → amber and a warning in Energy & load.

Free Day The Entrepreneurial Time System (Dan Sullivan, Strategic Coach)

A full day with no work at all, protected in advance on the Week page. Rest days keep your judgement sharp.

Example: Saturday is your Free Day: no email, no client calls.

Days since rest bishOS wellbeing observations

Days since your last Free Day or your last day with no focus session (looking back up to 28 days). At 14 or more it turns amber and an observation appears.

Example: You worked 16 days in a row → "16 days since a day off."

Win rate (all-time, on Founder HQ) Standard sales metric

Deals won ÷ (deals won + deals lost), over all time. Unqualified deals are left out. Note: the Pipeline page shows a 90-day win rate instead.

Example: 6 won, 12 lost → 33% win rate.

How to test it

1. Open Founder → Founder HQ. Expected: the greeting line with this week's dates, the focus strip, six KPI tiles, Revenue engine, Marketing engine, Scorecard, Time & operations and Needs your attention. While loading, grey skeletons keep the same size (nothing jumps).
2. With no Big 3 set, check the focus strip. Expected: “No Weekly Big 3 yet…” and a “Set the Big 3” button. Click it. Expected: the Week page opens. Add 2 outcomes and come back. Expected: Big 1 and Big 2 are filled, slot 3 shows “+ Add Big 3”, and “0/2 done” shows on the right.
3. In the Scorecard panel click “Start with the founder scorecard”. Expected: toast “Founder scorecard ready”, confetti, and 7 rows (6 with ⚡). The Scorecard tile shows a number like “3/7”.
4. In Pipeline, add a deal with a next step dated yesterday (or move a deal's step to yesterday). Return to Founder HQ. Expected: the status line says “1 deal step due (1 overdue)”, Next steps due lists it with amber “Overdue · Yesterday”, and the Open pipeline tile shows the new total.
5. Mark a deal as won in Pipeline with a value of 1000. Expected on Founder HQ: the Won this week tile shows the value in green and this week's bar grows.
6. In Commitments, add an “I owe” promise due yesterday. Expected: status line “1 promise overdue”, Promises due shows it with amber “Overdue”, the Promises kept tile drops.
7. Start and finish a short focus session linked to a task in a life area. Expected: Hours by Life Area adds the time to that area and Hours this week goes up.
8. Click each KPI tile. Expected: Scorecard → /scorecard, Open pipeline and Won this week → /pipeline, Promises kept → /commitments, Hub content → /content, Hours this week → /insights.
9. Click “Weekly review” and “Scorecard” in the header. Expected: they open /reviews and /scorecard.

Tips

- Read the page top to bottom. The order is on purpose: focus first, then numbers, then engines, then problems.
- An amber number is a task, not a feeling. Click it and do one action.
- If Hours by Life Area shows a big “No area” row, link your tasks and projects to areas so the picture is true.
- Founder HQ never changes data. It only reads. Fix things on the linked pages.

FOUNDER

Pipeline

Your founder-led sales board. Every deal moves through six open stages (Target → Contacted → Booked → Discovery → Proposal → Verbal yes) and closes as Won, Lost or Unqualified. Every open deal must have a dated next step. The page also has your daily outreach quota and meetings goal.

Why it helps: Deals die in silence: you forget a follow-up and the lead goes cold. The pipeline makes that impossible. No deal can be open without a next step and a date, and flags warn you when a deal is idle, stuck or a proposal is waiting too long. The outreach meter keeps the top of the funnel full every day, even in busy delivery weeks. Winning a deal creates the customer account and the delivery project for you.

One-time	Set your targets: Settings → Founder engines → Daily outreach quota (default 20) and Daily meetings goal (default 2), and your Currency. Then add every live opportunity as a deal with its real stage and next step (about 20 minutes).
Daily	Morning: click the “Next steps due” tile and do each step. Do your outreach until the ring is full (click “+1 touch” after each message). After every sales call, log it and move the deal. Stop prospecting when you see “Goal hit — you can stop prospecting today”.
Weekly	Filter “Needs attention” and clear every flag (idle, stuck, proposal open, no next step). Check the win rate and Closed deals: what did the lost reasons say?
Monthly	Look at “Won this month” and the 90-day win rate. Read your lost reasons and sharpen your qualification.

Pipeline `/pipeline`

See every open deal by stage, do today's next steps, track today's outreach and close deals.

HOW TO USE IT

1. Click “New deal”. Pick or type the contact, name the deal, pick the stage, write the next step and its date. Click “Add deal”.
2. Every morning click the “Next steps due” tile and do each step.
3. After you do a step, open the deal and write the new next step and date. Never leave a deal without one.
4. When a deal moves forward, drag its card to the next column and confirm the next step.
5. Do your outreach. Click “+1 touch” after each message until the ring is full.
6. When they say yes, click Won in the drawer, enter the value and keep “Create delivery project” ticked.
7. When they say no, click Lost (or Unqualified) and pick a reason. The person stays in People as a nurture contact.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Pipeline (page header)	Title with a board icon and the line “Founder-led sales. No open deal without a dated next step.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
Route a conversation (button)	Outline button with a magic wand (“Route” on phones). Opens the AI dialog that turns call notes into promises, tasks, a deal update, new people and content ideas.	Click it after a sales call and paste your notes. See Commitments → Route a conversation for every step.
New deal (button)	Dark button. Opens the New deal dialog with the stage set to Target.	Click it, fill in the deal and its next step, click “Add deal”.
Open pipeline (tile)	Total value of open deals. Under it: “8 open deals · ~34d to close”. The days to close is the average time from creating a deal to winning it, for deals won in the last 90 days.	
Win rate · 90 days (tile)	Won ÷ (won + lost) for deals closed in the last 90 days. Unqualified deals don't count. Green at 30% or more. Under it: “3 won · 6 lost”, or “Close a few deals to see it”.	
Next steps due (tile)	How many open deals have a next step due today or overdue. Under it: “2 today · 1 overdue” or “All caught up”. Amber with overdue steps, blue with steps due today, green with none. The tile is a button.	Click it to show only due deals (the tile gets a dark border). Click again to show all.
Outreach today (meter)	A ring with “12/20” (outreach touches today / your daily quota). Next to it: “8 to go · outreach + follow-ups”, or “Quota done. Anything more is a bonus.” when full. Only Outreach and Follow-up touches count toward the quota.	
Adjust sales targets (gear icon)	Small gear on the meter. Opens a popover with “Daily outreach touches” (hint: “20–30 during heavy delivery weeks”) and “Meetings goal (open to goal)” (hint: “Stop prospecting once this many are booked”), plus Cancel and Save.	Type new numbers and click Save. Toast: “Sales targets updated”. It changes the same values as Settings → Founder engines.
+1 touch (button)	Dark button with a lightning icon on the meter. One click logs one Outreach touch for today, with no person and no dialog. +2 XP.	Click it every time you send a cold message or DM. Toast: “Touch logged · 13/20 today”. The touch that fills the quota shows “Outreach quota done: 20/20”.
With person (button)	Outline button on the meter. Opens the “Log a touch” dialog with Outreach selected, so you can link the person and deal.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Meetings booked (bar)	Under the meter: “Meetings booked 1/2” with a blue bar. Meetings today = deals moved to Booked today + calls and meetings you logged today. When you reach the goal the bar is replaced by a green box: “Goal hit — you can stop prospecting today”.	
Board / List (view switch)	Switch between the stage board and a sortable table. The page remembers your choice in this browser.	
All / Needs attention / Due (filter)	All shows every open deal. Needs attention (with a count) shows deals with any flag or a step due today. Due (with a count) shows deals with a step due today or overdue.	
Search deals, people…	Search box. It matches the deal name, person, company and next step text.	Type a few letters. The board or list filters as you type.
Stage columns (board)	Six columns: Target, Contacted, Booked, Discovery, Proposal, Verbal. Each header has a coloured dot, the name and a count. Under it: the column total and the stage meaning, e.g. “Σ $8K · Proposal is with them”.	Drag a card to another column to move the deal. A dialog asks for what the rules need (next step, reason, or win details). Drag and drop needs a mouse; on a phone use the Stage field in the deal drawer.
Deal card	Shows the deal name, the value (e.g. “$4.5K”), the person and company with an avatar, the next step with a date chip (amber when overdue, blue when today) and up to 3 flag chips (+N for more).	Click a card to open the deal drawer.
Flag chips	Warnings on a deal: “No next step” (no step or no date), “Overdue” (the step date passed), “Proposal 11d” (proposal out 9+ days), “Stuck 15d” (14+ days in the same stage), “Idle 8d” (no touch for 7+ days). Hover a chip to read its meaning.	
+ Add (column footer)	Dashed button at the bottom of each column.	Click it to open New deal with that column's stage already picked.

ELEMENT	WHAT IT IS	HOW TO USE IT
List view table	Top line: “8 open · $24,000” and a Sort menu: Next step date, Value, Stage (latest first), Longest idle. Columns: Deal (name + person · company), Stage, Value, Next step (with date chip), Last touch (e.g. “5d ago”), Flags (up to 2).	Click a row to open the deal drawer.
Your pipeline is empty (empty state)	Text “Add the people you want to sell to as Targets. Every deal gets a dated next step, so nothing slips.” and the button “Add your first deal”.	
Nothing matches	Shown in List view when the search or filter hides every deal: “Clear the search or filter to see every open deal.”	
Closed deals (strip)	A collapsible card under the board: “Closed deals”, a green “Won this month: $6,000 (2)” and “5 won · 9 lost/unqualified”.	Click the strip to open it. Switch between “Won” and “Lost & unqualified” (with counts). Each card shows the deal, the company and “won 3 days ago”, or “Lost: No budget”, plus the value. Click a card to open the deal (you can reopen it there).
Flags legend	Small grey line at the bottom: “Flags: idle = no touch 7+ days · stuck = 14+ days in a stage · proposal open 9+ days · overdue next step”.	

Deal drawer `/pipeline?deal=<id>`

Everything about one deal in a side panel: stage, value, next step, contact, qualification, source, offer, campaign, touches, promises, tasks, delivery and notes.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Drawer title	The deal name. The drawer opens from the right. A link with ?deal=<id> opens it directly (Customers and other pages use this).	
Deal name (field)	Big text field at the top.	Click, type, then press Enter or click away. It saves on blur. Esc cancels.

ELEMENT	WHAT IT IS	HOW TO USE IT
Stage (select)	All nine stages: Target, Contacted, Conversation booked, Discovery done, Proposal sent, Verbal yes, Won, Lost, Unqualified.	Pick a stage. The move dialog opens with the right questions.
Value (currency)	The deal value in your currency, e.g. “Value (USD)”. Empty or 0 means no value.	Type the number and click away.
Stage progress (stepper)	Six thin segments for the open stages. Filled up to the current stage. Hover a segment to read the stage and its meaning. Only shown while the deal is open.	Click a segment to move the deal to that stage.
Status chips	The stage chip, “12d in stage”, “Won Tuesday” (won deals), the value, and every flag chip.	
Why it didn't close	Shown only for Lost and Unqualified deals: a short reason field.	Edit the reason and click away.
Next step (box)	Shown while the deal is open. A text field (placeholder = the suggested step for the stage, e.g. “Follow up on the proposal”) and a date. The box turns amber when the step is overdue or missing. Overdue text: “This was due 3 days ago. Do it, or pick a new date.”	Type the step and pick the date. The date saves as soon as you pick it. Clearing the step on an open deal is refused with “Open deals need a next step and a date. What happens next, and when?”
Contact: Person	A person picker. Search your People or add a new person.	Type a name and pick it, or choose “Add “Sara @ Acme”” to create the person and company in one go. Click × to unlink.
Contact: Company	Company name with suggestions from your companies. A new name creates the company as a Prospect.	Type or pick a name and click away.
Person / company links	Small buttons under the contact fields with the person's avatar or a building icon and ↗.	Click to open the person profile or the company page.
Qualification	Four fields with a check mark when filled: Pain (“What hurts, in their words?”), Budget (“Range they confirmed”), Decision-maker (“Who signs? Who else weighs in?”), Timeline (“When do they need it live?”).	Fill them during discovery. Pain and Timeline are copied into the delivery project description when you win.
Source & offer	Three selects: Source channel (Outbound, Inbound, Referral, Content, Network, Event, Ads, Other), Offer (your offers; retired ones are marked “(retired)”) and Campaign.	Pick values. Linking an offer or campaign makes its results count this deal.

ELEMENT	WHAT IT IS	HOW TO USE IT
Delivery (won deals only)	Shows the linked delivery project with a progress bar, or a “Create delivery project” button.	Click the button, check the project name and life area, click “Create project”.
Touches (N)	The timeline of every touch on this deal (newest first) with icon, kind, day, channel and summary. A “Log touch” button opens the dialog with Follow-up selected and the person locked.	Hover a touch and use “…” → “Delete touch” to remove it (its XP is removed too).
Commitments	Promises linked to this deal, both directions, with an “Add” button. Empty: “No promises on this deal yet.”	Click Add to log what you promised (or what they promised) on this deal.
Linked tasks	Shown only when tasks are linked to the deal: a status dot, the title and the planned day.	
Notes	A free text box: “Context, objections, what they care about…”.	Type and click away to save.
Won / Lost / Unqualified (footer buttons)	Shown while the deal is open. Each opens the matching close dialog.	
Reopen (footer button)	Shown on closed deals. A won deal reopens to Verbal yes; a lost or unqualified deal reopens to Contacted. It asks for a new next step. Reopening a won deal removes its +100 XP.	
Delete (footer button)	Grey button on the right. Asks “Delete “Acme”? Touches and commitments stay, unlinked.”	Confirm to delete. Its stage XP is removed.

New deal (dialog) `/pipeline`

Create a deal with its first next step. The next step and its date are required.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Contact	Person picker.	Pick a person. If the deal name or company is empty, they are filled from the person (company name, or the person's name).
Company	Company name with suggestions (placeholder “Acme Inc.”). New names create a Prospect company.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Deal name	Required. Placeholder “Acme: website rebuild”.	
Value	Optional number. Placeholder shows your currency.	
Stage	One of the six open stages (Target, Contacted, Conversation booked, Discovery done, Proposal sent, Verbal yes).	Changing it also changes the suggested next step (until you type your own).
Source channel	Default Outbound. Options: Outbound, Inbound, Referral, Content, Network, Event, Ads, Other.	
Offer	Pick one of your offers.	If the value is empty, the offer price is copied into Value.
Campaign	Shown only when you have at least one campaign that is not done.	
Next step (required box)	Label “Next step (required: no deal without a dated next step)”. A text field (pre-filled, e.g. “Send the first message”) and a date (today for Target, otherwise in 2 days).	
Date chips	Today, Tomorrow, +3 days, Next week.	Click one to set the date.
Add deal (button)	Disabled until the deal has a name, a next step and a date.	Click it. At Target you see “Deal added to the pipeline”. At a later stage you get +10 XP (“Deal added · Contacted”).
Cancel	Closes without saving.	

Move a deal (dialogs) `/pipeline`

The rules of the pipeline, built into every stage change (drag, Stage select, stepper or footer buttons).

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Move to <stage> (open stages)	Title like “Move to Proposal sent”. Line: “Proposal sent: Proposal is with them. Every open deal needs a dated next step.”	
Discovery warning	When moving to Discovery done with missing qualification: “Discovery is done when pain, budget and the decision-maker are confirmed. Still missing: budget, decision-maker. You can fill them in the deal.” It warns but does not block.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Next step / Keep current	The suggested step for the new stage. If the deal had another step, a link “Keep current: “…”” puts the old text back.	
When	Date with Today / Tomorrow / +3 days / Next week chips. It keeps the current date if it is still in the future, otherwise in 2 days (today for Target).	
Move to <short stage> (button)	Saves the move. A forward move gives +10 XP once per stage per deal (“Acme → Proposal”). Moving backwards removes the XP of the stages you left. Moving to Booked counts as a meeting for today; if it reaches your goal you see “Goal hit — you can stop prospecting today”.	
Won dialog	Title with a party icon and the deal name. Green box: “Close it as won · +100 XP, and the company moves to Customers.” Fields: Deal value, Customer account (only if the deal has no company, “Files it under Customers”), and a “Create delivery project” checkbox (ticked when no project exists) with Project name (“Acme: delivery”) and Life area (an area named like Operations / Delivery / Client is picked first).	Check the value, keep the box ticked and click “Mark as won”. Confetti, +100 XP, and “Delivery project created · In Company Operations”.
Lost / Unqualified dialog	“Not this time.” (Lost) or “Not a fit.” (Unqualified), then “A one-line reason makes your qualification sharper.” and “Sara stays in People as a nurture contact.” A Reason box and quick chips: No budget, Bad timing, Chose a competitor, No decision, Not a fit, Went quiet.	Write or click a reason (required) and click “Close as lost” / “Close as unqualified”. Toast: “Closed as lost. Kept as a nurture contact · Sara stays in People with a 90-day cadence”.

Log a touch (dialog) `/pipeline`

Record any contact with a person: outreach, follow-up, call, meeting, email, DM or a private note. Used on Pipeline, People, person and company pages and Customers.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Kind buttons	Seven buttons: Outreach (first touch / cold message), Follow-up (nudge after no reply), Call (phone or video call), Meeting (a held meeting), Email (email exchange), DM (LinkedIn / X / WhatsApp chat), Note (private note, not a touch). Hover for the hint.	Click one. Outreach and Follow-up count toward the quota. Call and Meeting count toward the meetings goal. Note never counts as contact.
Who (optional)	Person picker. Hidden when the dialog was opened from a person's page (the person is locked).	
What happened? / Note	Text box. Placeholder depends on the kind (“Sent a personalised DM about…”, “Talked about… They need… Next…”). If you leave it empty, bishOS writes e.g. “Outreach with Sara”.	Press Ctrl+Enter (Cmd+Enter on Mac) to save quickly.
Deal	“No deal” or the person's open deals. If the person has exactly one open deal, it is linked for you.	
Channel	LinkedIn, Email, Phone, WhatsApp, X, Instagram, In person, Other.	
Day	The date of the touch (today by default, no future dates). You can backdate a touch you forgot.	
Outreach counter	Bottom left: “12/20 outreach today”.	
Log touch / Save note (button)	Saves the touch. Every touch except a note gives +2 XP and updates the person's last contact and the deal's last touch (which clears the idle flag).	

Frameworks & terms in this module

> **Founder-led sales** Founding Sales (Pete Kazanjy)
> In the early days the founder sells, not a sales team. You learn what customers really want, and later you can teach it to a salesperson. It needs a simple, honest process and a daily habit.
> *Example:* Bish runs every discovery call himself for the first 20 clients, writing down their exact words about their pain.

> **Pipeline** Standard sales practice
> The list of every possible sale, sorted by how close it is to a yes. Each step is a stage.
> *Example:* 12 open deals: 5 Targets, 3 Contacted, 2 Booked, 1 Proposal, 1 Verbal yes.

Target (stage) bishOS stages, based on Founding Sales (Kazanjy)

Researched, not contacted yet. You know who they are and why they might need you. Suggested next step: “Send the first message”.

Example: A clinic owner on LinkedIn who just posted about hiring a receptionist.

Contacted (stage) bishOS stages

You reached out and are waiting for a reply. Suggested next step: “Follow up”.

Example: You sent a personal DM on Monday. Next step: follow up on Thursday.

Conversation booked (stage, “Booked”) bishOS stages

A call is on the calendar. Moving a deal here counts as a meeting for today's goal. Suggested next step: “Run the discovery call”.

Example: Sara accepted a 30-minute call for Wednesday 3 pm.

Discovery done (stage) bishOS stages; BANT qualification (IBM)

Pain, budget and the decision-maker are confirmed. The app warns you if those fields are empty. Suggested next step: “Send the proposal”.

Example: Pain: 10 hours a week on manual reports. Budget: $5–8K. Decision-maker: the CFO.

Proposal sent (stage) bishOS stages; Founding Sales (Kazanjy)

Your proposal is with them. A 9-day clock starts. After 9 days the deal gets the “Proposal Nd” flag. Suggested next step: “Follow up on the proposal”.

Example: Proposal emailed on the 1st. On the 10th the flag appears: chase it or close it.

Verbal yes (stage) bishOS stages

They said yes but nothing is signed or paid. Suggested next step: “Send contract + invoice”.

Example: “Let's do it” on the call. You send the contract the same day.

Won bishOS

Signed and paid. +100 XP. The company becomes a Customer (health Healthy), the person becomes a Customer, and you can create the delivery project in one click.

Example: Acme signs. Acme appears on the Customers page with “Acme: delivery” project at 0%.

Lost bishOS

Not this time. You must write a short reason. The person gets a 90-day keep-in-touch cadence (if they had none) so they come back as a nurture contact.

Example: Lost: Bad timing. In 90 days Sara shows up in “Due to reconnect”.

Unqualified bishOS

Not a fit (wrong size, no real pain, no budget ever). Also needs a reason and also becomes a nurture contact. It does not count in the win rate.

Example: A student wanted a free website: Unqualified, reason “Not a fit”.

Next step (the next-step rule) Founding Sales (Pete Kazanjy); common sales discipline

Every open deal must have a concrete next action and a date. bishOS refuses to create or move an open deal without both. This is the one rule that stops deals from going cold.

Example: Bad: "Follow up sometime." Good: "Send case study + pricing" on Friday.

Idle flag (7 days) bishOS flags, based on Founding Sales

No touch logged and no stage change for 7 days or more on an open deal.

Example: Last DM 8 days ago → "Idle 8d". Log a follow-up to clear it.

Stuck flag (14 days) bishOS flags

The deal has been in the same stage for 14 days or more. Something is blocking it.

Example: In Discovery for 15 days → "Stuck 15d". Ask: what is stopping the proposal?

Proposal-open flag (9 days) bishOS flags

The proposal has been out for 9 days or more. Chase it, or close the deal as lost.

Example: "Proposal 11d" → call them: "Is this still a priority for this quarter?"

Overdue flag bishOS

The next-step date is in the past. Do the step or pick a new date.

Example: Step date was yesterday → amber "Overdue" chip.

Needs attention bishOS

A filter that shows open deals with any flag (no next step, overdue, proposal open, stuck, idle) or a step due today.

Example: Friday afternoon: filter Needs attention and clear every card.

Qualification (Pain, Budget, Decision-maker, Timeline) BANT (IBM); Founding Sales (Kazanjy)

Four facts that tell you if a deal can close: what hurts, how much they can pay, who signs, and when they need it.

Example: Pain: losing leads at night. Budget: $3K. Decision-maker: owner. Timeline: before January.

Win rate (90 days, on Pipeline) Standard sales metric

Of the deals closed in the last 90 days, the share you won: won ÷ (won + lost). Unqualified deals are left out. Green at 30% or more.

Example: 3 won, 6 lost in 90 days → 33%.

Days to close (sales cycle) Standard sales metric (sales velocity)

The average number of days from creating a deal to winning it, for deals won in the last 90 days.

Example: "~34d to close": a lead you add today will likely close next month.

Pipeline coverage Common B2B sales rule of thumb

Open pipeline value divided by the revenue you still need in the period. A common rule is 3× coverage, because you won't win every deal. bishOS shows the open value; you do the division.

Example: You need $10K this quarter. Open pipeline is $24K → 2.4× coverage. Add more Targets.

Rule of 100 $100M Leads (Alex Hormozi)

Do 100 primary actions to get customers every day (for example 100 outreach messages) for 100 days. That is about 4 hours a day.

Example: Hormozi's advice: 100 cold DMs a day until leads come in.

Outreach quota (and why it is lower than 100) Adapted from the Rule of 100 ($100M Leads, Alex Hormozi)

Your daily number of outreach + follow-up touches. Default 20. You also run delivery and marketing, so 100 a day is not realistic. The quota editor suggests 20–30 in heavy delivery weeks. The founder scorecard target of 100 touches a week equals 20 a day over 5 days.

Example: Quota 20: 12 new DMs + 8 follow-ups before lunch, then delivery work.

Open to goal bishOS daily sales block

Prospect until you book your daily meetings goal (default 2), then stop and switch to other work. Meetings = deals moved to Booked today + calls and meetings logged today.

Example: Goal 2. By 11 am you booked 2 calls → "Goal hit — you can stop prospecting today". You spend the afternoon on delivery.

Touch bishOS

Any logged contact with a person: Outreach, Follow-up, Call, Meeting, Email or DM (+2 XP each). A Note is not a touch. Touches update "last contact" and clear the idle flag.

Example: You replied to Sara's email → log an Email touch on her deal.

Won → delivery project bishOS

When you win, bishOS can create the delivery project in your operations area. It links the project to the deal and the customer, copies the pain, timeline and notes into the description, and moves open promises on the deal into the project.

Example: Win "Acme: website rebuild" → project "Acme: delivery" in Company Operations, with your promise "Send kickoff agenda" attached.

Source channel Lead source attribution

Where the deal came from: Outbound, Inbound, Referral, Content, Network, Event, Ads or Other. Over time it shows which channel brings real clients.

Example: 4 of 5 won deals came from Referral → ask every happy client for an intro.

How to test it

1. Open Founder → Pipeline. Expected: the header, four tiles (Open pipeline, Win rate · 90 days, Next steps due, Outreach today) and the board or the empty state "Your pipeline is empty".
2. Click "New deal". Clear the next step text. Expected: "Add deal" is disabled. Type a name, a next step and pick "Tomorrow". Click "Add deal". Expected: toast "Deal added to the pipeline" and a card in the Target column with the step and a "Tomorrow" chip.
3. Click "+ Add" under Contacted and create a deal there. Expected: toast with +10 XP ("Deal added · Contacted").
4. Drag the Target card to Contacted. Expected: the "Move to Contacted" dialog with the step "Follow up" and a date in 2 days. Click "Move to Contacted". Expected: +10 XP toast and the card moves.

5. Drag a card to Discovery while Pain, Budget and Decision-maker are empty. Expected: the amber warning “Discovery is done when pain, budget and the decision-maker are confirmed…”. Move anyway. Expected: the move works.
6. Open a deal and delete the next step text, then click away. Expected: an amber toast “Open deals need a next step and a date…” and the old text comes back.
7. Set a deal's next-step date to yesterday. Expected: amber “Overdue” chip on the card, the box in the drawer turns amber with “This was due yesterday. Do it, or pick a new date.”, and the Next steps due tile counts it as overdue.
8. Click “+1 touch” on the meter. Expected: the ring goes from 0/20 to 1/20, toast “Touch logged · 1/20 today” with +2 XP.
9. Click the gear, set Daily outreach touches to 2, Save. Click “+1 touch” again. Expected: “Outreach quota done: 2/2” celebration and “Quota done. Anything more is a bonus.” Set it back to 20.
10. Click “With person”, pick a person with one open deal. Expected: the Deal field selects that deal by itself. Choose Meeting, write a summary, click “Log touch”. Expected: toast “Touch logged” with “Meetings today: 1/2”, the Meetings booked bar moves to 1/2.
11. Move a deal to Booked when you are at 1/2 meetings. Expected: “Goal hit — you can stop prospecting today” celebration and a green box on the meter.
12. Open a deal, click Won. Enter 1000 as value, keep “Create delivery project” ticked, click “Mark as won”. Expected: confetti, +100 XP, toast “Delivery project created”, the company shows on the Customers page, and the drawer shows the project in Delivery.
13. Open another deal, click Lost, click the chip “No budget”, click “Close as lost”. Expected: toast “Closed as lost. Kept as a nurture contact” and, if the deal has a person without a cadence, that person now has “Quarterly” (90 days) on the People page.
14. Open Closed deals. Expected: “Won this month” shows the won value. Switch to “Lost & unqualified”. Expected: the lost deal with “Lost: No budget”. Click it, click Reopen. Expected: the move dialog to Contacted.
15. Switch to List, choose Sort “Longest idle”. Reload the page. Expected: the page stays in List view (remembered). Click the “Due” filter. Expected: only due or overdue deals.
16. Delete a touch from a deal's Touches list (… → Delete touch). Expected: a confirm, then “Touch deleted”, the XP is removed and Last touch updates.

Tips

- Write next steps as verbs with an object: “Send pricing PDF”, not “pricing”.
- If a deal has been idle twice, ask a direct question: “Should I close your file for now?” People often reply to that.
- Use Lost reasons honestly. After 10 losses, read them: they tell you what to fix in your offer or your targeting.
- On a phone, open a card and use the Stage field instead of dragging.
- Moving a deal back and forth does not farm XP: each forward stage pays once, and moving back removes it.

FOUNDER

People

Your personal CRM. One record per person (leads, customers, partners, investors, mentors, friends, family, team) and per company. Give the important people a keep-in-touch cadence and bishOS tells you when it is time to reconnect.

Why it helps: Relationships are a founder's real asset: referrals, partners, investors and repeat clients all come from people who remember you. A cadence turns “I should call Ali sometime” into a reminder on the right day. The same person record is used by the Pipeline, Commitments and meetings, so their whole history is in one place.

One-time	Add your 20–50 most important people (about 30 minutes). Give each a relation, a tier (A/B/C) and a cadence: Tier A weekly or every 2 weeks, Tier B monthly or quarterly, Tier C twice a year or yearly.
Daily	Check the “Due to reconnect” rail and send one message to the top person. Log every touch (the small + button on each row).
Weekly	Click “Due to reconnect” and clear the list. Add anyone new you met this week, with “How we met”.
Monthly	Review tiers and cadences. Move people up or down as relationships change. Check the Companies tab for accounts with no recent contact.

People (list) `/people`

Find anyone fast, see who you have not talked to in a while, and reconnect on time.

HOW TO USE IT

1. Click “Add person”. Type the name and company, pick the relation, a cadence and a tier. Click “Add person”.
2. Every day open the Due to reconnect rail. Send a message to the first person and log it with the button on the right.
3. After any meeting or call, log it from the person's row (+) or from their profile.
4. Use the Companies tab to see every account with its pipeline and revenue.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
People (page header)	Title with a people icon and the line “One record per person, shared by the pipeline, commitments and your personal CRM.”	
Route a conversation (button)	Outline button with a magic wand (“Route” on phones). Opens the AI dialog for call notes. See Commitments → Route a conversation.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Add person / Add company (button)	Dark button. It says “Add person” on the People tab and “Add company” on the Companies tab.	Click it to open the matching dialog.
People / Companies (tabs)	Switch between the people list and the company list. Each tab shows its count. A link with ?tab=companies opens the Companies tab.	
Search	On People: “Search name, company, email, tag…” (also matches job title and “How we met”). On Companies: “Search companies…” (name, industry, website).	
All relations (select)	Filter by relation: Lead, Customer, Partner, Investor, Mentor, Peer, Friend, Family, Team, Other.	
All tiers / A / B / C	Filter by tier. A = closest or most valuable relationships.	
Due to reconnect (toggle)	A button with a count. When on, the list shows only people whose cadence is due today or overdue.	
Sort	Name, Most overdue, Longest since contact, Recently contacted.	
People table	Columns: Name (avatar, name, and job title or “2 open deals”), Relation (coloured chip), Tier, Company, Last contact (Today, Yesterday, 5d ago, 3w ago, 2mo ago, 1.5y ago or Never), Cadence (chip) and a + button. Some columns hide on small screens.	Click a row to open the person's profile.
Cadence chip	“On track” (green), “In 3d” (due soon), “Reconnect today” (blue), “Reconnect · 5d over” (amber) or “—” (no cadence). Hover to see the cadence name, e.g. “Monthly”.	
Log touch (+ button on a row)	Small icon button at the end of each row. Opens the “Log a touch” dialog with this person locked.	
No people yet (empty state)	Text “Add leads, customers, mentors and friends. Give the important ones a cadence and they'll surface when it's time to reconnect.” and the button “Add a person”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
No one matches these filters	Shown when filters hide everyone.	
Due to reconnect (side rail)	A card on the right (sticky on large screens). Hint: “Cadence elapsed since your last touch”. Up to 12 people, most overdue first (Tier A before B before C on a tie). Each row: avatar, name and “6d over · monthly · last 5w ago” or “Due today …”, plus a log-touch button that opens the dialog with DM selected. Empty: “Nobody is due. Give the people who matter a cadence (weekly → yearly) and they'll show up here on time.”	Click a name to open the profile. Click the button, write a line, log it. The person leaves the list.
Companies table	Columns: Company (avatar, name, industry), Relationship (Prospect, Customer, Partner, Past, Other), Health (only for customers: Healthy / Watch / At risk buttons), People (count), Open pipeline (“$8K · 2”), Revenue (won value) and Last contact (latest touch of anyone at the company).	Click a health button to change it right in the table. Click a row to open the company page.
No companies yet (empty state)	Text “Companies are created automatically when you add a person with a company, or add one here.” and the button “Add a company”.	

Add a person / Add a company (dialogs) `/people`

Create a person or a company quickly.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Name (person)	Required. Placeholder “Sara Khan”.	
Company (person)	Company name with suggestions. A new name creates the company as a Prospect.	
Relation	Default Lead. Options: Lead, Customer, Partner, Investor, Mentor, Peer, Friend, Family, Team, Other.	
Keep in touch	The cadence: No cadence, Weekly (7 days), Every 2 weeks (14), Monthly (30), Quarterly (90), Twice a year (182), Yearly (365).	
Tier	—, A, B or C. Hint: “A = closest / most valuable relationships”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
+ Title, email, social, source…	Link that reveals more fields: Job title, Email, LinkedIn / social, Source (Outbound, Inbound, Referral, Content, Network, Event, Ads, Other) and How we met.	
Add person (button)	Disabled until there is a name. Toast “Added Sara Khan”.	
Name (company)	Required. Placeholder “Acme Inc.”. A name that already exists is refused: ““Acme” already exists.”	
Relationship (company)	Prospect (default), Customer, Partner, Past, Other.	
Website / Industry	Optional text fields (“acme.com”, “Logistics”).	
Health (company)	Shown only when Relationship is Customer: Healthy, Watch, At risk. Default Healthy.	
Add company (button)	Disabled until there is a name.	

Person profile `/people/<id>`

Everything about one person: profile, notes, deals, promises in both directions, the full touch timeline and linked tasks.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Header	Big avatar and name. Under it: “Head of Ops @ Acme” (or “No title yet”), the relation chip and “Tier A”.	
← People (link)	Back to the list (hidden on phones).	
Log touch (button)	Dark button. Opens the “Log a touch” dialog with DM selected and this person locked.	
Route notes (button)	Opens the Route a conversation dialog with this person already chosen. Title: “Paste call notes for this person”.	
… menu	New deal, Add commitment, Delete person. Delete asks “Delete Sara? Their deals, touches and commitments stay, unlinked.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
Header chips	“Last contact: 5d ago”, the cadence name with its chip (e.g. “Monthly · On track”), “2 open deals”, a green “$6,000 won”, and “1 open promise”. Chips only show when they have something to say.	
Profile (section)	Fields that save when you click away: Name, Company (suggestions; a new name creates the company), Job title, Relation, Keep in touch, Tier (—/A/B/C), Email, Phone, LinkedIn / social (with an open-link icon once filled), Source, Tags (comma separated) and How we met. With a company you also get “Open Acme”.	
Notes (section)	Big text box: “Family, interests, what they care about, what you promised to remember…”. Saves on blur.	
Deals (section)	Every deal with this person: name, next step and date (or the lost reason), stage dot and value. “+ New deal” opens the New deal dialog with this person and company pre-filled. Empty: “No deals with Sara yet.”	Click a deal to open the deal drawer here.
Commitments (section)	Hint: “What you owe them, and what they owe you”. Open promises in both directions (with an I owe / Owed to me chip) and “+ Add”. Closed ones hide under “3 closed” (click to expand). Empty: “No open promises either way.”	
Timeline (section)	Every touch with this person, newest first: icon, kind, day, channel, deal name and summary. “+ Log touch” at the top. Empty: “No touches with Sara yet. Log the first one.”	
Linked tasks (section)	Shown only when tasks are linked to this person: status dot, title and planned day.	
Person not found	If the person was deleted: “This person doesn't exist anymore” and “Back to People”.	

Frameworks & terms in this module

Personal CRM Never Eat Alone (Keith Ferrazzi)

A simple system to remember the people in your life and work: who they are, what you talked about, and when to reach out again.

Example: Before a coffee with Ali you open his profile: his daughter started school, and you promised him an intro to a designer.

Keep-in-touch cadence Never Eat Alone (Ferrazzi); personal CRM practice

How often you want to contact a person: weekly, every 2 weeks, monthly, quarterly, twice a year or yearly. bishOS counts days since your last touch (or since you added them). When the days pass the cadence, they appear in Due to reconnect.

Example: Mentor on Monthly. Last call 33 days ago → "Reconnect · 3d over".

Cadence states bishOS

On track = plenty of time left. Due soon ("In 3d") = inside the last 15% of the cadence (at least 2 days). Reconnect today = due today. Reconnect · Nd over = overdue. "—" = no cadence.

Example: Monthly (30 days): from day 26 you see "In 4d", on day 30 "Reconnect today", on day 33 "Reconnect · 3d over".

Tiers (A / B / C) Relationship tiers (Ferrazzi; Dunbar's layers)

How important a relationship is. A = closest or most valuable, B = important, C = keep warm. Use tiers to choose cadences and to break ties in Due to reconnect.

Example: A: your co-founder's mentor and your top 3 clients. B: past clients. C: people from events.

Relation bishOS

What the person is to you: Lead, Customer, Partner, Investor, Mentor, Peer, Friend, Family, Team or Other. Winning a deal turns a Lead (or Other, Peer, Partner) into a Customer automatically.

Example: Sara is a Lead. You win her deal → she becomes a Customer.

Nurture contact Lead nurturing; Founding Sales (Kazanjy)

A lead who said no or was not ready. bishOS keeps them warm: when you close their deal as Lost or Unqualified, they get a 90-day cadence (if they had none). They come back in Due to reconnect in a quarter.

Example: Lost on "Bad timing" in March. In June Sara is due; you send a useful article and ask how things are.

Touch and last contact bishOS

A touch is any logged outreach, follow-up, call, meeting, email or DM. Notes don't count. Last contact is the day of the latest touch and resets the cadence clock.

Example: You log a DM today → Last contact "Today", cadence back to "On track".

Company relationship bishOS

What a company is to you: Prospect (default), Customer, Partner, Past or Other. Winning a deal makes the company a Customer.

Example: Acme is a Prospect until you win; then it moves to Customers with health Healthy.

How to test it

1. Open Founder → People. Expected: the header, People / Companies tabs with counts, filters, and the Due to reconnect rail.
2. Click “Add person”. Type “Test Lead”, company “Test Co”, relation Lead, Keep in touch Weekly, tier A. Click “Add person”. Expected: toast “Added Test Lead”, the row shows company Test Co, Last contact “Never”, cadence “On track”.
3. Open the Companies tab. Expected: “Test Co” exists as a Prospect (created automatically).
4. Back on People, click the + on the Test Lead row. Choose DM, write “Hi”, click “Log touch”. Expected: toast with +2 XP and Last contact “Today”.
5. Add a second person “Old Friend” with Keep in touch Weekly. Click the + on that row, choose DM, set Day to 10 days ago, click “Log touch”. Expected: Last contact “10d ago”, the cadence chip “Reconnect · 3d over”, and Old Friend appears in the Due to reconnect rail.
6. Click Old Friend's button in the rail and log a DM for today. Expected: the person leaves the rail and the chip shows “On track”.
7. Click the “Due to reconnect” toggle on the list. Expected: only due/overdue people. Sort by “Most overdue”. Expected: the most overdue person first.
8. On the profile, type tags “founder, saas” and click away. Back on the list, search “saas”. Expected: the person is found.
9. On the profile use … → New deal. Expected: the New deal dialog with the person and company filled in.
10. On the Companies tab, try “Add company” with the name “Test Co”. Expected: an error toast ““Test Co” already exists.”
11. On the profile use … → Delete person and confirm. Expected: toast “Test Lead deleted” and you are back on /people.

Tips

- Write “How we met” on day one. In a year you will not remember.
- Notes are for the human details: kids, hobbies, what they hate. People feel remembered.
- Don't give everyone a cadence. 30 people with a cadence you keep beats 300 you ignore.
- Type “Name @ Company” in any person picker to create both in one go.

FOUNDER

Customers

Every paying account on one page: health (Healthy / Watch / At risk), revenue, last contact, delivery progress, open promises, expansion deals and a suggested next move. Each company also has its own page with people, deals, projects, promises and the full timeline.

Why it helps: Keeping a client is cheaper than finding a new one, and happy clients bring referrals. This page makes sure no account goes quiet: red and yellow accounts are listed first, accounts with 30+ days of silence turn amber, and every card tells you the next small action (deliver the open promise, book a save call, ask for a referral).

One-time	Add your existing customers (Add customer) and link their people. Set each account's health honestly. Deals you win later appear here by themselves.
Daily	Deliver any open promise shown on a customer card. Log a check-in when you talk to a client.
Weekly	Open the “Needs attention” filter. Do the “Next:” action for each card. Update health after every important conversation.
Monthly	Every account should get one useful touch per month. Look for accounts near their one-year mark (renewal window) and finished projects (ask for a testimonial or referral).

Customers `/customers`

Keep every account healthy: deliver, check in, ask for the referral.

HOW TO USE IT

1. Open Customers once a week and click “Needs attention”.
2. For each card, read the “Next:” line and do it.
3. After you talk to the client, click “Log check-in” and update the health.
4. When delivery is done, ask for a testimonial or a referral, and add any new opportunity as a deal.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Customers (page header)	Title with a heart-handshake icon and the line “Deliver, check in, ask for the referral. Keep every account green.”	
Add customer (button)	Opens the “Add a company” dialog with Relationship already set to Customer and the Health choice shown.	
Customers (tile)	How many companies have the relationship Customer.	
Revenue won (tile)	The total value of won deals across all customers. Green when above zero.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Need attention (tile)	How many customers have yellow (Watch) or red (At risk) health. Sub-line “Yellow or red health”, or “All green” in green.	
Promises I owe (tile)	Open “I owe” promises across all customers. Sub-line “Open, across customers”.	
All / Needs attention / Healthy (filter)	All shows every customer (with a count). Needs attention shows red or yellow health, or 30+ days since contact (customers never contacted count too). Healthy shows green or no health set.	
Customer card: header	Company avatar and name (a link to the company page), and “Customer since Mar 2026” (date of the first won deal) or the industry.	Click the name to open the company page.
Health picker	Three buttons on each card: Healthy (green), Watch (yellow), At risk (red).	Click one to change the health. It saves at once and the sort order updates.
Numbers row	Revenue (won value), Last contact (amber at 30+ days) and Deals won.	
Next: (suggested action)	A coloured line with a light bulb. bishOS picks the first rule that fits: open promises → “Deliver the open promise first”; red → “Book a save call: what would make this a 10/10?”; never contacted → “Send a first check-in: how is it going so far?”; 300–400 days as a customer → “Renewal window: book a one-year review”; project done or at 90%+ → “Delivery wrapped: ask for a testimonial or a referral”; 30+ days silent → “It's been 34 days: send a value check-in”; yellow → “Ask one question: what's one thing we could do better?”; otherwise → “Share a quick win or a useful idea this month”.	
Delivery	Linked delivery projects with a progress bar and %. Green when completed, amber when blocked. Empty: “No delivery project linked. Create one from the won deal in the pipeline.”	Click a project to open it.

ELEMENT	WHAT IT IS	HOW TO USE IT
Open promises	Up to 3 open promises with this account (both directions), with a count. “+2 more” links to the company page. You can tick them done right here.	
Expansion deals	Chips for open deals with this customer, each with its stage.	Click a chip to open that deal in the Pipeline.
People avatars	Up to 5 contacts at the company (+N for more), or “No contacts linked”.	Click an avatar to open that person.
Log check-in (button)	Opens “Log a touch” with Call selected and the company linked (and the person, if the company has only one).	
Red and yellow accounts are listed first	Small note under the cards (All filter, when some accounts are at risk). Sort order: red, yellow, then green; higher revenue first inside each group.	
No customers yet (empty state)	Text “When you win a deal its company lands here with its delivery project, promises and health. You can also add an existing customer.” with “Open the pipeline” and “Add customer”.	
Nothing here. Nice.	Shown when a filter has no accounts.	

Company page `/companies/<id>`

One account in full: details, people, deals, delivery projects, promises and every touch with anyone there.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Header	Company avatar and name. Under it: the relationship chip, the industry and a green “$6,000 won”.	
← Customers / ← Companies (link)	Back to Customers if the company is a customer, otherwise to People → Companies.	
Log touch (button)	Opens “Log a touch” with Email selected and the company linked.	
... menu	New deal, Add person, Add commitment, Delete company. Delete asks “Delete Acme? People, deals and projects stay, unlinked.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
Account (section)	Fields that save when you click away: Name, Relationship (select), Health (customers only: Healthy / Watch / At risk), Website (with an open-link icon), Industry.	
Notes (section)	“How they buy, who decides, what success looks like…”.	
People (N)	Everyone linked to the company with their job title (or relation), cadence chip and a log-touch button. “+ Add” opens Add a person with the company filled in (relation Customer for customers, otherwise Lead). Empty: “Nobody linked yet. Multi-thread the account: add the champion, the decision-maker and the user.”	
Deals	Every deal with the company or its people: name, next step or lost reason, stage, value. “+ New deal” pre-fills the company. Empty: “No deals yet.”	Click a deal to open the deal drawer.
Delivery projects	Shown when projects are linked: name, “4/10 tasks · 40%” and a progress bar.	
Commitments	Open promises with this account and “+ Add”. Empty: “No open promises.”	
Timeline	Up to 100 latest touches with anyone at the company, with the person's name. “+ Log touch” at the top. Empty: “No touches with this account yet.”	
Company not found	If deleted: “This company doesn't exist anymore” and “Back to companies”.	

Frameworks & terms in this module

Customer health Customer success health scores (common SaaS practice)

A simple traffic light for each account: Healthy (green) = happy and on track, Watch (yellow) = small warning signs, At risk (red) = they might leave. You set it by judgement after each conversation.

Example: The client stopped replying to updates and asked about the contract end date → set At risk and book a save call.

Save call Customer success practice

A call with an at-risk client to find out what is wrong and fix it, before they leave.

Example: “On a scale of 1 to 10, how is it going? What would make it a 10?”

Value check-in Customer success practice

A short message with something useful for the client (an idea, a result, an article), not a sales pitch. It keeps the relationship warm.

Example: "Saw this case study on cutting no-shows by 30%. Thought of your clinic."

Renewal window Account management practice

Around the one-year mark (300–400 days after the first win). The best time for a one-year review and to propose the next year or a bigger scope.

Example: Customer since November last year → in October book a "one year together" review.

Testimonial and referral ask Referral marketing; $100M Leads (Alex Hormozi)

When delivery is done (or at 90%+), ask a happy client for a quote you can use and for an introduction to someone like them.

Example: "Would you write two lines about the result? And who else do you know with the same problem?"

Expansion deal Land and expand (B2B sales)

A new deal with an existing customer: more work, a new service or a renewal. It shows as a chip on the customer card.

Example: Acme loved the website; now an "Acme: SEO retainer" deal at Proposal.

Multi-threading Enterprise sales practice

Knowing several people at an account (the champion, the decision-maker, the daily user), not just one. If your one contact leaves, you don't lose the client.

Example: At Acme you know Sara (ops, champion), the CFO (signs) and Ali (uses the tool).

Customer since bishOS

The date of the first won deal with this company.

Example: "Customer since Mar 2026".

How to test it

1. Open Founder → Customers with no customers. Expected: "No customers yet" with "Open the pipeline" and "Add customer".
2. Click "Add customer". Expected: the "Add a company" dialog with Relationship = Customer and a Health choice. Add "Test Client", health Healthy. Expected: a card appears with "Next: Send a first check-in: how is it going so far?".
3. On the card click Watch. Expected: the health changes, the Need attention tile becomes 1 (amber), and the card appears under the "Needs attention" filter.
4. Click At risk. Expected: the Next line changes to "Book a save call: what would make this a 10/10?" and the card moves to the top.
5. Click "Log check-in", write a note, log it. Expected: Last contact shows "Today".
6. From the company page (click the name), use … → Add commitment and add an "I owe" promise. Back on Customers. Expected: "Open promises 1" on the card, "Promises I owe" tile = 1, and Next says "Deliver the open promise first".

7. Win a deal in the Pipeline for a new company with “Create delivery project” ticked. Expected: the company appears here as a customer with its project in Delivery at 0%.
8. On the company page change Relationship to Prospect. Expected: it disappears from Customers and the back link now says “Companies”.

Tips

- Update health right after a call while the feeling is fresh.
- Treat “Watch” as an early warning, not an insult. Most churn starts as quiet yellow.
- Add the people around your champion. A single-threaded account is a risky account.

FOUNDER

Commitments

A ledger of promises in both directions: what you owe others (“I owe”) and what others promised you (“Owed to me”, your waiting-for list). It measures your promise-keeping rate over 4 weeks. The AI “Route a conversation” tool turns call notes into promises, tasks, a deal update, new contacts and content ideas.

Why it helps: Trust is built one kept promise at a time. Founders make many small promises a day (“I'll send it Friday”) and break some by accident. Logging them takes 5 seconds; keeping them on time earns XP and a visible rate. When you can't make it, renegotiating early keeps trust. The waiting-for side stops other people's promises from slipping without a follow-up.

One-time	Log every open promise you remember, in both directions (about 10 minutes).
Daily	During calls, log each promise the moment you make it (quick-add bar). Morning: open “Due & overdue” and keep or renegotiate each one. Check “Check in today” items and chase them. After a sales call, use “Route a conversation”.
Weekly	Look at the 4-week rate and the weekly bars. Under 90%? Promise less, or give yourself more time. Clear old items: done, cancelled or renegotiated.
Monthly	Read History: who keeps their promises to you? Who do you often let down?

Commitments `/commitments`

See every open promise, keep them on time, chase what others owe you, and track your promise-keeping rate.

HOW TO USE IT

1. In a call you say “I'll send the case study Friday”. Type it in the quick-add bar, pick the person and Friday, press Enter.
2. They say “I'll send the signed contract Monday”. Switch to “Owed to me”, type it, pick Monday, Add.
3. Every morning click “Due & overdue”. Tick what you did. For what you can't make, use … → Renegotiate date and tell them.
4. For items in “Check in today”, send a friendly nudge, then tick when it arrives or move the date.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Commitments (page header)	Title with a handshake icon and the line “Promises are the currency of trust. Keep them, or renegotiate early.”	
Route a conversation (button)	Opens the AI routing dialog (see the second page of this chapter).	
New (button)	Opens the “New commitment” dialog. The direction follows the quick-add switch (I owe or Owed to me).	

ELEMENT	WHAT IT IS	HOW TO USE IT
Promise-keeping · 4 weeks (ring card)	A ring with your rate, e.g. “92%”. Text: “11 of 12 “I owe” kept on time”, or “Nothing came due yet. Make a promise, keep it.” Under it: four small bars, one per week (green at 85%+, dark at 60%+, amber under 60%), labelled with the Monday date.	Hover a bar to see “Week of Oct 13: 100%” or “nothing due”.
I owe · open (tile)	Open promises you made. Amber with “2 overdue”, otherwise “None overdue”.	
Owed to me (tile)	Open promises others made to you. “3 to check on” (blue) when check dates have arrived, otherwise “Nothing to chase”.	
Due today (tile)	Open promises (both directions) due today. Green at 0. Sub-line: “27 kept all-time”.	
Quick-add bar	One line: an I owe / Owed to me switch, a text box (“I promised to… (send the deck)” or “They'll… (send the signed SOW)”), a person picker, a date (empty = tomorrow) and an Add button.	Type the promise, pick the person, press Enter or click Add. Toast “Promise logged” or “Added to Waiting for”.
All open / Due & overdue / History (view)	All open: every open promise in groups. Due & overdue: only overdue, due today and check-ins due. History: closed ones (done, broken, renegotiated, cancelled), newest first.	
I owe (column)	Hint “What I promised others” and a count.	
Owed to me (column)	Hint ““Waiting for”: what others promised me” and a count.	
Groups inside each column	Overdue (amber), Today (blue), Check in today (blue; waiting-for items whose check date arrived), Next 7 days, Later, No date. The last three show only in All open.	
Commitment row	A round tick button, the promise text, then chips: a date chip (“Due 2 days ago” amber, “Today” blue, or the day), “Check in today”, “Broken”, “Renegotiated”, “Cancelled”, “to Sara” / “from Sara” (a link to the person) and “· deal name”. Closed items are greyed and done items struck through.	Click the tick to mark it kept (I owe) or received (Owed to me). Keeping an “I owe” on or before its date gives +10 XP (“Promise kept”). Late: “Done. Late, but closed the loop” and no XP. Click the tick on a done item to reopen it (the XP is removed).

ELEMENT	WHAT IT IS	HOW TO USE IT
Row … menu	Edit, Renegotiate date (open only), Mark broken (open “I owe” only), Cancel (open only), Reopen (closed, not done) and Delete (asks to confirm).	Mark broken shows “Marked broken. Repair it with a quick note to them”.
No commitments yet (empty state)	Text “Log every “I'll send it Friday” and every “they'll get back to me”. Keep promises on time for XP, and see your promise-keeping rate.” and “Log a promise”.	
Column empty texts	I owe: “No open promises.”, “Nothing due. You're square.” or “No history yet.” Owed to me: “Nobody owes you anything right now.”, “Nothing to chase today.” or “No history yet.”	

New / Edit commitment and Renegotiate (dialogs) `/commitments`

Create or change one promise, or move its date honestly.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
I owe / Owed to me	Direction switch at the top.	
What did I promise? / What are they going to do?	The promise text. Placeholder “Send the case study” or “Send the signed contract”.	
To whom / From whom	Person picker (hidden when opened from a person's page).	
Promised by / Expected by	The date, with Today / Tomorrow / +3 days / Next week chips. New promises default to tomorrow.	
Check again on (Owed to me only)	The day you want to check if it arrived. Hint: “Defaults to the expected day”.	
Source (I owe only)	Where you made it: Call, Meeting, Email, Message, Other.	
Deal (optional)	Link the promise to an open or won deal (filtered to the chosen person's deals).	
Notes (edit only)	Free notes. Renegotiations add a line like “Renegotiated from 2026-10-17: agreed on a call”.	
Add commitment / Save	Saves. Disabled without text.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Renegotiate the date (dialog)	Text: “Telling them early beats breaking it. The old promise is closed as renegotiated and a new one opens.” Fields: New date (not in the past; default 3 days after today or after the old date, whichever is later; with date chips) and Note (optional, “Agreed with them on a call”). Button “Move the date”.	Toast: “Renegotiated. That's how trust stays intact”. The old promise is left out of your rate.

Route a conversation (AI dialog) `/commitments`

Paste call notes or a transcript. AI proposes promises, tasks, a deal update or new deal, new contacts and content ideas. You tick what to keep. Nothing is saved until you click Apply. Also on Pipeline, People and the person page (“Route notes”).

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Intro line	“Paste call notes or a transcript. AI proposes the promises, tasks, deal update, new contacts and content ideas. You pick what to keep.”	
Who was it with? (optional)	Person picker. Pre-filled when opened from a person's page.	
Notes or transcript	A big text box with an example placeholder (“Call with Sara (Acme), Tue — They're losing ~10h/week on manual reports…”). A character count is shown under it.	Paste at least 15 characters. Press Ctrl+Enter (Cmd+Enter) or click Analyze.
Analyze (button)	Sends the text to the AI with your people and open deals as context. Shows “Reading…” while it works.	
Summary	One sentence: what happened.	
Log this conversation as a meeting touch	A checkbox, shown only when you chose a person. Ticked by default. Logs a Meeting touch with the summary (+2 XP, counts toward today's meetings).	
Commitments (group)	Each proposed promise: editable text, date, an I owe / Owed to me switch and a person picker (“Match “Sara”…” when the name was not found).	

ELEMENT	WHAT IT IS	HOW TO USE IT
Deal update / New deal (group)	Either “Update Acme: website (now Discovery)” or “Create a new deal” with a name field. A stage select and, for open stages, next step and date (required).	
Tasks (group)	Proposed tasks with title and date. “Into area” lets you choose the life area when you have more than one (an area named like Sales or Marketing is picked first).	
New people (group)	People mentioned who are not in People yet: name, company, title.	
Content ideas (their objections & questions)	Post ideas from what the other side worried about or asked, with “Because they said: …”. Saved as company-brand text-post ideas in the Content Studio.	
Checkboxes	Every proposal has a checkbox, ticked by default. Unticked rows turn faded and dashed.	
Back to text (button)	Returns to the text box to edit and analyze again.	
Apply N selected (button)	Creates everything you ticked in this order: new people, the deal, promises, tasks (medium priority, context “calls”), content ideas, then the meeting touch. Toast: “Conversation routed: 6 items” with XP. If something fails, only the failed rows stay ticked, so “Apply” again retries just those.	
Nothing actionable found	Shown when the AI found nothing: “Nothing actionable found. Try adding more detail.”	

Frameworks & terms in this module

> **Promise-keeping rate** bishOS; The Speed of Trust (Stephen M. R. Covey)
> Of your “I owe” promises that came due in the last 28 days, the share you kept on or before the promised day. Broken ones count as missed. Open ones count only once they are late. Renegotiated and cancelled ones are left out.
> *Example:* 12 promises came due; 11 kept on time; 1 still open and late → 92%.

> **90% goal** EOS To-Do rule of 90% (Gino Wickman, Traction)
> The target for your promise-keeping rate. The Founder HQ tile turns green at 90% and amber under 70%.
> *Example:* 88% this month: promise “end of week” instead of “tomorrow”.

I owe bishOS

A promise you made to someone. Keeping it on time gives +10 XP.

Example: “Send Sara the pricing PDF by Friday.”

Owed to me (Waiting for) Getting Things Done — the Waiting For list (David Allen)

Something another person promised you. You track it so you can follow up, instead of keeping it in your head.

Example: “Ali will intro me to his CFO by Wednesday.”

Check date Getting Things Done (David Allen)

For “Owed to me” items: the day to check if it arrived. It defaults to the expected day. On that day the item shows under “Check in today”.

Example: Contract expected Monday, check date Tuesday → Tuesday you send a nudge.

Renegotiate Managing agreements (David Allen); The Speed of Trust (Covey)

Move a promise to a new date, ideally before it is late and after telling the other person. The old one closes as “Renegotiated” (not counted against you) and a new one opens with the new date.

Example: Thursday you see you can't finish by Friday. You message the client, agree on Tuesday, and renegotiate.

Broken promise bishOS

A promise you did not keep and will not keep. Marking it broken is honest and counts as missed in your rate. Repair it with a note.

Example: You forgot the intro and the moment passed → Mark broken, then apologise.

EOS To-Dos EOS (Gino Wickman, Traction)

In EOS, to-dos are 7-day action items from the weekly meeting; the goal is to finish 90% of them every week. Commitments play this role for a solo founder.

Example: Weekly review: 10 promises due this week, 9 done = 90%.

Route a conversation bishOS

An AI step after a call: it reads your notes and proposes the follow-ups (promises, tasks, a deal update, new people and content ideas from objections). You review and apply. It never writes anything without your click.

Example: Paste notes from a 30-minute call. Apply: 2 promises, 1 task, deal moved to Discovery with next step “Send proposal” on Friday, 1 content idea “How long does migration really take?”.

Objections as content They Ask, You Answer (Marcus Sheridan)

Every worry or question a prospect raises is likely shared by others. Answer it in public as a post.

Example: Prospect: “Isn't migration risky?” → post “How we migrate clinics in one weekend with zero downtime”.

How to test it

1. Open Founder → Commitments. Expected: the ring card, three tiles, the quick-add bar, the view switch and two columns (or the empty state).

2. In the quick-add bar type “Send deck”, leave the date empty, press Enter. Expected: toast “Promise logged” and the item in I owe under “Next 7 days” with a “Tomorrow” chip.
3. Switch to “Owed to me”, type “Signed contract”, set the date to today, click Add. Expected: “Added to Waiting for” and the item under Owed to me → Today.
4. Click the tick on “Send deck”. Expected: “Promise kept” with +10 XP, the row is struck through and moves to History.
5. Click the tick again in History. Expected: the item reopens and the XP is removed.
6. Create an “I owe” promise dated yesterday (New → pick a past date). Expected: it shows under Overdue with an amber “Due yesterday” chip, the I owe tile shows “1 overdue”, and the rate counts it as missed.
7. Use … → Renegotiate date on it, pick “+3 days”, click “Move the date”. Expected: toast “Renegotiated…”, the old item is in History with “Renegotiated”, a new open item has the new date, and the rate no longer counts the old one.
8. Use … → Mark broken on another “I owe”. Expected: amber toast “Marked broken…” and the item in History with “Broken”.
9. Click “Route a conversation”. Paste: “Call with Sara at Acme. I'll send pricing by Friday. She will intro me to their CFO next week. They worry about migration time.” Click Analyze. Expected: a summary, a commitment (I owe), a commitment (owed to me), maybe a deal proposal and a content idea about migration. Untick one row. Click “Apply N selected”. Expected: “Conversation routed: N items”, and only the ticked items exist (check Commitments and Content Studio ideas).
10. Open Route a conversation and type fewer than 15 characters. Expected: Analyze is disabled.

Tips

- Log the promise in the call, not after. After, you will forget half.
- Promise a day later than you think. Delivering early feels great; delivering late costs trust.
- Renegotiate before the date, never after.
- Route a conversation works best with raw bullet notes. Don't clean them up first.

FOUNDER

Offers

Build offers that people find hard to refuse. Each offer has a builder with five steps: who it is for and the problem, the value equation (scored 1–10 on four levers, with a live 0–100 gauge), the stack (deliverables, bonuses, guarantee), price with urgency and scarcity, and a MAGIC name. Linked deals show what each offer really sells.

Why it helps: Most small businesses compete on price because their offer is vague. A clear, strong offer sells itself: a big result, proof it works, fast, with little effort for the client. The value score shows your weakest lever so you know exactly what to improve. Linking deals to offers tells you which offer makes the money.

One-time	Build your main offer in the builder (about 45 minutes): fill every section, score the four levers honestly, add bonuses and a guarantee, then pick a MAGIC name. Set it to Live.
Daily	Nothing daily. When you create a deal, pick the offer in the deal's Offer field.
Weekly	Read the objections you heard this week. Add a bonus or proof that answers each one. Re-score the levers.
Monthly	Compare offers on the list: won / deals and revenue. Retire offers that don't sell. Duplicate your best one to test a variation (Testing status).

Offers (list) `/offers`

See all your offers with their value score, status and results.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Offers (page header)	Title with a package icon and the line “Make offers so good people feel stupid saying no: dream outcome × likelihood ÷ (time × effort).”	
New offer (button)	Opens the New offer dialog.	
Live offers (tile)	How many offers are Live (green when at least one). Sub-line: “1 in testing”.	
Revenue from offers (tile)	Total value of won deals linked to any offer. Sub-line: “Won deals linked to an offer”.	
Deals linked (tile)	All deals linked to an offer. Sub-line: “3 still open”.	
Strongest offer (tile)	The highest value score among offers that are not retired, with its name. “—” and “Score an offer” if none.	

ELEMENT	WHAT IT IS	HOW TO USE IT
All / Live / Testing / Draft / Retired (filter)	Filter the cards by status. Each option shows a count. Live offers are listed first, then Testing, Draft and Retired.	
Offer card	A ring with the value score (0–100, coloured), the offer name, a status chip (Draft, Testing, Live, Retired) and the score label (Weak, Average, Promising, Strong, Irresistible). Under it: who it is for (ICP) and the dream outcome. At the bottom: price (with the pricing model as the label), Won / deals, and Revenue (green when above zero). Retired offers look faded.	Click the card to open the builder.
Card … menu	Duplicate (creates “Name (copy)” as a Draft and opens it) and Delete (asks “Delete “Name”? Linked deals keep their data.”).	
No <status> offers	Dashed box when a filter has nothing, e.g. “No retired offers.”	
Build your first offer (empty state)	Text “Write who it's for, the dream outcome, proof, speed and effort removed. Score it on the value equation, stack bonuses and a guarantee, then name it with MAGIC.” and the button “Build an offer”.	
New offer (dialog)	Fields: Working name (hint “You can craft a MAGIC name later.”, e.g. “30-day pipeline sprint”), Who is it for?, Dream outcome (“What do they get? In their words.”) and Price. Buttons Cancel and “Create and open builder”.	A name is required (“Give the offer a working name”). The new offer starts as a Draft with all four levers at 5 (score 50) and the builder opens.

Offer builder `/offers/<id>`

Design one offer step by step and watch its value score change live.

HOW TO USE IT

1. Click “New offer”, give it a working name, the ICP, the dream outcome and a price. Click “Create and open builder”.
2. Section 1: write the ICP and the problem in the client's words.
3. Section 2: write the four texts, then score each lever honestly. Look at the Biggest lever box.
4. Fix the biggest lever: add proof, a faster first win or more done-for-you work. Re-score.
5. Section 3: list deliverables, add one bonus per objection, write a guarantee.
6. Section 4: set price, model and a real urgency or scarcity.
7. Section 5: fill MAGIC and click Use on the best name. Edit it until it sounds natural.

8. Set the status to Testing while you pitch it, then Live when it sells.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Offer name (title)	The page title is the offer name and can be edited in place.	Click the title, type, press Enter or click away. An empty name is ignored.
← **All offers (link)**	Back to the list.	
Status switch	Draft, Testing, Live, Retired at the top right.	Click Live the first time: “Offer is live. Go sell it!” with +30 XP and confetti. Moving back to Draft or Testing removes that XP; Retired keeps it (the offer did ship). Other changes show “Status: Testing” etc.
… menu	Duplicate (“Duplicated as a draft”, opens the copy) and Delete offer (asks to confirm; linked deals and campaigns are kept but unlinked).	
1 · Who it's for & the problem	Two text boxes: Ideal customer (ICP) — hint “Who has the problem worst and can pay?”, e.g. “B2B agency owners, 5–20 staff, referrals drying up”; and The painful problem — hint “What keeps them up at night, in their words”.	Type and click away. All builder text saves when you leave the field.
2 · Value equation	Hint “Score each lever honestly from 1–10. The gauge updates live.” Four rows. Each row has a 1–10 slider and a text box. The weakest lever's row is highlighted amber.	
Dream outcome (slider + text)	Slider hint “Higher = a bigger, more desirable result”. Text: e.g. “Book 10 qualified sales calls a month without hiring an SDR”. The number turns green at 7+ and red at 3 or less.	
Perceived likelihood (slider) + Proof & perceived likelihood (text)	Slider hint “Higher = they believe it will work for them”. Text: e.g. “3 case studies, 40+ calls booked for X, money-back pilot”.	
Time delay (slider) + Time to result (text)	Slider hint “Higher = slower (bad)”. Text: e.g. “First booked call within 14 days”. This slider is reversed: the number turns green at 4 or less and red at 8+.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Effort & sacrifice (slider) + Effort & sacrifice removed (text)	Slider hint “Higher = more work for them (bad)”. Text: e.g. “We write the scripts, build the list and run the sequences”. Reversed like Time delay.	Drag any slider; the gauge moves at once. The score saves when you let go.
3 · The stack	Hint “What they get, the bonuses that kill objections, and the risk reversal.” A numbered Deliverables list, a Bonuses list (“Add a bonus (one per objection)”) and a Guarantee box with a shield icon (hint “Unconditional, conditional, or performance-based”, e.g. “5 booked calls in 30 days or we work free until you get them”).	Type an item and press Enter to add it to a list. Click an item to edit; clear it to delete.
4 · Price, urgency & scarcity	Price (in your currency), Pricing model (One-time, Per project, Monthly retainer, Subscription, Per seat, Performance-based, Payment plan, Custom) and Urgency & scarcity (hint “Real limits only: cohorts, capacity, deadlines, price rises”, e.g. “Only 3 founding clients this quarter; founding price ends Nov 30”).	
5 · MAGIC name	Hint “Magnet · Avatar · Goal · Interval · Container”. Five fields: Magnet (“A reason to act now”), Avatar (“Who it's for, in their words”), Goal (“The result they want”), Interval (“How fast”), Container (“What it's called”). Some fields have quick chips: Magnet — Free, Done-for-you, Founding-client, Guaranteed; Interval — 7-day, 14-day, 30-day, 6-week; Container — Sprint, Challenge, Blueprint, Accelerator.	Fill the fields (or click chips). They save when you click away.
Suggested names	Up to 4 name ideas built from your MAGIC parts, e.g. “Done-for-you Agency owner 10 qualified calls 30-day Sprint” or “The 30-day 10 qualified calls Sprint for Agency owner”. Each has a “Use” button; the current name shows “In use” in green. Until you fill enough: “Fill in at least an avatar, goal and container to get name ideas.”	Click Use to rename the offer (toast “Offer renamed”). Edit the title after to make it read well.

ELEMENT	WHAT IT IS	HOW TO USE IT
Improve this offer (AI panel)	Hint “AI suggestions per lever. Nothing changes until you apply it.” Button “Suggest improvements”. The answer has sections: Biggest lever, Dream outcome, Likelihood & proof, Time to result, Effort removed, Bonuses to add, Guarantee, Urgency & scarcity, Price & packaging, Name ideas (MAGIC), and a “Next test” line.	Click it and wait (“Thinking…”). Then “Add to notes” (appends with a dated header), “Copy”, or “Again” to regenerate.
Notes	Free text: “Objections heard, positioning ideas, test results…”.	
Value score (card)	Right column (top of the page on phones). A half-circle gauge 0–100 with the label (e.g. “STRONG”) and “raw value 2.40×”. Hint: “(dream × likelihood) ÷ (time × effort), log-scaled”.	
Biggest lever (box)	Under the gauge: the lever that is furthest from its best value, with a fix. Dream outcome: “Make the result bigger and more specific: in their words, with a number.” Perceived likelihood: “Add proof: case studies, testimonials, a guarantee, a pilot.” Time delay: “Deliver a first win faster: a day-1 quick win or a kickoff deliverable.” Effort & sacrifice: “Do more for them: done-for-you, templates, fewer steps on their side.”	
Results (card)	Deals, Won and Revenue linked to this offer, then “2 open · $9,000 in pipeline · 40% win rate”, a list of up to 25 linked deals with value and stage, and “Campaigns promoting it” (links). Link “Pipeline →”. Empty: “Link deals to this offer from the pipeline to see what it sells.”	
Offer not found	If deleted: “This offer doesn't exist (or was deleted).” and “Back to offers”.	

Frameworks & terms in this module

> **Value equation** $100M Offers (Alex Hormozi)
>
> Value = (Dream outcome × Perceived likelihood) ÷ (Time delay × Effort & sacrifice). Push the top up and the bottom down, and people see more value than the price.
>
> *Example:* Same website service: “Live in 7 days, we write all the copy, 3 case studies” beats “Website in 6–8 weeks, send us your content”.

Dream outcome $100M Offers (Alex Hormozi)

The result the client really wants, in their words, ideally with a number. Higher = better.

Example: Not “a CRM setup” but “never lose a lead again: every inquiry answered in 5 minutes”.

Perceived likelihood of achievement $100M Offers (Alex Hormozi)

How much the client believes it will work for them. Proof raises it: case studies, testimonials, a guarantee, a pilot. Higher = better.

Example: “We did this for 12 clinics like yours; here are three on video.”

Time delay $100M Offers (Alex Hormozi)

How long until the client sees the result. Higher = slower = worse. A quick first win lowers it.

Example: “First booked call in 14 days” instead of “results in 3 months”.

Effort & sacrifice $100M Offers (Alex Hormozi)

How much work, pain or change the client must do. Higher = more work = worse. Done-for-you lowers it.

Example: “We build the list, write the messages and send them” vs “we give you a course”.

Value score (0–100) bishOS, based on $100M Offers (Alex Hormozi)

bishOS turns the four 1–10 scores into one number. Raw value = (dream × likelihood) ÷ (time × effort), from 0.01 to 100. The score puts this on a log scale: (log10(raw) + 2) ÷ 4 × 100. All levers at 5 → 50. Labels: 80+ Irresistible, 70+ Strong, 55+ Promising, 40+ Average, under 40 Weak. Colours: 70+ green, 50+ neutral, 35+ amber, under 35 red.

Example: Dream 9, likelihood 8, time 3, effort 3 → raw 8.00× → score 73 “Strong”.

Biggest lever bishOS

The lever with the most room to improve: for dream and likelihood, how far below 10; for time and effort, how far above 1. Fix this one first.

Example: Scores 8 / 4 / 5 / 3 → likelihood is 6 below 10, the most → add proof.

Grand Slam Offer and the stack $100M Offers (Alex Hormozi)

An offer so good people feel stupid saying no. You build it by stacking deliverables and bonuses so the total value is far above the price.

Example: Website + 30 days of support + copywriting + a booking system bonus + a lead-response guarantee.

Bonus (one per objection) $100M Offers (Alex Hormozi)

An extra item that removes a specific worry. Each objection you hear becomes a bonus.

Example: Objection “my team won't use it” → bonus “2 live training sessions for your staff”.

Guarantee (risk reversal) $100M Offers (Alex Hormozi)

A promise that moves the risk from the client to you. Unconditional: money back, no questions. Conditional: money back if they did their part. Performance-based: you keep working (or pay) until the result happens.

Example: “5 booked calls in 30 days or we work free until you get them.”

Urgency $100M Offers (Alex Hormozi)

A real reason to decide now: a deadline, a price rise, a start date.

Example: "Founding price ends November 30."

Scarcity $100M Offers (Alex Hormozi)

A real limit on how many can buy: capacity, seats, cohorts. Only use true limits; fake scarcity destroys trust.

Example: "We take 3 new clients per month because we build every site ourselves."

MAGIC naming $100M Offers (Alex Hormozi)

A formula to name an offer: Magnet (a reason to act now), Avatar (who it is for), Goal (the result), Interval (how fast), Container (what it is called). You rarely use all five; pick the ones that sound good.

Example: Magnet "Free", Avatar "Clinic", Goal "Patient booking", Interval "14-day", Container "Sprint" → "The 14-Day Clinic Booking Sprint".

ICP (ideal customer profile) B2B marketing practice

The kind of client who has the problem worst and can pay for the solution. A narrow ICP makes the offer stronger.

Example: Not "small businesses" but "dental clinics with 2–5 chairs in Lahore".

Offer status bishOS

Draft = being built. Testing = you are pitching it to see if it sells. Live = your active offer (+30 XP the first time). Retired = no longer sold (keeps its history and XP).

Example: You test "Booking Sprint" with 5 prospects (Testing), 2 buy, you set it Live.

How to test it

1. Open Founder → Offers with no offers. Expected: "Build your first offer" and the "Build an offer" button.
2. Click it. Leave the name empty and click "Create and open builder". Expected: a warning "Give the offer a working name". Type "Test Sprint", price 2500, create. Expected: the builder opens, status Draft, the gauge shows 50 "AVERAGE" and "raw value 1.00×".
3. Drag Dream outcome to 9 and Perceived likelihood to 8, Time delay to 3, Effort to 3. Expected: the gauge shows 73 "STRONG" and "raw value 8.00×", the numbers 9 and 8 are green, 3 and 3 are green (reversed sliders).
4. Set Perceived likelihood to 2. Expected: the Biggest lever box says "Perceived likelihood · Add proof…" and that row turns amber. Reload. Expected: the scores are saved.
5. In The stack, type a deliverable and press Enter. Expected: it appears as item 1.
6. In MAGIC name, click the chips "Done-for-you", "30-day" and "Sprint", type Avatar "Agency owner" and Goal "10 calls", click away. Expected: Suggested names list appears. Click Use on one. Expected: toast "Offer renamed" and the title changes; that row shows "In use".
7. Click the status Live. Expected: "Offer is live. Go sell it!" with +30 XP. Click Draft. Expected: the XP is removed. Click Live again. Expected: +30 XP again.
8. In Pipeline, create a deal and pick this offer. Expected: the deal value is filled with 2500. Win the deal. Back on the builder, Results shows Deals 1, Won 1, Revenue $2,500, and the Offers list shows Revenue on the card.

9. Click “Suggest improvements”. Expected: “Thinking…”, then sections like “Biggest lever” and a “Next test” line. Click “Add to notes”. Expected: “Added”, and Notes contains “--- AI suggestions (date) ---”.
10. Use … → Duplicate. Expected: “Duplicated as a draft” and a page for “Test Sprint (copy)” in Draft.

Tips

- Score like a skeptical client, not a proud founder. A 50 you can improve beats a fake 90.
- The cheapest way to raise the score is usually proof: one strong case study can move likelihood from 4 to 7.
- Write the dream outcome in the client's words from your discovery calls (copy them from the deal's Pain field).
- Always link deals to offers. After a month the Results card tells you which offer is worth your time.

FOUNDER

Campaigns

Plan and track focused marketing pushes: one objective, a few channels, one offer, dates and a budget. Results (leads, conversations, deals won, revenue, content published) roll up automatically from the deals and content you link. A board and a timeline show all campaigns; AI can suggest campaign ideas and plays.

Why it helps: Random posting and random outreach don't build a business. A campaign gives every action a goal and a deadline, and the rollup shows what each push really produced in leads and money. Writing learnings at the end makes the next campaign smarter.

One-time	Create your first campaign around your live offer: objective, 2–3 channels, start and end dates, targets for leads and revenue.
Daily	When a new lead comes from the campaign, pick the campaign in the deal's Campaign field (or link it on the campaign page). Link each post you publish for it.
Weekly	Open each live campaign. Check Targets vs results and the Scoreboard. Enter spend. Ask AI for plays if results are slow.
Monthly	Close finished campaigns (status Done) and write 2–3 learnings. Plan the next one using "AI ideas".

Campaigns (list) `/campaigns`

See every campaign by status or on a timeline, with total leads, revenue and spend.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Campaigns (page header)	Title with a megaphone icon and the line "Objective → channels → offer → results. Every campaign earns its learnings."	
AI ideas (button)	Outline button with sparkles. Opens the Campaign ideas dialog.	
New campaign (button)	Opens the New campaign dialog.	
Live now (tile)	Live campaigns (green when any). Sub-line: "2 planned".	
Leads generated (tile)	Total leads across campaigns. Sub-line: "Deals linked to campaigns".	
Revenue attributed (tile)	Total revenue across campaigns. Sub-line: "Won deals from campaigns".	

ELEMENT	WHAT IT IS	HOW TO USE IT
Spend (tile)	Total spend. Sub-line: “40% of $2,000 budget” or “No budgets set”. Amber when spend is over budget.	
Board / Timeline (switch)	Switch between the status board and the Gantt timeline.	
Status board	Columns Idea, Planned, Live, Paused (only shown when a campaign is paused) and Done, each with a coloured dot and a count.	Drag a card to another column to change its status. Going Live gives +20 XP (“Name is live”); Done gives +25 XP (“Name wrapped. Capture the learnings!”). To pause, open the campaign and click Paused.
Campaign card	Name, a Company or Personal chip, the objective, up to 3 channels (+N), dates (“Oct 1 → Oct 31” or “No dates”), the offer name, “4 leads / 10 · 1 won”, revenue in green, and a bar of leads vs the lead target.	Click a card to open the campaign.
Timeline	A Gantt chart by month with a red “Today” marker. Each dated campaign is a coloured bar (colour = status) showing its first 2 channels. A campaign without an end date is drawn 14 days long with a dashed border. Undated campaigns are listed under “Not scheduled” with their status. Empty: “No dated campaigns yet. Give a campaign a start and end date to see it on the timeline.”	Hover a bar to see “Name: Oct 1 → Oct 31”. Click a bar or name to open the campaign. Scroll sideways for more months.
Plan your first campaign (empty state)	Text “A campaign is a focused push: one objective, a few channels, one offer and a deadline. Results roll up from the deals and content you link.” with “New campaign” and “Get AI ideas”.	
New campaign (dialog)	Fields: Name (e.g. “November LinkedIn + cold email push”), Objective (hint “One measurable goal”), Brand (Company / Personal), Offer (“None yet” or a non-retired offer), Channels (chips: LinkedIn, Instagram, TikTok, YouTube, X, Email, Ads, Events, Partnerships, Cold outreach), Start, End (not before Start) and Budget. Buttons Cancel and “Create campaign”.	A name is required. With a start date the campaign starts as Planned, without one as Idea. The campaign page opens.

ELEMENT	WHAT IT IS	HOW TO USE IT
Campaign ideas (AI dialog)	Fields: “What should this campaign achieve?”, Brand (Company / Personal / Either), Offer to promote, Preferred channels (optional chips). Button “Generate ideas” (“Thinking…” while working, then “Generate again”). Results: up to 5 idea cards with name, objective, channels, angle and numbered first steps, each with “Add to board”.	Click “Add to board” on an idea you like. It is created as an Idea with the angle and first steps in its notes (button changes to “Added”). If the AI reply can't be read as cards, the raw text is shown instead.

Campaign page `/campaigns/<id>`

Plan one campaign, set targets, link deals and content, watch results roll up, and capture learnings.

HOW TO USE IT

1. Click “New campaign”. Write one measurable objective, pick the offer, 2–3 channels, dates and budget. Create it.
2. On the campaign page, set targets: leads, conversations, deals, revenue, content.
3. Click Live when it starts.
4. Every time a lead comes in, pick this campaign in the deal (or use “+ Link a deal…”). Link each published post.
5. Each week enter Spend and read the Scoreboard.
6. At the end click Done and write 2–3 learnings.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Campaign name (title)	Editable in place. Click, type, press Enter.	
← **All campaigns (link)**	Back to the list.	
Status switch	Idea, Planned, Live, Paused, Done.	Live: +20 XP the first time (“Campaign is live. Make some noise!”). Done: +25 XP (“Campaign wrapped. Write down what you learned.”). Leaving Done removes the Done XP; going back to Idea or Planned removes the Live XP.
… menu	Delete campaign (asks to confirm; linked deals and content are kept but unlinked).	
Learnings reminder (banner)	Amber banner when the status is Done and Learnings is empty: “This campaign is done. Write 2–3 learnings below so the next one starts smarter.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
Plan (section)	Objective (“One measurable goal, e.g. 10 discovery calls with agency owners”), Brand (Company / Personal / —), Offer (with “Open offer →” when set), Channels (chips; custom channels you used before also show), Start, End, Budget and Spend.	Text and numbers save when you click away; dates and chips save at once. An end date before the start date is refused.
Targets vs results (section)	Hint “Results roll up from linked deals and content (⚡). Override any number if you track it elsewhere.” Five rows: Leads (deals linked to this campaign), Conversations (linked deals that reached a booked call), Deals won (linked deals won), Revenue (value of linked deals won), Content published (pieces linked / published). Each row: a Target box, a progress bar (green at 100%) and the result, e.g. “4 / 10”.	Type a target and click away. The ⚡ means automatic.
Override a result	Click a result number (not Content) to type your own value. It then shows a “Manual” chip (hover to see the automatic value) and a ↺ button.	Type the number and click away. Click ↺ (“Back to automatic”) to return to the calculated value.
Deals (N)	Linked deals with next step and date, value and stage chip, plus “Pipeline →”. Hover a row and click × to unlink. Under it: “+ Link a deal…” lists up to 60 newest deals not in any campaign. Empty: “No deals yet. Link the deals this campaign creates so leads and revenue roll up.”	Pick a deal in the select to link it. Results update at once.
Content (N)	Linked content pieces with a Hub chip and stage chip (green when published), plus “Content Studio →”. × unlinks. “+ Link a content piece…” lists up to 60 newest unlinked pieces (not archived). Empty: “Link the posts and videos that belong to this push.”	
Learnings (section)	Hint “What worked, what didn't, and what you'd do differently next time.” Placeholder with example bullets.	Write and click away. The first time: “Learning captured”.
Notes (section)	“Messaging, assets, links, the angle…”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Scoreboard (card)	A ring with leads (filled to % of the lead target), “3 conversations · 1 won”, revenue in green, and “Day 5 of 30” (or “Starts Monday” / “Ended Oct 2”). Under it: Spend, Per lead (cost per lead) and ROI (green when 0% or more, red when negative). With a budget: “Budget used $400 / $1,000” bar (red when over).	
Plays for this campaign (AI panel)	Hint “Concrete moves for your channels and offer.” Button “Suggest 5 plays”. Each play has a name, channels, angle and steps.	Click it, then “Add to notes” (appends “--- AI plays (Oct 20) ---”), “Copy” or “Again”.
Campaign not found	If deleted: “This campaign doesn't exist (or was deleted).” and “Back to campaigns”.	

Frameworks & terms in this module

Campaign Marketing campaign practice

A focused marketing push with one objective, a few channels, one offer, a start and an end. It is a mini project for growth.

Example: “November LinkedIn + cold email push”: book 10 discovery calls with agency owners, Nov 1–30, offer “30-Day Pipeline Sprint”.

Campaign objective SMART goals (George T. Doran)

One measurable goal for the campaign. If you can't count it, it is not an objective.

Example: Good: “10 discovery calls with agency owners by Nov 30”. Bad: “more brand awareness”.

Channels Traction (Gabriel Weinberg) — the Bullseye framework

Where the campaign reaches people: LinkedIn, Instagram, TikTok, YouTube, X, Email, Ads, Events, Partnerships, Cold outreach. Fewer channels done well beat many done badly.

Example: LinkedIn posts + cold email to people who engaged.

Results rollup bishOS

bishOS counts results from linked data: Leads = deals linked to the campaign; Conversations = linked deals at Booked or later (Booked, Discovery, Proposal, Verbal, Won); Deals won = linked deals won; Revenue = value of those won deals; Content published = linked pieces that are published. You can override any of the first four by hand.

Example: 6 linked deals: 2 Target, 1 Booked, 1 Proposal, 2 Won ($5K) → Leads 6, Conversations 4, Deals won 2, Revenue $5K.

Manual override bishOS

Your own number for a result, for when you track it somewhere else (for example ad leads that never became deals). ↺ returns to the automatic value.

Example: The ad platform shows 40 leads but only 6 became deals → override Leads to 40.

Cost per lead (CPL) Marketing metric

Spend ÷ leads. Shown as “Per lead” when you have spend and at least one lead.

Example: $300 spend, 6 leads → $50 per lead.

ROI (return on investment) Finance metric

(Revenue − spend) ÷ spend, in percent. Shown when spend is above 0. Green at 0% or more, red when you lost money.

Example: $5,000 revenue, $500 spend → 900% ROI.

Learnings (retrospective) Retrospectives (Agile practice)

2–3 short notes at the end: what worked, what didn't, what to change. AI ideas also read your last campaigns' learnings.

Example: “DMs after a post converted 3× better than cold. Next time start follow-ups on day 3.”

Campaign status bishOS

Idea (not planned yet), Planned (has dates), Live (running, +20 XP), Paused (on hold), Done (finished, +25 XP).

Example: AI idea → Idea; you set dates → Planned; Nov 1 → Live; Dec 1 → Done.

Play bishOS

One concrete move inside a campaign, with steps. The AI panel suggests 5 plays based on your channels, offer and results so far.

Example: Play “Comment-to-DM”: post a checklist, DM everyone who comments, offer a 15-minute audit.

How to test it

1. Open Founder → Campaigns with no campaigns. Expected: “Plan your first campaign” with two buttons.
2. Click “New campaign”. Name “Test Push”, objective “5 calls”, pick 2 channels, a start date today and an end date in 30 days. Click “Create campaign”. Expected: the campaign page opens with status Planned.
3. Create another campaign without dates. Expected: it starts as Idea and shows under “Not scheduled” on the Timeline.
4. On “Test Push” click Live. Expected: “Campaign is live. Make some noise!” with +20 XP. The Scoreboard shows “Day 1 of 30”.
5. In Targets vs results type 10 in the Leads target. Use “+ Link a deal…” to link an open deal. Expected: Leads shows “1 / 10” with a ⚡ and the ring moves to 10%.
6. Win that deal in the Pipeline with value 1000. Expected: Deals won 1, Revenue $1,000, Conversations 1.
7. Enter Spend 200. Expected: Per lead $200 and ROI 400% in green.
8. Click the Leads result and type 25, click away. Expected: “Manual” chip with the auto value on hover. Click ↺. Expected: back to 1 with ⚡.
9. Click Done with empty Learnings. Expected: +25 XP and the amber banner. Write a learning and click away. Expected: “Learning captured” and the banner disappears.
10. On the list, switch to Timeline. Expected: a bar for Test Push across the right dates and a red Today marker.
11. Click “AI ideas”, write an objective, click “Generate ideas”. Expected: idea cards. Click “Add to board” on one. Expected: “Added to the board as an idea” and the button shows “Added”; the board has it in Idea.

12. On the board drag the Idea card to Live. Expected: “<name> is live” with +20 XP.

Tips

- One campaign, one offer, one objective. Two objectives means two campaigns.
- Link deals the day they come in. Linking later is easy to forget and your ROI will look worse than it is.
- Even a “failed” campaign is worth it if you write the learnings.
- Keep the board small: 1 Live and 1 Planned is plenty for a solo founder.

FOUNDER

Scorecard

5–10 weekly numbers that tell you in 60 seconds if the business is on track. Each number has a weekly target and a direction (at or above / at or below). Most numbers fill themselves from your data (⚡); the rest you type once a week. A 13-week grid shows green and red weeks.

Why it helps: Feelings lie, numbers don't. A busy week can feel productive while sales activity is zero. The scorecard shows the few activity numbers (lead) that cause the results (lag), so you can fix a problem the week it starts, not three months later. Because six of the seven starter numbers are automatic, it costs you almost no time.

One-time	Click “Start with the founder scorecard” (7 numbers, 6 automatic). Adjust targets to your reality (Edit). Set Settings → Founder engines → Annual income so the Revenue target is right (income ÷ 52). Add 1–3 numbers of your own if needed.
Daily	Nothing daily. The automatic numbers update by themselves as you log touches, win deals, publish, focus and review cards.
Weekly	In your weekly review: type the manual numbers for this week, then read every red cell. Each red number becomes an issue (Decisions & Issues → Issues) or a change to next week's plan.
Quarterly	Look at the 13-week hit rate per number. Raise targets you always hit, archive numbers that never change your decisions.

Scorecard `/scorecard`

See this week's numbers against their targets and the last 13 weeks at a glance; type in manual numbers.

HOW TO USE IT

1. Click “Start with the founder scorecard”.
2. Click each metric name and set a target that is hard but possible for you.
3. Every Friday or in your weekly review, type the manual numbers for this week.
4. Read the This week column. For every red number ask: why? Log the answer as an issue.
5. Each quarter look at the hit rates and adjust targets.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Scorecard (page header)	Title with a gauge icon and the line “5–10 weekly numbers that tell you in 60 seconds whether the business is on track.”	
Archived (N) / Hide archived (button)	Shown only when you have archived numbers.	Click to show archived numbers in the grid (faded). Click “Hide archived” to hide them again.
Add metric (button)	Opens the “Add a scorecard metric” dialog.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Start with the founder scorecard (empty state)	Text: “Seven numbers a solo founder should watch every week: outreach, sales conversations, deals won, revenue, content, deep work and recall. Six fill themselves in from your data.” Buttons “Start with the founder scorecard” and “Add my own metric”.	Click the first button. Toast “Founder scorecard ready · 7 numbers, 6 of them automatic” and confetti. It only works when you have no metrics yet.
On track this week (ring card)	A ring with “5/7” (numbers on track / active numbers) and this week's dates (Monday to Sunday). The ring fills by on ÷ (on + off).	
Off track (tile)	How many numbers are off track this week. Red with “Discuss in your weekly review”, or green with “Nothing off track”.	
Numbers to fill (tile)	Manual numbers with no value this week. Amber with “Manual numbers missing this week”, or green with “All numbers in”.	
13-week hit rate (tile)	Across all active numbers: weeks on track ÷ weeks with a value, over the 13 weeks. Sub-line: “Weeks on track ÷ weeks measured”.	
Metric column	Each row starts with ⚡ (automatic; hover to read where it comes from) and the metric name. Under it: an up or down arrow (direction), the target with its unit, and “75% hit” (this number's 13-week hit rate, wide screens).	Click the name to edit the metric.
Trend	A small line of the 13 weeks with a dashed target line. Green when the latest value is on track, red when off.	
Week columns	13 columns, newest first: “This week” (highlighted), then the Monday date of each earlier week. Cells are green (on track) or red (off track).	
Automatic cell (⚡ rows)	Read-only value, calculated from your data. Hover: “Calculated automatically”.	
Manual cell	A button with the value, “+ Add” (empty, this week) or “—” (empty, past week, dashed border).	Click it, type a number, press Enter (or click away). Esc cancels. Empty clears the value. Commas are allowed (1,200). The first manual entry of a week gives +10 XP (“Scorecard updated”).

ELEMENT	WHAT IT IS	HOW TO USE IT
Row … menu	Edit, Move up, Move down (change the row order), Archive (hide but keep history) or Restore (for archived rows), Delete (asks “Delete “Revenue” and its history?”).	
Legend	A card under the grid: green square = On track, red square = Off track, ⚡ = “Calculated from your pipeline, content, focus and recall data”, and “Click a manual cell to edit. Empty clears it.”	

Add / Edit metric (dialog) `/scorecard`

Create a weekly number or change an existing one.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Where does the number come from?	“Manual: I type it in each week”, or one automatic source: ⚡ Auto: Outreach touches, Sales conversations, Deals won, Won revenue, Content published, Deep work hours, Tasks completed, Recall reviews, Cash collected.	Picking a source fills a suggested name, target and unit (only if you have not typed your own).
Source hint	A blue line explaining the source, e.g. “Interactions logged as outreach or follow-up. Calculated for you every week.”	
Name	Required. Placeholder “e.g. Qualified leads”.	
Weekly target	Required number. Placeholder 10.	
Unit	Hint “h, %, calls, or a currency code”. “h” shows hours, “%” shows percent, a currency code (e.g. USD, PKR) shows money.	
On track when the number is…	“At or above target” (more is better) or “At or below target” (less is better).	
Life Area (optional)	Link the number to a life area.	
Add metric / Save	Saves and shows “Metric added” or “Metric updated”.	

Frameworks & terms in this module

EOS Scorecard EOS — Traction (Gino Wickman)

A short list (5–15) of weekly numbers with a target and an owner, reviewed every week over a rolling 13 weeks. If a number is off track, it goes on the issues list.

Example: Every Monday a team looks at 10 numbers in 5 minutes and only discusses the red ones.

Lead vs lag numbers The 4 Disciplines of Execution (McChesney, Covey, Huling)

Lag numbers are results (revenue, deals won): they come late and you can't change them directly. Lead numbers are activities that cause the results (outreach, sales conversations, content): you control them this week. Watch both, act on the lead numbers.

Example: Revenue (lag) was low in October because outreach (lead) dropped to 30 a week in September.

On track / off track EOS (Traction)

A number is on track when it is at or above its target (direction "up"), or at or below it (direction "down"). No value = no status.

Example: Deep work target 15h, you did 12h → off track. Hours over a cap of 50, target down, you did 47 → on track.

13-week grid EOS (Traction); 12 Week Year (Brian Moran)

The last 13 weeks (one quarter) side by side. One red week is noise; three red weeks in a row is a trend.

Example: Sales conversations: red, red, red in the last three columns → time to fix your outreach.

Hit rate bishOS

Weeks on track ÷ weeks with a value, over the 13 weeks. Per number and in total.

Example: On track 9 of 12 measured weeks → 75% hit.

Automatic metrics (⚡) bishOS

Numbers bishOS calculates for each week from your data: Outreach touches (outreach + follow-up touches), Sales conversations (call + meeting touches), Deals won (deals won, by close date), Won revenue (value of deals won that week), Content published (pieces published that week), Deep work hours (focus sessions that ended that week), Tasks completed (tasks done that week), Recall reviews (recall cards reviewed that week), Cash collected (business income logged in Finance that week).

Example: You log 23 outreach touches this week → Outreach touches shows 23 without typing.

The founder scorecard (starter set) bishOS

Seven numbers: Outreach touches (target 100/week, auto), Sales conversations (5, auto), Deals won (1, auto), Revenue (manual; target = annual income ÷ 52, or 1,000 if not set), Content published (5, auto), Deep work hours (15h, auto), Recall reviews (50, auto).

Example: 100 outreach touches a week = your daily quota of 20 × 5 working days.

Manual metric bishOS

A number you type each week because bishOS can't see it (for example cash received in a bank, ad leads, NPS).

Example: "Qualified leads from ads", target 10, typed every Friday from the ad dashboard.

Archive vs delete bishOS

Archive hides a number but keeps its history (you can restore it). Delete removes the number and all its weekly values.

Example: You stop recording podcasts → archive "Podcast episodes", don't delete it.

EOS-lite Based on EOS — Traction (Gino Wickman)

bishOS uses the parts of EOS that help a solo founder: a weekly Scorecard, an Issues list solved with IDS, and promises tracked like EOS To-Dos — without the team meetings and org charts.

Example: Friday: scorecard → red numbers become issues → solve the top 3 → each solution becomes a task or promise.

How to test it

1. Open Founder → Scorecard with no metrics. Expected: the "Start with the founder scorecard" empty state.
2. Click "Start with the founder scorecard". Expected: toast "Founder scorecard ready · 7 numbers, 6 of them automatic", confetti, four summary cards, and a grid with 7 rows (6 with ⚡) and 13 week columns starting with "This week".
3. Check "Numbers to fill". Expected: 1 (Revenue is manual and empty), amber.
4. Click the Revenue cell under "This week" (+ Add), type 500, press Enter. Expected: +10 XP "Scorecard updated" the first time this week, the cell turns red or green against the target, and Numbers to fill becomes 0.
5. Click the same cell, clear it, press Enter. Expected: the value is removed and "+ Add" comes back.
6. Click an automatic cell. Expected: nothing to edit (read-only).
7. Log 3 outreach touches on the Pipeline (+1 touch). Return. Expected: Outreach touches this week went up by 3.
8. Click "Add metric". Pick "⚡ Auto: Tasks completed". Expected: Name "Tasks completed", target 25, unit "tasks" are filled. Click "Add metric". Expected: "Metric added" and a new row at the bottom.
9. Use the row … → Move up on the new row. Expected: it moves up one place.
10. Use … → Archive. Expected: the row disappears and an "Archived (1)" button appears. Click it. Expected: the row is shown faded with a Restore option.
11. Edit a metric and switch to "At or below target". Expected: the arrow under the name points down and the colours flip where needed.

Tips

- Fewer numbers, read every week, beats many numbers nobody reads.
- Put mostly lead numbers on the scorecard. You can change them this week.
- A target you hit every week is too easy. A target you never hit is just discouraging. Aim for 60–80% hit rate.
- Turn every red number into an issue. A number nobody acts on is decoration.

FOUNDER

Decisions & Issues

Two tools on one page. The Decision journal: write down big decisions before you know the outcome (options, choice, expected result, confidence, your state), then review them later to measure your judgement (calibration). The Issues list: every problem, obstacle or opportunity, ranked P1–P3 and worked with IDS (Identify, Discuss, Solve); solving can create a follow-up task.

Why it helps: Founders make big calls with little information, and hindsight rewrites the memory of why. A journal keeps your real reasoning, so you learn if you are overconfident or too careful. The issues list stops problems from circling in your head: you name them, rank them and solve the top 3, one by one, with a clear action.

One-time	Journal one recent big decision you are still waiting on. Dump every open problem into the Issues list and set priorities (P1 = urgent and important).
Daily	When a problem appears, add it to Issues in one line. Before any important call (a hire, a price, a big client, a pivot), journal it.
Weekly	In your weekly review: open the Issues tab and solve the top 3 with IDS. Review any decision whose review date has come.
Monthly	Look at the Calibration card: are you overconfident? Drop issues that no longer matter.

Decisions & Issues — Decisions tab `/decisions`

Journal big decisions, review them when the outcome is known, and see how well calibrated your judgement is.

HOW TO USE IT

1. Before a big call, click “Journal a decision”.
2. Write what you are deciding, the context, the options, your choice and what you expect to happen.
3. Set your confidence honestly and tick your state (tired? rushed?).
4. Keep the review date (6 weeks) or pick another preset. Save.
5. When the review is due, click “Review now”, write what happened, answer yes or no, and write the lesson.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Decisions & Issues (page header)	Title with a gavel icon and the line “Judge your judgement: journal big calls before the outcome, and work the issues list with IDS.”	
Journal a decision (button)	Shown on the Decisions tab. Opens the “Journal a decision” dialog.	
Decisions / Issues (tabs)	Decisions shows a count of reviews due; Issues shows a count of open issues. The tab is saved in the address (?tab=issues), so links from Founder HQ open the right tab.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Review due (banner)	Amber banner when reviews are due: “Review due: 2 decisions. Compare what you expected with what actually happened. It takes two minutes.” with a “Review now” button.	Click “Review now” to review the first due decision.
All / Review due / Awaiting outcome / Reviewed (filter)	Filter the decision cards. Each option shows a count. Due decisions are listed first, then newest first.	
Decision card	Title, your confidence (e.g. “70%”; hover for the word, like “Fairly confident”), “Chose: …” (or “No choice recorded yet”), the outcome for reviewed ones, a chip (“As expected”, “Surprised”, “Reviewed”, “Review due”, or “Review” + the day, e.g. “Review friday” or “Review nov 3”), and the decision date. Due cards have an amber border and a “Review now” button.	Click a card to open the decision drawer.
Start your decision journal (empty state)	Text: “For any call that matters (a hire, a price, a pivot, a big client) write the options, your choice, what you expect and how sure you are. Review it in 6 weeks.” and “Journal a decision”.	
Awaiting outcome (tile)	Decisions not reviewed yet.	
Reviewed (tile)	Decisions you have reviewed.	
Calibration (card)	Hint “How often your expectations come true vs how sure you were”. Two bars: Average confidence and Turned out as expected. A verdict line. Four small columns for confidence bands 0–49%, 50–69%, 70–89%, 90–100%: the green fill is how often those decisions came true, the black line is your average confidence in that band, and “3×” is how many decisions. A last line gives the Brier score (“0 is perfect, 0.25 is a coin flip”).	

ELEMENT	WHAT IT IS	HOW TO USE IT
Calibration verdicts	Under 3 scored decisions: “Review a few more decisions to see a trend.” Confidence more than 10 points above the hit rate: “Overconfident: outcomes match less often than you expect. Widen your options.” More than 10 points below: “Underconfident: you're right more often than you think. Decide faster.” Otherwise: “Well calibrated: your confidence matches reality.”	
Calibration empty texts	“Review your first decision to start measuring your judgement.” or, if you reviewed but never answered the yes/no question, “Mark whether reviewed decisions matched your expectation to see calibration.”	

Journal a decision, Review, and Decision drawer `/decisions`

Write a decision before the outcome, review it after, and edit any detail.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Before-you-know note	Blue line at the top of the dialog: “Write this before you know the outcome, so hindsight can't rewrite your reasoning.”	
What are you deciding?	Required. E.g. “Hire a part-time SDR or keep doing outreach myself?”.	
Context	Hint “The situation, what you know, the constraints”.	
Options you considered	A list.	Type an option and press Enter. Click an option to edit it.
Your choice	What you are going with. When you listed options, they appear as chips under the field.	Type, or click an option chip to copy it in.
Expected outcome	Hint “What you think will happen, and by when”.	
How confident are you?	A slider 0–100% in steps of 5 (default 70%) with a word: Long shot (under 25), Doubtful (25+), Coin flip (45+), Fairly confident (60+), Confident (75+), Near certain (90+).	

ELEMENT	WHAT IT IS	HOW TO USE IT
Physical & mental state right now	Chips: Rested, Tired, Calm, Stressed, Excited, Rushed, Anxious, Focused, plus a free note ("slept 5h, after a tough call…").	
Review on	Date (default in 6 weeks) with presets 2 weeks, 6 weeks, 3 months, 6 months.	
Life Area (optional)	Link the decision to a life area.	
Save to journal (button)	Saves the entry: +10 XP ("Decision journaled"). Status is Decided when you wrote a choice, otherwise Open.	
Review a decision (dialog)	A recap box: the title, "Written Oct 1, 2026 · state: Tired, Rushed", "You chose…", "You expected…", "Confidence: 70%". Then: "What actually happened?" (required), "Did it turn out the way you expected?" with two big buttons "Yes, as expected" / "No, it surprised me" (required), and Lessons (hint "Was it a good decision with a bad outcome, or the reverse? What would you do differently?").	Fill it and click "Complete review": +20 XP and "Decision reviewed. Calibration updated".
Too early, remind me in 2 weeks	Button in the review dialog. Moves the review date to 14 days from today ("Review moved 2 weeks out").	
Decision drawer	Opens when you click a card. Chips: Open / Decided / Reviewed, "70% confident", "Review nov 3" (amber when due), As expected / Surprised. Editable fields (save on blur): Title, Context, Options, Choice ("Not decided yet"), Expected outcome, State when deciding, Review date, and for reviewed decisions What happened and Lessons. Writing a choice on an Open decision makes it Decided.	
Drawer footer	Delete (asks to confirm; removes its XP) and "Review now" (not reviewed) or "Reopen review" (reviewed; removes the review XP and the yes/no answer).	

Decisions & Issues — Issues tab `/decisions?tab=issues`

Capture every problem, rank it, and solve the top 3 with Identify → Discuss → Solve.

HOW TO USE IT

1. Whenever something bothers you, add it in one line with a priority.

2. Weekly, look at the Top 3. Click Discuss on the first one.
3. Open it and ask “why?” until you find a root cause you can change. Write it.
4. Click Solve, write the solution, keep “Create a follow-up task” ticked, pick a day. Mark solved.
5. Repeat for the next issue. Drop issues that no longer matter.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Quick add	A text box “Name an issue: a problem, obstacle, idea or opportunity…”, a P1 / P2 / P3 switch (default P2) and an Add button.	Type one line, pick a priority, press Enter or click Add. Toast “Issue added”.
Top 3: solve these first	Up to 3 cards with a star header. Each card: a big number (1–3), a priority chip (P1 red, P2 amber, P3 grey), a status chip (Identify or Discuss), the title, the root cause (if written), and buttons “Discuss” (only in Identify) and “Solve”. Ranking: P1 first, then P2, then P3; older first within a priority.	Click the title to open the issue drawer.
Counts line	“4 open · 9 solved all-time”, and a “Dropped (2)” / “Hide dropped” button when you have dropped issues.	
Issues board	Columns: Identify (“Name the real issue in one line”), Discuss (“Dig for the root cause”), Solved (“Recently solved”, the last 12), and Dropped (only when shown).	Drag a card between columns. Dropping on Solved opens the Solve dialog.
Issue card	Priority chip, a star when it is in the top 3, a “Task” chip when a follow-up task exists, the title (struck through when solved), and “✓ solution” (solved) or “Root cause: …”.	
No issues on the list (empty state)	“Anything blocking the business goes here: a client problem, a broken process, an opportunity. Work the top 3 each week: Identify, Discuss, Solve.”	
Issue drawer	Title = the status (Identify, Discuss, Solved, Dropped). An editable title, the priority switch, “Solved Oct 20” chip, a “Follow-up task created →” link, and three boxes: “Identify: what's really going on?”, “Discuss: root cause” (hint “Ask “why?” until you hit something you can change.”), “Solve: the solution”. Footer: Delete, and Drop / Discuss / Solve (active issues) or Reopen (solved or dropped).	Reopening a solved issue removes its XP.

ELEMENT	WHAT IT IS	HOW TO USE IT
Solve this issue (dialog)	The issue title, Root cause, Solution, and "Create a follow-up task" (ticked). With the task: Task (placeholder = first line of the solution, or "Fix: <issue>"), Life Area and When (today). Button "Mark solved".	Click "Mark solved": +25 XP and "Issue solved · follow-up task created". The task priority follows the issue: P1 → high, P2 → medium, P3 → low.

Frameworks & terms in this module

Decision journal Farnam Street (Shane Parrish); Daniel Kahneman

A notebook of important decisions written at the moment you decide: the situation, options, your choice, what you expect, how sure you are and how you feel. Later you compare it with what happened.

Example: "Raise price from $3K to $4.5K. Expect: lose 1 in 5 leads, revenue up 20% in 8 weeks. 65% sure. State: rested, calm."

Hindsight bias Thinking, Fast and Slow (Daniel Kahneman)

After you know the outcome, you remember that you "knew it all along". Writing first protects your real reasoning.

Example: The hire failed; without the journal you'd think you had doubts. The journal says you were 85% sure.

Confidence Superforecasting (Philip Tetlock)

How sure you are that your expected outcome will happen, from 0 to 100%.

Example: 70% = you expect it to come true about 7 times out of 10 for decisions like this.

Review date Farnam Street decision journal

The day you look back to see what happened. Default 6 weeks. If it is too early to judge, push it 2 weeks.

Example: Pricing change on Oct 1 → review on Nov 12.

Good decision vs good outcome Thinking in Bets (Annie Duke)

A good decision can have a bad outcome (bad luck), and a bad decision can turn out well. Judge the reasoning, not only the result.

Example: You picked the safer client and they went bankrupt. Was the information available? If not, the decision was still good.

Calibration Superforecasting (Philip Tetlock)

Whether your confidence matches reality. If your 70%-sure decisions come true about 70% of the time, you are well calibrated. bishOS compares your average confidence with your hit rate (decisions that turned out as expected).

Example: Average confidence 80%, hit rate 55% → overconfident by 25 points: consider more options and slow down.

Brier score Glenn W. Brier (1950); Superforecasting (Tetlock)

One number for how good your predictions are: the average of (confidence − result)^2, where result is 1 if it came true and 0 if not. 0 is perfect; 0.25 is like always saying 50%.

Example: 90% sure and it happened → $(0.9 - 1)^2 = 0.01$. 90% sure and it didn't → 0.81.

Issues list EOS — Traction (Gino Wickman)

One place for every problem, obstacle, idea or opportunity. Writing them down clears your head and lets you choose the most important ones.

Example: “Client X pays late”, “Proposal template is slow”, “Partnership offer from agency Y”.

IDS (Identify, Discuss, Solve) EOS — Traction (Gino Wickman)

A three-step way to solve an issue. Identify: name the real issue (often not the first thing you said). Discuss: find the root cause, briefly. Solve: decide one action that makes it go away, with an owner and a date.

Example: Identify: “Leads go cold after the proposal.” Discuss: you send proposals by email and wait. Solve: present every proposal on a call. Task: update the proposal process by Friday.

Root cause (5 whys) 5 Whys (Toyota Production System, Taiichi Ohno)

The deepest cause you can change. Ask “why?” again and again until you reach it.

Example: Why late delivery? Scope creep. Why? No change process. Why? Contract has no clause → fix the contract.

Priority P1 / P2 / P3 bishOS

P1 = urgent and important, solve this week. P2 = important. P3 = nice to fix. The top 3 are ranked by priority, then by age.

Example: P1: “Biggest client threatening to leave”. P3: “Rename Google Drive folders”.

Top 3 EOS (Traction)

Only the three highest-ranked open issues get your attention this week. Solving three issues fully beats discussing ten.

Example: Weekly review: you solve 2 of the top 3; the third moves to Discuss.

Dropped issue bishOS

An issue that no longer matters or that you decided not to solve. Dropping is a decision, not a failure.

Example: “Build a mobile app” dropped: customers don't ask for it.

How to test it

1. Open Founder → Decisions & Issues. Expected: the Decisions tab, the empty state “Start your decision journal”, two tiles and the Calibration card saying “Review your first decision…”.
2. Click “Journal a decision”. Type a title, add two options (press Enter after each), click an option chip under “Your choice”. Expected: the choice field is filled. Move the confidence slider to 80. Expected: “80% · Confident”.
3. Pick the “2 weeks” preset and click “Save to journal”. Expected: +10 XP “Decision journaled” and a card with “80%”, “Chose: …” and a chip “Review” + the date two weeks from today (e.g. “Review nov 3”).
4. Open the card. In the drawer change the Review date to today. Expected: the card shows “Review due” with an amber border, the banner “Review due: 1 decision” appears and the tab shows a count.
5. Click “Review now”. Click “Complete review” without filling anything. Expected: warning “Write what actually happened”. Write an outcome and click Complete again. Expected: warning “Did it turn out as you expected?”. Click “No, it surprised me” and complete. Expected: +20 XP and the card shows “Surprised”.

6. Check Calibration. Expected: average confidence 80%, turned out as expected 0%, verdict “Review a few more decisions to see a trend.” (under 3 decisions) and a Brier score of 0.64.
7. Open the reviewed card and click “Reopen review”. Expected: it goes back to awaiting outcome and the review XP is removed.
8. Open a review and click “Too early, remind me in 2 weeks”. Expected: “Review moved 2 weeks out” and the due banner disappears.
9. Switch to the Issues tab. Type “Leads go cold after proposal”, click P1, click Add. Expected: “Issue added”, a Top 3 card numbered 1 with a red P1 chip and “Identify”.
10. Click Discuss on it. Expected: the chip changes to Discuss and the card moves to the Discuss column.
11. Click Solve. Write a solution, keep the task box ticked, click “Mark solved”. Expected: +25 XP “Issue solved · follow-up task created”, the issue appears in Solved with “✓ …” and a Task chip; the task exists in Tasks with high priority.
12. Open the solved issue and click Reopen. Expected: it returns to Identify and the XP is removed.
13. Add an issue, open it and click Drop. Expected: it leaves the board and a “Dropped (1)” button appears. Click it. Expected: a Dropped column shows the issue.

Tips

- Journal only decisions that matter: if you would not remember it in 3 months, skip it.
- Always tick your state. Many bad decisions are made tired or rushed, and the journal will show it.
- In IDS, most time should go to Identify. A well-named issue is half solved.
- If an issue stays in Discuss for weeks, it is too big. Split it.

FOUNDER

Strategy AI

The AI helpers inside the Founder pages: “Improve this offer” (Offers), “AI ideas” for new campaigns and “Plays for this campaign” (Campaigns), and “Route a conversation” (Pipeline, People, Commitments). They read your business context and suggest; they never change anything until you click.

Why it helps: You are one person doing the work of a sales team, a marketer and a strategist. The AI gives you a fast second opinion grounded in proven frameworks (Hormozi's value equation, MAGIC naming, low-budget founder marketing) and in your own data, so you spend your time choosing, not starting from a blank page.

One-time	Fill your Profile (top-right avatar → Profile): “What you do”, “Business” and “Current situation”. Set your currency in Settings. Have at least one offer. The AI reads these every time.
Weekly	Run “Plays for this campaign” on each live campaign. When an offer stops selling, run “Improve this offer”.
Monthly	Use “AI ideas” to plan next month's campaign.

Improve this offer (AI panel) `/offers/<id>`

Get concrete suggestions to make one offer more irresistible.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Improve this offer (card)	Card with sparkles in the offer builder. Hint: “AI suggestions per lever. Nothing changes until you apply it.”	
Suggest improvements (button)	Sends the whole offer (texts, scores, stack, price, urgency and results so far) plus your business context to the AI.	Click it. While it works you see “Thinking…” with animated dots.
Answer	Markdown with sections: Biggest lever, Dream outcome, Likelihood & proof, Time to result, Effort removed, Bonuses to add, Guarantee, Urgency & scarcity, Price & packaging, Name ideas (MAGIC), and “Next test:” one experiment for this week. Scrollable when long.	
Add to notes	Appends the answer to the offer's Notes under “--- AI suggestions (date) ---”. The button then shows “Added”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Copy	Copies the answer to the clipboard ("Copied").	
Again	Top-right button after an answer. Runs the AI again for a fresh answer.	

AI ideas and Plays for this campaign `/campaigns`

Get new campaign concepts, or concrete plays inside a campaign.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
AI ideas → Campaign ideas (dialog)	On the Campaigns list. You give an objective, brand, offer and preferred channels. The AI returns up to 5 concepts (name, measurable objective, channels, angle, first steps), favouring founder-led, low-cost plays that create sales conversations in 2–4 weeks.	Click "Add to board" on any idea to create it as an Idea campaign with the angle and steps in its notes.
Plays for this campaign (panel)	On a campaign page. Reads the campaign's objective, brand, channels, offer, dates, budget and results so far, and returns 5 plays (name, channels, angle, steps).	Click "Suggest 5 plays", then "Add to notes", "Copy" or "Again".

Route a conversation `/pipeline`

Turn call notes into follow-ups. Full details are in Commitments → Route a conversation.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Route a conversation (button)	On Pipeline, People and Commitments; "Route notes" on a person's page. The AI also sees your people list and open deals, so it can match names and the right deal.	

Frameworks & terms in this module

> **Business context** bishOS
> What the AI reads about you before every answer: your Profile (Business, What you do, Current situation), your currency, up to 6 offers that are not retired (name, status, who it is for, price), your 6 most recent campaigns (name, status, channels and the start of their learnings) and your content pillars.
> *Example:* Profile says "Devzelo Solutions, UI/UX agency". Campaign ideas then suggest plays for agencies, not for e-commerce.

Suggest, never write bishOS

Strategy AI only proposes. Your data changes only when you click a button like “Add to notes”, “Add to board” or “Apply”.

Example: You run “Improve this offer” three times and keep only the third answer.

Founder-led, low-budget marketing bishOS AI instructions; Traction (Gabriel Weinberg)

Campaign ideas favour plays a solo founder can run with no team and little money: content, cold outreach, partnerships and email, aiming for sales conversations within 2–4 weeks.

Example: “Partner webinar with a complementary agency, invite both email lists, offer a free audit.”

Next test bishOS

The last line of every offer suggestion: one small experiment to run this week, so advice turns into action.

Example: “Next test: pitch the 14-day guarantee version to 5 prospects and count yeses.”

How to test it

1. Fill Profile → Business and What you do. Open an offer and click “Suggest improvements”. Expected: “Thinking…”, then an answer with the sections listed above and a “Next test” line.
2. Click “Copy”. Expected: “Copied”. Click “Add to notes”. Expected: “Added” and the Notes field contains the dated AI block.
3. Click “Again”. Expected: a new answer replaces the old one; your notes are unchanged until you click “Add to notes” again.
4. On Campaigns click “AI ideas”, pick Brand “Either”, click “Generate ideas”. Expected: up to 5 idea cards. Nothing new appears on the board until you click “Add to board”.
5. Open a live campaign and click “Suggest 5 plays”. Expected: 5 plays with headings, channels and bullet steps.
6. If the AI service fails (e.g. no API key), click a button. Expected: an amber toast with the error message and no data changed.

Tips

- The better your Profile and offer texts, the better the AI. Garbage in, garbage out.
- Treat AI answers as a first draft. Keep the 20% that fits your business.
- Run “Improve this offer” after a lost deal and paste the lost reason into the offer notes first.

FOUNDER

Finance · cash, spending & runway

One calm place for personal and business money. You log what comes in and what goes out, and Finance shows where it went, how much you kept, and how many months your business cash will last.

Why it helps: Most founders look at money only when it is already a problem. Here one expense takes about 10 seconds, and the app does the math for you: net, savings rate, burn and runway. You see a cash problem months early. You keep personal and business money apart. Founder HQ, the Today page and your weekly scorecard get real numbers without extra work.

One-time	About 10 minutes. Open Finance and run “Set up finance”: pick your currency, name one personal and one business account, and type today's balances. Then, in Accounts & goals, add every other place money lives (cash wallet, savings, credit card, loan) with its opening balance.
Daily	Log every spend and every payment on the same day. On Overview, type “45 groceries” or “1.2k Figma” in the quick add bar and press Enter. If the Today page shows a Money card, deal with it (pay the bill, chase the invoice).
Weekly	Money check in your weekly review (about 10 minutes): log anything you missed, mark bills and invoices paid, read the Business runway card and the budget bars. Compare each account balance with your real bank app. The scorecard number “Cash collected” fills itself.
Monthly	On the 1st, click last month in the cashflow chart. Read the four tiles, the insights and “Where it went”. Export the month as CSV for your accountant if you need it.

Set up your money (first-run screen) `/finance (first visit)`

Finance shows this card until you have at least one account. In one click it saves your currency, creates one personal and one business bank account, and adds ready-made categories.

HOW TO USE IT

1. Open Finance from the sidebar (Founder group → Finance).
2. Pick your currency.
3. Type the names of your main personal and business bank accounts.
4. Type today's real balance of each. Take the number from your bank app.
5. Click “Set up finance”.
6. Go to Accounts & goals and add your other accounts: cash wallet, savings, credit card (negative balance), loan (negative balance).

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Set up your money in 30 seconds (card title)	A wallet icon, the title and the line “One calm place for personal and business money: what comes in, what goes out, your runway, bills and invoices. We'll add ready-made categories (rent, food, SaaS, contractors, client revenue…) and one account for each side.”	
Currency	A list of 15 currencies, shown as “USD · US dollar”, “PKR · Pakistani rupee”, “EUR · Euro” and so on. Hint: “You can change it any time from the Finance header.”	Pick the currency you think in. If you change it here, it is saved to your settings when you click Set up finance. All amounts use one currency; nothing is converted.
Personal · Account name	The name of your first personal account. Default: “Personal account”.	Type the real name, for example “Meezan Personal”. It becomes a bank account on the Personal side.
Personal · Balance today	The money in that personal account right now. The label shows your currency symbol, e.g. “Balance today ($)”. Hint: “Optional”.	Type a plain number like 2000 or 2,000 (no “k” here). Empty means 0. It becomes the account's opening balance.
Business · Account name	The name of your first business account. Default: “Business account”.	Type your business bank's name, for example “Meezan Business”.
Business · Balance today	The money in the business account right now. Hint: “Optional · powers your runway”.	Fill it in. Runway is business cash divided by net burn, so without this number runway is wrong.
Set up finance (button)	Creates everything. It adds the 21 default categories only if you have no categories yet, and an account only for a side that has none, so it is safe to click twice.	Click it. You see the toast “Finance is ready. Log your first transaction!” and confetti, then the tabs appear. If a balance is not a number you see “Balances must be numbers”.
Ready-made categories (created by setup)	Personal spending: Rent/Housing, Food & Groceries, Transport, Utilities, Health & Fitness, Learning, Entertainment, Family. Business spending: Software/SaaS, Contractors, Marketing/Ads, Office, Taxes, Bank fees, Salaries. Both sides: Other. Income: Salary/Owner draw (personal), Client revenue, Retainers, Product sales (business), Other (both).	Rename, re-scope or archive them later in Accounts & goals → Categories.

Finance header, tabs and filters `/finance`

The top part of every Finance tab: currency, the Add transaction button, the six tabs, the month picker and the All / Personal / Business switch.

HOW TO USE IT

1. Leave the scope on All for the big picture.
2. Switch to Business before you read runway, burn and the business cashflow.
3. Switch to Personal to see your household spending and savings rate.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Finance (page header)	Page title with a wallet icon and the line "Personal and business money in one calm place: cash, runway, bills and invoices."	
Currency picker (coin icon)	A small drop-down at the top right with the 15 currency codes and "Other…". It is the same currency as in Settings, so Pipeline deal values and money metrics in the scorecard use it too.	Pick a code. Toast: "Currency set to EUR. Amounts aren't converted." (only the symbol changes). For "Other…" type a 3-letter code in the box "3-letter currency code (e.g. NOK, JPY, KES)". A wrong code shows ""XYZ" isn't a currency code we recognise".
Add transaction (button)	Opens the "Log money in or out" dialog. It appears after setup. A new entry starts on the Business side if the scope switch is on Business, otherwise on Personal.	Click it from any tab. Shortcut link: /finance?add=1 opens the same dialog (then the link cleans itself).
Tabs: Overview · Transactions · Budgets · Recurring · Invoices · Accounts & goals	The six parts of Finance. The web address remembers the tab, e.g. /finance?tab=budgets. Overview has no tab in the address.	Click a tab. Changing tabs by hand clears a category filter that came from clicking "Where it went".
Month picker (‹ October 2026 ›)	Shown in the header on Overview (Transactions and Budgets have their own copy). The month is shared, so Overview, Transactions and Budgets always show the same month.	Click ‹ to go back one month and › to go forward. › is disabled on the current month. A "This month" button appears when you look at another month. If you are on the current month at midnight on the 1st, it moves to the new month by itself.
Scope switch: All · Personal · Business	Chooses whose money you see. All = everything. Personal = personal accounts, entries and categories. Business = business only. Hidden on Invoices (invoices are always business). Your choice is remembered in this browser.	Click a side. In Personal or Business, a transfer between the two sides counts as money out for one side and money in for the other (owner draw / owner funding). In All it nets to zero.

ELEMENT	WHAT IT IS	HOW TO USE IT
Loading blocks	Grey placeholder blocks while your data loads. They keep the layout still.	

Overview tab `/finance`

Your money dashboard for one month and one scope: quick add, four key numbers, smart insights, 12-month cashflow, business runway, where the money went, budgets, cash, bills, money owed to you and savings goals.

HOW TO USE IT

1. Every day: type each spend in the quick add bar and press Enter.
2. Once a week: switch to Business and read the runway card. Under 6 months means cash is this week's #1 priority.
3. Click “Paid” on bills and invoices as money moves.
4. On the 1st: click last month in the chart, read the tiles, insights and Where it went.
5. Click a big category in Where it went to see every entry behind it.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Quick add bar	A one-line form at the top. It shows only when you look at the current month. It has an Out / In switch, a text box, a category list, a Personal / Business switch and an Add (+) button. The date is always today.	Type the amount and what it was for, e.g. “45 groceries”, “groceries 45”, “1.2k Figma” or “1,200 rent”, then press Enter. Placeholders: “45 groceries · 1.2k Figma” (Out) and “1200 client payment” (In). The app guesses the category, side and account; change them before you press Enter if needed. Toast: “Expense logged · $45” with +2 XP.
Quick add preview line	Under the bar. Before you type: “Type an amount and what it was for. We guess the category from your history.” While you type it shows what will be saved, e.g. “−$45 · groceries · Food & Groceries · Personal account · Today · Enter to add”.	Check the category and account here before you press Enter. Without an amount you get “Start with an amount, like “45 groceries””.
Income · Oct (tile)	All money in for the month and scope. The small line compares with last month: “▲ 12% vs Sep” in green when income went up, amber when it went down. Other texts: “Nothing logged yet”, “First month with data”, “Same as Sep”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Expenses · Oct (tile)	All money out for the month and scope, with the same comparison line. Here green means spending went down; amber means it went up.	
Net (tile)	Income minus expenses. Green with a + when positive, amber when negative. Line: “Money kept this month” or “Spent more than came in”.	
Savings rate (tile)	Net ÷ income × 100. “—” with “Log income to see it” when there is no income. Green with “Healthy: 20%+ kept” at 20% or more; amber when negative; otherwise “Share of income you kept”.	
Insight cards	Up to 4 short tips, most important first: runway under 6 months (“Runway is 4.5 months. Collections and revenue first this week”), overdue invoices (“2 overdue invoices ($3,000): a quick nudge could bring in cash”), budgets over (“Food & Groceries is over budget this month”), a category up 20%+ (“Transport spend up 35% vs last month”), savings (“You kept 28% of what came in so far this month” or “Spending is ahead of income by $400 this month”), pace (from day 7 of the current month: “At this pace you'll spend 18% more than last month” / “On pace to spend 20% less than last month”), a category down 25%+ (past months only), “All 4 budgets on track so far” (current month), and “Subscriptions cost $85/month ($1,020/year)”.	Cards about categories open Transactions, budget cards open Budgets, invoice cards open Invoices, the subscriptions card opens Recurring. The others are just information.
Cashflow · last 12 months (chart)	12 months that end at the selected month. Each month has two columns, Income (teal) and Expenses (rose), and a dark Net line that can go below zero. The selected month has a grey background. Hint: “Click a month to open it.” With no data: “Your 12-month cashflow appears here once you log income and expenses.”	Hover a month (or Tab to it) to see a box with exact Income, Expenses and Net. Click a month (or press Enter) to move the whole page to that month.

ELEMENT	WHAT IT IS	HOW TO USE IT
Table / Chart (toggle)	A small button above the chart. Table shows the same 12 months as rows (newest first) with Month, Income, Expenses and Net; negative net is amber and the selected month is shaded.	Click “Table” to read exact numbers, “Chart” to go back.
Business runway (card)	A ring with the main number and a short message. The ring is full at 12 months. Headline: “Profitable” (business income covers spending), “8.5 mo”, “99+ mo”, or “—” (no data). Ring colour: green at 12+ months or profitable, normal from 6 to 12, amber under 6. The hint says “Avg of the last 3 months” (or 1–2 months for a young business) or “Based on this month so far” when you have no older business data.	
Runway message	One line that changes with the runway: “Comfortable. A year or more of cash at this burn.” (12+), “Healthy. Keep revenue moving and watch big new costs.” (6–12), “Getting short. Prioritise collections and closing deals.” (3–6), “Tight. Make cash this week's #1 focus: invoices, deals, cuts.” (under 3), “Business income covers spending. Every month adds to the bank.” (profitable), “Log business income and expenses to see how long your cash lasts.” (no data).	
Business cash · Burn / month · Income / month · Net burn	Four numbers under the ring. Business cash = balances of open business bank, cash, wallet and savings accounts (amber if negative). Burn / month = average business money out (expenses + owner draws). Income / month = average business income (money moved in from personal does not count). Net burn = burn − income; when you earn more than you spend it shows “+$1,200” in green.	
Runway rule (info line)	“Runway = business cash ÷ net burn. Owner draws count as burn; money you move in doesn't count as income.”	
Log business money (button)	Shown in the runway card only when you have no business entries yet.	Click it to open the Transactions tab and log business income and expenses.

ELEMENT	WHAT IT IS	HOW TO USE IT
Where it went · Oct	Spending by category for the month: name, amount, share of the month's spending (e.g. “32.5%”), a bar, and the change vs last month (“new”, “same”, “▲ 15% vs Sep”). Top 9 rows, then “+3 more categories”. In Personal or Business view you can also see transfer rows: “Owner draw (to personal)”, “Moved to business”. Empty: “No spending logged this month”.	Click a category row to open Transactions filtered to that category and month. “Uncategorised” and transfer rows cannot be clicked. “All transactions” at the top right opens the Transactions tab.
Budget vs actual	Up to 7 categories that have a budget, highest % used first: “$120 / $300”, a bar, and “$180 left · 40% used” or “$50 over budget”. The bar is green under 80%, amber from 80% to 100%, red above 100% (a dark tick marks the budget line). Empty: “No budgets yet” with “Set budgets”.	Click “Budgets” or “Set budgets” to open the Budgets tab.
Cash by account	A big number “Cash on hand” (with “· personal” or “· business” in a scoped view). In All view, “Net worth” shows on the right when it differs from cash. Below: every open account in the view with its type, side and balance (amber when negative). Empty: “No accounts in this view.”	Click “Accounts” to manage accounts.
Bills · next 14 days	Active money-out recurring items that are late or due in the next 14 days (up to 6). Each row: name, a chip “3 days late” (amber) or “Today” (blue) or the day (“Tomorrow”, “Thursday”, “Oct 30”), the amount and a “Paid” button. The hint shows “Subscriptions: $85/month”. Empty: “Nothing due soon”.	Click “Paid” (it is filled when the bill is late or due today). It logs the payment with today's date, moves the due date one cycle forward and shows “Figma paid · next due on Nov 20” with +2 XP. “Recurring” opens the Recurring tab.
Money owed to you	Shown in All and Business view. Sent invoices that are not paid, earliest due first (up to 8): client name (or the invoice title), “12d overdue” in amber or “Due in 3 days”, the amount and a “Paid” button. Hint: “$4,000 outstanding · $1,500 overdue”. Empty: “No unpaid invoices”.	Click “Paid” when the money lands. It logs business income, gives +15 XP with confetti and shows “Paid: Website build: milestone 1”. “Invoices” opens the Invoices tab.

ELEMENT	WHAT IT IS	HOW TO USE IT
Savings goals (card)	In Personal view it takes the third column. In All or Business view it shows as a wide card under the row, only when you have goals. Each goal: name (side chip in the wide card), %, a bar (green at 100%), and “$2,000 of $6,000 · by Mar 1 · Savings account”. Empty: “No savings goals yet” with “Add a goal”.	Click “Goals” or “Add a goal” to open Accounts & goals.

Log money in or out (dialog) `/finance?add=1`

The full form for one entry: an expense, an income or a transfer between your accounts. The same form edits an entry (title “Edit transaction”, or inline in the Transactions list).

HOW TO USE IT

1. Click “Add transaction”.
2. Choose Expense, Income or Transfer.
3. Type the amount; change the date if it was not today.
4. Pick the account and category; check the For side.
5. Type the payee. Link a deal or project if it is client money.
6. Press Enter.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Expense · Income · Transfer (type switch)	What kind of money movement this is. Expense = money out, Income = money in, Transfer = money moving between two of your own accounts.	Click one. Changing the type clears a category that does not fit.
Amount (USD)	A big field that is focused when the dialog opens. It accepts 45, 1,200, 12.50, 1.2k (1,200) and 2m (2,000,000).	Type the amount. It must be above zero, otherwise you see “Enter an amount above zero”.
Date	The day the money moved. Default: today.	Pick another day for an older entry.
Paid from / Into account	Shown for Expense (“Paid from”) and Income (“Into account”). A list of open accounts like “Meezan Business · Business”.	Pick the account. The “For” switch then jumps to that account's side.
Category	“Uncategorised” plus the categories that fit the type and the side (a “Both” category fits either side).	Pick one so reports and budgets work. If you leave it empty and type a payee, the app guesses one when you leave the payee box.
For: Personal · Business	Which side this money belongs to. It decides where it counts (personal savings rate or business burn).	Click a side. On a new entry, the account switches to that side's default account (its first bank account).

ELEMENT	WHAT IT IS	HOW TO USE IT
Payee / From (payer)	Who you paid (Expense) or who paid you (Income). Placeholders: “e.g. Figma, landlord, grocery store” and “e.g. Acme Inc.”. Suggestions come from your last 80 payees.	Start typing and pick a suggestion. A payee you used before brings back its category.
From / To (transfer accounts)	Shown for Transfer instead of account, category, side and payee. Hint under To: “Business → personal counts as an owner draw in scoped views.” A transfer has no category; its side is the From account's side.	Pick From, then pick To (“Pick an account…”). Two different accounts are required, otherwise “Pick a different account to move money to”.
Note (optional)	Free text, placeholder “Anything to remember”. It is searchable and shows on the row.	
Link to a deal, company or project	A small link button. It opens the “Linked to” list with groups Deals (won deals marked “· won”), Companies and Projects. Hint: “Ties this money to your pipeline, a client or a project.”	Click it, then pick one. Linking a deal also links that deal's company. The linked name shows on the row with a link icon.
Add another after this (checkbox)	Only on a new entry. Keeps the dialog open after saving.	Tick it to log many receipts in a row. Amount, payee, note and category clear; type, date and account stay.
Cancel · Add expense / Add income / Add transfer / Save	The save button names the type (“Save” when editing). Enter also saves.	Click it or press Enter. Toast: “Expense logged · $45” with +2 XP (editing: “Transaction updated”). An archived account is refused: “Meezan is archived. Pick another account.”
Close (×)	Top right of the dialog.	Click ×, press Esc or click outside the dialog to close without saving.

Transactions tab `/finance?tab=transactions`

Every entry, newest first and grouped by day. Filter, search, edit, delete and export to CSV.

HOW TO USE IT

1. To fix a mistake: click the row, change it, click Save.
2. To find one payment: type the payee or amount in Search; click All time if you don't know the month.
3. For your accountant: pick the month, choose Business, click CSV.
4. To check a category: pick it in All categories, or click it in Overview → Where it went.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Month picker	The same ‹ month › control as on Overview, with “This month” when you look at another month.	Click the arrows to change month.
All time (button)	Shows every month at once (the newest 2,000 entries). The button then reads “All time ×”.	Click “All time”. Click “All time ×” to go back to one month.
All · In · Out · Transfers (type filter)	Shows only one kind of entry.	Click a kind. Changing it clears the category filter.
All accounts (filter)	Every account, archived ones marked “(archived)”. A transfer matches when either side is that account.	Pick an account to see only its entries.
All categories (filter)	Hidden when the type is Transfers. When the type is All, names end with “ · in” or “ · out”. It is pre-filled when you click a row in Overview → Where it went.	Pick a category to see only its entries.
Search payee, note, amount…	Searches payee, note, category name, account name, amount and tags. It waits a quarter second after you stop typing.	Type part of a word, e.g. “figma” or “1200”.
Clear	Appears when a type, account, category or search filter is on. It does not change the month or All time.	Click it to remove those filters.
CSV (button)	Downloads the entries in the current view. Columns: Date, Type, Amount, Signed amount, Currency, Account, To account, Category, Scope, Payee, Note, Deal, Company, Project. File name like “finance-2026-10-business.csv” or “finance-all.csv”.	Click it. Toast: “Exported 42 transactions”. With nothing in view: “Nothing to export in this view”.
Add (button)	Opens the “Log money in or out” dialog.	
Summary line	“42 transactions” (plus “(showing 1000)” if there are more than 1,000), then In +…, Out −… and Net. In Personal or Business view, transfers between the sides count as in or out.	
Day header	A grey bar per day: “Today”, “Yesterday”, “3 days ago” or the date, then the full date (“Tue, Oct 20”), and the day's net on the right.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Transaction row	An icon (green arrow in, arrow out, two arrows for transfer). Title: the payee, else the category, else “Income”/“Expense”; for a transfer “Personal account → Business account”. A ↻ icon means it came from a recurring item; an “Invoice” chip means it is an invoice payment. Second line: category, “Uncategorised” in italics, “· account”, the side chip, a link icon with the linked deal/project/company, and the note. Amount: “+1,200” in green, “−45”, or a plain number for a transfer.	Click the row to edit it.
Edit (pencil)	Shows on hover (always on phones). Opens the full form inline under the row, with “Save” and “Cancel”.	Change any field and click Save. If you change the date of an invoice payment, the invoice's paid date changes too.
Delete (trash)	Asks first, e.g. “Delete this expense of $45 (Figma)?”. The 2 XP is taken back.	Click and confirm. Toast: “Transaction deleted”. If it was an invoice payment, the invoice goes back to unpaid: “Deleted. The invoice is unpaid again.” If it was a bill paid with “Mark paid”, the bill becomes due again on that date.
Empty states	No entries: “Nothing logged in October 2026” (or “Nothing logged yet”) with “Log a transaction”. With filters: “No transactions match these filters” with “Clear filters”.	

Finance in other places `/founder · /today · /scorecard`

Other pages read your Finance numbers, so you see cash and money tasks without opening Finance.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Cash & runway tile (Founder HQ → Revenue engine)	The first row of Revenue engine. Four numbers: Business cash, Runway (“7.4 mo”, amber from 3 to 6 months, red under 3, or “Not burning”), This month net (all money, personal and business; green or red) and Receivables (sent, unpaid invoices, with a red chip showing the overdue amount). Before setup: “Set up Finance to see cash, burn and runway here.”	Click the tile to open Finance.

ELEMENT	WHAT IT IS	HOW TO USE IT
Money (card on Today)	In the right column of Today. It shows only when a bill is due today or late, or an invoice is overdue. Up to 3 bills (name, then "$15 · due today", or "$15 · overdue" in red) and up to 3 overdue invoices ("Invoice: Website build" with "$2,000 overdue" in red). A "Finance ↗" link sits at the top.	Click a bill to open the Recurring tab, an invoice to open the Invoices tab.
Scorecard metric " ⚡ Auto: Cash collected"	An automatic weekly number. Hint: "Business income logged in Finance that week. Calculated for you every week." It adds every Business income entry dated Monday to Sunday: invoice payments, retainers marked Received and business income you log by hand. Transfers (money you move in from personal) and personal income do not count. Default unit is your currency, default target 1,000.	Scorecard → add a metric → Source → " ⚡ Auto: Cash collected". Put it next to " ⚡ Auto: Won revenue" to see sales vs cash.
Sidebar and search	Finance sits in the Founder group of the sidebar. Search finds it with words like money, cash, runway, budget, expenses, income, invoices, subscriptions.	
XP from Finance	+2 XP for each logged entry (also when you mark a bill paid), +15 XP for each invoice paid. Deleting the entry or un-paying the invoice takes the XP back.	
Data export	Settings → full export includes all Finance data: accounts, categories, transactions, budgets, recurring items, invoices and goals.	

Frameworks & terms in this module

Personal vs business scope Profit First (Mike Michalowicz); basic small-business bookkeeping

Every account, entry, category, bill and goal belongs to one side: Personal or Business (a category can be "Both"). The switch at the top shows one side or All. Keeping the two apart is the base of clean books.

Example: Your Figma plan is Business. Your groceries are Personal. In Business view only the Figma cost shows, so burn and runway are about the company only.

Account Personal finance basics

A place where money lives. Types: Bank account, Cash, Wallet / mobile money, Savings, Credit card, Investment, Loan.

Example: "Meezan Business" (bank, business), "Cash wallet" (cash, personal), "Visa" (credit card, personal).

Cash on hand bishOS rule (liquid accounts)

The money you can spend now: the balances of open Bank, Cash, Wallet and Savings accounts. Cards, loans and investments are not cash.

Example: Bank $8,000 + wallet $200 + savings $3,000 = $11,200 cash on hand. Your Visa debt does not lower it.

Balance Bookkeeping basics; bishOS rule

What an account holds now: opening balance + income − expenses − transfers out + transfers in.

Example: Opening $10,000, income $3,000, expenses $1,500, transfer out $500 → balance $11,000.

Opening balance Bookkeeping practice

The money in an account on the day you start tracking it, before anything you log. For a credit card or loan, type what you owe as a negative number.

Example: Your bank app says 250,000 PKR today, so the opening balance is 250000. Your Visa owes $1,200, so its opening balance is -1200.

Income

Money that comes in to one of your accounts from outside: client payments, salary, sales.

Example: A client pays $3,000 into the business account → Income, Business, category Client revenue.

Expense

Money that goes out to someone else: rent, food, software, contractors, taxes.

Example: You pay $15 for Figma from the business account → Expense, Business, category Software/SaaS.

Transfer bishOS rule

Money moving between two of your own accounts. It is not income or expense in the All view. Between the two sides it counts as an owner draw or owner funding in the scoped views.

Example: Moving $1,000 from personal bank to personal savings changes nothing in income or expenses; both balances change.

Owner draw Small-business accounting (owner's equity)

Money you move from a business account to a personal account to pay yourself. In Business view it counts as money out and as burn; in Personal view it counts as money in (“From business”).

Example: On the 1st you transfer $2,000 from Meezan Business to Meezan Personal. Business burn goes up by $2,000; your personal income goes up by $2,000.

Owner funding Startup finance (capital contribution)

Money you move from a personal account into the business. In Business view it counts as money in (“Owner funding (from personal)”). For runway it is financing, not revenue: it raises business cash, so runway gets longer, but it never counts as business income, so burn and net burn do not change.

Example: You put $5,000 of savings into the business. Business cash goes up by $5,000, but Income / month in the runway card stays the same.

Payee

The person or company on the other side of an expense or income. The app remembers your last 80 payees and their categories.

Example: Next time you type “Figma”, the category Software/SaaS and the business account come back by themselves.

Category

A label for what money was for (spending) or where it came from (income). Categories power “Where it went” and budgets.

Example: Food & Groceries, Software/SaaS, Client revenue.

Uncategorised

An income or expense with no category. It still counts in totals but shows as one grey row in “Where it went” and is missing from budgets.

Example: Ten small uncategorised expenses hide a real food problem. Give them a category in Transactions.

Quick add shorthand bishOS

Type the amount and the words in one line. “k” means thousand, “m” means million, commas are fine, the number can be first or last.

Example: “45 groceries”, “groceries 45”, “1.2k Figma” (1,200), “1,200 rent”.

Smart category guess bishOS

When you type a payee, the app picks a category in this order: the same payee you used before (with its side and account), then known words (rent, uber, figma, salary, client…), then a category whose name contains your word.

Example: “1.2k figma” → Software/SaaS, Business, business account. “500 uber” → Transport, Personal.

Net

Income minus expenses for a period. Positive means you kept money; negative means you spent more than came in.

Example: Income $5,000 − expenses $3,800 = net +$1,200.

Savings rate 50/30/20 rule (Elizabeth Warren, All Your Worth); FIRE movement

The share of income you kept: net ÷ income × 100. 20% or more is shown as healthy.

Example: Income $5,000, net $1,200 → savings rate 24%.

Cashflow

Money in and money out over time. The chart shows 12 months of income, expenses and net, so you see trends and seasons, not one lucky month.

Example: Income jumps every 3rd month (a quarterly client) while expenses stay flat. Plan big costs for those months.

Burn rate Startup finance (gross burn)

How much money the business spends per month: business expenses plus owner draws. bishOS averages the last 3 full months (fewer for a young business, or this month so far if there is no older data).

Example: Business expenses $3,000 + owner draw $2,000 = burn $5,000 / month.

Net burn Startup finance

Burn minus business income. It is how fast cash really goes down. If income is bigger, net burn is negative and the card shows "+" in green.

Example: Burn $5,000 − income $3,500 = net burn $1,500 / month.

Runway Startup finance; Paul Graham, "Default Alive or Default Dead?"

How many months the business can keep going at today's speed: business cash ÷ net burn. Under 6 months is a warning; under 3 is tight.

Example: Business cash $9,000 ÷ net burn $1,500 = 6 months of runway.

Profitable (default alive) Paul Graham, "Default Alive or Default Dead?"

Business income is equal to or bigger than business spending, so cash grows every month. The runway card shows "Profitable" instead of months.

Example: Income / month $6,000, burn / month $5,000 → net burn "+$1,000", headline "Profitable".

Net worth Personal finance basics

Everything you own minus everything you owe: the sum of all open accounts, including investments and negative card or loan balances.

Example: Cash $11,200 + investments $4,000 − Visa $1,200 = net worth $14,000.

Insights bishOS

Up to four short automatic tips on Overview, chosen by importance: runway, overdue invoices, budgets over, big category changes, savings, spending pace, subscriptions.

Example: "At this pace you'll spend 18% more than last month" on day 10 tells you to slow down before the month is gone.

Cash collected (scorecard) EOS Scorecard (Gino Wickman, Traction); cash-basis accounting

An automatic weekly scorecard number: all Business income logged in Finance from Monday to Sunday. It measures money that really arrived, not promises.

Example: This week two invoices were paid ($1,500 + $800) → Cash collected = $2,300.

How to test it

1. Fresh account: open Finance from the sidebar (Founder → Finance). Expected: the card "Set up your money in 30 seconds" with Currency, Personal and Business boxes. No tabs yet.
2. Type "abc" in Business · Balance today and click "Set up finance". Expected: "Balances must be numbers". Fix it to 10000, type 2000 for Personal, click again. Expected: "Finance is ready. Log your first transaction!", confetti, the six tabs and the quick add bar.
3. Open Accounts & goals. Expected: "Personal account" $2,000 and "Business account" $10,000, and under Categories 16 Spending and 5 Income categories.
4. Back on Overview, type "45 groceries" in the quick add bar. Expected preview: "−$45 · groceries · Food & Groceries · Personal account · Today · Enter to add". Press Enter. Expected: toast "Expense logged · $45" with +2 XP; Expenses tile $45; Where it went shows Food & Groceries 100%.
5. Click "In", type "3000 client payment". Expected: the category Client revenue and the Business side are picked by themselves. Press Enter. Expected: Income $3,000, Net +$2,955, Savings rate 99% in green with "Healthy: 20%+ kept".

6. Click “Add transaction” → Transfer → 500 → From “Business account” → To “Personal account” → Add transfer. Expected (All view): Income and Expenses tiles do not change. Switch the scope to Business. Expected: Where it went shows “Owner draw (to personal)” $500. Switch to Personal. Expected: Income now includes the $500.
7. Switch to Business and read Business runway. Expected: hint “Based on this month so far”, Business cash $12,500, Burn / month $500, Income / month $3,000, Net burn “+$2,500” in green, headline “Profitable”.
8. Log a business expense of 4000 (category Contractors). Expected: Burn / month $4,500, Net burn $1,500, runway “5.7 mo”, amber ring, message “Getting short. Prioritise collections and closing deals.” and an insight “Runway is 5.7 months. Collections and revenue first this week”.
9. Hover the current month in the cashflow chart. Expected: a box with Income, Expenses and Net. Click “Table”. Expected: a table of 12 months, newest first. Click “Chart”, then click last month's column. Expected: the month picker shows last month, the quick add bar disappears and a “This month” button appears. Click “This month”.
10. Click the Food & Groceries row in Where it went. Expected: the Transactions tab opens with the category filter set to Food & Groceries.
11. In Transactions click Clear, type “groc” in Search. Expected: only the groceries row. Click the row, change 45 to 50, click Save. Expected: “Transaction updated” and the new amount.
12. Click the trash icon on that row and confirm. Expected: “Transaction deleted”; the XP total goes down by 2.
13. Click CSV. Expected: a file like finance-2026-10.csv downloads and the toast “Exported N transactions”. Pick a type/account filter with no rows and click CSV. Expected: “Nothing to export in this view”.
14. Click “All time”. Expected: the button becomes “All time ×” and older months show too. Click it again to go back.
15. Open /finance?add=1 in the address bar. Expected: the “Log money in or out” dialog opens and the address becomes /finance.
16. In the dialog leave Amount empty and press Enter. Expected: “Enter an amount above zero”. Choose Transfer, type 100 and leave To on “Pick an account…”, then save. Expected: “Pick a different account to move money to”. (The To list never offers the From account.)
17. Tick “Add another after this”, log one expense. Expected: the dialog stays open, amount and payee are empty, the date and account stay.
18. Use the currency picker: choose EUR. Expected: “Currency set to EUR. Amounts aren't converted.” and € everywhere (numbers unchanged). Choose “Other…”, type XYZ. Expected: “XYZ isn't a currency code we recognise”. Switch back to your currency.
19. Set the scope to Business, reload the page. Expected: Business is still selected. Open the Invoices tab. Expected: the scope switch is hidden.
20. Open Founder HQ. Expected: in Revenue engine the tile shows Business cash, Runway, This month net and Receivables. Click it. Expected: Finance opens.
21. Open Scorecard → add a metric → Source “ ⚡ Auto: Cash collected”. Expected: this week's value equals the business income you logged this week ($3,000 here).

Tips

- Log on the same day. A missed $20 here and there is how budgets and runway stop being true.
- Pay yourself with a Transfer from business to personal (owner draw), not with a business expense. Then business burn and your personal income are both right.

- Once a week compare each account balance with your real bank app. If they differ, a transaction is missing. Change the opening balance only to fix a setup mistake.
- Read runway in the Business view, at least weekly. Under 6 months: collections and closing deals come first.
- Use the payee box. After two or three entries, the app fills the category and account by itself.
- Link client money to its deal or project. Later you can see what each client really paid.

FOUNDER

Finance · budgets, bills, invoices & goals

The planning side of Finance: monthly budgets per category, recurring bills, subscriptions and retainers, invoices that clients owe you, your accounts, savings goals and categories.

Why it helps: Money problems usually come from three places: small costs that grow, bills you forget, and clients who pay late. Budgets warn you at 80%. Recurring items show the true monthly cost and remind you when something is due. Invoices track every receivable until the cash lands, and one click books the income. Savings goals give your extra money a job, like an emergency fund.

One-time	About 20 minutes after setup: add every recurring item once (rent, SaaS tools, payroll, loan payments, client retainers), give 3–6 big spending categories a monthly budget, add any unpaid invoices, add your card and loan accounts, and create an “Emergency fund” goal.
Daily	Nothing big. When Today shows the Money card, click it: mark the bill paid or send a nudge on the overdue invoice.
Weekly	In the money check: open Recurring and mark due items paid (or skip them), open Invoices and mark received payments paid, nudge overdue clients, and bill every new won deal from “Won deals to bill”.
Monthly	On the 1st open Budgets, go to last month, compare budget vs actual and change limits that were wrong. Look at Subscriptions / month and cancel tools you don't use. Add money to manual savings goals.
Quarterly	Check that your emergency fund target is still 3–6 months of personal costs, and that your business runway goal still fits your plans.

Budgets tab `/finance?tab=budgets`

Give spending categories a monthly limit and see how much of each limit you used this month. Budgets repeat every month.

HOW TO USE IT

1. Pick 3–6 categories where money leaks (food, transport, software, ads).
2. Look at the last 1–3 months in Transactions to see what you really spend.
3. Click “Set” and type a limit a bit below that real number.
4. During the month, watch for amber “heads-up” rows and slow down.
5. On the 1st, go back one month and change limits that were clearly wrong.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Month picker	‹ month › with “This month”. Shared with Overview and Transactions.	Go back to see how last month went.
Budgets repeat every month (note)	“Budgets repeat every month. Heads-up at 80%, over at 100%.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
Spent of budget · October 2026 (card)	Total spent in categories that have a budget, out of the total of those budgets: “$640 / $1,000”. On the right: “$360 left” (green), amber from 80% used, or “$120 over” (red). A bar under it uses the same colours.	
Spent outside budgets (card)	Money spent this month in categories with no limit. Line: “Categories with no limit set”. Uncategorised spending is not counted here.	
Monthly budgets (section)	Hint: “Click an amount to change it. Clear it to remove the budget.” In Personal or Business view you see that side's categories plus “Both” categories.	
Budget row	For each category with a budget: name, side chip, “$120 of [$300]”, a bar, and “$180 left · 40% used”. From 80% to 100% the text is amber and ends with “· heads-up”. Above 100% it is red: “$50 over · 117% used”, and a dark tick on the bar marks the limit.	Click the budget amount, type a new one and press Enter (Esc cancels). Toast: “Budget set · $300/month”. Clear the box (or type 0) to remove it: “Budget removed”. A change applies to every month, also past months you look back at.
No budget yet (list)	Categories without a limit, in two columns: name, side chip (in All view), “$85 spent” if you spent in it, and a dashed “Set” button.	Click “Set”, type the monthly limit, press Enter. The row moves up into the budget list.
New expense category, e.g. Travel	A small form at the bottom: a name box, a side list (Personal, Business, Both) and “Add category”. It creates a spending category. The side starts as Business if the scope switch is Business, else Personal.	Type the name, pick the side, click “Add category”. Toast: “Category added”. It appears in “No budget yet”.
Empty state	“No expense categories in this view” with the hint “Add a category below, then give it a monthly limit.”	

Recurring tab `/finance?tab=recurring`

All money that repeats: subscriptions, bills, payroll, loan payments and client retainers. See what is due, what it really costs per month, and log each payment in one click.

HOW TO USE IT

1. Go through last month's bank statement and add every repeating payment once.
2. Add client retainers and your salary as “Money in”.
3. Each week open Recurring and click “Mark paid” or “Received” on everything in Due now.

4. Skip a cycle you don't pay. Pause a tool you stopped for now. Delete it when it is gone for good.
5. Once a month read Subscriptions / month and cancel what you don't use.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Subscriptions / month (tile)	The monthly cost of active money-out items of kind Subscription, with the yearly total under it (“$1,020 a year”).	
All recurring costs / month (tile)	The monthly cost of every active money-out item. Line: “Bills, payroll, subscriptions”.	
Recurring income / month (tile)	The monthly total of active money-in items, green when above zero. Line: “Retainers and salaries”.	
Due now (tile)	How many active items are late or due within 3 days, amber when above zero. Line: “Overdue or due in 3 days” or “You're all caught up”.	
Due now (section)	Shown when something is late or due within 3 days, with an amber border. Hint: “Mark paid to log it and roll the date forward.” Each card: name, a green “Income” chip for money in, “2 days late” (amber) or “Due today / tomorrow / in 3 days”, and the amount.	
Skip this time (⏭ button)	Moves the due date one cycle forward without logging money.	Use it for a free month, a paused client or a bill you will not pay this cycle. Toast: “Skipped. Next due on Nov 20”.
Mark paid / Received (button)	Logs this cycle's payment as a transaction (today's date, the item's amount, account, category, side and company, payee = the item name) and moves the due date one cycle forward from the old due date. +2 XP.	Click it when the money moves. Toast: “Paid Figma · next due on Nov 20” or “Received Acme retainer · next due …”. A late item needs one click per missed cycle (or a skip).
Subscriptions, bills & retainers (section)	The full list of items that are not due now: active ones first, by next due date, then paused ones. If everything is due: “Everything here is due now (above).”	
Add recurring (button)	Opens the dialog “Add a subscription, bill or retainer”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Recurring row	Name, a kind chip (Subscription, Bill, Salary / payroll, Retainer, Loan payment, Other; green for income), a side chip (All view), a “Paused” chip if paused. Second line: “Due in 5 days · Mon, Oct 26” (or “Not running” when paused), then category, account and company. Right side: the amount per cycle (“$15/mo”, “$120/yr”, “$50/wk”, “$300/qtr”; green + for income) and “≈ $10/mo” when the cycle is not monthly.	Click the name to edit it.
Paid / Received · Skip · Pause / Resume · Edit · Delete (row buttons)	Paid and Skip work like in Due now (hidden while paused). Pause stops the item: it leaves the totals, Bills and Today. Resume turns it back on. Delete asks “Delete “Figma”? Past payments stay in your transactions.”	Toasts: “Figma paused”, “Figma resumed”, “Deleted”.
Empty state	“No recurring money yet” with the hint “Add rent, SaaS tools, payroll or a client retainer once. You'll see what's due, the true monthly cost, and log each payment in one tap.” and “Add the first one”.	

Add a subscription, bill or retainer (dialog) `/finance?tab=recurring`

Create or edit one recurring item (title “Edit recurring” when editing).

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Money out · Money in	Is this a cost or an income?	Click one. Money in sets Kind to Retainer, Money out to Subscription, and clears the category.
Name	Placeholder: “e.g. Figma, office rent” (out) or “e.g. Acme monthly retainer” (in). Required: “Give it a name”.	
Kind	Subscription, Bill, Salary / payroll, Retainer, Loan payment or Other. Only Subscription counts in “Subscriptions / month”.	
Amount (USD)	The amount per cycle. Must be above zero.	
Every	The cadence: Weekly, Monthly, Quarterly or Yearly.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Next due	The next date it must be paid. Default: today.	Pick the real next payment date. After “Mark paid” or “Skip” it moves forward by itself.
For: Personal · Business	The side. Changing it clears the category.	
Account (optional)	Default “Default personal account” / “Default business account”. Hint: “Used when you mark it paid.”	Pick the card or bank it is paid from. If the account is archived later, the side's default account is used.
Category	“Uncategorised” plus categories that fit the type and side.	
Vendor company (optional) / Client (optional)	A company from Customers. The label is “Client (optional)” for money in.	
Note (optional)	Placeholder: “Plan, login hint, renewal terms…”.	
Cancel · Add / Save	Cancel closes without saving. Add creates the item (“Save” when editing). A missing name or a zero amount is refused (“Give it a name”, “Enter an amount above zero”).	Click Add. Toast: “Figma added · $15/mo”. Editing: “Saved”.

Invoices tab `/finance?tab=invoices`

Track money clients owe you, from draft to paid. Turn won deals into invoices in one click. Marking an invoice paid books the income in your business account.

HOW TO USE IT

1. When a deal is won, open Invoices and click “Create invoice” on its card.
2. Check the amount and due date, then “Save as sent” after you email the real invoice.
3. Every week look at Overdue. Send a short, friendly nudge to each late client.
4. When the money lands, click “Paid”. Income, runway and Cash collected update by themselves.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Outstanding (tile)	The total of sent invoices that are not paid yet. Line: “3 sent, not paid”.	
Overdue (tile)	The total of sent invoices past their due date, amber when above zero. Line: “2 past due · send a nudge” or “Nothing late”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Paid this month (tile)	The total of invoices paid this calendar month, green when above zero. Line: “Cash collected”.	
Drafts (tile)	How many invoices are still drafts. Line: “Ready to send?” or “No drafts”.	
Won deals to bill (section)	Deals in Pipeline marked Won that have no invoice yet (a void invoice does not count). Hint: “Turn a won deal into an invoice in one click. Amount, client and title are filled in.” Up to 8 cards in a row: deal title, company (or “No company”) and value.	Click “Create invoice” on a card. The New invoice dialog opens filled in.
Open · Paid · All (filter)	Open = drafts and sent invoices. Paid = paid ones. All = everything including void. Order: overdue first, then sent by due date, then drafts, then paid (newest first), then void.	
New invoice (button)	Opens the New invoice dialog.	
Invoice row	Number (e.g. INV-0003), title (struck through when void), and a status chip: “Paid today” / “Paid 3 days ago” (green), “Void”, “Draft”, “5d overdue” (amber) or “Due in 3 days” (blue). Second line: company (or contact, or “No client set”), “deal: …”, project, “issued Oct 1 · due Oct 15”. The amount is green when paid.	Click the row to edit the invoice.
Sent (button)	Only on drafts. Marks the invoice as sent; from now on it can become overdue.	Click after you email the invoice. Toast: “Marked as sent”.
Paid (button)	On drafts and sent invoices; filled when overdue. Logs a Business income transaction: the invoice amount, today's date, your default business account, category “Client revenue” (created if missing), payee = company name or title, note “Invoice INV-0003 · title”, and links to the deal, company and project. +15 XP and confetti.	Click when the money is in your bank. Toast: “Cash in: Website build · $2,000”. The entry shows in Transactions with an “Invoice” chip.
Mark unpaid (↺ on paid invoices)	Asks “Mark this invoice unpaid? Its payment transaction will be removed.” The invoice goes back to sent, the income entry is deleted and the 15 XP is taken back.	Use it if you clicked Paid by mistake. Toast: “Marked unpaid”.

ELEMENT	WHAT IT IS	HOW TO USE IT
Void (⊘) and Re-open as draft (↺ on void invoices)	Void cancels an invoice you will not collect (it stays in All, faded and struck through, and cannot be paid). Re-open turns a void invoice back into a draft.	Toasts: “Invoice voided”, “Back to draft”.
Edit (pencil) · Delete (trash)	Edit opens the invoice dialog. Delete asks “Delete invoice “…”?”; for a paid invoice it adds “The recorded payment stays in your transactions.”	Toast: “Invoice deleted”. Changing the amount of a paid invoice also changes its payment entry.
Empty state	“No open invoices”, “No paid invoices yet” or “No invoices yet”, with the hint “Track what clients owe you until the cash lands. Marking one paid logs the income in your business books.” and “New invoice”.	

New invoice (dialog) `/finance?tab=invoices`

Create an invoice from scratch or from a won deal, or edit one (title “Edit invoice”). bishOS tracks the invoice; you still send the real document to the client from your own tool.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
From a won deal (optional)	Only on a new invoice when you have won deals. Options like “Website redesign · Acme · $2,000”; deals already billed end with “(invoiced)”. Hint: “Prefills title, amount, client and project.”	Pick a deal, or leave “Start from scratch”.
Title	What the invoice is for. Placeholder: “e.g. Website build: milestone 1”. Required: “Give the invoice a title”.	
Number	Pre-filled with the next free number, e.g. “INV-0004”. You can type your own. If you clear it, the next number is added when you save.	
Amount (USD)	The invoice total. Must be above zero.	
Issued	The issue date. Default: today.	
Due	The due date. Default: 14 days after today. It cannot be before the issue date: “The due date can't be before the issue date.”	
Net 7 · Net 14 · Net 30 (buttons)	Payment terms shortcuts.	Click one to set Due to 7, 14 or 30 days after the Issued date.

ELEMENT	WHAT IT IS	HOW TO USE IT
Client company	A company from Customers, or “None”.	
Contact (optional)	A person from People. When a company is chosen, only people at that company are listed.	
Project (optional)	A project from Projects; finished ones end with “(done)”.	
Notes (optional)	Placeholder: “Line items, payment details, PO number…”.	
Cancel · Save draft · Save as sent (new) / Save (edit)	Save draft keeps it as a draft (never overdue). Save as sent marks it sent (it counts in Outstanding and can go overdue). Enter = Save as sent.	Toasts: “Draft saved”, “Invoice sent · $2,000”, “Invoice saved”.

Accounts & goals tab `/finance?tab=accounts`

Manage where your money lives, track savings goals, and edit your categories.

HOW TO USE IT

1. Add every account once with today's balance; cards and loans as negative numbers.
2. Archive an account you closed; never delete one with history.
3. Create an “Emergency fund” goal with a target of 3–6 months of personal costs and a date.
4. Link a goal to a savings account if the money sits there; otherwise use “What I set aside” and Add money each month.
5. Clean up categories: rename to your words, archive the ones you never use.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Cash on hand (tile)	Balances of open Bank, Cash, Wallet and Savings accounts in the view. Line: “Bank, cash, wallets, savings”.	
Net worth (tile)	The sum of all open accounts in the view, including investments and negative cards or loans. Line: “All open accounts”. Amber when negative.	
Owed (cards, loans) (tile)	The total of accounts with a negative balance, shown as a positive number. Line: “Negative balances” or “Nothing owed”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Accounts (section)	Hint: “Balance = opening balance + income − expenses ± transfers.” Button “Add account”. Empty: “No accounts in this view” with “Add the places your money lives: bank accounts, cash, cards, wallets.”	
Account card	Name, type (e.g. “Credit card”), side chip (All view), the balance (amber when negative) and “Opening $10,000 · 12 transactions”.	Click the name to edit. Buttons on hover: Edit (pencil), Archive (box icon), and Delete (trash) only when the account has no transactions.
Archive / Restore	Archive hides an account from pickers and totals but keeps its history. Toast: “Meezan archived. History kept.” / “Meezan restored”.	Use it for a closed account. A link “Show 2 archived” / “Hide 2 archived” shows them again; restore with the same button.
Delete account	Asks “Delete the account “…”?”. Only for accounts with no history. Recurring items and goals that used it lose the link.	Toast: “Account deleted”. With history you get “This account has transactions. Archive it instead to keep your history.”
Savings goals (section)	Hint: “Track a target by a linked account's balance, or by what you've set aside.” Button “Add goal”. Empty: “No savings goals yet” with “Emergency fund (3–6 months of costs), 6 months of business runway, a new laptop. Name it, set a target, watch it fill.”	
Goal card	A ring with the % (green at 100%), the name, side chip (All view), “$2,000 of $6,000”, then “$4,000 to go · by Mar 1 · $667/mo” (the monthly amount you need to hit the date) or “Reached. Nice work.” The footer says “Tracks Savings account” for an account goal.	Click the name to edit the goal.
Add money (manual goals)	Opens a small box “Amount (negative to withdraw)” with “Add”. It only changes the goal's saved number; it does not move money between accounts.	Type 500 and click Add. Toast: “$500 added to Emergency fund”. When you pass the target: “Goal reached: Emergency fund” with confetti. Esc closes the box.
Categories (section)	Hint: “Rename, re-scope or archive. Archived ones stay on old transactions.” Two columns: Spending and Income. Button “Show archived (2)” / “Hide archived” when you have archived ones.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Category row	The name (click to rename), a side list (Personal, Business, Both) and an Archive / Restore button on hover.	Click the name, type, press Enter. Change the side in the small list. Archive: “Category archived. Past transactions keep it.” Restore: “Category restored”.
Add spending category… / Add income category…	A box, a side list (default Both) and a + button under each column. A name that already exists for that type is not created twice.	Type the name and press Enter or +. Toast: “Category added”.

Add an account (dialog) `/finance?tab=accounts`

Create or edit one account (title “Edit account” when editing).

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Name	Placeholder: “e.g. Meezan Business, Cash wallet, Visa”. Required: “Name the account”.	
Type	Bank account, Cash, Wallet / mobile money, Savings, Credit card, Investment or Loan. The first four count as cash on hand.	
For: Personal · Business	The side. It decides where the account's money counts (business cash powers runway).	
Opening balance (USD)	Hint for most types: “What's in it today, before anything you log here.” For Credit card and Loan: “What you owe today, as a negative number (e.g. -1200).”	Type the number from your bank app. Default 0.
Cancel · Add account / Save	Cancel closes without saving. Add account creates it (“Save” when editing). A wrong balance is refused: “Enter a valid opening balance”.	Toasts: “Visa added”, “Account saved”.

Add a savings goal (dialog) `/finance?tab=accounts`

Create or edit one savings goal (title “Edit goal” when editing).

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Name	Placeholder: “e.g. Emergency fund”. Required: “Name the goal”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Target (USD)	How much you want. Must be above zero: “Set a target above zero”.	
By (optional)	A deadline. With a date the card shows the amount needed per month.	
For: Personal · Business	The side. Changing it clears the chosen account.	
Track progress by: What I set aside · An account's balance	What I set aside = you type the saved amount and use Add money. An account's balance = progress equals one account's live balance.	
Account / Saved so far (USD)	For account mode: a list of open accounts on that side with their balance (“Pick an account…”; required: “Pick the account to track”). For manual mode: the amount already saved (default 0).	
Delete · Cancel · Add goal / Save	Delete is only shown when editing and asks “Delete the goal “…”?”.	Toasts: “Goal added · $6,000”, “Goal saved”, “Goal deleted”.

Frameworks & terms in this module

Monthly budget Zero-based and envelope budgeting (YNAB, envelope method)

A spending limit for one category for one month. In bishOS a budget repeats every month until you change or clear it.

Example: Food & Groceries: $300 per month. Marketing/Ads: $500 per month.

Budget vs actual Management accounting (variance analysis)

Comparing what you planned to spend with what you really spent. The gap tells you to change the habit or change the plan.

Example: Budget $300, actual $360 → $60 over. Either cook more or set a realistic $350.

Heads-up at 80%, over at 100% bishOS

Budget colours: green under 80% used, amber from 80% to 100% (“heads-up”), red above 100% (“over”).

Example: $250 of $300 = 83% → amber “heads-up” on the 20th. You still have 10 days to slow down.

Spent outside budgets bishOS

Spending in categories that have no limit. If this number is big, your budgets cover too little.

Example: Budgets $1,000, but $900 spent outside them → add budgets to the biggest of those categories.

Recurring item

A payment that repeats on a schedule. Kinds: Subscription, Bill, Salary / payroll, Retainer, Loan payment, Other. Each has an amount, a cadence and a next due date.

Example: Office rent $400 monthly, due on the 1st.

Subscription

A tool or service you pay for again and again, often by card. Small alone, big together.

Example: Figma $15 + Notion $10 + ChatGPT $20 + Canva $13 = $58/month, $696/year.

Bill

A repeating cost for a basic need or service: rent, electricity, internet, phone.

Example: K-Electric bill about $40 monthly.

Retainer Agency and consulting practice

A client pays a fixed amount every period for ongoing work. It is recurring income and makes cashflow predictable.

Example: Acme pays $1,500 every month for maintenance → Money in, Retainer, Business.

Cadence

How often a recurring item repeats: Weekly, Monthly, Quarterly or Yearly.

Example: Domain renewal: Yearly. Payroll: Monthly. Cleaner: Weekly.

Monthly equivalent (≈/mo) bishOS

Any cadence turned into a monthly cost so you can compare: weekly × 52 ÷ 12, quarterly ÷ 3, yearly ÷ 12.

Example: A $120 yearly tool shows "≈ $10/mo". A $50 weekly cleaner shows "≈ $217/mo".

Next due bishOS

The next date a recurring item must be paid. Mark paid and Skip move it forward one cycle from the old due date, keeping the original day of the month (Jan 31 → Feb 28 → Mar 31). If you delete the payment that 'Mark paid' created, the item becomes due again on that date.

Example: Figma next due Oct 20 → after "Mark paid" it is Nov 20.

Due now bishOS

An active recurring item that is late or due within the next 3 days.

Example: Rent due in 2 days and a tool 1 day late → Due now = 2.

Mark paid / Received bishOS

One click that logs this cycle's payment as a real transaction and rolls the due date forward. Received is the same for money in.

Example: You click "Received" on the Acme retainer → a $1,500 Business income entry appears and the next due date moves one month.

Skip and Pause bishOS

Skip moves the due date one cycle without logging money. Pause stops the item completely until you resume it (it leaves all totals and reminders).

Example: Skip: a client takes August off. Pause: you stop Canva for three months but may come back.

Receivables (money owed to you) Accounting (accounts receivable)

Money clients owe you for work you already billed. In bishOS: invoices with status Sent.

Example: Two sent invoices of $2,000 and $1,500 → receivables $3,500.

Invoice

A request for payment you send a client, with a number, amount, issue date and due date. bishOS tracks it; you send the real document from your own tool.

Example: INV-0004 “Website build: milestone 1”, $2,000, issued Oct 1, due Oct 15.

Invoice statuses Invoicing practice

Draft = not sent yet (never overdue). Sent = waiting for money (counts in Outstanding). Paid = money received and booked as income. Void = cancelled, will not be collected.

Example: Draft on Monday, Sent on Tuesday, Paid two weeks later. A cancelled project's invoice → Void.

Overdue Accounts receivable practice

A sent invoice whose due date is before today. Drafts are never overdue. bishOS shows “5d overdue”, adds it to the Overdue tile, an Overview insight and the Today Money card.

Example: Due Oct 15, today Oct 20 → “5d overdue”. Send a friendly reminder today.

Payment terms (Net 7 / 14 / 30) Standard invoicing terms

How many days after the issue date the client has to pay.

Example: Issued Oct 1 with Net 14 → due Oct 15.

Invoice number

A unique number for each invoice, so you and the client can refer to it. bishOS suggests the next one: INV-0001, INV-0002…

Example: Your last invoice was INV-0009 → the next suggestion is INV-0010.

Mark unpaid bishOS

Undo for a paid invoice: it goes back to Sent, its income entry is deleted and the XP is taken back. Deleting the payment entry in Transactions does the same.

Example: You clicked Paid on the wrong invoice → ↺ Mark unpaid fixes it in one click.

Won deal to bill bishOS (Pipeline → Finance link)

A deal marked Won in Pipeline that has no invoice yet. Billing it the same day shortens the time until cash.

Example: You win “Clinic app · $4,000” on Monday → Monday afternoon click “Create invoice” on its card.

Cash collected vs won revenue Accrual vs cash-basis accounting

Won revenue is the value of deals you closed (a promise). Cash collected is the money that really arrived. A business can win a lot and still run out of cash if clients pay late.

Example: This month: won revenue $8,000, cash collected $2,500. Runway follows the $2,500, so chase invoices.

Savings goal Goal-based saving (sinking funds)

A named target amount, optionally with a date. Progress comes from an account's balance or from the amount you set aside by hand.

Example: “New laptop”, target $1,500, by March, what I set aside $600 → 40%, $900 to go.

Emergency fund Standard personal finance advice (e.g. Dave Ramsey, Ramit Sethi)

Cash kept only for bad surprises (illness, a lost client, a broken laptop). The usual target is 3–6 months of your personal costs.

Example: Personal costs $1,200/month → emergency fund target $3,600 to $7,200.

Archive bishOS

Hide an account or category you no longer use, without losing history. Archived accounts leave the totals and pickers; archived categories leave pickers and budgets but stay on old entries.

Example: You close an old bank account → archive it. Its past transactions still show in Transactions.

How to test it

1. Set the scope switch to All. Open Budgets. Expected: the note “Budgets repeat every month. Heads-up at 80%, over at 100%.”, the two summary cards, and every spending category under “No budget yet”.
2. Click “Set” next to Food & Groceries, type 100, press Enter. Expected: “Budget set · $100/month”; the row moves up into the budget list with a green bar.
3. Log an 85 expense in Food & Groceries. Expected: the row is amber, “$15 left · 85% used · heads-up”. Log 30 more. Expected: red “$15 over · 115% used”, a dark tick on the bar, and on Overview the insight “Food & Groceries is over budget this month”.
4. Click the $100 amount, clear it, press Enter. Expected: “Budget removed” and the row goes back to “No budget yet”. Press Esc while editing another amount. Expected: nothing changes.
5. Type “Travel” in “New expense category, e.g. Travel”, choose Business, click “Add category”. Expected: “Category added” and Travel in “No budget yet”.
6. Open Recurring → “Add recurring”. Money out, Name “Figma”, Kind Subscription, Amount 15, Every Monthly, Next due = today, For Business, Category Software/SaaS → Add. Expected: “Figma added · $15/mo”; Due now section shows Figma “Due today”; tiles show Subscriptions / month $15 ($180 a year) and Due now 1.
7. Open Today. Expected: the Money card shows Figma with “$15 · due today”. Click it. Expected: the Recurring tab opens.
8. Click “Mark paid” on Figma. Expected: “Paid Figma · next due on …” one month later, +2 XP; Figma leaves Due now; Transactions has a Figma row with the ↻ icon.
9. Click Skip (⏭) on Figma. Expected: “Skipped. Next due …” one more month later and no new transaction.
10. Click Pause on Figma. Expected: “Figma paused”, the row is faded with “Paused” and “Not running”, Paid and Skip disappear, Subscriptions / month drops to $0. Click Resume.
11. Add a Yearly money-out item of 120. Expected: the row shows “$120/yr” and “≈ $10/mo”. Add a Money in item “Acme retainer” 1500 monthly. Expected: Kind turns to Retainer, the green chip, Recurring income / month $1,500.
12. Delete the yearly item. Expected: the question “Delete “…”? Past payments stay in your transactions.” and the toast “Deleted”.
13. In Pipeline, move a deal with value 2,000 to Won. Open Finance → Invoices. Expected: the card in “Won deals to bill”. Click “Create invoice”. Expected: title, amount, company and project are filled, Number “INV-0001”, Due 14 days from today.
14. Click “Net 30”. Expected: Due = Issued + 30 days. Set Due before Issued and save. Expected: “The due date can't be before the issue date.” Fix it and click “Save as sent”. Expected: “Invoice sent · $2,000”;

Outstanding $2,000; the won-deal card disappears.

15. Edit the invoice: set Issued and Due to dates in the past. Expected: chip “Nd overdue”, the Overdue tile turns amber with “1 past due · send a nudge”, an overdue insight on Overview, and the invoice in the Today Money card.
16. Click “Paid”. Expected: confetti, “Cash in: … · $2,000”, +15 XP; Paid this month $2,000; in Transactions a Business income row with the “Invoice” chip, category Client revenue and note “Invoice INV-0001 · …”; Business runway and the scorecard “Cash collected” go up.
17. Click ↺ (Mark unpaid) and confirm. Expected: “Marked unpaid”, the invoice is overdue again and the income row is gone. Click Paid again, then delete that income row in Transactions. Expected: “Deleted. The invoice is unpaid again.”
18. Click “New invoice”, fill a title and amount, click “Save draft”. Expected: “Draft saved”, Drafts tile 1 “Ready to send?”. Click “Sent” on it. Expected: “Marked as sent”. Click Void (∅). Expected: “Invoice voided”, it leaves Open; in All it is faded and struck through. Click ↺. Expected: “Back to draft”.
19. Open Accounts & goals → “Add account”: Name “Visa”, Type Credit card, opening -1200. Expected: the hint asks for a negative number; after saving, “Owed (cards, loans)” shows $1,200, Net worth drops by $1,200, Cash on hand does not change.
20. Add “Cash wallet”, Type Cash, opening 300. Expected: Cash on hand goes up by $300. Archive it. Expected: “Cash wallet archived. History kept.”, totals drop, “Show 1 archived” appears. Restore it. Expected: the trash icon shows only on accounts with 0 transactions.
21. Click “Add goal”: “Emergency fund”, Target 6000, By = 6 months from today, “What I set aside”, Saved so far 1000. Expected: “Goal added · $6,000”; the card shows 17% and “$5,000 to go · by … · $…/mo” (the $5,000 spread over the months left, about $715–$834).
22. Click “Add money”, type 5000, click Add. Expected: “Goal reached: Emergency fund”, confetti, 100% green ring and “Reached. Nice work.” Edit the goal and switch to “An account's balance”, pick an account. Expected: the footer says “Tracks …” and progress follows that balance.
23. In Categories click a name, rename it, press Enter. Expected: the new name everywhere. Change its side to Both. Archive it. Expected: “Category archived. Past transactions keep it.”, it disappears from the pickers, and “Show archived (1)” appears. Restore it.

Tips

- Start with only 3–6 budgets on the categories that leak. Too many budgets are ignored.
- Add recurring items for everything with a card on file. The subscriptions total is often a surprise.
- Bill a won deal the same day. Every day you wait is a day later the cash arrives.
- Send the reminder the day an invoice turns overdue. Be friendly and short; attach the invoice again.
- A late recurring item needs one “Mark paid” per missed cycle. If you missed a cycle on purpose, use Skip.
- Your emergency fund is not runway. Keep it in a separate savings account and link the goal to it.

CONTENT

Content Studio

The Content Studio holds every post and video, from a raw idea to a published piece with numbers. The method is simple: one hub piece a week, cut into many small pieces.

Why it helps: You make content for two brands (you and your company) with very little time. The Studio gives you one next move, keeps your idea bank full, blocks weak pieces with a publish checklist, and compares each piece with your own median so you repeat what works.

One-time	Create 2–3 pillars per brand. Work through the Playbook (it opens by itself on your first visit). Set your weekly hub target in Settings.
Daily	Open the Studio and do the "Next move". Capture ideas the moment you get them. Log numbers when a 24h, 7d or 30d snapshot is due.
Weekly	Run the Weekly content review in Analytics (20 minutes). Pick next week's hub. Check the Calendar for the week.
Monthly	Read Top 3 and Bottom 3 this month, Best hook types and Recycle due in Analytics.

Content Studio: header and daily glance `/content`

The top of the Studio. It shows this week's hub, four daily numbers and one next move, then the tab bar that switches between Playbook, Board, Calendar, Ideas, Pillars and Analytics.

HOW TO USE IT

1. Pick the brand filter (Both, Personal or Company).
2. Read the Next move line and click its button.
3. Check the four numbers: scheduled today, idea bank, need numbers, recycle due. Click any that is not zero.
4. Move your hub one stage with the next-stage button on the This week's hub card.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Content Studio	The page title. The subtitle says the method: "One hub a week, cut into many. Ideas → script → publish → measure → recycle."	
Both / Personal / Company	The brand filter. It filters every tab to your personal brand, your company, or both.	Click one. The app remembers your choice in this browser. Inspiration uses the same filter.
Inspiration	A button that opens the Inspiration page (/swipes): your saved posts, hook library and creator watchlist.	Click it.
New piece	Opens the New piece dialog. The brand starts as the filtered brand (Personal when the filter is Both).	Click it, type a working title, pick a format, then Create or Create & open.

ELEMENT	WHAT IT IS	HOW TO USE IT
This week's hub (ring)	The ring shows hub pieces published this week against your weekly target (Settings, default 1). The card shows your most advanced unpublished hub: its title, its stage chip and a button with the next stage name.	Click the title to open the hub. Click the next-stage button (for example "Script →") to move it one stage forward. When the target is met the card says "Shipped. Now cut it into shorts."
Start one	Shown when no hub is in progress ("No hub in progress."). It opens New piece with Hub piece on, format Long video and stage Brief.	Click it and give the hub a title.
scheduled today	How many pieces have today as their publish date. If older scheduled pieces were not published, the label becomes "today · N slipped" in orange.	Click it to open the Calendar tab.
idea bank	A small ring and "N/100": ideas and seeds in your bank against the goal of 100.	Click it to open the Ideas tab.
need numbers	Published pieces whose 24h, 7d or 30d snapshot is due but not logged yet.	Click it to open Analytics, where you log the numbers.
recycle due	Published pieces whose recycle date (6 months after publishing) has passed.	Click it to open Analytics and use the Recycle due card.
Next move	One suggestion, chosen in this order: publish a piece scheduled for today (Open), log numbers (Log numbers), move your hub forward (Open hub), pick this week's hub (Ideas), bank 3 ideas while you are under 100 (Capture), or save one post that stopped your scroll (Inspiration).	Read it and click the button at the right end of the line.
Playbook · Board · Calendar · Ideas · Pillars · Analytics	The tab bar. Ideas shows how many ideas and seeds you have. Pillars shows how many pillars you have. The web address changes to ?tab=… so you can bookmark a tab.	Click a tab. On your very first visit (no strategy and no pieces yet) the Studio opens on Playbook. After that it opens on Board.
Your content pipeline starts with ideas	The empty Board, shown before you have any piece. It suggests: dump 10 ideas, set up 2–3 pillars per brand, pick one idea as this week's hub.	Use the buttons Start the Playbook, Capture ideas or Set up pillars.

Board `/content?tab=board`

A Kanban board of all pieces in six columns, from Ideas to Done. You drag pieces forward as they progress.

HOW TO USE IT

1. Filter by pillar, format or Hubs if the board is busy.

2. Drag a card to a column. The piece gets that column's first stage. Exceptions: a text format dropped on Production lands on Editing; an unpublished piece dropped on Done is archived.
3. Or click → on a card to move it exactly one stage.
4. When a move would publish the piece, finish the Publish checklist (or choose Publish anyway).

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Search titles and hooks	A search box. It filters cards by words in the title or the hook.	Type a word.
All pillars	A pillar filter. It also has “No pillar” for untagged pieces.	Pick a pillar.
All formats	A format filter (Short video, Long video, Carousel, Text post, Thread, Newsletter, Article, Podcast, Story).	Pick a format.
Hubs	A toggle that shows only hub pieces.	Click it on or off.
Drag cards between columns · → advances one stage	A reminder of the two ways to move a card.	
Ideas column	Stages Idea and Seed. Hint: “Raw ideas and tested seeds”.	
Planning column	Stages Brief and Script. Hint: “Angle, hook and script”.	
Production column	Stages Ready to record, Recorded and Editing. Hint: “Record and edit (video only)”.	
Ready column	Stages Ready to publish and Scheduled. Hint: “Checklist gate, then a date”.	
Live column	Stages Published and Repurposing. Hint: “Out there. Cut the hub into shorts.”	
Done column	Stages Measured, Recycle due and Archived. Hint: “Measured, recycle or archive”.	
Piece card	One piece. A coloured stripe on the left shows its pillar colour. Top row: format, brand icon, Hub badge and the ratio chip (for example ×1.8). Then the title, the hook in quotes and the pillar name.	Click the card to open the piece editor. Drag it to another column to change its stage.
Stage chip	The exact stage name with six small dots. The filled dots show which of the six columns the piece has reached.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Date chip	The publish day, shown as a relative day (Today, Tomorrow, 3 days ago). Green with a tick when published. Orange when the date passed and the piece is not published.	
Checklist count (for example 4/6)	Shown in the Ready column only: publish checklist items done out of the total for this format.	
Workflow ring (for example 3/8)	How many of the 8 video workflow steps are done for this piece. Green at 8/8.	
Fork icon + number	How many repurposed children this piece has.	
Sparkle icon + number	How many saved inspirations (swipes) are linked to this piece.	
N views	Views from the most mature snapshot (30d, else 7d, else 24h).	
Platform icons	The platforms this piece is for (up to 3, then +N).	
→ **(advance button)**	Moves the piece one stage forward. Text formats skip the recording stages. Only hubs get Repurposing.	Click it. If the move publishes the piece and checklist items are open, the Publish checklist dialog opens first.
+ Capture an idea	A quick-add box at the bottom of the Ideas column.	Type an idea and press Enter. It uses the current brand and the pillar you filtered by.
New brief	A button at the bottom of the Planning column. It opens New piece starting at Brief.	Click it.
Show all N / Show recent only	At the bottom of Done when it holds more than 20 pieces. By default only the 20 most recent are shown.	Click to switch.

Calendar `/content?tab=calendar`

Plan when each piece goes out. Drag pieces between days, and schedule pieces that have no date yet.

HOW TO USE IT

1. Once a week, open Calendar in Week view.
2. Drag pieces from Ready to schedule onto free days.
3. Fix slipped pieces: drag them to a new day.
4. Use + on a day to plan a new piece for that date (it starts at Brief).

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Previous / Next arrows	Move one month (Month view) or one week (Week view).	Click.
Month and year label	The month shown, or the date range of the week shown.	
Today	Jumps back to today and selects today.	Click.
Month / Week	Switches between a 6-week month grid and a 7-day week view.	Click one.
Day cell (Month view)	One day. Today's number sits in a filled circle. Up to 3 pieces show as chips, then "+N more". On a phone you see coloured dots instead.	Click a day to select it. Hover and click + to plan a new piece on that day.
Calendar chip	A piece on a day: pillar colour dot, format icon (a green tick when published), a layers icon and bold title when it is a hub.	Click to open the piece. Drag an unpublished chip to another day to reschedule it. Published pieces stay on the day they went out.
Day column (Week view)	Each day shows compact piece cards, a "Today" label on today and a + button.	Drag cards between days. Click + to plan a piece.
Drag a piece to another day to reschedule. Published pieces sit on the day they went out.	A reminder under the grid.	
Selected day panel	Month view only. It shows the selected day (for example "Today · Monday, Oct 20"), its pieces as compact cards, or "Nothing on this day."	Click "Plan a piece here" to create a piece with that date.
Ready to schedule (N)	A tray of pieces from Brief onward that have no publish date. Each shows a chip and its stage. Empty state: "Nothing waiting".	Drag a piece from the tray onto a day to schedule it. Drag a piece from a day onto the tray to remove its date.

Ideas `/content?tab=ideas`

Dump ideas fast, see how full your idea bank is, and promote the best idea to a hub or a brief.

HOW TO USE IT

1. Click a spark chip and finish the sentence. Repeat for 2 minutes.
2. Pick the brand, pillar and format, then press Ctrl + Enter.
3. Each week, pick the idea or seed with the most energy and click the layers button to make it the hub.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Capture ideas	The capture box. Hint: “One idea per line. Dump them now, judge them later.”	
Idea sparks	Eight starter chips: A question a client asked this week; An objection from a sales call; A mistake I made and what it cost; Something I learned (TIL); A myth in my industry; Behind the scenes of what we're building; A result we got and how; An opinion most founders won't say out loud.	Click a chip. Its words appear on a new line in the box. Finish the sentence.
Idea text box	A big box. Each line becomes one idea.	Type or paste many lines.
Personal / Company	The brand for the new ideas.	Click one. The pillar list changes to that brand.
No pillar (select)	The pillar for the new ideas. Only pillars of the chosen brand are listed.	Pick one or leave No pillar.
Format (select)	The format for the new ideas. Default: Text post.	Pick one.
Ctrl + Enter	Keyboard shortcut to add the ideas.	
Add idea / Add N ideas	Saves every line as an idea at stage Idea.	Click it. A toast shows how many are in the bank. Reaching 100 shows a celebration: “Idea bank full”.
Idea bank (ring)	A big ring with your total ideas and seeds out of 100. The text says how many are left, or “Full bank. Now pick the best one for this week's hub.”	
Ideas per pillar (bars)	One bar per pillar with the idea count. “No pillar” appears if some ideas have no pillar.	Click a bar to filter the list to that pillar. Click it again to show all.
Ideas (N)	The list of ideas and seeds, newest first, with an All pillars filter at the top right.	
Idea title	The idea text.	Click it to edit it in place.
Seed chip	Shown when the idea is a seed (tested as a short post).	
Format icon and age	The idea's format and how long ago you captured it.	
Pillar (row select)	Change the idea's pillar.	Pick a pillar.
Sprout button	Tooltip: “Mark as seed (tested as a short post)”. Shown on ideas only.	Click it after you tested the idea as a short post.

ELEMENT	WHAT IT IS	HOW TO USE IT
Layers button	Tooltip: “Make it this week's hub”. It sets Hub on and moves the idea to Brief.	Click it.
Arrow button	Tooltip: “Move to Brief”.	Click it when you are ready to plan the piece.
Open	Opens the idea in the piece editor.	Click it.
Delete idea (trash)	Deletes the idea after a confirm.	Hover the row, click the trash, confirm.
Seed = tested as a short post.	A note shown when seeds exist: “Seeds that beat your median make great hubs.”	

Pillars `/content?tab=pillars`

Define the 3–5 themes you want to be known for, per brand. Every piece belongs to one pillar so your feed stays coherent.

HOW TO USE IT

1. Click a suggestion chip or New pillar.
2. Give it a name, a brand, one line on what it is about, and a colour.
3. Link a learning area if you want to learn in public on this theme.
4. Keep 3–5 pillars per brand. Revive a quiet pillar by banking one idea in it.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Pillars are the 3–5 themes you want to be known for…	The intro text at the top.	
New pillar	Opens the pillar dialog.	Click it.
Set up your content pillars (suggestions)	Shown when the brand has no pillars. Suggestion chips: Founder lessons, Learning in public, Building in public (personal); Customer results, How-to & product, Industry myths (company).	Click a chip to add that pillar, then edit it freely.
Pillar card	A colour bar, the pillar name and its brand. Pencil (edit) and trash (delete) appear on hover.	
Description	What the pillar is about, in one line.	
Ideas / In progress / Published	Three counters: ideas and seeds, pieces from Brief to Scheduled, and published pieces in this pillar.	

ELEMENT	WHAT IT IS	HOW TO USE IT
N in 30 days	How many pieces of this pillar had activity in the last 30 days (created, scheduled or published).	
Learning area chip (book icon)	The learning area that feeds this pillar, if you linked one.	
Quiet for 30 days. One idea keeps it alive.	An orange warning when the pillar had no activity for 30 days. A grey version says “No pieces yet. Bank the first idea.” for a new pillar.	Type an idea in the box “An idea for <pillar>…” and press Enter. It is banked in this pillar.
Delete pillar	Removes the pillar after a confirm. Pieces keep existing without a pillar.	Hover the card, click the trash, confirm.
Name (dialog)	The pillar name, for example “Founder lessons”.	Type it.
Brand (dialog)	Personal or Company.	Click one.
What it's about (dialog)	Hint: “One line you could say out loud: what you teach, for whom.”	Type one line.
Colour (dialog)	Five chart colours, plus the colours of your Life Areas (“Same as …”).	Click a colour.
Fed by learning area (optional) (dialog)	Links a learning area. Hint: “Learning in public: what you study becomes content here.”	Pick an area or None.
Cancel / Create pillar / Save	Dialog buttons.	Click Create pillar (new) or Save (edit).

Analytics `/content?tab=analytics`

See what worked, against your own median. Log missing numbers, write one lesson per winner and loser, save winning hooks and recycle old winners.

HOW TO USE IT

1. Clear Needs numbers first: click each window button and type the views.
2. Read Top 3 and Bottom 3. Write one lesson for each.
3. Save winning hooks to your library.
4. Handle Recycle due: recycle the winners, snooze or archive the rest.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Published this month	Pieces published this month. Small text: all-time total.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Views this month	Total views of this month's pieces. Small text: your median views per piece (or “log numbers to see”).	
Saves this month	Total saves of this month's pieces.	
Leads from content	Leads (emails, DMs, sign-ups) logged on this month's pieces. Green when above zero.	
In the pipeline	Pieces from Brief to Scheduled. Small text: ideas banked.	
Publishing streak	Weeks in a row (ending this week or last week) with at least one published piece. A flame shows when above zero. “publish this week to start” when zero.	
Weekly content review	A guided 20-minute review card. See the next page for every step.	
Needs numbers (N)	Pieces waiting for a snapshot. Hint: “Snapshots at 24h, 7d and 30d.” Each row has the piece title and a button with the window that is due.	Click the window button (24h, 7d or 30d). The Numbers dialog (“Numbers · <title>”) opens with Views, Likes, Comments, Shares, Saves, Follows, Leads, plus 3s hold %, Avg view and CTR %. Views are required. Empty state: “You're up to date. Nice.”
Top 3 this month	This month's 3 best pieces by ratio to your median. Hint: “Against your own median, not anyone else's.” Each shows rank, title, format, brand, views and window, and “×N your median”.	Write one lesson in the box “Lesson: why did this one fly?” (it saves when you click away). Click “Save hook to library” to keep the hook.
Bottom 3 this month	This month's 3 weakest pieces. Hint: “No shame, just data. One lesson each.” Empty state: “Not enough numbers yet” (you need views on 2+ pieces this month).	Write a lesson in “Lesson: what would you do differently?”.
Cadence · published per week	A bar chart of the last 12 weeks. Each bar splits Personal and Company. Hint: your hub target and this week's hubs (for example “this week 0/1”).	Hover a bar to see the titles published that week.
Personal vs company	A split bar, then one card per brand: published total, this month, Median (ratio chip), Views, Leads, In pipeline. It always shows both brands, whatever the filter.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Best hook types	Each hook type you tagged, with the number of pieces and their median ratio. The bar is green at ×1.2 or more and orange at ×0.7 or less. Hint: “Median performance vs your median, by hook type.”	
Winning hooks	Hooks of your pieces at ×1.2 your median or better. Hint: “Your outliers (×1.2+). Save them as templates.”	Click “Save hook” to add it to your hook library. “In library” shows when it is already there.
Recycle due (N)	Published pieces whose recycle date passed. Hint: “Winners come back at +6 and +12 months.” Each shows title, ratio and “First out …”.	Click Recycle (creates a fresh copy and opens it), +6 months (snooze), or Archive.

Weekly content review `/content?tab=analytics (Weekly content review)`

A 20-minute guided loop: numbers in, ask why, keep the lesson, promote what worked, pick next week's hub.

HOW TO USE IT

1. Click Start 20 min.
2. Do steps 1 to 5 in order. Use Next between steps.
3. Click Finish review.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Start 20 min	A countdown timer from 20:00.	Click to start. Click again to stop.
Step pills	Five steps: 1 Log numbers, 2 Top 3 · why?, 3 Bottom 3 · why?, 4 Promote hooks, 5 Next hub. Done steps show a tick.	Click a pill to jump to that step.
Step 1 · Log numbers	Up to 8 pieces with a due snapshot, each with a chip like “7d due”. Empty state: “All numbers are in”.	Click Add and type the numbers.
Step 2 · Top 3 · why?	Your best pieces of the last 30 days, with ratio and hook.	Write “Why did this work? Hook, topic, format, timing…”. Click Save hook to keep the hook.
Step 3 · Bottom 3 · why?	Your weakest pieces of the last 30 days.	Write “What would you change? Hook, length, topic…”.
Step 4 · Promote hooks	Hooks at ×1.2 your median or better that are not in your library yet.	Click Save on each.
Step 5 · Next hub	Text: “One hub a week, cut into 5–10 short pieces.” A list “Choose next week's hub…” (★ marks pieces that are already hubs).	Pick one and click “Make it the hub”. It becomes a hub, and an idea or seed moves to Brief.

ELEMENT	WHAT IT IS	HOW TO USE IT
Step x of 5 · ~N min	Where you are and the time this step should take (4, 5, 5, 3, 3 minutes).	
Back / Next / Finish review	Navigation. Finish review marks this week done in this browser and shows a celebration.	Click.
Done for this week	Shown after you finish: “Lessons saved, hooks promoted. The loop is closed.”	Click “Review again” to redo it.

New piece dialog `/content (New piece dialog)`

Create a piece with the basics: title, brand, hub or not, format, pillar, start stage and date.

HOW TO USE IT

1. Click New piece.
2. Type the working title.
3. Pick brand, format and pillar.
4. Click Create & open.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Working title	Placeholder: “What's the one idea?”	Type the idea in a few words.
Personal / Company	The brand.	Click one.
Hub piece	A toggle. Tooltip: “The weekly long piece you cut into 5–10 short ones”.	Click to turn on.
Format	Nine buttons: Short video, Long video, Carousel, Text post, Thread, Newsletter, Article, Podcast, Story.	Click one.
Pillar	Pillars of the chosen brand.	Pick one.
Start at	Idea, Seed (tested), Brief or Script.	Pick the stage the piece is really at.
Publish on (optional)	A publish date.	Pick a date. With a date, the start stage defaults to Brief.
Cancel / Create / Create & open	Create saves and stays. Create & open saves and opens the piece editor. Enter does Create & open.	Click.

Publish checklist gate `Publish checklist (gate dialog)`

A 30-second quality check that opens when a move would publish a piece while checklist items are still open.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
<title> is moving to Published. A 30-second check before it goes out.	The intro line (it names the target stage).	
Progress bar and count	Items done out of the total for this format (11 for video, 6 for text and podcast).	
Checklist items	Each item with its hint. Pillar and Repurpose plan tick themselves and say "Done automatically".	Click an item to tick or untick it. It saves at once.
Not yet	Closes the dialog. The piece does not move.	Click.
Publish anyway	Shown while items are open. Publishes without the missing items.	Click only when you made a conscious choice.
Publish	Enabled when every item is ticked. Publishing sets the publish date, gives 40 XP and sets a recycle date 6 months later.	Click.

Frameworks & terms in this module

Hub piece (hub and spoke) GaryVee content model (pillar content → micro content); Justin Welsh's repurposing system

Your one big piece of the week, usually a long video or a newsletter. You then cut it into 5–10 small pieces (the spokes) for other platforms. One idea, many outputs, little extra work.

Example: A 12-minute YouTube video on founder-led sales becomes 3 shorts, 1 carousel, 3 LinkedIn posts and 1 X thread.

Repurposed children bishOS

The small pieces cut from a hub. Each child is linked to its hub (its parent), with the same brand, pillar and campaign. The piece editor shows them in the Repurpose tree.

Example: "Short video 2 · Why I stopped cold calling" is a child of the hub "Why I stopped cold calling".

Weekly hub target bishOS

How many hub pieces you want to publish each week. You set it in Settings (default 1). The ring on This week's hub and the Cadence chart use it.

Seed bishOS (test small, then scale)

An idea you already tested as a short text post. If the test post beat your median, the idea is proven, so it makes a safe hub.

Example: You post 3 lines on LinkedIn: "Your first sales hire should be you." It gets ×2 your median. Turn it into this week's hub video.

Idea bank goal of 100 bishOS

Keep about 100 ideas and seeds in the bank. With a full bank you never sit in front of an empty page, and you can pick the best idea instead of the first one.

Example: Two minutes a day with the spark chips gets you from 20 to 100 ideas in about a month.

Idea sparks bishOS

Eight sentence starters that turn your normal week into ideas: client questions, sales objections, mistakes, lessons, myths, behind the scenes, results and bold opinions.

Example: "An objection from a sales call:" → "Your tool is too expensive for a 5-person team." That is a post.

Stage: Idea bishOS

A raw idea in one line. Not judged yet.

Example: "Why most founders post for 3 weeks and quit."

Stage: Seed bishOS

An idea tested as a short post (see Seed).

Stage: Brief bishOS

You decide who it is for, the one idea, the angle and the proof you will use.

Stage: Script bishOS

You write the words of the video or the full post.

Stage: Ready to record bishOS

The script is done and you can film. Video, story and podcast only. Text formats skip this stage.

Stage: Recorded bishOS

Filmed and waiting for the edit. Not used by text formats.

Stage: Editing bishOS

Being edited. A text format dropped on the Production column lands here too, as a final polish step.

Stage: Ready to publish bishOS

Finished. Waiting for a publish date.

Stage: Scheduled bishOS

It has a publish date and waits for that day.

Stage: Published bishOS

Live. The app stores the publish date, gives 40 XP and sets a recycle date 6 months later. Numbers unlock. Moving the piece back to any stage before Published undoes the publish and removes the XP.

Stage: Repurposing bishOS

A published hub that you are cutting into children. Only hubs get this stage. Repurposing a published hub moves it here by itself.

Stage: Measured bishOS

Numbers are logged and the lesson is written. The piece is done.

Stage: Recycle due bishOS

The piece is ready to come back. A published piece also counts as recycle due when its recycle date has passed, even if you never picked this stage. The → button skips this stage; from here → archives.

Stage: Archived bishOS

Out of the pipeline, kept for history. An unpublished piece dropped on Done is archived.

Board group: Ideas bishOS

Column for Idea and Seed. Raw ideas and tested seeds.

Board group: Planning bishOS

Column for Brief and Script. Angle, hook and script.

Board group: Production bishOS

Column for Ready to record, Recorded and Editing. Record and edit (video only).

Board group: Ready bishOS

Column for Ready to publish and Scheduled. The checklist gate, then a date.

Board group: Live bishOS

Column for Published and Repurposing. Out there. Cut the hub into shorts.

Board group: Done bishOS

Column for Measured, Recycle due and Archived.

The 9 formats bishOS

Short video (vertical, under ~90 s), Long video (YouTube), Carousel (swipeable slides), Text post (LinkedIn or X), Thread (a chain of X posts), Newsletter (email), Article (blog), Podcast (audio or video talk) and Story (24-hour Instagram story). Carousel, Text post, Thread, Newsletter and Article are text formats: they skip the recording stages.

Your median (×1.8 your median) bishOS

Every published piece is compared with the median views of your OTHER published pieces at the same snapshot window. The app uses the same format when you have 3+ other pieces in that format, otherwise all formats. ×1.8 means 1.8 times your usual. Green at ×1.2 or more, orange at ×0.7 or less. You compete with yourself, not with famous creators.

Example: Your shorts usually get 2,000 views at 7 days. A short with 3,600 views shows ×1.8.

Snapshot windows (24h, 7d, 30d) bishOS

You log numbers three times per piece: 1 day, 7 days and 30 days after publishing. The app asks only for the most mature missing window that is due (30d is asked until day 75). Comparisons use the most mature window you logged.

Winning hook (×1.2+) bishOS

A hook from one of your pieces that reached ×1.2 your median or more. These are your own proven hooks. Save them to the hook library and reuse the pattern.

Publishing streak bishOS

The number of weeks in a row with at least one published piece. It counts back from this week (or last week, if you have not published yet this week).

Recycle at 6 months Common creator practice (Justin Welsh reposts his best posts); bishOS rule

When a piece is published, the app sets a recycle date 6 months later. Then it appears in Recycle due. Recycle makes a fresh copy (title "Recycle · …", at Script or Brief, with the old lesson in the brief) and sets the next recycle 6 months later. Most of your audience never saw the old one.

Example: Your best post from April comes back in October with a new hook.

Content pillars Justin Welsh (content pillars); bishOS

The 3–5 themes you want to be known for, per brand. Every piece belongs to one. Pillars keep your feed coherent, so people (and the algorithm) know what you stand for.

Example: Personal: Founder lessons, Building in public, Learning in public. Company: Customer results, How-to & product, Industry myths.

Learning in public Shawn "swyx" Wang

Share what you are learning while you learn it. Link a learning area to a pillar and your study notes become content ideas.

Example: You study pricing. Each week you post one pricing lesson in plain words.

Quiet pillar bishOS

A pillar with no activity for 30 days. One banked idea brings it back to life.

Hook type tags Kallaway (9 formats) + bishOS

16 tags you can put on a hook. Nine are Kallaway's proven spoken-hook formats (Secret reveal, Case study, Comparison, Education, Personal experience, Problem, Contrarian, List, Question; see the video workflow section). Seven more are common types: Curiosity, Result, Mistake, Myth, Story, How-to and Before/after. Tags feed Best hook types in Analytics.

Hook type: Curiosity bishOS

Opens a knowledge gap the viewer wants to close.

Example: "Nobody talks about this part of fundraising."

Hook type: Result bishOS

Leads with a specific outcome.

Example: "We booked 40 demos in 30 days with one email."

Hook type: Mistake bishOS

A costly mistake to avoid.

Example: "The biggest mistake I made building my startup:"

Hook type: Myth bishOS

Breaks a common belief.

Example: “Everyone says you need a co-founder. Here's why that's wrong.”

Hook type: Story bishOS

Drops the viewer into a moment.

Example: “Last Tuesday, a client told me something I can't stop thinking about.”

Hook type: How-to bishOS

Promises a clear method.

Example: “How we got 100 users in 2 weeks with zero ad spend.”

Hook type: Before/after bishOS

Shows a transformation.

Example: “0 inbound leads → 20 a month. Here's exactly what changed.”

Publish checklist (publish gate) Kallaway (publish gate) + bishOS

The list a piece must pass before it can be published. Video formats (short video, long video, story) have 11 items. Text formats and podcasts have 6. Pillar and Repurpose plan tick themselves. You can still choose Publish anyway.

Gate item: Hook passes the audit Kallaway

Clear subject, one question, speed to value, and curiosity for line 2. Run the Hook audit in workflow step 3 first.

Gate item: Visual, spoken & text hooks say the same thing Kallaway

What they see, hear and read in the first seconds must mean the same thing. “Confusion leads to churn.” Watch it with the sound off: is it still clear? Video only.

Gate item: Lock-in zone confirms the hook Kallaway

The 5–10 seconds after the hook must confirm the hook's claim (no bait-and-switch) and show a trust anchor (proof, result, credential). Video only.

Example: Hook: “This email got us 40 demos.” Lock-in: you show the email and the calendar full of demos.

Gate item: Eyes-closed pacing test Kallaway

Listen to your edit without watching. Bored? Cut tighter. Lost? Add breathing room. Video only.

Gate item: Every visual matches its words Kallaway

For each sentence, ask: what is the best way to show this? Wrong visuals at the wrong time confuse people. Video only.

Gate item: Two dopamine hits early Kallaway

Give two useful insights before the viewer could leave. Two hits and they are locked in. One, maybe. Zero, they bounce.

Gate item: One CTA ramp, aligned with the topic Kallaway

One call to action per piece, and it must be the natural answer to the topic, not an ad break.

Example: A video on cold email ends with “Comment EMAIL and I'll send you my template.”

Gate item: Captions / subtitles Kallaway

Most people watch muted. Burn in captions. Video only.

Gate item: Custom cover / thumbnail Kallaway

Make a real cover. Most shares happen in DMs and group chats, where only the cover shows and the video does not autoplay.

Gate item: Tagged with a pillar bishOS

Ticks itself when the piece has a pillar.

Gate item: Repurpose plan bishOS

Ticks itself once the piece has at least one repurposed child.

Publish anyway bishOS

Publishes with open checklist items. Use it rarely. The checklist exists because each item protects views or trust.

XP for publishing bishOS

Each first publish of a piece gives 40 XP in the bishOS game layer. Un-publishing or deleting removes it, so XP cannot be farmed.

Weekly content review bishOS (based on Kallaway's “review” step of the loop)

A 20-minute weekly ritual in 5 steps: log numbers, ask why for the top 3, ask why for the bottom 3, promote winning hooks, pick next week's hub.

How to test it

1. Open /content. Expected: the header shows This week's hub, the four numbers and a Next move line.
2. Switch the brand filter to Company, reload the page. Expected: Company is still selected.
3. Click New piece, type “Test hub”, turn on Hub piece, pick Long video, click Create & open. Expected: the piece editor opens; the hub appears on This week's hub.
4. On the Board, type “Test idea” in + Capture an idea and press Enter. Expected: a new card in the Ideas column.
5. Click → on the card three times. Expected: Idea → Seed → Brief → Script, with a toast each time.
6. Drag a text post card onto Production. Expected: it lands on Editing.
7. Drag a video card with open checklist items onto Live. Expected: the Publish checklist dialog opens. Click Not yet: the card does not move.
8. In the dialog, click Publish anyway. Expected: a Published celebration with XP; the card moves to Live.
9. Open Calendar, drag a chip from Ready to schedule onto a day. Expected: toast “Scheduled for …”; the chip shows on that day.
10. Drag a chip from a day back onto the tray. Expected: toast “Unscheduled”.

11. Open Ideas, click two spark chips, finish the lines, press Ctrl + Enter. Expected: toast “2 ideas banked”; the ring count goes up by 2.
12. On an idea row click the layers button. Expected: toast “Promoted to hub · now in Brief”.
13. Open Pillars with no pillars, click a suggestion chip. Expected: toast “Pillar … added” and a new card.
14. Open Analytics, click a window button in Needs numbers, type 1.2k in Views, click Save. Expected: toast “24h numbers saved”; the row disappears.
15. In Weekly content review click Start 20 min. Expected: the button counts down from 20:00. Click Finish review on step 5. Expected: “Done for this week”.
16. In Recycle due click Recycle. Expected: toast “Fresh copy created” and the new “Recycle · …” piece opens.

Tips

- Keep the Studio open on Board during the week and on Analytics on your review day.
- Use Seed for ideas you tested as a short post. Seeds that beat your median are your safest hubs.
- If Next move says “Log numbers”, do it first. Without numbers, every comparison is blind.

CONTENT

Playbook 1–2: the loop and positioning

The Playbook tab is a guided program, one per brand, built on Kane Kallaway's content system. This part covers the top of the Playbook, section 1 (The loop: how every piece is made and improved) and section 2 (Positioning: who you are for and how you win).

Why it helps: Most founders post random content and quit after a few weeks. The Playbook makes you decide your game, your one ideal viewer and your angle first, so the algorithm sends your videos to buyers. Then it tracks your reps so you keep going past the point where most people stop.

One-time	Spend your first 2–3 days on Positioning, once per brand. Revisit it each quarter or when your offer changes.
Daily	Every piece you make is one rep of the loop: idea, research, script, record, edit, post, review.
Weekly	Check The loop meter and your 3-2-1 plan dots (how many pieces per bucket you published this week).

Playbook: top card and navigation `/content?tab=playbook`

Shows your overall progress for one brand, lets you switch brand, log an outlier, and jump to the next section to do.

HOW TO USE IT

1. Pick the brand.
2. Click Continue on Up next.
3. Fill the section until its ring is full, then click Continue again.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
% done (ring)	Your overall progress: the average of the seven section percentages.	
Kallaway Playbook · Personal	The program name and the brand you are working on.	
From zero to a content engine that sells	The headline. Below it: “Position in 3 days, build your data system in week 1, run a 60-day short-form lab and a weekly YouTube track, then iterate and convert. One step at a time.”	
Personal / Company	The brand of this Playbook. Each brand has its own strategy, lab, YouTube track and progress.	Click one. It starts on the brand of the Studio filter (Personal when the filter is Both).

ELEMENT	WHAT IT IS	HOW TO USE IT
Log an outlier	Opens the Save inspiration dialog so you can log a video that beat its creator's average.	Click it.
Section pills (1 Loop … 7 Convert)	Seven pills: Loop, Position, Data, Lab, YouTube, Iterate, Convert. Green with a tick when complete. The next section to do has a dark outline. A % shows partial progress.	Click a pill to scroll to that section.
Up next	The first unfinished section in this order: Position, Data, Lab, YouTube, Iterate, Convert, then Loop. It shows the title, phase and summary.	Click Continue to scroll there.
Section card (all 7 sections)	Each section has a ring with its number (a tick when complete), the title, a phase chip (for example “Days 1–3”), a “Complete” chip, a one-line summary with %, and a chevron. A “Why” box with a light bulb gives two plain reasons. Completed sections start folded.	Click the title or the chevron to fold or unfold.
Celebration	When a section completes, confetti and a toast appear (“<Section> complete”). All seven: “Kallaway Playbook complete. You built the engine.”	
Credits line	At the bottom: frameworks paraphrased from Kane Kallaway's public material; the YouTube playbook is Paddy Galloway's.	

1 · The loop (Every rep) `/content?tab=playbook#pb-loop`

Shows the 7 steps every piece goes through, the meta-principle behind the system, your rep count and how many pieces you make per batch.

HOW TO USE IT

1. Read the 7 steps once and keep them in mind for every piece.
2. Set Reps per batch to “1 at a time” while you have fewer than 300 reps.
3. Watch the meter when you feel like quitting. If you are between 10 and 30, that feeling is normal.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Why box	“Every piece goes round the same 7 steps. You loop it, rep after rep.” and “The strategy is the easy part. The skill is how much you improve between one rep and the next.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
Loop stepper (7 steps)	Seven cards with arrows and a loop icon at the end: 1 Idea, 2 Research, 3 Script, 4 Record, 5 Edit, 6 Post, 7 Review. Each has a one-line rule.	Read it left to right. Scroll sideways on a phone.
The meta-principle: Reps × iteration distance	Three rules: Volume negates luck. The sauce is the distance you improve between reps. Expect the quit point at 10–30 reps.	
Your reps (meter)	Your rep count (published pieces of this brand, all formats) on a bar with ticks at 1, 10, 30, 100 and 300. The bar is orange in the quit-point zone (10–30) and green after 30. The text below changes with your count.	
Reps per batch	How many pieces you make before you post and review: “1 at a time”, “2–3” or “5–10”. Hint: one rep at a time for your first ~300; batching lengthens the iteration cycle.	Click one. Under 300 reps with a batch above 1, a warning says “Under 300 reps: one at a time iterates faster.”

2 · Positioning (Days 1–3) `/content?tab=playbook#pb-position`

Fill your positioning canvas: the game, the KPI, your ideal viewer, your niche, your angle and your offer. It decides who the algorithm sends your videos to.

HOW TO USE IT

1. Day 1: pick the game and the KPI. Write the authority statement and the audience of one with 3–5 max-pain steps.
2. Day 2: fill the positioning wheel (3+ axes), the bullseye (2+ rings) and 3+ contrarian takes. Pick where you play on the pyramid and the ways you stand out.
3. Day 3: name the 3-2-1 buckets, add terms and signature objects, pick the hero platform, name the lead magnet, and add 5+ content formulas.
4. Check the canvas bar reaches 15/15.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Save status	“Saving…”, “Saved” or “Not saved” at the top right. Every field saves by itself.	
Why box	“Spend your first 2–3 days here. Positioning decides who the algorithm sends your videos to.” and “One topic, one avatar, one game per channel. It's easier to start narrow and widen than the reverse.”	
Skill before content.	A note: content amplifies skill. Aim for top 10% (ideally top 1%) in what you teach.	

ELEMENT	WHAT IT IS	HOW TO USE IT
The growth system · zero to a plan in 8 steps	Eight tiles: Niche interview, Competitor watchlist, Positioning wheel, Audience bullseye, 3-2-1 plan, Topic scanner, Format matrix, Write hooks & scripts by hand. Each shows a number or a tick and a hint. Tiles owned by another section are dashed and say "→ Data system" or "→ The loop". The count shows n/8.	Click a tile to jump to the block where you do it.
Positioning canvas	A bar and n/15, with 15 chips that turn green when done: Content game, KPI, Authority statement, Audience of one, Max-pain steps, Niche bullseye (2+ rings), Contrarian vault (3+), Terms to own, Signature objects, Uniqueness (3+ axes), Hero platform, Lead magnet, Content formulas (5+), Where you play, 3-2-1 buckets.	
Your content game	Five cards: #1 Entertainment media, #2 Education media, #3 Simple product, #4 Product that needs explaining, #5 Authority / B2B. Each shows a hint, its KPI and how it makes money. A "Suggested" chip marks Authority for Personal, and #4 and #5 for Company. A note explains the usual pick per brand. Picking #1 or #2 shows a warning that the media game is a losing game to start now.	Click a card. If your KPI is empty, the game's KPI is set too.
Your KPI	Five chips: Emails per video, Followers per video, $ per view, Conversions per view, Views. The line below repeats the hint and warns if the KPI does not match your game.	Click one.
Authority statement	A field: "I help [who] with [what] in [your unique way]". Below: "Before every idea, ask: does this serve X with Y?"	Type one sentence. It saves when you pause or click away.
Audience of one (niche interview)	A big field for your one perfect viewer (the "Frankenstein test": name, age, what they have tried, their dream outcome).	Describe one real-feeling person, stitched from real clients.
Their max-pain steps	A numbered list: "Their max-pain steps (hard, slow or expensive). Each one is a topic."	Type a pain step and press Enter. Remove items with their delete control.

ELEMENT	WHAT IT IS	HOW TO USE IT
Positioning wheel: points of uniqueness	Five fields: Topic, Substance / depth, Avatar, Format, Visuals. Hint: map 5–10 competitors from your watchlist and find the white space. Fill at least 3.	Write how you are different on each axis.
Where you play (Format Pyramid)	A pyramid drawing with four layers (top to bottom: Stories, Application, Explanation, Facts) and a red dashed "saturation line" above Facts. Next to it, the same four layers as buttons with hints. Picking Facts shows a warning; otherwise a tip says to go straight to Application in a crowded niche.	Click a layer (in the drawing or the list) to choose where you play.
The 4 ways left to stand out (pick the ones you lean on)	Four toggle cards: Better ideas, More advanced, Better proof, Better storytelling, each with a hint.	Click the ones you will lean on. Click again to remove.
Audience bullseye	A target drawing and a numbered list of up to 5 rings. Ring 1 (centre, filled) is your narrowest niche. Ring 5 shows in red with ⨯: it is banned. An example line shows 5 rings for a SaaS founder audience.	Type ring 1 and press Enter ("Ring 1: your narrowest niche…"), then each next ring out ("Next ring out…").
Contrarian take vault	A target chip (n/3–5), an input "Most people believe… but actually…", an Add button and the numbered list of takes. Empty hint: "What do most people in my niche believe that I disagree with?"	Type a take and press Enter or Add. Click a take to edit it. Use the trash to remove it.
The 3-2-1 plan	A counter (n/7 this week) and four cards: Bucket 1 · broad, Bucket 2 · narrow, Bucket 3 · narrow, and Chaos agent ("1 creative bet a week"). Each bucket has dots for this week (2 per bucket, 1 for the chaos agent), a name field and a hint (broad = bullseye ring 4, narrow = rings 2–3). A note lists pieces published this week without a bucket.	Name each bucket. Then tag the bucket on each piece in workflow step 2 so the dots fill.
Terms to own & signature objects	Two tag lists. Terms: niche words you want people to link to you. Signature objects: the same set, look and props in every video.	Type a term and press Enter. Remove with the × on a tag.
Hero platform	Chips: Instagram, TikTok, YouTube Shorts, LinkedIn, YouTube, X. Below: "+ Email" and "Islands, not ecosystems: don't cross-post YouTube links, except by email."	Click your one hero platform.

ELEMENT	WHAT IT IS	HOW TO USE IT
Lead magnet	A name field (for example “The 5-step founder sales playbook (PDF)”) and five type chips: PDF / doc / template, 3–5 day email course, Free community, Waitlist / landing page, Form.	Name your free resource and pick its type.
Content formulas (format matrix)	A target chip (live formulas / 5–10), the list of formulas (topic · format · layout) each with a Testing / Winner / Retired switch and a trash button, and three inputs: Topic, Format (suggests story structures), Layout (suggests Talking head, Green screen, Split screen, POV vlog, In-the-world, Faceless text, Whiteboard, Screen recording). Example: barbecue technique · live tutorial · standing at the grill.	Fill the three inputs and click Add formula (or Enter in Layout). Mark winners as lab data comes in. Retire formulas that burn out.

Frameworks & terms in this module

Kallaway Playbook Kallaway (composite beginner routine), bishOS

A 7-section guided program per brand: 1 The loop (every rep), 2 Positioning (days 1–3), 3 Data system (week 1), 4 The 60-day lab, 5 YouTube long-form (weekly, 50 weeks), 6 Iterate (after every rep), 7 Convert (always on).

How section progress is scored bishOS

Loop: reps out of 30. Positioning: canvas items out of 15. Data system: the average of creators/20, outliers at 5×+/10 and broken-down swipes/3. Lab: reps out of 50. YouTube: weeks shipped out of 50. Iterate: reviewed reps out of 5 (a reviewed rep has numbers plus a weak brick or a next fix). Convert: 3 basics (lead magnet named with a type, a business KPI, at least one rep with leads).

The Kallaway loop (7 steps) Kallaway

Every piece goes through the same seven steps, and you repeat them for every rep: Idea, Research, Script, Record, Edit, Post, Review.

Loop step: Idea Kallaway

Start from outliers: first your own winners, then winners of creators with 10K–1M followers.

Loop step: Research Kallaway

Find facts with a high shock score and your contrarian angle.

Loop step: Script Kallaway

Hook, then structure, then the one-question chain. He writes a script in about 20 minutes.

Loop step: Record Kallaway

Record line by line. It keeps your energy up.

Loop step: Edit Kallaway

Run the eyes-closed test and make every visual match its words.

Loop step: Post Kallaway

Post at the same time every day, for your own accountability, not for the algorithm.

Loop step: Review Kallaway

Ask which LEGO brick was weak and fix 1–2 things in the next rep.

Rep Kallaway

One published piece. In the Playbook, reps are all published pieces of the brand, in any format.

Reps × iteration distance (meta-principle) Kallaway

Two things make you good: many reps, and how much you improve between one rep and the next. After each rep, break it into its bricks, compare it A vs B with the winner in your niche, and fix 1–2 things.

Example: Rep 4 had a slow hook. The winner in your niche shows the result in second 1. Rep 5 shows the result in second 1.

Volume negates luck Kallaway (credits Alex Hormozi)

The more reps you post, the more chances you get at a breakout. One video can be unlucky; fifty cannot.

The quit point (10–30 reps) Kallaway

Around rep 10 to 30 you think "I should be good by now and I still suck." Most people quit here. It is normal, and the first breakout on a new account usually comes in this zone.

Rep milestones (1, 10, 30, 100, 300) Kallaway

The ticks on Your reps: 1 = first rep; 10 = the quit zone starts; 30 = past the quit point; 100 = take the stencil off (stop copying outliers closely and find your own lane); 300 = you may start batching.

One rep at a time vs batching Kallaway

Batching means making several pieces before you post and review. It lengthens the iteration cycle: batch 5 and you repeat rep 1's mistake five times. Make one at a time for your first ~300 reps, then 2–3, later 5–10.

Skill before content (skill-first) Kallaway

Content only amplifies a skill you already have. Ask: am I top 10% (ideally top 1%) in what I teach? If not, build the skill first. Without real skill you have no non-obvious takes.

Example: Kallaway made one short a day for 18 months, about 8 hours each, before he taught short-form.

The growth system (8 steps) Kallaway (Open Residency podcast, Oct 2026)

Kallaway's zero-to-plan for a new expert: 1 Niche interview, 2 Competitor watchlist, 3 Positioning wheel, 4 Audience bullseye, 5 3-2-1 plan, 6 Topic scanner, 7 Format matrix, 8 Write hooks & scripts by hand.

Growth step: Niche interview Kallaway

Answer who you serve, what you sell, your ideal viewer, their dream outcome, their pains and your unfair advantage. Done when Audience of one and Max-pain steps are filled.

Growth step: Competitor watchlist Kallaway

List ~10 creators to start, 20–30 later. Done at 10+ creators (in the Data system section).

Growth step: Positioning wheel Kallaway

Map competitors on each axis of uniqueness and find the white space. Done at 3+ filled axes.

Growth step: Audience bullseye Kallaway

Rings from your narrowest niche outward. Done at 2+ rings.

Growth step: 3-2-1 plan Kallaway

3 buckets × 2 videos a week + 1 chaos agent. Done when all 3 buckets have a name.

Growth step: Topic scanner Kallaway

Scan competitor outliers and mark the ones you have a non-obvious take on. Done at 5+ outliers of 5× or more.

Growth step: Format matrix Kallaway

Story structure × visual layout. Done at 5+ live content formulas.

Growth step: Write hooks & scripts by hand Kallaway

AI can get a draft to about 90%. The last 10%, your voice and your take, is you. Done at your first rep.

Positioning canvas Kallaway (personal brand positioning canvas), bishOS

The 15 items you fill in Positioning. When all 15 are green, the section is complete.

The 5 Content Games Kallaway

Five different games you can play with content, each with its own goal and KPI. Pick your game from your business model before any tactic. Only one game per channel.

Example: Your founder account plays #5 Authority. Your company account plays #4 if the product needs explaining.

Game #1: Entertainment media Kallaway

Maximum views. Money from ad revenue (CPM) and brand deals. KPI: views. Kallaway calls it a losing game to start now: you compete with MrBeast, Netflix and AI.

Game #2: Education media Kallaway

Teach things people can apply. Still a media business: money from CPM and brand deals. KPI: followers.

Game #3: Simple product Kallaway

A product that needs no explanation (clothes, drinks, a couch). Just show it in a cool context. KPI: conversions.

Game #4: Product that needs explaining Kallaway

A product people do not understand at first sight (a SaaS tool, a standing desk). Short education closes the “what is it, why do I need it” gap. KPI: conversions, ideally in one session.

Example: A 45-second short that shows how your app saves a clinic 5 hours a week.

Game #5: Authority / B2B Kallaway

Services, coaching, info products, B2B SaaS. People must trust you before they buy. Trust is the currency and email is the asset. KPI: emails. Kallaway's specialty, and the usual founder game.

KPI by game Kallaway

Entertainment media → views. Education media → followers. Simple product → conversions. Product that needs explaining → conversions. Authority / B2B → emails.

KPI: Emails per video Kallaway

New email subscribers that one video brings. Kallaway's #1 metric for business games.

KPI: Followers per video Kallaway

New followers that one video brings. His #2 metric. A follow is worth about 5–10 views.

KPI: $ per view Kallaway

Money earned divided by views. On-target views beat total views.

Example: 5,000 views that bring $50,000 = $10 per view. That beats 500,000 views that bring nothing.

KPI: Conversions per view Kallaway

Sales or sign-ups divided by views. For product games.

KPI: Views Kallaway

Total views. Only the right KPI for media games.

Audience matching Kallaway

The algorithm is a matchmaker. It transcribes your video, maps the topic and tests it on about 200 people. If they like it more than usual, it sends it to about 10× more similar people. Keep one topic and one avatar so each new video goes to the right people.

Example: A founder who posts sales tips, then a gym video, then crypto news confuses the algorithm. Each video gets a weak first test.

Anti-views and on-target views Kallaway

On-target views come from people who have the problem your offer solves. Anti-views come from people who will never buy: they do not pay you, and they teach the algorithm to send your next videos to the wrong people. You do not need virality, you need on-target views.

Example: A viral meme brings 500K views from students. Your next sales video then flops, because it is tested on students.

Media game warning Kallaway

If you pick Entertainment or Education media, the app warns you: products, services and offers pay far more per view, and the media game is crowded.

Authority statement Kallaway

One sentence: “I help [X] with [Y] in [Z way].” Use it as an avatar filter. Before every idea, ask: does this serve X with Y? It stops viewer drift.

Example: “I help seed-stage SaaS founders get their first 20 customers with founder-led sales.”

Viewer drift Kallaway

The slow slide toward vanity topics that get views but do not serve your ideal viewer. The authority statement prevents it.

Audience of one (Frankenstein test) Kallaway

Picture one perfect viewer sitting in a chair in front of you. Stitch them together from real clients: name, age, situation, what they tried, their dream outcome, their fears. Write every video for that one person.

Example: "Sam, 34, seed-stage SaaS founder, 2 years in, drowning in sales calls, wants a repeatable pipeline."

Max-pain steps Kallaway (audience of buyers road map)

Map your viewer's workflow today. The steps that are hard, slow or expensive are their biggest pains. Each one is a topic, and your new, better way to solve it is your content.

Example: Pain: "Writing cold emails takes me 2 hours a day." Topic: "The 10-minute cold email system."

Positioning wheel Kallaway

Map 5–10 competitors on each axis of uniqueness. Where nobody is strong, that is your white space, your lane.

The 5 uniqueness axes Kallaway

The five ways you can be different from other creators: Topic, Substance / depth, Avatar, Format, Visuals. Fill at least 3.

Uniqueness axis: Topic Kallaway

What you talk about that others don't.

Example: Nobody in your niche talks about pricing for agencies. You do.

Uniqueness axis: Substance / depth Kallaway

How deep and non-obvious you go.

Example: Others say "do cold email". You show your real reply rates and templates.

Uniqueness axis: Avatar Kallaway

Who exactly it is for.

Example: Not "founders", but "solo technical founders selling to hospitals".

Uniqueness axis: Format Kallaway

A story structure or series you own.

Example: A numbered series "Startup lessons 1 of 100".

Uniqueness axis: Visuals Kallaway

Your signature look, set and objects.

Example: Always filmed at the same whiteboard, in the same black hoodie.

Format Pyramid Kallaway (Open Residency podcast, Oct 2026)

Four levels of content, from the base up: Facts, Explanation, Application, Stories. Higher is harder to make and reaches fewer people, but nobody can copy it. As a niche fills up, a saturation line rises from the bottom.

Saturation line Kallaway

The red line on the pyramid. Below it, AI and copycats make that content for free, so it no longer cuts through. In a crowded niche the line sits above Facts (and often above Explanation). Play above it.

Pyramid level: Facts Kallaway

Raw information with no opinion: lists and rankings. The most saturated level; AI does it now. Skip it in a crowded niche.

Example: "The 10 best CRM tools."

Pyramid level: Explanation Kallaway

Facts plus your opinion: why or how something works. Breakdowns, tutorials, how-tos.

Example: "Why most CRMs fail in small teams."

Pyramid level: Application Kallaway

Showing how to apply it to their situation and get a result: case studies, scenarios, "if I had to…". Go here in crowded niches so one video proves you know your stuff.

Example: "If I had to get a new SaaS to its first 10 customers, here's exactly what I'd do."

Pyramid level: Stories Kallaway

Your own lived problem → action → result. Least saturated, one-of-one, the final moat. Hard to start with from zero.

Example: "We lost our biggest client in month 3. Here's what I did the next morning."

The 4 ways to stand out Kallaway

With so much content, only four ways are left to win: Better ideas, More advanced, Better proof, Better storytelling. Pick the ones you lean on.

Stand out: Better ideas Kallaway

An idea is topic + angle. Choose a topic with a big audience (topic TAM) and a take with a high shock score. Exploit proven winners for about 6 months before you explore new topics.

Stand out: More advanced Kallaway

Pitch your content at 4–6 out of 10 in sophistication. You get fewer views, but the viewers are richer, more serious buyers.

Stand out: Better proof Kallaway

Proof that only you have (one-of-one). Audit the proof of competitors in your niche: beat it, or move to a sub-lane where nobody has better proof than you.

Example: "We took 3 agencies from $0 to $50K MRR" beats "I read 100 sales books".

Stand out: Better storytelling Kallaway

Tell it as problem → action → result. Stories carry emotion, and emotion drives purchase.

Niche bullseye (audience bullseye) Kallaway

Up to five rings, from your narrowest niche (ring 1, your ideal customer) outward. The narrower the ring, the faster you own the lane. Expand outward as proof grows.

Example: 1 SaaS founders stuck at $20K MRR → 2 B2B founders doing their own sales → 3 all early-stage founders → 4 anyone curious about startups → 5 all business content (banned).

Why the outer ring is banned Kallaway

Ring 5 is the broadest audience. A video can go viral there, but nobody who comes will buy, and it teaches the algorithm the wrong audience. Your next videos then get tested on the wrong people.

Example: A plastic surgeon's video about a celebrity's make-up launch may go viral, but no viewer books a facelift.

Contrarian take vault Kallaway

A list of things you believe that most people in your niche don't. Log a take every time you strongly disagree with someone. Aim for 3–5 big takes, with smaller takes under each. Every take is a hook.

Example: "Most founders think they need a sales hire. Actually, the founder should close the first 20 deals."

The 3-2-1 plan Kallaway

Kallaway's best content strategy for business owners: 3 topic buckets × 2 videos a week each, plus 1 chaos agent = 7 videos a week. One bucket is broad (bullseye ring 4), two are narrow (rings 2–3).

Example: Broad: "How startups actually grow". Narrow: "Founder-led sales calls" and "Pricing your first SaaS". Chaos agent: a wild experiment.

Broad bucket Kallaway

A bigger topic inside your niche (bullseye ring 4). It brings reach.

Narrow bucket Kallaway

A deep topic with buyer intent (rings 2–3). It brings buyers.

Chaos agent Kallaway

One creative bet a week. It can sit anywhere from your centre ring to ring 4. A random swing that might be the 1% hit.

Term ownership Kallaway

People remember only a few hundred creators. Owning a term means people think of you when they hear it. Pick niche terms nobody owns yet and repeat them in every video. Big words like "business" cannot be owned.

Example: "Founder-led sales" or "revenue engine", said in every video until people link it to you.

Signature objects Kallaway

The same set, look and props in every video, so people recognise you in one second.

Example: Kallaway: a hat, a black hoodie, round sunglasses, the same set.

Hero platform Kallaway

Pick one video-native platform plus email and commit for 6 months. Reply to every comment. Ask your customers which platform they use.

Islands, not ecosystems Kallaway

Treat each platform as its own island. Don't cross-promote (for example YouTube links on LinkedIn): links get suppressed and viewers behave differently on each platform. Only move people from rented platforms to owned email.

Lead magnet Kallaway

A free resource you give in exchange for an email. It is the off-ramp from rented attention (followers) to an owned list. Pick the topic first, then the closest magnet.

Lead magnet type: PDF / doc / template Kallaway

Captures exactly what the video explained.

Example: "My cold email template (Google Doc)".

Lead magnet type: 3–5 day email course Kallaway

A short email series that teaches one thing.

Example: "5-day founder sales blueprint".

Lead magnet type: Free community Kallaway

A free group. The email is collected on entry.

Example: A free Skool group for SaaS founders.

Lead magnet type: Waitlist / landing page Kallaway

For an offer that is coming soon.

Example: "Join the waitlist for our sales course."

Lead magnet type: Form Kallaway

"Want our help? Fill this in." For done-for-you services.

Content formula (format matrix) Kallaway

Formula = topic + format (story structure) + visual layout. 3–4 topics × 1–3 formats × 1–3 layouts gives 5–10 formulas to test in the lab. In the matrix, you either smash a proven cell with a new angle, or claim an empty cell nobody uses.

Example: "Cold outbound · personal narrative · green screen."

Formula status (Testing / Winner / Retired) Kallaway

Testing: still being tried. Winner: performs on your KPI. Retired: burned out or failed. Formulas burn out, so retire them and replace them. Retired formulas do not count toward the 5+.

How to test it

1. Open /content?tab=playbook. Expected: the top card shows a % ring, the brand picker and seven section pills.

2. Switch the brand to Company. Expected: all fields change to the Company strategy (empty if new).
3. Click Continue on Up next. Expected: the page scrolls to that section.
4. In Positioning, click the card #5 Authority / B2B. Expected: it gets a tick; the KPI becomes Emails per video if it was empty; Save status shows Saved.
5. Type an authority statement and click away. Expected: “Saved” and the Authority statement chip turns green.
6. Add three takes in the Contrarian take vault. Expected: on the third, toast “3 contrarian takes. That's a point of view.” and the chip shows 3/3–5 in green.
7. Add 5 rings to the bullseye. Expected: ring 5 shows red with ×; you cannot add a sixth.
8. Click the Facts layer of the pyramid. Expected: an orange warning says Facts sit under the line.
9. Name the three 3-2-1 buckets. Expected: the 3-2-1 buckets canvas chip turns green and the growth system tile 3-2-1 plan gets a tick.
10. Add 5 content formulas. Expected: the target chip turns green; mark one Retired and it drops to 4.
11. In The loop, choose “2–3” in Reps per batch with fewer than 300 reps. Expected: the orange warning appears.
12. Fill all 15 canvas items. Expected: confetti and toast “Positioning complete”.

Tips

- Do Positioning for your personal brand first. The company version is easier once you have done one.
- Your contrarian takes are your best hooks. Add one every time you disagree with a post you read.
- Start narrow. You can always widen the bullseye later; going narrow after going broad means starting over.

CONTENT

Playbook 3–4: data system and the 60-day lab

Section 3 builds your data system: a watchlist of creators and a scanner of their outliers, so data picks your topics. Section 4 is the 60-day short-form lab: about 50 short videos in 8 weeks to find what works and get past the quit point.

Why it helps: Guessing topics wastes reps. Outliers show you which ideas already won with your audience, so your creativity goes into the angle. The lab then forces enough reps, one at a time, to get your first breakout on purpose.

One-time	Week 1: add 10 creators to your watchlist and log your first outliers. Start the lab on a Monday.
Daily	During the lab: ship one short (3, then 5, then 7 a week). Check your watchlist for 5×+ outliers (daily or 4–5 times a week).
Weekly	Hit the lab's weekly target. Look at the bar for the week.
Monthly	Niche scan every 3–4 weeks: new outliers from your watchlist.

3 · Data system (Week 1) `/content?tab=playbook#pb-data`

Build the watchlist of creators to study, learn the outlier rules and collect validated topics in the topic scanner.

HOW TO USE IT

1. Click Add creator 10 times this week: creators with 10K–1M followers who make the same kind of content for the same people.
2. Add their followers and average views, so outlier scores work.
3. Check their latest videos. Log any video at 5× their average with Log an outlier.
4. For each outlier ask: do I have a non-obvious take? If yes, break it into bricks and remix it.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Log an outlier	A button in the section header. It opens the Save inspiration dialog.	Click it when you find a video that beat its creator's average by 5× or more.
Why box	“Data-enabled creativity: let the data pick your topics, so your creativity goes into the angle.” and “An outlier is a video that beat its creator's own average by 5× or more. It proves the idea, not the person.”	
The growth system	The same 8-step spine as in Positioning. Here the Competitor watchlist and Topic scanner tiles are solid; the others are dashed.	Click a tile to jump.

ELEMENT	WHAT IT IS	HOW TO USE IT
DCT cards	Three cards: “Data picks the topic” (outliers decide what to talk about), “Creativity picks the angle” (your non-obvious take), “Transpositioning” (borrow a winning format from another niche).	
Creator watchlist	Your creator count out of 20–30, a progress bar, and chips: “N in range” (10K–1M followers), “N over 1M” (orange), “N checked this week”. Below: your first 4 creators with followers and a size tier chip.	Click “Add creator” to open the creator dialog. Click “Manage watchlist” to open the full Watchlist tab in Inspiration.
Outlier rules	Five rules: Outlier score = views ÷ the creator's average (rolling ~3 months before the post). Research at ≥5×; graduate your own formats at 10×+. Engagement ≥ ~2–5% (screens out paid brand deals). Recent window: 7–14 days for news niches, last 3 months (up to 12) for evergreen. Ask of every outlier: “Do I have something non-obvious to say about this?”	
Where ideas come from, in priority order	Three steps: 1 Your own winners (remake them; audit your channel every 2 weeks). 2 10K–1M creators' winners (remake them holding as many LEGO bricks as possible; change topic + angle). 3 A tool (only if you can't find either).	
Topic scanner: your outliers	Chips: “N at ≥5×” and “N broken down”. Up to 6 outlier tiles, each with its score (for example 7.2×), title or hook, the creator and “n/7 bricks”. Empty state: “No 5×+ outliers logged for your personal brand yet.” with a Log an outlier button.	Click “Break down & remix in Inspiration” to open the Library, where you fill the bricks and remix.

4 · The 60-day lab (Days 1–60) `/content?tab=playbook#pb-lab`

Run an 8-week short-form experiment: 3 videos in week 1, 5 in week 2, then 7 a week for 6 weeks. The app counts your published short videos per week.

HOW TO USE IT

1. Bank 2–3 scripts before your start Monday.
2. Click This week or Next Monday.
3. Each day, make one short: hold hook structure, story structure and visual format from a proven outlier; change only topic and angle.
4. Publish it in the Studio (format Short video or Story) so the lab counts it.

5. After each rep, do its post-mortem and fix one weak brick in the next rep.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Reset	Shown once the lab has started. It clears the lab start date after a confirm. Your published pieces stay.	Click Reset, then confirm.
Why box	“About 50 short videos in 60 days: 3 in week 1, 5 in week 2, then 7 a week for 6 weeks.” and “The first breakout on a cold account typically comes after 10–30 videos. The lab gets you there on purpose.”	
Start my lab	Shown before the lab starts. “It runs Monday to Sunday for 8 weeks and counts short videos you mark published in the Studio.”	Click “This week” (starts this Monday) or “Next Monday · <date>”.
Reps per week (total)	Your lab reps so far out of 50, and “This week” done / target during the lab.	
Week bars W1–W8	Eight bars. The bar height is the week's target (3, 5, 7, 7, 7, 7, 7, 7). The fill is what you published. A bar turns green when the target is hit. The current week has a dark ring. A past week that missed its target is tinted orange. The label above shows done/target.	
Lab message	A coloured line that changes with your progress. For example: “Week 1: 3 reps to ship. One at a time, iterate between each.”, “N reps in: the quit-point zone. This is exactly where most people stop.”, “Week N target hit. Rest, or bank a buffer for next week.” or “Lab complete: N reps. Phase 2: double down on the formulas that pass all 4 tests.”	
Started … · ends …	The lab's first Monday and its last day (55 days later).	
Every rep: hold 3, change 2	Five rows. Locked (hold): Hook structure, Story structure, Visual format. Dashed (change): Topic, Angle. Hint: “Don't invent formats as a beginner. Stack proven bricks.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
Lab rules	Four rules: Model outliers closely for your first 30–50 videos, like tracing with a stencil. Ship at 80%. Post at the same time daily, for your accountability, not the algorithm. After the lab, keep formulas that perform on your KPI, attract the ideal viewer, you enjoy, and you are proud of.	

Add a creator to watch `Creator dialog (Add creator)`

Add or edit one creator on your watchlist. The same dialog opens from the Data system and from the Watchlist tab.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Name or @handle	The creator's name or handle.	Type it. Required.
Profile URL	Link to their profile. The platform is detected from the link.	Paste the link.
Platform	LinkedIn, Instagram, TikTok, YouTube, YouTube Shorts, X, Facebook, Newsletter or Blog.	Pick one (or let the URL fill it).
For	Both brands, Personal or Company.	Pick which brand this creator is useful for.
Followers	Their follower count. As you type, the hint shows their size tier (for example "50–250K: the sweet spot").	Type 120k, 1.2m or 12,000.
Average views	Their usual views over the last ~3 months. Needed to compute outlier scores.	Type it, for example 25k.
Notes	What they do well: hooks, visual format, series…	Type a line.
Cancel / Add creator / Save	Dialog buttons.	Click Add creator (new) or Save (edit).

Frameworks & terms in this module

> **Data-enabled creativity** Kallaway
> Use data (outliers) to choose topics, hooks and formats. Save your creativity for the one place data cannot help: your non-obvious angle. It means more hits per rep.

Outlier Kallaway

A video that got far more views than its creator usually gets. It proves the idea worked, not the person, because the same creator's normal videos did not do it.

Outlier score Kallaway

Views of one video ÷ the creator's average views (a rolling average of about 3 months before the post). It lets you compare creators of any size.

Example: A creator who averages 10K views has a video with 75K views: outlier score 7.5×.

The 5× rule Kallaway

Only research outliers at 5× or more. Below that, the video may just be a good day. Graduate one of your own formats (call it a winner) at 10× or more.

Engagement filter Kallaway (5% in one video, 2% in later sources)

Only trust outliers with engagement of about 2–5% or more ((likes + comments + shares) ÷ views). Paid brand deals often inflate views with low engagement; this filter removes them.

Recent window Kallaway

Look at recent outliers only: 7–14 days in news niches; the last 3 months (up to 12) in evergreen niches.

The non-obvious take test Kallaway

For every outlier ask: “Do I have something non-obvious to say about this?” No: skip it. Yes: you have a validated video, with the topic proven and your own angle.

DCT (Data, Creativity, Transpositioning) Kallaway

Where data and creativity go. D: data picks the topic. C: creativity picks the angle. T: transpositioning, borrowing a winning format from outside your niche.

DCT: Data picks the topic Kallaway

Outliers tell you what to talk about. You do not guess.

DCT: Creativity picks the angle Kallaway

Your non-obvious take on a validated topic. This is where your thinking goes.

DCT: Transpositioning Kallaway

If formats in your niche are saturated, borrow one from another niche.

Example: A top-down shot from a hat-making creator, used for a founder explaining a whiteboard plan.

Creator watchlist Kallaway

The creators you study for outliers. Start with about 10 who win in your space, talk about what you want to talk about, to the people you want. Grow to 20–30.

Same content type rule Kallaway

Study creators who make the same type of content as you. Short-form video to learn short-form video. Tweets and blogs only give a topic seed: hooks, structure and format do not transfer.

Kallaway's paradox (ignore over 1M) Kallaway

Big creators' results lie: their brand props up their weak videos, so their outliers are small and noisy. Study creators with 10K–1M followers. A breakout from a small creator means the idea itself won.

Size tier: Under 10K Kallaway

Tiny sample. Breakouts are noisy. Not in range.

Size tier: Micro (10–50K) Kallaway

In range. A breakout here means the idea won.

Size tier: Small (50–250K) Kallaway

In range. The sweet spot.

Size tier: Medium (250K–1M) Kallaway

In range. Still a clean signal.

Size tier: Over 1M Kallaway

Ignore. Brand equity props up their duds. Shown in orange.

Size tier: Size? bishOS

You did not enter the follower count yet. Add it so the app can place the creator.

Watchlist check cadence Kallaway

Check your watchlist daily, or 4–5 times a week. Log anything at 5× their average or more with more than 2% engagement.

Idea priority order Kallaway

Where to take ideas from, in order, for your first ~100 reps: 1 your own past winners (remake them), 2 winners of 10K–1M creators in your space (remake them with as many LEGO bricks held as possible), 3 a tool, only if you cannot find either. “Don't reinvent the wheel before you can ride the bike.”

Topic scanner Kallaway

The list of your logged outliers at 5×+. Each is a validated topic. Mark the ones you have a non-obvious take on, break them into the 7 LEGO bricks, then remix them.

Broken down (bricks) bishOS

An outlier is broken down when at least one of its 7 LEGO bricks is filled. The scanner shows how many bricks each one has (n/7). The Data section needs 3 broken-down swipes.

Research cadence Kallaway

Own-channel audit every 2 weeks (your winners first, remake them). Niche scan every 3–4 weeks (outliers from your watchlist, last 3 months, more than 2% engagement).

The 60-day lab ramp Kallaway (personal brand 90-day plan)

A short-form test: 3 videos in week 1, 5 in week 2, then 7 a week for 6 weeks. About 50 videos in 8 weeks (the app's target is exactly 50). The ramp makes daily posting feel easy.

What the lab counts bishOS

Pieces of this brand with format Short video or Story, published between the lab's Monday and the Sunday 8 weeks later. Long videos and text posts do not count. The start date always snaps to a Monday.

Beginner hold rule (hold 3, change 2) Kallaway

As a beginner, hold three bricks from a proven outlier exactly: hook structure, story structure and visual format. Change only two: topic and angle. Don't invent formats until you have done the reps.

Example: Keep a winner's split-screen layout, its “I tried X so you don't have to” hook and its listicle structure. Use your own topic (hiring) and your own angle.

Stencil (model outliers closely) Kallaway

For your first 30–50 videos, copy the structure of outliers closely, like tracing a drawing with a stencil. After about 100 reps, take the stencil off and find your own lane.

Ship at 80% Kallaway

While you are learning, reps beat polish. Publish when it is 80% good and learn from the numbers. Polish more only when you believe a video can be a big hit.

Same posting time Kallaway

Post at the same time every day. The algorithm does not care; it is for your own accountability.

Phase 2: the 4 tests Kallaway

After the lab, keep only formulas that pass all four: 1 it performs on your KPI, 2 it attracts your ideal viewer, 3 you enjoy making it, 4 you are proud of how it looks. Double down on those; formulas burn out, so keep testing new ones.

Quit-point zone (lab) Kallaway

When your lab total is between 10 and 30 and you still have reps left this week, the lab message warns you: this is exactly where most people stop.

Buffer Kallaway

Scripts or finished videos banked ahead of time. Bank 2–3 before the lab starts, and bank more when you hit a week's target early.

How to test it

1. Open the Playbook, Data system. Click Add creator, type a name, 120k followers, 25k average views. Expected: the hint shows “50–250K: the sweet spot”; after saving, toast “… added to your watchlist” and the count goes up.
2. Add a creator with 2m followers. Expected: an orange “1 over 1M” chip.
3. Click Log an outlier, enter 200k views and 25k creator's usual views, a why line, and save. Expected: toast “8× outlier saved”; the Topic scanner shows the outlier tile with 8×.
4. Open the Lab section and click This week. Expected: toast “Lab started. Week 1: 3 reps.”; W1 has a dark ring; the message says “Week 1: 3 reps to ship.”
5. Publish a Short video piece this week. Expected: W1 shows 1/3 and the total 1/50.
6. Publish a Text post this week. Expected: the lab total does not change.

7. Click Reset and confirm. Expected: the Start my lab box comes back; your pieces still exist.

Tips

- Fill followers and average views for every creator. Without them there is no outlier score.
- Small creators' outliers teach you the most. A 7× on a 20K account is a clean signal.
- During the lab, make one video at a time. Review it before you make the next one.

CONTENT

Playbook 5: YouTube long-form

Section 5 is the weekly YouTube track: one long video a week for 50 weeks. It holds Kallaway's YouTube rules and Paddy Galloway's YouTube playbook in four tabs: Ideas, Packaging, Retention and Mindset.

Why it helps: One long video builds as much trust as about 20 shorts, and it keeps selling for years. YouTube is a click-and-watch platform, so the idea and the packaging (title and thumbnail) decide most of the result. These frameworks tell you where to put your effort.

One-time	Start the weekly track on a Monday. Read all four Paddy Galloway tabs once.
Weekly	Publish one long video every week (Monday to Sunday). Do packaging first: 10 titles and thumbnail concepts before scripting.
Quarterly	Look at the 50-week grid and your streak. Judge the channel after 18–24 months, not 18 days.

5 · YouTube long-form (Weekly · 50 weeks) `/content?tab=playbook#pb-long`

Track your weekly long-video streak and learn the rules for ideas, packaging, retention and mindset on YouTube.

HOW TO USE IT

1. Click This week to start the track.
2. Each week: pick an idea with the 100 → 10 → 1 funnel, write 10+ titles, then thumbnail concepts, then the script.
3. Use the piece's video workflow (Packaging step) for the title lab and thumbnail brief.
4. Publish one Long video piece before Sunday. The grid turns green for that week.
5. Before publishing, predict the video's 1-of-10 rank in the Post-mortem step.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Reset	Shown once the track has started. It clears the start date after a confirm. Your videos stay.	Click Reset and confirm.
Why box	“You're not a YouTuber. You're an entrepreneur using YouTube as a free traffic source: every video is a sales agent working 24/7.” and “One long video ≈ 20 shorts in trust. Plan for 50 weekly videos with zero traction expected, and a 3–5 year horizon.”	
Start the weekly track	Shown before you start: “Counts weeks (Mon–Sun) where you published at least one long video. Never miss a week.”	Click This week or Next Monday.

ELEMENT	WHAT IT IS	HOW TO USE IT
Week streak	Weeks in a row with at least one long video, with a flame when above zero.	
Shipped / 50	How many weeks since the start had at least one published long video. Green at 50.	
This week shipped?	Yes (green tick), Not yet, or Soon (when the track starts in the future).	
Week N of 50 · started …	Which week of the track you are in.	
50 weeks grid	50 small squares. Green = a week you shipped. Grey = a week that passed without a long video. Light = future weeks. Note: "~10K subscribers at month 12 is typical; the credibility line is around 10K."	
The rules (Kallaway)	Eight rules: Packaging first. Thumbnail ≤3 elements. Trigger a desire loop. The intro confirms the click in ~5 seconds. First payoff in 30–60 seconds. 1 video a week for 50 weeks. Think in 3–5 years. Don't post YouTube links on other socials; email is fine.	
YouTube playbook (Paddy Galloway)	A panel credited to YouTube strategist Paddy Galloway (Red Bull, MrBeast), from Open Residency, Sep 2026: a long-form layer on top of the Kallaway system.	Switch tabs with Ideas / Packaging / Retention / Mindset.
Ideas tab: core line	"Clicks × watch time × satisfaction. The click (packaging) is half the game."	
Ideas tab: CCN: every video must work for three viewers	Three cards: Core fans (your regulars still love it), Casual viewers (someone who has seen 1–2 of yours gets it instantly), New viewers (a stranger with zero context would click and stay).	
Ideas tab: What the biggest videos have in common	Four rules: Works for Core, Casual and New. Passes the 1-second glance test. Universal appeal inside your niche. A question you must click to answer ("click to unpause").	
Ideas tab: Where ideas come from, in order	1 Your own past hits (remake them, the safest bet). 2 Outliers 3–4×+ a channel's average (your niche and adjacent niches). 3 New combinations (~20% of videos, experiments).	

ELEMENT	WHAT IT IS	HOW TO USE IT
Ideas tab: The idea funnel: 100 → 10 → 1	A funnel drawing: 100 = write ~100 ideas per video; 10 = cut with elimination tests ("Can we package it?" alone removes two-thirds); 1 = one-page idea slide per finalist, pick the one you'd bet your career on.	
Ideas tab: Elimination tests (cut 100 to 10)	Can we package it? · Glance test · CCN fit · 80% rule · Can we make it great?	
Ideas tab: The 80% rule	"Topics should share ~80% of your audience, and you stay there 80% of the time. Experiment with only 1 video in 4–5."	
Packaging tab: Packaging workflow, every video	Five steps: ≥10 titles first. Thumbnail brief: ~5 concepts. Shoot 10–30 shots per concept. ≥3 clearly different thumbnails in an A/B test. 10–20% of production time on packaging.	
Packaging tab: Title rules	Under ~60 characters. Words everyone knows. Complements the thumbnail, never repeats it. Title Case, no ALL CAPS. Written for people, not SEO (search is only 5–10% of views).	
Packaging tab: Test a title	A test box (example "I Tried Cold Calling For 30 Days"). Live chips appear: the character count (green under 60, orange above), "Avoid ALL CAPS", "Use Title Case", "Write for people, not SEO".	Type a title and read the chips. Nothing is saved.
Retention tab: The 45-second intro	Three steps: Deliver on the promise in the first 10 seconds. Create intrigue with minimal context. Flow straight into the video.	
Retention tab: Storytelling is useless without stakes. Add one:	Five chips: A doubter, A time limit, A reward, A punishment, Cost of not paying attention.	Hover a chip to read its hint.
Retention tab: Phrases that cause drop-offs	Orange chips: "at the end of the day", "without further ado", "welcome back", "before we get started", "make sure to subscribe". Note: views and the shape of the retention curve are the two metrics he trusts; drop-off moments are the same for core, casual and new viewers.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Mindset tab: The pendulum: focus in this order as you grow	1 Make it watchable. 2 Ideas + packaging. 3 Production quality.	
Mindset tab: Expectations	"Brands: commit 18–24 months before judging a channel. Kallaway: 1 video a week for 50 weeks, think in 3–5 years. Hire a YouTuber, not a videographer." Plus: judge each video against what you expected (its 1-of-10 rank), not your channel average.	

Frameworks & terms in this module

The YouTube track (50 weeks) Kallaway

Publish one long video every week for 50 weeks, with zero traction expected. The app counts each Monday–Sunday week with at least one published Long video piece of this brand. Make one small improvement per video.

Entrepreneur, not YouTuber Kallaway

You use YouTube as a free traffic source, like ads you do not pay for. Every video aligned with your offer is a sales agent that works 24/7 for years.

One long video ≈ 20 shorts in trust Kallaway (content minutes)

A 25-minute video watched for 8–10 minutes gives about 10 minutes of trust. A short watched for 30 seconds gives half a minute. So about 20 shorts equal one long video.

10K credibility line Kallaway

Around 10,000 subscribers, people start to trust a YouTube channel at first sight. About 10K at month 12 is typical when you post weekly.

Rule: Packaging first Kallaway

Lock the title before you script, while you are freshest. Most people edit for 20 hours, then make the title tired. Do the most important thing first.

Rule: Thumbnail ≤3 elements Kallaway

A thumbnail has at most 3 elements (for example a face, a big number, an arrow). It adds to the title and never repeats it. It must be readable at 1/16 size and in dark mode.

Desire loop Kallaway

The title must trigger a want: solve a pain, FOMO about missing the fix, or a benefit they desire. Or an unanswered question for entertainment.

Example: "The Cold Email Mistake Costing You Every Reply" (pain + FOMO).

Thumbnail → title → thumbnail → click Kallaway

How people decide: the eye locks on the thumbnail, reads the title for keywords, goes back to the thumbnail to confirm, then clicks. Use it to find which part fails.

Rule: Confirm the click (~5 seconds) Kallaway

The first ~5 seconds must restate the title's promise, so viewers know they are in the right place.

Rule: First payoff in 30–60 seconds Kallaway

Give the first real value (a dopamine hit) within 30–60 seconds. If your best part is late, move it earlier in the edit.

Clickbait yes, bait-and-switch never Kallaway

A strong, curious title is good. Promising something the video does not deliver is not. Bait, then give.

Rule: No YouTube links on other socials Kallaway

Posting your YouTube link on LinkedIn or X hurts click-through and watch time (those viewers leave fast). Email is fine because email readers are slower and committed.

Rule: Think in 3–5 years Kallaway

Do not start YouTube unless you expect to put 3–5 years in. A couple of thousand on-target views is already huge for a business.

YouTube core (clicks × watch time × satisfaction) Paddy Galloway

YouTube promotes videos that people click, watch long and feel good about. The click, which depends on packaging, is about half of the game.

CCN (Core, Casual, New) Paddy Galloway

Every video must work for three kinds of viewers at once: core fans, casual viewers and new viewers. Over-serving fans or chasing strangers both fail. “All roads lead to CCN.”

Example: Do not say “as I said last week”. Give new viewers the context inside the action instead.

CCN: Core fans Paddy Galloway

Your regulars who watch everything. The video must still delight them.

CCN: Casual viewers Paddy Galloway

People who watch 1 in 3 or 1 in 4 of your videos. They must get it instantly. They can become core fans.

CCN: New viewers Paddy Galloway

Everyone in your audience who has never seen you. A stranger with zero context must click and stay.

Glance test Paddy Galloway

Can the whole idea be understood in one second, in one line? Viewers give each video about 1 second on a feed. If you need a paragraph to explain it, the idea is not good yet.

Example: “I Tried Cold Calling For 30 Days” passes. “My thoughts on outbound strategy in 2026” fails.

Universal appeal Paddy Galloway

A big idea that interests both the biggest creator in the world and your mother, while staying inside your niche.

Click to unpause Paddy Galloway

Pose a question the viewer must click to answer, like a paused moment just before the action. If someone was about to do something important, would this make them watch first?

Idea sources (in order) Paddy Galloway

1 Your own past hits: remake them (the safest bet). 2 Outliers at 3–4× or more a channel's average, in your niche and adjacent niches. 3 New combinations of two existing things: about 20% of videos.

Outlier on YouTube (3–4×) vs short-form (5×) Paddy Galloway / Kallaway

Paddy counts a YouTube video as an outlier at 3–4× the channel's average. Kallaway uses 5× for short-form research. The idea is the same: a video that beat its own channel.

100 → 10 → 1 Paddy Galloway

Write about 100 ideas per video. Cut them to about 10 with elimination tests. Make a one-page idea slide for each finalist and pick the one you would bet your career on.

Idea slide Paddy Galloway

One page per finalist idea: a rough thumbnail sketch, 2–3 titles, a skeleton outline and a one-line logline.

Elimination tests Paddy Galloway

Yes/no gates that cut 100 ideas to about 10. If 30 survive, your tests are too soft; if 1–2 survive, too strict.

Elimination test: Can we package it? Paddy Galloway

Can you see a title and thumbnail you would click? This one test alone removes about two-thirds of ideas.

Elimination test: Glance test Paddy Galloway

Understood in one second.

Elimination test: CCN fit Paddy Galloway

Core, casual and new viewers all care.

Elimination test: 80% rule Paddy Galloway

The idea shares about 80% of your audience. Only 1 in 4–5 videos may be an experiment outside that.

Elimination test: Can we make it great? Paddy Galloway

Execution is realistic with your time, money and skills.

The 80% rule Paddy Galloway

Your topics should share about 80% of the same audience, and you stay in that zone 80% of the time. The other 20% (1 video in 4–5) is for experiments. Test: can 80% of people who watch this video also watch that one?

Packaging flow Paddy Galloway

The packaging workflow for every video: ≥10 titles first; a thumbnail brief of ~5 concepts; a shoot of 10–30 shots per concept; ≥3 clearly different thumbnails in YouTube's A/B test; 10–20% of production time on packaging.

Packaging step: ≥10 titles first Paddy Galloway

Write at least 10 titles before anything else. The thumbnail must complement the title, so the title comes first.

Packaging step: Thumbnail brief Paddy Galloway

About 5 thumbnail concepts written before the shoot. Concepts, not designs: sketches, stick figures or AI references are fine.

Packaging step: Shoot 10–30 shots per concept Paddy Galloway

Many photos per concept: angles, faces, emotions, lighting. You choose later.

Packaging step: ≥3 thumbnails in an A/B test Paddy Galloway

Design at least 3 clearly different thumbnails (a new shirt colour does not count) and load them in YouTube's native Test & Compare.

Packaging step: 10–20% of production time Paddy Galloway

Packaging drives about half the result but should take 10–20% of the total time. One thumbnail swap took a video from 1K to 40K views a day.

Title rules Paddy Galloway

Under ~60 characters. Words everyone knows (no jargon unless your niche needs it). Complement the thumbnail, never repeat it. Title Case, no ALL CAPS (harder to read). Written for people, not SEO: search is only 5–10% of views.

Title tester (live title check) bishOS, based on Paddy Galloway

The app checks a title as you type: over 60 characters (warning), words in ALL CAPS longer than 3 letters (tip), more than one word that should be capitalised (Title Case tip), and SEO words like “SEO” or “keyword” (tip). It is a guide; a great long title can still win.

The 45-second intro Paddy Galloway

An intro under about 45 seconds in three moves: deliver on the promise in the first 10 seconds, create intrigue with minimal context, and flow straight into the video. Miss the promise and 60–70% of viewers can leave in 10 seconds.

Intro: Deliver on the promise (10 seconds) Paddy Galloway

Reaffirm the title and thumbnail, ideally visually: “You made the right choice. Look at this.”

Intro: Create intrigue with minimal context Paddy Galloway

Give only the context they need and drip-feed the rest. Open small curiosity gaps.

Example: “This is an FBI agent. He has 24 hours to catch me. Go.”

Intro: Flow straight into the video Paddy Galloway

No “welcome back”, no throat-clearing. “The best intro doesn't feel like an intro.”

Stakes Paddy Galloway

“Storytelling is useless without stakes.” A stake makes leaving feel like a loss. Stack more than one. The stake must fit the video; for teaching videos, use the cost of not knowing.

Stake: A doubter Paddy Galloway

Someone says it cannot be done.

Example: "My co-founder said cold calling is dead. I gave it 30 days."

Stake: A time limit Paddy Galloway

A ticking clock.

Example: "48 hours to fix our churn before the board meeting."

Stake: A reward Paddy Galloway

What is won if it works.

Example: "If this works, we hit $10K MRR."

Stake: A punishment Paddy Galloway

What is lost if it fails.

Example: "If this fails, we shut down the product."

Stake: Cost of not paying attention Paddy Galloway

What the viewer misses by leaving.

Example: "This one pricing mistake costs most SaaS founders $50K a year."

Drop-off phrases Paddy Galloway

Words that make viewers leave because they signal an ending or filler: "at the end of the day", "without further ado", "welcome back", "before we get started", "make sure to subscribe". The script check in workflow step 5 flags them.

The two metrics Paddy trusts Paddy Galloway

Views (they include the click, the watch and the satisfaction) and the shape of the retention curve (where people drop off). CTR and average view duration can mislead.

The pendulum Paddy Galloway

What to focus on, in order, as you grow: 1 make it watchable, 2 ideas + packaging, 3 production quality. Most brands wrongly obsess over "how can I make it look better?"

Pendulum 1: Make it watchable Paddy Galloway

Clear audio, a clear story, no drop-off traps. Just good enough to watch.

Pendulum 2: Ideas + packaging Paddy Galloway

Where the views actually come from. Master this before buying cameras.

Pendulum 3: Production quality Paddy Galloway

4K, more angles, better sets. Only after steps 1 and 2 work.

YouTube expectations Paddy Galloway / Kallaway

Brands should commit 18–24 months before judging a channel. Kallaway says 1 video a week for 50 weeks and a 3–5 year view. With a budget, hire a YouTuber (someone who grew a channel), not a classic videographer.

1-of-10 prediction Paddy Galloway

Before you publish, predict where the video will rank by views among your last 10 uploads, for hour 1, day 1 and week 1. Then judge it against your prediction, not your channel average.

Example: You expect a 2/10. It lands 6/10 on day 1: under expectation, so change the thumbnail.

Good data vs no data vs bad data Paddy Galloway

Good data is better than no data: do not touch a video that beats expectation. No data is better than bad data: if it clearly underperforms, change the thumbnail (then the title) now; do not “give it more time”. Never make 10 title changes on day 1.

How to test it

1. Open the Playbook, YouTube long-form. Click This week. Expected: toast “Weekly YouTube track started. One video a week, 50 weeks.” and the metrics appear.
2. Publish a piece with format Long video. Expected: This week shipped? shows Yes, Shipped / 50 shows 1 and the first square turns green.
3. Open the Paddy Galloway panel and switch through Ideas, Packaging, Retention and Mindset. Expected: each tab shows its content.
4. On Packaging, type “HOW I GOT 100 CUSTOMERS WITH COLD EMAIL AND LINKEDIN IN 2026 SEO” in Test a title. Expected: an orange character warning and tips for ALL CAPS and SEO.
5. Type “I Tried Cold Calling For 30 Days”. Expected: a green chip with the character count only.
6. Click Reset and confirm. Expected: the Start the weekly track box returns.

Tips

- Write titles on a Monday when you are fresh. Script on Tuesday. The packaging-first rule is the biggest single lever.
- Never skip a week, even with a smaller video. The streak and the reps matter more than one perfect video.
- Use the 80% rule: keep 4 of 5 videos inside your proven topics, and let 1 be an experiment.

CONTENT

Playbook 6–7: iterate and convert

Section 6 (Iterate) scores your last reps like a business and shows what to fix next. Section 7 (Convert) explains how attention becomes money: the four funnel switches, the trust ladder, the aligned funnel and content minutes.

Why it helps: Views are not money. Iterate tells you which brick to fix so each rep is better than the last. Convert makes sure every video has a ramp from rented followers to your owned email list, and then to an offer.

Daily	After every published rep: log numbers and do its post-mortem (weak brick + next fix).
Weekly	Read Your last reps in Iterate. Check the Research cadence reminders.
Monthly	Check that every video has one aligned CTA ramp and that leads are logged.

6 · Iterate (After every rep) `/content?tab=playbook#pb-iterate`

See your last 10 reps with their business numbers, the advice for each, and the order in which to diagnose a flop.

HOW TO USE IT

1. After each rep, open it from Your last reps and log its numbers.
2. Read the advice chip (3s hold or rank).
3. If it flopped, walk the 3 diagnosis steps in order and mark the first one that fails as the weak brick.
4. Write the next fix. The next rep carries it.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Why box	“The sauce is the distance between reps. After every rep, name the weak brick and fix 1–2 things next time.” and “Data is a lagging indicator. The leading indicator is following the principles while you make the video.”	
Score it like a business	Three tiles: #1 Emails / video, #2 Followers / video, #3 Views / video. Each is the average over your last reps that have numbers. Your chosen KPI tile has a dark outline. Hint: “Emails per video > followers per video > views.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
Your last reps	Your last 10 published pieces. Each row: the title (link), format, relative date, and “rank of N” (1-of-10 rank among your last 10 in the same format family). Then emails, follows and views, or “Log numbers →”. Then chips: “72% at 3s” (shorts, coloured by the hold rule), “Study it” / “Mid pack” / “Repackage” (long videos, by rank), “Weak: <brick>”, “Next fix: …”, or “Add post-mortem →”. An advice line explains the chip.	Click a title or a “→” link to open the piece and log numbers or write the post-mortem. Empty state: “Publish a rep and log its numbers.” with “Open the board”.
Diagnose a flop, in this order, every time	Three steps: 1 Was the topic validated? 2 Was the angle non-obvious? 3 Did the hook land? Hint: “Topic first, then angle, then hook. Hook rate and skip rate are icing, not cake.” Under step 3: green chips Transformation, Impossibility, Addiction, A new thing exists; orange chips × Opening with “If you…”, × Fear framing, × Multi-sentence hooks before the point.	
Research cadence	Two reminders: Own-channel audit (every 2 weeks: your winners first, remake them) with Open → Analytics. Niche scan (every 3–4 weeks: outliers from your watchlist, last 3 months, >2% engagement) with “last watchlist check: …” and Open → Watchlist.	Click Open.
Read the signals right	Five rules: No breakout after 3 batches of 10? It's almost always substance or hooks. A smooth retention decline is normal; abnormal drops mean confusion or visuals that don't match the words. Shorts: ≥70% still watching at 3s is a banger; under 50% is a hook problem. YouTube: rank each video among your last 10; bottom 4 means your only live lever is title + thumbnail. Data confirms; it lags. Get a peer one level above you to review your inputs.	

7 · Convert (Always on) `/content?tab=playbook#pb-convert`

Make sure attention turns into emails and sales: four multiplied switches, an owned stack, an aligned funnel, the trust ladder and content minutes.

HOW TO USE IT

1. Make sure your lead magnet is named and typed (Positioning).

2. Set a business KPI: Emails per video, $ per view or Conversions per view.
3. In every piece, pick one CTA ramp in workflow step 6 and stack 2+ trust rungs.
4. Log leads in each piece's numbers so this section can see them.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Why box	“Views aren't money. Value is captured at the offer, so every video needs a ramp from rented attention to an owned email list.” and “Followers are rented; emails are owned. Ramp people from rented to owned as fast as you can.”	
The attention conversion funnel	Four cards joined by × signs: Bullseye signal, Trust, Clear ramp, Aligned offer. Hint: “Four switches, multiplied. Any one at zero makes the whole thing zero.”	
Your owned stack	Short form (the cash cow: broad, eager viewers, the most sign-ups) and Long form (the GOAT: ~10 ideas and ~10 minutes of trust per video) both point to Email (owned): “Each feeds email on its own. Don't cross-promote short ↔ long.” It shows emails logged from your last reps. Footer: “Solo? Start with short form. With a team? Long form.”	
The aligned funnel	Six steps: 1 Content (aggravate one pain in the video), 2 Lead magnet (your magnet's name and type, green when set; else “The band-aid for that exact pain”), 3 Keyword DM / page (“Comment STORY” → collect the email), 4 Email + nurture, 5 Low-ticket (same problem, deeper solve), 6 High-ticket (same problem, done-with-you). Hint: the problem never changes from the first video to the high-ticket offer.	
Aligned funnel rules	Three rules: One lead magnet per video, tightly aligned to that video's pain. Less is more: promise one click to the answer; name it like copy. Native embeds, not ad breaks.	
CTA ramp chips	Lead magnet (email), Sales page, Call / DM, Follow / series, None this time, then “· one ramp per video”.	Hover a chip to read its hint.

ELEMENT	WHAT IT IS	HOW TO USE IT
The trust ladder	Eight rungs, rung 1 the strongest: 1 Warm endorsement, 2 Proof of audience, 3 Demonstration, 4 Group testimonials, 5 Personal results, 6 Borrowed proof, 7 Cold testimonial, 8 Third-party stat. Hint: stack 2+ rungs in every video; higher pain needs less trust. Note: “No proof yet? Demonstrate ability: ~2 non-obvious light-bulb moments per video, video after video.”	
Content minutes	Three tiles: “4–5 min earns a follow”, “~90 min makes a superfan”, “1 = 20: one long-form ≈ 20 shorts in trust”. Rules: bingeability with numbered series; profile-grid covers; stack a buffer before promising a daily series.	

Frameworks & terms in this module

Score it like a business (KPI ranking) Kallaway

For business games, rank results in this order: emails per video, then followers per video, then views. Views alone do not pay.

Iterate diagnostics Kallaway / Paddy Galloway, bishOS

For each recent rep the app gives one chip and one line of advice: shorts get the 3-second hold rule; long videos get the 1-of-10 rank rule. Plus the weak bricks and next fix from the post-mortem.

3s hold benchmark Kallaway

The share of viewers still watching a short at 3 seconds. ≥70%: banger hook (green). 50–69%: OK, aim for 70%+ (blue). Under 50%: hook problem; check the visual stop, the context and the contrast (orange).

The 1-of-10 rank rule Kallaway (with Paddy Galloway's 1of10 idea)

Rank a long video by views among your last 10 (the app needs at least 3). 1–3: “Study it”, let it run and study what you did. 4–6: “Mid pack”, usually a smaller idea audience, don't beat yourself up. 7–10: “Repackage”, your only live lever is the title and thumbnail.

Flop diagnosis order Kallaway

When a piece flops, check in this order every time: 1 Was the topic validated by an outlier? 2 Was the angle non-obvious (shock score high enough)? 3 Did the hook land (3s hold ≥70% for shorts; CTR and first 30 seconds for YouTube)? The first “no” is your weak brick.

Icing, not cake Kallaway

Hook rate, skip rate and small retention blips are icing. If a video flopped, its hook rate will be low anyway. The cake is the topic, the angle and the hook.

Hooks that work Kallaway (analysis of his top hooks, Oct 2026)

Four patterns that win in Kallaway's own hook data: Transformation, Impossibility, Addiction, A new thing exists.

Hook that works: Transformation Kallaway

Before → after: take one thing and turn it into another.

Example: "Here's how to turn a blank page into a sales machine."

Hook that works: Impossibility Kallaway

Something that sounds impossible.

Example: "Here's how to make your demo so clear it's impossible to say no."

Hook that works: Addiction Kallaway

Something people cannot stop doing.

Example: "Here's how to get your users addicted to your onboarding."

Hook that works: A new thing exists Kallaway

Shock that a new thing exists: "This just came out…".

Example: "OpenAI just released a free tool that writes your sales follow-ups."

Hooks that fail Kallaway

Three patterns that lose: opening with "If you…" (conditional openers never win in his data), fear framing ("this will never work for you if…", lean to optimism instead), and multi-sentence hooks before the point.

Signals rule: 3 batches of 10 Kallaway

If you shipped 3 batches of 10 and nothing broke out, the cause is almost always the substance (your ideas and angles) or your hooks.

Smooth decline vs abnormal drops Kallaway

A retention curve that slowly goes down is normal. A sudden drop means confusion, or visuals that do not match the words at that moment. Fix that moment.

Data is a lagging indicator Kallaway

Numbers only confirm, later. The leading indicator is following the principles while you make the video. Get a peer one level above you to review your inputs.

Own-channel audit Kallaway

Every 2 weeks, look at your own pieces: which topics, hooks and formats won? Remake your winners first.

Niche scan Kallaway

Every 3–4 weeks, scan your watchlist for new outliers (last 3 months, more than 2% engagement).

The attention conversion funnel (4 funnel switches) Kallaway

Four switches that multiply: Bullseye signal × Trust × Clear ramp × Aligned offer. Any switch at zero makes sales zero, no matter how many views you get.

Funnel switch: Bullseye signal Kallaway

Lines 1–2 of the video make it unmistakably a solution to THEIR pain. Viewers sort content into “solution”, “entertainment” or “irrelevant”; only the solution bucket buys.

Example: “If you're a founder still doing every sales call yourself, this is for you.”

Funnel switch: Trust Kallaway

Stack 2 or more rungs of the trust ladder in the video.

Funnel switch: Clear ramp Kallaway

One off-ramp per video, tightly aligned with the topic. Like an exit to New York after an hour of talking about New York.

Funnel switch: Aligned offer Kallaway

An offer priced below the flip point, that gives the buyer about 10× return within 30 days.

Flip point Kallaway

The price where the buyer's risk becomes bigger than the reward they expect. Price below it, or above it with a guarantee.

10× rule Kallaway

The buyer should get about 10 times what they paid within 30 days. That makes the decision easy.

Owned stack (rented → owned) Kallaway

Followers on platforms are rented: the platform can cut your reach. Emails are owned. Short form (the cash cow) and long form (the GOAT) each feed email on their own. Then: content → lead magnet (keyword DM) → page → low-ticket → high-ticket, on the same problem. Solo: start short form. With a team: long form.

Short form: the cash cow Kallaway

Broad, eager viewers. It brings the most email sign-ups, because a short cannot deliver all the value inside the video.

Long form: the GOAT Kallaway

“Greatest of all time.” About 10 ideas and 10 minutes of trust per video. Best for deep trust and high-ticket buyers.

The aligned funnel Kallaway

Six steps on the SAME problem: content → lead magnet → keyword DM or page → email + nurture → low-ticket → high-ticket. The problem never changes along the way. “That's what the real pros are doing.”

Example: Video: “Your cold emails get no replies.” → free “5 cold email templates” → $49 cold email course → done-with-you outbound program.

Aligned funnel step: Content Kallaway

Aggravate one pain in the video: “cut them, give them the band-aid.”

Aligned funnel step: Lead magnet Kallaway

The band-aid for that exact pain, free, in exchange for an email.

Aligned funnel step: Keyword DM / page Kallaway

"Comment STORY and I'll send it." A tool like ManyChat replies with the link and collects the email. Or a simple landing page.

Aligned funnel step: Email + nurture Kallaway

Keep sending value. An email is not ownership yet: you earn trust over time, or wait until they have the problem.

Aligned funnel step: Low-ticket Kallaway

A cheap product: the same problem, a deeper solve.

Aligned funnel step: High-ticket Kallaway

An expensive program: the same problem, done-with-you (or done-for-you).

Lead magnet rules Kallaway

One lead magnet per video, aligned to that video's pain ("give me your email" gets nothing). Less is more: promise one click to the answer, not a 10-page PDF. Name it with power words, like copywriting.

Native embeds Kallaway

Weave your offer or lead magnet into the content as the answer to the current topic, early and often. Not an ad break: cutaways and "we'll be right back" break the spell and viewers leave.

Example: "If you want the exact template I use for this, it's free below."

Trust Ladder Kallaway

Eight kinds of proof, from strongest (rung 1) to weakest (rung 8). Stack 2+ rungs in every video. The more painful the problem, the less trust you need.

Rung 1: Warm endorsement Kallaway

Someone they already know and respect vouches for you.

Example: A well-known founder in your niche says "talk to Bish".

Rung 2: Proof of audience Kallaway

A real, big following.

Example: "To my 50K LinkedIn followers..."

Rung 3: Demonstration Kallaway

You show your ability inside the video itself.

Example: You rewrite a viewer's cold email live and explain each change.

Rung 4: Group testimonials Kallaway

Named clients and their results.

Example: "Acme, Beta and Gamma each doubled demo bookings with this."

Rung 5: Personal results Kallaway

Your own numbers or screenshots.

Example: A screenshot of your startup's MRR chart.

Rung 6: Borrowed proof Kallaway

A famous person's framework you use.

Example: "This is Hormozi's value equation, applied to SaaS pricing."

Rung 7: Cold testimonial Kallaway

One stranger's review.

Rung 8: Third-party stat Kallaway

A study or a statistic.

Example: "A HubSpot study found…"

Demonstration of ability (light-bulb moments) Kallaway

No proof yet? Give about 2 non-obvious insights per video ("oh wow, I never thought of that"), video after video. Enough of them can equal the trust that proof gives. Copied ideas add zero trust.

CTA ramps Kallaway

The five kinds of off-ramp. Use exactly one per video: Lead magnet (email), Sales page, Call / DM, Follow / series, None this time.

CTA ramp: Lead magnet (email) Kallaway

His favourite: a free resource aligned with the topic, in exchange for an email.

Example: "Comment PLAYBOOK and I'll DM you the free template."

CTA ramp: Sales page Kallaway

Send them to buy. For a low-ticket offer or when trust is already high.

Example: "The full system is linked in my bio."

CTA ramp: Call / DM Kallaway

For high-ticket offers: "comment X / DM me".

Example: "DM me AUDIT if you want us to do this for you."

CTA ramp: Follow / series Kallaway

Bingeability: "part 2 next". Builds content minutes.

Example: "Follow for part 2 tomorrow."

CTA ramp: None this time Kallaway

A pure trust-building rep with no ask.

Content Minutes Kallaway ("the most important framework in all of content")

People must watch a certain number of minutes of your content before they act. One minute watched = one block. About 4–5 minutes earns a follow; about 90 minutes turns a stranger into a superfan; bigger purchases need more minutes. Only minutes watched by people who trust you and have the problem count.

Example: A $97 product may need about 8–12 minutes. If a new viewer binges 8 of your shorts in one session, they may buy that day.

Bingeability Kallaway

Make people watch several pieces in one session, so content minutes stack fast. Numbered series (“Day 4 of 30”) make people go back for 1–3.

Profile-grid covers Kallaway

Covers on your profile grid tell a visitor what each video is and what to click next. Most shares happen in DMs, where only the cover shows.

How to test it

1. Publish a short and log 7d numbers with Views 2,000, Follows 20, Leads 3 and 3s hold % 75. Open the Playbook, Iterate. Expected: the rep shows 3 emails, 20 follows, 2k views and a green “75% at 3s” chip.
2. Log a short with 3s hold % 40. Expected: an orange chip and the line “Hook problem — under 50% at 3s…”.
3. Without a post-mortem, the row shows “Add post-mortem →”. Mark a weak brick in that piece's Post-mortem step. Expected: the row shows “Weak: <brick>” and the Iterate summary counts it as reviewed.
4. Click Open next to Own-channel audit. Expected: the Analytics tab opens.
5. In Convert, with a lead magnet named in Positioning, check step 2 of The aligned funnel. Expected: it shows your magnet's name and type with a green tint.
6. Set the KPI to Emails per video and log a rep with leads. Expected: Convert shows 3/3 funnel basics and completes.

Tips

- Always log Leads in the numbers. Without them, Convert and Score it like a business cannot see what pays.
- Diagnose topic first. Most founders blame the hook when the real problem was an unvalidated topic.
- One video, one problem, one magnet. Narrow lead magnets beat one big “everything” PDF.

CONTENT

Piece editor

Every piece opens in its own editor. The main column has the 8-step Video workflow, the Hook, the Brief and the Script. The sidebar has the details, the publish checklist, performance numbers, the lesson, the repurpose tree, linked inspiration and the source note.

Why it helps: One page holds everything about a piece, from the first hook to the 30-day numbers. Everything saves by itself, the checklist protects quality, and the numbers and lesson make the next piece better.

Daily	Open the piece you are working on. Write the hook, brief and script. Publish through the checklist. Log numbers when due.
Weekly	Open last week's hub and repurpose it into 5–10 children.

Piece editor: header and main column `/content/[id]`

Edit the title, change the stage, publish, repurpose, and write the hook, brief, script and call to action.

HOW TO USE IT

1. Do the Video workflow steps first (idea gate, angle, hook, structure).
2. Write or pick the hook. Tag its type.
3. Fill the brief: audience, one idea, angle, proof.
4. Pick a template and write the script. Run Tighten script.
5. Write the call to action.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Title (input)	The working title at the top. Placeholder: “Working title”.	Click and type. It saves when you pause or click away.
← Content Studio	Back link to the Studio.	Click.
Brand, format, Hub and pillar badges	Small badges under the title: the brand, the format, a Hub badge (if hub) and the pillar with its colour.	
Save status	“Saving…”, “Saved”, or “Couldn't save. Retrying on next edit.” (orange). Every text field autosaves.	
Stage chip	The current stage with six progress dots.	
Stage (select)	All 14 stages. For text formats, Ready to record, Recorded and Editing are greyed out.	Pick a stage. A publish stage opens the Publish checklist dialog if items are open.

ELEMENT	WHAT IT IS	HOW TO USE IT
Next-stage button (for example “Script →”)	Moves one stage forward. Hidden when the next stage would publish (use Publish instead).	Click.
Publish	Shown until the piece is published. Moves it to Published through the checklist gate.	Click. Finish the checklist or choose Publish anyway.
Repurpose	Shown for hubs. Opens the Repurpose dialog. Highlighted once the hub is published.	Click.
Delete piece (trash)	Deletes the piece after a confirm (“This can't be undone.”) and returns to the Studio.	Click, then confirm.
Video workflow	Kallaway's 8-step workflow panel. See the two Video workflow sections of this guide.	
Hook	Section hint: “The first 2 seconds / first line. Worth 10 minutes of your time.” A big box: “Write the line that stops the scroll…”.	Type your hook. It saves by itself.
Hook library (button)	Opens a pop-up of your saved hooks: a search box, type filter chips, and a list (hook text, type, number of uses, note). Empty library: “Add 10 starter templates”. Footer: “Manage library →” (opens the Hooks tab in Inspiration).	Click a hook to put it in the Hook box. Its type is set too and its use count goes up by one. Press Escape or click outside to close.
Hook type chips	16 chips: Secret reveal, Case study, Comparison, Education, Personal experience, Problem, Curiosity, Contrarian, Result, Question, Mistake, Myth, List, Story, How-to, Before/after. Hover shows a hint.	Click one to tag the hook. Click again to remove the tag.
10 hook variations	AI: writes 10 new hooks for this piece, leaning toward the tagged type.	Click. Read the AI box that appears.
Hook variations (AI box)	A numbered list of 10 hooks with their type. Each has Use and a bookmark button (save to hook library).	Click Use to replace your hook (and its type). Click the bookmark to save one to your library. Click × to dismiss.
Save to library	Shown when the hook box has text. Saves your hook to the hook library.	Click. Toast: “Hook saved to library” or “Already in your hook library”.
Brief	Section hint: “Who it's for, the one idea, the angle, the proof you'll use.” A box with the prompts “Audience: … One idea: … Angle: … Proof: …”.	Fill the four lines.

ELEMENT	WHAT IT IS	HOW TO USE IT
Simple explanation	AI button, shown when a source note is linked or the brief has more than 20 characters. Tooltip: “Explain it simply, flag jargon, draft 3 short posts”.	Click it.
Simple explanation (AI box)	A plain explanation, “Insert into brief” and “Copy”; “Jargon to define (or gaps to learn)” chips; and 3 short post drafts, each with an angle chip (TIL, mistake or myth-bust), “Create as seed” and “Copy”.	Insert the explanation into your brief. Click Create as seed to turn a draft into a new Text post at stage Seed (toast: “Seed created · It's in your Ideas column”).
Script	Section hint: “N words · ≈ X spoken at 150 wpm”. A large writing area: “Write the script here. Pick a template above to start from a proven structure.”	Write the script. Use one sentence per line for the best checks.
Template… (select)	Seven script templates: Kallaway · Personal narrative, Kallaway · Breakdown, Kallaway · YouTube long-form, Hook → Problem → Insight → Proof → CTA, Listicle, Story, Tutorial.	Pick one. An empty script gets the template. A full script gets it added below a --- line (toast: “Template added below your script”).
Tighten script	AI: cuts filler, hedges and repeats (about 20–30% shorter), keeps your voice and CTA. Needs at least 30 characters.	Click.
Tightened script (AI box)	The new word count (and the old one), the spoken time, the tightened text, “Accept & replace” and “Copy”.	Click Accept & replace to swap your script (toast: “Script replaced”), or Copy to take parts.
Draft repurposed posts	AI: drafts 5–10 platform-native posts (short video scripts, LinkedIn or X posts, one carousel, one X thread) from this script. Needs 40+ characters of script or brief.	Click.
Repurposed drafts (AI box)	Each draft has a format badge, a platform chip, a title, the full text, “Create as child piece” and “Copy”.	Click Create as child piece: a new piece at stage Script, linked to this one as its child, with the same pillar and campaign. The button then says Created.
Word count line	“N words · ≈ X” at the right under the script.	
Call to action	One field for your CTA. Placeholder: “e.g. Comment “TEMPLATE” and I'll send it”.	Type the exact words of your ask.

Piece editor: sidebar `/content/[id] (sidebar)`

Set the piece's details, pass the publish checklist, log performance, write the lesson, manage children, link inspiration and the source note.

HOW TO USE IT

1. Set brand, pillar, format and platforms first.
2. Pick a publish date.
3. Tick the checklist as you go, then click Publish.
4. Paste the Live URL.
5. After 1, 7 and 30 days, log numbers. After the 7-day numbers, write the lesson.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Details: Brand	Personal or Company.	Click one. It saves at once.
Details: Pillar	Pillars of this brand (plus the current one).	Pick one.
Details: Format	The 9 formats.	Pick one. The checklist and workflow adapt to it.
Details: Platforms	Nine chips: LinkedIn, Instagram, TikTok, YouTube, YouTube Shorts, X, Facebook, Newsletter, Blog.	Click to turn each on or off.
Details: Hub piece	A switch: “The weekly long piece you cut into 5–10 short ones”.	Click to turn on or off.
Details: Publish on	The planned date with a relative-day hint (or “Pick a day; drag it around in the calendar later.”). An × clears it. After publishing it becomes “Published on”.	Pick a date. Change “Published on” if the real day was different.
Details: Live URL	The link to the live post. An open-link button appears when filled.	Paste the link after publishing.
Details: Campaign	Links the piece to a campaign (“None”, or “No campaigns yet”).	Pick one.
Publish checklist	The count (n/total), a bar and every item for this format with its hint. Auto items say “Done automatically”. Before publishing: a Publish button. After: a green “Published <day>” box with “Recycle <month year>”.	Tick items as you finish them. Click Publish.
Performance	Hint: “Snapshots at 24h, 7d and 30d, compared to your own median.” Before publishing: “Numbers unlock once it's published.” After: the latest views and window, the ratio chip (or “Median appears after 2+ pieces”) and “Your median: N (short videos, 7d)”.	
Window switch (24h / 7d / 30d)	Which snapshot you edit. A green dot marks windows that have data.	Click a window.

ELEMENT	WHAT IT IS	HOW TO USE IT
Views, Likes, Comments, Shares, Saves, Follows, Leads	Number fields for the snapshot. Views is required.	Type numbers. 1.2k and 3m work too. Enter saves.
3s hold %	Shown for every format except Long video: the % of viewers still watching at 3 seconds.	Type a percentage, for example 72.
Avg view	Average view duration.	Type seconds (83) or m:ss (1:23).
CTR %	Shown for Long video: the impressions click-through rate.	Type a percentage, for example 6.5.
Advice note	For shorts with a 3s hold: the hold rule (banger, OK or hook problem). For long videos with a rank: "#N of your last M long videos." and the 1-of-10 advice.	
Tip: 1.2k and 3m work too.	A reminder that short number formats are accepted.	
Clear 24h	Deletes the snapshot of the selected window.	Click.
Save 24h	Saves the selected window (label follows the window).	Click. Toast: "24h numbers saved".
Outlier! Save hook to library	Shown at ×1.2 your median or more when the piece has a hook.	Click to save the winning hook with a note like "×1.8 your median".
Lesson	One line you will reuse. Hint before publishing: "Fill this in after the 7-day numbers." After: "Why did it work (or not)? One line you'll reuse."	Type, for example "Specific numbers in the hook doubled the saves".
Recycle now	Shown after publishing. Creates a fresh copy ("Recycle · <title>") and opens it.	Click.
Repurpose tree	The parent hub (if this is a child), this piece ("this"), and its children with stage chips. "+N siblings from the same hub" for children. Empty: "No children yet. Cut this hub into shorts, posts and a thread." or "Standalone piece. Make it a hub to cut it into 5–10 short pieces."	Click a row to open that piece. Click "Repurpose…" (hub) or "Make it a hub" (turns Hub on and opens the dialog).
Inspiration	Linked swipes: platform and creator, an "N× outlier" chip (green at 3×+), the hook, "Why:" and "Steal:". "Library →" opens Inspiration.	Pick from "+ Link a saved swipe…" to link one. Click × on a swipe to unlink it.

ELEMENT	WHAT IT IS	HOW TO USE IT
Source	The note this piece came from, plus chips for the learning area (“Learning: …”) and the campaign.	Pick from “+ Link a source note…”. Click × to remove the note. Click the note title to open it.

Repurpose this hub `/content/[id] (Repurpose dialog)`

Cut a hub into child pieces in one click (hub and spoke).

HOW TO USE IT

1. Open a hub and click Repurpose.
2. Adjust counts and platforms.
3. Pick Brief and click Create N pieces.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
One hub, many spokes.	Intro: each child is created as a draft linked to the hub, with the same pillar and brand.	
Format rows	One row per format with a count from 0 to 10. Defaults: Short video 3 (TikTok, Instagram, YouTube Shorts), Carousel 1 (Instagram, LinkedIn), Text post 3 (LinkedIn, X), Thread 1 (X), Newsletter 0, Article 0. Rows at 0 are faded.	Click − or + to change a count.
Platform chips (per row)	Shown when the count is above 0.	Click to turn platforms on or off for that format.
+ Add another format…	Adds a row for a format not in the list.	Pick a format.
Children start in	Idea or Brief (default Brief). Brief children get a brief “Cut from the hub …” with the hub's hook.	Click one.
Cancel / Create N pieces	Creates the children (max 40). Titles look like “Short video 2 · <hub title>”.	Click Create.

Frameworks & terms in this module

> **Autosave** bishOS
> Every text field saves by itself shortly after you stop typing, and when you click away. Dates keep a local draft so typing a date is never garbled.

Brief (Audience, One idea, Angle, Proof) bishOS

Four lines that plan a piece: who it is for, the single idea, your angle (your take), and the proof you will show.

Example: Audience: seed SaaS founders. One idea: the founder closes the first 20 deals. Angle: a sales hire too early kills learning. Proof: our first 20 deals and what we learned.

Speaking-time estimate (150 wpm) bishOS

The app counts words (ignoring markdown headings) and assumes you speak 150 words a minute. 150 words ≈ 1 minute.

Script templates Kallaway + bishOS

Seven proven skeletons you can insert into the script. Three are Kallaway's, four are classic structures.

Template: Kallaway · Personal narrative Kallaway

Hook (lean · but · snapback) → The problem I had → What I tried → Why it failed → What actually worked → If you have this problem… (native CTA) → Last line (write it first). The hottest short-form format now: one-of-one, AI cannot copy it.

Template: Kallaway · Breakdown Kallaway

Hook (≤4 seconds to first value) → Context / shock (the highest shock-score fact) → What happened / how it works (each line answers the last question and opens the next) → Why it matters (for THEM) → Outro (last line + CTA).

Template: Kallaway · YouTube long-form Kallaway

Packaging (lock title and thumbnail before scripting) → Intro in 5 moves (confirm the click ~5 s, common belief, your contrarian take, proof, the plan) → Point 1: your SECOND-best point (context → how → why + re-hook) → Point 2: your BEST point → Points 3+ toward a climax → Outro (recap, free dessert, native CTA).

Template: Hook → Problem → Insight → Proof → CTA bishOS (classic direct-response structure)

The default for short video and posts: the line that stops the scroll, the problem in their words, the one idea that changes how they see it, your proof, one clear next step.

Template: Listicle bishOS

Hook ("N things that…") → 5 numbered tips, each with why it works → Payoff (which one matters most) → CTA.

Template: Story bishOS

Hook (drop into the moment: time, place, something going wrong) → Tension → Turn → Lesson framed for them → CTA (ask about their version).

Template: Tutorial bishOS

Hook (the promise: how to get X in Y time without Z) → Why it matters → Steps → Result → CTA.

Second-best point first Kallaway

In a long video, put your second-best point first and your best point second, then the rest toward a climax. You hook them early and keep a peak for when attention dips.

Free dessert Kallaway

End a long video with a small unexpected bonus, so viewers leave on a high.

Simple explanation (Feynman technique) Richard Feynman

Explain an idea so simply that a 12-year-old understands it. If you cannot, you found a gap in your own understanding. The AI flags jargon to define or learn.

Post angle: TIL Learning in public

“Today I learned”: one lesson you just learned, shared simply.

Post angle: mistake bishOS

A mistake you made and what it cost. Tagged with hook type Mistake when created as a seed.

Post angle: myth-bust bishOS

A common belief, and why it is wrong. Tagged with hook type Myth when created as a seed.

Child piece bishOS

A piece linked to a parent hub. Created by the Repurpose dialog, by “Create as child piece” on an AI draft, or by Recycle (a recycled copy is a child of the original).

Siblings bishOS

Other children of the same hub. The repurpose tree shows how many there are.

Live URL bishOS

The link to the published post. Store it so you can open the live piece in one click when you log numbers.

Campaign bishOS

A marketing campaign from the Founder area. Linking pieces to a campaign groups the content that supports it.

Median basis bishOS

“Your median” uses your other pieces in the same format when you have 3+ of them at that window, otherwise all formats. The ratio needs at least 1 other published piece with views.

3s hold % Kallaway

The percentage of viewers still watching at 3 seconds (from your platform's analytics). The best single number for a short's hook. ≥70% banger, under 50% problem.

Avg view (AVD) Paddy Galloway

Average view duration: how long people watch on average. Paddy Galloway warns it rises just by making longer videos, so read it with the retention curve.

CTR Kallaway / Paddy Galloway

Click-through rate on YouTube: the % of people who saw the thumbnail and clicked. Noisy: big audiences have lower CTR. Best-in-class is about 10–12%.

Lesson bishOS

One reusable line on why a piece worked or not, written after the 7-day numbers. Lessons are copied into recycled pieces and next reps.

How to test it

1. Open any piece. Change the title and wait a second. Expected: “Saved” next to the badges.
2. Click Hook library with an empty library, then Add 10 starter templates. Expected: toast “10 starter hooks added”. Click one: it fills the Hook box.
3. Click a hook type chip. Expected: it turns dark. Click again: it clears.
4. Pick the Template “Story” on an empty script. Expected: the story skeleton fills the script; the word count updates.
5. With 40+ characters of script, click Draft repurposed posts. Expected: an AI box with drafts; Create as child piece makes a child (toast “Child piece created”) and the Repurpose tree lists it.
6. Turn on Hub piece and click Repurpose. Set Short video to 2, others to 0, click Create 2 pieces. Expected: a reward toast and two children in the tree.
7. Publish the piece. Expected: Performance shows the Numbers editor. Type 1.2k views in 24h and Save 24h: toast “24h numbers saved”.
8. For a short, type 75 in 3s hold % and save. Expected: a green note “Banger hook — ≥70% held at 3s.”
9. Click Recycle now. Expected: a new “Recycle · <title>” piece opens with the lesson in its brief.
10. Link a saved swipe from “+ Link a saved swipe…”. Expected: toast “Inspiration linked” and the swipe card in the sidebar.

Tips

- Write the hook last-but-one: do the angle first in the workflow, then the hook flows from it.
- Paste the Live URL right after publishing. It makes logging numbers much faster later.
- Use “Create as seed” on the Simple explanation drafts to test small ideas before making a hub.

CONTENT

Video workflow 1–4: idea gate, angle, hook, structure

Every piece has a Video workflow panel: Kallaway's 8-step process as a guided, autosaving checklist. This part explains the panel and steps 1–4: Idea gate, Angle & facts, Hook, Structure.

Why it helps: Most videos fail before the first word is filmed: a weak idea, an obvious angle or a slow hook. Steps 1–4 test the idea, find your contrarian angle and shock facts, build a hook with the 3-step formula, and pick a proven story shape.

Daily For every piece, before you write the script: do steps 1–4 (about 20–30 minutes once you know them).

Video workflow panel `/content/[id] (Video workflow panel)`

The 8-step panel at the top of every piece. It guides you step by step and shows your progress.

HOW TO USE IT

1. Open a piece. The first unfinished step is already open.
2. Fill the step, then click Mark "<step>" done.
3. Repeat until step 7. After publishing, do step 8.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Progress ring (n/8)	Steps done out of 8. Green at 8/8.	
Video workflow	The panel title. Below: "Kallaway system", plus " + Paddy Galloway for YouTube" on Long video pieces, and the save status.	
Collapse / Expand (arrows button)	Folds the panel to a thin bar of 8 segments (green = done). The app remembers your choice in this browser.	Click it.
Step row	Each step shows a round check, its number, its label and a one-line summary of what you filled (or a hint when empty), plus a chevron.	Click the label to open or close the step. Click the round check to mark it done or not done.

ELEMENT	WHAT IT IS	HOW TO USE IT
Steps 1–8	1 Idea gate (“Does this idea earn a rep?”), 2 Angle & facts (“Topic, contrarian angle, shock facts, emotion”), 3 Hook (“Visual stop → context → contrast”), 4 Structure (“Pick the story shape, write the last line first”), 5 Script & retention (“Live linter, storylocks, one-question chain”), 6 Convert (“Signal, trust, one ramp, aligned offer”), 7 Packaging (“What earns the click (or the share)”), 8 Post-mortem (“Which brick was weak? Fix it next rep”).	
Lock icon (Post-mortem)	Step 8 is locked until the piece is published (“Unlocks after you publish”). On long videos you can still open it to predict your rank.	
Mark “<step>” done	A button at the bottom of an open step.	Click it. The step folds and the next unfinished step opens.
Workflow complete	When all 8 are done: a celebration “Workflow complete · that's a full rep”. Board cards show the n/8 ring.	

Step 1 · Idea gate `/content/[id] (Workflow step 1 · Idea gate)`

Six yes/no checks. Nothing else matters if the idea is weak.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Does this idea earn a rep?	The step heading. Hint: “Nothing else matters if the idea is weak. Tick what's true.” A counter shows n/6 (green at 6).	
Passes the avatar filter	“Would my one ideal viewer find this useful or interesting?”	Click the row to tick it.
Validated by an outlier	“A 5×+ video (yours first, then 10K–1M creators) proves the topic.” Pre-ticked when the piece was made with Remix.	Tick when you have the outlier.
Non-obvious contrarian angle	“What do most people believe that I disagree with?”	Tick when you have a take.
A key visual exists	“No good visual for the first 3–5s? Make one or drop the idea.”	Tick when you know what they will see first.
Every point is unique	“Measure twice, cut once.”	Tick when no point is generic.

ELEMENT	WHAT IT IS	HOW TO USE IT
Worth a $1,000 rep?	“If this video cost $1,000, would you still make it?”	Tick if yes.
Outliers first note	Shown until “Validated by an outlier” is ticked: “Outliers first: remake your own winners, then 10K–1M creators' winners.” with a link “Open your swipe file”.	Click the link to open Inspiration.
This idea passes the gate.	A green note when all 6 are ticked: “Mark the step done and find your angle.”	

Step 2 · Angle & facts `/content/[id] (Workflow step 2 · Angle & facts)`

Write the topic and angle, turn a common belief into your contrarian take, collect 5–10 shock facts and pick one target emotion.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Topic	“One sentence: what this video is about”.	Type one sentence.
Topic bucket	Your 3-2-1 buckets (name · broad or narrow), “Chaos agent (a creative bet)”, or “No bucket”. Note: “3-2-1: 3 buckets × 2 a week + 1 chaos agent.” or, with no buckets, “Set up your 3-2-1 buckets in the Content playbook.”	Pick the bucket. The 3-2-1 plan in the Playbook counts it when you publish.
Angle	Hint: “Premise + your take + the key facts.” Placeholder: “The lens only you can bring to this topic”.	Type 1–2 lines.
Belief → your take	Hint: “What do most people believe that I disagree with?” Two boxes with an arrow: “Common belief: most people think…” → “Your contrarian take: actually…”.	Write the belief on the left and your take on the right.
Save take to my vault	Shown when the take box has text. Adds the take to your contrarian take vault (Playbook, Positioning).	Click. Toast: “Added to your contrarian vault”.
Shock facts	Hint: “Shock Score: out of 100 people, how many haven't heard this? Aim for 5–10 high-shock, true facts.” A counter “n facts · aim 5–10” (green from 5 to 10, orange above 10).	
Fact row	The fact text (editable), a remove ×, a slider from 0 to 100 and the score chip (green at 70+). The list is sorted by score, highest first.	Edit the text. Drag the slider to set the shock score; the list re-sorts when you let go.

ELEMENT	WHAT IT IS	HOW TO USE IT
More than 10 warning	"More than 10: keep the most shocking ones, the rest dilute the script."	
Add a fact, take or implication… (Enter)	A box to add a fact. New facts start at score 50.	Type and press Enter, or click +.
Find shock facts	AI: proposes 8 shock-fact candidates for your topic. Needs a topic of 4+ characters.	Click.
Shock-fact candidates (AI box)	An orange warning: "Verify before using. AI facts can be wrong or out of date." Then each candidate: score, fact, why it shocks, and an Add button (Added after you click).	Check each fact against a source. Click Add for the ones you can defend.
Target emotion	Six chips: Awe / inspiration, Amusement / humor, Excitement / joy, Anger / outrage, Surprise / curiosity, Sadness / empathy. Hint: "Write it at the top of the page and reread the script through it."	Click one (click again to clear).
Sweet spot note	"The sweet spot: things people don't believe, but can believe quickly once you say it. That aha is the contrast."	

Step 3 · Hook `/content/[id] (Workflow step 3 · Hook)`

Build the hook: pick a shape, write it with the 3-step formula, check power words, write the text hook, plan the key visual and audio, and audit it.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
The 3 jobs of a hook, in order	Three cards with arrows: Job 1 Visual stop, Job 2 Context in the first sentence, Job 3 Contrast. Below: "The 200-point arc: lean them to the common belief (+100), then flip to your take (−100)."	
Pick a shape	A switch between "6 archetypes" and "9 formats".	Click one.
Archetype cards	Six cards: Fortune Teller, Experimenter, Teacher, Magician, Investigator, Contrarian. Each shows its contrast, its steps (with arrows) and "Best for: …".	Click a card to pick it (click again to clear).

ELEMENT	WHAT IT IS	HOW TO USE IT
Format cards	Nine cards: Secret reveal, Case study, Comparison, Question, Education, List, Contrarian, Personal experience, Problem. Each shows an example line. A blue “fits <structure>” chip appears when it fits the structure you picked in step 4.	Click a card. It also sets the piece's hook type tag.
3-step hook builder	Hint: “2–4 short lines. Each line makes them need the next one.” If you picked an archetype, a note repeats its steps.	
Quick-pick a pattern that works (from his own hook data)	Four chips: Transformation, Impossibility, Addiction, A new thing exists. Each inserts a starter line into line 1.	Click one. If line 1 already has text, the app asks before replacing it.
Line 1 · Context lean-in	Hint: “Topic in the first sentence, then lean them toward the common belief: common ground, a pain or benefit, a metaphor or a mind-blowing fact.” The placeholder shows your common belief from step 2.	Write the first line.
Line 2 · Scroll-stop interjection	Hint: “One stunning line, usually opening with But / However / Yet.”	Write the turn.
Line 3 · Contrarian snapback	Hint: “Still on topic, the opposite of the lean. The bigger the honest shock, the stronger the snap.” The placeholder shows your contrarian take from step 2.	Write the flip.
Start from my belief → take	Shown when step 2 has a belief and a take but lines 1 and 3 are empty. Copies them into lines 1 and 3.	Click.
Preview	Your 3 lines joined, the word count and the spoken time (about 2.5 words per second). A green chip “The piece's hook” when it matches the Hook box.	Click “Use as the piece's hook” to copy it into the piece's Hook (toast: “Piece hook updated”).
“If you…” warning	Shown when the hook starts with “If you…”: conditional openers never win in his data. Lead with the transformation, the impossible thing or the new thing instead.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Power words (detected live)	Six chips: Subject, Action, Objective, Contrast (required) and Proof, Time (marked "opt"). Green with a tick when the app detects one; orange when a required one is missing. A counter shows "required n/4". It reads the builder lines, or the piece's hook if the builder is empty.	Rewrite until the four required chips are green. It is a smart guess, not a grade.
Avoid: ...	"Avoid: Opening with 'If you…' · Fear framing · Multi-sentence hooks before the point."	
Text hook	Hint: "The on-screen title text: bigger words, not your captions." A box "3–5 words, max 2 lines", live checks (word count, more than 2 lines, punctuation, connector words) and the 4 text hook rules.	Write 3–5 words and fix what the checks flag.
Key visual	Hint: "What they SEE in the first 2 seconds: visuals land before words." Placeholder: "e.g. I pull a $40K invoice off the printer".	Describe the first image.
Visual hook category chips	Graphic / text overlay, Pattern interrupt / visual switch, Subject moves in/out of frame, VFX / transition, Striking visual selection.	Click the category that fits.
Minimum viable visual: at least one in the first 2s	Four checks: Attractive or unique-looking person; Recognizable person or brand; Atypical visual for the category; Atypical layout. A counter turns green at 1.	Tick the ones your first 2 seconds have.
Audio	"Music mood, sound effects, the first sound they hear".	Type a short note.
Hook audit	Hint: "Visual, spoken and text hooks should all say the same thing." Seven checks with hints: Alignment, Speed to value, Clarity, Curiosity, Stakes, Relevance, 100% absorption. A counter n/7.	Tick each check that is true.
Write it in all 6 archetypes	AI: writes your topic as a 3-line hook plus a text hook in each of the 6 archetypes. Needs a topic.	Click.
Your topic in 6 archetypes (AI box)	Six cards: the archetype, its text hook, the three lines, and Use.	Click Use to put that hook (and its text hook) into the builder (toast: "<Archetype> hook inserted").

ELEMENT	WHAT IT IS	HOW TO USE IT
Audit my hook	AI: scores your spoken hook (with your text hook and key visual) on 7 criteria and writes a better version. Needs 8+ characters.	Click.
Hook audit (AI box)	A one-line verdict, 7 scores out of 10 with bars and notes, “Failure modes found” chips (delay, confusion, irrelevance, disinterest) with reasons, and an “Improved rewrite” with its text hook.	Click “Use rewrite” to put it in the builder. Click “Tick the checks that scored 7+” to tick those audit rows.

Step 4 · Structure `/content/[id] (Workflow step 4 · Structure)`

Pick a proven story shape, insert its outline into the script, choose the visual layout, and write the last line first.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
From your remix note	Shown when a remix copied a structure text that is not one of the 8: “From your remix: …. Pick the closest structure below.”	
Structure cards	Eight cards: Personal narrative, Breakdown, Newscaster, Case-study explainer, Listicle, Problem-solver, Tutorial, YouTube long-form (with a “Long-form” chip). On Long video pieces, YouTube long-form comes first.	Click a card to pick it (click again to clear).
Blocks	The numbered blocks of the picked structure.	
Hook formats that fit	Chips with the hook formats that suit this structure. An orange line warns when your step 3 format is not a usual fit.	Click a chip to set that hook format.
Insert outline into script	Adds the blocks to your script as headings. It pre-fills the hook block with your 3 lines, the packaging block with your chosen title and thumbnail, and the last block with your last line. After that it says “Outline is in your script”.	Click. Then fill each block in the Script section.
Visual format	Hint: “The layout brick: hold it constant while you're learning.” A box and seven chips: Talking head + captions, Green screen, Split screen, POV vlog, In-the-world, Faceless text + B-roll, Screen recording.	Click a chip or type your own layout.

ELEMENT	WHAT IT IS	HOW TO USE IT
Write your last line first	Hint: “The memorable ‘last dab’: worth sharing, and in shorts it loops back to your first line.” Placeholder: “The line they'll repeat to a friend”. Below, your first line is shown with “Does the last line loop back to it?”	Write the last line before the middle.

Frameworks & terms in this module

The 8-step video workflow Kallaway (pre-post checklists), bishOS

Kallaway's per-video process: 1 Idea gate, 2 Angle & facts, 3 Hook, 4 Structure, 5 Script & retention, 6 Convert, 7 Packaging, 8 Post-mortem. It saves inside the piece.

Idea gate Kallaway

Six checks an idea must pass before you spend a rep on it: avatar filter, validated by an outlier, non-obvious contrarian angle, a key visual exists, every point is unique, worth a $1,000 rep.

Idea gate: Passes the avatar filter Kallaway

Would your one ideal viewer find this useful, interesting or valuable? If not, don't make it, even if it could go viral.

Idea gate: Validated by an outlier Kallaway

A video at 5× or more (your own first, then 10K–1M creators) already proved people want this topic.

Idea gate: Non-obvious contrarian angle Kallaway

You disagree with something most people believe, and you can defend it.

Idea gate: A key visual exists Kallaway

You know the visual for the first 3–5 seconds. No good visual? Make one (graphics, B-roll) or drop the idea.

Idea gate: Every point is unique Kallaway

No generic points. If a point is not unique, research more or kill the video: “measure twice, cut once”.

Idea gate: Worth a $1,000 rep? Kallaway

Imagine each video costs $1,000. Would you still pay for this one? It stops you from wasting reps on weak ideas.

Topic Kallaway

One sentence on what the video is about. Topic is LEGO brick 1. An idea = topic + angle.

Example: “How to close your first 10 B2B customers without a sales team.”

Topic bucket (on a piece) Kallaway, bishOS

Which of your 3-2-1 buckets this piece belongs to, or the chaos agent. Publishing a tagged piece fills a dot in the Playbook's 3-2-1 plan.

Angle Kallaway

Your unique lens on the topic: the premise, your take and the key facts. LEGO brick 2. Data picks the topic; creativity picks the angle.

Example: Topic: first 10 customers. Angle: "Your network is a trap; cold outbound teaches you the market faster."

Common belief vs contrarian take Kallaway

Write what most people think, then what you think instead. The distance between them is the contrast that makes people curious. Your take must be true and pay off.

Example: Belief: "You need a big network to get first customers." Take: "Strangers give more honest feedback than friends, so cold outreach wins early."

Law of Interesting Kallaway

Interesting = shock value = the distance between what the viewer already believes and what you tell them.

Shock score Kallaway

A number from 0 to 100 for each fact: out of 100 people in your audience, how many have NOT heard this (or would not have believed it)? Higher is more shocking. Collect 5–10 true facts with high scores.

Example: "Most SaaS churn happens in the first 30 days" might score 40. "Our best customers came from our worst cold emails" might score 85.

The shock sweet spot Kallaway

Say things people don't believe, but can believe quickly once they hear the reason. Not random trivia, not unbelievable claims. That "aha" is the contrast.

Target emotions Kallaway

Pick one emotion you want the viewer to feel and write it at the top of the script. Then reread the script through that emotion. Emotion makes people share and buy.

Emotion: Awe / inspiration Kallaway

"Wow, that is possible?" Big results, bold journeys.

Emotion: Amusement / humor Kallaway

They laugh or smile. Light, relatable moments.

Emotion: Excitement / joy Kallaway

They feel energy and hope. Wins, launches, new tools.

Emotion: Anger / outrage Kallaway

They feel something is unfair or wrong. Use with care; great for comments.

Emotion: Surprise / curiosity Kallaway

They did not expect that and want to know more. The default for education.

Emotion: Sadness / empathy Kallaway

They feel your struggle. Honest failure stories.

The 3 hook jobs Kallaway

A great hook does three jobs, in this order: 1 Visual stop, 2 Context in the first sentence, 3 Contrast.

Hook job 1: Visual stop Kallaway

A thumb-stopper that looks different from the feed. Visuals land before words, so the first frame must stop the scroll.

Example: You walk into frame holding a giant printed invoice, instead of sitting at a desk.

Hook job 2: Context in the first sentence Kallaway

Say who or what this is about at once. Dropping people into the middle of a story ("the jump was crazy" — who? what?) confuses them, and confusion makes them leave.

Hook job 3: Contrast Kallaway

The difference between what they expect and what you show. Lean them to the common belief, then flip it. Contrast creates curiosity, and curiosity holds attention.

The 200-point arc Kallaway

A viewer starts at 0. Jumping straight to your contrarian take moves them 100 points. First lean them to the common belief (+100), then flip to your take (−100): a 200-point arc, twice the surprise.

Example: "Everyone says you should hire a salesperson first (+100). But that's the fastest way to kill a startup. The founder must close the first 20 deals (−100)."

Direct vs implied contrast Kallaway

Direct contrast states the belief and then flips it (stronger). Implied contrast only states the surprising side and lets the viewer fill in the belief (weaker).

The 6 hook archetypes Kallaway

Six ways to create contrast in a hook within about 5 seconds. Any topic can be written in all six. Pick the one that fits your key visual best.

Archetype: Fortune Teller Kallaway

Contrast: present vs future. Steps: current reality → how the future changes → tease that future. Best for news, product innovation, authority on the future.

Example: "Today you hire SDRs. In 2 years, AI agents will book your demos. Here's what that means for you."

Archetype: Experimenter Kallaway

Contrast: "I tried a new way". Steps: the base pain → I tried a new method or tool → why it works better. Best for product demos, B2B tools, new frameworks.

Example: "I hated writing follow-ups. So I tried a 3-line follow-up for 30 days. Replies went up 2×."

Archetype: Teacher Kallaway

Contrast: a lesson learned. Steps: the pain → my learnings or method → why the steps work. Best for building expert authority.

Example: "Pricing was our biggest mistake. Here are the 3 rules we use now, and why they work."

Archetype: Magician Kallaway

A visual or verbal "stun gun": a signature visual, sound or phrase that stops the scroll. You stack it on any other archetype.

Example: You always open by slamming a laptop shut and saying "Check this out."

Archetype: Investigator Kallaway

Contrast: a secret they don't know. Steps: tee up the secret → frame it against their not-knowing. Best for research and leading-edge positioning.

Example: "There's a free setting in LinkedIn that 90% of founders never turn on."

Archetype: Contrarian Kallaway

Contrast: the opposite of conventional wisdom. Steps: find what you believe that most don't → say it directly. Best for experts in crowded spaces.

Example: "Stop building an MVP. Sell the product before you write a line of code."

The 9 hook formats Kallaway

Nine proven sentence structures for the spoken hook. Archetypes describe the kind of contrast; formats describe the sentence. Each niche usually has 1–2 formats that win; find them in outliers and remix them like a fill-in-the-blank.

Format: Secret reveal Kallaway

An unknown insight or a new release.

Example: "[Company] just released [N] free [thing] that make [outcome] way faster."

Format: Case study Kallaway

Someone got a result in an unexpected way. Very strong for educators.

Example: "[Person] just did [result] in [time] using this [N]-step method."

Format: Comparison Kallaway

A vs B, beginner vs expert, good vs bad.

Example: "Beginner founder vs experienced founder."

Format: Question Kallaway

Plants the question directly in their head.

Example: "Can you [do X] in under [time] using only [Y]?"

Format: Education Kallaway

Opens a step-by-step for one task. Comes before a tutorial.

Example: "Here's the easiest way to use [tool] to [task]."

Format: List Kallaway

An ordered set of items.

Example: "These are the [N] best [things] for [goal]."

Format: Contrarian Kallaway

A bold take in the first sentence. Drives comments.

Example: "Most people think [belief]. They're wrong."

Format: Personal experience Kallaway

A first-person story setup.

Example: "When I was [context], I used [technique] to [result]."

Format: Problem Kallaway

Agitates a known pain, then promises a fix.

Example: "If you struggle with [pain], this is one obvious fix."

3-step hook formula (builder lines) Kallaway

Kallaway's "mega tip": a hook of 2–4 short lines that builds a curiosity loop. Line 1 Context lean-in, line 2 Scroll-stop interjection, line 3 Contrarian snapback. Each line makes them need the next one.

Example: 1 "The Vegas Sphere has the biggest screen on earth." 2 "But the screen is the least impressive part." 3 "The real story is the audio."

Context lean-in Kallaway

Line 1. Give the topic in the first sentence so people can opt in or out, then lean them toward the common belief with common ground, a pain or benefit, a metaphor or a mind-blowing fact. Lead with their benefit or pain.

Scroll-stop interjection Kallaway

Line 2. One short, stunning line that sets up the flip. It usually starts with a contrast word: But, However, Yet, Turns out.

Contrarian snapback Kallaway

Line 3. Still on topic, but the opposite of where line 1 leaned. The bigger the honest shock, the stronger the snap. It must be true and pay off.

Hook starters (patterns that work) Kallaway

Four starter lines from his own data: Transformation "Here's how to turn [before] into [after]." Impossibility "Here's how to make your [thing] so [quality] it's impossible to [skip / ignore]." Addiction "Here's how to get [your viewer] addicted to [the thing]." A new thing exists "[Company] just released [new thing] that [outcome]."

Power words (6 hook power words) Kallaway

The anatomy of a strong spoken hook. Four are required (Subject, Action, Objective, Contrast), two are optional (Proof, Time). Proof and time can move to lines 2 and 3.

Example: "We (subject) grew (action) our SaaS from 0 to 100 customers (objective + contrast) again (proof) in 90 days (time)."

Power word: Subject Kallaway

Who it is about: I, we, you, or a proper noun. Required.

Power word: Action Kallaway

A verb: what happened. Required.

Power word: Objective Kallaway

The end result. The more shocking and non-obvious, the better. Required.

Power word: Contrast Kallaway

The base state vs the new state (0 → 100K). Often overlaps the objective. Required.

Power word: Proof Kallaway

A word that proves it, like “again”. Matters more for education than entertainment. Optional.

Power word: Time Kallaway

A time frame: “in 5 months”, “in 90 days”. Adds urgency. Optional.

Copy work (hook practice) Kallaway

Take top hooks from outliers in your niche, label the six power-word slots in each, then swap in your topic. Do 10–30 a week to train your hook instinct.

Text hook Kallaway

The big title text on screen in the first seconds. It is not your captions. Text is read faster than speech, so it must say the same thing as the spoken and visual hooks.

Example: “Founders sell first”.

Text hook rules Kallaway

3–5 words, max 2 lines. On screen about 3 seconds, a third from the top, never over your face. No punctuation (quotes and parentheses are fine), no connector words (and, or, that, but, so…). Formula: the subject word + a pain reminder, a dream-outcome tease or a future change.

Key visual Kallaway

The image people see in the first 2 seconds. Find it before you write the hook; if there is no good visual, manufacture one or drop the idea.

Visual hook categories Kallaway

Five ways to make the first frame stop the scroll: Graphic / text overlay; Pattern interrupt / visual switch; Subject moves in or out of frame; VFX / transition; Striking visual selection. Principle: motion, colour, contrast, aligned with the words. Start simple: move yourself, the visual or the text.

Visual hook: Graphic / text overlay Kallaway

A bold graphic or text on top of the video.

Visual hook: Pattern interrupt / visual switch Kallaway

A sudden change of shot, angle or scene that breaks the feed's rhythm.

Visual hook: Subject moves in/out of frame Kallaway

You walk into or out of the shot. The brain notices motion.

Visual hook: VFX / transition Kallaway

A visual effect or a creative transition.

Visual hook: Striking visual selection Kallaway

Simply choosing a very unusual or beautiful image.

Minimum viable visual Kallaway

The least your first 2 seconds need: at least one of an attractive or unique-looking person, a recognisable person or brand, an atypical visual for the category, or an atypical layout.

MVV: Attractive or unique-looking person Kallaway

A person people want to look at, or who looks different.

MVV: Recognizable person or brand Kallaway

A face or logo people already know (Elon Musk, Apple).

MVV: Atypical visual for the category Kallaway

Something unusual for your niche, like a founder video shot on a rooftop instead of an office.

MVV: Atypical layout Kallaway

An unusual screen layout, like a split screen or text on a mirror.

Audio hook Kallaway

The first sound they hear: music mood and sound effects. Part of LEGO brick 7.

Hook audit Kallaway

Seven checks for the finished hook (Kallaway's 4 commandments, 4 S's and final questions, merged): Alignment, Speed to value, Clarity, Curiosity, Stakes, Relevance, 100% absorption.

Hook audit: Alignment Kallaway

Visual, spoken and text hooks all say the same thing; each predicts the others.

Hook audit: Speed to value Kallaway

The topic in 1–2 seconds and the first value in about 4 seconds (short) or 30–60 seconds (YouTube). No fluff openers.

Hook audit: Clarity Kallaway

One subject, one question. The line can only mean one thing. No wordplay.

Hook audit: Curiosity Kallaway

Am I curious enough to hear sentence two?

Hook audit: Stakes Kallaway

Why should they care: a desired outcome (education) or a curiosity scenario (entertainment).

Hook audit: Relevance Kallaway

“You/your”, not “I/me”. Need-to-have for the viewer, not nice-to-have.

Hook audit: 100% absorption Kallaway

The viewer understands every word on the first listen: about 6th-grade words, active voice. Cut fluff, not clarity. Absorption rate is “the most important thing in content”.

Hook failure modes Kallaway

Four reasons hooks fail: Delay (the topic arrives late), Confusion (too many words, passive voice, more than one meaning), Irrelevance (not about the viewer's problem), Disinterest (no contrast, so no curiosity).

Story structures (the 8) Kallaway

Proven story shapes (LEGO brick 4): Personal narrative, Breakdown, Newscaster, Case-study explainer, Listicle, Problem-solver, Tutorial, and YouTube long-form.

Structure: Personal narrative Kallaway

Hook → The problem I had → What I tried → Why it failed → What actually worked → If you have this problem… The hottest short-form format: one-of-one, AI can't copy it. Fits: Personal experience, Problem, Contrarian hooks.

Structure: Breakdown Kallaway

Hook → Context / shock → What happened / how it works → Why it matters → Outro. Explains how something works. Fits: Secret reveal, Question, Comparison, Contrarian.

Structure: Newscaster Kallaway

Hook → Full context → Your short take → Outro. For fresh news in your niche. Fits: Secret reveal, Question, Comparison, Contrarian, Problem.

Structure: Case-study explainer Kallaway

Hook → The framework (2–4 parts) → Outro. A reflection on how someone got a result (analysis, not a how-to). Fits: Case study, Question, Comparison.

Structure: Listicle Kallaway

Hook → Item 1 → Item 2 → Item 3 → Outro. 3–5 independent items: each stands alone. Fits: List, Problem.

Structure: Problem-solver Kallaway

Hook → Problem (agitate) → Solution → Outro. One pain, one fix. Fits: Problem, Question, Contrarian.

Structure: Tutorial Kallaway

Hook → Step 1 → Step 2 → Step 3 → Result + outro. Dependent steps toward one outcome (unlike a list, the steps need each other). Fits: Education.

Structure: YouTube long-form Kallaway

Packaging (title locked + thumbnail concept) → Intro: confirm the click (~5 s) → Intro: the common belief → Intro: your contrarian take → Intro: proof + the plan → Point 1 (your second-best) + re-hook → Point 2 (your best) + re-hook → Points 3+ descending to a climax → Outro: recap + free dessert + native CTA. First payoff in 30–60 s, a re-hook every 60–90 s.

Visual format layouts Kallaway

LEGO brick 5, the screen layout: Talking head + captions (you on camera), Green screen (you in front of a screenshot or image), Split screen (two videos side by side), POV vlog (filmed from your point of view, moving), In-the-world (filmed on location), Faceless text + B-roll (no face, only text over footage), Screen recording (your screen). Hold it constant while you learn.

Last line first (the last dab) Kallaway

Write the ending before the middle. The last line should be memorable enough to repeat to a friend, and in shorts it loops back to the first line so people rewatch.

Outline insert bishOS

“Insert outline into script” turns the structure's blocks into ## headings in your script and pre-fills what you already wrote (hook lines, chosen title and thumbnail, last line).

How to test it

1. Open a piece. Expected: the Video workflow panel shows 0/8 and step 1 is open.
2. Tick all 6 Idea gate checks. Expected: a green note “This idea passes the gate.” and the counter 6/6 in green.
3. Click Mark “Idea gate” done. Expected: step 1 folds, step 2 opens, the ring shows 1/8.
4. In step 2, type a topic, a belief and a take. Click Save take to my vault. Expected: toast “Added to your contrarian vault”.
5. Add a fact with Enter. Expected: it appears with score 50. Drag its slider to 80 and release: the list re-sorts and the chip turns green.
6. Click Find shock facts. Expected: an AI box with up to 8 candidates and a verify warning. Click Add on one: it joins your list.
7. In step 3, click the Contrarian format card. Expected: it shows a tick; the piece's hook type becomes Contrarian.
8. Click Start from my belief → take. Expected: lines 1 and 3 fill from step 2; the Preview shows the hook and its word count.
9. Type “If you want more leads” in line 1. Expected: the orange “If you…” warning.
10. Click Use as the piece's hook. Expected: toast “Piece hook updated” and the chip “The piece's hook”.
11. Type “How Founders Close, And Win!” in Text hook. Expected: tips for punctuation and the connector word “and”.
12. Click Audit my hook. Expected: an AI box with 7 scores. Click Tick the checks that scored 7+: those audit rows get ticked.
13. In step 4, pick Listicle, then Insert outline into script. Expected: toast “Outline added to your script” and ## headings in the Script section; the button now says “Outline is in your script”.
14. Collapse the panel, reload the page. Expected: it stays collapsed.

Tips

- Spend your time on steps 1–3. A great idea with a great hook survives an average script; the reverse is not true.
- Write the hook in all 6 archetypes (AI) and pick the one that matches your best visual.

- Keep the four required power words green. Subject, action, objective, contrast: that is most of a hook.

CONTENT

Video workflow 5–8: script, convert, packaging, post-mortem

Steps 5–8 of the Video workflow: a live script check with retention tricks, the conversion setup (trust and one CTA ramp), packaging for shorts or YouTube, and the post-mortem that turns this rep into a better next rep.

Why it helps: A good idea still dies if people leave in the middle, if there is no ramp to your email list, or if nobody clicks. The post-mortem closes the loop: you find the weak brick and the app starts the next rep with your strong bricks held.

Daily Steps 5–7 while you write and before you publish. Step 8 after the 24h or 7d numbers are in.

Step 5 · Script & retention `/content/[id] (Workflow step 5 · Script & retention)`

Check the script live as you type, add word-level retention tricks, climb the dopamine ladder and audit the one-question chain.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Live script check	Hint for shorts: “Short-form rules: loop opener every 20–30s, first value in ~4s.” For long videos: “Long-form rules: loop opener every 60–90s, first payoff in 30–60s.” Before you write: “Write the script in the Script section below. This step checks it live as you type.”	
Word, time and grade chips	Word count, spoken time (≈ at 150 words a minute) and the reading grade (orange above grade 8).	
Check list (warn / tip / good)	Live findings, warnings first: drop-off phrases; “and then” count; hedge words; contrast words (missing or good); loop openers needed vs found; sentence rhythm; reading level; too much I/me and too little you; too long for a short (over ~75 s). Orange triangle = warning, blue bulb = tip, green check = good.	Edit the script in the Script section and watch the list update.

ELEMENT	WHAT IT IS	HOW TO USE IT
Storylocks	Hint: “Word-level retention tricks. ‘Looks done’ = spotted in your script.” Nine checks: Term branding, Embedded truths, Thought narration, Negative frames, Loop openers, Contrast words, But / therefore never “and then”, Jagged rhythm, Last line written first. A green “looks done” chip appears when the app spots one in your script. Counter n/9.	Tick each lock you used.
Dopamine ladder	Hint: “Levels 1–4 are the message, 5–6 the messenger.” Six numbered buttons: Stimulation, Captivation, Anticipation, Validation, Affection, Revelation, each with a hint. Counter n/6.	Click each level your script delivers. It turns green with a tick.
One-question chain	Hint: “Each line answers the last line's question and opens exactly one new one.” Button “Audit the question chain” (AI). Needs 3+ lines of script: “one sentence per line works best”.	Click the button.
One-question chain (AI box)	A summary and “N lines to fix” (or “No broken links”). A timeline of your lines: each shows “Answers: …” and “Opens: …”, with orange chips “opens 0”, “opens 2+” or “chain broken” and a fix. “Only the first 45 lines were checked.” when the script is long. Then “Loop openers for this script”: 3 phrases with a copy button.	Rewrite flagged lines. Copy a loop opener into your script.

Step 6 · Convert `/content/[id] (Workflow step 6 · Convert)`

Set up how this piece turns attention into trust and emails: the funnel switches, trust rungs, one CTA ramp and its exact words.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
The 4 funnel switches	Hint: “They multiply: any switch at zero makes sales zero.” Four cards: 1 Bullseye signal, × 2 Trust, × 3 Clear ramp, × 4 Aligned offer.	
Trust ladder	Hint: “Stack 2+ rungs in the video. Rung 1 is the strongest.” Eight checks (rung number + name + hint). Counter “n used · aim 2+” (green at 2).	Tick the rungs this piece shows.

ELEMENT	WHAT IT IS	HOW TO USE IT
CTA ramp	Hint: “One off-ramp per video, tightly aligned with the topic.” Five chips: Lead magnet (email), Sales page, Call / DM, Follow / series, None this time. The ramp's hint shows below. With Lead magnet picked: “Your <brand> lead magnet: <name>”.	Click one ramp.
CTA text	The exact words of your ask. The placeholder changes with the ramp, for example “Comment “PLAYBOOK” and I'll DM you the free template”.	Type it, then click “Use as the piece's CTA” (it becomes “The piece's CTA”). It fills the Call to action field.
Native embed note	“Weave the offer in as the answer to the topic, not an ad break. e.g. ‘If you want the exact template I use for this, it's free below.’ Early and often, wherever it fits naturally.”	

Step 7 · Packaging `/content/[id] (Workflow step 7 · Packaging)`

Make sure the piece earns the click (YouTube) or the share (shorts). Short-form and long-form show different tools.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Clickbait yes, bait-and-switch never.	A blue note at the top: “Bait, then give: the intro must confirm the click and pay it off early.”	
Short-form packaging (shorts and other formats)	Hint: “Short form has no packaging step: the hook IS the package. These three still matter.” Checks: Custom cover; First caption line = curiosity title; Part of a series / grid makes sense. Counter n/3.	Tick each one.
First caption line	Hint: “Written like a headline with a curiosity loop: it shows above the fold.” Example: “The $0 hiring trick nobody uses”.	Type it.
Series	Hint: “Bingeability: seeing part 4 makes a profile visitor go back for parts 1–3. Stack a buffer before you promise a daily series.” A series name and an episode number. Shows “On the cover: <series> · #N”.	Type the series name and number.

ELEMENT	WHAT IT IS	HOW TO USE IT
Title lab (Long video)	Hint: “≥10 titles first, before anything else. Pick the one you'd bet your career on.” A counter n/10 (green at 10) and a Paddy Galloway chip. Each title shows its character count, live tips (over 60 characters, ALL CAPS, Title Case, SEO) and Use (or “In use”) and remove.	Type a title and press Enter. Click Use on the best one.
Chosen YouTube title	Hint: “Trigger a desire loop: solve a pain, FOMO about missing the fix, or a benefit they want. Shorter wins.” The title field, live checks and the 5 title rules.	Type or pick from the lab.
Thumbnail brief	Hint: “~5 concepts, not designs. Each ≤3 elements and adds to the title instead of repeating it.” A counter n/5. Each concept warns if it has more than 3 elements or repeats the title.	Type a concept like “face + big number + arrow” and press Enter. Click Use on the best.
Chosen thumbnail concept	Hint: “Thumbnail → title → thumbnail → click. Readable at 1/16 size in dark mode, bottom-right corner clear.” A box (one element per line or comma) with the element count and a repeat warning.	Write the concept.
YouTube packaging checklist	Seven checks: Title locked BEFORE scripting; Title triggers a desire loop; Thumbnail ≤3 elements, adds to the title (never repeats it); Readable at 1/16 size, in dark mode; 3 thumbnail variants for A/B test; Intro confirms the click in ~5s; First payoff in 30–60s.	Tick each one.
Big-video tests	Paddy Galloway's four checks: Works for Core, Casual and New; Passes the 1-second glance test; Universal appeal inside your niche; A question you must click to answer.	Tick each one.
The 45-second intro	Hint: “60–70% can leave in the first seconds if the promise isn't confirmed.” Three checks: deliver on the promise in 10 seconds, intrigue with minimal context, flow straight into the video.	Tick each one.
Stakes	Hint: “Raise the stakes so leaving feels like a loss.” Chips: A doubter, A time limit, A reward, A punishment, Cost of not paying attention.	Click the stakes your video uses.

Step 8 · Post-mortem `/content/[id] (Workflow step 8 · Post-mortem)`

After publishing: read the numbers, find the weak brick in the right order, write the fix and start the next rep. Long videos also predict their 1-of-10 rank before publishing.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Locked note (shorts)	Before publishing: “Unlocks after you publish. Log the numbers (with the 3-second hold %) in Performance, then come back to find the weak brick.”	
Predict your 1-of-10 rank (Long video)	Hint: “Before you publish: where will it rank among your last 10 uploads? Judge it against expectation, not your average.” Three boxes: Hour 1, Day 1, Week 1 (1–10). After publishing: “Actual now: #N of M · you predicted #P for day 1” (or a note that 3+ long videos with views are needed).	Type your predictions before publishing.
Prediction gap notes	2+ places under your prediction: orange “Under expectation. Let the A/B test pick the thumbnail, then try the title… change it now.” At or above: green “don't touch it. Good data is better than no data.” 1 place under: blue “Don't change things constantly.” Always: “No data is better than bad data. Don't tinker with 10 title changes on day 1.”	
The numbers	Tiles from the latest snapshot: Views, 3s hold (shorts) or CTR (long), Avg view, Follows, Leads. Then the 3s hold advice (shorts) or the 1-of-10 advice (long). Without numbers: a note to log them in Performance.	
Flop diagnosis	Hint: “Diagnose a flop in this order. Tap the first one that fails: it marks that brick weak.” Three rows: 1 Was the topic validated?, 2 Was the angle non-obvious?, 3 Did the hook land? Each has a “This was it” button (it turns into an orange “Weak”).	Click “This was it” on the first question that fails. It marks Topic, Angle or Hook structure as weak.
Which brick was weak?	Hint: “Compare each piece A vs B against the winner in your niche.” Seven chips: Topic, Angle, Hook structure, Story structure, Visual format, Key visuals, Audio.	Click every brick that was weaker than the winner's.

ELEMENT	WHAT IT IS	HOW TO USE IT
Fix for the next rep	Hint: “Close 1–2 gaps per rep. Be egoless about it.” Example: “Show the key visual in the first second, not the third”.	Type the one or two fixes.
Quote	“The distance of iteration between reps is where the sauce is.” — Kane Kallaway.	
Start next rep	Creates a new piece “Next rep · <title>” at Brief, with the same brand, format, pillar and platforms. Note: “Same brand, format and pillar. Strong bricks held, the fix carried into the brief.”	Click. The new piece opens; this step is marked done.

Frameworks & terms in this module

Script check (live linter) bishOS, based on Kallaway and Paddy Galloway

The app reads your script as you type and flags retention problems, with no AI. It ignores ## headings and [placeholders].

Script check: “and then” Kallaway (credits Trey Parker and Matt Stone)

Linking beats with “and then” makes a flat list of events. Link them with “but” (conflict) or “therefore” (consequence) instead. The South Park writers' rule, which Kallaway calls the Dance.

Example: Weak: “We launched and then we got users.” Strong: “We launched. But nobody signed up. Therefore we called 50 people.”

Script check: hedges Kallaway

Hedge words (maybe, might, perhaps, probably, possibly, kind of, sort of, I think, I guess, could be) sound unsure and lose trust. Replace them with embedded truths.

Script check: contrast words Kallaway

Contrast words (but, actually, instead, turns out, except, yet, however, although) create the zig-zag that keeps attention. No contrast word is a warning; having some is “good zig-zag”.

Script check: loop openers needed Kallaway

The app estimates the spoken length and asks for one loop opener every ~25 seconds (shorts) or ~75 seconds (long videos), and counts the ones it finds.

Script check: rhythm Kallaway (credits Gary Provost)

If all your sentences have a similar length, the script sounds flat. Mix short, medium and long sentences so the right edge of the script looks jagged.

Script check: reading level Kallaway (absorption), Flesch–Kincaid formula

A rough Flesch–Kincaid grade. Above grade 8 is a warning: simplify toward grade 6 for 100% absorption. Grade 8 or lower is “easy to absorb”.

Script check: I/me vs you Kallaway

Lots of I/me and little “you” makes it about you, not the viewer. Fine for a personal narrative; otherwise speak to them.

Script check: too long for a short Kallaway

Over about 75 seconds is long for a short. Compress: is every line earning its place? Cut the middle first; that is where fluff lives.

Script check: drop-off phrases Paddy Galloway

Paddy Galloway's phrases where viewers leave: “at the end of the day”, “without further ado”, “welcome back”, “before we get started”, “make sure to subscribe”. Each one found is a warning: cut it.

Storylocks Kallaway

Word-level tricks that keep people watching. The app lists 9: Term branding, Embedded truths, Thought narration, Negative frames, Loop openers, Contrast words, But / therefore, Jagged rhythm, Last line written first.

Storylock: Term branding Kallaway

Give your concept a name. An unknown name creates anticipation (“what is that?”) and makes the idea yours.

Example: “I call it the 3-email rule.”

Storylock: Embedded truths Kallaway

Drop if / maybe / might. Speak with certainty: “when you…”, “the reason this works…”, “once you…”.

Example: Not “This might help you close more”, but “When you use this, you close more.”

Storylock: Thought narration Kallaway

Say what the viewer is thinking, right after a big point. It feels personal and builds trust.

Example: “You're probably thinking: I don't have time for this.”

Storylock: Negative frames Kallaway

People are about 2× more motivated to avoid pain than to gain. Turn positive advice into a warning.

Example: Not “How to grow on LinkedIn” but “This is killing your LinkedIn growth.”

Storylock: Loop openers Kallaway

A re-hook phrase that closes one question and opens the next, so attention restarts. Every 20–30 seconds in shorts, every 60–90 seconds in long videos. The best ones contain a contrast word.

Example: “But that's not even the craziest part.” “Here's the problem.” “Which is exactly why…”

Storylock: Contrast words Kallaway

The base layer under all other locks: but, actually, instead, turns out, except, yet. Split key sentences into A, then B. Don't overuse it.

Storylock: But / therefore, never “and then” Kallaway

Alternate context and conflict (the Dance). Each beat should be linked by “but” or “therefore”.

Storylock: Jagged rhythm Kallaway

Mix short, medium and long sentences, one per line.

Storylock: Last line written first Kallaway

A memorable “last dab” that loops back to the first line. Write it before the middle.

“Looks done” detection bishOS

The app ticks nothing for you, but shows a green “looks done” chip when it spots a lock: contrast words found; a loop opener found; zero hedge words (embedded truths); no “and then” plus contrast words (but / therefore); varied sentence lengths (rhythm); the last line field is filled.

Dopamine ladder Kallaway

Six levels of attention and loyalty a viewer climbs. Levels 1–4 are the message; levels 5–6 are the messenger. The goal: seeing your face or name alone makes people expect value.

Ladder 1: Stimulation Kallaway

Colour, motion and contrast in the first 0–2 seconds. The weakest, shortest level, but it stops the scroll.

Ladder 2: Captivation Kallaway

An open question pops into their head. Ask it outright or imply it. It must be relevant to your avatar.

Ladder 3: Anticipation Kallaway

They guess the answer. Give clues, then a head-fake: a surprise that contradicts their guess but still makes sense. The biggest dopamine spike.

Ladder 4: Validation Kallaway

A non-obvious payoff closes the loop: the tip, the answer, the resolution.

Ladder 5: Affection Kallaway

They like the messenger. Levers: look, energy, smiling, and the strongest one, actually solving their problem.

Ladder 6: Revelation Kallaway

They realise you are a consistent source of value. Much easier with education than entertainment. It comes from non-obvious value delivered again and again.

One-question chain Kallaway

Kallaway's script audit: the first line must open exactly ONE question in the viewer's head. Every next line answers that question and opens exactly one new one. Do that all the way down and the story is perfect. A line that opens no question is dead air; two questions cause confusion; a line that does not answer the last question breaks the chain.

Example: “Google just dropped a new model.” (Q: what can it do?) → “It can read a whole contract in seconds.” (Q: how do I use it?) → “Go to …”

Two dopamine hits Kallaway

If a viewer gets two useful insights before they would leave, they are locked in. One, maybe. Zero, they bounce.

Funnel switches in a piece Kallaway

In step 6 you check the four multiplied switches for this one video: is the pain signal clear in lines 1–2, is there trust, is there one clear ramp, is the offer aligned?

CTA ramp (in a piece) Kallaway

The single off-ramp of this video. Picking Lead magnet shows your brand's lead magnet so the ask matches it. The ramp is copied to your next rep.

Short-form packaging Kallaway

Short form has no separate packaging step: the feed serves the video, so the hook is the package. Three things still matter: a custom cover, a first caption line written as a curiosity title, and a series that makes the grid make sense.

Short packaging: Custom cover Kallaway

Shares happen in DMs where only the cover shows. Design it.

Short packaging: First caption line = curiosity title Kallaway

The first caption line shows above the fold. Write it like a headline with a curiosity loop.

Example: "The $0 hiring trick nobody uses".

Short packaging: Part of a series / grid makes sense Kallaway

A profile visitor should know what to click next. A numbered series makes them binge.

Series (bingeability) Kallaway

A hard series is numbered ("Founder lessons #12"); a soft series repeats a format or opening line. Seeing part 4 makes people go back for parts 1–3. Stack a buffer before promising a daily series. The next rep copies the series and adds 1 to the number.

YouTube packaging checklist Kallaway

Seven checks for long videos: title locked before scripting; title triggers a desire loop; thumbnail ≤3 elements that add to the title; readable at 1/16 size in dark mode (bottom-right corner clear for the timestamp); 3 thumbnail variants for an A/B test; intro confirms the click in ~5 s; first payoff in 30–60 s.

Packaging check: Title locked BEFORE scripting Kallaway

Most effort while you are freshest, on the most important thing.

Packaging check: Title triggers a desire loop Kallaway

Pain, FOMO or desire, or an unanswered question.

Packaging check: Thumbnail ≤3 elements Kallaway

Adds to the title, never repeats it. Thumbnail → title → thumbnail → click.

Packaging check: Readable at 1/16 size, in dark mode Kallaway

Most viewers use dark mode and small screens. Keep the bottom-right corner clear.

Packaging check: 3 thumbnail variants for A/B test Kallaway / Paddy Galloway

Test 3, then iterate around the winner with two new variants close to it.

Packaging check: Intro confirms the click in ~5s Kallaway

Clickbait yes, bait-and-switch never.

Packaging check: First payoff in 30–60s Kallaway

Reorder in the edit if the best bit is late.

Title lab Paddy Galloway

Write at least 10 title variants before choosing. Each is checked live. Pick the one you would bet your career on.

Thumbnail brief Paddy Galloway, bishOS

About 5 thumbnail concepts in words, not designs. The app counts elements by lines, commas, semicolons or "+", and warns when a concept shares 3+ meaningful words with the title (it repeats it).

Big-video tests (in a piece) Paddy Galloway

CCN fit, the glance test, universal appeal and "click to unpause", ticked for this video.

Post-mortem Kallaway

The review after publishing. Read the numbers, diagnose a flop in order (topic, angle, hook), mark the weak LEGO bricks, and write 1–2 fixes for the next rep.

Weak bricks Kallaway

The LEGO bricks of this piece that were weaker than the winner in your niche. They show on Iterate as "Weak: <brick>". In the next rep you change the weak bricks and hold the strong ones.

Next fix Kallaway

The 1–2 concrete changes for the next rep. Carried into the next rep's brief.

Next rep (Start next rep) Kallaway (hold and remix), bishOS

A new piece "Next rep · <title>" at Brief, same brand, format, pillar and platforms. Its brief lists the fix, the weak bricks, the held bricks and the lesson. Strong bricks are copied into its workflow: topic; angle with belief, take and emotion; archetype and hook format; structure; visual format; key visual; audio. The CTA ramp and bucket are always copied; a series gets the next number.

Prediction windows (Hour 1, Day 1, Week 1) Paddy Galloway, bishOS

You predict the 1-of-10 rank three times. After publishing, the app compares the actual rank with the prediction for the window you are in now (first 24 hours → Hour 1, first week → Day 1, later → Week 1).

Prediction gap rule Paddy Galloway

Actual rank 2+ places worse than predicted: change it now (thumbnail via A/B test first, then the title). At or better than predicted: don't touch it. 1 place worse: don't change things constantly; only make a big change if it falls well short.

Distance of iteration Kallaway

"The distance of iteration between reps is where the sauce is." The improvement from one rep to the next matters more than any single video.

How to test it

1. Write a script with “and then” and “maybe” in the Script section, then open step 5. Expected: warnings for “and then” ×1 and 1 hedge word.
2. Add “at the end of the day” to the script. Expected: a drop-off phrase warning credited to Paddy Galloway.
3. Add “but” to a line. Expected: the Contrast words storylock shows “looks done”.
4. Click three dopamine ladder levels. Expected: they turn green and the counter shows 3/6.
5. With 3+ lines of script, click Audit the question chain. Expected: an AI box with a numbered timeline and 3 loop openers with copy buttons.
6. In step 6, tick 2 trust rungs. Expected: “2 used · aim 2+” turns green.
7. Pick Lead magnet, type a CTA and click Use as the piece's CTA. Expected: toast “Piece CTA updated” and the Call to action field shows it.
8. On a short, open step 7. Expected: Short-form packaging with 3 checks, First caption line and Series. Type a series name and 3: “On the cover: <name> · #3”.
9. Change the format to Long video, open step 7. Expected: Title lab, Chosen YouTube title, Thumbnail brief, the checklists and Stakes.
10. Add a 70-character title in the Title lab. Expected: a warning about the length.
11. On an unpublished short, open step 8. Expected: the locked note.
12. Publish the piece, log 24h numbers, open step 8. Click “This was it” on question 3. Expected: it shows “Weak” and the Hook structure chip is selected.
13. Type a fix and click Start next rep. Expected: toast “Next rep ready” and a new “Next rep · …” piece opens at Brief with the fix in its brief and strong bricks prefilled.

Tips

- Write one sentence per line. The script check, the storylocks and the question chain all work better.
- Make every loop opener carry a contrast word: “but”, “except”, “turns out”.
- Do the post-mortem within a day of the 24h numbers, while the video is fresh in your mind.

CONTENT

Inspiration, hook library and watchlist

Inspiration (/swipes) is your swipe file. Save posts that stopped your scroll, break each one into the 7 LEGO bricks, then Remix it into your own piece. The Hooks tab keeps reusable hook templates. The Watchlist tab holds the creators you study for outliers.

Why it helps: A saved post without "why it worked" is just a bookmark. Breaking outliers into bricks lets you copy what is proven (hook, structure, layout) and change only your topic and angle. That is the fastest way for a beginner to make videos that work.

One-time	Add 10 creators to the watchlist. Add the 10 starter hooks.
Daily	Check 2–3 watchlist creators. Log any 5×+ outlier with a one-line "why it worked".
Weekly	Remix your best new outlier into a piece. Promote winning hooks to the library.

Inspiration: Library tab `/swipes`

Browse, filter and act on your saved inspiration: remix it, start a piece from it, or save its hook.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Inspiration	The page title. Subtitle: "Saved posts are raw material, not a collection. Break each one down when you save it, then steal the move."	
Both / Personal / Company	The brand filter, shared with the Content Studio.	Click one.
Studio	Opens the Content Studio.	Click.
Save inspiration	Opens the Save inspiration dialog.	Click.
saved	How many swipes you saved.	
used in pieces · N%	How many swipes you used in a piece (Use or Remix), and the share.	
median outlier	The median outlier score of your swipes (for example 4.2×).	
hooks in library	How many hooks are in your hook library.	Click to open the Hooks tab.
Library · Hooks · Watchlist	The three tabs, each with a count.	Click a tab. The address changes to ?tab=hooks or ?tab=watchlist.
Search hooks, creators, lessons	Searches hook, creator, title, why it worked, what to steal and structure.	Type a word.

ELEMENT	WHAT IT IS	HOW TO USE IT
All hook types / All formats / All platforms / All pillars	Four filters. Pillars include “No pillar”.	Pick values.
Newest / Outliers / Most used	Sort order: newest first, highest outlier score first, or most used first.	Click one.
Start your inspiration library	Empty state with “Save your first one”.	
Nothing matches	Shown when filters hide everything. “Clear filters” resets them.	Click Clear filters.
Swipe card: header	Platform icon, @creator, views, and an outlier badge “N× outlier” (green at 5×+, blue at 2×+, grey below).	
Swipe card: hook	The hook in quotes (or “No hook text yet.”), then chips: hook type, archetype, format, pillar.	
Why it worked / Steal this	A grey box with the reason it worked and the transferable move.	
LEGO bricks strip	Seven small segments: Topic, Angle, Hook, Story, Visual, Key vis., Audio. Dark = broken down. A lock = held when remixing (beginner hold by default). “n/7”. Empty: “Edit to break it into bricks, or use AI analyse.”	Hover a segment to read the brick.
Hook layers, bricks & structure	An expander with Seen, Said, On screen, Structure, each filled brick (lock = held) and the Transcript.	Click to open or close.
Remix	Opens the Remix dialog: hold the best bricks, remix the rest into a new piece.	Click.
Use	Starts a new piece at stage Idea, titled “Inspired by …” or “Riff on: …”, with a brief that copies why it worked, what to steal and the structure. The swipe is linked as inspiration.	Click. The new piece opens.
Save hook to library (bookmark)	Shown when the swipe has a hook. Saves it to the hook library (source: From a swipe).	Click.
Open original	Opens the original post.	Click.
used N×	How many times you used this swipe.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Edit / Delete	Edit opens the dialog with the swipe. Delete asks to confirm.	Click.

Save inspiration `/swipes (Save inspiration dialog)`

Save a post and break it down while it is fresh: source, outlier score, hook layers, why it worked, and the 7 LEGO bricks.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Intro	“Break it down now, while it's fresh. A saved post without why it worked is just a bookmark.”	
URL	The post link. The platform is detected from it.	Paste the link.
Platform / Creator	The platform and the @handle.	Pick and type.
From your watchlist	Links the swipe to a watchlist creator. It fills the creator, platform, usual views and brand when they are empty. Disabled if your watchlist is empty (hint tells you where to add creators).	Pick a creator.
Views / Creator's usual views	The post's views and the creator's average views.	Type numbers like 1.2m and 80k.
Outlier banner	Appears when both numbers are set: “N× outlier” with “5× or more: a real outlier, research it” (green), “above their usual, under the 5× research bar” (blue), or “about their usual” (grey).	
Title	A short label (optional). An “AI” tag shows if AI filled it.	Type.
Transcript or caption	Hint: “Paste it and let AI pre-fill the breakdown. You confirm everything.”	Paste the spoken words or the caption.
Analyse with AI	Fills empty breakdown fields, empty bricks and the archetype from the transcript. Needs 15+ characters. It never overwrites what you typed. A toast says how many fields it filled.	Click. Review every field marked “AI”.
Hook	“The line that stopped you”.	Type.

ELEMENT	WHAT IT IS	HOW TO USE IT
Seen / Said / On screen	The three hook layers: frame 1 (visual hook), first words (spoken hook), text overlay (text hook).	Type each.
Hook type	The 16 hook type chips.	Click one.
Format / Pillar	The post's format and your pillar for it.	Pick.
Structure	The beat structure, for example “Hook → Problem → 3 tips → CTA”.	Type.
Why it worked *	Required. Hint: “The reason, not the topic. This is what you'll reuse.” Turns red with “Required. One honest sentence is enough.” if you try to save without it.	Write one honest sentence, for example “Opens on a specific number, then breaks a belief everyone holds”.
What to steal	“The transferable move”.	Type.
For	Both, Personal or Company.	Click one.
7 LEGO bricks	An expander with a counter n/7 and the archetype chip: “Explode the outlier into 7 pieces. Hold the world-class ones, remix the rest.” Fields: Topic, Angle, Hook structure, Story structure, Visual format, Key visuals, Audio (a lock marks the 3 beginner-hold bricks), plus “Hook archetype”.	Click to open. Fill each brick in a short phrase.
Beginner note	“Beginners hold hook structure, story structure and visual format, and change topic + angle every rep.”	
Add “why it worked” to save. / Cancel / Save inspiration	The footer. Save changes when editing.	Click Save inspiration. Toast: “N× outlier saved” (5×+) or “Saved to your inspiration library”.

Remix this outlier `/swipes (Remix dialog)`

Hold the bricks that are world class, change the rest, and start your own piece from a proven outlier.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Header	The outlier score (green at 5×+), the swipe's title or hook, and its archetype.	
Instruction	“Hold the bricks that are world class, remix the rest. Beginners: hold hook, story and visual format; change topic + angle every rep.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
Brick toggles (7)	One row per brick. Hold (dark, lock icon) or Remix (dashed, shuffle icon), with the brick's text or “Not broken down yet (…)”. Starts with the 3 beginner bricks held, plus bricks you held last time.	Click a row to switch between Hold and Remix.
You'll write new: …	Lists the bricks you chose to remix.	
Working title for your version	Placeholder: “Your topic, your angle”.	Type your title.
Brand / Format	The brand and format of your new piece.	Pick.
Cancel / Create remix	Creates a piece at Brief. Held bricks are copied into its workflow (topic, angle, structure, visual format, key visual, audio), plus the archetype. Its Idea gate has “Validated by an outlier” ticked. The brief lists the source, the held bricks, the hook structure to reuse, why it worked and what to steal.	Click Create remix. The new piece opens. Toast: “Remix started”.

Hooks tab (hook library) `/swipes?tab=hooks`

Keep winning hooks as reusable templates, from your swipes, your own outliers and your own ideas.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Add a hook	Hint: use [brackets] for the parts you swap, e.g. “I spent [time] doing [X] so you don't have to.” Fields: the hook text, “Type…”, “Note (optional)”, and Add.	Type and click Add.
Search hooks	Searches hook text and notes.	Type.
Type filter chips	All, each hook type you used, and Untyped, each with a count.	Click one.
Hook row: text	The hook.	Click to edit it in place.
Source chip	“From a swipe”, “Your outlier” (with an “open piece” link) or “Added”, plus the note.	
Type (row select)	Change or clear the hook type.	Pick.
N uses	Times you copied or inserted the hook.	
Copy	Copies the hook and counts a use.	Click. Toast: “Hook copied · Counted as a use”.
Delete hook	Removes it after a confirm.	Hover, click the trash, confirm.

ELEMENT	WHAT IT IS	HOW TO USE IT
Your hook library is empty	Empty state with “Add starter hooks” (10 templates).	
Tip line	“In any piece, the Hook library button inserts these in one click.”	

Watchlist tab `/swipes?tab=watchlist`

Manage the creators you study, see who needs a check, and log outliers from them.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Your watchlist	Your count out of 20–30, a bar, and chips: “N in the 10K–1M range”, “N over 1M”, “N checked today”. Text: start with ~10 that win in your space; grow to 20–30.	
Who belongs here	Six rules: Same content type. 10K–1M followers (micro 10–50K, small 50–250K, medium 250K–1M). Ignore over 1M. Small creators' outliers count most. Check daily, or 4–5× a week (log anything ≥5× their average with >2% engagement). Find them via your own list, who top creators follow, keyword search, or a database.	
Needs a check / Recently added / Most swipes	Sort: longest unchecked first, newest first, or most swipes first.	Click one.
Add creator	Opens the creator dialog.	Click.
Creator table	Columns: Creator (name, profile link, notes), Platform, Followers (with a size tier chip), Avg views, Brand, Last checked (green when today), Swipes. On a phone, each creator is a card.	
Mark checked today (calendar icon)	Records that you checked this creator today. Disabled once done today.	Click. Toast: “Checked <name> today · Log any 5×+ outlier you found”.
Log an outlier (trend icon)	Opens Save inspiration with this creator pre-filled (name, platform, usual views, brand).	Click.
Edit / Remove	Edit opens the creator dialog. Remove asks to confirm.	Click.

ELEMENT	WHAT IT IS	HOW TO USE IT
Build your creator watchlist	Empty state with “Add your first creator”.	

Frameworks & terms in this module

Swipe file Copywriting tradition; Kallaway (thumb-stop swipe folder)

A library of content that worked, saved to learn from (“swipe” = borrow the move). In bishOS a swipe is useless without “why it worked”, so that field is required.

Why it worked bishOS

One sentence on the psychological reason a post worked: the reason, not the topic. This is what you reuse.

Example: “Opens on a specific dollar number, then breaks a belief every founder holds.”

What to steal bishOS

The transferable move a founder could reuse in any topic.

Example: “Start with the result on screen before saying anything.”

Hook layers (Seen, Said, On screen) Kallaway (hook alignment)

The three parts of a hook: Seen = the visual hook (frame 1), Said = the spoken hook (first words), On screen = the text hook (overlay). They must all say the same thing.

The 7 LEGO bricks Kallaway

Every short video idea breaks into seven pieces: Topic, Angle, Hook structure, Story structure, Visual format, Key visuals, Audio. Explode the best videos in your niche into these pieces, hold the world-class ones, improve the rest, and restack them into your own video.

Brick 1: Topic Kallaway

One sentence: what it is about.

Example: “Why founders should do sales themselves first.”

Brick 2: Angle Kallaway

The premise + the creator's take + the key facts.

Example: “A sales hire too early hides what customers really say.”

Brick 3: Hook structure Kallaway

The hook as a reusable fill-in-the-blank pattern, across spoken, text and visual.

Example: “I spent [time] doing [X] so you don't have to” + text “[X] in [time]” + you walking into frame.

Brick 4: Story structure Kallaway

The video type: breakdown, listicle, tutorial, personal narrative, case study, newscaster, problem-solver (+ its beats).

Brick 5: Visual format Kallaway

The on-screen layout: green screen, split screen, talking head, POV vlog, in-the-world, faceless text…

Brick 6: Key visuals Kallaway

What fills the layout: A-roll (you talking), B-roll (supporting footage) and graphics.

Brick 7: Audio Kallaway

Music and sound effects.

Hold vs remix Kallaway

When you remake an outlier, “hold” a brick means you copy it exactly; “remix” means you write your own. Like five-card poker: keep the good cards, redraw the others. Win with 6 of 7 proven bricks and be a first mover on one.

Beginner hold rule (in Remix) Kallaway

The Remix dialog starts with hook structure, story structure and visual format held, and topic and angle changed. That is the rule for beginners: don't invent formats, stack proven bricks.

Use vs Remix bishOS

Use starts a light piece at Idea with the swipe's why, steal and structure in the brief. Remix starts a piece at Brief with the held bricks already filled in the workflow and the idea gate's outlier check ticked. Remix is the stronger path for outliers.

Outlier score (on a swipe) Kallaway

Views ÷ the creator's usual views, rounded to one decimal. 5× or more is a real outlier worth researching (green). 2–5× is above their usual but under the research bar (blue).

Median outlier bishOS

The middle outlier score of all your swipes. If it is low, you are saving nice posts, not real outliers.

Used in pieces % bishOS

The share of swipes you actually turned into a piece. Inspiration is raw material; a low % means you collect without making.

Hook library bishOS

Your saved hook templates. Hooks come from swipes (From a swipe), from your own pieces at ×1.2 your median (Your outlier), from AI variations, or that you added yourself (Added). Insert them in any piece with the Hook library button.

Bracket templates bishOS

Write the parts you swap in [brackets], so one hook becomes a template.

Example: “The biggest mistake I made building [company]:”

Starter hooks bishOS

Ten proven templates you can add in one click: “I spent [time] doing [X] so you don't have to.” · “Stop doing [common practice]. Do this instead.” · “The biggest mistake I made building [company]:” · “Everyone says [belief]. Here's why that's wrong.” · “[N] things I wish I knew before [milestone]:” · “How we got [result] in [timeframe] with [constraint].” · “Why do most [audience] fail at [goal]?” · “Last [day], a client told me something I can't stop thinking about.” · “Nobody talks about this part of [topic].” · “[Before state] → [after state]. Here's exactly what changed.”

Hook uses bishOS

How many times you copied or inserted a hook. High-use hooks are your go-to patterns.

Last checked bishOS

The day you last looked at a creator's new videos. Sort by “Needs a check” to see who you have ignored the longest.

Log an outlier from a creator bishOS

From the Watchlist, the trend button opens Save inspiration already linked to that creator, with their usual views filled in, so the outlier score is computed as soon as you type the views.

How to test it

1. Open /swipes. Expected: the stats strip, three tabs and the filter row.
2. Click Save inspiration. Paste a TikTok link. Expected: Platform becomes TikTok.
3. Type Views 900k and Creator's usual views 100k. Expected: a green “9× outlier” banner.
4. Click Save inspiration without Why it worked. Expected: the field turns red with “Required.” and nothing is saved.
5. Paste a transcript (15+ characters) and click Analyse with AI. Expected: empty fields fill with “AI” tags and a toast with the count; fields you typed are unchanged.
6. Save. Expected: toast “9× outlier saved” and a card with a green 9× badge.
7. On the card, click Remix. Toggle Topic to Hold, type a title, click Create remix. Expected: a new piece opens at Brief; its workflow step 2 shows the held topic; step 1 has “Validated by an outlier” ticked.
8. On the card, click Use. Expected: a new piece at Idea titled “Inspired by …”.
9. Open the Hooks tab with an empty library and click Add starter hooks. Expected: toast “10 starter hooks added”.
10. Click Copy on a hook. Expected: toast “Hook copied” and its uses go up by 1.
11. Open the Watchlist tab, click Add creator, add one with 2m followers. Expected: an “Over 1M” orange chip and “1 over 1M”.
12. Click the calendar icon on a creator. Expected: toast “Checked … today” and Last checked turns green.
13. Click the trend icon. Expected: Save inspiration opens with the creator and usual views filled.

Tips

- Save fewer, better swipes: only 5×+ outliers from 10K–1M creators, each with a real “why it worked”.
- Break every outlier into bricks when you save it. Remix is only as good as the bricks you filled.
- Promote your own ×1.2+ hooks from Analytics. Your own winners beat anyone else's.

CONTENT

AI content coach

Nine AI helpers sit inside the piece editor, the video workflow and the Save inspiration dialog. Each one returns a proposal in a box; nothing is saved until you click Use, Add, Insert or Accept.

Why it helps: AI gets a draft to about 80–90% fast: hook options, shock facts, a tighter script, repurposed drafts, a hook audit. The last 10–20% (your voice, your take, the facts you can defend) stays yours. That is how Kallaway and Paddy Galloway both use AI.

Daily	Use the helpers inside the steps you are doing: shock facts in step 2, archetypes and audit in step 3, the question chain in step 5, Tighten script before recording.
Weekly	Use Draft repurposed posts on the weekly hub. Use Analyse with AI when you save outliers.

Where the AI helpers live `/content/[id] and /swipes (AI buttons)`

A map of every AI button, what it sends to the AI and what comes back.

HOW TO USE IT

1. Fill the inputs the helper needs first (topic, hook, script or transcript).
2. Click the AI button and wait for the box.
3. Read critically. Accept only what is true and sounds like you.
4. Edit the accepted text in your own words.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
AI proposal box	Every AI result appears in a grey box with a sparkle, its title and "· AI proposal, nothing saved until you accept". While it works: grey loading bars. On error: an orange message and "Try again" (when available).	Click × to dismiss. Click the action buttons inside to accept parts.
10 hook variations (Hook section)	Sends the piece's title, brand, format, pillar, current hook, brief and script excerpt. Returns 10 hooks with a type.	Click Use on one, or the bookmark to save it to the library.
Simple explanation (Brief section)	Sends the linked source note, or the title and brief. Returns a plain explanation, jargon to define, and 3 short posts.	Insert into brief, Copy, or Create as seed.
Tighten script (Script section)	Sends your script, the format and the CTA to keep. Returns a script about 20–30% shorter.	Accept & replace, or Copy.

ELEMENT	WHAT IT IS	HOW TO USE IT
Draft repurposed posts (Script section)	Sends the hub's script (or brief), title, brand, format and CTA. Returns 5–10 drafts (7 by default).	Create as child piece, or Copy.
Find shock facts (step 2)	Sends your topic, angle and brief notes, and the common belief. Returns 8 facts with a shock score and why.	Verify, then Add.
Write it in all 6 archetypes (step 3)	Sends your topic, your audience of one (from the Playbook), key visual, belief and take. Returns 6 hooks (3 lines + a text hook each).	Click Use on one.
Audit my hook (step 3)	Sends your spoken hook (builder lines, or the piece's hook), text hook, key visual and topic. Returns 7 scores, notes, failure modes, a verdict and a rewrite.	Use rewrite, or Tick the checks that scored 7+.
Audit the question chain (step 5)	Sends your script split into lines (headings and [placeholders] removed, first 45 lines). Returns, per line, the question it opens and answers, issues, 3 loop openers and a summary.	Fix flagged lines. Copy loop openers.
Analyse with AI (Save inspiration)	Sends the transcript or caption (up to 12,000 characters), URL, platform and creator. Returns the title, hook layers, hook type, format, structure, why it worked, what to steal, archetype and 7 bricks.	Review the fields marked “AI”.

Frameworks & terms in this module

AI proposal (nothing saved until you accept) bishOS

The AI helpers never write to your data. They return a proposal; you decide what to insert. Dismissing the box loses nothing.

Creator context bishOS

Most helpers send a short context about you: your name, role and company from your Profile, “a startup co-founder building a personal brand and company content with very little time”, and your pillars. Fill your Profile and pillars for better results.

AI model bishOS

The helpers use the AI model set for the app, through OpenRouter. If the key is missing you see “AI isn't configured yet (OPENROUTER_API_KEY is missing).”; if the service is busy, “The AI is busy right now. Try again in a minute.”

Hook variations (AI) bishOS

10 hooks for the first 2 seconds / first line, in plain, specific words: no clickbait, no emojis, no hashtags. It mixes types (curiosity, contrarian, result, question, mistake, myth, list, story, how-to, before/after) and leans toward the type you tagged.

Repurposed drafts (AI) bishOS (GaryVee / Justin Welsh repurposing)

Cuts one hub into 5–10 platform-native posts (hub and spoke). Each carries ONE idea, opens with a strong hook and ends with a light CTA. The mix: short video scripts (hook + 3 beats + CTA, about 45 seconds), LinkedIn or X text posts, one carousel (slide by slide) and one X thread. Needs 40+ characters of script or brief.

Tighten script (AI) bishOS

A sharp script editor: keeps your voice and structure, cuts filler, hedges and repetition, sharpens the first line, keeps one idea and a clear CTA. Aims for about 20–30% shorter without losing substance. Needs 30+ characters.

Simple explanation (AI, Feynman) Feynman technique; learning in public

Turns a note into a plain explanation a 12-year-old can follow (120–200 words), a list of jargon to define or learn, and exactly 3 short posts (60–120 words) with angles TIL, mistake and myth-bust. Needs 20+ characters of note or brief.

Shock facts (AI, Law of Interesting) Kallaway

8 candidate facts or contrarian takes for your topic, each with a shock score (0–100) and why it is shocking but believable. It aims for the sweet spot, prefers facts you could defend, and is told never to invent precise statistics. You must verify every fact before using it.

Archetype hooks (AI) Kallaway

Your topic written in all 6 archetypes with the 3-step formula: lean (topic first, toward the common belief), interjection (usually a contrast word), snapback (the true, on-topic flip), plus a 3–5 word text hook with no punctuation or connector words. Lines are ideally under 14 words, the whole hook under ~5 seconds, about 6th-grade level, “you” over “I”. Needs a topic of 4+ characters.

Hook audit (AI) Kallaway

A strict auditor scores your hook 0–10 on alignment, speed, clarity, curiosity, stakes, relevance and absorption, names the failure modes present (delay, confusion, irrelevance, disinterest), gives a one-line verdict, and writes one improved 3-step rewrite with a text hook. Checks scoring 7+ can be ticked in one click. Needs 8+ characters.

Question chain audit (AI) Kallaway

Checks the one-question chain line by line: the question each line opens, what it answers, and flags lines that open 0 questions (dead air), 2+ questions (confusion) or don't answer the previous one (broken chain). The last line may just close the loop. It also suggests 3 loop openers for your script. Needs 3+ lines; checks up to 45.

Swipe analysis (AI) Kallaway (LEGO bricks), bishOS

Reverse-engineers why a post worked from its transcript or caption: a short title, the hook line, the three hook layers, the hook type, the format, the beat structure, one sentence on why it worked, one on what to steal, the archetype, and the 7 LEGO bricks. It only fills empty fields.

AI to ~90%, the last 10% is you Kallaway / Paddy Galloway

Kallaway lets AI get a draft to about 90% and edits the rest by hand; Paddy Galloway says AI gets you 80% and “the 20% is always still human”. Hooks and takes written only by AI sound like everyone else.

How to test it

1. Open a piece with a title and click 10 hook variations. Expected: a box “Hook variations · AI proposal…” with grey bars, then up to 10 hooks.
2. Click Use on one. Expected: toast “Hook updated”; the Hook box changes.
3. Type a brief of 30+ characters and click Simple explanation. Expected: an explanation, jargon chips and 3 drafts. Click Create as seed: toast “Seed created”.
4. Write a 30+ character script and click Tighten script. Expected: the new word count and “Accept & replace”. Click it: toast “Script replaced”.
5. In step 2 with a topic, click Find shock facts. Expected: an orange verify warning and up to 8 scored facts.
6. In step 3, click Write it in all 6 archetypes. Expected: up to 6 cards. Click Use: the builder lines fill.
7. Click Audit my hook. Expected: a verdict, 7 scores with bars and an Improved rewrite.
8. In step 5 with 3+ lines, click Audit the question chain. Expected: a numbered timeline and loop openers.
9. In Save inspiration, paste a transcript and click Analyse with AI. Expected: fields with “AI” tags.
10. Turn off your network and click any AI button. Expected: an orange error in the box, with Try again where available.

Tips

- Give the AI good inputs: a one-sentence topic, your belief and take, and a filled Profile and pillars.
- Never publish an AI fact you have not checked. A wrong number kills trust faster than a slow hook.
- Use AI for options, not decisions. Generate many, then choose with the checklists.

MIND

Notes

Notes is your second brain. You capture quick thoughts, turn them into one-idea notes in your own words, and link them to each other with a reason.

Why it helps: Good ideas get lost when they live only in your head or in random chats. Notes keeps them in one place. Linked notes become reusable thinking: you find them fast, and they turn into recall cards, posts, tasks and better decisions.

One-time	Write 3–5 idea notes about your business (offer, pricing, ideal client). Link them with [[ ]] and write why they connect. Set a learning area on notes that belong to one.
Daily	Capture any idea with the Fleeting button (10 seconds). Before your evening shutdown, clear the Process inbox: keep each thought as an idea, turn it into a task, or discard it. Nothing should stay older than 48 hours.
Weekly	Run Review mode once (10 notes, about 10 minutes). Act on any “Suggest maps” card. Add a “why” to every link that has none.

Notes — list, graph and review `/notes`

See all your notes, process quick captures, spot clusters that need a map, see your knowledge as a graph, and test yourself on what you wrote.

HOW TO USE IT

1. When an idea pops up, click Fleeting, type one line, and go back to work.
2. Once a day, open Notes and clear the Process inbox: Keep as idea, Turn into task, or Discard.
3. Open each kept idea and rewrite it in your own words, one idea per note.
4. Link it to 1–3 related notes with [[ ]] and write why they connect.
5. When a “Suggest maps” card appears, create the map and add a line under each link.
6. Once a week, switch to Review and test yourself on 10 notes.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Notes (page header)	The page title with a short rule: one idea per note, in your own words. Type / in a note for blocks and [[to link notes — and say why they link.	
New note	Creates an empty note called “Untitled note” and opens it.	Click New note in the top bar. Rename the title first, then write.
Fleeting	Creates a quick-capture note called “Quick thought” with type Fleeting and status Inbox, and opens it.	Click Fleeting, type the thought, and leave. It waits in the Process inbox until you process it (within 48 hours).

ELEMENT	WHAT IT IS	HOW TO USE IT
List / Graph / Review	Switches between three views: List (a table of notes), Graph (a map of how notes link) and Review (test yourself on your notes).	Click one of the three buttons.
All · Fleeting · Source · Idea · Map · Project · Daily	Type filter chips. Each chip shows how many notes have that type. Notes with no type count as Idea. Hover a chip to see what the type means. Hidden in Review view.	Click a chip to show only that type. Click it again (or click All) to show everything.
Process inbox	A box that lists your fleeting (and Inbox-status) notes, oldest first. The count chip turns orange when some are older than 48 hours, and the hint tells you how many. It only appears when the inbox is not empty.	Work through each row with Keep as idea, Turn into task or Discard.
Title (rename as you keep it)	The title field on each inbox row.	Rewrite the title as one clear idea before you keep it, e.g. “Clients buy outcomes, not hours”.
Age chip (just now · 5h · 3d · process me)	Shows how old the fleeting note is. Under 1 hour = “just now”, under 48 hours = hours, after that = days plus “process me” in orange.	
Keep as idea	Turns the note into an Idea note with status Processed (and saves your new title). Gives +2 XP, once per note.	Click it when the thought is worth keeping. Open the note later to write it out in your own words.
Turn into task	Shows a life-area picker. “Create task” makes a task (status Not started, priority Medium) in that life area, copies the note text into the task description, then deletes the note. +2 XP.	Click Turn into task, choose a life area (empty = your first life area), then click Create task. Click Cancel to go back.
Discard	Deletes the fleeting note. Letting go also counts as processing (+2 XP). There is no confirm step.	Click Discard for thoughts that no longer matter.
Open	Opens the full note so you can rewrite it before deciding.	
Suggest maps	Appears when 5 or more notes keep linking to each other but no Map of Content covers them (the “mental squeeze point”). Shows up to 6 suggestions. Map and Daily notes are not counted.	Read each suggestion and decide: create a map or skip it.
N linked notes around “title”	The size of the cluster and its hub (the most-connected note). Chips list up to 14 note titles; “+N” means more.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Map title	The name for the new map. It is pre-filled with the most common tag in the cluster (if 2+ notes share it) or the hub title, plus "— map".	Edit the name before you click Create map.
Create map	Creates a Map note (status Processed) that lists every note in the cluster as a [[link]], with an intro line and an "Open questions" section. It gets the most common life area of those notes. The new map opens.	Click Create map, then add one line under each link on how the notes connect.
Not now	Hides that suggestion until you reload the page.	
Notes table	One row per note, newest first. Columns: Title, Type, Life area, Tags, Links, Updated.	Click any row to open the note.
Title column	The note title. A paperclip icon means it has attachments. A green megaphone means you made it public (it became a content seed).	
Type column	The note type chip. Unprocessed fleeting notes older than 48 hours also show an orange "48h+" chip.	
Life area column	The life area the note belongs to, or "—".	
Tags column	The note's tags as small grey labels.	
Links column	How many other notes this note links to with [[ ]], or "—".	
Updated column	A date for the note (today it shows the day the note was created).	
All life areas (graph filter)	In Graph view: shows only notes of one life area.	Pick a life area from the dropdown. Pick "All life areas" to reset.
N notes · N links	In Graph view: how many notes and links are on screen.	
Zoom out · zoom % · Zoom in · Reset view	Graph zoom controls (40% to 300%). Reset view goes back to 100% and the centre.	Click the – or + magnifier, or the square icon to reset.
Graph canvas	Each dot is a note. Bigger dots have more links. Dot colour = life area colour. Lines are links. Hovering a dot highlights it and its neighbours and fades the rest.	Drag a dot to move it. Drag the empty background to pan. Click a dot (without dragging) to open the note.

ELEMENT	WHAT IT IS	HOW TO USE IT
Graph legend	A colour key for the life areas on screen, plus the hint “drag node to move · drag background to pan · click to open”.	
Review mode	In Review view the page explains: each note's body is hidden; recall it from the title, then reveal. Practice testing beats rereading. Below it is the note review card (see Recall → Notes tab for every element).	Click Review, read the title, say or jot what the note says, press Space to reveal, then press 1 (Hard) or 2 (Easy).
✦ notes assistant	A round floating button (bottom right) on every Notes page. It opens a chat called “notes assistant” that can create notes, append text to a note, or answer questions about your notes. It always shows a Confirm button before it saves anything.	Click ✦. Pick a model chip (gpt-oss, Owl, Nemotron, Hunyuan), click an example prompt or type your own, press Enter. Click Confirm on the proposed action, or Cancel. The trash icon clears the conversation; X closes the panel.

A single note (editor) `/notes/[id]`

Write one idea well: give it a type, a status and a summary, link it with reasons, attach files, and turn it into recall cards or a content seed.

HOW TO USE IT

1. Pick the type (most notes are Idea or Source).
2. Write the idea in your own words. Use / for headings and lists.
3. Type [[to link 1–3 related notes, then fill “Why does this connect?” for each.
4. Write a 1–2 line Summary at the top.
5. Set the life area, learning area and tags.
6. For important notes: click Recall cards to make 3–6 cards, or Make it public to plant a content seed.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Notes › title (breadcrumb)	Shows where you are. Click “Notes” to go back to the list.	
Title	The note title. It saves when you click outside the field. Other notes link to this note by this exact title.	Write the title as a full idea, e.g. “Price anchoring makes the middle plan look cheap”.
Momentum	Opens a small “Moved the needle” box: choose Impact 1–5, write why (optional), then click “Add to Momentum”. The note is logged as a win on the Momentum page. A small number shows how many times it was added.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Edit / Preview	Switches between writing mode and reading mode. A new empty note opens in Edit mode.	Click Preview to read with formatting and clickable links. Click Edit (or click the preview) to write.
Delete (trash icon)	Deletes the note right away and returns to the list. There is no confirm step.	
Note type chips (Fleeting · Source · Idea · Map · Project · Daily)	Sets what kind of note this is. Hover a chip to read its meaning. Choosing Fleeting puts the note in the Inbox. Moving a note away from Fleeting changes Inbox to Processed.	Click one chip. Only one can be active.
Note status	A dropdown: No status, Inbox (not processed yet), Processed (in your own words, linked), Evergreen (mature, reused often).	Move a note to Evergreen when you have used it several times and it is polished.
Learning area	Links the note to a learning area (or “No learning area”). Linked notes show up first when you draft cards in that area, review mode can filter by area, and a public seed from this note goes to the area's content pillar.	
Open area	Appears when a learning area is set. Opens that learning area.	
Public seed	A green chip that shows the note was turned into a content seed with “Make it public”.	
Summary	A short box above the text: “the gist in one or two lines, in your own words (top layer)”. It saves when you click outside. Review mode shows it after you reveal; AI cards use it too.	Write the main point in 1–2 lines after you finish the note.
Note editor	The writing area (placeholder: “Write, / for blocks, [[to link a note…”). It saves on its own about 0.7 seconds after you stop typing.	Type / for the block menu: Text, Heading 1, Heading 2, Bullet list, Numbered list, To-do, Divider, Upload PDF / doc / image. Type [[to pick another note by title; the link is saved when the title matches a note (capital letters do not matter).
Preview	The formatted note. [[Links]] are clickable. If a linked note does not exist yet, clicking it creates that note and opens it.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Attachments · Upload	Files attached to the note (PDF, doc, image…). Each row shows the file name (click to open) and an X to remove it. Empty: “No files attached.”	Click Upload (or use the Upload item in the / menu) and choose a file.
Learn & share	A card with two buttons: Recall cards and Make it public. Below it: “N recall cards from this note →” (opens Recall → Browse) or the hint “Test yourself on this note, or turn it into a content seed.”	
Recall cards	Opens the “Create recall cards” dialog: AI drafts 3–6 question → answer cards from this note; you approve each one; they join your daily Recall queue.	Click “Draft 5 cards with AI” (or “Write by hand”). Edit or untick cards, use “Add another” if needed, then click “Add N cards”. Cancel closes without saving.
Keep this card (checkbox) · Question · Answer · X	Each proposed card in the dialog. Untick to skip it, edit the text, or remove it with X. Nothing is saved until you click Add.	
Make it public / Public	Opens the “Make it public” dialog that turns this private note into a content seed for your personal brand. After that the button shows “Public”.	
From your note	In the Make it public dialog: the note title, plus an “Already public” chip if a seed exists.	
Draft a simple explanation (AI)	The Feynman step. AI writes a simple explanation (up to 150 words), lists jargon you still lean on, writes a hook and 3 short post ideas: TIL, Mistake I made, Myth-bust.	Click it and wait a few seconds. If AI fails, you can still plant the seed without a draft.
Simple explanation · TIL · Mistake I made · Myth-bust	Pick rows. The one you click becomes the Seed draft text.	Click the version you like best, then edit it in Seed draft.
Jargon you still lean on	Orange chips with words the explanation could not avoid. These are your learning gaps.	Click “Add to “Things I don't know”” to add them to the note's learning area gaps list. (Only shown when the note has a learning area.)
Hook (first line)	Optional. The first line of the post — what makes someone stop scrolling.	
Seed draft	Optional. Saved as the content piece's script. Leave it empty to start from the note itself.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Create content seed	Creates a content piece in Content Studio (stage Seed, brand Personal, format text post, pillar from the learning area) and marks the note public. The footer reminds you: notes stay private; this only creates a draft seed. If a seed already exists, it tells you and does not create a second one.	Click it. On the “Seed planted” screen click “Open Content Studio” or “Done”.
AI	A card with two buttons. “Summarize” writes 3–5 bullet points and one key takeaway. “Find related” lists up to 5 of your notes that truly relate, each as a clickable [[link]] with a reason. The result shows in a box; it is not saved into the note.	Click a button and wait. If you see “AI unavailable (rate limit). Try again.”, wait a minute and retry. Copy useful lines into the note or Summary.
Organize	Project, life area, section and tags for this note.	
Project (No project)	Links the note to a project. When you pick a project, the note takes the project's life area and the section is cleared.	
Life area	A dropdown (No life area / your areas). When a project is set, it shows the project's life area as read-only text instead.	
Section (No section)	A section inside the note's life area.	
Tags · Add tag…	Tag chips with an X to remove. The “Add tag…” field adds a new tag.	Type a tag and press Enter.
Linked notes	The notes this note links to with [[ ]]. If some links have no reason, an orange line says “N links without a “why” — the reason is the knowledge.” Empty: “Type [[in the note to link others.”	
Why does this connect?	The reason field under each linked note (up to 280 characters). It has an orange underline while empty. Saving shows the toast “Link reason saved”. If you delete the [[link]] from the text, its reason is removed too.	Type one sentence, e.g. “Both explain why clients pay for certainty”, then press Enter or click away.
Backlinks	Notes that link to this note. Click one to open it. Empty: “No notes link here yet.”	
✦ notes assistant	The same floating AI chat as on the Notes list (see above).	

Frameworks & terms in this module

Zettelkasten Niklas Luhmann; Sönke Ahrens, How to Take Smart Notes

German for “slip box”. A note system where each note holds one idea in your own words, and notes are linked to each other. Over time the links create new ideas for you.

Example: Your note “Clients buy outcomes, not hours” links to “Price anchoring” and “Retainer vs project pricing”. When you write your pricing page, the thinking is already done.

Second brain Tiago Forte, Building a Second Brain

A trusted place outside your head where you store ideas, so your mind is free to think instead of remember.

Example: Instead of trying to remember a client insight from a call, you capture it as a fleeting note and process it tonight.

Fleeting note Sönke Ahrens, How to Take Smart Notes

A quick, rough capture of a thought. It is temporary. You process it within 48 hours: keep it as an idea, make it a task, or throw it away.

Example: In a taxi you type “offer a 2-week paid pilot instead of free trial” with the Fleeting button.

Source note Sönke Ahrens (literature notes)

Notes on a book, video, podcast or article — written in your own words, not copied. Also called a literature note.

Example: Your notes on $100M Offers: the value equation in your words, with one example from your agency.

Idea note Sönke Ahrens (permanent notes)

The main kind of note: one idea, fully written in your own words, so you understand it months later without the source. Notes with no type count as Idea.

Example: “A paid pilot filters out tyre-kickers and still lets the client test us.”

Map note (Map of Content) Nick Milo, Linking Your Thinking (LYT)

A hub note that links many related notes and explains how they fit together. It helps you find and think with a whole topic.

Example: A “Pricing — map” note links your 8 notes on anchoring, retainers, pilots and discounts, with one line on each.

Project note Tiago Forte (PARA)

Working notes for one project: decisions, ideas, open questions. They can be messy and are tied to the project's life.

Example: “Website relaunch — working notes” with the sitemap ideas and copy drafts.

Daily note Common practice in Obsidian / LYT

A simple log of one day. Daily notes are left out of Review mode and map suggestions.

Example: “Oct 20 — calls with 2 leads, pricing objection came up twice.”

Inbox (note status) bishOS

The note is not processed yet. Fleeting notes start here and appear in the Process inbox.

Example: A fleeting “Quick thought” from this morning.

Processed (note status) bishOS (Zettelkasten processing)

The note is written in your own words and linked. It is part of your knowledge base and can appear in Review mode.

Example: After “Keep as idea”, the note becomes Idea + Processed.

Evergreen (note status) Andy Matuschak (evergreen notes)

A mature note you keep improving and reuse often — in posts, pitches and decisions.

Example: Your note on your positioning statement, used in 5 posts and the sales deck.

Wiki link [[ ]] Wiki / Obsidian convention

Type two square brackets and a note title to link to that note. The link works when the title matches (capital letters do not matter).

Example: In your pricing note you write “see [[Paid pilot]]”.

Link reason (the “why”) Luhmann / Ahrens

One sentence that says why two notes connect. The link alone is weak; the reason is the real knowledge.

Example: Link “Paid pilot” → “Loss aversion”, reason: “Paying a little makes the client commit and use the pilot.”

Backlink Wiki / Obsidian convention

A link that comes into this note from another note. Backlinks show where an idea is used.

Example: Your “Loss aversion” note shows backlinks from “Paid pilot” and “Annual billing discount”.

Mental squeeze point Nick Milo, Linking Your Thinking

The moment a topic has so many linked notes that it feels hard to hold in your head. That is the right time to make a Map of Content. bishOS suggests a map when 5+ notes link to each other without a map.

Example: You have 6 linked notes on hiring a VA — “Suggest maps” offers “VA — map”.

Progressive summarization Tiago Forte

Summarize a note in layers, so future-you can get the point in seconds. In bishOS the Summary box is the top layer: 1–2 lines.

Example: A long source note on a podcast gets the summary “Sell the outcome in the first sentence of every call.”

Collector's fallacy Christian Tietze (zettelkasten.de)

The feeling that saving something means you know it. Collecting is not learning; processing and using is.

Example: 50 saved LinkedIn posts in a folder you never open teach you nothing. Two processed idea notes do.

48-hour rule Sönke Ahrens (process within a day or two)

Process every fleeting note within 48 hours, while you still remember the context. After 48 hours bishOS marks it “48h+” and “process me”.

Example: A Monday idea from a client call is kept, tasked or discarded by Wednesday morning.

Review mode Dunlosky et al. 2013 (practice testing); Roediger & Karpicke 2006

Practice testing on your own notes: you see only the title, you recall what the note says, then you reveal it and rate it Hard or Easy. It uses processed notes with 40+ characters (not Inbox, not Daily, not “Untitled note”).

Example: You see “Paid pilot” and say the 3 reasons out loud before revealing.

Hard / Easy (note review rating) bishOS

After revealing a note, Hard (key 1) means you could not recall it well; Easy (key 2) means you could. Hard notes and the notes you reviewed longest ago come back first next time.

Example: You mark “Retainer pricing” Hard — it comes back first next week. Consider making recall cards from it.

Content seed bishOS / learn in public (swyx)

A draft content idea in Content Studio (stage Seed) made from a note. It is not published; you test it later as a short post.

Example: Your “Paid pilot” note becomes a seed with the hook “I stopped offering free trials. Here's why.”

XP (experience points) bishOS

Small points bishOS gives for good habits. In Notes: +2 XP for each fleeting note you process (keep, task or discard), once per note.

Example: Clearing 5 fleeting notes tonight gives +10 XP.

Momentum bishOS

A log of things that moved the needle, with an impact score 1–5. Any note can be added.

Example: You add the note with your new offer idea to Momentum with impact 4.

How to test it

1. Go to /notes and click Fleeting. Expected: a note “Quick thought” opens; the Fleeting chip is active and the status says Inbox.
2. Type one line, then click “Notes” in the breadcrumb. Expected: “Process inbox” shows the note with the chip “just now”.
3. Click “Keep as idea”. Expected: a toast “Kept as an idea note” with +2 XP; the row disappears; in the table the note now has the Idea chip.
4. Create another fleeting note. In the inbox click “Turn into task”, pick a life area, click “Create task”. Expected: toast “Turned into a task”; the note is gone; the task is in /tasks with the note text as description.
5. Create a third fleeting note and click Discard. Expected: toast “Let it go”; the note is deleted.
6. Open an idea note. In Edit mode type [[and pick another note. Expected: “Linked notes” lists it with the orange warning “1 link without a “why”“. Type a reason and press Enter. Expected: toast “Link reason

saved”; the warning disappears.
7. Open the other note. Expected: its Backlinks card lists the first note.
8. Click Preview and click a [[Link]] to a title that does not exist. Expected: a new note with that title is created and opens.
9. Type a Summary, click outside, reload the page. Expected: the summary is still there.
10. Click Upload and choose a PDF. Expected: it shows under Attachments; back in the list the title has a paperclip icon.
11. Switch the list to Graph. Expected: dots for notes and a line between linked notes; “N notes · N links” is correct; zoom buttons change the %; clicking a dot opens the note.
12. Create 5 notes that link to each other in a chain. Expected: a “Suggest maps” card appears. Click “Create map”. Expected: toast “Map of Content created”; a Map note opens listing all 5 as [[links]]; the suggestion disappears.
13. Switch to Review (you need processed notes with 40+ characters). Press Space, then 1 or 2. Expected: the progress bar moves; after the last note you see “Notes reviewed: N” and “New set”.
14. In a note click Summarize. Expected: 3–5 bullets and a key takeaway appear in the AI box (or “AI unavailable (rate limit). Try again.”).
15. Click Recall cards → “Draft 5 cards with AI”, untick one, click “Add 4 cards”. Expected: a toast; the Learn & share card shows “4 recall cards from this note →”; Recall's due count goes up by 4.
16. Click “Make it public” → “Draft a simple explanation (AI)”, pick a post version, click “Create content seed”. Expected: “Seed planted”; the note shows the “Public seed” chip; the list shows a green megaphone; the seed is in Content Studio.
17. Leave a fleeting note unprocessed for 48 hours. Expected: the table shows an orange “48h+” chip and the inbox shows “2d · process me”.

Tips

- The trash icon on a note deletes it at once — there is no undo.
- Write titles as full statements, not topics: “Paid pilots filter tyre-kickers” beats “Pilots”.
- One idea per note. If you need “and” in the title, split it into two notes.
- A link without a reason is half a link. Always fill “Why does this connect?”.
- Use the ✦ notes assistant to append meeting notes to a running “Work Log” note.

MIND

Learning

Learning turns a topic into a project with a goal you can check. You map the skills, log practice, track what you don't know yet, and turn what you learn into idea notes, recall cards and posts.

Why it helps: Founders learn under time pressure. A target performance and a weekly minutes budget keep learning tied to real results. Practice, self-testing and explaining build skill — rereading and highlighting do not. And everything you learn can become content.

One-time	Create 1–2 learning areas with a target performance, a why and weekly minutes. Fill the Map from the Ultralearning template. Build the skill tree (AI can suggest one). Link a goal and a content pillar.
Daily	After each practice block, log the session (2 minutes): kind, minutes, what you practised, gaps found, and “What can you now explain?” in 1–2 lines.
Weekly	In the weekly review, look at the “This week” strip on /learning: minutes vs target, sessions, ideas explained, gaps found/closed, recall retention. Close one gap. Move one skill forward.
Monthly	Pause areas you are not pushing right now, mark finished ones Done, and re-check each target performance.

Learning — all learning areas `/learning`

See every learning area at a glance and how this week's practice compares with your targets.

HOW TO USE IT

1. Click “+ Learning area” and fill the dialog.
2. Open the area and finish the setup (Map, skills, links).
3. Each week, check the rings: are you on pace for your weekly minutes?

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Learning (page header)	Title and the rule: learn by doing, test yourself, then teach it. Practice turns into skill — and into content.	
Recall	Opens the Recall page. An orange chip shows how many cards are due now.	
Learning area	The + button that opens the “New learning area” dialog.	
Practice this week (ring)	A ring with the % of your total weekly target done (all active areas, Monday–Sunday), plus practice time “of” the target, or “no target yet”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Sessions	How many practice sessions you logged this week.	
Ideas explained	How many sessions this week produced an idea note (you filled “What can you now explain?”).	
Gaps (found / closed)	Gaps added this week / gaps closed this week, across all areas.	
Recall	Recall reviews this week, with the retention % (answers that were not “Again”).	
Learning area card	One card per area. Shows a colour dot, the name, a status chip if Paused or Done, and the life area below.	Click the card to open the area.
Target performance (on the card)	The goal line with a target icon. If empty: “Set a target performance — what will you be able to do?”	
Minutes ring	Minutes practised this week over the weekly target (e.g. 45/120m). Colour shows progress. Grey when no target is set.	
Skills (bar)	Skill progress: “N/M solid · P%”, or “no skills mapped”.	
Active resources	Up to 2 books/courses in progress, each with a small progress bar. If none: “N queued — start one” or “Nothing in progress”.	
N active · max 2	An orange warning chip when more than 2 resources are active in this area. Finishing 1–2 at a time beats starting many.	
Card chips (due · sessions · gaps · done · cards)	Recall cards due (orange when > 0), sessions this week, open gaps, finished resources, and total cards (shown when nothing is due).	
Paused & done	A second group below with areas that are Paused or Done (shown lighter).	
Start your first learning area	Empty state when you have no areas, with a Learning area button.	

New learning area (dialog) `/learning`

Create a learning area as a project with a performance goal.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Tip box	Reminds you: treat it like a project with a performance goal — what will you be able to DO? Then map skills, practise and test yourself.	
Name	The area name, e.g. “Short-form video”. Required.	
Target performance	Something you can do and check, e.g. “Record a 60-second explainer with no notes.”	
Why it matters	Your reason, e.g. “Content is our cheapest lead source and I'm the face of it.”	
Weekly minutes	Your weekly time budget. Quick chips 1h, 2h, 3h, 5h, or type minutes (steps of 15). Default 2h (120 minutes).	
Life area	The life area it belongs to. bishOS pre-selects an area whose name contains “learn” or “content”. You can pick None.	
Cancel · Create area	Create area saves it (status Active), shows a toast and opens the new area page.	

Learning area — header and Overview tab `/learning/[id]`

Set the goal, the why and the learning map, watch this week's minutes, track your gaps and link the area to goals and content.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Area name	The title. Click it to rename.	
Learning › name (breadcrumb)	Click “Learning” to go back to all areas.	
Active · Paused · Done	The area status. Done shows a celebration. Paused and Done areas move to “Paused & done” on /learning.	
Review N due / Recall	Opens Recall filtered to this area. Shows “Review N due” (filled button) when cards are due.	
This week (tile)	Practice time this week with a small ring, “of” your target, or “set a target”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Skills (tile)	Skill progress % and “N/M solid”.	
Recall (tile)	Cards due now and total cards in this area.	
Gaps (tile)	Open gaps and the total minutes ever practised in this area.	
Overview · Skills · Practice · Resources · Cards	The tabs. Numbers show how many skills, sessions, resources and cards the area has.	
Target performance	What you will be able to DO — make it checkable. Click to edit.	
Why	Your reasons. They keep you going when it gets hard. Click to edit.	
Map	A free-text plan: what to learn (concepts, facts, procedures), how (direct practice, drill, feedback) and the benchmark. [[Links]] open notes (or create them).	Click Edit, write, click away (it saves). Click Preview to read.
Start from the Ultralearning template	Shown when the Map is empty in Edit mode. Fills in the headings: What to learn (Concepts, Facts, Procedures), How (Direct practice, Drill, Feedback from), Benchmark.	
This week (ring + Weekly target)	A big ring with minutes vs target, a “Weekly target (minutes)” field, and a status line: “Target hit — anything more is a bonus.”, “Xm to go”, or “A small weekly budget beats big intentions.”	Type a new number and click away to save it.
Week bars	One bar per day, Monday to Sunday. Green = practised. The dashed line is the daily pace you need for your weekly target. Today's letter is bold. Hover a bar for exact minutes.	
Things I don't know	Your gaps list (Feynman's notebook). Write where your explanation stalls, then close it.	
Gap checkbox	Tick to mark a gap closed (toast “Gap closed”). It moves to the closed list.	
Gap text	Click the text to edit it. The X (on hover) deletes the gap.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Add a gap… (Enter)	Type a gap and press Enter. Duplicates are ignored. Gaps also come in from “Gaps found” in practice and from jargon in “Make it public”.	
Show N closed / Hide	Shows closed gaps (crossed out). Untick one to reopen it.	
Links	Connects learning to the rest of bishOS.	
Life area	The life area of this learning area.	
Goal it serves	Pick a goal (12-week and annual goals are labelled). Dropped goals are hidden.	
Content pillar (learn in public)	Seeds you make from this area's notes land in this pillar in Content Studio. If you have no pillars, a link sends you to Content Studio.	
Delete learning area	Asks to confirm. Deletes the area, its skills and its practice log. Notes, cards and resources are kept (just unlinked).	

Learning area — Skills tab `/learning/[id]`

Break the area into skills you can practise and track each one from “To learn” to “Solid”.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Skill progress	The overall % (Solid = 100%, Practicing = ⅔, Learning = ⅓, To learn = 0, averaged), “N of M solid”, a coloured bar by status and a legend with counts.	
Suggest a skill map (AI)	AI proposes 4–7 top-level skills, each with 2–5 sub-skills, from foundation to advanced. It reads your target, why, map and gaps, and skips skills you already have.	Click it and wait (“Mapping the subject…”).
Suggested skill map	The AI proposal with a checkbox per skill and sub-skill. Only ticked skills are added. Unticking a parent also skips its sub-skills.	Untick what does not fit, then click “Add selected” (toast “N skills added to the tree”) or “Dismiss”.
Map the skill first	Empty state when there are no skills yet.	
Expand / Collapse arrow	Shows or hides a skill's sub-skills.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Status dot	A coloured circle: empty grey (To learn), small blue dot (Learning), bigger orange dot (Practicing), green tick (Solid).	Click it to move to the next status. After Solid it goes back to To learn. Reaching Solid shows a small celebration.
Skill name	Click to rename. Top-level skills are bold; Solid skills are greyed.	
N/M (sub-skill count)	How many sub-skills are Solid out of all sub-skills.	
Skill status	A dropdown to set the status directly: To learn, Learning, Practicing, Solid.	
Add sub-skill (+)	Opens a field under the skill: “Sub-skill… (Enter to add, Esc to close)”.	
Move up · Move down	Changes the order among sibling skills.	
Delete	Asks to confirm. If the skill has sub-skills, they move up one level. Practice sessions linked to it stay (unlinked).	
Add a top-level skill… · Add	Adds a new skill at the top level, e.g. “Write hooks”.	

Learning area — Practice tab `/learning/[id]`

Log practice sessions. Credit goes to practice, recall and explaining — not rereading.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Log a session	The form to record one practice block.	
Practice · Project · Study · Recall · Teach	The session kind. A hint under it explains each one (e.g. Practice: drill the skill directly — the highest-value minutes).	
Minutes	Quick chips 10, 15, 25, 45, 60, 90 or a custom number (1–600). Default 25.	
Skill (optional)	Which skill you practised, or “Whole area”. Sub-skills are indented with ↳.	
What did you practise?	A short description, e.g. “Recorded 3 takes of a 60-second explainer on pricing”.	
Gaps found	One gap per line. They are added to “Things I don't know” (a toast tells you how many). Drill your weakest point next time.	

ELEMENT	WHAT IT IS	HOW TO USE IT
What can you now explain?	Explain what you learned in your own words, as if to a smart 12-year-old. It is saved as an Idea note (status Processed, tag “learning”, linked to this area). Its first sentence becomes the title.	
Log session	Saves the session. Toast “Practice logged · 25m <area>” with +10 XP. Sessions of 45+ minutes get confetti.	
Idea note saved	A green box after logging (only when you filled “What can you now explain?”). “Open note” opens the idea note. “Make it public” opens the content-seed dialog.	
This week	The week bars (Monday–Sunday) with the daily pace line, and minutes of target in the hint.	
History	Your sessions, newest first (up to 60). Each shows the day (Today, Yesterday…), kind, minutes, skill, what you practised and “Gaps:”.	
Idea note link · Public / Make it public →	Under a session that created an idea note: the note title (click to open), and either a green “Public” chip or “Make it public →”.	
Delete session (trash icon)	Asks to confirm. Removes the session and its XP. The idea note stays.	
No sessions yet	Empty state: practice and recall earn credit here — rereading and highlighting don't.	

Learning area — Resources tab `/learning/[id]`

Manage the books, courses and videos for this area only.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Keep 1–2 active at a time…	The rule line: finish, write takeaways, then turn them into cards. An orange chip shows “N active” when more than 2 are active.	
Library	Opens the full Library page.	
Resource	Opens “Save a resource” with this area already selected.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Queued · Active · Done groups	Resources grouped by status, each with a colour dot and count. Dropped ones are hidden.	
Resource card	Same card as in the Library (see Library). Click it to open the resource drawer.	
Show N dropped / Hide dropped	Shows or hides the Dropped group.	
Done bar	A green bar showing the share of this area's resources that are done.	
No resources for this area	Empty state with a Resource button.	

Learning area — Cards tab `/learning/[id]`

See, create and generate the recall cards for this area.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Cards in this area	The card browser filtered to this area (filters, search, edit, suspend, reset, delete). See Recall → Browse tab for every control.	
Generate cards from a note	Pick a "Source note" (notes of this area are listed first; only notes with 20+ characters). AI drafts 3–6 cards; tick the ones worth keeping.	
New card	Question (front) and Answer (back). The area is locked to this one. Ctrl+Enter or "Add card" saves.	

Frameworks & terms in this module

> **Learning area** Scott Young, Ultralearning
> A topic you treat like a project: a target performance, a weekly time budget, a skill tree, practice sessions, resources, recall cards and a gaps list.
> *Example:* "Sales calls" with the target "Run a discovery call and book a next step without a script."

> **Target performance** Scott Young, Ultralearning (directness)
> What you will be able to DO when you have learned it — something you can test, not "know more about X".
> *Example:* Not "learn video", but "Record a 60-second explainer with no notes in under 3 takes."

Ultralearning Scott Young, Ultralearning

A method for learning hard skills fast and on your own: map the subject first, practise the real thing (directness), drill your weakest point, test yourself, get feedback.

Example: To learn cold email, you write 10 real emails a week (directness) and drill subject lines (drill).

Map (learning map) Scott Young, Ultralearning (metalearning)

Your plan for the area: the concepts, facts and procedures to learn, how you will practise, who gives feedback, and the benchmark that proves you can do it.

Example: Concepts: hooks, retention. Procedures: script → record → edit. Benchmark: 3 videos above 1,000 views.

Weekly minutes target bishOS

A small, fixed weekly time budget for the area. A small weekly budget beats big intentions.

Example: 120 minutes a week for "Short-form video" = about 17 minutes a day.

Daily pace line bishOS

The dashed line on the week bars: your weekly target divided by 7. Bars above it mean you are ahead.

Example: Target 140 min → pace line at 20 min a day.

Skill tree Ultralearning (map the subject first)

The area broken into skills and sub-skills you can practise, ordered from foundation to advanced.

Example: "Short-form video" → Write hooks (Curiosity hooks, Contrarian hooks), Record on camera, Edit fast.

To learn (skill status) bishOS

You have not started this skill. Counts 0% in skill progress.

Example: "Edit with captions" before you open the editing app.

Learning (skill status) bishOS

You are studying how it works. Counts ⅓ (33%).

Example: You are watching tutorials on hooks.

Practicing (skill status) bishOS

You are doing it for real and getting better. Counts ⅔ (67%).

Example: You write 5 hooks a day and test them in posts.

Solid (skill status) bishOS

You can do it reliably without help. Counts 100%.

Example: Your hooks hit your median views or better most of the time.

Skill progress bishOS

The average of all skills, where Solid = 1, Practicing = ⅔, Learning = ⅓, To learn = 0.

Example: 3 skills: Solid, Practicing, To learn → (1 + 0.67 + 0) ÷ 3 = 56%.

Practice session bishOS

One logged block of learning: kind, minutes, skill, what you did, gaps found and what you can now explain. +10 XP each.

Example: 25 minutes, Practice, “Write hooks”, 10 hooks written, gap: “how long a hook should be”.

Practice (session kind) K. Anders Ericsson (deliberate practice)

Drilling the skill directly — the highest-value minutes.

Example: Recording the same 30-second intro 5 times.

Project (session kind) Ultralearning (directness)

Doing the real thing: ship, record, pitch.

Example: Publishing a real video, or running a real sales call.

Study (session kind) bishOS

Reading, watching and taking notes in your own words.

Example: Reading a chapter of a sales book and writing source notes.

Recall (session kind) Retrieval practice (Roediger & Karpicke)

Testing yourself from memory.

Example: Writing the 5 steps of your discovery call without looking.

Teach (session kind) Richard Feynman (Feynman technique)

Explaining it simply out loud or in writing, to find where you get stuck.

Example: Explaining your pricing model to your co-founder in 2 minutes.

“What can you now explain?” (Feynman technique) Richard Feynman

After practice, explain what you learned in plain words, as if to a smart 12-year-old. Where you stall, you found a gap. bishOS saves the explanation as an Idea note.

Example: “Price anchoring works because people judge price by comparison, not by value alone. Show the big plan first.”

Gaps list (“Things I don't know”) Richard Feynman (his “notebook of things I don't know about”)

A running list of questions you could not answer. You add them while practising and close them one by one.

Example: Gap: “How to handle the ‘too expensive’ objection.” Closed after 2 role-play sessions.

Drill your weakest point Scott Young, Ultralearning (drill)

Spend practice time on the sub-skill that holds you back most, instead of what you already do well.

Example: Your videos lose viewers at second 3 → drill hooks, not editing.

Learn in public Shawn Wang (swyx)

Share what you learn while you learn it. It forces clear thinking, builds your audience and attracts help.

Example: After a practice session on pricing, you post “3 things I got wrong about pricing our agency”.

Content pillar bishOS Content Studio

A main topic of your content. A learning area can feed one pillar, so seeds from its notes land there.

Example: Learning area “Sales calls” feeds the pillar “Founder-led sales”.

Jargon as gaps Feynman technique

Words you use but cannot explain simply are signs you don't fully understand yet. The Feynman draft lists them so you can add them to your gaps.

Example: AI flags “LTV:CAC” — you add it to Things I don't know.

Hook Content marketing practice

The first line of a post or video that makes people stop scrolling.

Example: “I stopped offering free trials. Revenue went up.”

Area status (Active · Paused · Done) bishOS

Active = you practise it now. Paused = on hold. Done = target reached. Only areas you push should be Active.

Example: Pause “Spanish” during a launch month; mark “Cold email” Done after you hit the target.

How to test it

1. Go to /learning and click “+ Learning area”. Enter a name, a target performance, choose 2h, click “Create area”. Expected: a toast; the area page opens with status Active and all tiles at 0.
2. On Overview, click Edit on Map, then “Start from the Ultralearning template”. Click outside. Expected: the template saves; Preview shows the headings.
3. In “Things I don't know” type a gap and press Enter. Expected: it appears; the Gaps tile shows 1 open. Tick it. Expected: toast “Gap closed”; “Show 1 closed” appears.
4. Set “Weekly target (minutes)” to 140 and click away. Expected: the ring and the dashed pace line update.
5. Open Skills and click “Suggest a skill map (AI)”. Untick a few, click “Add selected”. Expected: toast “N skills added to the tree”; the tree shows them as To learn.
6. Click one status dot 3 times. Expected: To learn → Learning → Practicing → Solid, with a small celebration at Solid; Skill progress % goes up.
7. Open Practice. Choose Practice, 25, a skill; fill all three text fields (two gaps on two lines); click “Log session”. Expected: toast “Practice logged · 25m …” with +10 XP; toast “2 gaps added…”; the green “Idea note saved” box; History shows the session; the This week bar for today is green.
8. Click “Open note” in the green box. Expected: an Idea note (Processed, tag learning, learning area set) opens.
9. Back on /learning. Expected: the area card ring shows 25/140m; the This week strip shows Sessions 1, Ideas explained 1, Gaps 2/1 (or similar).
10. Delete the session in History and confirm. Expected: it disappears and its XP is removed; the idea note still exists.
11. Open Resources, click Resource, add 3 resources with “Start now”. Expected: on the third a warning toast “3 active in this area — finishing 1–2 at a time works better”; on /learning the card shows “3 active · max 2”.

12. Open Cards → “Generate cards from a note”, choose the idea note, draft and add cards. Expected: the Cards tab count goes up; the header button shows “Review N due”.
13. Click “Review N due”. Expected: Recall opens with “Filtered to <area>”.
14. Set status to Done. Expected: a celebration; on /learning the card moves to “Paused & done”.
15. Click “Delete learning area” and confirm. Expected: back to /learning; the area is gone; its notes, cards and resources still exist without the area.

Tips

- Write the target performance as a test you could fail. If you can't fail it, it is not a target.
- Log “What can you now explain?” every time — it is the cheapest way to create content ideas.
- Keep at most 2 learning areas Active during busy months.

MIND

Library

Library is your learning queue for books, courses, videos, articles, podcasts, papers and tools. Every resource needs a reason, you keep only 1–2 active per learning area, and you finish with takeaways and recall cards.

Why it helps: Saving is not learning. The Library stops the guilt pile: a "why saved" line keeps the queue honest, the max-2-active rule gets things finished, and takeaways plus recall cards make a book something you actually use.

One-time	Add the books and courses you are reading now and the top 5 you want next — each with a one-line reason.
Daily	Move the progress slider of the resource you are working on. Write takeaways while they are fresh.
Weekly	Look at the board. Drop what you no longer need (guilt-free). Make sure no learning area has more than 2 active resources. Start the next queued one only when one is done.

Library — board and list `/library`

See every resource by status, filter them, and move them from Queued to Active to Done.

HOW TO USE IT

1. Click "+ Resource", write the title and why you are saving it, choose Queue it.
2. When you start it, drag it to Active (max 2 per area).
3. Open it while reading and move the progress slider; write takeaways in your own words.
4. When finished, drag it to Done, write your 3 takeaways from memory, rate it, and create 3 recall cards.
5. Drop anything you no longer need.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Library (page header)	Title and rule: save with a reason, keep 1–2 active per area, finish with takeaways — then recall them.	
Board / List	Switches between a Kanban board and a table.	
Resource	The + button that opens "Save a resource". If a learning area filter is set, it is pre-selected.	
Search title, why, takeaways…	Filters by title, author, why saved and takeaways.	

ELEMENT	WHAT IT IS	HOW TO USE IT
All learning areas	Area filter: All learning areas, No area, or one area.	
Show dropped	A checkbox. When ticked, Dropped resources appear (a 4th board column, or rows in the list).	
Format chips (All formats · Book N · Course N …)	Filter by format. Only formats you have used appear, each with a count.	Click a chip to filter; click it again or "All formats" to reset.
Overload banner	An orange bar when a learning area has more than 2 active: "<area> has N active — finish or drop one; 1–2 at a time gets things finished."	
Queued column	Hint: "Saved with a reason". Resources you plan to start. The "+ Add" button at the bottom opens Save a resource.	
Active column	Hint: "Keep 1–2 per area". What you are working on now.	
Done column	Hint: "Takeaways → recall cards". Finished resources.	
Dropped column	Hint: "Let go, guilt-free". Only when Show dropped is ticked.	
Drag between columns	Moving a card changes its status. Moving to Active warns if the area now has more than 2. Moving to Done opens "Finished — lock it in".	Drag a card to another column.
Resource card	Format icon, title, author, the "why saved" line in quotes, a progress bar (Active only), and chips: area, format, star rating (Done), number of recall cards, and an orange "add takeaways" chip if Done without takeaways.	Click the card to open the resource drawer.
List table	Columns: Title (with format icon and author), Why saved, Area, Progress (% or stars or "Done"), Status. Click a row to open the drawer.	
Status (list)	A dropdown in each row: Queued, Active, Done, Dropped. Works like dragging on the board.	
Counts footer	"N queued · N active · N done", plus "drag cards between columns" on the board.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Your library is empty	Empty state with “Save a resource”.	

Save a resource (dialog) `/library`

Add a book, course or video to the queue — with a reason.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Title	Required, e.g. “$100M Offers”.	
Format chips	Book, Course, Video, Article, Podcast, Paper, Tool, Other. Default Book.	
Why are you saving this? (required)	What you hope to be able to do after it. A reason keeps the queue from becoming a guilt pile. If empty, the box turns red: “Add a reason — one line is enough.”	
Link (optional)	A web address.	
Author (optional)	The author or creator.	
Learning area	The area it serves, or None.	
Start (Queue it / Start now)	Queue it = status Queued. Start now = status Active (with a warning if the area now has more than 2 active).	
Cancel · Save resource	Save shows “Saved to your library” (Queued or Started).	

Resource drawer `/library`

Edit everything about one resource, track progress, write takeaways and make recall cards.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Queued · Active · Done · Dropped	Status switch. Done sets progress to 100% and opens “Finished — lock it in”.	
Title	Saves when you click away.	
Why saved	Required. If you empty it, it goes back to the old text with the warning “Why saved can't be empty”.	
Format	Change the format.	
Learning area	Change or remove the area.	
Author	Saves when you click away.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Link	The web address, with an open-in-new-tab icon when set.	
Progress · N%	A slider from 0 to 100% in steps of 5. It saves when you let go.	
Takeaways (in your own words)	A text box for your key lessons (one per line works best). Edit / Preview switches modes. Saves when you click away.	
Rating	1–5 stars. Click the same star again to clear it.	
Recall cards · Create from takeaways	Shows how many cards come from this resource. “Create from takeaways” (needs takeaways) opens the card proposals: “Draft 3 cards with AI” or “Write questions myself” (answers are pre-filled from your takeaway lines).	
Delete resource	Asks to confirm. Cards and notes made from it are kept.	

Finished — lock it in (dialog) `/library`

When you mark a resource Done, capture the value before you forget it.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Trophy banner	The resource title in green, plus a small celebration (“Finished …”).	
Your 3 biggest takeaways	Write them from memory first — that retrieval is the learning.	
Rating	1–5 stars.	
Create 3 recall cards from your takeaways?	Explains that spaced recall is how a book becomes something you use. Warns “Write at least one takeaway first.” when empty.	
Save, no cards	Saves takeaways and rating, then closes.	
Yes, create cards	Saves, then shows the card proposals: let AI draft 3 questions from your takeaways, or write the questions yourself (answers pre-filled).	

Frameworks & terms in this module

Queued (resource status) bishOS

Saved with a reason, not started yet.

Example: "$100M Offers — to build a grand-slam offer before the Q4 push."

Active (resource status) bishOS

You are working on it now. Keep 1–2 per learning area.

Example: One sales book and one cold-email course active in "Sales".

Done (resource status) bishOS

Finished. Write takeaways and turn them into recall cards.

Example: Done: "Never Split the Difference" with 3 takeaways and 3 cards.

Dropped (resource status) bishOS

Let go, guilt-free. Not every resource deserves to be finished.

Example: You drop a course after module 2 because it is too basic.

Why saved bishOS; guards against the Collector's fallacy (Christian Tietze)

A required one-line reason for every resource: what you want to be able to do after it. No reason = no save.

Example: "To write a proposal template that closes 30%+ of calls."

Max 2 active per area bishOS (work-in-progress limit idea from Kanban)

A soft limit: if a learning area has more than 2 active resources, bishOS warns you (it never blocks). Finishing beats starting.

Example: You try to start a 3rd marketing book — a warning asks you to finish or drop one first.

Takeaways from memory Retrieval practice (Roediger & Karpicke)

Write the key lessons without looking at the book first. Pulling them from memory is itself the learning.

Example: Close the book and write: 1) mirror the last words, 2) label emotions, 3) ask calibrated questions.

Format bishOS

The type of resource: Book, Course, Video, Article, Podcast, Paper, Tool or Other.

Example: Notion = Tool; a YouTube talk = Video.

How to test it

1. Go to /library, click "+ Resource", type a title, leave "Why" empty and click "Save resource". Expected: the Why box turns red with "Add a reason — one line is enough." and nothing is saved.
2. Add a reason, pick a learning area, choose "Queue it", save. Expected: toast "Saved to your library · Queued"; the card is in the Queued column with the reason in quotes.
3. Drag it to Active. Expected: it moves; a progress bar appears on the card.
4. Start two more resources in the same area. Expected: a warning toast on the 3rd and the orange overload banner at the top.
5. Open a card, move the progress slider to 40%, let go. Expected: the card shows 40%.
6. Write two takeaway lines and click away. Click "Create from takeaways" → "Write questions myself". Expected: two cards with answers pre-filled; write questions and click Add. The card shows a brain chip

with 2.
7. Drag a resource to Done. Expected: a celebration and the “Finished — lock it in” dialog. Write takeaways, rate 4 stars, click “Save, no cards”. Expected: the card shows 4 stars in Done.
8. Mark another resource Done without takeaways. Expected: its card shows the orange “add takeaways” chip.
9. Switch to List. Change a status with the dropdown. Expected: same behaviour as dragging.
10. Tick “Show dropped” after dropping one. Expected: a Dropped column appears.
11. Search for a word from a takeaway. Expected: only matching resources show.

Tips

- If you can't write a “why” in one line, you probably don't need to save it.
- Rate resources honestly — later you will know which authors are worth your time.

MIND

Recall

Recall is your daily flashcard session. Cards are scheduled with FSRS, a modern memory model, so each card comes back just before you would forget it. You can also test yourself on your notes.

Why it helps: Testing yourself and spacing your reviews are the two study habits with the strongest evidence. 10–15 minutes a day keeps what you learned from books, notes and practice usable for years — with the fewest reviews.

One-time	Create your first 10–20 cards: from a note (AI draft), from book takeaways, or by hand in the Create tab.
Daily	Open Recall when the sidebar badge shows due cards. Press Start session and go until "Session complete" (up to 30 cards, about 12 seconds each). Rate honestly with keys 1–4.
Weekly	Check Retention 30d (target 90%) and the 7-day forecast. In Browse, fix or suspend confusing cards (look at "Learning" and cards with many lapses). Use the Notes tab once.

Recall — Review tab (daily session) `/recall`

Run today's flashcard session in a focused, game-like screen.

HOW TO USE IT

1. Open Recall. Press Space to start.
2. Read the question and answer in your head (or out loud).
3. Press Space to flip. Compare honestly.
4. Press 1 (Again) if you forgot, 2 (Hard) if it was a struggle, 3 (Good) if you recalled it, 4 (Easy) if it was instant.
5. Continue until "Session complete". Misclick? Press Ctrl+Z.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Recall (page header)	Title and rule: test yourself, spaced out over time — 10–15 minutes a day.	
Review · Notes · Browse · Create	The four tabs. The tab is kept in the web address (?tab=…), so you can bookmark it.	
Due now	Cards due right now, and "N today" (due before midnight). Shown on every tab except Create.	
Reviewed today	How many ratings you gave today and how many different cards.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Retention 30d	A ring with the % of answers in the last 30 days that were not “Again” (review-stage cards when you have 5+ of them). Target 90%. “—” until there is data.	
Streak	Days in a row with at least one review (a flame icon), plus “N cards · N mature”.	
7-day forecast	Small bars: how many cards come due today and each of the next 6 days. Hover a bar for the number.	
Filtered to <area> ×	Shown when you came from a learning area (?area=…). The session, browse and create only use that area. Click × to remove the filter.	
Session intro	A big number of cards ready, “about N min” (12 seconds per card), how many are new, and chips per learning area.	
Start session (Space)	Starts the session. You can also press Space or Enter.	
Streak · retention · reviewed today line	Under the start button: your streak, “N% retention (30d)” and “N reviewed today”.	
Shortcut line	“Space reveal · 1–4 rate · Ctrl+Z undo”. Shortcuts do not fire while you type in a text field.	
All caught up	Shown when nothing is due. It tells you when the next cards are due (or that nothing is due this week). Buttons: “Create a card” and “Review notes instead”.	
Progress bar · N left · +N XP	During the session: how far you are, how many cards remain, and XP earned (+1 per card per day).	
Card front	The question, with chips for the learning area and the card state (New, Learning, Relearning, Review). Text: “Answer in your head, then flip.”	Say or think the answer first. Then click the card or press Space.
Show answer (Space)	Flips the card.	
Card back	The question (small), a line, then the answer. If the card came from a note, a link to the source note shows at the top right.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Again · Hard · Good · Easy	Four rating buttons. Each shows when you will see the card next (the interval preview, e.g. 1m, 6m, 10m, 14d) and a hint: Forgot · 1, Struggled · 2, Recalled · 3, Instant · 4.	Click a button or press 1, 2, 3 or 4. Cards still in short steps (minutes) come back later in the same session.
Undo	Takes back your last rating (also Ctrl+Z). The card comes back revealed and its schedule is restored.	
N reviewed	How many ratings you gave in this session.	
End session	Stops now and shows the done screen. Unrated cards stay due.	
Session complete	The done screen with a trophy and confetti (+ XP toast).	
Reviews · First-try recall · XP earned · Time	Number of ratings (and cards), % of cards you got right the first time (green 85%+, blue 70%+, orange below), XP earned and time spent.	
Rating bar	A coloured bar with how many Again, Hard, Good and Easy you pressed.	
Tomorrow: N cards due · N-day streak	What tomorrow looks like.	
Keep going · N more	Shown if more cards became due. Starts another round.	
Review notes too / Back to Today / Undo last	Go to the Notes tab, go to Today, or undo the last rating.	

Recall — Notes tab (note review mode) `/recall?tab=notes`

Practice testing on your own notes: see a title, recall the idea, reveal, rate.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Review mode text	Explains: see a note's title, recall what it says, then reveal it. Browsing becomes practice testing.	
Progress bar · i / n	Where you are in the set (10 notes per set).	
Shuffle a new set	The circular-arrows icon. Starts over with a new random set.	
Type chip · Open	The note type, and a link to open the note.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Note title	The only thing you see before revealing. Prompt: “What does this note say? Recall it before you look.”	
Jot what you remember (optional)…	A box to write your recall attempt. After revealing it shows as “You recalled”, so you can compare.	
Reveal note (Space)	Shows the Summary (if any) and the note body. [[Links]] in the body are clickable.	
Hard (1) · Easy (2)	Rate how well you recalled it. Hard notes come back first next time; then the notes you reviewed longest ago.	
N notes in rotation · hard ones come back first	How many notes qualify for review.	
Notes reviewed: N · New set	The end screen. If some felt hard, it suggests turning them into recall cards. “New set” starts again.	
No notes to review yet	Empty state: write a few idea notes (40+ characters) and come back. “Go to notes” button.	

Recall — Browse tab (card browser) `/recall?tab=browse`

Find, fix, pause, reset or delete cards.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
All · Due · New · Learning · Review · Suspended	State filter, each with a count. Learning includes Relearning. Suspended cards only show under All and Suspended.	
All areas	Learning-area filter (hidden when you are inside a learning area).	
Search cards…	Searches the question and answer text.	
Card row	The question in bold and the answer below (2 lines).	
State chip	New, Learning, Relearning, Review — or Suspended.	
Due chip	“due now”, “due 3d ago” (orange) or “in 4d”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
S Nd	For Review cards: the stability in days (how long the memory lasts at 90% recall). “S <1d” means under a day.	
N lapses	How many times you forgot the card after it was learned.	
Area chip · note link	The learning area, and a link to the source note if the card came from one.	
Edit	Opens “Edit card”: change question, answer and learning area, then “Save card”.	
Suspend / Resume	Suspend pauses a card: it is never due and not counted. Resume brings it back.	
Reset schedule	Asks to confirm. The card starts over as New and is due now.	
Delete	Asks to confirm, then deletes the card.	
No recall cards yet / No cards match	Empty states. “Create card” goes to the Create tab.	

Recall — Create tab `/recall?tab=create`

Write cards by hand or let AI draft them from a note.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
New card	Hint: one idea per card; phrase the front as a question you must answer from memory.	
Question (front)	The question, e.g. “Why do spaced reviews beat cramming?”	
Answer (back)	A short answer (1–2 sentences).	
Learning area	Optional area for the card (pre-set when you came from an area).	
N added this round · Ctrl+Enter to save	A counter of cards added since you opened the tab, and the shortcut.	
Add card	Saves the card. Toast: “Card added — it's due now.” The fields clear for the next card.	
Draft cards from a note	Pick a “Source note” (“Choose a note…”). AI proposes 3–6 cards; you approve each one before it is saved (same proposal list as in Notes).	

Frameworks & terms in this module

Spaced repetition Hermann Ebbinghaus (forgetting curve); Piotr Wozniak (SuperMemo)

Review information at growing gaps (1 day, 4 days, 2 weeks, 2 months…), right before you would forget it. Each successful recall makes the memory last longer.

Example: Your card "3 parts of the value equation" comes back after 1 day, then 4, then 15, then 36.

Retrieval practice (testing effect) Roediger & Karpicke 2006; Dunlosky et al. 2013

Pulling an answer from memory strengthens it much more than rereading.

Example: Answering "What are the 5 steps of our onboarding?" beats rereading the onboarding doc.

FSRS Jarrett Ye / Open Spaced Repetition (also used in Anki)

Free Spaced Repetition Scheduler — a modern memory model trained on hundreds of millions of reviews. It predicts when you will forget each card and schedules it just before. bishOS uses FSRS-4.5 with the default settings. It needs fewer reviews than older methods (like SM-2) for the same memory.

Example: Two cards you both rated Good can get different intervals, because FSRS tracks how hard each one is for you.

Stability FSRS

In plain words: how long a memory lasts. Stability of 15 days means that after 15 days you still have a 90% chance to remember. Good answers raise it; forgetting lowers it. Shown as "S Nd" in Browse.

Example: A new card answered Good starts around 4 days; after a few good reviews it can reach months.

Difficulty FSRS

In plain words: how hard this card is for you, on a scale of 1 to 10. Hard cards grow their intervals more slowly. Again and Hard push it up; Good and Easy pull it down.

Example: A card with a long list answer becomes "difficult" and comes back more often.

Retrievability FSRS

The chance you can recall the card right now. It drops over time since the last review. When it falls to 90%, the card is due.

Example: 15 days after a review with stability 15, retrievability is about 90% — the card is due.

Again (rating 1) Anki / FSRS rating scale

You forgot. The card goes back to short steps (1 minute for a new card, 10 minutes for a learned card) and counts as a lapse if it was already learned.

Example: You could not recall the price of your middle plan → Again → it comes back in the same session.

Hard (rating 2) Anki / FSRS rating scale

You recalled it, but with real effort. The next interval is shorter than Good.

Example: You remembered 2 of the 3 objection answers after a long pause → Hard.

Good (rating 3) Anki / FSRS rating scale

You recalled it correctly with normal effort. This should be your most common answer.

Example: You answered "mirror, label, calibrated question" after a second → Good.

Easy (rating 4) Anki / FSRS rating scale

You knew it instantly. The card jumps far ahead (a new card skips the short steps and goes to about 14 days).

Example: "What does CAC stand for?" → instant → Easy.

Interval preview bishOS (FSRS)

The time shown on each rating button: when you will see the card again if you press it. A new card shows Again 1m · Hard 6m · Good 10m · Easy 14d. A review card might show 10m · 6d · 15d · 36d.

Example: You see Good = 15d and Easy = 36d, and choose honestly.

Learning steps bishOS (FSRS with Anki-style steps)

Short practice steps for a new card before it moves to day intervals: 1 minute, then 10 minutes. After you forget a learned card, there is one relearning step of 10 minutes.

Example: New card → Good (10m) → Good again → it graduates to about 4 days.

Card states (New · Learning · Relearning · Review) Anki / FSRS

New = never studied. Learning = in its first short steps. Relearning = forgotten and back in short steps. Review = graduated, coming back after days.

Example: A card you just created is New; after Good twice it is Review.

Mature card Anki convention

A Review card with stability of 21 days or more. A sign the memory is strong.

Example: "120 cards · 40 mature" means 40 cards last at least 3 weeks.

Lapse Anki / FSRS

Forgetting a card (pressing Again) after it had graduated to Review. Many lapses mean the card should be rewritten or split.

Example: A card with 5 lapses: "List all 9 steps of our sales process" → split into 3 cards.

Retention FSRS (requested retention 0.9)

The share of reviews you got right (not "Again") over the last 30 days. bishOS aims for 90%. Much lower means cards are too hard; near 100% may mean they are too easy.

Example: Retention 30d: 88% — close to the 90% target.

First-try recall bishOS

On the done screen: the % of cards you got right the first time you saw them in this session.

Example: 20 cards, 17 right first time → 85%.

Due queue bishOS

Today's session list: up to 30 due cards. First cards in short steps, then review cards (most overdue first), then new cards. Topics are mixed across learning areas.

Example: Your 30-card session mixes Sales, Video and Finance cards instead of 30 sales cards in a row.

Interleaving Learning science (Rohrer & Taylor)

Mixing topics in one session instead of blocking one topic. It feels harder but builds stronger memory.

Example: A sales card, then a finance card, then a video card.

Learn ahead bishOS

If only cards in short steps remain (due in a few minutes), the session shows them now instead of making you wait.

Example: Your last card is due again in 10 minutes — the session shows it right away.

Streak (recall) bishOS

Days in a row with at least one review, counting today or yesterday.

Example: You reviewed every day this week → 7-day streak.

7-day forecast bishOS

How many cards come due on each of the next 7 days, so you can plan.

Example: Saturday shows 40 cards — you do a few extra on Friday.

Suspend Anki convention

Pause a card so it never comes due, without deleting it.

Example: You suspend cards about a tool you stopped using.

Reset schedule bishOS

Forget a card's history and start it again as New.

Example: You rewrote a card completely — reset it.

Minimum information principle Piotr Wozniak, 20 rules of formulating knowledge

One fact or idea per card, with a short answer. Small cards are easier to remember than big ones. bishOS AI follows this rule.

Example: Not “Explain our pricing” but “Why is the middle plan our anchor?”

How to test it

1. Open Recall → Create. Type a question and answer, press Ctrl+Enter. Expected: toast “Card added — it's due now”; “1 added this round”.
2. Open the Review tab. Expected: the stats strip shows Due now ≥ 1; the intro says “1 card ready · about 1 min · 1 new”; the sidebar Recall badge shows the count.
3. Press Space. Expected: the card front appears with a “New” chip.
4. Press Space again. Expected: the card flips; the buttons show Again 1m, Hard 6m, Good 10m, Easy 14d.
5. Press 3. Expected: “+1 XP” in the top bar; because the card is in a short step, it comes back in this session (learn ahead).
6. Flip and press 3 again. Expected: the card graduates (about 4 days) and “Session complete” shows Reviews 2, 1 card, XP +1, a time, and the rating bar.
7. Press Ctrl+Z. Expected: toast “Last rating undone”; the card returns flipped; you can rate again.
8. Open Browse. Expected: the card shows state Review, “in 4d” (or similar) and “S 4d”. Click Suspend. Expected: toast “Card suspended”; it is greyed; the Suspended filter count is 1; Due does not count it. Click Resume.
9. Click Reset schedule and confirm. Expected: toast “Card reset”; state New; due now.
10. Open the Notes tab (with processed notes of 40+ characters). Press Space, then 2. Expected: next note; at the end “Notes reviewed: N”.

11. From a learning area click “Review N due”. Expected: “Filtered to <area>” chip; only that area's cards; × removes the filter.
12. Review on two days in a row. Expected: Streak shows 2 with a flame.
13. After 5+ reviews of graduated cards in 30 days. Expected: Retention 30d shows a % instead of “—”.

Tips

- Rate honestly. Pressing Good when you forgot only hides the problem — FSRS needs the truth.
- If a card keeps lapsing, rewrite it smaller or suspend it.
- Do Recall at a fixed moment, e.g. right after the morning start-up.

MIND

AI helpers for notes and learning

In the Mind group, AI drafts and you decide. It suggests recall cards, a Feynman explanation with post ideas, a skill map, note summaries and related notes. Nothing is saved until you approve it.

Why it helps: AI removes blank-page friction: cards, skill maps and post drafts take seconds instead of an hour. Because you tick and edit every item, the quality and the voice stay yours.

One-time	When you create a learning area, run “Suggest a skill map (AI)”.
Daily	After writing an important note, click Recall cards → “Draft 5 cards with AI”.
Weekly	Run “Make it public” → “Draft a simple explanation (AI)” on your best note of the week.

AI on a note `/notes/[id]`

Summarize a note, find related notes, draft recall cards and draft learn-in-public material.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Summarize	Writes 3–5 tight bullet points and one key takeaway, faithful to the note. Shown in the AI box, not saved.	
Find related	Looks at your other notes and lists up to 5 that truly relate, as clickable [[links]] with a short reason. If none relate, it says so.	
Draft 5 cards with AI	In the Recall cards dialog. Makes 3–6 question → answer cards from the note's summary and text. Rules: one idea per card, answerable from memory, “why/how” questions, short answers, no yes/no questions, no invented facts. Needs at least 20 characters of text.	
Draft a simple explanation (AI)	In the Make it public dialog. Returns a simple explanation (up to 150 words, with one example), jargon you still use (up to 8), a hook, and 3 short posts (TIL, Mistake I made, Myth-bust; up to 80 words each). First person, plain words, no hashtags or emojis.	
✦ notes assistant	A chat that can create or change notes. It shows each action with Confirm / Cancel before saving.	

AI in a learning area `/learning/[id]`

Map the skills of a new area and turn notes into cards.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Suggest a skill map (AI)	Skills tab. Proposes 4–7 top-level skills with 2–5 sub-skills each, ordered foundation → advanced, as things you can DO and practise. It reads the name, target performance, why, map and open gaps, and skips skills you already have.	
Generate cards from a note	Cards tab. Choose a source note; AI drafts 3–6 cards; you tick the ones to keep.	

AI on a finished resource `/library`

Turn your takeaways into recall cards.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Draft 3 cards with AI	From “Create from takeaways” in the drawer or “Yes, create cards” in the finish dialog. Uses your takeaways and your “why saved” line.	
Write questions myself	The no-AI path: each takeaway line becomes an answer; you write the questions.	

AI in Recall `/recall?tab=create`

Draft cards from any note without leaving Recall.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Draft cards from a note	Choose a source note, then “Draft 5 cards with AI” or “Write by hand”. Approve with checkboxes, then “Add N cards”.	

Frameworks & terms in this module

> **AI proposal (approve before save)** bishOS
> Every Mind AI feature returns suggestions only. You see them with checkboxes or as text, edit them, and only what you approve is saved.
> *Example:* AI drafts 5 cards; you untick 1 and fix 1 — 4 cards are saved.

AI unavailable / rate limit bishOS

The free AI service sometimes limits requests. You see a friendly message; wait a moment and try again, or use the manual path (Write by hand, Write questions myself, plant the seed without a draft).

Example: “AI is unavailable right now (rate limit?). Try again, or write cards by hand.”

Feynman draft Richard Feynman; swyx (learn in public)

The AI version of the Feynman step: a simple explanation of your note plus the jargon it could not avoid — your next gaps.

Example: From your note on unit economics, AI flags “contribution margin” as jargon.

How to test it

1. Open a note with a few lines. Click Summarize. Expected: bullets and a key takeaway in the AI box within a few seconds.
2. Click Find related. Expected: up to 5 [[links]] with reasons; clicking one opens that note.
3. Click Recall cards → “Draft 5 cards with AI”. Expected: about 5 editable cards with checkboxes. Untick one and click “Add 4 cards”. Expected: toast “4 recall cards added”.
4. Open a note with fewer than 20 characters and try to draft cards. Expected: the message “There isn't enough text to make cards from yet. Write a few lines first.”
5. Click Make it public → “Draft a simple explanation (AI)”. Expected: Simple explanation plus TIL, Mistake I made and Myth-bust rows; jargon chips; the Hook field is filled.
6. In a learning area, Skills tab → “Suggest a skill map (AI)”. Expected: 4–7 skills with sub-skills and checkboxes; “Add selected” adds only ticked ones.
7. Turn off the internet (or wait for a rate limit) and try any AI button. Expected: a clear warning message, and nothing is saved.

Tips

- Always edit AI cards into your own words — cards you shape yourself are easier to remember.

WORK

Tasks

Your list of next actions. Every task has a “when” day (the day you plan to work on it) that is separate from its deadline. Six GTD lists — Today, Upcoming, Anytime, Someday, Overdue, Done — sit next to four layouts: Board, Calendar, Split and Table.

Why it helps: Your head is for having ideas, not for holding them. When every next action lives here with a life area, an estimate and an energy level, you can plan a realistic day in two minutes. The “when” day stops a deadline from pretending to be a plan. The stale prompt stops the same task from rolling forward forever. Tasks feed Today, Focus, Projects, Life Areas, Wins and Analytics.

One-time	Create your life areas first — every task lives in one. Optional: choose your day shape on Today (Top 3, Ivy Lee or 1-3-5). It decides how many tasks fit in “Top 3” (3, 6 or 9).
Daily	Morning: open the Today list, check the planned time, star your Top 3 and decide on everything in “From earlier days”. During the day: tick tasks done and start a timer with the ▶ button. Capture new tasks with the C key or New task.
Weekly	Weekly review: open Upcoming and give every task in “Deadlines ahead — no “when” yet” a real day. Scan Anytime and Someday. Clear Overdue. Click Decide now on the stale banner.
Monthly	Open Someday. Delete old ideas or plan the ones that matter now. Open Done and enjoy the proof of progress.

Tasks `/tasks`

See, filter, plan and finish all your next actions. Pick a GTD list for planning, or a layout (board, calendar, split, table) for a different view of the same tasks.

HOW TO USE IT

1. Open Tasks → Today. Read the summary line: is the planned time realistic?
2. Decide on every task in “From earlier days”: All today, or use the row buttons for Tomorrow, or tick them and click Someday.
3. Star up to 3 tasks (the star appears when you hover a row). They become your Top 3.
4. Click ▶ on your first Top 3 task and pick Pomodoro. Work until the timer rings.
5. Tick the circle when a task is finished.
6. Once a week open Upcoming, then Anytime and Someday, and finish with Overdue. Answer the stale banner.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Tasks (page header)	Page title with the line “Next actions with a “when” day — separate from the deadline. Plan today, park the rest; nothing rolls over silently.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
Today (button)	Outline button with a sun at the top right. It opens the Today page, your daily cockpit.	Click it when you want to pick your Top 3 or run the start-up ritual.
New task (button)	Opens the New task window (see the next page of this guide).	Click it. You can also press C anywhere in the app for quick capture.
List switcher (Today · Upcoming · Anytime · Someday · Overdue · Done)	The six GTD lists, each with a small count. Today = open Top 3 + planned for today + deadline today + from earlier days. Upcoming = open tasks with a "when" day after today. Anytime = open tasks with no "when" day that are not Someday (your backlog). Someday = parked ideas. Overdue = open tasks whose deadline has passed. Done has no count.	Click a list. The app remembers your last view in this browser. A link like /tasks?view=upcoming opens a list directly.
Layout switcher (Board · Calendar · Split · Table)	Four classic layouts over the same filtered tasks.	Click one. Switching view clears any rows you had selected.
All life areas (filter)	Shows only the tasks of one life area. Archived areas are not in the list.	Pick an area. The "Tasks →" link on an area hub opens this page already filtered (?area=…).
Any goal (filter)	Options: Any goal, No goal (maintenance), then your active goals. 12-week goals start with "12w ·", annual goals with "Year ·". Dropped and achieved goals are hidden.	Pick "No goal (maintenance)" to see the work that keeps your areas healthy but does not move a goal.
Any project (filter)	Options: Any project, No project, then your open projects.	Pick a project to see only its tasks.
Any energy (filter)	Options: Any energy, Deep (high), Medium, Light (low), Not set. This works like a GTD context.	Tired after calls? Pick Light (low) and do the easy admin tasks. Fresh in the morning? Pick Deep (high).
Clear filters	Ghost button with ×. It appears only when at least one filter is on.	Click it to reset all four filters at once.
Stale banner	Amber bar: "N tasks have been moved 3+ times. Worth keeping?" It shows in the six lists (not in Done and not in the layouts). It counts open tasks whose "when" day was pushed to a later day 3 or more times.	Click Decide now. A window opens where you keep, schedule or drop each one.

ELEMENT	WHAT IT IS	HOW TO USE IT
Today summary line	Only in the Today list, e.g. “2h 30m planned today (tasks without an estimate count as 30m) · 1/3 of your Top 3 done · open Today”. The time adds the estimates of your open Top 3 and your planned-for-today tasks.	If the planned time is bigger than your real free time, move some tasks to Tomorrow. Click “open Today” to go to the cockpit.
Bulk bar	A sticky bar that appears when you tick one or more rows: “N selected”, Today, Tomorrow, Someday, Backlog, Add to Top 3 and ×.	Tick rows (or a group's select-all box), then click an action. Today / Tomorrow set the “when” day. Someday parks the tasks. Backlog clears the day and moves them to Anytime. Add to Top 3 adds as many as fit; if the Top 3 is full you get a warning. × clears the selection.
Today list	Five groups: Top 3 (“Your most important outcomes today. Star tasks to add them.”), Planned for today, Deadline today (“Not planned yet — do it today or plan it for later.”), From earlier days (“Nothing rolls over silently — decide: today, tomorrow or someday.”) and Done today (closed by default).	In “From earlier days” click All today to plan every late task for today in one click. Remember: each move to a later day counts toward the stale limit.
Upcoming list	One group per future day, e.g. “Tomorrow · Wed, Oct 21 · 1h 30m” (the time is the sum of estimates). At the end: “Deadlines ahead — no “when” yet” with the hint “A deadline is not a plan. Pick the day you will work on each.”	Use it in the weekly review to spread work across the week and to give deadline tasks a real day.
Anytime list	Your backlog: open tasks with no “when” day, grouped by life area in your area order. The area name is a link to its hub.	Pick tasks from here when you plan a day.
Someday list	Parked ideas, grouped by life area. They stay out of Today until you plan them.	Review it monthly. Plan what matters, delete what does not.
Overdue list	One group, “Deadlines that passed”, with the hint “No guilt — reschedule, renegotiate the date, or drop what no longer matters.” Oldest deadline first.	For each task: change the deadline in the task panel, tell the person, or delete it.
Done list	Finished tasks grouped by the day you finished them (Today, Yesterday, 3 days ago…), newest first. It shows 60 tasks at a time.	Click Show more (N left) at the bottom for the next 60.

ELEMENT	WHAT IT IS	HOW TO USE IT
Group header	Every group card has a select-all checkbox, a collapse arrow, the title, a count and sometimes an action button (like All today). The hint line shows only while the group is open.	Click the arrow to fold a group away. Tick the box to select every task in it.
Task row	Select checkbox · done circle · title · chips · quick buttons · ▶ timer.	Click the circle to finish a task (+5 XP). Finishing a Top 3 task here gives a Top 3 reward; finishing all of them gives a celebration. Click the title or the chips to open the task panel.
Quick buttons (sun · arrow · star)	Desktop only, visible when you hover a row. Sun = "Do it today" (hidden if the task is already planned today). Arrow = "Tomorrow". Star = add to / remove from today's Top 3 (filled when it is in).	Hover a row and click. On a phone, use the checkbox and the bulk bar instead.
▶ Timer button	A small play button on every open task. It opens "Start timer" with Pomodoro and Stopwatch. While this task's timer runs, the button shows the live time, and the menu also offers Stop & log and Open Focus.	Pick Pomodoro or Stopwatch. The timer then runs at the top of every page. A High-energy task is logged as Deep work; a Low-energy task as Shallow work.
Task chips	Small labels under the title: Top 3 (filled star) · When (blue "Today", "Tomorrow", a weekday or a date; amber "From yesterday" or "From 3 days ago" when the day passed; "Someday" with a moon) · Deadline (amber "Was due Oct 3", "Due today", "Due tomorrow"; grey "Due Fri" or "Due Oct 30") · Estimate (clock, e.g. 45m) · Energy (Deep / Medium / Light) · Goal · Project · Deal · Person · Delegate · "Moved 3×" (amber stale flag). Deadlines are never red — amber at most.	Goal, Project, Deal, Person and Delegate chips are links: click to jump to the goal, project, deal (Pipeline), person (People) or the Delegation page.
Board layout	Three columns — Not started, In progress, Done — each with a count. Cards are sorted high priority first, then by the nearest deadline.	Drag a card to another column to change its status (moving to Done gives XP). Drag inside a column to fine-tune the order within the same priority. An empty column says "Drop tasks here".

ELEMENT	WHAT IT IS	HOW TO USE IT
Board card	The left border shows priority (amber = high, blue = medium, grey = low). The card shows the title, the chips, the priority word, the area (when there is no project), focus hours spent on the task (e.g. 1.2h), the number of files, up to 4 #tags, the ▶ timer and a trash icon on hover.	Click the card to open the task. The trash deletes the task at once — there is no undo.
Calendar layout	A week view of tasks placed by their start time, or by their deadline if there is no start. Toolbar: ‹ ›, Today, the date range and Day / 3-Day / Week / Month. An “all-day” row holds tasks with a date but no start time. The hour grid opens at 7 AM. A timed task spans from its start to its deadline (or 30 minutes). Weeks start on Sunday here.	Drag a task to another day. With a start time, the time stays the same and the deadline moves by the same amount. Without one, the deadline moves to 12:00 that day. Click a task to open it. Note: the “when” day does not put a task on this calendar — only start and deadline do.
Month view	A month grid inside the Calendar layout. Each day shows up to 3 tasks and “+N more”. Today has a coloured border; days of other months are faded.	Drag tasks between days the same way as in the week view.
Split layout	Board (small cards) and Calendar side by side on wide screens, one above the other on small screens.	Use it to see status and dates together.
Table layout	A table with the columns Done, Title (a paperclip if it has files), When (a star if it is in Top 3), Life area, Goal, Section, Priority, Deadline and Tags.	Tick Done to finish a task. Click a title to open it. Scroll sideways on a phone.
Table filters (All · Remaining · Completed · date · Clear date · count)	Only in Table. All / Remaining / Completed narrows by status. The date box shows the tasks whose start-to-deadline span touches that day. “N tasks” on the right counts what you see.	Pick a status, pick a date, click Clear date to remove the date.
Empty states	When a list is empty you see a friendly message, e.g. Today: “Nothing planned for today”, Anytime: “Backlog is clear”, Overdue: “No passed deadlines — Every deadline is still ahead of you. Nice.” With filters on: “No tasks match these filters — Clear a filter to see more.” Most empty lists also show a New task button.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Loading skeleton	Grey blocks that show for a moment while your tasks load.	

New task window `/tasks (New task window)`

Capture one next action with everything the planner needs: when, area, project, goal, estimate, energy, priority and (optional) deadline and start time.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
What's the next action?	The title box. Write a visible, physical step: “Email Sara the kickoff agenda”, not “Sara project”.	Type the title. The Add task button stays disabled until there is a title and an area.
When will you work on it?	Chips Today, Tomorrow, Someday, Anytime, plus a date picker for any other day. The default follows your current list: Today list → Today, Upcoming → Tomorrow, Someday → Someday, else Anytime.	Click a chip or pick a date. Anytime means “no day yet” (backlog).
Project	“No project — area task” or one of your open projects.	Pick a project and the area is taken from the project automatically.
Life area	A list “Life area…” of your active areas. When you picked a project it turns into a grey box “Area <name>” that you cannot change. The default is the area filter, else your first area.	Pick the area this task belongs to.
Goal	“No goal (maintenance)” (or “Project's goal” when the project has one), then your active goals with “12w ·” and “Year ·” prefixes.	Leave it empty for maintenance work. If the project serves a goal and you leave this empty, the task gets the project's goal.
Estimate	5 min, 15 min, 30 min, 45 min, 1 h, 1.5 h, 2 h, 3 h or 4 h.	Pick your honest guess. It powers the planned-time line and the day groups in Upcoming.
Energy	Deep, Medium or Light.	Deep = needs a fresh brain (build, write, sell). Light = admin you can do when tired.
Priority	Low, Medium (default) or High.	High tasks sort to the top of every list and board column.
Add deadline & time block (link)	Shows or hides the deadline and start fields. The link text changes to “Hide deadline & time block”.	Click it only when the task has a real deadline or needs a fixed time slot.

ELEMENT	WHAT IT IS	HOW TO USE IT
Deadline (real consequence)	A date and a time. With no time, it uses 23:59.	Set it only when missing the date has a real cost (a client, a bank, a launch).
Start (shows on Calendar between start and deadline)	A date and a time. With no time, it uses 09:00. A task with a start appears on the Calendar page and the Tasks calendar.	Use it to block time for this task.
Add task (button)	Creates the task (status Not started, newest first) and shows “Task added”.	
Create a Life Area first	A note shown when you have no areas, with a link to Life Areas.	

Task panel (side peek, center peek, full page) `/tasks/[id]`

Everything about one task in one place: plan it, link it, describe it, attach files, track time, duplicate or delete it. It opens from any task list in the app.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
View switcher (Side peek · Center peek · Open as full page)	Three icons at the top left. Side peek = panel on the right (default). Center peek = a large window in the middle. Full page = /tasks/<id> as its own page.	Click an icon. Full page remembers where you came from.
× (close) and the dark backdrop	Closes the panel. Clicking the darkened page behind it also closes it.	
← Back (full page only)	Returns to exactly the page and tab you opened the task from. The side-peek icon next to it does the same.	
Title	The task title as a big text field.	Click and type. It saves when you click away.
▶ Timer	The same Pomodoro / Stopwatch menu as in the lists.	
Win	The Log a win button (trophy). It logs this task on the Wins page with an impact and a why. A number shows how often you logged it.	
Top 3 / In Top 3	A star button, hidden when the task is done. Filled “In Top 3” means it is in today's Top 3. If your Top 3 is full you get “Top 3 is full — swap one on Today.”	Click to add or remove. Adding also plans the task for today.

ELEMENT	WHAT IT IS	HOW TO USE IT
Status	Not started · In progress · Done.	Click one. Done gives +5 XP and records the finish time.
Priority	Low · Medium · High (High is amber).	
Life area	The area of this task.	Changing the area clears the section, because sections belong to one area.
Section	“None” or one of the sections (sub-areas) of this task's area.	
When (plan to work on it)	Inside the grey planning box: Today, Tomorrow, Someday, Backlog and a date picker. Backlog = no day (Anytime list).	Click a chip. Moving to a later day than before counts as one move toward the stale limit.
Estimate	— (none) or 5 min to 4 h.	
Energy needed	— , High (deep work), Medium, Low (admin).	
Moves goal	“— none (maintenance)” or one of your active goals.	Link a goal only if finishing this task really moves it.
Should not be me — record it next time (Delegation)	A checkbox. When ticked, the task shows a blue Delegate chip that links to the Delegation page.	Tick it for work someone else should do. Next time, record a short how-to so you can hand it off.
Stale warning	Amber line “Moved N× — keep, schedule for real, or drop it?” when the task was moved 3 or more times.	
Linked	Shows only if the task is linked to a project, deal, person, content piece or learning area. Each chip opens the linked page.	
Start	A date and a time (09:00 if you give no time). Clearing the date removes the start.	
Due / end	The deadline: a date and a time (23:59 if you give no time).	
Tags	Tag chips with × and an “Add tag…” box.	Type a tag and press Enter. Click × to remove one.

ELEMENT	WHAT IT IS	HOW TO USE IT
Description	A rich text area. Edit / Preview toggle on the right. In Edit mode it says “Write, or press / for commands…”.	Type / for commands: Text, Heading 1, Heading 2, Bullet list, Numbered list, To-do, Divider, Upload PDF / doc / image. It saves half a second after you stop typing and again when you close. Preview shows bold, italic, code and [[links]].
Attachments	Your files (click to open in a new tab, × to remove) and an “Add to task” button.	Click Add to task → Upload PDF / doc / image, or Add description block (/).
Time tracked	Total time on this task, e.g. “1h 20m · 3 sessions”, a Focus on this button, a manual log row and the list of sessions.	Focus on this opens the Focus page with this task already chosen. To log time you forgot: type minutes (default 25) and click Log time — it counts for the task, its area and its project. Hover a session and click × to delete it.
Duplicate task	Opens the Duplicate task window: “Move to date” and a Duplicate task button. It copies the title, priority, area, section, project, tags, description, files, estimate, energy, goal, deal, person and learning area. The copy starts as Not started.	Pick the day it should land on. Start and deadline move to that day and keep their times and the gap between them. A task without dates gets a deadline at 23:59 on that day. The “when” day is not copied.
Delete task	Deletes the task at once (no confirmation) and closes the panel.	
Task not found	Shown when the task was deleted or the link is wrong.	

Frameworks & terms in this module

> **Next action (GTD)** Getting Things Done (David Allen)
> The very next physical, visible step that moves something forward. If you can picture yourself doing it, it is a next action.
> *Example:* Not “Acme website”. Yes: “Email Sara at Acme the kickoff agenda.”

> **Contexts (GTD)** Getting Things Done (David Allen)
> Tags that tell you where or how you can do a task, so you only see what you can do right now. In bishOS your contexts are the Energy level (Deep / Medium / Light) and the life area; filter by them.
> *Example:* After three sales calls your brain is tired: filter Energy → Light (low) and clear five admin tasks.

Someday / maybe Getting Things Done (David Allen)

A parking place for ideas you might do later. They are out of your daily lists, so they do not distract you, but they are not lost.

Example: "Start a podcast" goes to Someday. In the monthly review you decide if now is the time.

"When" vs deadline GTD "hard landscape" (David Allen); the When/Deadline split in Things 3

The "when" day is the day you plan to work on a task. The deadline is the day it must be finished. They are different: a deadline is not a plan. Only real consequences deserve a deadline.

Example: Proposal due Friday (deadline). You plan to write it on Wednesday (when). Upcoming shows it on Wednesday; the Friday deadline chip turns amber the day before.

Backlog (Anytime)

Open tasks without a "when" day. They are ready to do any time, but not planned yet.

Example: "Update LinkedIn banner" waits in Anytime until a light afternoon.

Top 3 and day shape Most Important Tasks (Leo Babauta); Ivy Lee method; the 1-3-5 rule

The few most important outcomes for today. Your day shape on Today sets the size: Top 3 (3 tasks), Ivy Lee (6) or 1-3-5 (9). Adding a task to Top 3 also plans it for today.

Example: Top 3 for Tuesday: send the Acme proposal, record one short video, follow up 10 leads.

Stale task Bullet Journal migration (Ryder Carroll)

An open task whose "when" day was moved to a later day 3 or more times. Moving from no day to a day, or to Someday, does not count. Stale tasks get an amber "Moved N×" chip and appear in the stale window.

Example: "Write blog post" was planned Monday, then Tuesday, then Thursday, then Friday: it is now stale.

Migration (Bullet Journal) The Bullet Journal Method (Ryder Carroll)

Instead of copying an old task forward without thinking, you decide again: is it worth doing? In bishOS the stale window gives four choices. Do today = plan it for today. Keep = stay where it is. Someday = park it. Drop = delete it (and its XP). Each choice resets the move counter.

Example: "Redesign invoice template" moved 4×. You click Drop — one less thing.

Estimate and planned time Daily planning with time estimates (Sunsama-style capacity check)

Your guess of how long a task takes. The Today list adds the estimates of your open Top 3 and planned tasks; tasks without an estimate count as 30 minutes. Compare it with your real free time.

Example: Planned 7h 30m but you have 3 calls: move two tasks to Tomorrow.

Energy level (Deep / Medium / Light) Deep Work (Cal Newport); The Power of Full Engagement (Loehr & Schwartz)

How much mental energy a task needs. Match the task to your energy: deep tasks when you are fresh, light tasks when you are tired. High energy tasks are logged as deep work in Focus; low energy tasks as shallow work.

Example: Coding a feature = Deep. Booking a flight = Light.

Maintenance task vs goal task

Most tasks keep an area healthy (maintenance). A goal task moves a goal. Link a goal only when finishing the task really moves it.

Example: “Send monthly invoices” = maintenance. “Launch the referral offer” = moves the goal “10 new clients this cycle”.

Delegate flag Buy Back Your Time (Dan Martell)

A mark that says “this should not be me”. It reminds you to record how you do it, so you can hand it off and buy back your time.

Example: “Format the weekly report” gets the Delegate chip. Next time you record a 3-minute screen video for an assistant.

Priority and sort order

Every list and board column sorts by priority (High, Medium, Low), then by the nearest deadline, then by your manual order.

Example: A High task with no deadline sits above a Medium task due tomorrow.

Overdue without guilt

A passed deadline is information, not a failure. Reschedule it, renegotiate the date with the person, or drop it if it no longer matters.

Example: The client moved the launch. You change the deadline to next month.

Task XP bishOS XP system

Finishing a task gives 5 XP. Finishing a Top 3 task from the Today list or the Tasks lists gives 15 extra XP. Un-ticking takes the XP back.

Weekly review (for tasks) Getting Things Done (David Allen)

Once a week you clear your lists: empty “From earlier days”, give deadline tasks a day, check Someday and Overdue, and answer the stale prompt.

How to test it

1. Open Tasks from the sidebar (Work → Tasks). Expected: the list switcher, the layout switcher, four filters and the Today list.
2. Click New task. Type “Test task”, click Today, pick an area, Estimate 30 min, Energy Light, click Add task. Expected: toast “Task added”; the task appears in Planned for today with chips Today, 30m and Light.
3. Hover the row and click the star. Expected: toast “Added to today's Top 3”; the task moves to the Top 3 group with a filled Top 3 chip.
4. Tick the done circle of the Top 3 task. Expected: a Top 3 reward toast; the task moves to Done today (closed group) and the Today count drops by one.
5. Create another task with When = Tomorrow. Click Upcoming. Expected: a group “Tomorrow · <date> · 30m” with the task.
6. Open a task that already has a “when” day (e.g. Today). In the When date box pick a later day, then a day after that, then one even later (three moves to a later day). Expected: the amber “Moved 3×” chip and the stale banner “1 task has been moved 3+ times”. Click Decide now → Keep. Expected: toast “Decided”, the banner disappears.

7. Tick two tasks. Expected: the bulk bar “2 selected”. Click Someday. Expected: toast “2 tasks → Someday”; they appear in the Someday list grouped by area.
8. Set the Energy filter to Deep (high). Expected: only Deep tasks remain; Clear filters appears and resets the view.
9. Click Board. Drag a card from Not started to Done. Expected: the card moves, the counts change and you earn XP.
10. Click Calendar. Create a task with a Start time today at 10:00. Expected: it sits at 10 AM; drag it to tomorrow — it keeps 10:00.
11. Click Table → Completed. Expected: only finished tasks. Pick a date. Expected: only tasks whose start–deadline span touches that day; “N tasks” updates.
12. Open a task → Duplicate task → pick a date next week → Duplicate task. Expected: a new copy with the same details, status Not started, dates moved to that day.
13. In the task panel, type minutes 15 and click Log time. Expected: Time tracked increases by 15m and the session appears in the list and on the Focus page.
14. Click the full-page icon, then ← Back. Expected: you return to the same Tasks list you came from.

Tips

- Write titles as verbs: “Call”, “Email”, “Draft”, “Ship”.
- Give only real deadlines. Use the “when” day for planning.
- If Today shows more than 6 hours planned, it is a wish list, not a plan.
- Press C anywhere to capture a thought in two seconds; plan it later.
- The Delete task button and the board trash have no undo. Use Someday if you are unsure.

WORK

Projects

Outcomes that need more than one step, on a Personal Kanban (Active · Planning · Blocked · Done). Each project lives in one life area, serves at most one goal, links to a client deal or company, and should always have a next action. Sprints are time-boxed projects with a countdown, milestones, documents, an AI plan and a Command Center.

Why it helps: A project without a next action is a wish. bishOS shows the next action on every card and warns you when an active project has none. The WIP cap stops you from starting too much at once, so things actually finish. Focus hours per project show where your time really goes.

One-time	Set your WIP cap in Settings → Caps (anti-overload) → Active projects (default 5). Create one project per real outcome and give each a next action.
Daily	Glance at the cards of your active projects. Do the next action of the most important one first (Focus button on the project page).
Weekly	Weekly review: fix every "No next action — add one" warning. Drag finished projects to Done and stuck ones to Blocked. Keep Active under your cap.
Monthly	Look at the Done column (your shipped wins). Check that each active project still serves a goal or a real need.
Quarterly	When you plan a new 12-week cycle, link each project to at most one of the new goals, or mark it maintenance.

Projects `/projects`

See all projects by status, keep the active count under your cap, and make sure every active project has a next action.

HOW TO USE IT

1. Click New project → Project. Name it as an outcome ("Acme website delivered").
2. Pick the life area and, only if it moves a goal, the goal. Click Create project.
3. On the project page, click + Add in the Next action card and write the very next step.
4. Back on the board, drag the card from Planning to Active when you start.
5. Every week: fix all "No next action" warnings and keep Active under the cap.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Projects (page header)	Title with "Multi-step outcomes. Each lives in one Life Area, serves at most one goal, and always has a next action."	
New project (button)	Opens "Create new…", where you choose Project or Sprint.	
All · Projects · Sprints	A switch that shows all, only standard projects, or only sprints.	

ELEMENT	WHAT IT IS	HOW TO USE IT
All life areas (filter)	Shows only the projects of one area.	
Active counter ("3 / 5 active")	How many projects are Active, against your cap. It turns amber when you are over.	
WIP cap warning	Amber bar when Active is over the cap: "N active projects — your cap is X. Finish or move one to Planning before starting another; parallel work is slow work."	Drag one active project back to Planning, or finish one.
No next action card	"N active projects have no next action" with the line "A project without a next action is a wish. Add the very next physical step." It counts Active and Blocked projects without an open task. One button per project.	Click a project button. The Add the next action window opens.
Kanban board	Four columns with a hint each. "Active · 3/5" — "Doing now — capped so finishing beats starting." Planning — "Shaping the outcome and first steps." Blocked — "Waiting on someone or something." Done — "Shipped. Archive of wins."	Drag a card to another column to change its status. Moving to Done shows "Project shipped: …" with a celebration. Moving to Active when you are already at the cap shows a warning toast. On a phone, change the status on the project page.
Add project (Planning column)	A link at the bottom of Planning that opens the New project form directly.	
Show all N / Show recent only (Done column)	The Done column shows the last 8 projects. This link shows all of them, or only the recent ones again.	
Project card	Title · Sprint chip with days left (sprints) · area (with its colour dot, link to the area hub) · goal chip ("12w ·" for 12-week goals, link) · deal chip or company chip (links) · progress bar · "2/7 tasks · 40%" · focus time this week ("1h 30m this week") · the next action line or a warning · "Shipped" for done projects.	Click the card to open the project. The area, goal, deal and company chips open their own pages.
Next action line on a card	"Next: Email Sara the agenda · today". If there is none: an amber button "No next action — add one" (Active or Blocked) or a quiet "+ Add next action" (Planning).	Click the button to add a next action without leaving the board.
Drag hint	Small text under the board: "Drag a card between columns to change its status."	

ELEMENT	WHAT IT IS	HOW TO USE IT
Add the next action (window)	“For <project> — the very next physical, visible step.”, a title box (“e.g. Email Sara the kickoff agenda”), When: Today / Tomorrow / Anytime, and Add next action.	Type the step, pick when, click Add next action. It creates a Medium-priority task in the project's area, linked to the project and its goal.
Create new… (window)	Two choices. Project — “An outcome in one Life Area — tasks, notes, an optional goal.” Sprint — “Time-boxed push (15–90 days) with countdown, docs & AI plan.”	
New project / New sprint (form)	Name (“Project outcome (e.g. Acme website delivered)” or “Sprint name (e.g. Sales Mastery — 30 days)”), Outcome (sprints only: “what does success look like by the end?”), Life area (one), Serves goal (optional) — goals of the chosen area first, then “Other areas” — and for sprints Duration (15 / 30 / 60 / 90 days or a custom number) and Start date. Button Create project or Launch sprint. Tip: “Next: add a next action so it shows up in your plan.”	Fill it in and click the button. A new project starts in Planning; a new sprint starts Active. The project page opens.
Empty state	“No projects yet — A project is any outcome that takes more than one step — a client delivery, a launch, a sprint. Give it an area, a goal and a next action.” with a New project button.	

Project page `/projects/[id]`

Run one project: its direction (area, status, goal), the next action, focus time, the client link, tasks, and goals or milestones.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Breadcrumb (Projects › name)	Click Projects to go back to the board.	
SPRINT chip and area link	Above the title. SPRINT appears for sprints. The area name with ↗ opens the area hub.	
Title	The project name as a big text field.	Click, type, click away to save.
Log win	Logs this project on the Wins page (impact 1–5 and why).	

ELEMENT	WHAT IT IS	HOW TO USE IT
Trash (delete project)	Deletes the project at once, with no confirmation. Its tasks, goals and habits are kept but lose the link.	
Direction card	Hint “One Life Area, at most one goal.” Life area list, Status list (Planning / Active / Blocked / Done) and Serves goal list (“None — maintenance project”, then 12-week goals, Annual goals and Other goals). Below: the goal card with its progress bar (“12-week goal · 40%”), or the line “Most projects are maintenance — that's fine. Link one only if finishing it moves a goal.” with “See goals”.	Change any list; you see “Saved”. Choosing Done shows “Project shipped: …”.
Next action card	Hint “N open tasks” and a + Add button. It shows the chosen next action: a circle, the title, chips (In progress, the “when” day or “No “when” yet”, the estimate), a Focus button and a Do today button. Footer: This week (focus time, and “Xh deep”) and All time with an Open Focus link.	Click the circle when it is done (“Next action done — what's next?”). Focus starts the timer on it. Do today plans it for today (hidden if already today). With no open task you see an amber “Active but no next action — add the very next step” or “Add the first next action”.
Client card	Hint “For delivery projects — link the won deal or customer.” Deal list (open and won deals, “· won” or “· stage”) and Company list (customers first, “· customer”). Buttons Open deal and the company name; or a See customers link.	Pick the deal. If the project has no company yet, the deal's company is filled in for you.
Sprint hero (sprints only)	Big “days left” number, “30-day sprint”, start → end dates, a Time elapsed bar (%) and a Milestone progress bar (%), and an Outcome box (“What does success look like by the end?”).	Edit the outcome and click away to save.
Sprint Command Center (sprints only)	Areas, stat tiles, the 90-day plan matrix and the Track table. See the next page of this guide.	
Progress slider (standard projects)	A slider from 0 to 100% that you set by hand. This is the % on the project card.	Drag it when you finish a big chunk.
Tasks (N) — synced to Tasks module	An “Add a task…” box with Add, and the list of this project's tasks: a circle, the title, the “when” chip (amber when late) or a Someday chip. “No tasks yet.” when empty.	Type and press Add (Medium priority, project's area, no day). Click the circle to finish, the title to open the task panel.

ELEMENT	WHAT IT IS	HOW TO USE IT
Milestones (sprints)	“Milestones (2/5)”: checkboxes with text, × on hover, and “Add milestone…”. Milestones drive the sprint progress %.	Add the big checkpoints. Tick them as you hit them.
Goals filed under this project (standard projects)	Goals whose project link points to this project, each with its %. “Nothing linked.” when empty.	
Documents & notes (sprints)	An Upload button and your files and linked notes. PDFs are read on upload and get an “AI-readable” badge. Hint: “Upload course PDFs/docs, or link notes to this sprint.”	Upload the course or reference material you want the AI to plan from.
AI learning plan (sprints)	Button Analyze & plan (Regenerate after the first time; “Analyzing…” while it works). The AI reads the outcome, the AI-readable PDFs and the linked notes and writes a week-by-week plan with daily to-dos and 3–5 milestones.	Set the outcome, upload material, click Analyze & plan. Copy the useful steps into tasks or milestones.
Notes (standard projects)	Notes linked to this project, each opening the note. “Nothing linked.” when empty.	

Sprint Command Center `/projects/[id] (sprint)`

Run a sprint that spans several life areas: link areas, goals, habits and tasks, plan a 90-day arc, and track everything in one table.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Areas row	Chips for each linked area (links to the hub), a + Link area button and a Link goals / habits / tasks button.	Click + Link area to open “Link life areas”: tick areas and click Save areas. The project's own area is marked “primary” and cannot be removed.
Stat tiles	Days left (“x% elapsed”) · Milestones (% sprint progress) · Goals (average % of linked goals, “N linked”) · Habits (average 30-day adherence of linked habits) · Focus (hours this sprint) · Tasks (done / total).	Focus counts sessions in the sprint dates that are on this project, its tasks, or any linked area.
Plan — the 90-day arc	A table with one row per linked area and the columns Now / this week, Day 30, Day 60, Day 90. A small dot before each area shows its status.	Click a cell, type the milestone for that phase, click away to save. Click the dot to cycle: empty → todo → doing (amber) → done.

ELEMENT	WHAT IT IS	HOW TO USE IT
Track — everything linked	Filters All / Goal / Habit / Task / Milestone and an area list. Columns Item, Type, Area, Progress, Due, Status (click a header to sort; click again to reverse). Habits show a flame streak and 30-day %. An × on hover unlinks an item. Empty: “Nothing linked yet. Use “Link goals / habits / tasks” to populate your sprint.”	Watch the Status chips: On track (blue), At risk (amber), Behind (red), Done (green), Todo (grey).
Link to this sprint (window)	Tabs Goals / Habits / Tasks, a “New goal, linked…” box with +, a search box and the list of unlinked items with Link buttons.	Create a new item (it goes into the first linked area) or search and click Link on an existing one.

Frameworks & terms in this module

Project (GTD / PARA) Getting Things Done (David Allen); PARA method (Tiago Forte)

Any outcome that needs more than one step and has an end. It lives in one life area.

Example: “Acme website delivered”, “Referral offer launched”, “Hire first designer”.

Next-action rule Getting Things Done (David Allen)

Every active or blocked project must always have at least one open task — the very next step. bishOS picks it like this: a task In progress first, then the earliest “when” day (tasks with no day after), non-Someday before Someday, then priority, then the newest.

Example: Project “Acme website”: next action “Send Sara the wireframes” (planned today).

Personal Kanban Personal Kanban (Jim Benson & Tonianne DeMaria Barry)

Visualize your work on a board with columns for each stage, and limit how much is in progress.

Example: Active, Planning, Blocked, Done — you see at a glance what is moving and what is stuck.

WIP limit (work in progress) Personal Kanban; Lean / Kanban

A cap on how many projects can be Active at once (default 5, set in Settings). Fewer parallel projects finish faster. bishOS warns you when you go over.

Example: You have 6 active projects with a cap of 5: move “Podcast idea” back to Planning.

Project status

Planning = shaping the outcome and first steps. Active = doing now. Blocked = waiting on someone or something. Done = shipped.

Maintenance project vs goal project

Most projects keep an area running (maintenance). A goal project moves one goal. A project serves at most one goal.

Example: “Monthly bookkeeping cleanup” = maintenance. “Launch online course” = serves the goal “€10k new revenue this cycle”.

Client delivery project

A project you do for a paying client, linked to the won deal and the company, so sales and delivery stay connected.

Example: Deal “Acme website · won” → project “Acme website delivered” → company “Acme”.

Sprint Scrum sprints; 30/60/90-day plans

A time-boxed project (15–90 days) with a start, an end, a countdown, milestones, documents and an AI plan. It starts Active.

Example: “Sales Mastery — 30 days”: read two books, practise 20 calls, close 2 deals.

Milestone

A big checkpoint inside a sprint. Sprint progress = done milestones ÷ all milestones.

Example: 4 of 5 milestones done = 80%.

90-day arc (30-60-90 plan) 30-60-90 day plan

Write what each area should reach now, at day 30, day 60 and day 90. It turns a long push into clear phases.

Example: Sales: Now — list 100 leads; Day 30 — 10 calls booked; Day 60 — 3 proposals; Day 90 — 2 clients.

Track status rules

Goal: Done at 100%; On track if progress ≥ time elapsed; At risk if behind by 15 points or less; Behind otherwise. Habit: On track at 80%+ in the last 30 days, At risk at 50%+, Behind below 50%. Task: Done; no due date = On track; overdue = Behind; due within 3 days = At risk. Task progress: done 100%, in progress 50%, else 0%.

Example: Sprint 40% elapsed, goal at 30% → At risk. Goal at 20% → Behind.

Focus this week (project)

Focus time logged Monday–Sunday on the project or on its tasks. “Deep” counts only sessions marked deep (maker).

Example: “3h 20m this week · 2h deep” — most of it was real build time.

How to test it

1. Open Projects (Work → Projects). Expected: the board with Active · n/cap, Planning, Blocked and Done.
2. Click New project → Project. Type “Test project”, pick an area, click Create project. Expected: the project page opens; on the board the card is in Planning.
3. On the project page, the Next action card shows “Add the first next action”. Click it, type “Write outline”, pick Today, click Add next action. Expected: toast “Next action added”; the card shows the task with a Today chip.
4. Change Status to Active. Expected: “Saved”. Back on the board the card is in Active and shows “Next: Write outline · today”.
5. Tick the circle in the Next action card. Expected: “Next action done — what's next?”; the card now shows the amber “Active but no next action” warning, and the board shows the No next action card.
6. In Settings set Active projects to 1, then drag a second project to Active. Expected: a warning toast and the amber WIP banner on the board.
7. Drag a project to Done. Expected: “Project shipped: …” with a celebration; the card shows “Shipped”.

8. Create a Sprint (30 days). Expected: the sprint hero with days left, Time elapsed and Milestone progress; the Command Center below.
9. Add 2 milestones and tick one. Expected: Milestones (1/2) and Milestone progress 50%.
10. Click Link goals / habits / tasks → Tasks → type a title → +. Expected: the task appears in the Track table with Type Task and Status On track.
11. Type “Book 10 calls” in a Day 30 cell and click away. Reload. Expected: the text is still there.

Tips

- Name projects as finished outcomes: “… delivered”, “… launched”, “… hired”.
- If a project has been Blocked for two weeks, write the follow-up as its next action (“Chase Sara for the logo files”).
- Deleting a project has no undo; drag it to Done instead.

WORK

Focus

The execution engine: a Pomodoro or stopwatch timer that runs on every page, deep vs shallow marking, start-from-plan buttons for your Top 3, focus music, and hours by life area against each area's weekly target.

Why it helps: What gets measured gets protected. Every session lands in a life area, a project and a task, so you see whether your hours match your priorities. Marking sessions deep or shallow shows how much real maker time you get. Starting from your Top 3 means the most important work gets the first, freshest hours.

One-time	Set a weekly hour target for every life area (Life Areas page or Compass). Choose your Pomodoro lengths (default 25 min focus / 5 min break).
Daily	Start your first Top 3 task from “Start from today's plan”. Mark each session Deep or Shallow. If you forgot the timer, use Log time manually before the shutdown.
Weekly	Check Deep share (aim for 50%+) and the Hours by Life Area bars against the targets. Tag untagged sessions in Activity history.
Monthly	Look at Time per task: are your biggest time sinks the right tasks?

Focus `/focus`

Run the timer, start deep work on today's plan, and see where your hours went this week.

HOW TO USE IT

1. Pick Pomodoro and keep 25 / 5 minutes.
2. In “Start from today's plan” click Focus on your first Top 3 task.
3. Choose music or No music in the window that opens.
4. Work until the bell. The focus block is saved by itself and the break starts.
5. After the break, click Start again for the next block.
6. Friday: check Deep share and the Hours by Life Area bars.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Focus (page header)	Title with “Deep work on what matters. Start from today's plan — every session counts toward your Life Area hours.”	
Week and Analytics (buttons)	Shortcuts to the Week page and the Analytics page.	
Pomodoro · Stopwatch (switch)	Pomodoro counts down (focus, then break). Stopwatch counts up with no limit.	Pick one before you start. Warning: switching while a timer runs resets it and the unsaved time is lost — click Stop & log first.

ELEMENT	WHAT IT IS	HOW TO USE IT
Focus · Break (Pomodoro only)	Shows which part of the Pomodoro you are in.	Clicking one jumps to it and resets the countdown (unsaved time is lost).
Timer dial	A ring that fills as time passes (blue for focus, green for break; in stopwatch mode it loops every minute). In the middle: mm:ss and “focus”, “break” or “elapsed”. The task name shows below.	
Start / Pause	The big button. Starting from zero counts as a fresh session and offers focus music.	
Stop & log (↺ icon)	Stops the timer and saves the focused time as a session. Sessions shorter than 30 seconds are not saved. Break time is never saved.	Click it when you finish early or want to switch tasks.
Skip break (⏭, during a break)	Ends the break and gets the timer ready for the next focus block.	
This session is… (Deep · Shallow · Unmarked)	Marks the running session. Line under it: “Deep = maker work (build, write, deliver). Shallow = manager work (calls, email, admin).”	Pick before or during the session. Starting from a High-energy task sets Deep, from a Low-energy task sets Shallow; Medium or no energy keeps your last choice.
Focus / Break minutes (Pomodoro only)	Two number boxes: focus length (default 25) and break length (default 5).	
Attribute to a task…	A list of your open tasks (high priority first).	Pick a task: its area and project are filled in, and Deep/Shallow follows its energy.
Project	“No project” or an open project.	Picking a project also sets its life area.
Life area…	The area this time counts for.	
Numbers (Today · This week · Deep share)	Today = hours focused today. This week = hours Monday–Sunday. Deep share = % of this week's focus marked Deep (green at 50%+), with “Xh deep · Yh shallow”, or “Mark sessions deep or shallow”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Start from today's plan	Hint “Your Top 3 first, then everything planned for today.” Your Top 3 (star) come first, then open tasks planned for today and tasks with a start time today. Each row shows the area, the estimate and a Deep or Light chip, and a Focus button (filled for Top 3). A “Plan →” link opens the Tasks Today list.	Click Focus on a row. The timer starts in the current mode on that task with the right area, project and deep/shallow mark; a toast says “Focusing on …”. While it runs the button shows the time and pauses it. Empty: “Nothing planned for today” with Choose Top 3.
Hours by Life Area — this week	Hint “Focus sessions + finished calendar blocks, against each area's weekly target.” One row per area: the name (link), “actual h / target h · planned h planned”, and a bullet bar. Legend: “Bar = done · light = planned · tick = target.” An “Unassigned” row shows time with no area. “Targets →” opens Life Areas.	If an area's bar is far from its tick on Thursday, plan a block for it.
This week — deep vs shallow	A bar per day (Mon–Sun) stacked Deep, Shallow and Unmarked hours. Hover a bar to see what you worked on that day.	
Time per task	Hint “All time, top 8.” Each row: the task, a bar and “Xh · N×” (hours and number of sessions).	
Log time manually	Hint “Forgot the timer? Add it here — it counts toward area hours.” Minutes (default 30), Life area, Unmarked / Deep / Shallow, a date and a Log button.	Fill in and click Log. The session is saved at 12:00 on that date; you see “Time logged”.
Activity history	Hint “Tap the tag to mark a session deep or shallow.” Your last 25 sessions: minutes, what it was for (task, else project, else area, else “Focus”), a tag button, the date and time, and a trash icon.	Click the tag to cycle Deep → Shallow → Tag (unmarked). Click the trash to delete a session.

Focus timer pill, music and the ▶ task button `(every page)`

Keep the timer visible and controllable everywhere, and start it from any task.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Timer pill (top bar)	Appears on every page while a timer is active: a timer icon, the time, the task name (on wider screens), a Pause / Resume button and a Stop & log button. It pulses while running and turns green during a break.	Click the time to open Focus. The timer survives page changes and even a reload.
Focus music (window)	Opens when a fresh session starts: “Play something while you focus?”, a track list (Calm Humming Nasheed · Rain Sounds), a volume slider with %, No music and Play.	Pick a track and click Play. The music loops while the timer runs, pauses when you pause, and stops when you stop the timer. The app remembers your track and volume.
Music volume bar	A small floating bar at the bottom left while music plays: a mute button and a volume slider.	
▶ task button	On task rows, board cards and the task panel. Menu “Start timer”: Pomodoro, Stopwatch; while this task runs also Stop & log and Open Focus.	Starting a timer on a new task first saves the running session under the old task, then starts the new one.

Frameworks & terms in this module

Deep work vs shallow work Deep Work (Cal Newport)

Deep work is focused, hard thinking without distraction; it creates most of your value. Shallow work is easy, often interrupted work like email and admin. In bishOS: Deep = maker, Shallow = manager.

Example: Writing the sales page for 90 minutes with the phone away = deep. Answering 30 emails = shallow.

Maker vs manager schedule “Maker's Schedule, Manager's Schedule” (Paul Graham, 2009)

Makers need long, unbroken blocks (half days). Managers work in 30–60 minute slots of calls and meetings. Mixing them kills maker time, so group them: maker mornings, manager afternoons.

Example: Mon–Thu 9:00–12:30 delivery deep work; 13:30–17:00 calls and outreach.

Pomodoro The Pomodoro Technique (Francesco Cirillo)

Work in short, fixed blocks (default 25 minutes) followed by a short break (default 5 minutes). The timer makes starting easy and protects focus. In bishOS a completed focus block is saved automatically and the break starts; after the break the timer waits for you.

Example: Four Pomodoros on the proposal before lunch = 100 minutes of focus.

Stopwatch session

An open-ended timer for flow work, when you do not want a bell to stop you. Save it with Stop & log.

Example: Coding a feature for 2h 10m in one go.

Deep share

Deep hours ÷ all focus hours this week × 100. Unmarked time counts in the total, so tag your sessions. 50% or more turns green.

Example: 12h focus, 7h tagged Deep → 58% deep share.

Hours attribution

Every session counts for one life area: the area set on the session, else its task's area, else its project's area, else “Unassigned”. Area hours = focus sessions + calendar blocks marked done that have no linked session (so nothing counts twice). Planned = calendar blocks not skipped.

Example: A session on the task “Draft proposal” (area Sales) with no area set still counts for Sales.

Area weekly target (hour budget)

How many hours a week an area deserves, set on Life Areas or Compass. The tick on each bar is this target.

Example: Sales 10h, Delivery 20h, Content 5h, Fitness 4h.

Bullet bar Bullet graph (Stephen Few)

A compact bar that shows actual (filled, area colour), planned (light) and target (a tick) on one line.

Start from plan Eat That Frog (Brian Tracy)

Begin each focus session from your Top 3 and today's plan, not from whatever is loud. The most important work gets the best hours.

How to test it

1. Open Focus (Work → Focus). Expected: the timer card on the left; numbers, Start from today's plan, Hours by Life Area, the deep vs shallow chart and Time per task on the right.
2. Set Focus minutes to 1 and Break to 1. Click Start. Expected: the music window opens; click No music. The dial counts down from 01:00 and the timer pill appears in the top bar.
3. Go to another page. Expected: the pill keeps counting. Click the time. Expected: you are back on Focus.
4. Wait until 00:00. Expected: the timer switches to Break (green) and a 1-minute session appears at the top of Activity history.
5. Click Stopwatch, pick a task in “Attribute to a task…”, click Start, wait 40 seconds, click Stop & log. Expected: a new session for that task appears; Time per task shows the task.
6. Click the tag on that session twice. Expected: Deep, then Shallow. The chart and Deep share update.
7. In Log time manually type 30, pick an area, Deep, today's date, click Log. Expected: “Time logged”; Today goes up by 0.5h and the area's bar grows.
8. In Start from today's plan click Focus on a Top 3 task. Expected: toast “Focusing on …”; the button shows the running time.
9. Start a timer, wait 10 seconds, click Stop & log. Expected: no new session (under 30 seconds is ignored).

Tips

- Put the phone in another room for deep blocks.
- Do not switch Pomodoro/Stopwatch while running — use Stop & log first so you keep the time.
- Tag sessions daily; untagged time makes Deep share look worse than it is.

WORK

Life Areas

The spine of the Life OS. Every goal, project, habit, task, note and hour belongs to one area. Each area has a standard (what “maintained” looks like), a weekly hour budget, optional sections, and a hub page that shows everything inside it.

Why it helps: Areas never end — they need care forever. When each one has a clear standard and an hour budget, you know when it is healthy without making goals for everything. The area hub gives you one place to check an area: rating, hours, goals, projects, habits, tasks, notes and wins.

One-time	Run the Setup wizard (it creates Company Operations, Sales & Marketing, Learning & Content and Fitness with sensible standards) or add your own areas. Give each a standard and a weekly hour budget. Add sections only where an area needs sub-areas.
Daily	Nothing to do daily. Open an area hub when you want to work on that part of life.
Weekly	Check the “This week” hours on the Life Areas page against each budget. Open the hub of any area that looks neglected.
Monthly	Rate each area 1–10 in its hub (“This month”) or on Compass. Read the standard: still true?
Quarterly	Update standards and hour budgets before the new 12-week cycle. Archive areas you no longer run.

Life Areas `/life-areas`

Create, edit, archive and budget your areas, and see this week's hours across all of them.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Life Areas (page header)	Title with “The spine of your Life OS. Every goal, project, habit and hour belongs to one area. Each area has a standard — what 'maintained' looks like.”	
Setup wizard (button)	Opens the area setup on Today (standards and weekly hour budgets).	
New area (button)	Opens “New life area”: a name box (“e.g. Fitness”) and Add life area.	
Week summary bar	“32.5h this week across areas · budget 40h” (the budget shows when you set targets) and a Show archived / Hide archived button.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Area card	One card per area: its colour dot and name (link to the hub), a kind chip (business or personal) if set, an Archive / Restore icon and a Delete icon. Archived areas look faded.	Click the name to open the hub. Archive hides an area from lists but keeps its history.
Standard	A text field: “What does 'maintained' look like? e.g. Clients delivered on time; invoices sent every Friday.”	Click it, type, click away to save.
This week · budget	“6.5h of [8] h”: hours this week (focus sessions with this area + calendar blocks marked done) and a number box for the weekly budget (0–80). A bar fills toward the budget: green at 85%+, blue at 60%+, amber at 35%+, red below.	Type the budget and click away. You see “Budget saved”.
Sections list	The sections (sub-areas) of this area, each a link to its section page, with a trash icon on hover (deletes at once).	
Add section…	A small box with an Add button at the bottom of each card.	Type a name and press Add.
Delete “<area>”? (window)	“This removes the area and its sections. Tasks, goals and notes inside it stay but lose their area. Archiving is usually better.” Buttons Archive instead and Delete.	
Empty state	“No life areas yet” with a Run setup button.	

Area hub `/life-areas/[id]`

Everything that lives in one area on one page: standard, monthly rating, hours vs target, goals, projects with next actions, habits, learning, tasks, wins, notes and sections.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Header	The area's colour dot and name, a kind chip, an “archived” chip if archived, and a one-line description you can edit (“Add a one-line description…”).	
All areas and Log win (buttons)	← All areas goes back to the list. Log win logs a win for this area (it shows in Recent wins and on Wins).	
Standard (card)	Hint “What “maintained” looks like here.” The editable standard.	Click, type, click away. You see “Standard saved”.

ELEMENT	WHAT IT IS	HOW TO USE IT
This month (card)	Hint “Wheel of Life — rate 1–10, re-rate monthly.” A ring with this month's rating, a line like “Last rated 6/10 (2026-09). How is it really going?” when not rated, six small bars for the last 6 months, ten buttons 1–10 and a Compass → link.	Click a number. You see “<Area>: 7/10 this month”. The same rating shows on Compass.
Hours this week (card)	Hint “Focus sessions + done calendar blocks.” Big “6.5h of [8] h target” with an editable target, a bar coloured by % of target, “Xh planned on the calendar · Start a focus session” and a Week → link.	
At a glance	Open tasks (“+N someday”) · Planned today · Done this week (green when above 0) · Active goals (“N active projects”).	
Goals	Hint “Most areas are maintenance. Goals are for change you want this cycle.” Lists 12-week goals and Annual goals (title, %, coloured bar, “status · N projects”), a Show other goals (N) toggle and “N achieved”. A Goals → link.	Click a goal to open it. Empty: “No goals in this area — That's fine — the standard keeps it healthy.” with Plan a goal.
Projects	Hint shows “N active without a next action” or “Every active project has a next action.” Up to 10 projects (Active, Blocked, Planning, Done order), a rocket for sprints, a status chip, and the next action line. A Projects → link.	Click “No next action — add one” (amber) or “Add next action” to add the step right here.
Habits	Hint “Consistency first, streak second.” Habit cards with a consistency ring (%), the title and “N-day streak · done today” or “Queued”. A Habits → link.	
Learning & content	Learning areas linked to this area (name, content pillar, status, weekly minutes target), the content Pillars they feed, and active Challenges whose life area is this one.	Empty: “Nothing linked yet” with Open Learning.
Next up	Hint “N open in this area”. An “Add a task to <Area>…” box and up to 8 open tasks (not Someday), ordered by “when” day, deadline and priority. Each shows a circle, the title and a “when” chip (amber when late, blue for today) or the estimate. A Tasks → link opens Tasks filtered to this area.	Type and Add to create a task in this area. Click the circle to finish. Click the title to open the task panel.

ELEMENT	WHAT IT IS	HOW TO USE IT
Recent wins	Hint “Progress you made in this area.” Wins you logged for this area in the last 30 days (up to 6, with the why and the date) and tasks done this week (up to 5). A Wins → link.	
Notes (N)	The 8 newest notes filed under this area, with their type chip, and a Notes → link.	
Sections	Hint “Sub-areas — add them from the Life Areas list.” Cards with “N tasks · N notes · N goals”.	
Add the next action (window)	The same next-action form as on Projects (title, When: Today / Tomorrow / Anytime).	
Life area not found	Shown if the area was deleted, with an All life areas button.	

Section page `/life-areas/[id]/sections/[sectionId]`

Work inside one sub-area: its tasks, notes and goals.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Header	The section name, “Section of <Area>” (link) and a ← <Area> button.	
Quick add	“New task in <Section>…”, a When list (Anytime / Today), a Priority list (Low / Medium / High) and + Add.	Type and click Add. The task gets this area and section.
Tasks (N open)	Open tasks first, then done ones. Each: a circle (toggle done), the title (opens the task panel), and a “when” chip — or a sun button “Do it today” (on desktop it shows on hover).	
Notes (N)	Notes filed in this section, each a link.	
Goals (N)	Goals filed in this section with their %.	

Frameworks & terms in this module

> **Life area (area of responsibility)** PARA method (Tiago Forte); GTD areas of focus (David Allen)
> A part of your life you keep up forever, with no end date. Projects end; areas do not.
> *Example:* Company Operations, Sales & Marketing, Learning & Content, Fitness, Family.

Area standard PARA “standard to maintain” (Tiago Forte)

One or two lines that say what “maintained” looks like for an area. If the standard is met, the area is healthy — no goal needed.

Example: Sales: “10 outreach touches every workday; every lead answered within 24 hours.”

Area hub

One page per area that pulls in everything linked to it: rating, hours, goals, projects, habits, learning, tasks, wins, notes and sections.

Example: Open Fitness → see the 6/10 rating, 2h of 4h this week, the habit “Lift 3× a week” at 70% and next task “Book a physio check”.

Weekly hour budget

The hours per week an area should get. It is the target tick on the Focus page, the area hub and Analytics.

Example: Delivery 20h, Sales 10h, Content 5h, Fitness 4h = 39h.

Wheel of Life rating Wheel of Life (Paul J. Meyer)

Rate each area 1–10 once a month. Low spokes show where the next goal should go.

Example: Fitness dropped from 7 to 4 → next cycle's goal: “Train 3× a week”.

Section (sub-area)

An optional smaller part inside an area for grouping tasks, notes and goals.

Example: Company Operations → sections Finance, Legal, Hiring.

Archive vs delete

Archive hides an area but keeps its history and links. Delete removes the area and its sections; its tasks, goals and notes stay but lose their area. Archive is usually better.

How to test it

1. Open Life Areas (Work → Life Areas). Expected: one card per area and the week summary bar.
2. Click New area, type “Test area”, click Add life area. Expected: a new card appears.
3. Click the Standard text, type “Weekly check done”, click away. Reload. Expected: the text stays.
4. Type 5 in the budget box and click away. Expected: “Budget saved”; the summary bar shows the budget.
5. Type “Admin” in Add section… and click Add. Expected: the section appears; click it to open the section page.
6. On the section page add a task with When = Today. Expected: “Task added”; it shows with a Today chip.
7. Open the area hub (click the area name). Click 7 under This month. Expected: “Test area: 7/10 this month”; the ring shows 7.
8. In Next up add a task. Expected: it appears; Open tasks in At a glance goes up by one.
9. Start a 1-minute focus session on a task in this area and let it finish. Expected: Hours this week goes up on the hub and on the Life Areas card.
10. On the Life Areas page click the Delete icon → Archive instead. Expected: the card disappears; Show archived brings it back faded.

Tips

- Five to seven areas are enough. Too many areas means nothing gets enough hours.
- Write standards you can check with yes or no.
- Keep the total weekly budget under 55 hours.

WORK

Wins

One feed of all your progress (formerly called Momentum). It merges the wins you log by hand with the wins the system already knows: progress lines and journal wins, Top 3 and Big 3 done, deals won, content published, promises kept and offers launched. Plus a win streak, a best streak and a 12-week heat strip.

Why it helps: Small, visible progress is the strongest daily motivator. Founders forget their wins and only see what is left. This page makes progress impossible to miss, so you start tomorrow with energy instead of guilt.

One-time	Nothing to set up. Wins appear as soon as you use Today, Week, Pipeline, Content and Commitments.
Daily	Log one win (Log a win, or the Win button on a task or project). At shutdown, write a progress line — it shows here automatically.
Weekly	Read the 7-day feed in your weekly review. Copy the best ones into the review's wins.
Monthly	Switch the range to 90 days and look at the heat strip: which weeks were light, and why?

Wins `/momentum`

See and log your progress, keep a daily win streak, and spot quiet weeks.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Wins (page header)	Title with “Progress you made — the fuel for tomorrow. Automatic wins from your day, plus the moments you log.”	
Today's journal (button)	Opens today's journal page.	
Log a win (button)	Opens the Log a win window.	
Wins this week	Number of wins Monday–today (green when above 0). Sub-line “N last week” or “Mon – today”.	
Win streak	Days in a row with at least one win, with a flame. Sub-line: “days in a row · today counted”, or “days — log one today to keep it” when today has no win yet.	
Best streak	Your longest win streak in the last 12 months.	
Win days this week	How many days this week had at least one win (“days with progress”).	

ELEMENT	WHAT IT IS	HOW TO USE IT
Last 12 weeks (heat strip)	Hint “Each square is a day; darker = more wins.” Columns are weeks (oldest left), rows Monday to Sunday. Light = 1 win, medium = 2–3, dark = 4+. Today has a ring. Legend Less … More.	Hover a square to read “<date> — N wins”. Click it to open that day's journal.
Feed filter (All · Logged · Day wins · Top 3 · Big 3 · Business)	Each with a count for the chosen range. Logged = wins you entered. Day wins = progress lines and journal wins. Top 3 · Big 3 = plan items done. Business = deals won, content published, promises kept, offers live.	
Range (7 days · 30 days · 90 days)	How far back the feed goes (default 30 days). The numbers and heat strip at the top do not change with it.	
Day card	One card per day: “Today · Tue, Oct 20” and an Open day ↗ link to the journal. Each win row has an icon, the title, the source (Logged, Progress line, Journal win, Top 3 done, Weekly Big 3, Deal won, Published, Promise kept, Offer live), impact dots (logged wins) and the why.	Click a row to open its source (the task, project, goal, deal, content piece, commitments, offer, week or journal). Logged wins have a trash icon to remove them.
Log a win (window)	“What went well? e.g. Closed the Acme proposal”, Impact 1–5 (default 3), Life area (optional), “Why did it matter? (optional)” and Save win.	Fill it in and save. Impact 4 or 5 gives a bigger celebration. A win with a life area also shows on that area's hub.
Empty state	“No wins in this range yet — Finish a Top 3 task, write a progress line at shutdown, or log a win — small progress counts.” with Log a win.	

Log win button `(tasks, projects, goals, habits, notes, area hubs)`

Log a specific item as a win right where you are.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Log win / Win (button)	A trophy button (“Win” in the task panel, “Log win” elsewhere). A small number shows how many times this item was logged. After saving it shows “✓ Logged” for about two seconds.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Log a win (popover)	The item's title, Impact 1–5, “Why did it move the needle? (optional)” and Save win.	Pick the impact, add one line why, click Save win. You can log the same item many times (each is a new moment).

Frameworks & terms in this module

Progress principle The Progress Principle (Teresa Amabile & Steven Kramer)

Of everything that boosts motivation at work, making progress in meaningful work is the strongest — even small steps. Seeing your progress keeps it going.

Example: You did not close the deal, but you booked the demo. Log it: impact 3, “first real meeting with a decision maker”.

Win

Any step forward that mattered: logged by hand, or recorded by the system (progress line, journal win, Top 3 done, Weekly Big 3 done, deal won, content published, promise kept, offer live).

Win streak

The number of days in a row with at least one win of any kind. If today has no win yet, the streak counts up to yesterday, so it is not broken until the day ends.

Example: Wins on Mon, Tue, Wed and today Thu → streak 4.

Impact (1–5)

How much a win moved the needle: 1 = small step, 5 = big breakthrough.

Example: Fixed a typo on the site = 1. Signed a €20k client = 5.

Progress line

One sentence at the evening shutdown about what moved forward today. It appears on Wins as a “Progress line” win.

Example: “Sent the proposal and recorded two shorts.”

Done list “Done list” / “ta-da list” practice

A list of what you finished, instead of only what is left. It shows that you are moving.

How to test it

1. Open Wins (Work → Wins). Expected: four numbers, the heat strip, the filter row and the feed.
2. Click Log a win. Type “Test win”, impact 4, pick an area, click Save win. Expected: a celebration; the win appears in Today's card with 4 impact dots; Wins this week goes up.
3. Click the Logged filter. Expected: only logged wins.
4. Open the area hub of the area you picked. Expected: “Test win” is in Recent wins.
5. Open a task panel and click Win → Save win. Expected: the button shows “✓ Logged”, then a count of 1; the win appears on Wins with a link to the task.
6. Finish a Top 3 task on the Tasks Today list. Expected: a “Top 3 done” win appears in today's card.

7. If today had no win before your test, check Win streak. Expected: the sub-line changes to “days in a row · today counted”.
8. Hover today's square in the heat strip. Expected: “<date> — N wins”. Click it. Expected: today's journal opens.
9. Click the trash on “Test win”. Expected: “Removed”; the win disappears.

Tips

- Log wins the moment they happen; a 5-second log beats a perfect memory.
- On hard days, log the smallest real step. It keeps the streak and your mood alive.

WORK

Challenges

A workspace for an intense personal push (for example a 38-day agency sprint). You split it into sections (Learning, Sales, Build…), each with a syllabus, goals and KPIs. Then you log the challenge day by day: tasks per section, KPI values, habits, health and an evening journal. A days table and a health tracker show the whole run.

Why it helps: Big pushes fail when the daily work is vague. Sections make the work clear, KPIs make it measurable, and the day journal makes you show up and reflect every day. Everything is real data: tasks are normal tasks, habits are your normal habits, and focus time counts in your life area and Analytics.

One-time	Click New Challenge. Add an icon, a name, the target outcome, the sections with their KPIs, and pick habits. Then, in Overview, open each section and add its goals and syllabus. Link the challenge to a 12-week goal (Serves goal).
Daily	Click + in the side panel to create today's day. In each section tab add and finish tasks and fill the KPIs. On the Overview tab tick habits, fill Health and write Today's journaling with your energy.
Weekly	Open the Days table and look for gaps (low KPIs, missing habits, bad sleep). Adjust sections, goals or KPIs in Overview.
Monthly	Open the Health tracker and read your average sleep and the sleep line.

Challenges `/challenges`

See your challenges and create a new one.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
New Challenge (button)	In the top bar. Opens the New challenge window.	
Challenges (page header)	Title with “A workspace per goal — split into sections, logged day by day.”	
Active (grid)	One card per active challenge: its icon (or a rocket), the name, the outcome (2 lines), “N sections”, “N days” and the goal it serves (target icon). A coloured left border if the challenge has a colour.	Click a card to open the workspace.
Past (grid)	Challenges that are completed or archived, slightly faded.	
Empty state	“No challenges yet — Create your first — e.g. a 38-Day AI Agency Sprint.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
New challenge (window)	An icon box (an emoji, placeholder 🚀), the name (“Challenge name (e.g. 38-Day AI Agency Sprint)”), “Target outcome — what does winning look like?”, Sections, Habits and Create challenge. Note: “A Life Area named after this challenge is created automatically — all its tasks live there.”	
Sections (in the window)	One box per section: a name (“Section 1 (e.g. Learning)”), × to remove (when there is more than one), its KPI rows and “+ Add KPI”. Under the boxes: “+ Add section”.	A KPI row has a name (“KPI name (e.g. Pages read)”), a type (number, yes/no, text), and for numbers a unit and a target. × removes the KPI.
Habits (ticked each day)	Chips of your existing habits (only if you have some).	Click a chip to include it (it turns blue). Included habits show as a strip on every day.
Create challenge (button)	Creates the challenge, its sections and KPIs, its own life area, links the habits, and opens the workspace.	You need a name and at least one section with a name.

Challenge workspace — side panel and Overview & sections `/challenges/[id]`

Set up the challenge structure (sections, goals, KPIs, syllabus, habits) and see the totals.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Side panel	Left column: “← Challenges”, the icon and name, then Overview & sections, Days table, Health tracker, a DAYS header with +, and the list of days (newest first). The open view is kept in the address bar, so you come back to the same place.	Click + to create today's day; it is named like “Wednesday - 21/10/2026” with today's date. Hover a day and click the trash to delete it (it asks first). Deleting a day keeps its tasks but removes its KPI values.
Challenge header	The icon and name, the description and “Outcome: …”.	
Serves goal	A list with None and your active 12-week (“12w ·”) and annual (“Year ·”) goals, an “Open goal →” link, and a “Life Area: <name>” chip that opens the challenge's area hub.	Pick the goal this challenge serves. It then shows on the challenge card.

ELEMENT	WHAT IT IS	HOW TO USE IT
Stats (Total focus · Tasks done · Habit checks · Avg energy · Days)	Total focus = hours on this challenge's tasks. Tasks done = done / all challenge tasks. Habit checks = ticks of the challenge's habits on challenge days. Avg energy = average evening energy (1–5) from the day journals. Days = number of days.	
Sections (list)	Hint “Define each section's syllabus, goals and KPIs here. Daily tasks & KPI values are logged inside each day.” Each row: an arrow, the icon and name, “· N goals · N KPIs”, focus hours and tasks done/total, up and down arrows (reorder) and a trash icon (asks first).	Click the row to open it.
Goals (inside a section)	Checkboxes with a title and ×, and an “Add goal…” box.	Type and press Enter. Tick a goal when you reach it.
KPIs (inside a section)	Each KPI with a chip like “number · pages · target 30”, and × (removing a KPI also deletes all its logged values). An add row: KPI name, type (number / yes/no / text), unit, target and Add.	
Syllabus (inside a section)	The section's curriculum or reference in markdown. Pencil icon to edit; a big text box and Save. “No syllabus yet — click the pencil to add one.”	
Add a section…	A box and Add button under the list.	Type a name and press Enter or Add.
Habits (manager)	Hint “These show as a strip on every day, ticked per day.” Linked habits (blue chips with × to unlink), “Add an existing habit” (dashed chips) and “New habit (e.g. Gym, Quran, Journal)…” with Create.	Create makes a new daily habit in the challenge's life area, already linked. It also appears in your Habits module.
Footer hint	“Create a day from the side panel to start logging.”	

Challenge day `/challenges/[id] (a day)`

Log one day of the challenge: tasks and KPIs per section, habits, health and the evening journal.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Breadcrumb and day name	“Challenges › Day”, the day name as a big editable field, and the date under it.	Click the name, change it, click away to save.
Tabs (Overview · one per section)	Overview first, then each section. The open tab is kept in the address bar.	
Day stats (Focus today · Tasks done · Habits done · Energy)	Focus on today's challenge tasks, done/total tasks, habits ticked/total, and the energy you gave in the journal.	
Habits strip	One chip per challenge habit; blue with a ✓ when done.	Click to tick or untick. It writes to your real Habits module for that date (streaks and +5 XP).
By section	Each section with today's focus time and tasks done/total.	
KPIs — today	A table of every KPI: section, name and value (Yes / —, the text, or the number with its unit). “No KPIs defined. Add them per section in Overview.”	
Health — today	Sleep duration (h) (decimal), Time awake, Time in bed, and Cheat meal (bad) as a No / ✕ Yes toggle.	Type a value and click away to save. Click the cheat meal button to switch it.
Today's journaling	Four boxes — What I did well today · What wasn't good · How I'll improve tomorrow · Key lessons / notes — and Energy 1–5 circles.	Each box saves when you click away. Click an energy number; click it again to clear.
Tasks (section tab)	Today's tasks for this section: a circle (done), the title, focus time, a timer button and ×. “No tasks yet for this section today.” An “Add a task…” box with +.	Type and press Enter. The timer button starts a stopwatch on the task. Click the title to open the full task panel. × deletes the task for good.
KPIs — today (section tab)	Number boxes (with “/ target”), yes/no circles, or text boxes.	Numbers and text save when you click away; yes/no saves on click.
Section reference	A fold-out card with the section's goals (read only) and syllabus. “Goals & syllabus for this section — managed in Overview.”	

Days table and Health tracker `/challenges/[id] (Days table · Health tracker)`

See the whole challenge at once: every day's metrics side by side, and your sleep over time.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Days table	"Every day and all its key metrics, side by side." Columns Day, Date, Focus, Tasks, Habits, Energy, Sleep, Wake, Bedtime, Cheat, then one column per habit (✓ / —) and one per KPI (e.g. "24 / 30 pages", Yes, or text). The header row and the Day column stay in place when you scroll.	
Average Sleep Duration	A big number: the mean sleep hours of all logged days.	
Sleep Duration chart	A line chart of sleep hours per day with the value on each point and dd/mm dates. It shows 14 days at a time.	When there are more than 14 days, drag the slider under the chart to move through time.
Health table	Date (day name), Sleep Duration, Time Awake, Time In Bed and Cheat Meal (red ✕ Yes).	

Frameworks & terms in this module

Challenge
A time-boxed, intense personal push with a clear outcome, logged every day.
Example: "38-Day AI Agency Sprint — outcome: 3 paying clients and a working delivery system."

Challenge section
One stream of work inside a challenge. Each section has its own tasks, goals, KPIs and syllabus.
Example: Sections: Learning, Sales, Build, Content.

Section syllabus
The curriculum or reference for a section, written in markdown. You read it inside each day under Section reference.
Example: Learning: "Week 1 — prompt engineering course modules 1–4; Week 2 — build 2 demo agents."

Section goals
Checkpoints for a section that you tick when reached. They are separate from your 12-week goals.
Example: Sales: "50 personalised DMs sent", "5 discovery calls held".

Challenge KPI Lead measures (The 4 Disciplines of Execution)
A number you log every day for a section. Types: number (with unit and target), yes/no, or text. Good KPIs are lead measures — things you control daily.
Example: Learning: Pages read (number, pages, target 30). Sales: Follow-ups done (yes/no).

Challenge day
One logged day of the challenge with its tasks, KPI values, habits, health and journal. You create it with + in the side panel.

Habit strip

The challenge's habits shown on every day. Ticking one writes to your real Habits module for that date.

Example: Gym ✓, Quran ✓, Journal — .

Health tracker

Sleep duration, wake time, bed time and cheat meals per day, with an average and a sleep chart.

Example: Average sleep 6.4h over 20 days → the next push starts with a fixed bedtime.

Day journaling After Action Review (US Army); Start / Stop / Continue

Four short reflections every evening — what went well, what wasn't good, how to improve tomorrow, key lessons — plus energy 1–5.

Challenge life area

Creating a challenge also creates a life area with the same name. All challenge tasks and new challenge habits live there, so their focus hours show on that area and in Analytics.

Goal link (Serves goal)

Link the challenge to one 12-week or annual goal, so the push clearly serves your direction.

Example: Challenge “38-Day AI Agency Sprint” serves the 12-week goal “3 paying AI clients”.

How to test it

1. Open Challenges (Work → Challenges). Click New Challenge.
2. Type an icon 🚀, name “Test challenge”, an outcome; Section 1 “Learning”; + Add KPI → “Pages read”, number, unit “pages”, target 30; + Add section → “Sales”. Click Create challenge. Expected: the workspace opens on Overview with 2 sections; a life area “Test challenge” now exists.
3. Open the Learning row. Add a goal “Finish module 1” and a syllabus, click Save. Expected: “· 1 goals · 1 KPIs” and the rendered syllabus.
4. In Habits, type “Gym” and click Create. Expected: a blue chip “Gym”.
5. Click + next to DAYS. Expected: a day named with today's weekday and date opens on the Overview tab.
6. Click the Gym chip. Expected: it turns blue with ✓; Habits done shows 1/1. Open the Habits page: Gym is done today.
7. Click the Learning tab. Add a task “Read chapter 1”. Type 24 in Pages read and click away. Expected: the task appears; the KPI shows 24 / 30.
8. Click the timer button on the task, wait 40 seconds, then use the top-bar pill to Stop & log. Expected: the task shows its focus time and Focus today goes up.
9. Back on Overview fill Sleep duration 7.5 and the journal, click energy 4. Expected: Energy shows 4/5.
10. Open Days table. Expected: one row with Focus, Tasks 0/1, Habits 1/1, Energy 4/5, Sleep 7.5, Gym ✓ and “24 / 30 pages”.
11. Open Health tracker. Expected: Average Sleep Duration 7.5 and one point on the chart.
12. Pick a goal in Serves goal. Go back to Challenges. Expected: the card shows the goal title.

Tips

- Keep 3–5 sections and 1–3 KPIs per section. More than that becomes admin.
- Create the day first thing in the morning; it makes the plan real.
- The × on a challenge task deletes the task everywhere.

WORK

Calendar

Time-block your days (sidebar: Calendar, page title: Schedule). Blocks link to a task, project, goal and life area, can repeat daily or weekly, and are marked planned, done or skipped. Marking a block done logs it as focus time. Stat cards and a schedule-vs-focus gap card show how well you plan.

Why it helps: A task list says what; a calendar says when. Time blocks protect deep work from meetings and make the day realistic. The gap card shows whether you plan too much or too little for each task, so your planning gets more accurate every week.

One-time	Build your Ideal Week on the Week page and apply it — it fills the calendar with typed blocks (maker, manager, admin, routine, free). Create repeating blocks for fixed habits (workout, weekly review).
Daily	Morning: check today's blocks and add one for each Top 3 task. Evening: open each block and mark it done or skipped.
Weekly	Plan next week's key blocks (deep work first). Read Adherence and the gap card: over-scheduled tasks need smaller blocks or more focus.
Monthly	Switch to Month and check the balance of your Top area.

Calendar (Schedule) `/schedule`

Plan your time in blocks, mark what really happened, and compare planned time with real focus.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
New block (button)	In the top bar. Opens the New schedule block window for the day in view at 9:00–10:00.	
Schedule (page header)	Title with “Time-block your day and link it to tasks, projects, goals & life areas.”	
Day · Week · Month (switch)	Changes the view. Weeks run Sunday to Saturday here.	
Scheduled (stat card)	Hours of blocks in the window you see (sub-line “day plan”, “week plan” or “month plan”). In Month view it counts the calendar month.	
Actually focused (stat card)	All focus hours logged in the window (timer, manual logs and done blocks). Sub-line “Logged this window”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Adherence (stat card)	Done blocks ÷ all blocks × 100, with “3/5 done”.	
Top area (stat card)	The life area with the most scheduled hours, with “Xh scheduled”.	
Schedule vs. focus gap (card)	“— planning accuracy per task”. For every task linked to a block in this window: scheduled minutes vs real focus minutes. Three boxes: Avg gap / task (signed, with a verdict: Over-scheduled, Under-scheduled or Well calibrated), Scheduled (“across N tasks”) and Real focus (“N tracked”). Then up to 8 task rows: title, area · blocks · sessions (or “no focus tracked”), a signed gap chip, and two bars Plan vs Focus. A Show less / Show all link.	Amber + gap = you blocked more than you focused: make the block smaller or protect it better. Blue − gap = you out-worked the plan: give it more time. Empty card: link tasks to blocks and track focus on them.
Navigation (‹ · Today · › · title)	Move one day, week or month back or forward; Today jumps to today. The title shows the date or range.	
Timeline (Day and Week views)	One column per day with a 24-hour grid. Blocks sit at their times: purple tint = planned, green = done, grey and struck through = skipped. The left border has the life area colour. Tasks that have a start time show as dashed boxes with “· task”.	Click an empty hour to create a block at that hour. Click a block to edit it. Click a dashed task to go to the Tasks page. Scroll down for the morning and evening hours.
Month view	A month grid. Each day shows its number (today in a filled circle), up to 3 blocks with start times, up to 2 tasks with start times, and “+N more”.	Click the day number or a block to open that day. Hover a day and click + to add a block.

New schedule block / Edit block `/schedule (block window)`

Create or change one time block, link it, repeat it, and mark what happened.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
What are you doing?	The block title. Empty titles become “Untitled block”.	
Date, start time, end time	Three fields in one row. If the end is before the start, the block is saved as 5 minutes long.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Life area… · Task… · Project… · Goal…	Four link lists. Task lists only open tasks.	Pick a task: if the title, area or project are empty they are filled from the task. Link a task to see it in the gap card.
Notes (optional)	A small text box for details.	
Repeat (new blocks only)	Doesn't repeat / Daily / Weekly. Weekly shows day circles Su Mo Tu We Th Fr Sa. “Until (optional)” date.	Without an end date, Daily creates the next 60 days and Weekly the next 8 weeks (at most 120 blocks). Weekly with no day picked repeats on the start date's weekday.
planned · done · skipped (edit only)	Status buttons that save at once. “✓ logged as focus time” appears when a block is done.	Done creates a focus session for the block's time, linked to its task, project and area (deep or shallow if the block type is maker or manager). Setting it back to planned or skipped deletes that session. The highlight may only update after you close and reopen the window.
Add to schedule / Save changes	Saves the block (disabled without a date).	
Trash (edit only)	Deletes this block (and its auto-logged focus session) at once.	
Delete this & all future occurrences in the series	Shown for repeating blocks. Deletes this block and every later one in the same series.	

Frameworks & terms in this module

> **Time blocking** Deep Work (Cal Newport)
> Give every important piece of work a fixed slot in your calendar, instead of working from a list all day.
> *Example:* Tue 9:00–12:30 “Acme delivery deep work”, 13:30–15:00 “Outreach & follow-ups”.

> **Maker vs manager schedule** “Maker's Schedule, Manager's Schedule” (Paul Graham, 2009)
> Protect long maker blocks for building and creating; group short manager slots for calls and admin.

Block types

Maker = deep, half-day build work. Manager = calls, office hours, outreach. Admin = processes, finance, pipeline review. Routine = rituals and workouts. Free = protected rest. Types come from your Ideal Week when you apply it; the block window has no type picker. Free blocks do not count as planned work in Analytics.

Example: Monday: Workout (routine), Start-up ritual (routine), Delivery deep work (maker), Client calls (manager), Shutdown ritual (routine).

Ideal Week Ideal Week (Michael Hyatt); Founder OS default week

A template of your perfect week (day types and typed blocks). Applying it fills the calendar without overlaps or duplicates and skips your Free Day.

Recurring block (series)

A block that repeats daily or weekly until a date. All copies share a series, so you can delete the future ones in one click.

Example: Weekly review every Friday 14:00–15:30 until the end of the year.

Block status

Planned = still to come. Done = it happened (auto-logged as focus). Skipped = it did not happen (no focus logged).

Adherence

Done blocks ÷ all blocks in the window × 100. It shows how much of your plan you really did.

Example: 8 of 10 blocks done this week = 80% adherence.

Schedule vs. focus gap Planning fallacy (Kahneman & Tversky)

Per task: scheduled minutes − real focus minutes (timer and manual logs only; block completions are not counted as focus). Positive = over-scheduled, negative = under-scheduled. The average gap across tasks gives the verdict (more than +4 min = Over-scheduled, less than −4 min = Under-scheduled).

Example: Blocked 3h for “Write proposal”, focused 1h 50m → gap +1h 10m (over-scheduled).

How to test it

1. Open Calendar (Today group → Calendar). Expected: “Schedule”, the Day/Week/Month switch, four stat cards, the gap card and the week timeline.
2. Click an empty slot at 10 AM today. Expected: the window opens with today, 10:00–11:00.
3. Type “Test block”, pick a task and an area, click Add to schedule. Expected: a purple block at 10 AM with the area colour on its left; Scheduled goes up by 1h.
4. Click the block → done. Close and reopen it. Expected: “done” is highlighted with “✓ logged as focus time”; the block turns green; Adherence and Actually focused go up; the Focus page shows a 60-minute session.
5. Set the block back to planned. Expected: the focus session is removed.
6. Create a block with Repeat = Weekly, Mo and We, Until in 3 weeks. Expected: blocks appear on those days only, up to that date.
7. Open one of them → Delete this & all future occurrences in the series. Expected: that block and the later ones disappear; earlier ones stay.

8. Run a 1-minute timer on the task you linked, then check the gap card. Expected: the task row shows Plan vs Focus bars and a signed gap.
9. Switch to Month. Hover a day and click +. Expected: a new block window for that day at 9:00.

Tips

- Block your deep work first, then let meetings fill around it.
- Mark blocks done or skipped at the shutdown — honest data makes the gap card useful.
- Leave 20% of the day unblocked for surprises.

SYSTEM

Sidebar & mobile navigation

The sidebar on the left lists every page in six groups (Today, Direction, Founder, Mind, Work, System) with Capture and command buttons on top and Profile and Sign out at the bottom. On phones a bottom bar gives one-tap access to Today, Inbox, Capture, Week and the full menu.

Why it helps: You always know where you are and reach any module in one click. Badges tell you when the Inbox or Recall needs you, without opening them.

Daily Use it to move between modules. On a phone, the bottom bar is your main navigation.

Sidebar `Left side (desktop, every page)`

Main navigation for the whole app.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
bishOS logo	The sparkle mark and the name 'bishOS'.	
Collapse sidebar	Panel icon next to the logo (desktop).	Click to shrink the sidebar to icons only. Click 'Expand sidebar' to open it again.
Capture (C)	Big button that opens Quick capture in Inbox mode. Shows the 'C' shortcut.	
Command button (⌘K)	Search icon next to Capture.	Click to open the command palette (same as Ctrl+K).
Group headers	TODAY, DIRECTION, FOUNDER, MIND, WORK, SYSTEM, each with a small arrow.	Click a header to fold or unfold the group. bishOS remembers this in your browser. A folded group still shows the page you are on.
Today group	Today, Inbox, Week, Calendar, Journal.	
Direction group	Compass, Goals · 12 weeks, Habits, Routines, Reviews.	
Founder group	Founder HQ, Pipeline, People, Customers, Commitments, Finance, Offers, Campaigns, Content Studio, Inspiration, Scorecard, Decisions & Issues.	
Mind group	Notes, Learning, Library, Recall.	
Work group	Projects, Tasks, Challenges, Focus, Life Areas, Momentum.	

ELEMENT	WHAT IT IS	HOW TO USE IT
System group	Delegation, Energy & Wellbeing, Analytics, AI, Settings, Guide.	
Page link	Icon and name of a page. The current page is highlighted.	Click to open. When collapsed, hover to see the name.
Inbox badge	Number of open inbox items (including snoozed items whose time has come). Shows '99+' above 99.	
Recall badge	Number of recall cards due now.	
Profile	Link to your Profile page (bottom).	
Sign out	Bottom button.	Click → 'Sign out?' window ('You'll need to sign back in with your email and password…') → 'Sign out' or 'Cancel'.

Mobile bottom bar `Bottom of the screen (phones and small tablets)`

Capture-first navigation for your phone. Hidden on large screens.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Today	Opens Today.	
Inbox	Opens Inbox, with a count badge.	
Capture (big + button)	The round button in the middle. Opens Quick capture.	
Week	Opens the Week page.	
Menu	Opens the full sidebar as a drawer.	

Mobile top bar and drawer `Top of the screen (phones)`

Open the full menu on small screens.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Menu button (three lines)	Opens the sidebar as a drawer from the left.	
Logo	bishOS mark and name.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Drawer	The full sidebar over a dark backdrop. It closes when you pick a page, tap the backdrop, or tap the X ('Close navigation') at the top right.	

Frameworks & terms in this module

Module groups bishOS

Today = the daily loop. Direction = where you are going (purpose, goals, habits, routines, reviews). Founder = running the company (sales, people, money, content, numbers, decisions). Mind = learning and knowledge. Work = projects, tasks and execution tools. System = support (delegation, wellbeing, analytics, AI, settings, guide).

Example: Looking for a deal? Founder → Pipeline. Looking for a book note? Mind → Library.

How to test it

1. Click 'Collapse sidebar'. Expected: only icons show; hover an icon to see its name. Click 'Expand sidebar' to restore.
2. Click the FOUNDER header. Expected: the group folds. Reload the page. Expected: it stays folded.
3. Capture one item with the sidebar 'Capture' button. Expected: the Inbox badge goes up by 1.
4. Click the search button next to Capture. Expected: the command palette opens.
5. Click 'Sign out', then 'Cancel'. Expected: you stay signed in.
6. On a phone (or a narrow browser window): the bottom bar shows Today, Inbox, +, Week, Menu. Tap + → Quick capture opens. Tap Menu → the drawer opens; tap a page → the drawer closes and the page opens.

SYSTEM

Topbar

The bar at the top of every page: global search on the left; on the right the Day button (rituals, level, streak), a capture button on phones, the running focus timer, full screen, the notification bell, and your profile menu with the theme switch.

Why it helps: Your day's status, the timer and your alerts follow you on every page, so you never have to go back to Today to check them.

Daily Glance at the Day button ring and the bell between tasks. Use the timer pill to pause or stop focus sessions from anywhere.

Topbar `Top of every page`

Always-visible status and quick controls.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Search box	'Search everything — tasks, people, deals, content…'.	See 'Global search'.
Day button	A small ring with your day's progress (0, 33, 67 or 100%: start-up done, all Top priorities done, shutdown done), a label ('Start day' before the start-up, 'Shutdown' after 16:00 if not done, otherwise 'My day') and a flame with your streak. It glows when the start-up is missing, or in the evening when the shutdown is missing. Shows a green tick when all three are done. On phones only the ring shows.	Click to open the Day popover.
Capture (+)	Only on phones: opens Quick capture (same as C).	
Page action	Some pages put their own main button here (for example an 'Add' button).	
Focus timer pill	Only while a focus timer runs: a timer icon, the time, the task name (on wide screens), a pause/resume button and a stop button. Green background during a Pomodoro break. It pulses gently while running.	Click the time to open Focus. Pause/Resume to pause. Stop ('Stop & log focused time') ends the session and logs the time.
Full screen	Expand icon ('Full screen') / shrink icon ('Exit full screen').	Click to hide the browser's bars for distraction-free work. Click again or press Esc to exit.

ELEMENT	WHAT IT IS	HOW TO USE IT
Notification bell	Bell with a count badge.	See 'Notifications'.
Profile avatar	Your photo or your first initial in a circle.	Click to open the profile menu.

Day popover `Topbar → Day button`

Your day at a glance and one-click access to both rituals.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Level and title	'Level N' and your title.	
Streak and shields	Flame with your ritual streak and a shield with shields left this week.	
XP bar	Progress in the current level, 'into/span XP', and '+N today'.	
Morning start-up	Row with a sun. Sub-line: 'Check-in · Top 3 · capacity · if–then', or 'Done — day locked in' with a green tick.	Click to open the start-up ritual (also works to re-plan).
Top priorities	'done/total' and a green progress bar.	
Evening shutdown	Row with a moon. Sub-line: 'Inbox zero · leftovers · resume note', or 'Shutdown complete'.	Click to open the shutdown ritual.
Open Today	Link to the Today page.	

Profile menu `Topbar → avatar`

Reach your profile and change the colour theme.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Your name	Shown at the top when set in Profile.	
Profile	Opens the Profile page.	
Theme: Light / Dark / System	Colour theme. 'System' (default) follows your computer's light/dark setting live. A tick marks the current choice. Saved in this browser.	Click one.

Frameworks & terms in this module

Day progress ring bishOS

A three-part check of today: start-up done, all Top priorities done, shutdown done. Each part is one third of the ring.

Example: Start-up done and 2 of 3 Top priorities done → 33%.

How to test it

1. Before the start-up: the Day button says 'Start day', glows, and the ring shows 0. Click it. Expected: the popover with 'Morning start-up' and 'Evening shutdown' rows.
2. Click 'Morning start-up' in the popover. Expected: the start-up ritual opens.
3. After the start-up and all Top priorities are done, check the ring. Expected: 67.
4. Start a Pomodoro from a task's play button. Expected: the timer pill appears in the Topbar on every page. Click pause: the time stops. Click stop: the pill disappears and the time is logged on the task.
5. Click the full-screen icon. Expected: the browser goes full screen; click again to exit.
6. Open the avatar menu, choose 'Dark'. Expected: the app turns dark at once and stays dark after reload. Choose 'System' to follow your computer again.

SYSTEM

Global search

The search box in the Topbar finds anything you've saved: tasks, notes, projects, goals, habits, Life Areas, sections, people, companies, deals, commitments, content, inspiration, offers, campaigns, learning areas, Library items, decisions and inbox items.

Why it helps: You find any item by a word you remember, instead of opening module after module.

Daily Whenever you need something you saved: type 2 or more letters.

Global search `Topbar (every page)`

Find any saved item from any page.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Search field	Placeholder: 'Search everything — tasks, people, deals, content…'.	Click and type at least 2 characters. Esc clears and closes.
Clear (X)	Appears when you type. Clears the box.	
Searching…	Shown while results load.	
Result groups	Results grouped by type, up to 6 per group: Tasks, Notes, Projects, Goals, Habits, Life Areas, Sections, People, Companies, Deals, Commitments, Content, Inspiration, Offers, Campaigns, Learning, Library, Decisions, Inbox.	
Result row	Type icon, the item's name and a grey detail (for example the Life Area of a task, a goal's progress %, a habit's streak, a deal's stage).	Click to open the item (or its module page).
No matches	'No matches for "[your words]"'.	

How to test it

1. Type one letter in the search box. Expected: no panel yet.
2. Type the first 3 letters of a person's name. Expected: a 'People' group with that person; click → the person's page opens.
3. Type a goal word. Expected: the 'Goals' group shows the goal with its progress %.
4. Type 'zzzqqq'. Expected: 'No matches for "zzzqqq"'.
5. Press Esc. Expected: the box clears and the panel closes.

Tips

- Ctrl+K searches the same data and also runs actions and opens pages.

SYSTEM

Notifications

The bell in the Topbar lists what needs your attention today: deadlines, goals and sprints ending, habit streaks at risk, upcoming time blocks, the start-up reminder, deals without next steps, promises due, waiting-for check-ins, stale inbox items and recall cards due. Urgent items come first.

Why it helps: Nothing slips. You see risks early (a promise due today, a deal with no next step) and can act or dismiss in one click.

Daily Check the bell a few times a day. A red badge means something urgent.

Notification bell `Topbar → bell`

One list of today's alerts, computed live from your data.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Bell badge	Number of notifications (shows '9+' above 9). Red when at least one is urgent, otherwise blue.	
Notifications (N)	Panel title with the count.	
Clear all	Dismisses every notification in the list.	
Notification row	Type icon (yellow for urgent), title and a detail line, for example 'Overdue by 2d' or 'Next step today: send quote'.	Click to open the related page (Tasks, Goals, Project, Habits, Calendar, Today, Pipeline, Commitments, Inbox or Recall).
Dismiss (X)	Appears on hover. Hides that notification. Daily nudges (habits, start-up, inbox, recall) can come back on a later day.	
You're all caught up	Empty state with a green tick.	

Frameworks & terms in this module

Notification types bishOS

Urgent: task overdue ('Overdue by Nd'), task due today, goal deadline passed, sprint ended, open deal with no next step, deal next step overdue, promise due today or overdue ('Promise overdue — deliver or renegotiate'). Info: task due within 3 days, goal deadline within 7 days, sprint ending within 3 days, habit streak at risk (active habit, streak above 0, nothing logged today: 'the minimum version counts'), time block still ahead today ('At 2 PM'), 'Start your day' (no start-up in the last 16 hours and no check-in today), deal next step today, waiting-for check date reached, inbox items older than 48h, 5 or more recall cards due.

Example: Morning: 'Start your day — 5-minute start-up: check-in, Top 3, capacity' and 'Acme website — Open deal with no next step'.

Desktop (push) notifications Web Push

Pop-ups from your browser even when bishOS isn't the open tab (the browser must be running). Turn them on in Profile → Desktop notifications.

Example: A pop-up when a scheduled task starts.

How to test it

1. Create a task with a deadline today (task drawer → Due / end). Expected: the bell badge goes up and turns red; the panel shows the task with 'Due today'.
2. Click the notification. Expected: the Tasks page opens and the panel closes.
3. Hover a notification and click X. Expected: it disappears and the count drops. Reload: it stays hidden.
4. Before doing the start-up on a new day, open the bell. Expected: 'Start your day'.
5. Click 'Clear all'. Expected: 'You're all caught up'.

SYSTEM

Settings

The numbers that shape your days: daily capacity, Free Day, review day and celebrations; your founder targets (outreach, meetings, content, currency, income); caps that stop overload; a work-hours warning; Life Area setup; a full data export; and the keyboard shortcuts.

Why it helps: Every default is a sensible start, not a law. Tuning them makes Today's capacity bar, sales ring, caps and warnings fit your real life.

One-time	On day one, check every number. Most fields save when you click out of them; each save shows a 'Saved' toast.
Monthly	Revisit in the monthly review if a number keeps feeling wrong (for example you're always over capacity).

Settings `/settings`

Tune bishOS to your life.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Settings (title)	Subtitle: 'Defaults that shape your days. Every number here is a sensible starting point, not a law — tune it.'	
Daily rhythm	Card for your daily defaults.	
Daily capacity (hours)	Hours of planned work a normal day can hold (default 5.5, from 1 to 14, half-hour steps). Hint: '~5.5h of planned work on a 9–5 day leaves room for the unexpected.' Used by Today's capacity bar and the start-up.	Type a number and click outside. An empty or zero value is ignored.
Protected Free Day	Your weekly no-work day (default Sunday). Hint: 'No work, midnight to midnight.'	Pick a weekday.
Weekly review day	The day Today shows 'It's weekly review day' (default Friday).	Pick a weekday.
Celebrations	'On' / 'Off'. Hint: 'Confetti + XP toasts on wins.' Turning it off stops the confetti; toasts still appear.	Click to switch. Turning it on fires a small confetti burst.
Founder engines	Card for your business targets.	
Daily outreach quota	Outreach touches per day for Today's sales ring (default 20). Hint: 'Rule of 100 is ~4h/day — pick what fits alongside delivery.'	

ELEMENT	WHAT IT IS	HOW TO USE IT
Daily meetings goal	Conversations per day (default 2). Hint: ''Open to goal': stop prospecting once you've booked this many.'	
Hub content pieces / week	Weekly content target for Today's Content tile (default 1).	
Currency	Currency code used for money (default USD).	
Annual income (for your Buyback Rate)	Your yearly income. Hint: 'Buyback Rate = income ÷ 2000 ÷ 4.'	
Caps (anti-overload)	Card hint: 'Fewer, bigger bets. The system blocks you from going over.'	
Active 12-week goals	Most goals active at once (default 3, from 1 to 8).	
Active projects	Most active projects at once (default 5, from 1 to 20).	
New habits at once	Most new habits you build at the same time (default 3, from 1 to 6).	
Wellbeing	Card hint: 'Observations only — not a clinical tool.'	
Weekly work-hours warning	Weekly hours above which bishOS warns you (default 55, from 20 to 90). Hint: '55h+ a week is linked to real health risk (WHO/ILO).'	
Life Areas & setup	'Re-run the area setup (standards + weekly hour budgets) or manage areas in detail.'	'Run setup' opens the Life Areas setup window on Today. 'Manage areas' opens the Life Areas page.
Your data	Card hint: 'Full export, any time. No lock-in.'	
Export everything (JSON)	Downloads all your data as a file named bishos-export-YYYY-MM-DD.json. Toast: 'Export downloaded — Your data is yours — always.'	
Keyboard	Shortcut list: C = Quick capture (anywhere); Ctrl K = Command palette; J / K = Move in Inbox; T = Inbox → task; N = Inbox → note; D = Inbox → done (2-minute rule); X = Inbox → discard; Space = Recall: reveal card; 1–4 = Recall: rate.	

Frameworks & terms in this module

Caps (work-in-progress limits) The 12 Week Year + Kanban WIP limits

Hard limits on how many big things you run at once. Fewer open goals and projects means more of them actually finish.

Example: With a cap of 5 active projects, starting a 6th forces you to finish or pause one first.

Protected Free Day Dan Sullivan, Strategic Coach

One full day a week with no work at all. Rest makes the other days sharper. It never breaks your ritual streak.

Example: Sunday: no email, no Slack, family time.

Rule of 100 Alex Hormozi, $100M Leads

Do 100 primary outreach actions every day (for example 100 messages or 4 hours of calls) until leads come in. bishOS lets you pick a smaller daily quota that fits around delivery.

Example: Quota 20: 20 personalised DMs a day while you still run client work.

Buyback Rate Dan Martell, Buy Back Your Time

What one hour of your time is worth to buy back: annual income ÷ 2000 working hours ÷ 4. Any task you can hand off for less than this rate is worth delegating.

Example: $120,000 ÷ 2000 ÷ 4 = $15/hour → hire help for tasks under $15/hour.

Work-hours warning WHO/ILO study (2021)

A gentle alert when your logged work time goes above your weekly limit. Long hours (55+ a week) are linked to higher risk of stroke and heart disease.

Example: You logged 58 hours this week; bishOS flags it in Energy & Wellbeing.

How to test it

1. Open /settings. Change 'Daily capacity (hours)' to 4 and click outside. Expected: toast 'Saved'. Open Today: the Today card hint says 'of 4h'.
2. Clear the capacity field and click outside. Expected: nothing is saved (capacity stays 4).
3. Set 'Weekly review day' to today's weekday (and don't do the review). Expected: Today shows 'It's weekly review day'.
4. Set 'Daily outreach quota' to 5. Expected: Today's Sales card shows 'x/5 outreach touches'.
5. Turn 'Celebrations' Off, tick a Top priority. Expected: a toast but no confetti. Turn it On: a small confetti burst plays.
6. Click 'Run setup'. Expected: Today opens with the 'Set up your Life Areas' window.
7. Click 'Export everything (JSON)'. Expected: a file bishos-export-[today].json downloads and a toast confirms.

SYSTEM

Profile

Tell bishOS who you are: photo, name, city, what you do, your business, your current situation, a free 'About you' text and your preferences for the AI. Also where you turn desktop notifications on or off.

Why it helps: Your first name appears in greetings, and the AI chat reads your profile to address you by name and tailor every answer to your life and business.

One-time	Fill it in on day one (5 minutes) and turn on desktop notifications.
Quarterly	Update 'Current situation' and 'About you' when your focus changes.

Profile `/profile`

Your identity and AI context, plus desktop notifications.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Profile (title)	'Tell bishOS who you are. Your AI chat reads this to address you by name and tailor every answer to your life and business.'	
Avatar	Your photo, or your first initial.	
Change photo (camera)	Small camera button on the avatar.	Click and choose an image. A spinner shows while it uploads. The new photo also shows in the Topbar.
Name and role summary	Your name (or 'Your name') and 'what you do · city' (or 'Add your role and city below').	
Name	Placeholder 'e.g. Bish'. The first word is used in greetings on Today and in the start-up.	
City	Placeholder 'e.g. Dubai'.	
What you do	Placeholder 'e.g. UI/UX designer & founder'.	
Business	Placeholder 'e.g. Devzelo Solutions'.	
Current situation	Placeholder 'e.g. Scaling my agency while learning to code'.	
About you	Hint: 'Write freely — multiple paragraphs. Background, goals, what drives you, context the AI should always know.'	

ELEMENT	WHAT IT IS	HOW TO USE IT
Preferences & needs	Hint: 'How should the AI help you? Tone, what to focus on, what to avoid.' Example: 'Be direct and practical. Push me on deadlines…'	
Save profile	Saves all fields. Shows 'Saving…' then 'Saved' with a tick. Note: 'Your AI chat updates instantly with this.'	Click after editing. Fields are not saved until you click.
Desktop notifications	A switch with a bell icon. Status text: 'Get a popup when a task starts or ends — even when bishOS is closed (browser running).', 'On — this browser (+N other).', 'Blocked in your browser settings — re-enable there to use.' or 'Not supported in this browser.'	Click the switch and allow notifications when the browser asks. Click again to turn off. If blocked, change it in your browser's site settings.

Frameworks & terms in this module

AI context bishOS

The background information the AI reads before answering. The richer and more current your profile, the more personal and useful the answers.

Example: With 'Agency, 3 clients, goal $10k MRR' in About you, 'What should I focus on today?' gets sales-first advice.

How to test it

1. Type your name, click 'Save profile'. Expected: the button shows 'Saved'. Open Today: the greeting includes your first name.
2. Upload a photo. Expected: it shows on the Profile card and in the Topbar avatar.
3. Write 'Be very short' in Preferences, save, then ask the AI chat a question. Expected: a short answer.
4. Turn on Desktop notifications and allow the browser prompt. Expected: the switch turns on and the text says 'On — this browser.'
5. Edit a field and leave the page without saving. Expected: the change is not kept.

SYSTEM

AI chat

A full chat with an AI that knows your Life Areas, tasks, projects, goals, recent notes, habits, focus sessions, check-ins and Profile. Keep many conversations, choose a free model per conversation, attach documents, attach a project/note/area as context with '/', and save good answers into Notes.

Why it helps: You get advice based on your real data, not generic tips: what to focus on, how your week went, links between your notes, analysis of a document.

Daily	Ask 'What should I focus on today?' when you feel scattered.
Weekly	Ask 'Summarize my week' before the weekly review.

AI chat `/chat`

Talk to an AI that knows your life and business.

HOW TO USE IT

1. Open AI from the sidebar (System → AI).
2. Pick a model (Hunyuan is fine for most questions).
3. Ask your question. Add '/' context or a file if it is about something specific.
4. Save useful answers with 'Save to notes'.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
New chat	Starts a fresh conversation.	
Conversation list	Your past chats, newest first. The open one is highlighted. A new chat is named after your first message. 'No conversations yet.' when empty.	Click a chat to open it.
Rename (pencil)	Appears on hover.	Click, type a new name, press Enter (Esc cancels).
Delete (bin)	Appears on hover. Deletes that conversation.	
History button (phones)	Panel icon at the top left on phones. Opens the conversation list as a drawer.	
AI Chat (header)	Page title.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Model switch	Four free models: 'Nemotron' (NVIDIA Nemotron 3 Ultra 550B — deep reasoning, slower), 'gpt-oss' (OpenAI gpt-oss 120B — fast), 'Owl' (Owl Alpha — 1M context, generalist), 'Hunyuan' (Tencent Hunyuan HY3 — generalist, the default). Each shows a 'FREE' tag.	Click one. The choice is saved for this conversation. Hover to read its description.
~N tokens	Rough size of this conversation that the AI keeps in mind (large screens only). Very long chats can make answers slower or less sharp — start a new chat then.	
Empty state	'Ask me anything about your life. I know your tasks, projects, goals, focus, habits, notes and check-ins.' with four quick prompts: 'What's going on in my life right now?', 'What should I focus on today?', 'Summarize my week', 'Find connections across my notes'.	Click a prompt to send it.
Your message	Your messages on the right, with any attached files below (click a file to download it).	
AI answer	The AI's reply on the left, formatted (lists, bold, headings). It streams in word by word with a blinking cursor; three dots show while it is thinking.	
Copy	Under an answer: copies it. The icon turns into a tick for a moment.	
Save to notes	Under an answer: opens the 'Save to notes' window.	
Regenerate	Under the last answer only: asks the AI to answer again.	
Attach file (+)	Upload a document for the AI to read: PDF, Word (.docx), PowerPoint (.pptx), Excel (.xlsx, .xls), .csv, .txt, .md, .json, .yaml, .yml, .log.	Click +, pick a file. 'Reading file…' shows, then a chip with the file name and its size in tokens ('couldn't read' if no text was found). Click x on the chip to remove it before sending.
Context chip	The project, note or Life Area you attached with '/'. Click x to remove it.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Attach context ('/')	Typing '/' at the start of the message opens a list of your projects, notes and Life Areas.	Type '/' and a few letters, then click an item (or press Enter for the first one). The AI will read that item in detail with your next message.
Message box	Placeholder: 'Ask anything… (/ to attach context · + to upload a file)'. Grows as you type.	Enter sends. Shift+Enter makes a new line.
Send	Sends your message.	
Stop	Red square that replaces Send while the AI is answering.	Click to stop the answer early.

Save to notes window `/chat → Save to notes`

Keep a good AI answer in your Notes.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
New note / Existing note	Switch between creating a new note and adding to an existing one.	
Preview	The first 400 characters of the answer you are saving.	
Note title…	Title of the new note (default 'From AI chat' if empty).	
Life area	'No life area' or one of your areas.	
Section	'No section' or a section of the chosen area (disabled until you pick an area).	
Choose a note…	In 'Existing note' mode: the note to add the answer to.	
Create note / Append to note	Saves and closes the window. Shows 'Saving…' while working.	

Frameworks & terms in this module

> **Context window (tokens)** Large language models
> AI models read text in small pieces called tokens (about 4 characters each). Everything in a conversation — your messages, answers and files — uses tokens. Too many tokens slows the model down or makes it forget early details.
> *Example:* A 20-page PDF is about 10,000 tokens.

Attached context bishOS

A specific project, note or Life Area you hand to the AI with '/', so it reads that item in full instead of only the general summary.

Example: '/Website launch' then 'What's the biggest risk in this project?'

How to test it

1. Open /chat and click 'What should I focus on today?'. Expected: a new conversation named after the prompt appears in the list, and an answer streams in that mentions your real tasks or goals.
2. While it answers, click Stop. Expected: the answer stops.
3. Switch the model to 'gpt-oss' and ask a short question. Reload. Expected: this conversation still shows 'gpt-oss' selected.
4. Type '/' plus the first letters of a project name. Expected: the 'Attach context' list shows it. Press Enter. Expected: a context chip appears.
5. Click + and upload a small .txt file. Expected: a chip with the file name and '· N tok'. Ask 'Summarize this file'. Expected: the answer is about the file; the file shows under your message.
6. Click 'Save to notes' under an answer, type a title, click 'Create note'. Expected: the note appears in Notes with the answer as its content.
7. Hover a conversation, click the pencil, rename it, press Enter. Expected: the new name shows. Click the bin. Expected: it is deleted.

Tips

- Keep your Profile current — the AI reads it on every message.
- Start a new chat for each new topic; long chats get slower.

SYSTEM

AI module assistant (floating ✦ button)

A small AI assistant that floats at the bottom right of the Goals, Tasks, Notes, Projects, Habits and Focus pages. You ask it in plain words to create or change things in that module. It proposes each change as a card, and nothing is saved until you click Confirm.

Why it helps: You can say 'Add a high-priority task to finish the landing page by Friday' instead of filling forms, and still stay in control of every change.

Daily	Whenever typing a request is faster than clicking through a form, on one of the six module pages.

Module assistant `/goals, /tasks, /notes, /projects, /habits, /focus`

Create and change items in the current module by chatting.

HOW TO USE IT

1. Open one of the six module pages and click the ✦ button.
2. Type a request in plain words.
3. Check each action card and click Confirm (or Cancel).

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Floating ✦ button	Round sparkle button at the bottom right (above the phone bar on phones). Hover shows '[module] assistant'.	Click to open the assistant panel.
[Module] assistant (header)	For example 'Tasks assistant'. Each module keeps its own conversation.	
Clear conversation (bin)	Appears once there are messages. Clears this module's conversation.	
Close (X)	Closes the panel. The conversation is kept.	
Model switch	'gpt-oss', 'Owl', 'Nemotron', 'Hunyuan' (default). All are free and can take actions.	Click one to use it for this module's chat.
Intro and example prompts	'Ask me to create or change [module]. I'll show a confirm button before saving anything.' plus three example prompts for the module (for example on Tasks: 'Add a high-priority task to finish the landing page by Friday', 'Mark my design review task done', 'What should I tackle first today?').	Click a prompt to send it.

ELEMENT	WHAT IT IS	HOW TO USE IT
Messages	Your messages (right) and the assistant's replies (left).	
Action card	A proposed change, for example 'Create task: Finish landing page'. Pending cards have 'Confirm' and 'Cancel'. After you act, the card shows the result (green 'Done' or the result text), 'Failed' in red, or 'Cancelled'.	Read the card. Click Confirm to save the change, or Cancel to skip it.
thinking…	Shown while the assistant works.	
Message box	Placeholder: 'Message the [module] assistant…'. Note under it: '↵ to send · actions need your confirm'.	Enter sends, Shift+Enter makes a new line.
Send	Sends the message (spinner while sending).	

Frameworks & terms in this module

Agentic action with confirm bishOS (human-in-the-loop AI)

The AI can do things, not only talk — but it only proposes. You approve each change. What each assistant can do: Goals — create a goal (with SMART fields), add milestones, update a goal. Tasks — create, complete, update a task. Notes — create a note, append to a note, update a note. Projects — create a project or sprint, update it, add milestones. Habits — create a habit, check a habit for today. Focus — log focus time.

Example: On Habits: 'Create a daily habit to journal for 10 minutes' → card 'Create habit…' → Confirm.

How to test it

1. Open /tasks. Expected: the ✦ button at the bottom right. Open /today. Expected: no ✦ button there.
2. On /tasks click ✦, then the prompt 'Add a high-priority task to finish the landing page by Friday'. Expected: a reply with an action card and Confirm / Cancel.
3. Click Cancel. Expected: the card shows 'Cancelled' and no task is created.
4. Ask again and click Confirm. Expected: the card turns green with a result, and the task appears in your task list.
5. Close the panel and reopen it. Expected: the conversation is still there. Click the bin. Expected: it clears.

SYSTEM

Guide page

The Guide (System → Guide) is this whole manual inside the app: your rhythm (one-time setup, daily, weekly, monthly, 12-week, yearly, first week, a 30-minute test), every module with every page and element explained, all frameworks and terms, and how to test each feature. It is searchable and can be downloaded as a PDF.

Why it helps: Whenever you don't understand a button, a step or a word (for example a Playbook step), search it here and get a plain-English explanation with an example.

One-time	Read 'Your rhythm' and 'How bishOS works' once at the start.
Weekly	Search any term you're unsure about.
Monthly	Re-read the rhythm when your routine slips.

Guide — how bishOS works `/guide`

The complete, searchable manual — the same content as the PDF.

HOW TO USE IT

1. Type any word in the search box (e.g. 'LEGO bricks', 'execution score', 'runway'). Matching explanations show; everything else hides.
2. Use the rhythm tabs to see what to do once, daily, weekly, monthly, every 12 weeks and yearly.
3. Click a module in the left index to jump to it. Open a page row to see every element on that page.
4. Click 'Download PDF' to save the manual.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Download PDF	Downloads the full manual as a PDF (bishOS-Guide.pdf).	Click it; open the file or print it.
Search box	Searches every element, term, step and test in the manual. Shows how many explanations match.	Type at least one word; clear with the ×.
Counters	How many modules, pages, elements and terms the manual covers.	
Your rhythm — tabs	Setup, Daily, Weekly, Monthly, 12 weeks, Yearly, First week and 30-min test. Each tab lists steps with minutes, where to do them (a link) and what to do.	Click a tab; click a link to open that page.
Index (left)	All groups and modules in order, plus 'Glossary A–Z'.	Click to jump.

ELEMENT	WHAT IT IS	HOW TO USE IT
Module card	Group, title, summary, 'Why it helps' and when to use it (one-time / daily / weekly / monthly / every 12 weeks).	
Page rows	Each page of the module with its route and number of elements. Open it to see its purpose, 'How to use it' steps and 'Every element' list (what each one is and how to use it).	Click the row to open or close it.
Frameworks & terms	Every method and term used in the module, with a simple definition, an example and its source.	Click to open.
How to test it	Click-by-click steps with the expected result.	Click to open; follow the steps in the app.
Glossary A–Z	Every term from every module in one alphabetical list, each linking back to its module.	

How to test it

1. Open /guide. Expected: the rhythm tabs, the left index and module cards appear quickly.
2. Type 'runway' in the search box. Expected: only matching explanations show, with a count.
3. Open the Weekly tab. Expected: the weekly steps with links.
4. Click 'Download PDF'. Expected: bishOS-Guide.pdf downloads.

SYSTEM

Setup & onboarding

Your first steps: a banner on Today shows a 9-step setup checklist; its first step, a setup window, creates your Life Areas (the spine). After you save them, a 'What next?' list guides you through the other 8 steps over a few days — purpose, 12-week cycle, Ideal Week, routines, habits, scorecard, content pillars and a learning area.

Why it helps: A Life OS only works when its foundation exists. Doing setup in small steps (5–15 minutes each) gets you running on day one without a weekend of configuration.

One-time	Day one: set up Life Areas. Next days: one or two checklist steps per day until 9/9.
Quarterly	Re-run the area setup from Settings when your life changes (new business, new focus).

Set up your Life OS banner `/today (banner)`

Shows your setup progress on Today while you have no Life Areas or haven't saved the setup window yet. It disappears once you click 'Save my areas'; after that, Settings → 'Run setup' → 'Save my areas' shows the remaining steps again.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Progress ring	Steps done out of 9, for example '3/9'.	
Set up your Life OS	Title with 'Nine small steps. Each one makes the daily check-in smarter.'	
Start setup / Continue setup	Opens the Life Areas setup window.	
Step chips	One chip per step, green with a tick when done: 'Set up your Life Areas', 'Write your purpose & vision', 'Start a 12-week cycle (≤3 goals)', 'Design your Ideal Week', 'Turn on start-up & shutdown routines', 'Add 1–3 keystone habits', 'Pick your weekly founder numbers', 'Define content pillars', 'Create a learning area'.	Click a chip to open that step's page (Compass, Goals, Week, Routines, Habits, Scorecard, Content, Learning). The first chip opens the setup window.

Set up your Life Areas window `/today?setup=1`

Create or update your Life Areas, each with a standard and a weekly hour budget.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Intro	'Areas are the spine of the system. Every goal, project, habit and hour hangs off one. Each gets a standard (what maintained looks like) and a weekly hour budget.'	
Preset area cards	Four ready areas: Company Operations (business, 20 h/week), Company Sales & Marketing (business, 12 h), Personal Learning & Content (personal, 6 h), Fitness (personal, 4 h). Each has a suggested standard. If an area with the same name already exists, its standard and hours are filled in.	
Include checkbox	Untick an area to skip it (the card fades).	
Area icon	Coloured icon of the area.	
Area name	Editable name.	
business / personal chip	The kind of area.	
Standard	Text box: what 'maintained' looks like for this area.	
Hours / week	Weekly hour budget (0–80).	
Area hint	What belongs in the area, for example 'Pipeline, offers, campaigns, outreach'.	
Add another area	Adds an empty personal area card (2 h/week) for your own area.	
Other existing areas note	'Your other existing areas stay as they are: … You can archive or edit them in Life Areas.'	
Later	Closes the window without saving.	
Save my areas	Creates new areas and updates matching ones (by name), marks you as onboarded, and shows 'Your Life OS spine is ready' with confetti.	
You're set. What next?	Second screen: 'Do these in order over the next few days. Each one takes 5–15 minutes.' The other 8 steps, numbered, with a tick when done.	Click a step to go to its page (the window closes).

Frameworks & terms in this module

Area standard Tiago Forte, PARA (areas have standards)

A short description of what 'maintained' looks like for a Life Area. It is your bar: if the standard is met, the area is healthy, even without a goal.

Example: Company Operations: 'Every client delivered on time with no surprises; admin, finance and invoices current every Friday.'

Weekly hour budget bishOS (time budgeting)

How many hours per week you intend to give each Life Area. The Week page compares real hours by area against this budget.

Example: Sales 12 h a week; you logged 5 → you are under-investing in sales.

Setup steps and when they count as done bishOS

Life Areas: at least one area has a standard or hours. Purpose & vision: written on Compass. 12-week cycle: one cycle exists. Ideal Week: a template is saved. Routines: at least one routine. Habits: at least one habit. Founder numbers: at least one scorecard metric. Content pillars: at least one pillar. Learning area: at least one.

Example: Add one habit on the Habits page → the 'Add 1–3 keystone habits' chip turns green.

Keystone habit Charles Duhigg, The Power of Habit

A habit that pulls other good habits with it. Start with one to three, not ten.

Example: Daily exercise often leads to better sleep, food and focus.

How to test it

1. With no Life Areas, open Today. Expected: the 'Set up your Life OS' banner with 'Start setup'.
2. Click 'Start setup'. Expected: the 'Set up your Life Areas' window with 4 preset cards.
3. Untick Fitness, change the Sales hours to 10, click 'Save my areas'. Expected: confetti, 'Your Life OS spine is ready', and the 'You're set. What next?' list.
4. Open Life Areas. Expected: three areas exist (no Fitness), Sales has 10 hours.
5. Back on Today. Expected: the 'Set up your Life OS' banner is gone (you are now onboarded).
6. Add one habit on the Habits page. Then open Settings → 'Run setup' → 'Save my areas'. Expected: in 'You're set. What next?' the step 'Set up your Life Areas' is not listed and 'Add 1–3 keystone habits' shows a green tick.
7. Open /today?setup=1 directly (or Settings → Run setup). Expected: the setup window opens with your saved standards and hours; clicking 'Later' closes it and the address returns to /today.
8. Try quick add on Today with no areas at all. Expected: the setup window opens instead of creating a task.

Tips

- Write standards you can check on a Friday in 10 seconds.
- Don't do all 9 steps in one sitting. One a day is perfect.

SYSTEM

Delegation

Delegation helps you buy back your time. You audit how you spend your hours, sort them in the DRIP matrix, see what to hand off at your Buyback Rate, write SOPs (step-by-step processes), and climb the Replacement Ladder.

Why it helps: As a founder, your hours are the company's scarcest resource. Every hour of low-value, draining work you hand off becomes an hour for sales, product and strategy — and less burnout. This page shows exactly what to hand off first and makes the handover easy.

One-time	Set your annual income (or target) in the Buyback tab. Run the 2-week time audit. Write your first two SOPs — client onboarding and lead-to-close are the best first two.
Daily	During your 2-week time audit: log a block every 15–30 minutes (activity, minutes, $ value, energy — a few taps). Any day: when a task feels like “this shouldn't be me”, tick “Should not be me” on the task.
Weekly	Look at DRIP and Buyback. Write or finish one SOP. Click “Ran it” when you run a process, and record the next run (Camcorder Method).
Monthly	Open the Ladder. Hand off one documented SOP to a VA or contractor and mark it Delegated. Repeat the 2-week audit every quarter.

Delegation — header and Time audit tab `/delegation`

Log what you actually do, what it is worth and how it feels, for two weeks.

HOW TO USE IT

1. Pick two normal work weeks.
2. Every 15–30 minutes (or at each task switch), type what you did and click Log.
3. Rate $ value and energy with one tap each. Don't overthink.
4. Use the recent chips for repeat tasks.
5. Missed some? Use Start – end and the Day picker to backfill at lunch or in the evening.
6. After 14 days, open DRIP and Buyback.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Delegation (page header)	Title and rule: buy back your time — audit it, sort it, document it, hand it off.	
New SOP	Opens an empty SOP editor from any tab.	
Time audit · DRIP · Buyback · Processes · Ladder	The five tabs. Processes shows how many SOPs you have. Your last tab is remembered in this browser.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Log a block	The audit form. Hint: every 15–30 minutes, jot what you did, what it's worth and how it felt.	
What did you just do?	The activity name (up to 120 characters), e.g. “Invoices”, “Client call”, “LinkedIn post”. It suggests your recent activities as you type.	
Log	Saves the block. Toast: “Logged · <activity>” and which quadrant it landed in.	
Recent activity chips	Up to 8 recent activities (history icon). Clicking one fills the activity, $ value, energy, area and minutes from last time.	Click a chip, check the values, click Log — two taps for a repeat task.
How long (Minutes / Start – end)	Choose how to enter time. Minutes: quick chips 15m, 30m, 45m, 1h, 1h 30m, 2h, or type 1–1440. Start – end: two time pickers (blocks across midnight work). After logging, the next start time is set to the last end time.	
Area (optional)	The life area of the block (archived areas are hidden).	
What's it worth?	Four buttons $, $$, $$$, $$$$. The label shows the meaning: ≈ minimum wage, ≈ assistant rate, ≈ skilled pro, ≈ founder-only. Ask: if I hired someone for this, what would they cost?	
How did it feel?	Energizing, Neutral or Draining. Neutral counts as energizing in the DRIP matrix.	
Lands in …	A live preview line with a colour dot: which DRIP quadrant this block will land in, and what to do with it (e.g. “Lands in Delegation — hand these off first”).	
Day	A date picker (up to today) to log blocks for an earlier day.	
Error box	Shows problems, e.g. “Add a start and end time (e.g. 09:00 – 09:45).”	
Logged blocks	Your entries for the last 14 days, grouped by day with the day total. Each row: quadrant colour dot, activity, start time · duration, life area, $ value, energy icon, and X to delete (no confirm).	

ELEMENT	WHAT IT IS	HOW TO USE IT
2-week audit	Progress to a full audit: “N / 14 days”, a “Complete” or “N to go” chip, a bar, 14 small squares (darker = more minutes logged that day; today has a ring), and the total time logged.	
How to rate	A reminder: $–$$$$ = what you'd pay someone to do it; Energy = did it leave you more or less charged; rough and fast beats precise.	
Nothing logged yet	Empty state: the time audit is how you find what to hand off.	

DRIP tab `/delegation`

See your logged time sorted into four quadrants by money value and energy.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Your DRIP matrix fills from the time audit	Empty state with “Start the time audit” (switches to the audit tab).	
N% of your logged time energizes you	The share of time in Production + Investment. A note says EOS's Delegate & Elevate suggests getting about 80% of your work into the energizing quadrants. Also shows total time logged in the last 14 days.	
Quadrant bar	A stacked bar with each quadrant's share in its colour. Hover a part for its name and %.	
Draining · Energizing (column labels)	Left column = draining work, right column = energizing work. Top row = high $ ($$$–$$$$), bottom row = low $ ($–$$).	
Replacement	Top left: high $ · draining. Valuable but it drains you. Action: document it, then train someone to replace you.	
Production	Top right: high $ · energizing. Your zone of genius — the work only you should do. Action: protect and expand it.	
Delegation	Bottom left: low $ · draining. Costs you energy and earns little. Action: hand these off first.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Investment	Bottom right: low $ · energizing. Learning, strategy and health that pay off later. Action: keep it, on purpose.	
Quadrant card details	Each card shows hours and %, the hint and action, the top 5 activities (with $ value, energy icon and time) and "+N more". Activities with the same name are grouped.	
Write SOP: <activity>	On Delegation and Replacement cards: opens a new SOP named after the biggest activity there (rung Admin), ready to fill.	

Buyback tab `/delegation`

Know your Buyback Rate and see which hours you can buy back and what it costs.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Your Buyback Rate	Formula: annual income ÷ 2,000 hours ÷ 4.	
Annual income (or target)	Your yearly income, or the income you aim for.	
Currency	A currency code (suggestions: USD, EUR, GBP, PKR, INR, AED, SAR, CAD, AUD). Up to 6 letters.	
Your hour · Buyback rate	Live preview: your hourly value (income ÷ 2,000) and your Buyback Rate (a quarter of that).	
Example line	Explains: if someone could do a task for your Buyback Rate per hour or less, it's a candidate to buy back. At 100,000 a year that's 12.50 an hour.	
Save	Saves income and currency (only active when you changed something). Toast: "Buyback rate updated".	
Hours to buy back	Estimated hours per week of low-$ work ($ or $$) from your audit.	
Cost at buyback rate	What those hours would cost per week if you paid your Buyback Rate.	
Your time's worth	What those same hours are worth per week at your own hourly value — the gap is your gain.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Delegate candidates	Low-$ activities from the last 14 days, grouped by name. Delegation-quadrant items (low $ + draining) come first, then by hours. Each row: quadrant dot, activity, $ · energy · time logged, hours per week, cost per week (or "set income"), and "Write SOP".	
No low-$ work logged yet	Empty state with "Open the time audit".	
Tasks you flagged "delegate"	Open tasks marked "Should not be me", with their time estimate and cost at your Buyback Rate.	

Processes tab `/delegation`

Your SOP library, plus the queue of tasks you want to record the next time you do them.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
All · Admin · Delivery · Marketing · Sales · Leadership	Filter SOPs by ladder rung, with counts.	
New SOP	Opens a new SOP (pre-set to the filtered rung).	
SOP card	Title (click to edit) and "Starts when: <trigger>".	
Card chips	Rung, status (Draft, Documented, Delegated), step count (green when 7–15 steps) and frequency (daily, weekly, monthly, as needed).	
Owner · ran …	"Owner: you" (or the person's name) and when it was last run (e.g. "ran yesterday").	
Video	Opens the Camcorder recording link (only safe http/https links are shown).	
Ran it / Ran today	Logs that you ran this process today. Toast "Logged a run" (with a tip to record the next run if there is no video). Disabled after you clicked it today.	
Your process library is empty / Nothing on this rung yet	Empty state: an SOP is the 7–15 steps that produce 80% of the result. "Write your first SOP" button.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Record this next time	Tasks you marked “delegate” that have no SOP yet. Each shows a done/open icon, the title, a guessed rung and life area.	
Create SOP from task	Creates a Draft SOP from the task (title, life area, guessed rung, frequency “as needed”, notes from the task description) and opens it. Toast: “Draft SOP created”.	

SOP editor (New SOP / Edit SOP) `/delegation`

Write a process so someone else can run it: the trigger, the 7–15 key steps, the video, tools and owner.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Process name	Required, e.g. “Client onboarding”.	
Ladder rung	1. Admin, 2. Delivery, 3. Marketing, 4. Sales, 5. Leadership.	
How often	—, Daily, Weekly, Monthly, As needed.	
Status (Draft · Documented · Delegated)	Where the SOP stands. When you edit an existing SOP and move it up to Documented or Delegated, saving shows a celebration (“SOP documented: …” or “Handed off: … 🙌”).	
Trigger	What starts this process, e.g. “A client signs the proposal”.	
Steps	Numbered steps you can edit in place, move up/down or remove (X).	
Step counter	“Write the 7–15 major steps” (none yet), “N steps · aim for 7–15”, “N steps · sweet spot” (green, 7–15), or “N steps · trim to the 20% that gives 80%” (orange, 16+).	
Step N… · Add	Type a step and press Enter or Add. Text still in this box is also saved when you click Save.	
Camcorder recording	A link to a video of you doing the task once (Loom, screen recording). Whoever takes it over writes the steps from the video. An open icon appears for valid links.	
Tools	Comma-separated, e.g. “Notion, Stripe, Gmail”.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Owner	“me” until it is handed off; then the person's name.	
Life Area (optional)	The life area of the process.	
Notes	Gotchas, quality bar, what “done” looks like.	
Last performed · Did it today	For existing SOPs: when it was last run, and a button to log a run today.	
Created from task: “…”	Shown when the SOP came from a delegate-flagged task.	
Delete (Tap again)	For existing SOPs. First click arms it (“Tap again”), second click deletes.	
Cancel · Save	Save needs a name. New SOP toast: “SOP created — Record the next run to fill in the steps.”	

Ladder tab `/delegation`

See which business area to hand off next, in the right order.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
What to hand off first	A tip that changes with your data: start with admin, finish documenting a rung, or hand off a documented rung.	
Rung circles 1–5	Admin, Delivery, Marketing, Sales, Leadership. A circle turns solid green when everything on that rung is delegated. The next rung to work on has a highlighted border.	
Next	A chip on the rung you should focus on now: the first rung that is empty or not fully delegated.	
Rung description	Examples per rung, e.g. Admin: inbox, calendar, invoices, bookkeeping, travel.	
Readiness %	Documented or delegated processes ÷ everything on the rung. The bar turns green at 80%+.	
Rung chips	N delegated, N documented, N draft, N tasks to record — or “No processes yet.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
Open SOPs	Jumps to the Processes tab filtered to that rung.	
Readiness footnote	Explains the formula: SOPs plus tasks flagged “delegate” without one. When a rung is ready, a first assistant or contractor can take it over.	

Flag a task for delegation (task detail) `/tasks`

Mark any task that should not be done by you, so it feeds the record queue, the Buyback list and the Ladder.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Should not be me — record it next time (Delegation)	A checkbox in the task detail panel. Flagged tasks appear in “Record this next time”, in “Tasks you flagged delegate” (Buyback), and count toward Ladder readiness until they get an SOP.	Open a task, tick the box. The next time you do it, record your screen and create the SOP from the task.

Frameworks & terms in this module

Buy Back Your Time Dan Martell, Buy Back Your Time

A method for founders: stop trading time for money and use money to buy back your time, so you can focus on the work that grows the company.

Example: You pay a VA 8/hour for inbox and invoices and use the 6 hours a week for sales calls.

Time audit Dan Martell; Peter Drucker (“know thy time”)

Two weeks of logging what you actually do, every 15–30 minutes, with a $ value and an energy rating. It shows the truth about your week.

Example: You discover you spend 7 hours a week on invoices and scheduling.

$ value (1–4) Dan Martell, Buy Back Your Time

What a task is worth per hour if you hired someone for it. $ ≈ minimum wage, $$ ≈ assistant rate, $$$ ≈ skilled professional, $$$$ ≈ founder-only. $$$ and up count as high $.

Example: Booking meetings = $. Writing ad copy = $$$. Closing a big client = $$$$.

Energizing / Neutral / Draining Dan Martell, Buy Back Your Time

How a task leaves you: more charged, the same, or tired. In the DRIP matrix Neutral counts as energizing.

Example: A strategy session energizes you; reconciling expenses drains you.

DRIP matrix Dan Martell, Buy Back Your Time

A 2×2 grid that sorts every task by money value (high/low) and energy (energizing/draining): Delegation, Replacement, Investment, Production.

Example: Your audit shows 30% Delegation — the first thing to hand off.

Delegation quadrant Dan Martell (DRIP)

Low $ and draining. These tasks cost energy and earn little. Hand them off first.

Example: Inbox cleanup, invoicing, scheduling.

Replacement quadrant Dan Martell (DRIP)

High $ but draining. Valuable work that wears you out. Document it, then train someone to replace you.

Example: Project management of client delivery.

Investment quadrant Dan Martell (DRIP)

Low $ right now but energizing — learning, strategy, health. Keep it on purpose; it pays off later.

Example: Reading, gym, planning the quarter.

Production quadrant Dan Martell (DRIP)

High $ and energizing — your zone of genius. Protect it and expand it.

Example: Sales calls with ideal clients, product vision, key partnerships.

Energizing % (Delegate & Elevate) Gino Wickman, EOS / Traction (Delegate and Elevate)

The share of your logged time in Production + Investment. EOS suggests getting about 80% of your work into what you love and are great at.

Example: 52% energizing → hand off two draining tasks this month.

Buyback Rate Dan Martell, Buy Back Your Time

The hourly price under which you should buy back a task. Formula: annual income ÷ 2,000 work hours ÷ 4.

Example: Income 60,000 → your hour = 30 → Buyback Rate = 7.50/hour. Any task someone can do for 7.50/hour or less is a candidate.

Your hour (hourly value) Dan Martell

Annual income ÷ 2,000 hours. What one hour of your time is worth today.

Example: 100,000 a year → 50 per hour.

Delegate candidate bishOS

An activity rated $ or $$ in your audit. bishOS estimates its hours per week (minutes logged ÷ weeks in the audit) and the weekly cost at your Buyback Rate.

Example: "Invoices: 2.5h/wk, 18.75/wk at buyback rate."

Camcorder Method Dan Martell, Buy Back Your Time

Record yourself doing a task once (screen + voice). The new person watches it and writes the SOP. You never have to write it from scratch.

Example: You record your weekly invoicing on Loom; your VA turns it into 9 steps.

SOP (Standard Operating Procedure) Business operations practice; EOS Process Documenter

A written checklist of how a recurring task is done, so anyone can do it the same way.

Example: "Client onboarding": send welcome email, create Slack channel, book kickoff call…

7–15 major steps (20/80 rule) Gino Wickman, EOS / Traction (document the 20/80)

Document only the main steps — the 20% of steps that give 80% of the result. 7–15 steps is the sweet spot; more means trim.

Example: Not 40 micro-steps for onboarding, but 10 key ones.

Trigger Process design practice

The event that starts a process.

Example: "When a new client signs the proposal."

Draft (SOP status) bishOS

Started but not complete yet — steps missing or not checked.

Example: A draft created from a task, with no steps yet.

Documented (SOP status) bishOS

The steps are written and checked. Someone else could run it.

Example: "Weekly invoicing" with 9 steps and a video.

Delegated (SOP status) bishOS

Someone else now owns and runs this process.

Example: Your VA runs weekly invoicing; Owner = "Sara".

Replacement Ladder Dan Martell, Buy Back Your Time

The order in which founders hand off work: Admin → Delivery → Marketing → Sales → Leadership. Climb one rung at a time.

Example: First hire an assistant for admin; later a delivery manager; leadership stays with you longest.

Admin (rung 1) Dan Martell (Replacement Ladder)

Inbox, calendar, invoices, bookkeeping, travel. The first and easiest rung to hand off.

Example: A VA manages your calendar and books calls.

Delivery (rung 2) Dan Martell (Replacement Ladder)

Doing the work for clients: onboarding, kickoff, milestones, handover.

Example: A project manager runs client kickoffs from your SOP.

Marketing (rung 3) Dan Martell (Replacement Ladder)

Content production, posting, campaigns, design.

Example: An editor cuts your videos and schedules posts.

Sales (rung 4) Dan Martell (Replacement Ladder)

Prospecting, follow-ups, proposals, lead-to-close.

Example: An SDR books discovery calls from your outreach SOP.

Leadership (rung 5) Dan Martell (Replacement Ladder)

Hiring, strategy, vision — the last rung.

Example: Years later, a COO runs operations and hiring.

Ladder readiness bishOS

For each rung: (documented + delegated SOPs) ÷ (all SOPs on the rung + open tasks flagged “delegate” without an SOP), as a %. 80%+ shows green.

Example: Admin: 3 documented, 1 draft, 1 task to record → 3 ÷ 5 = 60%.

Next rung (focus) bishOS

The first rung that is empty or not fully delegated. bishOS marks it “Next” and writes a tip for it.

Example: Admin is fully delegated → “Next” moves to Delivery.

Delegate flag (“Should not be me”) bishOS

A checkbox on any task. It means “someone else should do this”. The task enters the record queue until you create an SOP from it.

Example: You tick it on “Send monthly invoices”.

Record queue (“Record this next time”) bishOS + Camcorder Method

The list of delegate-flagged tasks without an SOP. The next time you do one, record it and create the SOP.

Example: “Update CRM after calls” waits in the queue until Thursday's run is recorded.

Ran it (performed log) bishOS

A one-click log that you ran a process today. It shows how often a process really happens.

Example: “Ran yesterday” on your weekly reporting SOP.

How to test it

1. Go to /delegation. Expected: five tabs; the Time audit tab opens (or the last tab you used).
2. Type “Invoices”, choose 30m, $, Draining, click Log. Expected: the preview said “Lands in Delegation”; toast “Logged · Invoices — Delegation quadrant”; the block appears under Today in Logged blocks; 2-week audit shows 1 / 14 days.
3. Switch to “Start – end”, enter 09:00 and 09:45, log “Client call”, $$$$, Energizing. Expected: a 45m block; the next start time is now 09:45.
4. Click the recent chip “Invoices”. Expected: value, energy and minutes fill in from last time.
5. Change Day to yesterday and log a block. Expected: it shows under Yesterday; 2-week audit shows 2 / 14 days.
6. Open DRIP. Expected: “N% of your logged time energizes you”; Invoices in Delegation, Client call in Production; a “Write SOP: Invoices” button on the Delegation card.
7. Click “Write SOP: Invoices”. Expected: the SOP editor opens with the name “Invoices” and rung Admin.
8. Add 7 steps. Expected: the counter turns green “7 steps · sweet spot”. Paste a Loom link and click Save. Expected: toast “SOP created”; the card is in the Processes tab with “7 steps” in green and a Video link.
9. Open that SOP again, set Status to Documented, click Save. Expected: celebration “SOP documented: Invoices”.
10. Open Buyback. Enter 100000 and USD. Expected: Your hour = $50.00, Buyback rate = $12.50. Click Save. Expected: toast “Buyback rate updated”; Delegate candidates lists Invoices with h/wk and a weekly cost.
11. Open a task in /tasks and tick “Should not be me — record it next time (Delegation)”. Back in Processes. Expected: the task is in “Record this next time”. Click “Create SOP from task”. Expected: toast “Draft SOP created”; the editor opens with the task title.

12. On an SOP card click “Ran it”. Expected: toast “Logged a run”; the button changes to “Ran today” and is disabled.
13. Open Ladder. Expected: Admin shows a readiness % and chips (documented, draft, tasks to record); the focus rung has the “Next” chip; “Open SOPs” jumps to Processes filtered to that rung.
14. Set an SOP to Delegated and Owner to a name, save. Expected: celebration “Handed off: … 👐”; the card says “Owner: <name>”; readiness rises.
15. In the editor click Delete once. Expected: it shows “Tap again”; a second click deletes with toast “SOP deleted”.

Tips

- Rough and fast beats precise in the audit. One tap for $ and one for energy.
- Start with Admin, even if it feels small — it is the easiest first hire.
- Never write an SOP from scratch: record the next run, then write the steps from the video.

SYSTEM

Energy & Wellbeing

Energy & Wellbeing turns your morning check-ins, focus sessions, calendar blocks and shutdowns into your own energy curve and gentle early-warning signals for burnout. When signals rise, it suggests protective actions — less, not more.

Why it helps: Founders burn out quietly. Seeing your real sleep–energy link, your best focus hours and early warning signs helps you put hard work at your peak and rest before it is too late. Observations, not diagnoses.

One-time	Check “Weekly work-hours warning” in Settings → Wellbeing (default 55). Do 14 check-ins so your curve is ready, and 10 focus sessions so your best hours appear.
Daily	Do the morning check-in on Today (sleep, sleep quality, energy, mood — about 10 seconds). Use the focus timer for deep work. Run the evening shutdown.
Weekly	Open this page during the weekly review. Read Observations and act on one “Suggested” card in the Protective toolkit.
Monthly	On the 1st, answer the 3-question burnout pulse (it is also part of the monthly review).

Energy & Wellbeing `/insights`

Learn your own energy curve, spot burnout signals early and protect recovery.

HOW TO USE IT

1. Do the morning check-in on Today every workday.
2. Use the focus timer for deep work so your focus hours are tracked.
3. Once a week, read Observations from top to bottom.
4. If a signal is active, open one “Suggested” card and do that action this week.
5. On the 1st of each month, answer the pulse honestly.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Energy & Wellbeing (page header)	Title and rule: learn your own curve and protect recovery. Observations, not diagnoses.	
Energy · 7d	Your average energy (1–5) over the last 7 days, compared with your 4-week baseline: “steady vs 4-week baseline”, “▲ 0.5 vs baseline” (green) or “▼ 0.5 vs baseline”.	
Mood · 7d	Your average mood (1–5) over the last 7 days, with the same baseline comparison.	
Sleep · 7d	Average hours of sleep per night over the last 7 days.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Check-ins	Total morning check-ins, with “N more to learn your curve” (under 14) or “your curve is ready”.	
Low mood banner	A blue support box when you logged mood 2 or lower on 5 or more of the last 7 check-ins. It asks you to talk to someone you trust — and a professional if it continues — and links to Support resources.	
Learning your curve · N of 14 check-ins	Shown until you have 14 check-ins. Explains that chronotype quizzes are unreliable and your own data is better. A bar shows progress. “Check in today →” opens Today.	
Observations	Eight burnout signals. These are design heuristics from founder-burnout research — not clinical cutoffs. A headline says “No warning signs right now. Keep protecting your recovery.” or “A missed day is normal; restart today. Here's what your data suggests protecting.”	
Observation card	Active signals come first with an orange background and an eye icon, plus a kind message. Inactive ones show a check: “· all clear” (green) or “· not enough data” (grey). Each shows the numbers behind it.	
55+ hour weeks	Active when you worked your weekly cap or more (default 55h, from Settings) in 2 of the last 3 weeks. Hours = focus sessions + calendar blocks marked done (not free blocks, not counted twice).	
Short sleep	Active when your average sleep is under 6.5 hours, with at least 3 nights logged in the last 7 days.	
No full day off	Active when none of the last 14 finished days was a rest day. A rest day = a day marked Free, or under 30 minutes of logged work. Today counts only if it is marked Free. Needs 7+ worked days.	
Shutdown skipped	Active when the evening shutdown (the Today shutdown ritual or a shutdown routine) was done on 2 or fewer of the last 5 workdays (Mon–Fri). Needs 3+ active days.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Energy or mood dip	Active when your 7-day average energy or mood is 1 point or more below your 4-week baseline (days 7–34 ago). Needs 3+ recent check-ins and 7+ baseline check-ins.	
Effort not converting	Active when last week's execution score (12-week tactics done ÷ planned) fell 15+ points below the two weeks before, while you still worked 80%+ of your hours cap.	
Low mood for several days	Active when mood was 2 or lower on 5+ of the last 7 check-ins.	
Burnout pulse	Active when your latest monthly pulse (within 45 days) has exhaustion 4+, detachment 4+, or efficacy 2 or lower.	
Hours (focus + done blocks)	Chips for the last 3 weeks: “wk of <date> · Nh”. Orange when at or above your cap.	
Protective toolkit	Seven protective actions. When signals rise, the answer is less — not more. Cards linked to an active signal show a “Suggested” chip and come first. Click a card to go to the right page.	
Run a lighter week: Top 1, not Top 3	Pick one outcome a day for the next few days. Link: Plan today (/today).	
Propose a Free Day	Block one full day with no work — plan it first. Link: Open week plan (/week).	
Enforce the shutdown	Pick a hard stop, run the 10-minute shutdown, close the laptop. Link: Open routines.	
Switch habits to their minimum versions	Log the 2-minute version this week — it counts fully and keeps streaks alive. Link: Open habits.	
What can I delegate, automate or drop?	Find one low-$ draining task in the time audit and hand it off, automate it or delete it. Link: Open delegation.	
Protect tonight's sleep	Screens off 30 minutes earlier and run the evening routine. Link: Evening routine.	
Talk to someone	Share how the last weeks felt with your co-founder, a partner or a friend; a professional if low mood persists. Link: Support resources.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Energy & mood · 30 days	Two lines (Energy and Mood, 1–5) for the last 30 days, with gaps on days without a check-in. Hover to see the day's values.	
Sleep · 30 days	A line of hours slept per night (up to 10h). Empty: “Add sleep hours to your check-in.”	
Energy by weekday	Average energy for each weekday over the last 90 days. The best day is darker. Hover for the number of check-ins.	
Sleep vs energy	Each dot is a check-in: hours slept (left to right) vs energy (bottom to top). The dashed line marks 7 hours. With 3+ nights on each side it says: “After 7h+ sleep your energy averages X vs Y on shorter nights.”	
Your best focus hours	Focus minutes by start hour over the last 60 days. Your top 3 hours are darker. After 10 sessions it names your peak 2-hour window (e.g. “9a–11a”) — protect it for maker work. Before that: “Learning your curve · N of 10 sessions.”	
Monthly burnout pulse	Three questions once a month, each 1–5: how often work left you drained (exhaustion: Rarely → Constantly), how often you felt detached or negative about work (detachment: Rarely → Constantly), and how confident you are that you're accomplishing worthwhile things (efficacy: Not at all → Very).	Tap a number for each question, then click “Save this month's pulse”.
Pulse result	After saving: three tiles (exhaustion, detachment, efficacy as N/5) and “Done for this month. Next pulse opens on the 1st — fresh starts work best on landmarks.” “Retake” lets you answer again (Cancel to stop).	
Pulse history	Up to 6 past months: “E · D · Ef” scores per month.	

ELEMENT	WHAT IT IS	HOW TO USE IT
This is not a clinical tool	The support section. These are simple heuristics that can be wrong. If low mood, exhaustion or hopelessness lasts two weeks or more, talk to a doctor or mental-health professional. In crisis, call your local emergency number or find a free helpline at findahelpline.com.	

Morning check-in (where the data comes from) `/today`

The check-in inside the morning start-up ritual feeds every chart on Energy & Wellbeing.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
How are you, really?	The check-in step of “Start my day”. Ten seconds. Your energy decides how ambitious today should be.	
Sleep last night	A slider from 3 to 11 hours in half-hour steps.	
Sleep quality	Five faces: Awful, Poor, OK, Good, Great.	
Energy	Five levels: Empty, Low, OK, Good, Charged (1–5).	
Mood	Five levels: Rough, Meh, Fine, Good, Great (1–5).	
Low-energy day	A checkbox: Top 1 only, habits at their minimum version.	

Wellbeing setting `/settings`

Set the weekly hours number used by the long-hours signal.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Weekly work-hours warning	In Settings → Wellbeing (20–90, default 55). 55h+ a week is linked to real health risk (WHO/ILO). The “55+ hour weeks” observation uses this number.	

Frameworks & terms in this module

Energy curve bishOS; chronotype research (quizzes show weak effects)

Your personal pattern of energy across the day and the week, learned from your own check-ins and focus sessions — not from a quiz.

Example: Your data shows Tuesdays are your best days and 9–11am your best focus window — you put sales calls in the afternoon.

4-week baseline bishOS

Your normal level: the average of your check-ins from 7 to 34 days ago. The last 7 days are compared with it.

Example: Baseline energy 3.8, this week 2.6 → a 1.2-point dip.

Peak focus window bishOS (your own data)

The 2-hour block of the day where you logged the most focus minutes (needs 10+ sessions). Protect it for maker work.

Example: "Your peak window: 9a–11a" → no meetings before 11.

Burnout signals (observations) bishOS; founder-burnout research

Simple warning signs computed from your data. They are design heuristics from founder-burnout research, not a diagnosis. An active signal suggests protective actions.

Example: Two signals active this week → you run a lighter week and plan a Free Day.

Long-hours signal (55+ hour weeks) WHO/ILO 2021 study on long working hours

Working your cap (default 55 hours) or more in 2 of the last 3 weeks. Long weeks are linked to real health risk.

Example: 58h, 61h, 44h → active.

Short-sleep signal Sleep research (adults need 7+ hours)

Average sleep under 6.5 hours over the last 7 days (with at least 3 nights logged). Less sleep blurs judgement.

Example: 6h, 5.5h, 6h, 7h → average 6.1h → active.

No-day-off signal Dan Sullivan, Strategic Coach (Free Days); recovery research

None of the last 14 days was a real rest day (marked Free, or under 30 minutes of work).

Example: You worked every day for two weeks, even "just an hour" on Sundays → active.

Shutdown signal Cal Newport, Deep Work (shutdown ritual); Sabine Sonnentag (psychological detachment)

The evening shutdown was done on 2 or fewer of the last 5 workdays. Mentally leaving work at night (detachment) lowers exhaustion.

Example: You skipped shutdown Mon, Tue, Thu → active.

Mood/energy dip signal bishOS

Your 7-day average energy or mood is at least 1 point below your 4-week baseline.

Example: Mood baseline 4.0, this week 2.9 → active.

Effort-not-converting signal bishOS; execution score from The 12 Week Year (Moran & Lennington)

Your weekly execution score dropped 15+ points while your hours stayed high (80%+ of your cap). More hours are not helping; less and more focused is the fix.

Example: Execution 85% → 62% with 50 hours worked → active.

Low-mood signal bishOS; mental-health guidance (seek help if it lasts 2+ weeks)

Mood 2 or lower on 5+ of the last 7 check-ins. bishOS shows a support banner and suggests talking to someone.

Example: Five "Rough"/"Meh" mornings this week → banner appears.

Burnout pulse WHO ICD-11 burnout definition; Christina Maslach (Maslach Burnout Inventory)

A 3-question monthly check, 1–5 each, on the three dimensions of burnout: exhaustion, cynicism (detachment) and efficacy. It is not a validated test. A score of exhaustion 4+, detachment 4+ or efficacy 2 or lower turns the pulse signal on.

Example: Exhaustion 4, detachment 2, efficacy 4 → the signal is active because of exhaustion.

Exhaustion WHO ICD-11; Maslach

Feeling drained of energy by work. Question: "How often did work leave you drained of energy this month?" (1 Rarely – 5 Constantly; higher is worse).

Example: You end most days unable to think → 4 or 5.

Cynicism (detachment) WHO ICD-11 (mental distance); Maslach

Feeling distant from, or negative about, your work. Question: "How often did you feel detached from, or negative about, your work?" (1 Rarely – 5 Constantly; higher is worse).

Example: Client messages make you roll your eyes all week → 4.

Efficacy WHO ICD-11 (reduced efficacy); Maslach

Feeling that you accomplish worthwhile things. Question: "How confident are you that you're accomplishing worthwhile things?" (1 Not at all – 5 Very; lower is worse).

Example: You feel busy but useless → 2.

Protective actions bishOS; recovery research

Seven responses to rising signals that reduce load instead of adding pressure: a lighter week (Top 1), a Free Day, a hard shutdown, minimum-version habits, delegate/automate/drop, protect sleep, and talk to someone.

Example: Long hours + no day off active → "Propose a Free Day" and "Run a lighter week" are Suggested.

Top 1, not Top 3 bishOS

On a low week, pick only one outcome per day. Everything else is a bonus, not a debt.

Example: Today's Top 1: send the proposal. Nothing else is required.

Free Day Dan Sullivan, Strategic Coach

A full day with no work at all — no email, no Slack, no "quick check". Plan it first, then plan the week around it.

Example: Saturday is your Free Day; it never breaks your streaks.

Minimum version (habit) James Clear, Atomic Habits (two-minute rule)

The 2-minute version of a habit. On hard weeks it counts fully and keeps the streak alive.

Example: Instead of a 45-minute workout, 10 push-ups.

Weekly work-hours warning (cap) WHO/ILO (55+ hours linked to health risk)

Your personal weekly hours limit in Settings. Weeks at or above it count as long weeks.

Example: You set 50 because you want more margin than the default 55.

How to test it

1. Go to /today, click “Start my day”, fill “How are you, really?” (sleep, sleep quality, energy, mood) and finish. Open /insights. Expected: Check-ins goes up by 1; today's dot appears in “Energy & mood · 30 days”.
2. With fewer than 14 check-ins. Expected: the “Learning your curve · N of 14 check-ins” card with a progress bar and “Check in today →”.
3. Open “Monthly burnout pulse”, choose 4 / 2 / 4, click “Save this month's pulse”. Expected: toast “Pulse saved — thank you for checking in”; tiles 4/5 exhaustion, 2/5 detachment, 4/5 efficacy; “Done for this month…”.
4. Reload. Expected: in Observations, “Burnout pulse” is active (orange, eye icon) and shows “Exhaustion 4/5 · Detachment 2/5 · Efficacy 4/5”; in the Protective toolkit “Talk to someone”, “Run a lighter week” and “What can I delegate…” show “Suggested” and come first.
5. Click “Retake”, answer 2 / 2 / 4, save. Expected: the pulse signal turns “all clear”.
6. Click any toolkit card. Expected: it opens the right page (e.g. “Open delegation” → /delegation).
7. Log sleep under 6.5h on 3 of the last 7 days. Expected: “Short sleep” becomes active with the average.
8. Run 10 focus sessions over a few days. Expected: “Your best focus hours” shows bars and “Your peak window: …”.
9. Log 3+ check-ins with 7h+ sleep and 3+ with less. Expected: “Sleep vs energy” shows dots and the sentence comparing rested vs short nights.
10. In Settings → Wellbeing change “Weekly work-hours warning” to 30. Expected: the observation title becomes “30+ hour weeks” and hour chips at or above 30 turn orange.
11. Click “Support resources” in the low-mood banner or toolkit. Expected: the page scrolls to “This is not a clinical tool” with the findahelpline.com link.

Tips

- A missed day is normal; restart today.
- When signals rise, do less — not more. Pick one Suggested action, not all seven.
- This page is not a doctor. If you feel low for two weeks or more, talk to a professional.

SYSTEM

Analytics

Analytics · Progress & Growth: one page that shows your growth across the whole Life OS for 4 weeks, 12 weeks, 26 weeks or a year, compared with the same span before. Six headline numbers, ranked insights, and eight sections: Growth, Consistency, Execution, Founder flywheel, Content, Time, and Mind & body.

Why it helps: You cannot improve what you never look at. This page turns your daily clicks into trends: are you executing at 85%, is the pipeline growing, which day is best for deep work, does sleep change your energy? Every chart links to the module where you fix it, and every chart has a table view.

One-time	Set your currency, outreach quota (per day), content weekly target and area hour targets in Settings and Life Areas — the charts use them as target lines.
Daily	Nothing to do daily. Today is your daily home.
Weekly	In the weekly review open Analytics on 4w. Read the headline insights and the Execution score.
Monthly	Switch to 12w. Check Consistency, the Founder flywheel and Time vs targets.
Quarterly	Switch to 26w or 1y before planning a new 12-week cycle. Look for the trend, not the single week.

Analytics — header, KPI row and insights `/dashboard`

Choose the time range and read the six headline numbers and the top insights.

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Analytics · Progress & Growth (page header)	Title and a line like “Your growth across the Life OS for the last 12 weeks, compared with the 12 weeks before. Your daily home is Today.”	
Range switch (4w · 12w · 26w · 1y)	Scopes every number and chart. The period is that many Monday-weeks ending with this week (this week is partial). “vs prev” compares with the same number of days just before. Your choice is remembered in this browser.	Click a range. While the new range loads, the old charts stay visible but faded.
KPI card (common parts)	Each of the six cards shows a label and icon, the big value, a sub-line, a change line (green ↑ up, amber ↓ down, “No change” or “No earlier data”) with “vs prev”, and a weekly sparkline. The whole card is a link.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Level	“L5 Operator”. Change = XP this period vs the previous one. Footer: total XP, XP left to the next level and a progress bar. Opens Today.	
Ritual streak	“12d · best 20”. Change = ritual days this period vs before. Sparkline = ritual days per week. Opens Today.	
Avg day score	Average day score “/ 100” of logged days. Change in points. Opens Journal.	
Execution	Average weekly execution % with “bar 85%”, or “—” and “no cycle”. Change in points. Opens Goals.	
Revenue won	Value of deals won in the period, with “N deals”. Opens Pipeline.	
Content shipped	Pieces published in the period. Opens Content Studio.	
Headline insights	Up to 6 automatic insights, most important first (execution trend, revenue, sleep vs energy, best deep-work day, best hook type, outreach quota, ritual streak, promises, habits, XP, content, recall retention). Each card has a tone icon (green = improving, amber = needs attention, grey = note) and links to the module.	Click a card to go and act on it. Empty: “Insights appear as you log rituals, tasks, focus sessions, deals and content.”
Ask AI for more	A button that asks the AI for 3 extra insights about focus balance, habits and priorities (title + one action sentence), shown in blue-tinted cards. It says “Thinking…” while working and “Ask AI again” after.	Click it. If the AI fails: “The AI couldn't answer right now. Try again in a moment.”
Chart card controls (every chart)	Title and hint, a Table icon (switch to a table of the numbers and back to the chart), an Open ↗ link to the module, sometimes a stat row of headline numbers, hover tooltips, and an empty state with a button when there is no data yet.	Hover or tap a bar or point to read the exact value. Click the chart and use the arrow keys to move through weeks.

Growth `/dashboard (Growth)`

“XP is the running score of everything you do in the OS. Levels mark the compounding.”

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Cumulative XP	Line (with filled area) of your total XP at the end of each week. Stat row: Total XP, This period (+XP), Levels gained ("now L5 Operator").	
XP per week by source	Stacked columns of XP per week in five groups: Rituals & habits, Tasks & tactics, Sales & promises, Content, Learning & reviews. Stat line "Period mix: Rituals 40% · Tasks 30% …". The table shows all eight raw sources (Rituals, Tasks & tactics, Sales & promises, Content, Learning, Habits, Reviews, Other).	

Consistency `/dashboard (Consistency)`

"Show up daily. Free days and reserve shields never break the streak."

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Daily consistency (heatmap)	Hint "Each square is a day, coloured by its day score". Columns = Monday-weeks, rows Mon–Sun. Five shades: 0–19, 20–39, 40–59, 60–79, 80–100. Grey = not logged. Outlined = Free day. Stat row: Streak ("N shields left"), Best, Start-up %, Shutdown %, Avg score. A Journal ↗ link.	Hover a square (or use arrow keys) to read the day: day score, "Ritual done" or "No ritual", and "Free day".
Average day score	Line of the mean day score of logged days per week (0–100).	
Rituals per week	Grouped columns: Start-ups and Shutdowns completed per week (max 7). The tooltip adds routines completed.	
Inbox: captured vs processed	Grouped columns per week: items captured (grey) and processed (colour). Hint "N items open right now". Opens Inbox.	

Execution `/dashboard (Execution)`

"Lead measures done ÷ planned each week (tactics + goal habits). 85% is the 12-week bar."

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
No cycle yet	Without any 12-week cycle you see “Start your first 12-week cycle to see execution history” with Plan a 12-week cycle.	
Weekly execution score	Line of the execution % per week with an 85% reference line. Hint: “<cycle> · week N of 12”. The tooltip shows the cycle week or “outside a cycle”. Stat row: Avg, full weeks (and prev) and Weekly reviews (“N of W weeks”).	
Weekly Big 3	Stacked columns per week: Done and Not done of your weekly Big 3. Stat row: Completed % (“N of M”) and Previous.	
12-week goals · key results	One card per goal of the current cycle: the title (link), an On pace (green) or Behind pace (amber) chip, “Key results 45% · 50% of cycle elapsed”, a bar with a marker at the time elapsed, and up to 4 key results “current / target unit (pct%)”. Hint shows the % elapsed and days left.	

Founder flywheel `/dashboard (Founder flywheel)`

“Content earns attention, attention becomes leads, leads become deals, deals become revenue.”

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
From content to revenue (flywheel)	Seven stage cards left to right: 1 Content published, 2 Views, 3 Follows, 4 Leads, 5 Deals created, 6 Deals won, 7 Revenue won. Each shows the value and the change vs prev. Stage 1: “Where the flywheel starts”. Views: “avg per piece”. Follows to Deals won: “% of <previous stage>” with a bar. Revenue: “avg per deal”. The weakest step gets a “Biggest drop” badge. A Founder HQ ↗ link.	
Flywheel footnote	“Deals count every channel (outreach, referrals, inbound); N came from content. Win rate X% · open pipeline $Y in N deals · N live offers · N live campaigns.”	

ELEMENT	WHAT IT IS	HOW TO USE IT
Outreach vs quota	Columns of outreach + follow-up touches per week with a Weekly quota line (daily quota × 5 workdays). The tooltip adds meetings / calls. Stat row: Touches (prev), Weeks at quota.	
Pipeline value	Line (filled) of the value of open deals at the end of each week. Stat: Open now (“N deals”).	
Won revenue	Columns of revenue won per week; the tooltip adds deals won and deals created. Stat row: This period (prev), Win rate.	
Promise-keeping	Line of the share of “I owe” promises kept on time, by the week they were due, with an 85% line. Stat row: Kept on time (“N due”), Previous.	
Scorecard on target	Shown only if you log a scorecard: the share of this week's scorecard numbers that hit their target.	

Content `/dashboard (Content)`

“Reps build the brand. Volume first, then hooks and retention.”

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Published per week	Stacked columns Personal vs Company with a Weekly target line. Stat row: Shipped (prev), Personal, Company.	
60-day short-form lab	Per brand: “week N of 8” (or finished / starts …), “total / 50 shorts shipped”, and 8 weekly bars with a target line at 3, 5, 7, 7, 7, 7, 7, 7 shorts. The current week says “now”.	
Performance per piece	Stat row: Avg views (prev), Avg follows, Measured (“of N”). A 3-second hold bar: Under 50%: fix the hook (red), 50–69%: okay (amber), 70%+: banger (green). Then Swipes saved, Avg outlier, Workflow steps (avg) and In production.	
Best hook types	Horizontal bars of average views per hook type (top 6), with “N pieces · X follows avg”.	

Time `/dashboard (Time)`

“Where the hours actually went, against what you planned and what each area deserves.”

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Hours by life area	Stacked columns of focus hours per week by area. The first five areas get colours; the rest and unattributed time fold into a grey “Other”. A target line = the sum of all areas' weekly targets. Stat row: Deep work (all focus hours in the period, with prev) and Per week.	
Deep work: planned vs actual	Grouped columns per week: Planned (calendar blocks, not Free blocks) vs Actual (focus hours). Stat row: Planned, Focused, Blocks done. The table adds Maker hours.	
Area time vs target	Horizontal bars of average focus hours per week for each area, with a marker at its weekly target. If you log a time audit, a line shows hours logged, % high-value, % energising and % draining.	
Focus by weekday	Average focus per weekday (Mon–Sun). Your best day is highlighted; the hint names it.	

Mind & body `/dashboard (Mind & body)`

“Energy fuels everything else. Learning compounds when you recall and practise.”

EVERY ELEMENT ON THIS PAGE

ELEMENT	WHAT IT IS	HOW TO USE IT
Energy & mood	Two lines (1–5): weekly averages of morning check-in energy and mood. Stat row: Check-ins (days), Avg energy.	
Sleep	Line of average hours slept per night by week, with a 7h reference line.	
Recall reviews	Columns of recall cards reviewed per week; the tooltip adds retention. Stat row: Reviews (prev), Retention (prev).	
Practice by learning area	Horizontal bars of minutes practised per learning area, with a marker at weekly target × weeks. Stat row: Practice (hours), Notes created, Resources done.	

ELEMENT	WHAT IT IS	HOW TO USE IT
Habit consistency	One bar per active habit: done (full, minimum or stretch) ÷ expected, capped at 100%, with "N of M · N minimum · N stretch · N planned skips". Stat: Average and number of active habits.	

Frameworks & terms in this module

Period and "vs prev"

The current period is the last 4, 12, 26 or 52 Monday-weeks up to today. The previous period is the same number of days just before it. Every change line compares the two.

Example: 12w on Tue Oct 20: period = Jul 28 → Oct 20; previous = the 85 days before Jul 28.

XP and levels bishOS XP system (gamification of the Life OS)

XP is points for every action in the OS. Level n starts at $50 \times (n - 1)^2$ XP: L2 at 50, L3 at 200, L5 at 800, L10 at 4,050. A new title every two levels: Starter, Builder, Operator, Closer, Creator, Strategist, Founder, Architect, Visionary, Legend.

Example: Start-up 25, shutdown 25, check-in 10, task 5 (+15 for a Top 3 task), habit 5 (minimum version 3), routine 10, journal 5, outreach touch 2, promise kept 10, deal advanced 10, deal won 100, content published 40, tactic 8, practice 10, recall card 1, inbox item processed 2, weekly review 120, monthly 150, quarterly 300, annual 500.

Cumulative XP

Your total XP at the end of each week, including everything earned before the period. The line only goes up; a steeper slope = a better week.

XP by source

Where XP came from. Rituals = start-up, shutdown, check-in, journal, routines, inbox and note processing. Reviews = periodic reviews, decision reviews, scorecard. Tasks & tactics = tasks, Top 3, Big 3, tactics, issues solved, decisions. Sales & promises = deals, outreach touches, promises, offers, campaigns. Content = published pieces. Learning = practice and recall. Habits = habit check-ins. Other = anything else.

Example: Period mix "Rituals 45% · Tasks 30% · Sales 10%" → lots of planning, not much selling.

Day score

A 0–100 score for one day. If the shutdown saved a score, that one is used. Otherwise: start-up done = 20, Top 3 done share × 30, daily habits done share × 20 (skips are removed from the count), shutdown done = 20, a progress line or journal win = 10.

Example: Start-up ✓, 2 of 3 Top 3 done, 3 of 4 habits, no shutdown, progress line ✓ → 20 + 20 + 15 + 0 + 10 = 65.

Heatmap score

Each square's colour is the day score in five shades (0–19, 20–39, 40–59, 60–79, 80–100). Grey means nothing was logged; an outline means a Free day.

Ritual streak and reserve shields Forgiving streaks (habit research: repairable streaks keep motivation)

A day counts when you did the start-up OR the shutdown. Free days are neutral. Up to 2 missed days per Monday–Sunday week are absorbed by reserve shields. Today not done yet does not break it. Best = the longest run with the same rules.

Example: Rituals Mon–Wed, missed Thu, rituals Fri → streak continues; 1 shield left this week.

Ritual % (Start-up % / Shutdown %)

Days with that ritual ÷ eligible days. Eligible days = days since your first logged day, not Free days, and in the past (today counts only after you did a ritual).

Example: 20 eligible days, 17 start-ups → Start-up 85%.

Inbox captured vs processed Getting Things Done (David Allen)

How many items you captured and how many you processed (or discarded) each week. Processed should keep up with captured.

Execution score The 12 Week Year (Brian Moran & Michael Lennington)

For one week: the sum of min(done, target) over all tactics and goal-linked habits of the cycle's goals, ÷ the sum of their targets, × 100. A score frozen in your weekly review wins over the live one. The period average leaves out the current, unfinished week (unless it is the only one).

Example: Tactic “20 outreach” done 18/20, tactic “2 videos” 2/2, habit “gym 3×” 2/3 → (18 + 2 + 2) ÷ (20 + 2 + 3) = 88%.

The 85% bar The 12 Week Year

If you execute 85% of your weekly plan, you will very likely reach your 12-week goals. It is the reference line on the execution and promise-keeping charts.

Weekly Big 3 completion

Big 3 outcomes done ÷ Big 3 planned, over the period.

Example: 12 weeks, 33 planned, 24 done → 73%.

KR progress vs time elapsed (pace) OKRs (John Doerr); The 12 Week Year

Goal progress = the average of its key results, each min(1, current ÷ target). Time elapsed = days passed ÷ 84 days of the cycle. A goal is On pace when progress ≥ time elapsed − 5 points.

Example: KRs at 40% and 60% → 50%. Cycle 52% elapsed → On pace (50 ≥ 47).

Founder flywheel Flywheel effect (Jim Collins); content-led growth

The chain that turns content into revenue: Content published → Views → Follows → Leads → Deals created → Deals won → Revenue won. Views, follows and leads come from each published piece's most mature performance snapshot (30d, else 7d, else 24h). Deals count every channel.

Flywheel conversion %

A stage's value ÷ the previous stage's value × 100 (for Follows, Leads, Deals created and Deals won). Views show “avg per piece” instead, and Revenue shows “avg per deal”. “Biggest drop” marks the lowest conversion below 100%.

Example: 2,000 follows → 20 leads = 1% of follows; 20 leads → 5 deals created = 25%.

Win rate

Deals won ÷ (won + lost) in the period × 100.

Example: 3 won, 9 lost → 25%.

Pipeline value

The total value of deals that were open at the end of each week (stages target, contacted, booked, discovery, proposal, verbal). “Open now” is today's total.

Outreach quota

Your daily target of outreach and follow-up touches (Settings, default 20). The weekly line is quota × 5 workdays. “Weeks at quota” counts weeks that reached it.

Promise-keeping

Of your “I owe” promises due in a week (done, broken, or still open after the date), the share done on or before the promised date.

Example: 5 promises due, 4 done on time → 80% (below the 85% line).

Scorecard on target EOS Scorecard (Gino Wickman, Traction)

Share of a week's scorecard entries that hit their target (at or above for “up” metrics, at or below for “down” metrics).

60-day short-form lab

An 8-week experiment to find your short-video format: ship 3, then 5, then 7 shorts a week (50 in total). Shorts and stories count.

3-second hold Kallaway short-form framework

The share of viewers still watching after 3 seconds. 70%+ is a banger, 50–69% is okay, under 50% means fix the hook.

Outlier score (swipes)

A saved video's views ÷ the creator's average views. 3× means it did three times better than normal — a format worth studying.

Hours by area (attribution)

Each focus session counts for its own area, else its task's area, else its project's area, else Unattributed. The Time section counts focus sessions (a done calendar block counts through its auto-logged session).

Deep work: planned vs actual

Planned = hours of calendar blocks (Free blocks excluded). Actual = focus hours logged. A big gap means the calendar is a wish, or you do not log your focus.

Area time vs target

Total focus hours of an area ÷ weeks elapsed, against its weekly target.

Example: Sales: 30h over 12 weeks = 2.5h/week vs a 10h target → Sales is starving.

Focus by weekday

Focus minutes on each weekday ÷ how many of that weekday fell in the period. The highest is your best day for deep work.

Time audit split Buy Back Your Time (Dan Martell)

From the time audit: % of logged minutes rated high-value (value 3+), % energising and % draining.

Energy trend

The weekly average of your morning energy and mood (1–5). Watch the direction, not one day. An insight compares energy after 7h+ sleep with shorter nights.

Sleep (7h line) Why We Sleep (Matthew Walker)

Average hours slept per night by week, from morning check-ins. The 7h line is the healthy minimum for most adults.

Recall retention Spaced repetition (Ebbinghaus; SM-2)

Of graded recall reviews (cards in review state), the share rated 2 or higher (remembered).

Example: 50 graded reviews, 42 remembered → 84%.

Practice by learning area Deliberate practice (Anders Ericsson)

Minutes of deliberate practice per learning area in the period, against weekly target × weeks elapsed.

Habit consistency Atomic Habits (James Clear)

For each active habit: check-ins (full, minimum or stretch) ÷ expected check-ins (weekly target × active days ÷ 7), capped at 100%. Active days start at the later of the period start, the habit's start date and its creation.

Example: Daily habit, 14 active days, 11 check-ins → 79%.

Headline insights

Short sentences the system writes from your data, ranked by importance; the top 6 show. Green = improving, amber = needs attention, grey = a note.

How to test it

1. Open Analytics (System → Analytics). Expected: the title “Analytics · Progress & Growth”, the range switch on 12w, six KPI cards, Headline insights and the eight sections.
2. Click 4w. Expected: the charts fade for a moment, then show 4 weeks; the subtitle says “last 4 weeks”. Reload. Expected: 4w is still selected.
3. Do today's start-up ritual on Today, then come back. Expected: Level XP rises by 25; today's heatmap square gets a colour; Rituals per week goes up by one start-up.
4. Click the Table icon on Cumulative XP. Expected: a table Week / XP earned / Cumulative, newest week first. Click it again to see the chart.
5. Hover a column in XP per week by source. Expected: a tooltip with each group's XP and “XP that week”.
6. Finish a 1-minute focus session on a task in an area. Expected: Hours by life area shows it in that area's colour; Focus by weekday updates.
7. Mark a deal Won with a value in Pipeline. Expected: Revenue won KPI and the Won revenue chart include it; the flywheel's Deals won and Revenue won change.

8. Click Ask AI for more. Expected: “Thinking…”, then 3 blue-tinted AI insight cards (or the friendly error line).
9. Click any KPI card. Expected: it opens its module (e.g. Execution → Goals).
10. With no 12-week cycle, check Execution. Expected: “Start your first 12-week cycle to see execution history” with a Plan a 12-week cycle button.

Tips

- Look at trends over at least 4 weeks; one week is noise.
- Open the table view when you want exact numbers for a review or an investor update.
- The “Deep work” number in the Time section counts all focus hours; use Focus → Deep share for deep-tagged time only.

Part 3 · Glossary

Every framework, method and term used in bishOS, A–Z.

'When' vs deadline Things / Sunsama style planning · Today (your home screen)

Two different dates. 'When' is the day you plan to work on a task — it puts the task on that day's list. The deadline ('Due / end') is when it must be finished — it drives overdue warnings. Many tasks have a 'when' but no deadline.

Example: Proposal deadline: Friday. You plan to write it ('when') on Wednesday, so Friday stays calm.

“Looks done” detection bishOS · Video workflow 5–8: script, convert, packaging, post-mortem

The app ticks nothing for you, but shows a green “looks done” chip when it spots a lock: contrast words found; a loop opener found; zero hedge words (embedded truths); no “and then” plus contrast words (but / therefore); varied sentence lengths (rhythm); the last line field is filled.

“Should not be me” tasks Buy Back Your Time (Dan Martell) · Founder HQ

Tasks you marked for delegation. Founder HQ counts them and reminds you to record the process the next time you do one.

Example: “Send monthly invoices” is marked. Next time, record your screen while you do it and save it as a process.

“What can you now explain?” (Feynman technique) Richard Feynman · Learning

After practice, explain what you learned in plain words, as if to a smart 12-year-old. Where you stall, you found a gap. bishOS saves the explanation as an Idea note.

Example: “Price anchoring works because people judge price by comparison, not by value alone. Show the big plan first.”

“When” vs deadline GTD “hard landscape” (David Allen); the When/Deadline split in Things 3 · Tasks

The “when” day is the day you plan to work on a task. The deadline is the day it must be finished. They are different: a deadline is not a plan. Only real consequences deserve a deadline.

Example: Proposal due Friday (deadline). You plan to write it on Wednesday (when). Upcoming shows it on Wednesday; the Friday deadline chip turns amber the day before.

$ value (1–4) Dan Martell, Buy Back Your Time · Delegation

What a task is worth per hour if you hired someone for it. $ ≈ minimum wage, $$ ≈ assistant rate, $$$ ≈ skilled professional, $$$$ ≈ founder-only. $$$ and up count as high $.

Example: Booking meetings = $. Writing ad copy = $$$. Closing a big client = $$$$.

1-3-5 rule The Muse (Alex Cavoulacos) · Morning start-up ritual

Plan one big task, three medium tasks and five small tasks — nine in total. Good for days with many small requests.

Example: Big: website launch. Medium: 3 client calls. Small: 5 quick emails.

1-of-10 prediction Paddy Galloway · Playbook 5: YouTube long-form

Before you publish, predict where the video will rank by views among your last 10 uploads, for hour 1, day 1 and week 1. Then judge it against your prediction, not your channel average.

Example: You expect a 2/10. It lands 6/10 on day 1: under expectation, so change the thumbnail.

10× rule Kallaway · Playbook 6–7: iterate and convert

The buyer should get about 10 times what they paid within 30 days. That makes the decision easy.

100 → 10 → 1 Paddy Galloway · Playbook 5: YouTube long-form

Write about 100 ideas per video. Cut them to about 10 with elimination tests. Make a one-page idea slide for each finalist and pick the one you would bet your career on.

10K credibility line Kallaway · Playbook 5: YouTube long-form

Around 10,000 subscribers, people start to trust a YouTube channel at first sight. About 10K at month 12 is typical when you post weekly.

12 Week Year The 12 Week Year (Brian Moran & Michael Lennington) · Goals · 12 weeks

Treat 12 weeks as a full "year". You plan, execute and review on this short cycle, so every week matters and deadlines feel close.

Example: "Q4 sprint", Oct 27 – Jan 18: goal "Close 5 new clients"; tactics: 20 outreach messages and 5 discovery calls every week.

12-week goal Brian Moran, The 12 Week Year · How bishOS works

A goal you commit to for one 12-week cycle. You keep 3 or fewer active at once. Each goal has a key result (the outcome) and weekly tactics (the actions you control).

Example: Goal: 'Reach $10k monthly revenue by week 12'. Weekly tactic: '20 outreach messages every weekday'.

13-week grid EOS (Traction); 12 Week Year (Brian Moran) · Scorecard

The last 13 weeks (one quarter) side by side. One red week is noise; three red weeks in a row is a trend.

Example: Sales conversations: red, red, red in the last three columns → time to fix your outreach.

2-minute rule David Allen, GTD · Inbox

If an item takes less than two minutes, do it now instead of tracking it. Tracking it would cost more time than doing it.

Example: 'Reply yes to Sara' → reply now → press D.

3-second hold Kallaway short-form framework · Analytics

The share of viewers still watching after 3 seconds. 70%+ is a banger, 50–69% is okay, under 50% means fix the hook.

3-step hook formula (builder lines) Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Kallaway's "mega tip": a hook of 2–4 short lines that builds a curiosity loop. Line 1 Context lean-in, line 2 Scroll-stop interjection, line 3 Contrarian snapback. Each line makes them need the next one.

Example: 1 "The Vegas Sphere has the biggest screen on earth." 2 "But the screen is the least impressive part." 3 "The real story is the audio."

3s hold % Kallaway · Piece editor

The percentage of viewers still watching at 3 seconds (from your platform's analytics). The best single number for a short's hook. ≥70% banger, under 50% problem.

3s hold benchmark Kallaway · Playbook 6–7: iterate and convert

The share of viewers still watching a short at 3 seconds. ≥70%: banger hook (green). 50–69%: OK, aim for 70%+ (blue). Under 50%: hook problem; check the visual stop, the context and the contrast (orange).

4-week baseline bishOS · Energy & Wellbeing

Your normal level: the average of your check-ins from 7 to 34 days ago. The last 7 days are compared with it.

Example: Baseline energy 3.8, this week 2.6 → a 1.2-point dip.

48-hour rule Sönke Ahrens (process within a day or two) · Notes

Process every fleeting note within 48 hours, while you still remember the context. After 48 hours bishOS marks it “48h+” and “process me”.

Example: A Monday idea from a client call is kept, tasked or discarded by Wednesday morning.

60-day short-form lab · Analytics

An 8-week experiment to find your short-video format: ship 3, then 5, then 7 shorts a week (50 in total). Shorts and stories count.

7-day forecast bishOS · Recall

How many cards come due on each of the next 7 days, so you can plan.

Example: Saturday shows 40 cards — you do a few extra on Friday.

7–15 major steps (20/80 rule) Gino Wickman, EOS / Traction (document the 20/80) · Delegation

Document only the main steps — the 20% of steps that give 80% of the result. 7–15 steps is the sweet spot; more means trim.

Example: Not 40 micro-steps for onboarding, but 10 key ones.

90-day arc (30-60-90 plan) 30-60-90 day plan · Projects

Write what each area should reach now, at day 30, day 60 and day 90. It turns a long push into clear phases.

Example: Sales: Now — list 100 leads; Day 30 — 10 calls booked; Day 60 — 3 proposals; Day 90 — 2 clients.

90% goal EOS To-Do rule of 90% (Gino Wickman, Traction) · Commitments

The target for your promise-keeping rate. The Founder HQ tile turns green at 90% and amber under 70%.

Example: 88% this month: promise “end of week” instead of “tomorrow”.

Account Personal finance basics · Finance · cash, spending & runway

A place where money lives. Types: Bank account, Cash, Wallet / mobile money, Savings, Credit card, Investment, Loan.

Example: “Meezan Business” (bank, business), “Cash wallet” (cash, personal), “Visa” (credit card, personal).

Achievements (19 badges) bishOS · XP, levels, streaks & achievements

Day One (first start-up), Loop Closer (first shutdown), Week Warrior (7-day ritual streak), Unbreakable (30-day streak), Mind Like Water (process 50 inbox items), Top Performer (finish 25 Top priorities), Promise Keeper (keep 10 promises on time), First Close (win your first deal), Rainmaker (win 10 deals), Dialer (log 100 outreach touches), Publisher (first content published), Content Machine (publish 25 pieces), Deliberate Student (10 practice sessions), Memory Palace (review 500 recall cards), The Reviewer (4 weekly reviews), Quarter Master (a quarterly review), Habit Hero (100 habit check-ins), Strategist (reach level 5), Visionary (reach level 10).

Example: After your 50th processed inbox item you see 'Achievement unlocked: Mind Like Water'.

Active (resource status) bishOS · Library

You are working on it now. Keep 1–2 per learning area.

Example: One sales book and one cold-email course active in “Sales”.

Adherence · Calendar

Done blocks ÷ all blocks in the window × 100. It shows how much of your plan you really did.

Example: 8 of 10 blocks done this week = 80% adherence.

Admin (rung 1) Dan Martell (Replacement Ladder) · Delegation

Inbox, calendar, invoices, bookkeeping, travel. The first and easiest rung to hand off.

Example: A VA manages your calendar and books calls.

Admin block · Week

Buffer work: email, finance, processes, recordings, pipeline review.

Example: Friday 9:00–12:00 “Buffer: processes, recordings, finance”.

Again (rating 1) Anki / FSRS rating scale · Recall

You forgot. The card goes back to short steps (1 minute for a new card, 10 minutes for a learned card) and counts as a lapse if it was already learned.

Example: You could not recall the price of your middle plan → Again → it comes back in the same session.

Agentic action with confirm bishOS (human-in-the-loop AI) · AI module assistant (floating ✦ button)

The AI can do things, not only talk — but it only proposes. You approve each change. What each assistant can do: Goals — create a goal (with SMART fields), add milestones, update a goal. Tasks — create, complete, update a task. Notes — create a note, append to a note, update a note. Projects — create a project or sprint, update it, add milestones. Habits — create a habit, check a habit for today. Focus — log focus time.

Example: On Habits: 'Create a daily habit to journal for 10 minutes' → card 'Create habit…' → Confirm.

AI context bishOS · Profile

The background information the AI reads before answering. The richer and more current your profile, the more personal and useful the answers.

Example: With 'Agency, 3 clients, goal $10k MRR' in About you, 'What should I focus on today?' gets sales-first advice.

AI model bishOS · AI content coach

The helpers use the AI model set for the app, through OpenRouter. If the key is missing you see “AI isn't configured yet (OPENROUTER_API_KEY is missing).”; if the service is busy, “The AI is busy right now. Try again in a minute.”

AI proposal (approve before save) bishOS · AI helpers for notes and learning

Every Mind AI feature returns suggestions only. You see them with checkboxes or as text, edit them, and only what you approve is saved.

Example: AI drafts 5 cards; you untick 1 and fix 1 — 4 cards are saved.

AI proposal (nothing saved until you accept) bishOS · AI content coach

The AI helpers never write to your data. They return a proposal; you decide what to insert. Dismissing the box loses nothing.

AI to ~90%, the last 10% is you Kallaway / Paddy Galloway · AI content coach

Kallaway lets AI get a draft to about 90% and edits the rest by hand; Paddy Galloway says AI gets you 80% and “the 20% is always still human”. Hooks and takes written only by AI sound like everyone else.

AI unavailable / rate limit bishOS · AI helpers for notes and learning

The free AI service sometimes limits requests. You see a friendly message; wait a moment and try again, or use the manual path (Write by hand, Write questions myself, plant the seed without a draft).

Example: “AI is unavailable right now (rate limit?). Try again, or write cards by hand.”

Aligned funnel step: Content Kallaway · Playbook 6–7: iterate and convert

Aggravate one pain in the video: “cut them, give them the band-aid.”

Aligned funnel step: Email + nurture Kallaway · Playbook 6–7: iterate and convert

Keep sending value. An email is not ownership yet: you earn trust over time, or wait until they have the problem.

Aligned funnel step: High-ticket Kallaway · Playbook 6–7: iterate and convert

An expensive program: the same problem, done-with-you (or done-for-you).

Aligned funnel step: Keyword DM / page Kallaway · Playbook 6–7: iterate and convert

“Comment STORY and I'll send it.” A tool like ManyChat replies with the link and collects the email. Or a simple landing page.

Aligned funnel step: Lead magnet Kallaway · Playbook 6–7: iterate and convert

The band-aid for that exact pain, free, in exchange for an email.

Aligned funnel step: Low-ticket Kallaway · Playbook 6–7: iterate and convert

A cheap product: the same problem, a deeper solve.

Anchor (one trigger) Implementation intentions (Peter Gollwitzer) · Routines

The one moment that starts the routine. A routine has exactly one cue, so you never wonder when to do it.

Example: “When I finish my last work block.”

Angle Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Your unique lens on the topic: the premise, your take and the key facts. LEGO brick 2. Data picks the topic; creativity picks the angle.

Example: Topic: first 10 customers. Angle: “Your network is a trap; cold outbound teaches you the market faster.”

Annual review steps Past Year Review (Tim Ferriss) · Reviews

1 Past year peaks, 2 Went well / went badly, 3 Goals for next year, 4 Year theme, 5 Free Days first. Essential: 1, 2, 4, 5.

Annual vs cycle goals 12 Week Year + annual planning · Goals · 12 weeks

Annual goals (up to 8) say where you want to be by December. Each cycle picks a few and turns them into 12-week goals with key results and tactics. One annual goal can have several cycle goals under it.

Example: Annual: “Reach $30k MRR”. Cycle 1: “Reach $10k MRR”. Cycle 2: “Reach $20k MRR”.

Anti-views and on-target views Kallaway · Playbook 1–2: the loop and positioning

On-target views come from people who have the problem your offer solves. Anti-views come from people who will never buy: they do not pay you, and they teach the algorithm to send your next videos to the wrong people. You do not need virality, you need on-target views.

Example: A viral meme brings 500K views from students. Your next sales video then flops, because it is tested on students.

Archetype hooks (AI) Kallaway · AI content coach

Your topic written in all 6 archetypes with the 3-step formula: lean (topic first, toward the common belief), interjection (usually a contrast word), snapback (the true, on-topic flip), plus a 3–5 word text hook with no punctuation or connector words. Lines are ideally under 14 words, the whole hook under ~5 seconds, about 6th-grade level, “you” over “I”. Needs a topic of 4+ characters.

Archetype: Contrarian Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Contrast: the opposite of conventional wisdom. Steps: find what you believe that most don't → say it directly. Best for experts in crowded spaces.

Example: “Stop building an MVP. Sell the product before you write a line of code.”

Archetype: Experimenter Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Contrast: “I tried a new way”. Steps: the base pain → I tried a new method or tool → why it works better. Best for product demos, B2B tools, new frameworks.

Example: “I hated writing follow-ups. So I tried a 3-line follow-up for 30 days. Replies went up 2×.”

Archetype: Fortune Teller Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Contrast: present vs future. Steps: current reality → how the future changes → tease that future. Best for news, product innovation, authority on the future.

Example: “Today you hire SDRs. In 2 years, AI agents will book your demos. Here's what that means for you.”

Archetype: Investigator Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Contrast: a secret they don't know. Steps: tee up the secret → frame it against their not-knowing. Best for research and leading-edge positioning.

Example: "There's a free setting in LinkedIn that 90% of founders never turn on."

Archetype: Magician Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

A visual or verbal "stun gun": a signature visual, sound or phrase that stops the scroll. You stack it on any other archetype.

Example: You always open by slamming a laptop shut and saying "Check this out."

Archetype: Teacher Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Contrast: a lesson learned. Steps: the pain → my learnings or method → why the steps work. Best for building expert authority.

Example: "Pricing was our biggest mistake. Here are the 3 rules we use now, and why they work."

Archive bishOS · Finance · budgets, bills, invoices & goals

Hide an account or category you no longer use, without losing history. Archived accounts leave the totals and pickers; archived categories leave pickers and budgets but stay on old entries.

Example: You close an old bank account → archive it. Its past transactions still show in Transactions.

Archive vs delete bishOS · Scorecard

Archive hides a number but keeps its history (you can restore it). Delete removes the number and all its weekly values.

Example: You stop recording podcasts → archive "Podcast episodes", don't delete it.

Area hub · Life Areas

One page per area that pulls in everything linked to it: rating, hours, goals, projects, habits, learning, tasks, wins, notes and sections.

Example: Open Fitness → see the 6/10 rating, 2h of 4h this week, the habit "Lift 3× a week" at 70% and next task "Book a physio check".

Area standard Areas of responsibility (Tiago Forte, PARA) · Compass

What "maintained" means for a life area: the level you keep, not a goal you chase. Rate the Wheel of Life against this standard, not against perfection.

Example: Operations: "Every client gets a weekly update; inbox zero by Friday."

Area status (Active · Paused · Done) bishOS · Learning

Active = you practise it now. Paused = on hold. Done = target reached. Only areas you push should be Active.

Example: Pause "Spanish" during a launch month; mark "Cold email" Done after you hit the target.

Area time vs target · Analytics

Total focus hours of an area ÷ weeks elapsed, against its weekly target.

Example: Sales: 30h over 12 weeks = 2.5h/week vs a 10h target → Sales is starving.

Area weekly target (hour budget) · Focus

How many hours a week an area deserves, set on Life Areas or Compass. The tick on each bar is this target.

Example: Sales 10h, Delivery 20h, Content 5h, Fitness 4h.

Attached context bishOS · AI chat

A specific project, note or Life Area you hand to the AI with '/', so it reads that item in full instead of only the general summary.

Example: '/Website launch' then 'What's the biggest risk in this project?'

Attention residue Sophie Leroy · Evening shutdown ritual

When you switch from an unfinished task, part of your attention stays on it. That leftover attention makes your next work worse and keeps you thinking about work at night.

Example: You leave a half-written proposal and keep thinking about it during dinner.

Audience matching Kallaway · Playbook 1–2: the loop and positioning

The algorithm is a matchmaker. It transcribes your video, maps the topic and tests it on about 200 people. If they like it more than usual, it sends it to about 10× more similar people. Keep one topic and one avatar so each new video goes to the right people.

Example: A founder who posts sales tips, then a gym video, then crypto news confuses the algorithm. Each video gets a weak first test.

Audience of one (Frankenstein test) Kallaway · Playbook 1–2: the loop and positioning

Picture one perfect viewer sitting in a chair in front of you. Stitch them together from real clients: name, age, situation, what they tried, their dream outcome, their fears. Write every video for that one person.

Example: "Sam, 34, seed-stage SaaS founder, 2 years in, drowning in sales calls, wants a repeatable pipeline."

Audio hook Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

The first sound they hear: music mood and sound effects. Part of LEGO brick 7.

Authority statement Kallaway · Playbook 1–2: the loop and positioning

One sentence: "I help [X] with [Y] in [Z way]." Use it as an avatar filter. Before every idea, ask: does this serve X with Y? It stops viewer drift.

Example: "I help seed-stage SaaS founders get their first 20 customers with founder-led sales."

Automatic metrics (⚡) bishOS · Scorecard

Numbers bishOS calculates for each week from your data: Outreach touches (outreach + follow-up touches), Sales conversations (call + meeting touches), Deals won (deals won, by close date), Won revenue (value of deals won that week), Content published (pieces published that week), Deep work hours (focus sessions that ended that week), Tasks completed (tasks done that week), Recall reviews (recall cards reviewed that week), Cash collected (business income logged in Finance that week).

Example: You log 23 outreach touches this week → Outreach touches shows 23 without typing.

Automaticity Lally et al. (2010); Self-Report Behavioural Automaticity Index (Gardner) · Habits

How automatic a habit feels, from 1 (“I have to remind myself”) to 5 (“I do it without thinking”). The app asks at day 30, 60 and 90. A 4 or 5 offers graduation. Habits take about 66 days on average to become automatic.

Example: Day 60: you rate journaling 4 → “Graduate” moves it to lighter tracking.

Autosave bishOS · Piece editor

Every text field saves by itself shortly after you stop typing, and when you click away. Dates keep a local draft so typing a date is never garbled.

Avg view (AVD) Paddy Galloway · Piece editor

Average view duration: how long people watch on average. Paddy Galloway warns it rises just by making longer videos, so read it with the retention curve.

Backlink Wiki / Obsidian convention · Notes

A link that comes into this note from another note. Backlinks show where an idea is used.

Example: Your “Loss aversion” note shows backlinks from “Paid pilot” and “Annual billing discount”.

Backlog Agile / GTD next-actions list · Today (your home screen)

Open tasks with no 'when' day and not Someday. They wait on the Tasks page until you plan them.

Example: 'Redesign invoice template' sits in the backlog until a quiet Buffer day.

Backlog (Anytime) · Tasks

Open tasks without a “when” day. They are ready to do any time, but not planned yet.

Example: “Update LinkedIn banner” waits in Anytime until a light afternoon.

Balance Bookkeeping basics; bishOS rule · Finance · cash, spending & runway

What an account holds now: opening balance + income − expenses − transfers out + transfers in.

Example: Opening $10,000, income $3,000, expenses $1,500, transfer out $500 → balance $11,000.

Beginner hold rule (hold 3, change 2) Kallaway · Playbook 3–4: data system and the 60-day lab

As a beginner, hold three bricks from a proven outlier exactly: hook structure, story structure and visual format. Change only two: topic and angle. Don't invent formats until you have done the reps.

Example: Keep a winner's split-screen layout, its “I tried X so you don't have to” hook and its listicle structure. Use your own topic (hiring) and your own angle.

Beginner hold rule (in Remix) Kallaway · Inspiration, hook library and watchlist

The Remix dialog starts with hook structure, story structure and visual format held, and topic and angle changed. That is the rule for beginners: don't invent formats, stack proven bricks.

Best streak bishOS · XP, levels, streaks & achievements

Your longest ritual streak ever, using the same shield rules. It drives the 'Week Warrior' (7) and 'Unbreakable' (30) badges.

Example: Current streak 4, best 22.

Big 3 Michael Hyatt, Full Focus (Daily Big 3) · Morning start-up ritual

Pick three things that make today a win. Fewer goals, more finishing.

Example: Proposal, video, outreach.

Big-video tests (in a piece) Paddy Galloway · Video workflow 5–8: script, convert, packaging, post-mortem

CCN fit, the glance test, universal appeal and “click to unpause”, ticked for this video.

Biggest lever bishOS · Offers

The lever with the most room to improve: for dream and likelihood, how far below 10; for time and effort, how far above 1. Fix this one first.

Example: Scores 8 / 4 / 5 / 3 → likelihood is 6 below 10, the most → add proof.

Bill · Finance · budgets, bills, invoices & goals

A repeating cost for a basic need or service: rent, electricity, internet, phone.

Example: K-Electric bill about $40 monthly.

Bingeability Kallaway · Playbook 6–7: iterate and convert

Make people watch several pieces in one session, so content minutes stack fast. Numbered series (“Day 4 of 30”) make people go back for 1–3.

Block status · Calendar

Planned = still to come. Done = it happened (auto-logged as focus). Skipped = it did not happen (no focus logged).

Block types · Calendar

Maker = deep, half-day build work. Manager = calls, office hours, outreach. Admin = processes, finance, pipeline review. Routine = rituals and workouts. Free = protected rest. Types come from your Ideal Week when you apply it; the block window has no type picker. Free blocks do not count as planned work in Analytics.

Example: Monday: Workout (routine), Start-up ritual (routine), Delivery deep work (maker), Client calls (manager), Shutdown ritual (routine).

Board group: Done bishOS · Content Studio

Column for Measured, Recycle due and Archived.

Board group: Ideas bishOS · Content Studio

Column for Idea and Seed. Raw ideas and tested seeds.

Board group: Live bishOS · Content Studio

Column for Published and Repurposing. Out there. Cut the hub into shorts.

Board group: Planning bishOS · Content Studio

Column for Brief and Script. Angle, hook and script.

Board group: Production bishOS · Content Studio

Column for Ready to record, Recorded and Editing. Record and edit (video only).

Board group: Ready bishOS · Content Studio

Column for Ready to publish and Scheduled. The checklist gate, then a date.

Bonus (one per objection) $100M Offers (Alex Hormozi) · Offers

An extra item that removes a specific worry. Each objection you hear becomes a bonus.

Example: Objection "my team won't use it" → bonus "2 live training sessions for your staff".

Bracket templates bishOS · Inspiration, hook library and watchlist

Write the parts you swap in [brackets], so one hook becomes a template.

Example: "The biggest mistake I made building [company]:"

Brain dump (mind sweep) David Allen, GTD (mind sweep) · Quick capture

Writing down everything on your mind in one go — tasks, worries, ideas, promises — so nothing is left in your head.

Example: Sunday evening: 10 minutes of rambling → 14 items sorted by AI.

Brick 1: Topic Kallaway · Inspiration, hook library and watchlist

One sentence: what it is about.

Example: "Why founders should do sales themselves first."

Brick 2: Angle Kallaway · Inspiration, hook library and watchlist

The premise + the creator's take + the key facts.

Example: "A sales hire too early hides what customers really say."

Brick 3: Hook structure Kallaway · Inspiration, hook library and watchlist

The hook as a reusable fill-in-the-blank pattern, across spoken, text and visual.

Example: "I spent [time] doing [X] so you don't have to" + text "[X] in [time]" + you walking into frame.

Brick 4: Story structure Kallaway · Inspiration, hook library and watchlist

The video type: breakdown, listicle, tutorial, personal narrative, case study, newscaster, problem-solver (+ its beats).

Brick 5: Visual format Kallaway · Inspiration, hook library and watchlist

The on-screen layout: green screen, split screen, talking head, POV vlog, in-the-world, faceless text…

Brick 6: Key visuals Kallaway · Inspiration, hook library and watchlist

What fills the layout: A-roll (you talking), B-roll (supporting footage) and graphics.

Brick 7: Audio Kallaway · Inspiration, hook library and watchlist

Music and sound effects.

Brief (Audience, One idea, Angle, Proof) bishOS · Piece editor

Four lines that plan a piece: who it is for, the single idea, your angle (your take), and the proof you will show.

Example: Audience: seed SaaS founders. One idea: the founder closes the first 20 deals. Angle: a sales hire too early kills learning. Proof: our first 20 deals and what we learned.

Brier score Glenn W. Brier (1950); Superforecasting (Tetlock) · Decisions & Issues

One number for how good your predictions are: the average of (confidence − result)², where result is 1 if it came true and 0 if not. 0 is perfect; 0.25 is like always saying 50%.

Example: 90% sure and it happened → $(0.9 - 1)^2 = 0.01$. 90% sure and it didn't → 0.81.

Broad bucket Kallaway · Playbook 1–2: the loop and positioning

A bigger topic inside your niche (bullseye ring 4). It brings reach.

Broken down (bricks) bishOS · Playbook 3–4: data system and the 60-day lab

An outlier is broken down when at least one of its 7 LEGO bricks is filled. The scanner shows how many bricks each one has (n/7). The Data section needs 3 broken-down swipes.

Broken promise bishOS · Commitments

A promise you did not keep and will not keep. Marking it broken is honest and counts as missed in your rate. Repair it with a note.

Example: You forgot the intro and the moment passed → Mark broken, then apologise.

Budget vs actual Management accounting (variance analysis) · Finance · budgets, bills, invoices & goals

Comparing what you planned to spend with what you really spent. The gap tells you to change the habit or change the plan.

Example: Budget $300, actual $360 → $60 over. Either cook more or set a realistic $350.

Buffer Kallaway · Playbook 3–4: data system and the 60-day lab

Scripts or finished videos banked ahead of time. Bank 2–3 before the lab starts, and bank more when you hit a week's target early.

Bullet bar Bullet graph (Stephen Few) · Focus

A compact bar that shows actual (filled, area colour), planned (light) and target (a tick) on one line.

Burn rate Startup finance (gross burn) · Finance · cash, spending & runway

How much money the business spends per month: business expenses plus owner draws. bishOS averages the last 3 full months (fewer for a young business, or this month so far if there is no older data).

Example: Business expenses $3,000 + owner draw $2,000 = burn $5,000 / month.

Burnout pulse Maslach Burnout Inventory (three dimensions) · Reviews

Three 1–5 questions on the three signs of burnout: exhaustion, detachment (cynicism) and low efficacy. Average 3.5+ means “running hot” and gives concrete advice. It is an observation, not a diagnosis.

Example: Answers 4, 4, 3 → protect two Free Days next week, pause one goal, hand off one recurring task.

Burnout signals (observations) bishOS; founder-burnout research · Energy & Wellbeing

Simple warning signs computed from your data. They are design heuristics from founder-burnout research, not a diagnosis. An active signal suggests protective actions.

Example: Two signals active this week → you run a lighter week and plan a Free Day.

Business context bishOS · Strategy AI

What the AI reads about you before every answer: your Profile (Business, What you do, Current situation), your currency, up to 6 offers that are not retired (name, status, who it is for, price), your 6 most recent campaigns (name, status, channels and the start of their learnings) and your content pillars.

Example: Profile says "Devzelo Solutions, UI/UX agency". Campaign ideas then suggest plays for agencies, not for e-commerce.

Buy Back Your Time Dan Martell, Buy Back Your Time · Delegation

A method for founders: stop trading time for money and use money to buy back your time, so you can focus on the work that grows the company.

Example: You pay a VA 8/hour for inbox and invoices and use the 6 hours a week for sales calls.

Buyback Rate Dan Martell, Buy Back Your Time · Settings

What one hour of your time is worth to buy back: annual income ÷ 2000 working hours ÷ 4. Any task you can hand off for less than this rate is worth delegating.

Example: $120,000 ÷ 2000 ÷ 4 = $15/hour → hire help for tasks under $15/hour.

Cadence · Finance · budgets, bills, invoices & goals

How often a recurring item repeats: Weekly, Monthly, Quarterly or Yearly.

Example: Domain renewal: Yearly. Payroll: Monthly. Cleaner: Weekly.

Cadence states bishOS · People

On track = plenty of time left. Due soon ("In 3d") = inside the last 15% of the cadence (at least 2 days). Reconnect today = due today. Reconnect · Nd over = overdue. "—" = no cadence.

Example: Monthly (30 days): from day 26 you see "In 4d", on day 30 "Reconnect today", on day 33 "Reconnect · 3d over".

Calibration Superforecasting (Philip Tetlock) · Decisions & Issues

Whether your confidence matches reality. If your 70%-sure decisions come true about 70% of the time, you are well calibrated. bishOS compares your average confidence with your hit rate (decisions that turned out as expected).

Example: Average confidence 80%, hit rate 55% → overconfident by 25 points: consider more options and slow down.

Camcorder Method Dan Martell, Buy Back Your Time · Delegation

Record yourself doing a task once (screen + voice). The new person watches it and writes the SOP. You never have to write it from scratch.

Example: You record your weekly invoicing on Loom; your VA turns it into 9 steps.

Campaign Marketing campaign practice · Campaigns

A focused marketing push with one objective, a few channels, one offer, a start and an end. It is a mini project for growth.

Example: "November LinkedIn + cold email push": book 10 discovery calls with agency owners, Nov 1–30, offer "30-Day Pipeline Sprint".

Campaign objective SMART goals (George T. Doran) · Campaigns

One measurable goal for the campaign. If you can't count it, it is not an objective.

Example: Good: “10 discovery calls with agency owners by Nov 30”. Bad: “more brand awareness”.

Campaign status bishOS · Campaigns

Idea (not planned yet), Planned (has dates), Live (running, +20 XP), Paused (on hold), Done (finished, +25 XP).

Example: AI idea → Idea; you set dates → Planned; Nov 1 → Live; Dec 1 → Done.

Capacity check Sunsama (daily planning workload) · Today (your home screen)

Before the day starts, add up the time of everything planned (open tasks + meetings) and compare it with the hours you really have. Default capacity is 5.5 hours of planned work on a normal day. Over capacity = something must move.

Example: You planned 7h of tasks plus 1h of calls but have 5.5h. The bar is yellow: move 2.5h to tomorrow.

Caps (work-in-progress limits) The 12 Week Year + Kanban WIP limits · Settings

Hard limits on how many big things you run at once. Fewer open goals and projects means more of them actually finish.

Example: With a cap of 5 active projects, starting a 6th forces you to finish or pause one first.

Capture habit David Allen, GTD · Quick capture

Writing every open loop down the moment it appears, in one trusted place. Your brain is for having ideas, not holding them.

Example: Walking to a meeting you remember the VAT form: C → 'VAT form' → Enter.

Capture, then process David Allen, GTD · How bishOS works

Two separate moments. When a thought appears, you only capture it (press C, type, Enter). Later, in the Inbox or the shutdown, you decide what it is and where it goes. Mixing the two breaks your focus.

Example: In a meeting you press C and type 'ask Ali for logo files'. At 17:30 you turn it into a task.

Card states (New · Learning · Relearning · Review) Anki / FSRS · Recall

New = never studied. Learning = in its first short steps. Relearning = forgotten and back in short steps. Review = graduated, coming back after days.

Example: A card you just created is New; after Good twice it is Review.

Carry to backlog bishOS · Reviews

A quarterly outcome: the goal is not finished but still matters. Closing the cycle moves it to the Someday backlog with its grade, ready for the next cycle.

Cash collected (scorecard) EOS Scorecard (Gino Wickman, Traction); cash-basis accounting · Finance · cash, spending & runway

An automatic weekly scorecard number: all Business income logged in Finance from Monday to Sunday. It measures money that really arrived, not promises.

Example: This week two invoices were paid ($1,500 + $800) → Cash collected = $2,300.

Cash collected vs won revenue Accrual vs cash-basis accounting · Finance · budgets, bills, invoices & goals

Won revenue is the value of deals you closed (a promise). Cash collected is the money that really arrived. A business can win a lot and still run out of cash if clients pay late.

Example: This month: won revenue $8,000, cash collected $2,500. Runway follows the $2,500, so chase invoices.

Cash on hand bishOS rule (liquid accounts) · Finance · cash, spending & runway

The money you can spend now: the balances of open Bank, Cash, Wallet and Savings accounts. Cards, loans and investments are not cash.

Example: Bank $8,000 + wallet $200 + savings $3,000 = $11,200 cash on hand. Your Visa debt does not lower it.

Cashflow · Finance · cash, spending & runway

Money in and money out over time. The chart shows 12 months of income, expenses and net, so you see trends and seasons, not one lucky month.

Example: Income jumps every 3rd month (a quarterly client) while expenses stay flat. Plan big costs for those months.

Category · Finance · cash, spending & runway

A label for what money was for (spending) or where it came from (income). Categories power “Where it went” and budgets.

Example: Food & Groceries, Software/SaaS, Client revenue.

CCN (Core, Casual, New) Paddy Galloway · Playbook 5: YouTube long-form

Every video must work for three kinds of viewers at once: core fans, casual viewers and new viewers. Over-serving fans or chasing strangers both fail. “All roads lead to CCN.”

Example: Do not say “as I said last week”. Give new viewers the context inside the action instead.

CCN: Casual viewers Paddy Galloway · Playbook 5: YouTube long-form

People who watch 1 in 3 or 1 in 4 of your videos. They must get it instantly. They can become core fans.

CCN: Core fans Paddy Galloway · Playbook 5: YouTube long-form

Your regulars who watch everything. The video must still delight them.

CCN: New viewers Paddy Galloway · Playbook 5: YouTube long-form

Everyone in your audience who has never seen you. A stranger with zero context must click and stay.

Challenge · Challenges

A time-boxed, intense personal push with a clear outcome, logged every day.

Example: “38-Day AI Agency Sprint — outcome: 3 paying clients and a working delivery system.”

Challenge day · Challenges

One logged day of the challenge with its tasks, KPI values, habits, health and journal. You create it with + in the side panel.

Challenge KPI Lead measures (The 4 Disciplines of Execution) · Challenges

A number you log every day for a section. Types: number (with unit and target), yes/no, or text. Good KPIs are lead measures — things you control daily.

Example: Learning: Pages read (number, pages, target 30). Sales: Follow-ups done (yes/no).

Challenge life area · Challenges

Creating a challenge also creates a life area with the same name. All challenge tasks and new challenge habits live there, so their focus hours show on that area and in Analytics.

Challenge section · Challenges

One stream of work inside a challenge. Each section has its own tasks, goals, KPIs and syllabus.

Example: Sections: Learning, Sales, Build, Content.

Channels Traction (Gabriel Weinberg) — the Bullseye framework · Campaigns

Where the campaign reaches people: LinkedIn, Instagram, TikTok, YouTube, X, Email, Ads, Events, Partnerships, Cold outreach. Fewer channels done well beat many done badly.

Example: LinkedIn posts + cold email to people who engaged.

Chaos agent Kallaway · Playbook 1–2: the loop and positioning

One creative bet a week. It can sit anywhere from your centre ring to ring 4. A random swing that might be the 1% hit.

Check date Getting Things Done (David Allen) · Commitments

For “Owed to me” items: the day to check if it arrived. It defaults to the expected day. On that day the item shows under “Check in today”.

Example: Contract expected Monday, check date Tuesday → Tuesday you send a nudge.

Check-in bishOS (energy management) · Morning start-up ritual

A quick self-rating of sleep, sleep quality, energy (1–5) and mood (1–5). It is saved to the day and shown in Journal, and it can switch on low-energy mode.

Example: 6h sleep, energy 2 → bishOS suggests a low-energy day.

Child piece bishOS · Piece editor

A piece linked to a parent hub. Created by the Repurpose dialog, by “Create as child piece” on an AI draft, or by Recycle (a recycled copy is a child of the original).

Click to unpause Paddy Galloway · Playbook 5: YouTube long-form

Pose a question the viewer must click to answer, like a paused moment just before the action. If someone was about to do something important, would this make them watch first?

Clickbait yes, bait-and-switch never Kallaway · Playbook 5: YouTube long-form

A strong, curious title is good. Promising something the video does not deliver is not. Bait, then give.

Client delivery project · Projects

A project you do for a paying client, linked to the won deal and the company, so sales and delivery stay connected.

Example: Deal “Acme website · won” → project “Acme website delivered” → company “Acme”.

Collector's fallacy Christian Tietze (zettelkasten.de) · Inbox

The feeling that saving something is the same as learning it. Saving a link costs nothing and teaches nothing. That's why 'To learn' asks why you are saving it.

Example: Instead of saving 40 sales articles, you save one 'to improve my cold-call opener'.

Command palette Software pattern (Sublime Text, Superhuman, Linear) · Command palette

A keyboard-first launcher: one shortcut opens a box where you type what you want instead of clicking through menus.

Example: Ctrl+K → 'pipe' → Enter opens the Pipeline.

Common belief vs contrarian take Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Write what most people think, then what you think instead. The distance between them is the contrast that makes people curious. Your take must be true and pay off.

Example: Belief: “You need a big network to get first customers.” Take: “Strangers give more honest feedback than friends, so cold outreach wins early.”

Company relationship bishOS · People

What a company is to you: Prospect (default), Customer, Partner, Past or Other. Winning a deal makes the company a Customer.

Example: Acme is a Prospect until you win; then it moves to Customers with health Healthy.

Confidence Superforecasting (Philip Tetlock) · Decisions & Issues

How sure you are that your expected outcome will happen, from 0 to 100%.

Example: 70% = you expect it to come true about 7 times out of 10 for decisions like this.

Consistency % bishOS · Habits

The main score. Over the last 30 days (since the habit started): days done ÷ days expected by your weekly target. Skip days are removed. Today counts only once logged. Capped at 100%. Shows “New” until there is data.

Example: 3×/week habit, 28 counted days → 12 expected; you did 9 → 75%.

Contacted (stage) bishOS stages · Pipeline

You reached out and are waiting for a reply. Suggested next step: “Follow up”.

Example: You sent a personal DM on Monday. Next step: follow up on Thursday.

Content formula (format matrix) Kallaway · Playbook 1–2: the loop and positioning

Formula = topic + format (story structure) + visual layout. 3–4 topics × 1–3 formats × 1–3 layouts gives 5–10 formulas to test in the lab. In the matrix, you either smash a proven cell with a new angle, or claim an empty cell nobody uses.

Example: “Cold outbound · personal narrative · green screen.”

Content Minutes Kallaway ("the most important framework in all of content") · Playbook 6–7: iterate and convert

People must watch a certain number of minutes of your content before they act. One minute watched = one block. About 4–5 minutes earns a follow; about 90 minutes turns a stranger into a superfan; bigger purchases need more minutes. Only minutes watched by people who trust you and have the problem count.

Example: A $97 product may need about 8–12 minutes. If a new viewer binges 8 of your shorts in one session, they may buy that day.

Content pillar bishOS Content Studio · Learning

A main topic of your content. A learning area can feed one pillar, so seeds from its notes land there.

Example: Learning area "Sales calls" feeds the pillar "Founder-led sales".

Content pillars Justin Welsh (content pillars); bishOS · Content Studio

The 3–5 themes you want to be known for, per brand. Every piece belongs to one. Pillars keep your feed coherent, so people (and the algorithm) know what you stand for.

Example: Personal: Founder lessons, Building in public, Learning in public. Company: Customer results, How-to & product, Industry myths.

Content seed bishOS / learn in public (swyx) · Notes

A draft content idea in Content Studio (stage Seed) made from a note. It is not published; you test it later as a short post.

Example: Your "Paid pilot" note becomes a seed with the hook "I stopped offering free trials. Here's why."

Context lean-in Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Line 1. Give the topic in the first sentence so people can opt in or out, then lean them toward the common belief with common ground, a pain or benefit, a metaphor or a mind-blowing fact. Lead with their benefit or pain.

Context window (tokens) Large language models · AI chat

AI models read text in small pieces called tokens (about 4 characters each). Everything in a conversation — your messages, answers and files — uses tokens. Too many tokens slows the model down or makes it forget early details.

Example: A 20-page PDF is about 10,000 tokens.

Contexts (GTD) Getting Things Done (David Allen) · Tasks

Tags that tell you where or how you can do a task, so you only see what you can do right now. In bishOS your contexts are the Energy level (Deep / Medium / Light) and the life area; filter by them.

Example: After three sales calls your brain is tired: filter Energy → Light (low) and clear five admin tasks.

Contrarian snapback Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Line 3. Still on topic, but the opposite of where line 1 leaned. The bigger the honest shock, the stronger the snap. It must be true and pay off.

Contrarian take vault Kallaway · Playbook 1–2: the loop and positioning

A list of things you believe that most people in your niche don't. Log a take every time you strongly disagree with someone. Aim for 3–5 big takes, with smaller takes under each. Every take is a hook.

Example: "Most founders think they need a sales hire. Actually, the founder should close the first 20 deals."

Conversation booked (stage, "Booked") bishOS stages · Pipeline

A call is on the calendar. Moving a deal here counts as a meeting for today's goal. Suggested next step: "Run the discovery call".

Example: Sara accepted a 30-minute call for Wednesday 3 pm.

Copy work (hook practice) Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Take top hooks from outliers in your niche, label the six power-word slots in each, then swap in your topic. Do 10–30 a week to train your hook instinct.

Cost per lead (CPL) Marketing metric · Campaigns

Spend ÷ leads. Shown as "Per lead" when you have spend and at least one lead.

Example: $300 spend, 6 leads → $50 per lead.

Creator context bishOS · AI content coach

Most helpers send a short context about you: your name, role and company from your Profile, "a startup co-founder building a personal brand and company content with very little time", and your pillars. Fill your Profile and pillars for better results.

Creator watchlist Kallaway · Playbook 3–4: data system and the 60-day lab

The creators you study for outliers. Start with about 10 who win in your space, talk about what you want to talk about, to the people you want. Grow to 20–30.

CTA ramp (in a piece) Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

The single off-ramp of this video. Picking Lead magnet shows your brand's lead magnet so the ask matches it. The ramp is copied to your next rep.

CTA ramp: Call / DM Kallaway · Playbook 6–7: iterate and convert

For high-ticket offers: "comment X / DM me".

Example: "DM me AUDIT if you want us to do this for you."

CTA ramp: Follow / series Kallaway · Playbook 6–7: iterate and convert

Bingeability: "part 2 next". Builds content minutes.

Example: "Follow for part 2 tomorrow."

CTA ramp: Lead magnet (email) Kallaway · Playbook 6–7: iterate and convert

His favourite: a free resource aligned with the topic, in exchange for an email.

Example: "Comment PLAYBOOK and I'll DM you the free template."

CTA ramp: None this time Kallaway · Playbook 6–7: iterate and convert

A pure trust-building rep with no ask.

CTA ramp: Sales page Kallaway · Playbook 6–7: iterate and convert

Send them to buy. For a low-ticket offer or when trust is already high.

Example: "The full system is linked in my bio."

CTA ramps Kallaway · Playbook 6–7: iterate and convert

The five kinds of off-ramp. Use exactly one per video: Lead magnet (email), Sales page, Call / DM, Follow / series, None this time.

CTR Kallaway / Paddy Galloway · Piece editor

Click-through rate on YouTube: the % of people who saw the thumbnail and clicked. Noisy: big audiences have lower CTR. Best-in-class is about 10–12%.

Cumulative XP · Analytics

Your total XP at the end of each week, including everything earned before the period. The line only goes up; a steeper slope = a better week.

Customer health Customer success health scores (common SaaS practice) · Customers

A simple traffic light for each account: Healthy (green) = happy and on track, Watch (yellow) = small warning signs, At risk (red) = they might leave. You set it by judgement after each conversation.

Example: The client stopped replying to updates and asked about the contract end date → set At risk and book a save call.

Customer since bishOS · Customers

The date of the first won deal with this company.

Example: "Customer since Mar 2026".

Cycle week 12 Week Year · Goals · 12 weeks

A cycle always starts on a Monday and lasts 84 days. Week N = full weeks since the start + 1, shown from 1 to 12 ("Week 4 of 12").

Example: Start Monday Oct 27. On Wednesday Nov 19 you are in week 4.

Cynicism (detachment) WHO ICD-11 (mental distance); Maslach · Energy & Wellbeing

Feeling distant from, or negative about, your work. Question: "How often did you feel detached from, or negative about, your work?" (1 Rarely – 5 Constantly; higher is worse).

Example: Client messages make you roll your eyes all week → 4.

Daily loop Full Focus + Cal Newport, Deep Work · How bishOS works

Start-up (plan) → capture (C) → work the Top priorities in focus blocks → shutdown (close every loop). About 10 minutes of planning a day buys a calm, focused day.

Example: 8:30 start-up, 9:00–12:00 deep work on Top 1 and 2, 14:00 sales block, 17:30 shutdown.

Daily note Common practice in Obsidian / LYT · Notes

A simple log of one day. Daily notes are left out of Review mode and map suggestions.

Example: "Oct 20 — calls with 2 leads, pricing objection came up twice."

Daily pace line bishOS · Learning

The dashed line on the week bars: your weekly target divided by 7. Bars above it mean you are ahead.

Example: Target 140 min → pace line at 20 min a day.

Daily shape bishOS · Morning start-up ritual

How you structure your priority list: Big 3, Ivy Lee 6 or 1 · 3 · 5. It sets how many tasks you may pick.

Example: Heavy delivery day: Big 3. Many small client requests: 1 · 3 · 5.

Data is a lagging indicator Kallaway · Playbook 6–7: iterate and convert

Numbers only confirm, later. The leading indicator is following the principles while you make the video. Get a peer one level above you to review your inputs.

Data-enabled creativity Kallaway · Playbook 3–4: data system and the 60-day lab

Use data (outliers) to choose topics, hooks and formats. Save your creativity for the one place data cannot help: your non-obvious angle. It means more hits per rep.

Day bishOS · How bishOS works

Each date has one day record: your check-in, day type, Top priorities, intention, if–then plan, resume note, progress line, lesson, journal and day score. The start-up fills the morning part; the shutdown fills the evening part.

Example: Tuesday: energy 4/5, Focus day, Top 3 picked, shutdown done, day score 90.

Day journaling After Action Review (US Army); Start / Stop / Continue · Challenges

Four short reflections every evening — what went well, what wasn't good, how to improve tomorrow, key lessons — plus energy 1–5.

Day progress ring bishOS · Topbar

A three-part check of today: start-up done, all Top priorities done, shutdown done. Each part is one third of the ring.

Example: Start-up done and 2 of 3 Top priorities done → 33%.

Day score bishOS · Today (your home screen)

A 0–100 score for one day. Start-up done 20 + share of Top priorities done × 30 + share of habits done × 20 + shutdown done 20 + a progress line or win written 10. Today shows it live; the shutdown saves the final score to the Journal.

Example: Start-up (20) + 2 of 3 Top done (20) + all habits (20) + shutdown (20) + progress line (10) = 90.

Days since rest bishOS wellbeing observations · Founder HQ

Days since your last Free Day or your last day with no focus session (looking back up to 28 days). At 14 or more it turns amber and an observation appears.

Example: You worked 16 days in a row → "16 days since a day off."

Days to close (sales cycle) Standard sales metric (sales velocity) · Pipeline

The average number of days from creating a deal to winning it, for deals won in the last 90 days.

Example: "~34d to close": a lead you add today will likely close next month.

DCT (Data, Creativity, Transpositioning) Kallaway · Playbook 3–4: data system and the 60-day lab

Where data and creativity go. D: data picks the topic. C: creativity picks the angle. T: transpositioning, borrowing a winning format from outside your niche.

DCT: Creativity picks the angle Kallaway · Playbook 3–4: data system and the 60-day lab

Your non-obvious take on a validated topic. This is where your thinking goes.

DCT: Data picks the topic Kallaway · Playbook 3–4: data system and the 60-day lab

Outliers tell you what to talk about. You do not guess.

DCT: Transpositioning Kallaway · Playbook 3–4: data system and the 60-day lab

If formats in your niche are saturated, borrow one from another niche.

Example: A top-down shot from a hat-making creator, used for a founder explaining a whiteboard plan.

Decision journal Farnam Street (Shane Parrish); Daniel Kahneman · Decisions & Issues

A notebook of important decisions written at the moment you decide: the situation, options, your choice, what you expect, how sure you are and how you feel. Later you compare it with what happened.

Example: "Raise price from $3K to $4.5K. Expect: lose 1 in 5 leads, revenue up 20% in 8 weeks. 65% sure. State: rested, calm."

Deep share · Focus

Deep hours ÷ all focus hours this week × 100. Unmarked time counts in the total, so tag your sessions. 50% or more turns green.

Example: 12h focus, 7h tagged Deep → 58% deep share.

Deep work vs shallow work Deep Work (Cal Newport) · Focus

Deep work is focused, hard thinking without distraction; it creates most of your value. Shallow work is easy, often interrupted work like email and admin. In bishOS: Deep = maker, Shallow = manager.

Example: Writing the sales page for 90 minutes with the phone away = deep. Answering 30 emails = shallow.

Deep work: planned vs actual · Analytics

Planned = hours of calendar blocks (Free blocks excluded). Actual = focus hours logged. A big gap means the calendar is a wish, or you do not log your focus.

Defaults, not laws bishOS · How bishOS works

Numbers like 5.5 hours of daily capacity, 3 goals, 85% execution or 20 outreach touches are starting points. You change them in Settings.

Example: You work 4 focused hours on school-run days, so you lower Daily capacity to 4.

Deferral count bishOS · Morning start-up ritual

How many times a task was pushed to tomorrow. From 2 deferrals the start-up asks 'keep or drop?'; from 3 the task drawer warns you. A task moved again and again is usually not important or not clear.

Example: 'Write ebook' moved 4× → you break it into 'Outline chapter 1 (30 min)'.

Delegate candidate bishOS · Delegation

An activity rated $ or $$ in your audit. bishOS estimates its hours per week (minutes logged ÷ weeks in the audit) and the weekly cost at your Buyback Rate.

Example: "Invoices: 2.5h/wk, 18.75/wk at buyback rate."

Delegate flag Buy Back Your Time (Dan Martell) · Tasks

A mark that says "this should not be me". It reminds you to record how you do it, so you can hand it off and buy back your time.

Example: "Format the weekly report" gets the Delegate chip. Next time you record a 3-minute screen video for an assistant.

Delegate flag ("Should not be me") bishOS · Delegation

A checkbox on any task. It means "someone else should do this". The task enters the record queue until you create an SOP from it.

Example: You tick it on "Send monthly invoices".

Delegated (SOP status) bishOS · Delegation

Someone else now owns and runs this process.

Example: Your VA runs weekly invoicing; Owner = "Sara".

Delegation quadrant Dan Martell (DRIP) · Delegation

Low $ and draining. These tasks cost energy and earn little. Hand them off first.

Example: Inbox cleanup, invoicing, scheduling.

Delegation readiness Buy Back Your Time (Dan Martell) · Founder HQ

How many of your repeated processes are written down (documented) or already handed off (delegated). A process that is documented can be given to a freelancer or hire tomorrow.

Example: Admin rung: 4 of 5 processes documented → 80% ready. You could hire a VA next month.

Delivery (rung 2) Dan Martell (Replacement Ladder) · Delegation

Doing the work for clients: onboarding, kickoff, milestones, handover.

Example: A project manager runs client kickoffs from your SOP.

Demonstration of ability (light-bulb moments) Kallaway · Playbook 6–7: iterate and convert

No proof yet? Give about 2 non-obvious insights per video ("oh wow, I never thought of that"), video after video. Enough of them can equal the trust that proof gives. Copied ideas add zero trust.

Desire loop Kallaway · Playbook 5: YouTube long-form

The title must trigger a want: solve a pain, FOMO about missing the fix, or a benefit they desire. Or an unanswered question for entertainment.

Example: "The Cold Email Mistake Costing You Every Reply" (pain + FOMO).

Desktop (push) notifications Web Push · Notifications

Pop-ups from your browser even when bishOS isn't the open tab (the browser must be running). Turn them on in Profile → Desktop notifications.

Example: A pop-up when a scheduled task starts.

Dictation Web Speech API · Quick capture

Speaking instead of typing. bishOS uses the speech recognition built into Chrome and Edge, in your browser's language.

Example: Driving home (parked), you speak a brain dump of tomorrow's calls.

Difficulty FSRS · Recall

In plain words: how hard this card is for you, on a scale of 1 to 10. Hard cards grow their intervals more slowly. Again and Hard push it up; Good and Easy pull it down.

Example: A card with a long list answer becomes “difficult” and comes back more often.

Direct vs implied contrast Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Direct contrast states the belief and then flips it (stronger). Implied contrast only states the surprising side and lets the viewer fill in the belief (weaker).

Discovery done (stage) bishOS stages; BANT qualification (IBM) · Pipeline

Pain, budget and the decision-maker are confirmed. The app warns you if those fields are empty. Suggested next step: “Send the proposal”.

Example: Pain: 10 hours a week on manual reports. Budget: $5–8K. Decision-maker: the CFO.

Distance of iteration Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

“The distance of iteration between reps is where the sauce is.” The improvement from one rep to the next matters more than any single video.

Documented (SOP status) bishOS · Delegation

The steps are written and checked. Someone else could run it.

Example: “Weekly invoicing” with 9 steps and a video.

Done (resource status) bishOS · Library

Finished. Write takeaways and turn them into recall cards.

Example: Done: “Never Split the Difference” with 3 takeaways and 3 cards.

Done list “Done list” / “ta-da list” practice · Wins

A list of what you finished, instead of only what is left. It shows that you are moving.

Dopamine ladder Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Six levels of attention and loyalty a viewer climbs. Levels 1–4 are the message; levels 5–6 are the messenger. The goal: seeing your face or name alone makes people expect value.

Draft (SOP status) bishOS · Delegation

Started but not complete yet — steps missing or not checked.

Example: A draft created from a task, with no steps yet.

Dream outcome $100M Offers (Alex Hormozi) · Offers

The result the client really wants, in their words, ideally with a number. Higher = better.

Example: Not “a CRM setup” but “never lose a lead again: every inquiry answered in 5 minutes”.

Drill your weakest point Scott Young, Ultralearning (drill) · Learning

Spend practice time on the sub-skill that holds you back most, instead of what you already do well.

Example: Your videos lose viewers at second 3 → drill hooks, not editing.

DRIP matrix Dan Martell, Buy Back Your Time · Delegation

A 2×2 grid that sorts every task by money value (high/low) and energy (energizing/draining): Delegation, Replacement, Investment, Production.

Example: Your audit shows 30% Delegation — the first thing to hand off.

Drop-off phrases Paddy Galloway · Playbook 5: YouTube long-form

Words that make viewers leave because they signal an ending or filler: “at the end of the day”, “without further ado”, “welcome back”, “before we get started”, “make sure to subscribe”. The script check in workflow step 5 flags them.

Dropped (resource status) bishOS · Library

Let go, guilt-free. Not every resource deserves to be finished.

Example: You drop a course after module 2 because it is too basic.

Dropped issue bishOS · Decisions & Issues

An issue that no longer matters or that you decided not to solve. Dropping is a decision, not a failure.

Example: “Build a mobile app” dropped: customers don't ask for it.

Due now bishOS · Finance · budgets, bills, invoices & goals

An active recurring item that is late or due within the next 3 days.

Example: Rent due in 2 days and a tool 1 day late → Due now = 2.

Due queue bishOS · Recall

Today's session list: up to 30 due cards. First cards in short steps, then review cards (most overdue first), then new cards. Topics are mixed across learning areas.

Example: Your 30-card session mixes Sales, Video and Finance cards instead of 30 sales cards in a row.

Easy (rating 4) Anki / FSRS rating scale · Recall

You knew it instantly. The card jumps far ahead (a new card skips the short steps and goes to about 14 days).

Example: “What does CAC stand for?” → instant → Easy.

Efficacy WHO ICD-11 (reduced efficacy); Maslach · Energy & Wellbeing

Feeling that you accomplish worthwhile things. Question: “How confident are you that you're accomplishing worthwhile things?” (1 Not at all – 5 Very; lower is worse).

Example: You feel busy but useless → 2.

Effort & sacrifice $100M Offers (Alex Hormozi) · Offers

How much work, pain or change the client must do. Higher = more work = worse. Done-for-you lowers it.

Example: “We build the list, write the messages and send them” vs “we give you a course”.

Effort-not-converting signal bishOS; execution score from The 12 Week Year (Moran & Lennington) · Energy & Wellbeing

Your weekly execution score dropped 15+ points while your hours stayed high (80%+ of your cap). More hours are not helping; less and more focused is the fix.

Example: Execution 85% → 62% with 50 hours worked → active.

Elimination test: 80% rule Paddy Galloway · Playbook 5: YouTube long-form

The idea shares about 80% of your audience. Only 1 in 4–5 videos may be an experiment outside that.

Elimination test: Can we make it great? Paddy Galloway · Playbook 5: YouTube long-form

Execution is realistic with your time, money and skills.

Elimination test: Can we package it? Paddy Galloway · Playbook 5: YouTube long-form

Can you see a title and thumbnail you would click? This one test alone removes about two-thirds of ideas.

Elimination test: CCN fit Paddy Galloway · Playbook 5: YouTube long-form

Core, casual and new viewers all care.

Elimination test: Glance test Paddy Galloway · Playbook 5: YouTube long-form

Understood in one second.

Elimination tests Paddy Galloway · Playbook 5: YouTube long-form

Yes/no gates that cut 100 ideas to about 10. If 30 survive, your tests are too soft; if 1–2 survive, too strict.

Emergency fund Standard personal finance advice (e.g. Dave Ramsey, Ramit Sethi) · Finance · budgets, bills, invoices & goals

Cash kept only for bad surprises (illness, a lost client, a broken laptop). The usual target is 3–6 months of your personal costs.

Example: Personal costs $1,200/month → emergency fund target $3,600 to $7,200.

Emotion: Amusement / humor Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

They laugh or smile. Light, relatable moments.

Emotion: Anger / outrage Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

They feel something is unfair or wrong. Use with care; great for comments.

Emotion: Awe / inspiration Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

“Wow, that is possible?” Big results, bold journeys.

Emotion: Excitement / joy Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

They feel energy and hope. Wins, launches, new tools.

Emotion: Sadness / empathy Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

They feel your struggle. Honest failure stories.

Emotion: Surprise / curiosity Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

They did not expect that and want to know more. The default for education.

Energizing / Neutral / Draining Dan Martell, Buy Back Your Time · Delegation

How a task leaves you: more charged, the same, or tired. In the DRIP matrix Neutral counts as energizing.

Example: A strategy session energizes you; reconciling expenses drains you.

Energizing % (Delegate & Elevate) Gino Wickman, EOS / Traction (Delegate and Elevate) · Delegation

The share of your logged time in Production + Investment. EOS suggests getting about 80% of your work into what you love and are great at.

Example: 52% energizing → hand off two draining tasks this month.

Energy curve bishOS; chronotype research (quizzes show weak effects) · Energy & Wellbeing

Your personal pattern of energy across the day and the week, learned from your own check-ins and focus sessions — not from a quiz.

Example: Your data shows Tuesdays are your best days and 9–11am your best focus window — you put sales calls in the afternoon.

Energy level (Deep / Medium / Light) Deep Work (Cal Newport); The Power of Full Engagement (Loehr & Schwartz) · Tasks

How much mental energy a task needs. Match the task to your energy: deep tasks when you are fresh, light tasks when you are tired. High energy tasks are logged as deep work in Focus; low energy tasks as shallow work.

Example: Coding a feature = Deep. Booking a flight = Light.

Energy trend · Analytics

The weekly average of your morning energy and mood (1–5). Watch the direction, not one day. An insight compares energy after 7h+ sleep with shorter nights.

Engagement filter Kallaway (5% in one video, 2% in later sources) · Playbook 3–4: data system and the 60-day lab

Only trust outliers with engagement of about 2–5% or more ((likes + comments + shares) ÷ views). Paid brand deals often inflate views with low engagement; this filter removes them.

Entrepreneur, not YouTuber Kallaway · Playbook 5: YouTube long-form

You use YouTube as a free traffic source, like ads you do not pay for. Every video aligned with your offer is a sales agent that works 24/7 for years.

EOS Scorecard EOS — Traction (Gino Wickman) · Scorecard

A short list (5–15) of weekly numbers with a target and an owner, reviewed every week over a rolling 13 weeks. If a number is off track, it goes on the issues list.

Example: Every Monday a team looks at 10 numbers in 5 minutes and only discusses the red ones.

EOS To-Dos EOS (Gino Wickman, Traction) · Commitments

In EOS, to-dos are 7-day action items from the weekly meeting; the goal is to finish 90% of them every week. Commitments play this role for a solo founder.

Example: Weekly review: 10 promises due this week, 9 done = 90%.

EOS-lite Based on EOS — Traction (Gino Wickman) · Scorecard

bishOS uses the parts of EOS that help a solo founder: a weekly Scorecard, an Issues list solved with IDS, and promises tracked like EOS To-Dos — without the team meetings and org charts.

Example: Friday: scorecard → red numbers become issues → solve the top 3 → each solution becomes a task or promise.

Estimate and planned time Daily planning with time estimates (Sunsama-style capacity check) · Tasks

Your guess of how long a task takes. The Today list adds the estimates of your open Top 3 and planned tasks; tasks without an estimate count as 30 minutes. Compare it with your real free time.

Example: Planned 7h 30m but you have 3 calls: move two tasks to Tomorrow.

Evergreen (note status) Andy Matuschak (evergreen notes) · Notes

A mature note you keep improving and reuse often — in posts, pitches and decisions.

Example: Your note on your positioning statement, used in 5 posts and the sales deck.

Execution score Brian Moran, The 12 Week Year · Today (your home screen)

The share of this week's planned lead actions (weekly tactics of your 12-week goals) that you actually did. Aim for 85% or more; that level of execution usually reaches the goal.

Example: You planned 20 tactics and did 17 → 85%.

Exhaustion WHO ICD-11; Maslach · Energy & Wellbeing

Feeling drained of energy by work. Question: “How often did work leave you drained of energy this month?” (1 Rarely – 5 Constantly; higher is worse).

Example: You end most days unable to think → 4 or 5.

Expansion deal Land and expand (B2B sales) · Customers

A new deal with an existing customer: more work, a new service or a renewal. It shows as a chip on the customer card.

Example: Acme loved the website; now an “Acme: SEO retainer” deal at Proposal.

Expense · Finance · cash, spending & runway

Money that goes out to someone else: rent, food, software, contractors, taxes.

Example: You pay $15 for Figma from the business account → Expense, Business, category Software/SaaS.

Feynman draft Richard Feynman; swyx (learn in public) · AI helpers for notes and learning

The AI version of the Feynman step: a simple explanation of your note plus the jargon it could not avoid — your next gaps.

Example: From your note on unit economics, AI flags “contribution margin” as jargon.

Final grade (0–1) OKR grading (Google) · Goals · 12 weeks

At the end of the cycle each goal gets a grade from 0 to 1. The app suggests one: the average of the key results' completion (each capped at 1). 0.7 or more counts as achieved.

Example: New MRR 8,000/10,000 = 0.8 → achieved.

First-try recall bishOS · Recall

On the done screen: the % of cards you got right the first time you saw them in this session.

Example: 20 cards, 17 right first time → 85%.

Fleeting note Sönke Ahrens, How to Take Smart Notes · Inbox

A quick, rough note to keep a thought. Later you turn the good ones into proper notes or throw them away.

Example: 'Clients buy outcomes, not hours — blog idea?'

Flip point Kallaway · Playbook 6–7: iterate and convert

The price where the buyer's risk becomes bigger than the reward they expect. Price below it, or above it with a guarantee.

Flop diagnosis order Kallaway · Playbook 6–7: iterate and convert

When a piece flops, check in this order every time: 1 Was the topic validated by an outlier? 2 Was the angle non-obvious (shock score high enough)? 3 Did the hook land (3s hold ≥70% for shorts; CTR and first 30 seconds for YouTube)? The first “no” is your weak brick.

Flywheel conversion % · Analytics

A stage's value ÷ the previous stage's value × 100 (for Follows, Leads, Deals created and Deals won). Views show “avg per piece” instead, and Revenue shows “avg per deal”. “Biggest drop” marks the lowest conversion below 100%.

Example: 2,000 follows → 20 leads = 1% of follows; 20 leads → 5 deals created = 25%.

Focus / Buffer / Free day types Entrepreneurial Time System (Dan Sullivan) · Week

Every day gets a type. Focus = revenue and delivery work. Buffer = prep, admin and catch-up. Free = no work, midnight to midnight. Set defaults in the Ideal Week; change single days on the 7-day strip.

Example: Mon–Thu Focus, Fri–Sat Buffer, Sun Free.

Focus by weekday · Analytics

Focus minutes on each weekday ÷ how many of that weekday fell in the period. The highest is your best day for deep work.

Focus day / Buffer day / Free day Dan Sullivan, Strategic Coach (Free, Focus, Buffer days) · Morning start-up ritual

Three day types. Focus day: revenue and deep work. Buffer day: admin, prep and catch-up. Free day: no work at all, midnight to midnight. Free days are neutral for your ritual streak.

Example: Mon–Wed Focus, Thursday Buffer for invoices and email, Sunday Free.

Focus this week (project) · Projects

Focus time logged Monday–Sunday on the project or on its tasks. “Deep” counts only sessions marked deep (maker).

Example: “3h 20m this week · 2h deep” — most of it was real build time.

Forgiving streak bishOS; “Never miss twice” (James Clear) · Habits

Counts days you did the habit (done, 2-minute or stretch). Skips and misses don't break it while each Mon–Sun week stays within its allowance: rest days (7 − target) + reserve skips. A full week with nothing logged always breaks it. Today doesn't break it before the day ends.

Example: Daily habit with 2 reserves: you can miss or skip 2 days a week and keep the streak.

Format bishOS · Library

The type of resource: Book, Course, Video, Article, Podcast, Paper, Tool or Other.

Example: Notion = Tool; a YouTube talk = Video.

Format Pyramid Kallaway (Open Residency podcast, Oct 2026) · Playbook 1–2: the loop and positioning

Four levels of content, from the base up: Facts, Explanation, Application, Stories. Higher is harder to make and reaches fewer people, but nobody can copy it. As a niche fills up, a saturation line rises from the bottom.

Format: Case study Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Someone got a result in an unexpected way. Very strong for educators.

Example: “[Person] just did [result] in [time] using this [N]-step method.”

Format: Comparison Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

A vs B, beginner vs expert, good vs bad.

Example: “Beginner founder vs experienced founder.”

Format: Contrarian Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

A bold take in the first sentence. Drives comments.

Example: “Most people think [belief]. They're wrong.”

Format: Education Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Opens a step-by-step for one task. Comes before a tutorial.

Example: “Here's the easiest way to use [tool] to [task].”

Format: List Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

An ordered set of items.

Example: “These are the [N] best [things] for [goal].”

Format: Personal experience Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

A first-person story setup.

Example: “When I was [context], I used [technique] to [result].”

Format: Problem Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Agitates a known pain, then promises a fix.

Example: “If you struggle with [pain], this is one obvious fix.”

Format: Question Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Plants the question directly in their head.

Example: “Can you [do X] in under [time] using only [Y]?”

Format: Secret reveal Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

An unknown insight or a new release.

Example: "[Company] just released [N] free [thing] that make [outcome] way faster."

Formula status (Testing / Winner / Retired) Kallaway · Playbook 1–2: the loop and positioning

Testing: still being tried. Winner: performs on your KPI. Retired: burned out or failed. Formulas burn out, so retire them and replace them. Retired formulas do not count toward the 5+.

Founder default week bishOS Founder OS · Week

The starting template: start-up 8:30 on weekdays; Mon/Tue/Thu delivery deep work 9:00–12:30; outreach & follow-ups every weekday after lunch; client and sales calls in the afternoons; Wednesday content hub writing and pipeline review; Thursday "Cut hub into short posts"; Friday buffer, weekly review 14:00 and co-founder sync; shutdown ritual each workday; workouts Mon/Wed/Fri 7:00 and Saturday 17:00; a Saturday learning session; and a protected Free Day (Sunday by default). Blocks are tagged with matching life areas when the names fit.

Founder flywheel Flywheel effect (Jim Collins); content-led growth · Analytics

The chain that turns content into revenue: Content published → Views → Follows → Leads → Deals created → Deals won → Revenue won. Views, follows and leads come from each published piece's most mature performance snapshot (30d, else 7d, else 24h). Deals count every channel.

Founder-led sales Founding Sales (Pete Kazanjy) · Pipeline

In the early days the founder sells, not a sales team. You learn what customers really want, and later you can teach it to a salesperson. It needs a simple, honest process and a daily habit.

Example: Bish runs every discovery call himself for the first 20 clients, writing down their exact words about their pain.

Founder-led, low-budget marketing bishOS AI instructions; Traction (Gabriel Weinberg) · Strategy AI

Campaign ideas favour plays a solo founder can run with no team and little money: content, cold outreach, partnerships and email, aiming for sales conversations within 2–4 weeks.

Example: "Partner webinar with a complementary agency, invite both email lists, offer a free audit."

Free block · Week

Protected rest with no work. The only kind of block allowed on a Free Day.

Free Day Free Days (Dan Sullivan, Strategic Coach) · Week

A full day, midnight to midnight, with zero work: no email, no calls, no "quick check". You plan it first so rest is not leftovers. The default weekday is set in Settings → Protected Free Day.

Example: Sunday: family, sport, no laptop. The Ideal Week never puts work blocks on it.

Free Days first Dan Sullivan (Strategic Coach) · Reviews

Put holidays and Free Days on next year's calendar before any work, so rest is protected, not squeezed in.

Free dessert Kallaway · Piece editor

End a long video with a small unexpected bonus, so viewers leave on a high.

Fresh start Hengchen Dai & Katy Milkman (the fresh start effect) · Morning start-up ritual

After 3 or more days without a ritual, bishOS greets you with 'Welcome back' instead of a wall of red. People restart more easily at a clean 'new beginning'. You decide what still matters and move on.

Example: Back from a 5-day trip: 'Fresh start' → all leftovers to backlog → pick today's Top 3.

Frozen score bishOS · Reviews

Completing the weekly review saves that week's execution score in the week plan. It no longer changes, even if you log more later. The bars show "· frozen at review" and the Week page shows the banner.

FSRS Jarrett Ye / Open Spaced Repetition (also used in Anki) · Recall

Free Spaced Repetition Scheduler — a modern memory model trained on hundreds of millions of reviews. It predicts when you will forget each card and schedules it just before. bishOS uses FSRS-4.5 with the default settings. It needs fewer reviews than older methods (like SM-2) for the same memory.

Example: Two cards you both rated Good can get different intervals, because FSRS tracks how hard each one is for you.

Funnel switch: Aligned offer Kallaway · Playbook 6–7: iterate and convert

An offer priced below the flip point, that gives the buyer about 10× return within 30 days.

Funnel switch: Bullseye signal Kallaway · Playbook 6–7: iterate and convert

Lines 1–2 of the video make it unmistakably a solution to THEIR pain. Viewers sort content into "solution", "entertainment" or "irrelevant"; only the solution bucket buys.

Example: "If you're a founder still doing every sales call yourself, this is for you."

Funnel switch: Clear ramp Kallaway · Playbook 6–7: iterate and convert

One off-ramp per video, tightly aligned with the topic. Like an exit to New York after an hour of talking about New York.

Funnel switch: Trust Kallaway · Playbook 6–7: iterate and convert

Stack 2 or more rungs of the trust ladder in the video.

Funnel switches in a piece Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

In step 6 you check the four multiplied switches for this one video: is the pain signal clear in lines 1–2, is there trust, is there one clear ramp, is the offer aligned?

Game #1: Entertainment media Kallaway · Playbook 1–2: the loop and positioning

Maximum views. Money from ad revenue (CPM) and brand deals. KPI: views. Kallaway calls it a losing game to start now: you compete with MrBeast, Netflix and AI.

Game #2: Education media Kallaway · Playbook 1–2: the loop and positioning

Teach things people can apply. Still a media business: money from CPM and brand deals. KPI: followers.

Game #3: Simple product Kallaway · Playbook 1–2: the loop and positioning

A product that needs no explanation (clothes, drinks, a couch). Just show it in a cool context. KPI: conversions.

Game #4: Product that needs explaining Kallaway · Playbook 1–2: the loop and positioning

A product people do not understand at first sight (a SaaS tool, a standing desk). Short education closes the "what is it, why do I need it" gap. KPI: conversions, ideally in one session.

Example: A 45-second short that shows how your app saves a clinic 5 hours a week.

Game #5: Authority / B2B Kallaway · Playbook 1–2: the loop and positioning

Services, coaching, info products, B2B SaaS. People must trust you before they buy. Trust is the currency and email is the asset. KPI: emails. Kallaway's specialty, and the usual founder game.

Gaps list ("Things I don't know") Richard Feynman (his "notebook of things I don't know about") · Learning

A running list of questions you could not answer. You add them while practising and close them one by one.

Example: Gap: "How to handle the 'too expensive' objection." Closed after 2 role-play sessions.

Gate item: Captions / subtitles Kallaway · Content Studio

Most people watch muted. Burn in captions. Video only.

Gate item: Custom cover / thumbnail Kallaway · Content Studio

Make a real cover. Most shares happen in DMs and group chats, where only the cover shows and the video does not autoplay.

Gate item: Every visual matches its words Kallaway · Content Studio

For each sentence, ask: what is the best way to show this? Wrong visuals at the wrong time confuse people. Video only.

Gate item: Eyes-closed pacing test Kallaway · Content Studio

Listen to your edit without watching. Bored? Cut tighter. Lost? Add breathing room. Video only.

Gate item: Hook passes the audit Kallaway · Content Studio

Clear subject, one question, speed to value, and curiosity for line 2. Run the Hook audit in workflow step 3 first.

Gate item: Lock-in zone confirms the hook Kallaway · Content Studio

The 5–10 seconds after the hook must confirm the hook's claim (no bait-and-switch) and show a trust anchor (proof, result, credential). Video only.

Example: Hook: "This email got us 40 demos." Lock-in: you show the email and the calendar full of demos.

Gate item: One CTA ramp, aligned with the topic Kallaway · Content Studio

One call to action per piece, and it must be the natural answer to the topic, not an ad break.

Example: A video on cold email ends with "Comment EMAIL and I'll send you my template."

Gate item: Repurpose plan bishOS · Content Studio

Ticks itself once the piece has at least one repurposed child.

Gate item: Tagged with a pillar bishOS · Content Studio

Ticks itself when the piece has a pillar.

Gate item: Two dopamine hits early Kallaway · Content Studio

Give two useful insights before the viewer could leave. Two hits and they are locked in. One, maybe. Zero, they bounce.

Gate item: Visual, spoken & text hooks say the same thing Kallaway · Content Studio

What they see, hear and read in the first seconds must mean the same thing. “Confusion leads to churn.” Watch it with the sound off: is it still clear? Video only.

Get clear / Get current Getting Things Done (David Allen) · Reviews

Get clear = empty every inbox (email, messages, notes, your head) so nothing lives only in memory. Get current = check the calendar, projects, pipeline and promises so every loose end has a next step.

Example: Process 14 inbox items, then give the 2 projects without a next action a task each.

Glance test Paddy Galloway · Playbook 5: YouTube long-form

Can the whole idea be understood in one second, in one line? Viewers give each video about 1 second on a feed. If you need a paragraph to explain it, the idea is not good yet.

Example: “I Tried Cold Calling For 30 Days” passes. “My thoughts on outbound strategy in 2026” fails.

Goal cap The 4 Disciplines of Execution (few wildly important goals); Essentialism (Greg McKeown) · Goals · 12 weeks

At most 3 active 12-week goals per cycle (change it in Settings → Caps → “Active 12-week goals”, 1–8). The app blocks one more: finish, drop or move one to the backlog first.

Example: You run a Sales, a Product and a Fitness goal. A podcast idea goes to the Someday backlog.

Goal hit-rate (~80%) bishOS; OKR practice · Reviews

The share of your decided goals that were achieved. About 80% is healthy. Near 100% means the goals were too safe; below 70% means too many or too big.

Goal link (Serves goal) · Challenges

Link the challenge to one 12-week or annual goal, so the push clearly serves your direction.

Example: Challenge “38-Day AI Agency Sprint” serves the 12-week goal “3 paying AI clients”.

Goal progress % bishOS · Goals · 12 weeks

Comes from the measurable target when one is set; otherwise the average of the key results (each capped at 100%); otherwise milestones done ÷ total.

Good (rating 3) Anki / FSRS rating scale · Recall

You recalled it correctly with normal effort. This should be your most common answer.

Example: You answered “mirror, label, calibrated question” after a second → Good.

Good data vs no data vs bad data Paddy Galloway · Playbook 5: YouTube long-form

Good data is better than no data: do not touch a video that beats expectation. No data is better than bad data: if it clearly underperforms, change the thumbnail (then the title) now; do not “give it more time”. Never make 10 title changes on day 1.

Good decision vs good outcome Thinking in Bets (Annie Duke) · Decisions & Issues

A good decision can have a bad outcome (bad luck), and a bad decision can turn out well. Judge the reasoning, not only the result.

Example: You picked the safer client and they went bankrupt. Was the information available? If not, the decision was still good.

Graduate bishOS · Habits

Move an automatic habit to lighter tracking. It leaves the Today list and no longer counts in the execution score, but keeps its history. Resume anytime.

Grand Slam Offer and the stack $100M Offers (Alex Hormozi) · Offers

An offer so good people feel stupid saying no. You build it by stacking deliverables and bonuses so the total value is far above the price.

Example: Website + 30 days of support + copywriting + a booking system bonus + a lead-response guarantee.

Growth step: 3-2-1 plan Kallaway · Playbook 1–2: the loop and positioning

3 buckets × 2 videos a week + 1 chaos agent. Done when all 3 buckets have a name.

Growth step: Audience bullseye Kallaway · Playbook 1–2: the loop and positioning

Rings from your narrowest niche outward. Done at 2+ rings.

Growth step: Competitor watchlist Kallaway · Playbook 1–2: the loop and positioning

List ~10 creators to start, 20–30 later. Done at 10+ creators (in the Data system section).

Growth step: Format matrix Kallaway · Playbook 1–2: the loop and positioning

Story structure × visual layout. Done at 5+ live content formulas.

Growth step: Niche interview Kallaway · Playbook 1–2: the loop and positioning

Answer who you serve, what you sell, your ideal viewer, their dream outcome, their pains and your unfair advantage. Done when Audience of one and Max-pain steps are filled.

Growth step: Positioning wheel Kallaway · Playbook 1–2: the loop and positioning

Map competitors on each axis of uniqueness and find the white space. Done at 3+ filled axes.

Growth step: Topic scanner Kallaway · Playbook 1–2: the loop and positioning

Scan competitor outliers and mark the ones you have a non-obvious take on. Done at 5+ outliers of 5× or more.

Growth step: Write hooks & scripts by hand Kallaway · Playbook 1–2: the loop and positioning

AI can get a draft to about 90%. The last 10%, your voice and your take, is you. Done at your first rep.

Guarantee (risk reversal) $100M Offers (Alex Hormozi) · Offers

A promise that moves the risk from the client to you. Unconditional: money back, no questions. Conditional: money back if they did their part. Performance-based: you keep working (or pay) until the result happens.

Example: "5 booked calls in 30 days or we work free until you get them."

Habit as a lead measure 12 Week Year; 4DX lead measures · Habits

A habit linked to a 12-week goal counts in the execution score: done days this week versus its weekly target (skips don't count).

Example: “Gym 3×/week” linked to the health goal: 2 of 3 done adds 2/3 to the week's score.

Habit consistency Atomic Habits (James Clear) · Analytics

For each active habit: check-ins (full, minimum or stretch) ÷ expected check-ins (weekly target × active days ÷ 7), capped at 100%. Active days start at the later of the period start, the habit's start date and its creation.

Example: Daily habit, 14 active days, 11 check-ins → 79%.

Habit strip · Challenges

The challenge's habits shown on every day. Ticking one writes to your real Habits module for that date.

Example: Gym ✓, Quran ✓, Journal — .

Hard (rating 2) Anki / FSRS rating scale · Recall

You recalled it, but with real effort. The next interval is shorter than Good.

Example: You remembered 2 of the 3 objection answers after a long pause → Hard.

Hard / Easy (note review rating) bishOS · Notes

After revealing a note, Hard (key 1) means you could not recall it well; Easy (key 2) means you could. Hard notes and the notes you reviewed longest ago come back first next time.

Example: You mark “Retainer pricing” Hard — it comes back first next week. Consider making recall cards from it.

Headline insights · Analytics

Short sentences the system writes from your data, ranked by importance; the top 6 show. Green = improving, amber = needs attention, grey = a note.

Heads-up at 80%, over at 100% bishOS · Finance · budgets, bills, invoices & goals

Budget colours: green under 80% used, amber from 80% to 100% (“heads-up”), red above 100% (“over”).

Example: $250 of $300 = 83% → amber “heads-up” on the 20th. You still have 10 days to slow down.

Health tracker · Challenges

Sleep duration, wake time, bed time and cheat meals per day, with an average and a sleep chart.

Example: Average sleep 6.4h over 20 days → the next push starts with a fixed bedtime.

Heatmap GitHub contribution graph · Journal

A calendar where colour strength shows a number — here, the day score. Gaps and pale weeks jump out.

Example: Three pale squares in a row = the week you were sick.

Heatmap score · Analytics

Each square's colour is the day score in five shades (0–19, 20–39, 40–59, 60–79, 80–100). Grey means nothing was logged; an outline means a Free day.

Hero platform Kallaway · Playbook 1–2: the loop and positioning

Pick one video-native platform plus email and commit for 6 months. Reply to every comment. Ask your customers which platform they use.

Hindsight bias Thinking, Fast and Slow (Daniel Kahneman) · Decisions & Issues

After you know the outcome, you remember that you "knew it all along". Writing first protects your real reasoning.

Example: The hire failed; without the journal you'd think you had doubts. The journal says you were 85% sure.

Hit rate bishOS · Scorecard

Weeks on track ÷ weeks with a value, over the 13 weeks. Per number and in total.

Example: On track 9 of 12 measured weeks → 75% hit.

Hold vs remix Kallaway · Inspiration, hook library and watchlist

When you remake an outlier, "hold" a brick means you copy it exactly; "remix" means you write your own. Like five-card poker: keep the good cards, redraw the others. Win with 6 of 7 proven bricks and be a first mover on one.

Hook Content marketing practice · Learning

The first line of a post or video that makes people stop scrolling.

Example: "I stopped offering free trials. Revenue went up."

Hook audit Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Seven checks for the finished hook (Kallaway's 4 commandments, 4 S's and final questions, merged): Alignment, Speed to value, Clarity, Curiosity, Stakes, Relevance, 100% absorption.

Hook audit (AI) Kallaway · AI content coach

A strict auditor scores your hook 0–10 on alignment, speed, clarity, curiosity, stakes, relevance and absorption, names the failure modes present (delay, confusion, irrelevance, disinterest), gives a one-line verdict, and writes one improved 3-step rewrite with a text hook. Checks scoring 7+ can be ticked in one click. Needs 8+ characters.

Hook audit: 100% absorption Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

The viewer understands every word on the first listen: about 6th-grade words, active voice. Cut fluff, not clarity. Absorption rate is "the most important thing in content".

Hook audit: Alignment Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Visual, spoken and text hooks all say the same thing; each predicts the others.

Hook audit: Clarity Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

One subject, one question. The line can only mean one thing. No wordplay.

Hook audit: Curiosity Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Am I curious enough to hear sentence two?

Hook audit: Relevance Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

"You/your", not "I/me". Need-to-have for the viewer, not nice-to-have.

Hook audit: Speed to value Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

The topic in 1–2 seconds and the first value in about 4 seconds (short) or 30–60 seconds (YouTube). No fluff openers.

Hook audit: Stakes Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Why should they care: a desired outcome (education) or a curiosity scenario (entertainment).

Hook failure modes Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Four reasons hooks fail: Delay (the topic arrives late), Confusion (too many words, passive voice, more than one meaning), Irrelevance (not about the viewer's problem), Disinterest (no contrast, so no curiosity).

Hook job 1: Visual stop Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

A thumb-stopper that looks different from the feed. Visuals land before words, so the first frame must stop the scroll.

Example: You walk into frame holding a giant printed invoice, instead of sitting at a desk.

Hook job 2: Context in the first sentence Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Say who or what this is about at once. Dropping people into the middle of a story ("the jump was crazy" — who? what?) confuses them, and confusion makes them leave.

Hook job 3: Contrast Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

The difference between what they expect and what you show. Lean them to the common belief, then flip it. Contrast creates curiosity, and curiosity holds attention.

Hook layers (Seen, Said, On screen) Kallaway (hook alignment) · Inspiration, hook library and watchlist

The three parts of a hook: Seen = the visual hook (frame 1), Said = the spoken hook (first words), On screen = the text hook (overlay). They must all say the same thing.

Hook library bishOS · Inspiration, hook library and watchlist

Your saved hook templates. Hooks come from swipes (From a swipe), from your own pieces at ×1.2 your median (Your outlier), from AI variations, or that you added yourself (Added). Insert them in any piece with the Hook library button.

Hook starters (patterns that work) Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Four starter lines from his own data: Transformation "Here's how to turn [before] into [after]." Impossibility "Here's how to make your [thing] so [quality] it's impossible to [skip / ignore]." Addiction "Here's how to get [your viewer] addicted to [the thing]." A new thing exists "[Company] just released [new thing] that [outcome]."

Hook that works: A new thing exists Kallaway · Playbook 6–7: iterate and convert

Shock that a new thing exists: "This just came out…".

Example: "OpenAI just released a free tool that writes your sales follow-ups."

Hook that works: Addiction Kallaway · Playbook 6–7: iterate and convert

Something people cannot stop doing.

Example: "Here's how to get your users addicted to your onboarding."

Hook that works: Impossibility Kallaway · Playbook 6–7: iterate and convert

Something that sounds impossible.

Example: "Here's how to make your demo so clear it's impossible to say no."

Hook that works: Transformation Kallaway · Playbook 6–7: iterate and convert

Before → after: take one thing and turn it into another.

Example: "Here's how to turn a blank page into a sales machine."

Hook type tags Kallaway (9 formats) + bishOS · Content Studio

16 tags you can put on a hook. Nine are Kallaway's proven spoken-hook formats (Secret reveal, Case study, Comparison, Education, Personal experience, Problem, Contrarian, List, Question; see the video workflow section). Seven more are common types: Curiosity, Result, Mistake, Myth, Story, How-to and Before/after. Tags feed Best hook types in Analytics.

Hook type: Before/after bishOS · Content Studio

Shows a transformation.

Example: "0 inbound leads → 20 a month. Here's exactly what changed."

Hook type: Curiosity bishOS · Content Studio

Opens a knowledge gap the viewer wants to close.

Example: "Nobody talks about this part of fundraising."

Hook type: How-to bishOS · Content Studio

Promises a clear method.

Example: "How we got 100 users in 2 weeks with zero ad spend."

Hook type: Mistake bishOS · Content Studio

A costly mistake to avoid.

Example: "The biggest mistake I made building my startup:"

Hook type: Myth bishOS · Content Studio

Breaks a common belief.

Example: "Everyone says you need a co-founder. Here's why that's wrong."

Hook type: Result bishOS · Content Studio

Leads with a specific outcome.

Example: "We booked 40 demos in 30 days with one email."

Hook type: Story bishOS · Content Studio

Drops the viewer into a moment.

Example: "Last Tuesday, a client told me something I can't stop thinking about."

Hook uses bishOS · Inspiration, hook library and watchlist

How many times you copied or inserted a hook. High-use hooks are your go-to patterns.

Hook variations (AI) bishOS · AI content coach

10 hooks for the first 2 seconds / first line, in plain, specific words: no clickbait, no emojis, no hashtags. It mixes types (curiosity, contrarian, result, question, mistake, myth, list, story, how-to, before/after) and leans toward the type you tagged.

Hooks that fail Kallaway · Playbook 6–7: iterate and convert

Three patterns that lose: opening with “If you…” (conditional openers never win in his data), fear framing (“this will never work for you if…”, lean to optimism instead), and multi-sentence hooks before the point.

Hooks that work Kallaway (analysis of his top hooks, Oct 2026) · Playbook 6–7: iterate and convert

Four patterns that win in Kallaway's own hook data: Transformation, Impossibility, Addiction, A new thing exists.

Hours attribution · Focus

Every session counts for one life area: the area set on the session, else its task's area, else its project's area, else “Unassigned”. Area hours = focus sessions + calendar blocks marked done that have no linked session (so nothing counts twice). Planned = calendar blocks not skipped.

Example: A session on the task “Draft proposal” (area Sales) with no area set still counts for Sales.

Hours by area (attribution) · Analytics

Each focus session counts for its own area, else its task's area, else its project's area, else Unattributed. The Time section counts focus sessions (a done calendar block counts through its auto-logged session).

Hours by area vs budget Time budgeting (bishOS); Calendar audit (Dan Martell, Buy Back Your Time) · Founder HQ

Each life area has a weekly hour budget in Compass. Founder HQ compares it with the hours you really worked (focus sessions + done schedule blocks). It shows if your time matches your priorities.

Example: Sales budget 10h, actual 3h. Delivery budget 20h, actual 31h. Delivery is eating your sales time.

Hours by area: target vs planned vs actual bishOS · Week

Target = the area's weekly hours from the Compass × number of weeks. Planned = calendar blocks (not skipped). Actual = focus sessions + blocks marked done that have no focus session (so nothing counts twice).

Example: Sales: 8h target, 6h planned, 4.5h actual → orange (under 60%).

Hours cap WHO/ILO study on long working hours (2021) · Founder HQ

The weekly work hours you don't want to cross (Settings → Wellbeing → Weekly work-hours warning, default 55). The Hours tile turns blue near it (85%) and amber at or above it.

Example: Cap 55h. You logged 48h by Thursday → blue. 56h on Saturday → amber and a warning in Energy & load.

How section progress is scored bishOS · Playbook 1–2: the loop and positioning

Loop: reps out of 30. Positioning: canvas items out of 15. Data system: the average of creators/20, outliers at 5×+/10 and broken-down swipes/3. Lab: reps out of 50. YouTube: weeks shipped out of 50. Iterate: reviewed reps out of 5 (a reviewed rep has numbers plus a weak brick or a next fix). Convert: 3 basics (lead magnet named with a type, a business KPI, at least one rep with leads).

Hub content and hub cadence Pillar / hub-and-spoke content (Gary Vaynerchuk content model) · Founder HQ

A hub piece is one big piece of content (a long video, a long article) that you cut into many small posts. Hub cadence is how many hub pieces you publish per week compared with your target (Settings → Founder engines → Hub content pieces / week).

Example: Target 1. You published one podcast episode this week → 1/1, green bar, streak +1.

Hub piece (hub and spoke) GaryVee content model (pillar content → micro content); Justin Welsh's repurposing system · Content Studio

Your one big piece of the week, usually a long video or a newsletter. You then cut it into 5–10 small pieces (the spokes) for other platforms. One idea, many outputs, little extra work.

Example: A 12-minute YouTube video on founder-led sales becomes 3 shorts, 1 carousel, 3 LinkedIn posts and 1 X thread.

I owe bishOS · Commitments

A promise you made to someone. Keeping it on time gives +10 XP.

Example: "Send Sara the pricing PDF by Friday."

Icing, not cake Kallaway · Playbook 6–7: iterate and convert

Hook rate, skip rate and small retention blips are icing. If a video flopped, its hook rate will be low anyway. The cake is the topic, the angle and the hook.

ICP (ideal customer profile) B2B marketing practice · Offers

The kind of client who has the problem worst and can pay for the solution. A narrow ICP makes the offer stronger.

Example: Not "small businesses" but "dental clinics with 2–5 chairs in Lahore".

Idea bank goal of 100 bishOS · Content Studio

Keep about 100 ideas and seeds in the bank. With a full bank you never sit in front of an empty page, and you can pick the best idea instead of the first one.

Example: Two minutes a day with the spark chips gets you from 20 to 100 ideas in about a month.

Idea gate Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Six checks an idea must pass before you spend a rep on it: avatar filter, validated by an outlier, non-obvious contrarian angle, a key visual exists, every point is unique, worth a $1,000 rep.

Idea gate: A key visual exists Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

You know the visual for the first 3–5 seconds. No good visual? Make one (graphics, B-roll) or drop the idea.

Idea gate: Every point is unique Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

No generic points. If a point is not unique, research more or kill the video: "measure twice, cut once".

Idea gate: Non-obvious contrarian angle Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

You disagree with something most people believe, and you can defend it.

Idea gate: Passes the avatar filter Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Would your one ideal viewer find this useful, interesting or valuable? If not, don't make it, even if it could go viral.

Idea gate: Validated by an outlier Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

A video at 5× or more (your own first, then 10K–1M creators) already proved people want this topic.

Idea gate: Worth a $1,000 rep? Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Imagine each video costs $1,000. Would you still pay for this one? It stops you from wasting reps on weak ideas.

Idea note Sönke Ahrens (permanent notes) · Notes

The main kind of note: one idea, fully written in your own words, so you understand it months later without the source. Notes with no type count as Idea.

Example: "A paid pilot filters out tyre-kickers and still lets the client test us."

Idea priority order Kallaway · Playbook 3–4: data system and the 60-day lab

Where to take ideas from, in order, for your first ~100 reps: 1 your own past winners (remake them), 2 winners of 10K–1M creators in your space (remake them with as many LEGO bricks held as possible), 3 a tool, only if you cannot find either. "Don't reinvent the wheel before you can ride the bike."

Idea slide Paddy Galloway · Playbook 5: YouTube long-form

One page per finalist idea: a rough thumbnail sketch, 2–3 titles, a skeleton outline and a one-line logline.

Idea sources (in order) Paddy Galloway · Playbook 5: YouTube long-form

1 Your own past hits: remake them (the safest bet). 2 Outliers at 3–4× or more a channel's average, in your niche and adjacent niches. 3 New combinations of two existing things: about 20% of videos.

Idea sparks bishOS · Content Studio

Eight sentence starters that turn your normal week into ideas: client questions, sales objections, mistakes, lessons, myths, behind the scenes, results and bold opinions.

Example: "An objection from a sales call:" → "Your tool is too expensive for a 5-person team." That is a post.

Ideal Week Ideal Week (Michael Hyatt; Dan Sullivan) · Week

A template of what a good week looks like, block by block. You apply it to a real week and adjust, instead of planning from zero every time.

Example: Apply it on Friday for next week, then move Tuesday's calls because of a client trip.

Idle flag (7 days) bishOS flags, based on Founding Sales · Pipeline

No touch logged and no stage change for 7 days or more on an open deal.

Example: Last DM 8 days ago → "Idle 8d". Log a follow-up to clear it.

IDS (Identify · Discuss · Solve) EOS / Traction (Gino Wickman) · Reviews

For each top issue: find the real root issue, discuss it briefly, then decide a solution and a to-do with an owner.

Example: Issue “Leads go cold” → real issue: no follow-up rule → decide: follow up within 48h → to-do: add a pipeline reminder.

IDS (Identify, Discuss, Solve) EOS — Traction (Gino Wickman) · Decisions & Issues

A three-step way to solve an issue. Identify: name the real issue (often not the first thing you said). Discuss: find the root cause, briefly. Solve: decide one action that makes it go away, with an owner and a date.

Example: Identify: “Leads go cold after the proposal.” Discuss: you send proposals by email and wait. Solve: present every proposal on a call. Task: update the proposal process by Friday.

If-then plan Implementation intentions (Peter Gollwitzer) · Goals · 12 weeks

A plan that names a trigger and an action: “If <situation>, then I will <action>.” It turns intention into an automatic response.

Example: “If it's 9:00 and I open my laptop, then I send 5 outreach messages before email.”

If–then anchor Implementation intentions (Peter Gollwitzer); Tiny Habits (BJ Fogg); habit stacking (James Clear) · Habits

Tie the habit to something you already do every day: “After I <cue>, I will <habit>.” A clear cue beats a vague time like “in the morning”.

Example: “After I pour my morning coffee, I will journal for 5 minutes.”

If–then plan Peter Gollwitzer (implementation intentions) · Morning start-up ritual

A plan in the form 'If X happens, then I will do Y'. Deciding the response in advance makes you far more likely to follow through when the moment comes.

Example: 'If a client messages before noon, then I note it in the Inbox and reply at 14:00.'

Impact (1–5) · Wins

How much a win moved the needle: 1 = small step, 5 = big breakthrough.

Example: Fixed a typo on the site = 1. Signed a €20k client = 5.

Inbox (capture bucket) David Allen, GTD · Inbox

One trusted place where every loose thought, request and idea goes first, without deciding anything. You empty it on a schedule.

Example: 'Idea: reel about pricing', 'Ali logo files?', 'Book dentist' — all go to the Inbox.

Inbox (note status) bishOS · Notes

The note is not processed yet. Fleeting notes start here and appear in the Process inbox.

Example: A fleeting “Quick thought” from this morning.

Inbox captured vs processed Getting Things Done (David Allen) · Analytics

How many items you captured and how many you processed (or discarded) each week. Processed should keep up with captured.

Inbox zero Merlin Mann (Inbox Zero), based on GTD · Evening shutdown ritual

Processing your inbox until it is empty: every item gets a decision and a home. Empty does not mean done — it means decided.

Example: 8 captures at 17:30 → 3 tasks, 2 notes, 1 done, 2 discarded → zero.

Income · Finance · cash, spending & runway

Money that comes in to one of your accounts from outside: client payments, salary, sales.

Example: A client pays $3,000 into the business account → Income, Business, category Client revenue.

Insights bishOS · Finance · cash, spending & runway

Up to four short automatic tips on Overview, chosen by importance: runway, overdue invoices, budgets over, big category changes, savings, spending pace, subscriptions.

Example: "At this pace you'll spend 18% more than last month" on day 10 tells you to slow down before the month is gone.

Intention Full Focus · Morning start-up ritual

One sentence that says what today is about. It keeps you pointed when small things pull at you.

Example: 'Close the Acme deal and ship the onboarding video.'

Interleaving Learning science (Rohrer & Taylor) · Recall

Mixing topics in one session instead of blocking one topic. It feels harder but builds stronger memory.

Example: A sales card, then a finance card, then a video card.

Interval preview bishOS (FSRS) · Recall

The time shown on each rating button: when you will see the card again if you press it. A new card shows Again 1m · Hard 6m · Good 10m · Easy 14d. A review card might show 10m · 6d · 15d · 36d.

Example: You see Good = 15d and Easy = 36d, and choose honestly.

Intro: Create intrigue with minimal context Paddy Galloway · Playbook 5: YouTube long-form

Give only the context they need and drip-feed the rest. Open small curiosity gaps.

Example: "This is an FBI agent. He has 24 hours to catch me. Go."

Intro: Deliver on the promise (10 seconds) Paddy Galloway · Playbook 5: YouTube long-form

Reaffirm the title and thumbnail, ideally visually: "You made the right choice. Look at this."

Intro: Flow straight into the video Paddy Galloway · Playbook 5: YouTube long-form

No "welcome back", no throat-clearing. "The best intro doesn't feel like an intro."

Investment quadrant Dan Martell (DRIP) · Delegation

Low $ right now but energizing — learning, strategy, health. Keep it on purpose; it pays off later.

Example: Reading, gym, planning the quarter.

Invoice · Finance · budgets, bills, invoices & goals

A request for payment you send a client, with a number, amount, issue date and due date. bishOS tracks it; you send the real document from your own tool.

Example: INV-0004 "Website build: milestone 1", $2,000, issued Oct 1, due Oct 15.

Invoice number · Finance · budgets, bills, invoices & goals

A unique number for each invoice, so you and the client can refer to it. bishOS suggests the next one: INV-0001, INV-0002…

Example: Your last invoice was INV-0009 → the next suggestion is INV-0010.

Invoice statuses Invoicing practice · Finance · budgets, bills, invoices & goals

Draft = not sent yet (never overdue). Sent = waiting for money (counts in Outstanding). Paid = money received and booked as income. Void = cancelled, will not be collected.

Example: Draft on Monday, Sent on Tuesday, Paid two weeks later. A cancelled project's invoice → Void.

Islands, not ecosystems Kallaway · Playbook 1–2: the loop and positioning

Treat each platform as its own island. Don't cross-promote (for example YouTube links on LinkedIn): links get suppressed and viewers behave differently on each platform. Only move people from rented platforms to owned email.

Issues list EOS — Traction (Gino Wickman) · Decisions & Issues

One place for every problem, obstacle, idea or opportunity. Writing them down clears your head and lets you choose the most important ones.

Example: “Client X pays late”, “Proposal template is slow”, “Partnership offer from agency Y”.

Iterate diagnostics Kallaway / Paddy Galloway, bishOS · Playbook 6–7: iterate and convert

For each recent rep the app gives one chip and one line of advice: shorts get the 3-second hold rule; long videos get the 1-of-10 rank rule. Plus the weak bricks and next fix from the post-mortem.

Ivy Lee 6 Ivy Lee (1918), popularised by James Clear · Morning start-up ritual

Write the six most important tasks, rank them, and work strictly in order. Don't start #2 until #1 is done. Unfinished items move to tomorrow's list.

Example: 1 Contract, 2 Invoice, 3 Hiring post, 4 Two calls, 5 Blog draft, 6 Inbox.

Jargon as gaps Feynman technique · Learning

Words you use but cannot explain simply are signs you don't fully understand yet. The Feynman draft lists them so you can add them to your gaps.

Example: AI flags “LTV:CAC” — you add it to Things I don't know.

Journal (daily log) Reflective practice / Bullet Journal · Journal

A short written record of each day: what moved, what you learned, how you felt. Over weeks it shows patterns you can't see day to day.

Example: You notice your best day scores come after 7+ hours of sleep.

Kallaway Playbook Kallaway (composite beginner routine), bishOS · Playbook 1–2: the loop and positioning

A 7-section guided program per brand: 1 The loop (every rep), 2 Positioning (days 1–3), 3 Data system (week 1), 4 The 60-day lab, 5 YouTube long-form (weekly, 50 weeks), 6 Iterate (after every rep), 7 Convert (always on).

Kallaway's paradox (ignore over 1M) Kallaway · Playbook 3–4: data system and the 60-day lab

Big creators' results lie: their brand props up their weak videos, so their outliers are small and noisy. Study creators with 10K–1M followers. A breakout from a small creator means the idea itself won.

Keep · Improve · Start · Stop Team retrospective format (Agile) · Reviews

A quick reflection: what to keep doing, what to do better, what to try, and what to stop.

Example: Keep: maker mornings. Improve: shorter calls. Start: send proposals within 24h. Stop: checking Slack during deep work.

Keep-in-touch cadence Never Eat Alone (Ferrazzi); personal CRM practice · People

How often you want to contact a person: weekly, every 2 weeks, monthly, quarterly, twice a year or yearly. bishOS counts days since your last touch (or since you added them). When the days pass the cadence, they appear in Due to reconnect.

Example: Mentor on Monthly. Last call 33 days ago → "Reconnect · 3d over".

Key result (lag measure) OKRs (Andy Grove, John Doerr); lag measures (The 4 Disciplines of Execution) · Goals · 12 weeks

The number that proves the goal worked. It moves late, after the work. You update it as it changes and grade it 0–1 at the end of the cycle.

Example: "New MRR: 3,500 / 10,000 $".

Key visual Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

The image people see in the first 2 seconds. Find it before you write the hook; if there is no good visual, manufacture one or drop the idea.

Keystone habit Charles Duhigg, The Power of Habit · Setup & onboarding

A habit that pulls other good habits with it. Start with one to three, not ten.

Example: Daily exercise often leads to better sleep, food and focus.

KPI by game Kallaway · Playbook 1–2: the loop and positioning

Entertainment media → views. Education media → followers. Simple product → conversions. Product that needs explaining → conversions. Authority / B2B → emails.

KPI: $ per view Kallaway · Playbook 1–2: the loop and positioning

Money earned divided by views. On-target views beat total views.

Example: 5,000 views that bring $50,000 = $10 per view. That beats 500,000 views that bring nothing.

KPI: Conversions per view Kallaway · Playbook 1–2: the loop and positioning

Sales or sign-ups divided by views. For product games.

KPI: Emails per video Kallaway · Playbook 1–2: the loop and positioning

New email subscribers that one video brings. Kallaway's #1 metric for business games.

KPI: Followers per video Kallaway · Playbook 1–2: the loop and positioning

New followers that one video brings. His #2 metric. A follow is worth about 5–10 views.

KPI: Views Kallaway · Playbook 1–2: the loop and positioning

Total views. Only the right KPI for media games.

KR grading 0–1 OKR grading (Google) · Reviews

At the end of a cycle each goal gets a grade from 0 to 1. The app suggests the average completion of its key results. 0.6–0.7 on a stretch goal is a success; 0.7+ counts as achieved; 1.0 every time means the goals were too easy.

Example: New MRR 6,500 / 10,000 → 0.65: a good result for a stretch goal.

KR progress vs time elapsed (pace) OKRs (John Doerr); The 12 Week Year · Analytics

Goal progress = the average of its key results, each min(1, current ÷ target). Time elapsed = days passed ÷ 84 days of the cycle. A goal is On pace when progress ≥ time elapsed − 5 points.

Example: KRs at 40% and 60% → 50%. Cycle 52% elapsed → On pace (50 ≥ 47).

Ladder 1: Stimulation Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Colour, motion and contrast in the first 0–2 seconds. The weakest, shortest level, but it stops the scroll.

Ladder 2: Captivation Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

An open question pops into their head. Ask it outright or imply it. It must be relevant to your avatar.

Ladder 3: Anticipation Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

They guess the answer. Give clues, then a head-fake: a surprise that contradicts their guess but still makes sense. The biggest dopamine spike.

Ladder 4: Validation Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

A non-obvious payoff closes the loop: the tip, the answer, the resolution.

Ladder 5: Affection Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

They like the messenger. Levers: look, energy, smiling, and the strongest one, actually solving their problem.

Ladder 6: Revelation Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

They realise you are a consistent source of value. Much easier with education than entertainment. It comes from non-obvious value delivered again and again.

Ladder readiness bishOS · Delegation

For each rung: (documented + delegated SOPs) ÷ (all SOPs on the rung + open tasks flagged “delegate” without an SOP), as a %. 80%+ shows green.

Example: Admin: 3 documented, 1 draft, 1 task to record → 3 ÷ 5 = 60%.

Lapse Anki / FSRS · Recall

Forgetting a card (pressing Again) after it had graduated to Review. Many lapses mean the card should be rewritten or split.

Example: A card with 5 lapses: “List all 9 steps of our sales process” → split into 3 cards.

Last checked bishOS · Inspiration, hook library and watchlist

The day you last looked at a creator's new videos. Sort by “Needs a check” to see who you have ignored the longest.

Last line first (the last dab) Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Write the ending before the middle. The last line should be memorable enough to repeat to a friend, and in shorts it loops back to the first line so people rewatch.

Law of Interesting Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Interesting = shock value = the distance between what the viewer already believes and what you tell them.

Lead action (tactic) The 12 Week Year / 4 Disciplines of Execution · Today (your home screen)

An action you control that drives a result, like 'send 20 messages'. The result (revenue) is the lag measure. You score yourself on lead actions.

Example: Lead: 5 discovery calls a week. Lag: 2 new clients a month.

Lead magnet Kallaway · Playbook 1–2: the loop and positioning

A free resource you give in exchange for an email. It is the off-ramp from rented attention (followers) to an owned list. Pick the topic first, then the closest magnet.

Lead magnet rules Kallaway · Playbook 6–7: iterate and convert

One lead magnet per video, aligned to that video's pain (“give me your email” gets nothing). Less is more: promise one click to the answer, not a 10-page PDF. Name it with power words, like copywriting.

Lead magnet type: 3–5 day email course Kallaway · Playbook 1–2: the loop and positioning

A short email series that teaches one thing.

Example: “5-day founder sales blueprint”.

Lead magnet type: Form Kallaway · Playbook 1–2: the loop and positioning

“Want our help? Fill this in.” For done-for-you services.

Lead magnet type: Free community Kallaway · Playbook 1–2: the loop and positioning

A free group. The email is collected on entry.

Example: A free Skool group for SaaS founders.

Lead magnet type: PDF / doc / template Kallaway · Playbook 1–2: the loop and positioning

Captures exactly what the video explained.

Example: “My cold email template (Google Doc)”.

Lead magnet type: Waitlist / landing page Kallaway · Playbook 1–2: the loop and positioning

For an offer that is coming soon.

Example: “Join the waitlist for our sales course.”

Lead vs lag numbers The 4 Disciplines of Execution (McChesney, Covey, Huling) · Scorecard

Lag numbers are results (revenue, deals won): they come late and you can't change them directly. Lead numbers are activities that cause the results (outreach, sales conversations, content): you control them this week. Watch both, act on the lead numbers.

Example: Revenue (lag) was low in October because outreach (lead) dropped to 30 a week in September.

Leadership (rung 5) Dan Martell (Replacement Ladder) · Delegation

Hiring, strategy, vision — the last rung.

Example: Years later, a COO runs operations and hiring.

Learn ahead bishOS · Recall

If only cards in short steps remain (due in a few minutes), the session shows them now instead of making you wait.

Example: Your last card is due again in 10 minutes — the session shows it right away.

Learn in public Shawn Wang (swyx) · Learning

Share what you learn while you learn it. It forces clear thinking, builds your audience and attracts help.

Example: After a practice session on pricing, you post "3 things I got wrong about pricing our agency".

Learning (skill status) bishOS · Learning

You are studying how it works. Counts ⅓ (33%).

Example: You are watching tutorials on hooks.

Learning area Scott Young, Ultralearning · Learning

A topic you treat like a project: a target performance, a weekly time budget, a skill tree, practice sessions, resources, recall cards and a gaps list.

Example: "Sales calls" with the target "Run a discovery call and book a next step without a script."

Learning in public Shawn "swyx" Wang · Content Studio

Share what you are learning while you learn it. Link a learning area to a pillar and your study notes become content ideas.

Example: You study pricing. Each week you post one pricing lesson in plain words.

Learning steps bishOS (FSRS with Anki-style steps) · Recall

Short practice steps for a new card before it moves to day intervals: 1 minute, then 10 minutes. After you forget a learned card, there is one relearning step of 10 minutes.

Example: New card → Good (10m) → Good again → it graduates to about 4 days.

Learnings (retrospective) Retrospectives (Agile practice) · Campaigns

2–3 short notes at the end: what worked, what didn't, what to change. AI ideas also read your last campaigns' learnings.

Example: "DMs after a post converted 3× better than cold. Next time start follow-ups on day 3."

Leftover Sunsama / Full Focus (no silent rollover) · Today (your home screen)

An open task whose planned day is in the past. bishOS never moves leftovers forward silently: you decide each one (today, tomorrow, backlog, someday, drop) in the start-up, the shutdown, or with the banner buttons.

Example: Yesterday's 'Call the bank' wasn't done. This morning you choose 'Today'.

Leftover decisions Sunsama / GTD · Morning start-up ritual

Today: plan it for today. Tomorrow: plan it for tomorrow (counts as one deferral). Backlog: no day. Someday: park it for later, out of sight. Drop: delete it. Done (shutdown only): you actually did it.

Example: 'Update LinkedIn banner' moved 3 times → Someday.

Lesson bishOS · Piece editor

One reusable line on why a piece worked or not, written after the 7-day numbers. Lessons are copied into recycled pieces and next reps.

Level bishOS · XP, levels, streaks & achievements

Your level grows with total XP. Level n starts at $50 \times (n - 1)^2$ XP: level 2 at 50, level 3 at 200, level 4 at 450, level 5 at 800, level 6 at 1,250, level 7 at 1,800, level 8 at 2,450, level 9 at 3,200, level 10 at 4,050. Each level needs a bit more XP than the last.

Example: With 900 XP you are level 5, 100 XP into it, needing 450 XP more for level 6.

Level titles bishOS · XP, levels, streaks & achievements

Each title covers two levels: Starter (1–2), Builder (3–4), Operator (5–6), Closer (7–8), Creator (9–10), Strategist (11–12), Founder (13–14), Architect (15–16), Visionary (17–18), Legend (19 and up).

Example: Level 7 shows 'Closer'.

Life Area Tiago Forte, PARA method · How bishOS works

A part of your life you must keep healthy forever, like company operations, sales, learning or fitness. Each area has a standard (what 'maintained' looks like) and a weekly hour budget. Areas never finish; goals and projects do.

Example: Fitness — standard: 'Move 4× a week, 7+ hours of sleep'. Budget: 4 hours a week.

Life area (area of responsibility) PARA method (Tiago Forte); GTD areas of focus (David Allen) · Life Areas

A part of your life you keep up forever, with no end date. Projects end; areas do not.

Example: Company Operations, Sales & Marketing, Learning & Content, Fitness, Family.

Link reason (the “why”) Luhmann / Ahrens · Notes

One sentence that says why two notes connect. The link alone is weak; the reason is the real knowledge.

Example: Link “Paid pilot” → “Loss aversion”, reason: “Paying a little makes the client commit and use the pilot.”

Live URL bishOS · Piece editor

The link to the published post. Store it so you can open the live piece in one click when you log numbers.

Log an outlier from a creator bishOS · Inspiration, hook library and watchlist

From the Watchlist, the trend button opens Save inspiration already linked to that creator, with their usual views filled in, so the outlier score is computed as soon as you type the views.

Long form: the GOAT Kallaway · Playbook 6–7: iterate and convert

“Greatest of all time.” About 10 ideas and 10 minutes of trust per video. Best for deep trust and high-ticket buyers.

Long-hours signal (55+ hour weeks) WHO/ILO 2021 study on long working hours · Energy & Wellbeing

Working your cap (default 55 hours) or more in 2 of the last 3 weeks. Long weeks are linked to real health risk.

Example: 58h, 61h, 44h → active.

Loop step: Edit Kallaway · Playbook 1–2: the loop and positioning

Run the eyes-closed test and make every visual match its words.

Loop step: Idea Kallaway · Playbook 1–2: the loop and positioning

Start from outliers: first your own winners, then winners of creators with 10K–1M followers.

Loop step: Post Kallaway · Playbook 1–2: the loop and positioning

Post at the same time every day, for your own accountability, not for the algorithm.

Loop step: Record Kallaway · Playbook 1–2: the loop and positioning

Record line by line. It keeps your energy up.

Loop step: Research Kallaway · Playbook 1–2: the loop and positioning

Find facts with a high shock score and your contrarian angle.

Loop step: Review Kallaway · Playbook 1–2: the loop and positioning

Ask which LEGO brick was weak and fix 1–2 things in the next rep.

Loop step: Script Kallaway · Playbook 1–2: the loop and positioning

Hook, then structure, then the one-question chain. He writes a script in about 20 minutes.

Lost bishOS · Pipeline

Not this time. You must write a short reason. The person gets a 90-day keep-in-touch cadence (if they had none) so they come back as a nurture contact.

Example: Lost: Bad timing. In 90 days Sara shows up in “Due to reconnect”.

Low-energy mode bishOS, inspired by James Clear's 2-minute rule · Morning start-up ritual

A kinder version of the day for bad days. You pick only one Top priority ('Your one thing') and the minimum version of each habit counts fully. Suggested automatically when energy is 2 or lower or sleep is under 6 hours.

Example: Your child was sick all night. You pick only 'Reply to the client' and do 2-minute habit versions.

Low-mood signal bishOS; mental-health guidance (seek help if it lasts 2+ weeks) · Energy & Wellbeing

Mood 2 or lower on 5+ of the last 7 check-ins. bishOS shows a support banner and suggests talking to someone.

Example: Five “Rough”/“Meh” mornings this week → banner appears.

MAGIC naming $100M Offers (Alex Hormozi) · Offers

A formula to name an offer: Magnet (a reason to act now), Avatar (who it is for), Goal (the result), Interval (how fast), Container (what it is called). You rarely use all five; pick the ones that sound good.

Example: Magnet “Free”, Avatar “Clinic”, Goal “Patient booking”, Interval “14-day”, Container “Sprint” → “The 14-Day Clinic Booking Sprint”.

Maintenance project vs goal project · Projects

Most projects keep an area running (maintenance). A goal project moves one goal. A project serves at most one goal.

Example: “Monthly bookkeeping cleanup” = maintenance. “Launch online course” = serves the goal “€10k new revenue this cycle”.

Maintenance task vs goal task · Tasks

Most tasks keep an area healthy (maintenance). A goal task moves a goal. Link a goal only when finishing the task really moves it.

Example: “Send monthly invoices” = maintenance. “Launch the referral offer” = moves the goal “10 new clients this cycle”.

Maker block Maker's Schedule, Manager's Schedule (Paul Graham) · Week

Deep, creative work in large uninterrupted chunks, ideally half a day.

Example: Mon–Thu 9:00–12:30 “Delivery deep work”.

Maker vs manager schedule “Maker's Schedule, Manager's Schedule” (Paul Graham, 2009) · Focus

Makers need long, unbroken blocks (half days). Managers work in 30–60 minute slots of calls and meetings. Mixing them kills maker time, so group them: maker mornings, manager afternoons.

Example: Mon–Thu 9:00–12:30 delivery deep work; 13:30–17:00 calls and outreach.

Maker vs manager time Paul Graham, 'Maker's Schedule, Manager's Schedule' · Today (your home screen)

Maker time is long, quiet blocks for deep work (writing, designing, coding). Manager time is calls and meetings. Mix them and both suffer. bishOS suggests maker mornings and calls in the afternoon; time blocks are coloured by type.

Example: 9:00–12:00 maker block for the website; 14:00–16:00 manager block for client calls.

Manager block Paul Graham · Week

Calls, meetings and office hours, batched together so they don't break maker time.

Example: 14:30–17:00 “Client calls · office hours”.

Manual metric bishOS · Scorecard

A number you type each week because bishOS can't see it (for example cash received in a bank, ad leads, NPS).

Example: “Qualified leads from ads”, target 10, typed every Friday from the ad dashboard.

Manual override bishOS · Campaigns

Your own number for a result, for when you track it somewhere else (for example ad leads that never became deals). ↺ returns to the automatic value.

Example: The ad platform shows 40 leads but only 6 became deals → override Leads to 40.

Map (learning map) Scott Young, Ultralearning (metalearning) · Learning

Your plan for the area: the concepts, facts and procedures to learn, how you will practise, who gives feedback, and the benchmark that proves you can do it.

Example: Concepts: hooks, retention. Procedures: script → record → edit. Benchmark: 3 videos above 1,000 views.

Map note (Map of Content) Nick Milo, Linking Your Thinking (LYT) · Notes

A hub note that links many related notes and explains how they fit together. It helps you find and think with a whole topic.

Example: A "Pricing — map" note links your 8 notes on anchoring, retainers, pilots and discounts, with one line on each.

Mark paid / Received bishOS · Finance · budgets, bills, invoices & goals

One click that logs this cycle's payment as a real transaction and rolls the due date forward. Received is the same for money in.

Example: You click "Received" on the Acme retainer → a $1,500 Business income entry appears and the next due date moves one month.

Mark unpaid bishOS · Finance · budgets, bills, invoices & goals

Undo for a paid invoice: it goes back to Sent, its income entry is deleted and the XP is taken back. Deleting the payment entry in Transactions does the same.

Example: You clicked Paid on the wrong invoice → ↺ Mark unpaid fixes it in one click.

Marketing (rung 3) Dan Martell (Replacement Ladder) · Delegation

Content production, posting, campaigns, design.

Example: An editor cuts your videos and schedules posts.

Marketing engine bishOS · Founder HQ

Everything that makes people know and want your offer: the weekly hub content, pieces in production, live offers and live campaigns.

Example: 1 hub video a week, 1 live offer, 1 live LinkedIn campaign.

Mature card Anki convention · Recall

A Review card with stability of 21 days or more. A sign the memory is strong.

Example: "120 cards · 40 mature" means 40 cards last at least 3 weeks.

Max 2 active per area bishOS (work-in-progress limit idea from Kanban) · Library

A soft limit: if a learning area has more than 2 active resources, bishOS warns you (it never blocks). Finishing beats starting.

Example: You try to start a 3rd marketing book — a warning asks you to finish or drop one first.

Max-pain steps Kallaway (audience of buyers road map) · Playbook 1–2: the loop and positioning

Map your viewer's workflow today. The steps that are hard, slow or expensive are their biggest pains. Each one is a topic, and your new, better way to solve it is your content.

Example: Pain: “Writing cold emails takes me 2 hours a day.” Topic: “The 10-minute cold email system.”

Media game warning Kallaway · Playbook 1–2: the loop and positioning

If you pick Entertainment or Education media, the app warns you: products, services and offers pay far more per view, and the media game is crowded.

Median basis bishOS · Piece editor

“Your median” uses your other pieces in the same format when you have 3+ of them at that window, otherwise all formats. The ratio needs at least 1 other published piece with views.

Median outlier bishOS · Inspiration, hook library and watchlist

The middle outlier score of all your swipes. If it is low, you are saving nice posts, not real outliers.

Meetings goal ('open to goal') Sales prospecting practice · Today (your home screen)

A daily number of real conversations (calls or meetings). Once you hit it you may stop prospecting for the day. Default: 2.

Example: You booked 2 calls by 11:00, so you switch to delivery work.

Mental squeeze point Nick Milo, Linking Your Thinking · Notes

The moment a topic has so many linked notes that it feels hard to hold in your head. That is the right time to make a Map of Content. bishOS suggests a map when 5+ notes link to each other without a map.

Example: You have 6 linked notes on hiring a VA — “Suggest maps” offers “VA — map”.

Migration (Bullet Journal) The Bullet Journal Method (Ryder Carroll) · Tasks

Instead of copying an old task forward without thinking, you decide again: is it worth doing? In bishOS the stale window gives four choices. Do today = plan it for today. Keep = stay where it is. Someday = park it. Drop = delete it (and its XP). Each choice resets the move counter.

Example: “Redesign invoice template” moved 4×. You click Drop — one less thing.

Milestone · Projects

A big checkpoint inside a sprint. Sprint progress = done milestones ÷ all milestones.

Example: 4 of 5 milestones done = 80%.

Mind like water David Allen, GTD · Inbox

A calm state where your mind responds to what happens without being full of open loops — possible because everything is captured and decided.

Example: After inbox zero you can think about one thing at a time.

Minimum / standard / stretch versions Two-minute rule (James Clear); Tiny Habits (BJ Fogg); Elastic Habits (Stephen Guise) · Habits

Three sizes of the same habit. Standard = the normal version (“Done”, 5 XP). Minimum = the ≈2-minute version for bad days; it fully counts for streak and consistency (3 XP). Stretch = for great days, never required (5 XP).

Example: Standard: 30-minute run. Minimum: shoes on, walk 2 minutes. Stretch: 10 km.

Minimum information principle Piotr Wozniak, 20 rules of formulating knowledge · Recall

One fact or idea per card, with a short answer. Small cards are easier to remember than big ones. bishOS AI follows this rule.

Example: Not “Explain our pricing” but “Why is the middle plan our anchor?”

Minimum mode bishOS · Reviews

A short version of a review with only the essential steps. A finished minimum review beats a perfect one you skip. It still gives full XP and is marked “minimum mode” in History.

Example: Busy launch week: 20-minute weekly review — celebrate, score, clear the inbox, plan next week.

Minimum steps bishOS; Tiny Habits (BJ Fogg) · Routines

Steps marked “min” form the routine's minimum version. On a bad day click “Minimum”: it counts as done for consistency and streak, and gives the same XP.

Example: Start-up minimum: “Pick today's Top 3” + “Set one if-then plan” — about 6 minutes.

Minimum version (habit) James Clear, Atomic Habits (two-minute rule) · Energy & Wellbeing

The 2-minute version of a habit. On hard weeks it counts fully and keeps the streak alive.

Example: Instead of a 45-minute workout, 10 push-ups.

Minimum viable visual Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

The least your first 2 seconds need: at least one of an attractive or unique-looking person, a recognisable person or brand, an atypical visual for the category, or an atypical layout.

Module groups bishOS · Sidebar & mobile navigation

Today = the daily loop. Direction = where you are going (purpose, goals, habits, routines, reviews). Founder = running the company (sales, people, money, content, numbers, decisions). Mind = learning and knowledge. Work = projects, tasks and execution tools. System = support (delegation, wellbeing, analytics, AI, settings, guide).

Example: Looking for a deal? Founder → Pipeline. Looking for a book note? Mind → Library.

Momentum bishOS · Notes

A log of things that moved the needle, with an impact score 1–5. Any note can be added.

Example: You add the note with your new offer idea to Momentum with impact 4.

Monthly budget Zero-based and envelope budgeting (YNAB, envelope method) · Finance · budgets, bills, invoices & goals

A spending limit for one category for one month. In bishOS a budget repeats every month until you change or clear it.

Example: Food & Groceries: $300 per month. Marketing/Ads: $500 per month.

Monthly equivalent (≈/mo) bishOS · Finance · budgets, bills, invoices & goals

Any cadence turned into a monthly cost so you can compare: weekly × 52 ÷ 12, quarterly ÷ 3, yearly ÷ 12.

Example: A $120 yearly tool shows "≈ $10/mo". A $50 weekly cleaner shows "≈ $217/mo".

Monthly review steps bishOS · Reviews

1 Re-rate life areas, 2 Goal status, 3 Habits, 4 Time by area, 5 Migrate stale tasks, 6 Energy pulse, 7 Next month. Essential: 1, 2, 7.

Mood/energy dip signal bishOS · Energy & Wellbeing

Your 7-day average energy or mood is at least 1 point below your 4-week baseline.

Example: Mood baseline 4.0, this week 2.9 → active.

Multi-threading Enterprise sales practice · Customers

Knowing several people at an account (the champion, the decision-maker, the daily user), not just one. If your one contact leaves, you don't lose the client.

Example: At Acme you know Sara (ops, champion), the CFO (signs) and Ali (uses the tool).

MVV: Attractive or unique-looking person Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

A person people want to look at, or who looks different.

MVV: Atypical layout Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

An unusual screen layout, like a split screen or text on a mirror.

MVV: Atypical visual for the category Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Something unusual for your niche, like a founder video shot on a rooftop instead of an office.

MVV: Recognizable person or brand Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

A face or logo people already know (Elon Musk, Apple).

Narrow bucket Kallaway · Playbook 1–2: the loop and positioning

A deep topic with buyer intent (rings 2–3). It brings buyers.

Native embeds Kallaway · Playbook 6–7: iterate and convert

Weave your offer or lead magnet into the content as the answer to the current topic, early and often. Not an ad break: cutaways and "we'll be right back" break the spell and viewers leave.

Example: "If you want the exact template I use for this, it's free below."

Natural-language tokens Todoist (Quick Add) · Quick capture

Short words bishOS reads inside a task sentence and removes from the title. Dates: 'today', 'tonight', 'tdy'; 'tomorrow', 'tmrw', 'tmr'; 'next week' (next Monday); 'in 3 days' (1–99); a weekday 'mon'…'sun' or 'monday'…'sunday', also 'on fri' (always the next one — today's weekday means one week later). Someday: 'someday', 'later', 'sometime' (only if no date). Area: '#' + the start of an area name or any word in it ('#sales' → Company Sales & Marketing); if no area matches, the # text stays in the title. Priority: '!high' '!h' '!!!', '!med' '!m' '!!', '!low' '!l'. Estimate: '~30m', '~1h', '~1.5h', or '~45' (minutes).

Example: 'Send proposal to Ali tomorrow #sales !high ~45m' → title 'Send proposal to Ali', tomorrow, Sales, High, 45 min.

Needs attention bishOS · Pipeline

A filter that shows open deals with any flag (no next step, overdue, proposal open, stuck, idle) or a step due today.

Example: Friday afternoon: filter Needs attention and clear every card.

Net · Finance · cash, spending & runway

Income minus expenses for a period. Positive means you kept money; negative means you spent more than came in.

Example: Income $5,000 − expenses $3,800 = net +$1,200.

Net burn Startup finance · Finance · cash, spending & runway

Burn minus business income. It is how fast cash really goes down. If income is bigger, net burn is negative and the card shows "+" in green.

Example: Burn $5,000 − income $3,500 = net burn $1,500 / month.

Net worth Personal finance basics · Finance · cash, spending & runway

Everything you own minus everything you owe: the sum of all open accounts, including investments and negative card or loan balances.

Example: Cash $11,200 + investments $4,000 − Visa $1,200 = net worth $14,000.

Next action (GTD) Getting Things Done (David Allen) · Tasks

The very next physical, visible step that moves something forward. If you can picture yourself doing it, it is a next action.

Example: Not "Acme website". Yes: "Email Sara at Acme the kickoff agenda."

Next due bishOS · Finance · budgets, bills, invoices & goals

The next date a recurring item must be paid. Mark paid and Skip move it forward one cycle from the old due date, keeping the original day of the month (Jan 31 → Feb 28 → Mar 31). If you delete the payment that 'Mark paid' created, the item becomes due again on that date.

Example: Figma next due Oct 20 → after "Mark paid" it is Nov 20.

Next fix Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

The 1–2 concrete changes for the next rep. Carried into the next rep's brief.

Next rep (Start next rep) Kallaway (hold and remix), bishOS · Video workflow 5–8: script, convert, packaging, post-mortem

A new piece "Next rep · <title>" at Brief, same brand, format, pillar and platforms. Its brief lists the fix, the weak bricks, the held bricks and the lesson. Strong bricks are copied into its workflow: topic; angle with belief, take and emotion; archetype and hook format; structure; visual format; key visual; audio. The CTA ramp and bucket are always copied; a series gets the next number.

Next rung (focus) bishOS · Delegation

The first rung that is empty or not fully delegated. bishOS marks it "Next" and writes a tip for it.

Example: Admin is fully delegated → "Next" moves to Delivery.

Next step (deal) Sales pipeline practice · Today (your home screen)

Every open deal should have one concrete next action with a date. A deal without a next step is a deal you are slowly losing.

Example: Deal 'Acme website' — next step 'Send revised quote' — Thursday.

Next step (the next-step rule) Founding Sales (Pete Kazanjy); common sales discipline · Pipeline

Every open deal must have a concrete next action and a date. bishOS refuses to create or move an open deal without both. This is the one rule that stops deals from going cold.

Example: Bad: “Follow up sometime.” Good: “Send case study + pricing” on Friday.

Next test bishOS · Strategy AI

The last line of every offer suggestion: one small experiment to run this week, so advice turns into action.

Example: “Next test: pitch the 14-day guarantee version to 5 prospects and count yeses.”

Next-action rule Getting Things Done (David Allen) · Projects

Every active or blocked project must always have at least one open task — the very next step. bishOS picks it like this: a task In progress first, then the earliest “when” day (tasks with no day after), non-Someday before Someday, then priority, then the newest.

Example: Project “Acme website”: next action “Send Sara the wireframes” (planned today).

Niche bullseye (audience bullseye) Kallaway · Playbook 1–2: the loop and positioning

Up to five rings, from your narrowest niche (ring 1, your ideal customer) outward. The narrower the ring, the faster you own the lane. Expand outward as proof grows.

Example: 1 SaaS founders stuck at $20K MRR → 2 B2B founders doing their own sales → 3 all early-stage founders → 4 anyone curious about startups → 5 all business content (banned).

Niche scan Kallaway · Playbook 6–7: iterate and convert

Every 3–4 weeks, scan your watchlist for new outliers (last 3 months, more than 2% engagement).

No-day-off signal Dan Sullivan, Strategic Coach (Free Days); recovery research · Energy & Wellbeing

None of the last 14 days was a real rest day (marked Free, or under 30 minutes of work).

Example: You worked every day for two weeks, even “just an hour” on Sundays → active.

Not-to-do list Stop-doing list (Jim Collins, Tim Ferriss) · Compass

Things you have decided to stop doing. Every no protects time and energy for your real yes.

Example: No calls before noon. No custom work under $5k. No email before the Top 3 is done.

Notification types bishOS · Notifications

Urgent: task overdue ('Overdue by Nd'), task due today, goal deadline passed, sprint ended, open deal with no next step, deal next step overdue, promise due today or overdue ('Promise overdue — deliver or renegotiate'). Info: task due within 3 days, goal deadline within 7 days, sprint ending within 3 days, habit streak at risk (active habit, streak above 0, nothing logged today: 'the minimum version counts'), time block still ahead today ('At 2 PM'), 'Start your day' (no start-up in the last 16 hours and no check-in today), deal next step today, waiting-for check date reached, inbox items older than 48h, 5 or more recall cards due.

Example: Morning: 'Start your day — 5-minute start-up: check-in, Top 3, capacity' and 'Acme website — Open deal with no next step'.

Nurture contact Lead nurturing; Founding Sales (Kazanjy) · People

A lead who said no or was not ready. bishOS keeps them warm: when you close their deal as Lost or Unqualified, they get a 90-day cadence (if they had none). They come back in Due to reconnect in a quarter.

Example: Lost on "Bad timing" in March. In June Sara is due; you send a useful article and ask how things are.

Objections as content They Ask, You Answer (Marcus Sheridan) · Commitments

Every worry or question a prospect raises is likely shared by others. Answer it in public as a post.

Example: Prospect: "Isn't migration risky?" → post "How we migrate clinics in one weekend with zero downtime".

Offer status bishOS · Offers

Draft = being built. Testing = you are pitching it to see if it sells. Live = your active offer (+30 XP the first time). Retired = no longer sold (keeps its history and XP).

Example: You test "Booking Sprint" with 5 prospects (Testing), 2 buy, you set it Live.

On track / off track EOS (Traction) · Scorecard

A number is on track when it is at or above its target (direction "up"), or at or below it (direction "down"). No value = no status.

Example: Deep work target 15h, you did 12h → off track. Hours over a cap of 50, target down, you did 47 → on track.

One long video ≈ 20 shorts in trust Kallaway (content minutes) · Playbook 5: YouTube long-form

A 25-minute video watched for 8–10 minutes gives about 10 minutes of trust. A short watched for 30 seconds gives half a minute. So about 20 shorts equal one long video.

One rep at a time vs batching Kallaway · Playbook 1–2: the loop and positioning

Batching means making several pieces before you post and review. It lengthens the iteration cycle: batch 5 and you repeat rep 1's mistake five times. Make one at a time for your first ~300 reps, then 2–3, later 5–10.

One-question chain Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Kallaway's script audit: the first line must open exactly ONE question in the viewer's head. Every next line answers that question and opens exactly one new one. Do that all the way down and the story is perfect. A line that opens no question is dead air; two questions cause confusion; a line that does not answer the last question breaks the chain.

Example: "Google just dropped a new model." (Q: what can it do?) → "It can read a whole contract in seconds." (Q: how do I use it?) → "Go to …"

Open to goal bishOS daily sales block · Pipeline

Prospect until you book your daily meetings goal (default 2), then stop and switch to other work. Meetings = deals moved to Booked today + calls and meetings logged today.

Example: Goal 2. By 11 am you booked 2 calls → "Goal hit — you can stop prospecting today". You spend the afternoon on delivery.

Opening balance Bookkeeping practice · Finance · cash, spending & runway

The money in an account on the day you start tracking it, before anything you log. For a credit card or loan, type what you owe as a negative number.

Example: Your bank app says 250,000 PKR today, so the opening balance is 250000. Your Visa owes $1,200, so its opening balance is -1200.

Outcome vs learning goal Goal-setting research (Locke & Latham; Seijts & Latham) · Goals · 12 weeks

An outcome goal names a result (revenue, clients, a launch) and works best when you know the path. A learning goal names a capability to build (find what works) and works better on new, complex work.

Example: Outcome: "Reach $10k MRR." Learning: "Run 10 pricing experiments and find one that lifts conversion."

Outlier Kallaway · Playbook 3–4: data system and the 60-day lab

A video that got far more views than its creator usually gets. It proves the idea worked, not the person, because the same creator's normal videos did not do it.

Outlier on YouTube (3–4×) vs short-form (5×) Paddy Galloway / Kallaway · Playbook 5: YouTube long-form

Paddy counts a YouTube video as an outlier at 3–4× the channel's average. Kallaway uses 5× for short-form research. The idea is the same: a video that beat its own channel.

Outlier score Kallaway · Playbook 3–4: data system and the 60-day lab

Views of one video ÷ the creator's average views (a rolling average of about 3 months before the post). It lets you compare creators of any size.

Example: A creator who averages 10K views has a video with 75K views: outlier score 7.5×.

Outlier score (on a swipe) Kallaway · Inspiration, hook library and watchlist

Views ÷ the creator's usual views, rounded to one decimal. 5× or more is a real outlier worth researching (green). 2–5× is above their usual but under the research bar (blue).

Outlier score (swipes) · Analytics

A saved video's views ÷ the creator's average views. 3× means it did three times better than normal — a format worth studying.

Outline insert bishOS · Video workflow 1–4: idea gate, angle, hook, structure

"Insert outline into script" turns the structure's blocks into ## headings in your script and pre-fills what you already wrote (hook lines, chosen title and thumbnail, last line).

Outreach quota · Analytics

Your daily target of outreach and follow-up touches (Settings, default 20). The weekly line is quota × 5 workdays. "Weeks at quota" counts weeks that reached it.

Outreach quota (and why it is lower than 100) Adapted from the Rule of 100 ($100M Leads, Alex Hormozi) · Pipeline

Your daily number of outreach + follow-up touches. Default 20. You also run delivery and marketing, so 100 a day is not realistic. The quota editor suggests 20–30 in heavy delivery weeks. The founder scorecard target of 100 touches a week equals 20 a day over 5 days.

Example: Quota 20: 12 new DMs + 8 follow-ups before lunch, then delivery work.

Outreach touch Alex Hormozi, $100M Leads (Rule of 100) · Today (your home screen)

One logged outreach or follow-up message to a prospect. Today counts them against your daily quota (20 by default).

Example: 10 LinkedIn DMs + 5 follow-up emails = 15 touches.

Overdue bishOS · Today (your home screen)

A task whose deadline was before today and is still not done. It shows a red chip and a notification.

Example: 'Send contract' was due Monday; on Tuesday it shows 'overdue'.

Overdue flag bishOS · Pipeline

The next-step date is in the past. Do the step or pick a new date.

Example: Step date was yesterday → amber “Overdue” chip.

Overdue without guilt · Tasks

A passed deadline is information, not a failure. Reschedule it, renegotiate the date with the person, or drop it if it no longer matters.

Example: The client moved the launch. You change the deadline to next month.

Owed to me (Waiting for) Getting Things Done — the Waiting For list (David Allen) · Commitments

Something another person promised you. You track it so you can follow up, instead of keeping it in your head.

Example: “Ali will intro me to his CFO by Wednesday.”

Own-channel audit Kallaway · Playbook 6–7: iterate and convert

Every 2 weeks, look at your own pieces: which topics, hooks and formats won? Remake your winners first.

Owned stack (rented → owned) Kallaway · Playbook 6–7: iterate and convert

Followers on platforms are rented: the platform can cut your reach. Emails are owned. Short form (the cash cow) and long form (the GOAT) each feed email on their own. Then: content → lead magnet (keyword DM) → page → low-ticket → high-ticket, on the same problem. Solo: start short form. With a team: long form.

Owner draw Small-business accounting (owner's equity) · Finance · cash, spending & runway

Money you move from a business account to a personal account to pay yourself. In Business view it counts as money out and as burn; in Personal view it counts as money in (“From business”).

Example: On the 1st you transfer $2,000 from Meezan Business to Meezan Personal. Business burn goes up by $2,000; your personal income goes up by $2,000.

Owner funding Startup finance (capital contribution) · Finance · cash, spending & runway

Money you move from a personal account into the business. In Business view it counts as money in (“Owner funding (from personal)”). For runway it is financing, not revenue: it raises business cash, so runway gets longer, but it never counts as business income, so burn and net burn do not change.

Example: You put $5,000 of savings into the business. Business cash goes up by $5,000, but Income / month in the runway card stays the same.

Packaging check: 3 thumbnail variants for A/B test Kallaway / Paddy Galloway · Video workflow 5–8: script, convert, packaging, post-mortem

Test 3, then iterate around the winner with two new variants close to it.

Packaging check: First payoff in 30–60s Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Reorder in the edit if the best bit is late.

Packaging check: Intro confirms the click in ~5s Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Clickbait yes, bait-and-switch never.

Packaging check: Readable at 1/16 size, in dark mode Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Most viewers use dark mode and small screens. Keep the bottom-right corner clear.

Packaging check: Thumbnail ≤3 elements Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Adds to the title, never repeats it. Thumbnail → title → thumbnail → click.

Packaging check: Title locked BEFORE scripting Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Most effort while you are freshest, on the most important thing.

Packaging check: Title triggers a desire loop Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Pain, FOMO or desire, or an unanswered question.

Packaging flow Paddy Galloway · Playbook 5: YouTube long-form

The packaging workflow for every video: ≥10 titles first; a thumbnail brief of ~5 concepts; a shoot of 10–30 shots per concept; ≥3 clearly different thumbnails in YouTube's A/B test; 10–20% of production time on packaging.

Packaging step: ≥10 titles first Paddy Galloway · Playbook 5: YouTube long-form

Write at least 10 titles before anything else. The thumbnail must complement the title, so the title comes first.

Packaging step: ≥3 thumbnails in an A/B test Paddy Galloway · Playbook 5: YouTube long-form

Design at least 3 clearly different thumbnails (a new shirt colour does not count) and load them in YouTube's native Test & Compare.

Packaging step: 10–20% of production time Paddy Galloway · Playbook 5: YouTube long-form

Packaging drives about half the result but should take 10–20% of the total time. One thumbnail swap took a video from 1K to 40K views a day.

Packaging step: Shoot 10–30 shots per concept Paddy Galloway · Playbook 5: YouTube long-form

Many photos per concept: angles, faces, emotions, lighting. You choose later.

Packaging step: Thumbnail brief Paddy Galloway · Playbook 5: YouTube long-form

About 5 thumbnail concepts written before the shoot. Concepts, not designs: sketches, stick figures or AI references are fine.

Past Year Review Tim Ferriss · Reviews

Go through last year's calendar and notes, list the positive and negative peaks, then book more of the positives and avoid the negatives next year.

Example: Positive: the offsite with the co-founder. Negative: weekend client calls → Not-to-do list.

Payee · Finance · cash, spending & runway

The person or company on the other side of an expense or income. The app remembers your last 80 payees and their categories.

Example: Next time you type “Figma”, the category Software/SaaS and the business account come back by themselves.

Payment terms (Net 7 / 14 / 30) Standard invoicing terms · Finance · budgets, bills, invoices & goals

How many days after the issue date the client has to pay.

Example: Issued Oct 1 with Net 14 → due Oct 15.

Peak focus window bishOS (your own data) · Energy & Wellbeing

The 2-hour block of the day where you logged the most focus minutes (needs 10+ sessions). Protect it for maker work.

Example: “Your peak window: 9a–11a” → no meetings before 11.

Pendulum 1: Make it watchable Paddy Galloway · Playbook 5: YouTube long-form

Clear audio, a clear story, no drop-off traps. Just good enough to watch.

Pendulum 2: Ideas + packaging Paddy Galloway · Playbook 5: YouTube long-form

Where the views actually come from. Master this before buying cameras.

Pendulum 3: Production quality Paddy Galloway · Playbook 5: YouTube long-form

4K, more angles, better sets. Only after steps 1 and 2 work.

Perceived likelihood of achievement $100M Offers (Alex Hormozi) · Offers

How much the client believes it will work for them. Proof raises it: case studies, testimonials, a guarantee, a pilot. Higher = better.

Example: “We did this for 12 clinics like yours; here are three on video.”

Period and “vs prev” · Analytics

The current period is the last 4, 12, 26 or 52 Monday-weeks up to today. The previous period is the same number of days just before it. Every change line compares the two.

Example: 12w on Tue Oct 20: period = Jul 28 → Oct 20; previous = the 85 days before Jul 28.

Personal CRM Never Eat Alone (Keith Ferrazzi) · People

A simple system to remember the people in your life and work: who they are, what you talked about, and when to reach out again.

Example: Before a coffee with Ali you open his profile: his daughter started school, and you promised him an intro to a designer.

Personal Kanban Personal Kanban (Jim Benson & Tonianne DeMaria Barry) · Projects

Visualize your work on a board with columns for each stage, and limit how much is in progress.

Example: Active, Planning, Blocked, Done — you see at a glance what is moving and what is stuck.

Personal vs business scope Profit First (Mike Michalowicz); basic small-business bookkeeping · Finance · cash, spending & runway

Every account, entry, category, bill and goal belongs to one side: Personal or Business (a category can be "Both"). The switch at the top shows one side or All. Keeping the two apart is the base of clean books.

Example: Your Figma plan is Business. Your groceries are Personal. In Business view only the Figma cost shows, so burn and runway are about the company only.

Phase 2: the 4 tests Kallaway · Playbook 3–4: data system and the 60-day lab

After the lab, keep only formulas that pass all four: 1 it performs on your KPI, 2 it attracts your ideal viewer, 3 you enjoy making it, 4 you are proud of how it looks. Double down on those; formulas burn out, so keep testing new ones.

Pipeline Standard sales practice · Pipeline

The list of every possible sale, sorted by how close it is to a yes. Each step is a stage.

Example: 12 open deals: 5 Targets, 3 Contacted, 2 Booked, 1 Proposal, 1 Verbal yes.

Pipeline coverage Common B2B sales rule of thumb · Pipeline

Open pipeline value divided by the revenue you still need in the period. A common rule is 3× coverage, because you won't win every deal. bishOS shows the open value; you do the division.

Example: You need $10K this quarter. Open pipeline is $24K → 2.4× coverage. Add more Targets.

Pipeline value · Analytics

The total value of deals that were open at the end of each week (stages target, contacted, booked, discovery, proposal, verbal). "Open now" is today's total.

Plain (legacy) goal bishOS · Goals · 12 weeks

A goal from before the 12-week system. Convert it: as a 12-week goal it joins the cycle if there is room, otherwise the backlog. Its metric or milestones become a starting key result.

Play bishOS · Campaigns

One concrete move inside a campaign, with steps. The AI panel suggests 5 plays based on your channels, offer and results so far.

Example: Play "Comment-to-DM": post a checklist, DM everyone who comments, offer a 15-minute audit.

Pomodoro The Pomodoro Technique (Francesco Cirillo) · Focus

Work in short, fixed blocks (default 25 minutes) followed by a short break (default 5 minutes). The timer makes starting easy and protects focus. In bishOS a completed focus block is saved automatically and the break starts; after the break the timer waits for you.

Example: Four Pomodoros on the proposal before lunch = 100 minutes of focus.

Positioning canvas Kallaway (personal brand positioning canvas), bishOS · Playbook 1–2: the loop and positioning

The 15 items you fill in Positioning. When all 15 are green, the section is complete.

Positioning wheel Kallaway · Playbook 1–2: the loop and positioning

Map 5–10 competitors on each axis of uniqueness. Where nobody is strong, that is your white space, your lane.

Positive-only rewards bishOS (behaviour design) · XP, levels, streaks & achievements

bishOS never takes XP away as a punishment. XP is only removed when you undo the action that earned it (for example un-ticking a task).

Example: A bad day earns little XP, but your level never drops.

Post angle: mistake bishOS · Piece editor

A mistake you made and what it cost. Tagged with hook type Mistake when created as a seed.

Post angle: myth-bust bishOS · Piece editor

A common belief, and why it is wrong. Tagged with hook type Myth when created as a seed.

Post angle: TIL Learning in public · Piece editor

“Today I learned”: one lesson you just learned, shared simply.

Post-mortem Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

The review after publishing. Read the numbers, diagnose a flop in order (topic, angle, hook), mark the weak LEGO bricks, and write 1–2 fixes for the next rep.

Power word: Action Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

A verb: what happened. Required.

Power word: Contrast Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

The base state vs the new state (0 → 100K). Often overlaps the objective. Required.

Power word: Objective Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

The end result. The more shocking and non-obvious, the better. Required.

Power word: Proof Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

A word that proves it, like “again”. Matters more for education than entertainment. Optional.

Power word: Subject Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Who it is about: I, we, you, or a proper noun. Required.

Power word: Time Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

A time frame: “in 5 months”, “in 90 days”. Adds urgency. Optional.

Power words (6 hook power words) Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

The anatomy of a strong spoken hook. Four are required (Subject, Action, Objective, Contrast), two are optional (Proof, Time). Proof and time can move to lines 2 and 3.

Example: “We (subject) grew (action) our SaaS from 0 to 100 customers (objective + contrast) again (proof) in 90 days (time).”

Practice (session kind) K. Anders Ericsson (deliberate practice) · Learning

Drilling the skill directly — the highest-value minutes.

Example: Recording the same 30-second intro 5 times.

Practice by learning area Deliberate practice (Anders Ericsson) · Analytics

Minutes of deliberate practice per learning area in the period, against weekly target × weeks elapsed.

Practice session bishOS · Learning

One logged block of learning: kind, minutes, skill, what you did, gaps found and what you can now explain. +10 XP each.

Example: 25 minutes, Practice, “Write hooks”, 10 hooks written, gap: “how long a hook should be”.

Practicing (skill status) bishOS · Learning

You are doing it for real and getting better. Counts ⅔ (67%).

Example: You write 5 hooks a day and test them in posts.

Prediction gap rule Paddy Galloway · Video workflow 5–8: script, convert, packaging, post-mortem

Actual rank 2+ places worse than predicted: change it now (thumbnail via A/B test first, then the title). At or better than predicted: don't touch it. 1 place worse: don't change things constantly; only make a big change if it falls well short.

Prediction windows (Hour 1, Day 1, Week 1) Paddy Galloway, bishOS · Video workflow 5–8: script, convert, packaging, post-mortem

You predict the 1-of-10 rank three times. After publishing, the app compares the actual rank with the prediction for the window you are in now (first 24 hours → Hour 1, first week → Day 1, later → Week 1).

Priority and sort order · Tasks

Every list and board column sorts by priority (High, Medium, Low), then by the nearest deadline, then by your manual order.

Example: A High task with no deadline sits above a Medium task due tomorrow.

Priority P1 / P2 / P3 bishOS · Decisions & Issues

P1 = urgent and important, solve this week. P2 = important. P3 = nice to fix. The top 3 are ranked by priority, then by age.

Example: P1: “Biggest client threatening to leave”. P3: “Rename Google Drive folders”.

Processed (note status) bishOS (Zettelkasten processing) · Notes

The note is written in your own words and linked. It is part of your knowledge base and can appear in Review mode.

Example: After “Keep as idea”, the note becomes Idea + Processed.

Processing David Allen, GTD · Inbox

Taking each inbox item, one at a time, from the top, and deciding what it is and what the next action is. You never put an item back unprocessed.

Example: 'Book dentist' → Task, Personal area, This week.

Production quadrant Dan Martell (DRIP) · Delegation

High $ and energizing — your zone of genius. Protect it and expand it.

Example: Sales calls with ideal clients, product vision, key partnerships.

Profile-grid covers Kallaway · Playbook 6–7: iterate and convert

Covers on your profile grid tell a visitor what each video is and what to click next. Most shares happen in DMs, where only the cover shows.

Profitable (default alive) Paul Graham, "Default Alive or Default Dead?" · Finance · cash, spending & runway

Business income is equal to or bigger than business spending, so cash grows every month. The runway card shows "Profitable" instead of months.

Example: Income / month $6,000, burn / month $5,000 → net burn "+$1,000", headline "Profitable".

Progress line Teresa Amabile, The Progress Principle · Evening shutdown ritual

One sentence about what moved forward today. Seeing progress, even small, is the strongest booster of motivation at work.

Example: 'Sent the proposal; recorded 2 shorts.'

Progress principle The Progress Principle (Teresa Amabile & Steven Kramer) · Wins

Of everything that boosts motivation at work, making progress in meaningful work is the strongest — even small steps. Seeing your progress keeps it going.

Example: You did not close the deal, but you booked the demo. Log it: impact 3, "first real meeting with a decision maker".

Progressive summarization Tiago Forte · Notes

Summarize a note in layers, so future-you can get the point in seconds. In bishOS the Summary box is the top layer: 1–2 lines.

Example: A long source note on a podcast gets the summary "Sell the outcome in the first sentence of every call."

Project GTD / PARA · How bishOS works

A piece of work with a clear finish line that takes more than one step. Projects contain tasks. You keep 5 or fewer active (Settings → Caps).

Example: 'Launch the new agency website' — done when the site is live.

Project (GTD / PARA) Getting Things Done (David Allen); PARA method (Tiago Forte) · Projects

Any outcome that needs more than one step and has an end. It lives in one life area.

Example: "Acme website delivered", "Referral offer launched", "Hire first designer".

Project (session kind) Ultralearning (directness) · Learning

Doing the real thing: ship, record, pitch.

Example: Publishing a real video, or running a real sales call.

Project note Tiago Forte (PARA) · Notes

Working notes for one project: decisions, ideas, open questions. They can be messy and are tied to the project's life.

Example: “Website relaunch — working notes” with the sitemap ideas and copy drafts.

Project status · Projects

Planning = shaping the outcome and first steps. Active = doing now. Blocked = waiting on someone or something. Done = shipped.

Promise (I owe) and Waiting for David Allen, GTD (Waiting For list) · Today (your home screen)

A promise is something you told someone you would do, with a date. 'Waiting for' is something someone owes you, with a date to check in. Both live in Commitments.

Example: I owe: 'Send Sara the deck by Thursday'. Waiting for: 'Ali sends logo files — check Monday'.

Promise-keeping · Analytics

Of your “I owe” promises due in a week (done, broken, or still open after the date), the share done on or before the promised date.

Example: 5 promises due, 4 done on time → 80% (below the 85% line).

Promise-keeping rate bishOS; The Speed of Trust (Stephen M. R. Covey) · Commitments

Of your “I owe” promises that came due in the last 28 days, the share you kept on or before the promised day. Broken ones count as missed. Open ones count only once they are late. Renegotiated and cancelled ones are left out.

Example: 12 promises came due; 11 kept on time; 1 still open and late → 92%.

Proposal sent (stage) bishOS stages; Founding Sales (Kazanjy) · Pipeline

Your proposal is with them. A 9-day clock starts. After 9 days the deal gets the “Proposal Nd” flag. Suggested next step: “Follow up on the proposal”.

Example: Proposal emailed on the 1st. On the 10th the flag appears: chase it or close it.

Proposal-open flag (9 days) bishOS flags · Pipeline

The proposal has been out for 9 days or more. Chase it, or close the deal as lost.

Example: “Proposal 11d” → call them: “Is this still a priority for this quarter?”

Protected Free Day Dan Sullivan, Strategic Coach · Settings

One full day a week with no work at all. Rest makes the other days sharper. It never breaks your ritual streak.

Example: Sunday: no email, no Slack, family time.

Protective actions bishOS; recovery research · Energy & Wellbeing

Seven responses to rising signals that reduce load instead of adding pressure: a lighter week (Top 1), a Free Day, a hard shutdown, minimum-version habits, delegate/automate/drop, protect sleep, and talk to someone.

Example: Long hours + no day off active → “Propose a Free Day” and “Run a lighter week” are Suggested.

Pruning bishOS · Reviews

Every quarter, close projects, archive habits and retire life areas that no longer serve you, so your system only holds what is alive.

Publish anyway bishOS · Content Studio

Publishes with open checklist items. Use it rarely. The checklist exists because each item protects views or trust.

Publish checklist (publish gate) Kallaway (publish gate) + bishOS · Content Studio

The list a piece must pass before it can be published. Video formats (short video, long video, story) have 11 items. Text formats and podcasts have 6. Pillar and Repurpose plan tick themselves. You can still choose Publish anyway.

Publishing streak bishOS · Content Studio

The number of weeks in a row with at least one published piece. It counts back from this week (or last week, if you have not published yet this week).

Purpose Start With Why (Simon Sinek) · Compass

One or two sentences about why you do your work and who it helps. It is the reason behind every goal.

Example: "I build simple software for small clinics so that doctors spend their time with patients, not paperwork."

Pyramid level: Application Kallaway · Playbook 1–2: the loop and positioning

Showing how to apply it to their situation and get a result: case studies, scenarios, "if I had to…". Go here in crowded niches so one video proves you know your stuff.

Example: "If I had to get a new SaaS to its first 10 customers, here's exactly what I'd do."

Pyramid level: Explanation Kallaway · Playbook 1–2: the loop and positioning

Facts plus your opinion: why or how something works. Breakdowns, tutorials, how-tos.

Example: "Why most CRMs fail in small teams."

Pyramid level: Facts Kallaway · Playbook 1–2: the loop and positioning

Raw information with no opinion: lists and rankings. The most saturated level; AI does it now. Skip it in a crowded niche.

Example: "The 10 best CRM tools."

Pyramid level: Stories Kallaway · Playbook 1–2: the loop and positioning

Your own lived problem → action → result. Least saturated, one-of-one, the final moat. Hard to start with from zero.

Example: "We lost our biggest client in month 3. Here's what I did the next morning."

Qualification (Pain, Budget, Decision-maker, Timeline) BANT (IBM); Founding Sales (Kazanjy) · Pipeline

Four facts that tell you if a deal can close: what hurts, how much they can pay, who signs, and when they need it.

Example: Pain: losing leads at night. Budget: $3K. Decision-maker: owner. Timeline: before January.

Quarterly review steps 12 Week Year (week 13) · Reviews

1 Grade key results, 2 Execution & lessons, 3 Life scan & burnout check, 4 Prune, 5 Next cycle. Essential: 1, 2, 3, 5.

Question chain audit (AI) Kallaway · AI content coach

Checks the one-question chain line by line: the question each line opens, what it answers, and flags lines that open 0 questions (dead air), 2+ questions (confusion) or don't answer the previous one (broken chain). The last line may just close the loop. It also suggests 3 loop openers for your script. Needs 3+ lines; checks up to 45.

Queue (new-habit limit) bishOS; habit research (one change at a time) · Habits

You build at most N new habits at once (default 3; Settings → Caps → "New habits at once"). "New" = active and started in the last 30 days. When you are full, new habits wait in the queue. Start one when another sticks or graduates; it gets a fresh start date.

Example: Journaling, gym and reading started this month → a fourth idea, "Meditate", waits as #1 in queue.

Queued (resource status) bishOS · Library

Saved with a reason, not started yet.

Example: "$100M Offers — to build a grand-slam offer before the Q4 push."

Quick add shorthand bishOS · Finance · cash, spending & runway

Type the amount and the words in one line. "k" means thousand, "m" means million, commas are fine, the number can be first or last.

Example: "45 groceries", "groceries 45", "1.2k Figma" (1,200), "1,200 rent".

Quiet pillar bishOS · Content Studio

A pillar with no activity for 30 days. One banked idea brings it back to life.

Quit-point zone (lab) Kallaway · Playbook 3–4: data system and the 60-day lab

When your lab total is between 10 and 30 and you still have reps left this week, the lab message warns you: this is exactly where most people stop.

Ran it (performed log) bishOS · Delegation

A one-click log that you ran a process today. It shows how often a process really happens.

Example: "Ran yesterday" on your weekly reporting SOP.

Ranked reasons 12 Week Year (compelling vision) · Goals · 12 weeks

Your reasons why the goal matters, strongest first. Strong reasons carry you through the boring middle weeks.

Example: 1. Runway is 4 months. 2. Prove the model before the investor call. 3. Afford a developer hire.

Recall (session kind) Retrieval practice (Roediger & Karpicke) · Learning

Testing yourself from memory.

Example: Writing the 5 steps of your discovery call without looking.

Recall retention Spaced repetition (Ebbinghaus; SM-2) · Analytics

Of graded recall reviews (cards in review state), the share rated 2 or higher (remembered).

Example: 50 graded reviews, 42 remembered → 84%.

Receivables (money owed to you) Accounting (accounts receivable) · Finance · budgets, bills, invoices & goals

Money clients owe you for work you already billed. In bishOS: invoices with status Sent.

Example: Two sent invoices of $2,000 and $1,500 → receivables $3,500.

Recent window Kallaway · Playbook 3–4: data system and the 60-day lab

Look at recent outliers only: 7–14 days in news niches; the last 3 months (up to 12) in evergreen niches.

Reconnect cadence Personal CRM practice · Today (your home screen)

How often you want to contact a person (every N days). When the time passes, they appear in 'Due to reconnect'.

Example: Mentor every 30 days; the chip appears on day 30.

Record queue (“Record this next time”) bishOS + Camcorder Method · Delegation

The list of delegate-flagged tasks without an SOP. The next time you do one, record it and create the SOP.

Example: “Update CRM after calls” waits in the queue until Thursday's run is recorded.

Recurring block (series) · Calendar

A block that repeats daily or weekly until a date. All copies share a series, so you can delete the future ones in one click.

Example: Weekly review every Friday 14:00–15:30 until the end of the year.

Recurring item · Finance · budgets, bills, invoices & goals

A payment that repeats on a schedule. Kinds: Subscription, Bill, Salary / payroll, Retainer, Loan payment, Other. Each has an amount, a cadence and a next due date.

Example: Office rent $400 monthly, due on the 1st.

Recycle at 6 months Common creator practice (Justin Welsh reposts his best posts); bishOS rule · Content Studio

When a piece is published, the app sets a recycle date 6 months later. Then it appears in Recycle due. Recycle makes a fresh copy (title “Recycle · …”, at Script or Brief, with the old lesson in the brief) and sets the next recycle 6 months later. Most of your audience never saw the old one.

Example: Your best post from April comes back in October with a new hook.

Relation bishOS · People

What the person is to you: Lead, Customer, Partner, Investor, Mentor, Peer, Friend, Family, Team or Other. Winning a deal turns a Lead (or Other, Peer, Partner) into a Customer automatically.

Example: Sara is a Lead. You win her deal → she becomes a Customer.

Renegotiate Managing agreements (David Allen); The Speed of Trust (Covey) · Commitments

Move a promise to a new date, ideally before it is late and after telling the other person. The old one closes as “Renegotiated” (not counted against you) and a new one opens with the new date.

Example: Thursday you see you can't finish by Friday. You message the client, agree on Tuesday, and renegotiate.

Renewal window Account management practice · Customers

Around the one-year mark (300–400 days after the first win). The best time for a one-year review and to propose the next year or a bigger scope.

Example: Customer since November last year → in October book a "one year together" review.

Rep Kallaway · Playbook 1–2: the loop and positioning

One published piece. In the Playbook, reps are all published pieces of the brand, in any format.

Rep milestones (1, 10, 30, 100, 300) Kallaway · Playbook 1–2: the loop and positioning

The ticks on Your reps: 1 = first rep; 10 = the quit zone starts; 30 = past the quit point; 100 = take the stencil off (stop copying outliers closely and find your own lane); 300 = you may start batching.

Replacement Ladder Buy Back Your Time (Dan Martell) · Founder HQ

The order in which a founder hands off work: first Admin, then Delivery, then Marketing, then Sales, and last Leadership. The rungs in Delegation readiness follow this order.

Example: Bish first hands off invoicing and scheduling (Admin), then project delivery to a developer (Delivery).

Replacement quadrant Dan Martell (DRIP) · Delegation

High $ but draining. Valuable work that wears you out. Document it, then train someone to replace you.

Example: Project management of client delivery.

Reps × iteration distance (meta-principle) Kallaway · Playbook 1–2: the loop and positioning

Two things make you good: many reps, and how much you improve between one rep and the next. After each rep, break it into its bricks, compare it A vs B with the winner in your niche, and fix 1–2 things.

Example: Rep 4 had a slow hook. The winner in your niche shows the result in second 1. Rep 5 shows the result in second 1.

Repurposed children bishOS · Content Studio

The small pieces cut from a hub. Each child is linked to its hub (its parent), with the same brand, pillar and campaign. The piece editor shows them in the Repurpose tree.

Example: "Short video 2 · Why I stopped cold calling" is a child of the hub "Why I stopped cold calling".

Repurposed drafts (AI) bishOS (GaryVee / Justin Welsh repurposing) · AI content coach

Cuts one hub into 5–10 platform-native posts (hub and spoke). Each carries ONE idea, opens with a strong hook and ends with a light CTA. The mix: short video scripts (hook + 3 beats + CTA, about 45 seconds), LinkedIn or X text posts, one carousel (slide by slide) and one X thread. Needs 40+ characters of script or brief.

Research cadence Kallaway · Playbook 3–4: data system and the 60-day lab

Own-channel audit every 2 weeks (your winners first, remake them). Niche scan every 3–4 weeks (outliers from your watchlist, last 3 months, more than 2% engagement).

Reserve shields Phillippa Lally (habit research, 2009) + Duolingo · XP, levels, streaks & achievements

Two per Monday-to-Sunday week. Each one absorbs one missed day so your streak survives. They refill every Monday. Research shows that missing one day doesn't hurt a habit, but a broken streak hurts motivation — shields protect you from that.

Example: You were travelling Wednesday: one shield used, 1 left this week.

Reserve skips (shields) Emergency reserves research (Marissa Sharif & Suzanne Shu) · Habits

Planned skips per week, 0–3 (default 2). Using one keeps the streak and removes that day from consistency. They refill every Monday. With no shields left, the app suggests the 2-minute version instead.

Example: Flu on Thursday: long-press → "Use a reserve skip". The streak stays alive.

Reset schedule bishOS · Recall

Forget a card's history and start it again as New.

Example: You rewrote a card completely — reset it.

Results rollup bishOS · Campaigns

bishOS counts results from linked data: Leads = deals linked to the campaign; Conversations = linked deals at Booked or later (Booked, Discovery, Proposal, Verbal, Won); Deals won = linked deals won; Revenue = value of those won deals; Content published = linked pieces that are published. You can override any of the first four by hand.

Example: 6 linked deals: 2 Target, 1 Booked, 1 Proposal, 2 Won ($5K) → Leads 6, Conversations 4, Deals won 2, Revenue $5K.

Resume note (ready-to-resume plan) Sophie Leroy (attention residue research) · Evening shutdown ritual

A short note about exactly where you stopped and the very next step. It removes 'attention residue' — the part of your mind still stuck on unfinished work — and makes restarting fast.

Example: 'Stopped at slide 7 of the investor deck. Next: add the revenue chart from the March sheet.'

Retainer Agency and consulting practice · Finance · budgets, bills, invoices & goals

A client pays a fixed amount every period for ongoing work. It is recurring income and makes cashflow predictable.

Example: Acme pays $1,500 every month for maintenance → Money in, Retainer, Business.

Retention FSRS (requested retention 0.9) · Recall

The share of reviews you got right (not "Again") over the last 30 days. bishOS aims for 90%. Much lower means cards are too hard; near 100% may mean they are too easy.

Example: Retention 30d: 88% — close to the 90% target.

Retrievability FSRS · Recall

The chance you can recall the card right now. It drops over time since the last review. When it falls to 90%, the card is due.

Example: 15 days after a review with stability 15, retrievability is about 90% — the card is due.

Retrieval practice (testing effect) Roediger & Karpicke 2006; Dunlosky et al. 2013 · Recall

Pulling an answer from memory strengthens it much more than rereading.

Example: Answering "What are the 5 steps of our onboarding?" beats rereading the onboarding doc.

Revenue engine bishOS · Founder HQ

Everything that turns strangers into paying clients: open deals, their next steps, and the promises you made to clients.

Example: 8 open deals worth $24K, 3 steps due today, 1 promise overdue.

Review date Farnam Street decision journal · Decisions & Issues

The day you look back to see what happened. Default 6 weeks. If it is too early to judge, push it 2 weeks.

Example: Pricing change on Oct 1 → review on Nov 12.

Review mode Dunlosky et al. 2013 (practice testing); Roediger & Karpicke 2006 · Notes

Practice testing on your own notes: you see only the title, you recall what the note says, then you reveal it and rate it Hard or Easy. It uses processed notes with 40+ characters (not Inbox, not Daily, not “Untitled note”).

Example: You see “Paid pilot” and say the 3 reasons out loud before revealing.

Review streak bishOS · Reviews

Weeks in a row with a finished weekly review, counted back from this week or last week.

Review tray Todoist Ramble · Quick capture

A check step where you see what the AI understood before anything is saved. The AI may split or label things wrongly; you stay in control.

Example: The AI marked 'Ali owes me the logo' as I owe; you switch it to 'Owed to me'.

Ritual % (Start-up % / Shutdown %) · Analytics

Days with that ritual ÷ eligible days. Eligible days = days since your first logged day, not Free days, and in the past (today counts only after you did a ritual).

Example: 20 eligible days, 17 start-ups → Start-up 85%.

Ritual day bishOS · Journal

A day where you did the start-up or the shutdown (or both). This is what the ritual streak counts.

Example: Start-up only on Saturday still counts as a ritual day.

Ritual streak bishOS (forgiving streaks, inspired by Duolingo's streak freeze) · XP, levels, streaks & achievements

The number of days in a row you did the start-up or the shutdown. Free days are neutral (they don't count and don't break it). Today not done yet doesn't break it. Missed days use a reserve shield; when a week's shields are used up, the next miss ends the streak.

Example: Mon–Fri rituals, Saturday missed (shield used), Sunday Free day, Monday ritual → streak 6.

Ritual streak and reserve shields Forgiving streaks (habit research: repairable streaks keep motivation) · Analytics

A day counts when you did the start-up OR the shutdown. Free days are neutral. Up to 2 missed days per Monday–Sunday week are absorbed by reserve shields. Today not done yet does not break it. Best = the longest run with the same rules.

Example: Rituals Mon–Wed, missed Thu, rituals Fri → streak continues; 1 shield left this week.

ROI (return on investment) Finance metric · Campaigns

(Revenue − spend) ÷ spend, in percent. Shown when spend is above 0. Green at 0% or more, red when you lost money.

Example: $5,000 revenue, $500 spend → 900% ROI.

Root cause (5 whys) 5 Whys (Toyota Production System, Taiichi Ohno) · Decisions & Issues

The deepest cause you can change. Ask “why?” again and again until you reach it.

Example: Why late delivery? Scope creep. Why? No change process. Why? Contract has no clause → fix the contract.

Route a conversation bishOS · Commitments

An AI step after a call: it reads your notes and proposes the follow-ups (promises, tasks, a deal update, new people and content ideas from objections). You review and apply. It never writes anything without your click.

Example: Paste notes from a 30-minute call. Apply: 2 promises, 1 task, deal moved to Discovery with next step “Send proposal” on Friday, 1 content idea “How long does migration really take?”.

Routine Full Focus (rituals) · Today (your home screen)

A fixed checklist you run the same way each time, like a morning routine. Today shows your active routines and how many steps are done.

Example: Morning routine: water, 10 push-ups, review Top 3 — 3/3 done.

Routine block · Week

Rituals, workouts and reviews: start-up, shutdown, weekly review, gym.

Example: 8:30–9:00 “Start-up ritual”, Friday 14:00 “Weekly review”.

Routine kinds bishOS · Routines

Morning, Work start-up (aim ≤15 min), Shutdown (aim ≤10 min), Evening, Weekly (tracked in weeks) and Custom.

Routine streak and reserve days bishOS · Routines

Consecutive days (or weeks for Weekly routines) with the routine complete. Up to 2 missed days per Mon–Sun week are absorbed as reserve days. A minimum completion counts as complete.

Example: You skip the evening routine on Friday and Saturday; the streak survives. A third miss that week breaks it.

Routine vs habit bishOS · Routines

A habit is one behaviour with its own streak and consistency. A routine is a short checklist of several steps behind ONE cue, tracked as one unit: complete, minimum or started. Use habits for single behaviours you want on autopilot; use routines for sequences.

Example: Habit: “After coffee, journal 5 minutes.” Routine: Shutdown = empty inbox → review lists → check calendar → decide leftovers → resume note → progress line → “shutdown complete”.

Rule of 100 $100M Leads (Alex Hormozi) · Pipeline

Do 100 primary actions to get customers every day (for example 100 outreach messages) for 100 days. That is about 4 hours a day.

Example: Hormozi's advice: 100 cold DMs a day until leads come in.

Rule: Confirm the click (~5 seconds) Kallaway · Playbook 5: YouTube long-form

The first ~5 seconds must restate the title's promise, so viewers know they are in the right place.

Rule: First payoff in 30–60 seconds Kallaway · Playbook 5: YouTube long-form

Give the first real value (a dopamine hit) within 30–60 seconds. If your best part is late, move it earlier in the edit.

Rule: No YouTube links on other socials Kallaway · Playbook 5: YouTube long-form

Posting your YouTube link on LinkedIn or X hurts click-through and watch time (those viewers leave fast). Email is fine because email readers are slower and committed.

Rule: Packaging first Kallaway · Playbook 5: YouTube long-form

Lock the title before you script, while you are freshest. Most people edit for 20 hours, then make the title tired. Do the most important thing first.

Rule: Think in 3–5 years Kallaway · Playbook 5: YouTube long-form

Do not start YouTube unless you expect to put 3–5 years in. A couple of thousand on-target views is already huge for a business.

Rule: Thumbnail ≤3 elements Kallaway · Playbook 5: YouTube long-form

A thumbnail has at most 3 elements (for example a face, a big number, an arrow). It adds to the title and never repeats it. It must be readable at 1/16 size and in dark mode.

Rung 1: Warm endorsement Kallaway · Playbook 6–7: iterate and convert

Someone they already know and respect vouches for you.

Example: A well-known founder in your niche says “talk to Bish”.

Rung 2: Proof of audience Kallaway · Playbook 6–7: iterate and convert

A real, big following.

Example: “To my 50K LinkedIn followers…”

Rung 3: Demonstration Kallaway · Playbook 6–7: iterate and convert

You show your ability inside the video itself.

Example: You rewrite a viewer's cold email live and explain each change.

Rung 4: Group testimonials Kallaway · Playbook 6–7: iterate and convert

Named clients and their results.

Example: “Acme, Beta and Gamma each doubled demo bookings with this.”

Rung 5: Personal results Kallaway · Playbook 6–7: iterate and convert

Your own numbers or screenshots.

Example: A screenshot of your startup's MRR chart.

Rung 6: Borrowed proof Kallaway · Playbook 6–7: iterate and convert

A famous person's framework you use.

Example: "This is Hormozi's value equation, applied to SaaS pricing."

Rung 7: Cold testimonial Kallaway · Playbook 6–7: iterate and convert

One stranger's review.

Rung 8: Third-party stat Kallaway · Playbook 6–7: iterate and convert

A study or a statistic.

Example: "A HubSpot study found…"

Runway Startup finance; Paul Graham, "Default Alive or Default Dead?" · Finance · cash, spending & runway

How many months the business can keep going at today's speed: business cash ÷ net burn. Under 6 months is a warning; under 3 is tight.

Example: Business cash $9,000 ÷ net burn $1,500 = 6 months of runway.

Sales (rung 4) Dan Martell (Replacement Ladder) · Delegation

Prospecting, follow-ups, proposals, lead-to-close.

Example: An SDR books discovery calls from your outreach SOP.

Same content type rule Kallaway · Playbook 3–4: data system and the 60-day lab

Study creators who make the same type of content as you. Short-form video to learn short-form video. Tweets and blogs only give a topic seed: hooks, structure and format do not transfer.

Same posting time Kallaway · Playbook 3–4: data system and the 60-day lab

Post at the same time every day. The algorithm does not care; it is for your own accountability.

Saturation line Kallaway · Playbook 1–2: the loop and positioning

The red line on the pyramid. Below it, AI and copycats make that content for free, so it no longer cuts through. In a crowded niche the line sits above Facts (and often above Explanation). Play above it.

Save call Customer success practice · Customers

A call with an at-risk client to find out what is wrong and fix it, before they leave.

Example: "On a scale of 1 to 10, how is it going? What would make it a 10?"

Savings goal Goal-based saving (sinking funds) · Finance · budgets, bills, invoices & goals

A named target amount, optionally with a date. Progress comes from an account's balance or from the amount you set aside by hand.

Example: "New laptop", target $1,500, by March, what I set aside $600 → 40%, $900 to go.

Savings rate 50/30/20 rule (Elizabeth Warren, All Your Worth); FIRE movement · Finance · cash, spending & runway

The share of income you kept: net ÷ income × 100. 20% or more is shown as healthy.

Example: Income $5,000, net $1,200 → savings rate 24%.

Scarcity $100M Offers (Alex Hormozi) · Offers

A real limit on how many can buy: capacity, seats, cohorts. Only use true limits; fake scarcity destroys trust.

Example: "We take 3 new clients per month because we build every site ourselves."

Schedule vs. focus gap Planning fallacy (Kahneman & Tversky) · Calendar

Per task: scheduled minutes − real focus minutes (timer and manual logs only; block completions are not counted as focus). Positive = over-scheduled, negative = under-scheduled. The average gap across tasks gives the verdict (more than +4 min = Over-scheduled, less than −4 min = Under-scheduled).

Example: Blocked 3h for "Write proposal", focused 1h 50m → gap +1h 10m (over-scheduled).

Score it like a business (KPI ranking) Kallaway · Playbook 6–7: iterate and convert

For business games, rank results in this order: emails per video, then followers per video, then views. Views alone do not pay.

Scorecard on target EOS Scorecard (Gino Wickman, Traction) · Analytics

Share of a week's scorecard entries that hit their target (at or above for "up" metrics, at or below for "down" metrics).

Script check (live linter) bishOS, based on Kallaway and Paddy Galloway · Video workflow 5–8: script, convert, packaging, post-mortem

The app reads your script as you type and flags retention problems, with no AI. It ignores ## headings and [placeholders].

Script check: "and then" Kallaway (credits Trey Parker and Matt Stone) · Video workflow 5–8: script, convert, packaging, post-mortem

Linking beats with "and then" makes a flat list of events. Link them with "but" (conflict) or "therefore" (consequence) instead. The South Park writers' rule, which Kallaway calls the Dance.

Example: Weak: "We launched and then we got users." Strong: "We launched. But nobody signed up. Therefore we called 50 people."

Script check: contrast words Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Contrast words (but, actually, instead, turns out, except, yet, however, although) create the zig-zag that keeps attention. No contrast word is a warning; having some is "good zig-zag".

Script check: drop-off phrases Paddy Galloway · Video workflow 5–8: script, convert, packaging, post-mortem

Paddy Galloway's phrases where viewers leave: "at the end of the day", "without further ado", "welcome back", "before we get started", "make sure to subscribe". Each one found is a warning: cut it.

Script check: hedges Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Hedge words (maybe, might, perhaps, probably, possibly, kind of, sort of, I think, I guess, could be) sound unsure and lose trust. Replace them with embedded truths.

Script check: I/me vs you Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Lots of I/me and little “you” makes it about you, not the viewer. Fine for a personal narrative; otherwise speak to them.

Script check: loop openers needed Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

The app estimates the spoken length and asks for one loop opener every ~25 seconds (shorts) or ~75 seconds (long videos), and counts the ones it finds.

Script check: reading level Kallaway (absorption), Flesch–Kincaid formula · Video workflow 5–8: script, convert, packaging, post-mortem

A rough Flesch–Kincaid grade. Above grade 8 is a warning: simplify toward grade 6 for 100% absorption. Grade 8 or lower is “easy to absorb”.

Script check: rhythm Kallaway (credits Gary Provost) · Video workflow 5–8: script, convert, packaging, post-mortem

If all your sentences have a similar length, the script sounds flat. Mix short, medium and long sentences so the right edge of the script looks jagged.

Script check: too long for a short Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Over about 75 seconds is long for a short. Compress: is every line earning its place? Cut the middle first; that is where fluff lives.

Script templates Kallaway + bishOS · Piece editor

Seven proven skeletons you can insert into the script. Three are Kallaway's, four are classic structures.

Scroll-stop interjection Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Line 2. One short, stunning line that sets up the flip. It usually starts with a contrast word: But, However, Yet, Turns out.

Second brain Tiago Forte, Building a Second Brain · Notes

A trusted place outside your head where you store ideas, so your mind is free to think instead of remember.

Example: Instead of trying to remember a client insight from a call, you capture it as a fleeting note and process it tonight.

Second-best point first Kallaway · Piece editor

In a long video, put your second-best point first and your best point second, then the rest toward a climax. You hook them early and keep a peak for when attention dips.

Section (sub-area) · Life Areas

An optional smaller part inside an area for grouping tasks, notes and goals.

Example: Company Operations → sections Finance, Legal, Hiring.

Section goals · Challenges

Checkpoints for a section that you tick when reached. They are separate from your 12-week goals.

Example: Sales: “50 personalised DMs sent”, “5 discovery calls held”.

Section syllabus · Challenges

The curriculum or reference for a section, written in markdown. You read it inside each day under Section reference.

Example: Learning: “Week 1 — prompt engineering course modules 1–4; Week 2 — build 2 demo agents.”

Seed bishOS (test small, then scale) · Content Studio

An idea you already tested as a short text post. If the test post beat your median, the idea is proven, so it makes a safe hub.

Example: You post 3 lines on LinkedIn: “Your first sales hire should be you.” It gets ×2 your median. Turn it into this week's hub video.

Series (bingeability) Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

A hard series is numbered (“Founder lessons #12”); a soft series repeats a format or opening line. Seeing part 4 makes people go back for parts 1–3. Stack a buffer before promising a daily series. The next rep copies the series and adds 1 to the number.

Setup steps and when they count as done bishOS · Setup & onboarding

Life Areas: at least one area has a standard or hours. Purpose & vision: written on Compass. 12-week cycle: one cycle exists. Ideal Week: a template is saved. Routines: at least one routine. Habits: at least one habit. Founder numbers: at least one scorecard metric. Content pillars: at least one pillar. Learning area: at least one.

Example: Add one habit on the Habits page → the 'Add 1–3 keystone habits' chip turns green.

Ship at 80% Kallaway · Playbook 3–4: data system and the 60-day lab

While you are learning, reps beat polish. Publish when it is 80% good and learn from the numbers. Polish more only when you believe a video can be a big hit.

Shock facts (AI, Law of Interesting) Kallaway · AI content coach

8 candidate facts or contrarian takes for your topic, each with a shock score (0–100) and why it is shocking but believable. It aims for the sweet spot, prefers facts you could defend, and is told never to invent precise statistics. You must verify every fact before using it.

Shock score Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

A number from 0 to 100 for each fact: out of 100 people in your audience, how many have NOT heard this (or would not have believed it)? Higher is more shocking. Collect 5–10 true facts with high scores.

Example: “Most SaaS churn happens in the first 30 days” might score 40. “Our best customers came from our worst cold emails” might score 85.

Short form: the cash cow Kallaway · Playbook 6–7: iterate and convert

Broad, eager viewers. It brings the most email sign-ups, because a short cannot deliver all the value inside the video.

Short packaging: Custom cover Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Shares happen in DMs where only the cover shows. Design it.

Short packaging: First caption line = curiosity title Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

The first caption line shows above the fold. Write it like a headline with a curiosity loop.

Example: "The $0 hiring trick nobody uses".

Short packaging: Part of a series / grid makes sense Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

A profile visitor should know what to click next. A numbered series makes them binge.

Short-form packaging Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Short form has no separate packaging step: the feed serves the video, so the hook is the package. Three things still matter: a custom cover, a first caption line written as a curiosity title, and a series that makes the grid make sense.

Short-sleep signal Sleep research (adults need 7+ hours) · Energy & Wellbeing

Average sleep under 6.5 hours over the last 7 days (with at least 3 nights logged). Less sleep blurs judgement.

Example: 6h, 5.5h, 6h, 7h → average 6.1h → active.

Shutdown ritual Cal Newport, Deep Work · Evening shutdown ritual

A fixed routine that ends work: review open loops, make a plan for them, then say the day is over. After it, you don't check work. Your brain can only rest when it trusts that nothing is forgotten.

Example: 17:30: shutdown in bishOS, close the laptop, say 'shutdown complete', go to the gym.

Shutdown signal Cal Newport, Deep Work (shutdown ritual); Sabine Sonnentag (psychological detachment) · Energy & Wellbeing

The evening shutdown was done on 2 or fewer of the last 5 workdays. Mentally leaving work at night (detachment) lowers exhaustion.

Example: You skipped shutdown Mon, Tue, Thu → active.

Siblings bishOS · Piece editor

Other children of the same hub. The repurpose tree shows how many there are.

Signals rule: 3 batches of 10 Kallaway · Playbook 6–7: iterate and convert

If you shipped 3 batches of 10 and nothing broke out, the cause is almost always the substance (your ideas and angles) or your hooks.

Signature objects Kallaway · Playbook 1–2: the loop and positioning

The same set, look and props in every video, so people recognise you in one second.

Example: Kallaway: a hat, a black hoodie, round sunglasses, the same set.

Simple explanation (AI, Feynman) Feynman technique; learning in public · AI content coach

Turns a note into a plain explanation a 12-year-old can follow (120–200 words), a list of jargon to define or learn, and exactly 3 short posts (60–120 words) with angles TIL, mistake and myth-bust. Needs 20+ characters of note or brief.

Simple explanation (Feynman technique) Richard Feynman · Piece editor
Explain an idea so simply that a 12-year-old understands it. If you cannot, you found a gap in your own understanding. The AI flags jargon to define or learn.

Size tier: Medium (250K–1M) Kallaway · Playbook 3–4: data system and the 60-day lab
In range. Still a clean signal.

Size tier: Micro (10–50K) Kallaway · Playbook 3–4: data system and the 60-day lab
In range. A breakout here means the idea won.

Size tier: Over 1M Kallaway · Playbook 3–4: data system and the 60-day lab
Ignore. Brand equity props up their duds. Shown in orange.

Size tier: Size? bishOS · Playbook 3–4: data system and the 60-day lab
You did not enter the follower count yet. Add it so the app can place the creator.

Size tier: Small (50–250K) Kallaway · Playbook 3–4: data system and the 60-day lab
In range. The sweet spot.

Size tier: Under 10K Kallaway · Playbook 3–4: data system and the 60-day lab
Tiny sample. Breakouts are noisy. Not in range.

Skill before content (skill-first) Kallaway · Playbook 1–2: the loop and positioning
Content only amplifies a skill you already have. Ask: am I top 10% (ideally top 1%) in what I teach? If not, build the skill first. Without real skill you have no non-obvious takes.
Example: Kallaway made one short a day for 18 months, about 8 hours each, before he taught short-form.

Skill progress bishOS · Learning
The average of all skills, where Solid = 1, Practicing = ⅔, Learning = ⅓, To learn = 0.
Example: 3 skills: Solid, Practicing, To learn → (1 + 0.67 + 0) ÷ 3 = 56%.

Skill tree Ultralearning (map the subject first) · Learning
The area broken into skills and sub-skills you can practise, ordered from foundation to advanced.
Example: "Short-form video" → Write hooks (Curiosity hooks, Contrarian hooks), Record on camera, Edit fast.

Skip and Pause bishOS · Finance · budgets, bills, invoices & goals
Skip moves the due date one cycle without logging money. Pause stops the item completely until you resume it (it leaves all totals and reminders).
Example: Skip: a client takes August off. Pause: you stop Canva for three months but may come back.

Sleep (7h line) Why We Sleep (Matthew Walker) · Analytics
Average hours slept per night by week, from morning check-ins. The 7h line is the healthy minimum for most adults.

Smart category guess bishOS · Finance · cash, spending & runway

When you type a payee, the app picks a category in this order: the same payee you used before (with its side and account), then known words (rent, uber, figma, salary, client…), then a category whose name contains your word.

Example: "1.2k figma" → Software/SaaS, Business, business account. "500 uber" → Transport, Personal.

SMART goal George T. Doran (1981) · Goals · 12 weeks

Five checks for a clear goal: Specific, Measurable, Achievable, Relevant, Time-bound.

Example: "Sign 5 new clinic clients at $500/month by Jan 18" passes all five.

Smooth decline vs abnormal drops Kallaway · Playbook 6–7: iterate and convert

A retention curve that slowly goes down is normal. A sudden drop means confusion, or visuals that do not match the words at that moment. Fix that moment.

Snapshot windows (24h, 7d, 30d) bishOS · Content Studio

You log numbers three times per piece: 1 day, 7 days and 30 days after publishing. The app asks only for the most mature missing window that is due (30d is asked until day 75). Comparisons use the most mature window you logged.

Snooze Email clients (Superhuman, Gmail) · Inbox

Hide an item until a set time (here: tomorrow 9:00) when you can't decide yet. It comes back on its own.

Example: 'Ask about the event invite' — snooze until you hear back tomorrow.

Solid (skill status) bishOS · Learning

You can do it reliably without help. Counts 100%.

Example: Your hooks hit your median views or better most of the time.

Someday David Allen, GTD (Someday/Maybe list) · Inbox

A parking place for things you might do later but not now. They don't appear in daily lists, so they don't nag you. Review them in the weekly or monthly review.

Example: 'Learn Spanish', 'Write a book' → Someday.

Someday / maybe Getting Things Done (David Allen) · Tasks

A parking place for ideas you might do later. They are out of your daily lists, so they do not distract you, but they are not lost.

Example: "Start a podcast" goes to Someday. In the monthly review you decide if now is the time.

Someday backlog bishOS · Goals · 12 weeks

12-week goals waiting for a future cycle. Parking an idea here stops it from stealing focus now. Carried goals from a closed cycle land here too.

SOP (Standard Operating Procedure) Business operations practice; EOS Process Documenter · Delegation

A written checklist of how a recurring task is done, so anyone can do it the same way.

Example: "Client onboarding": send welcome email, create Slack channel, book kickoff call…

Source channel Lead source attribution · Pipeline

Where the deal came from: Outbound, Inbound, Referral, Content, Network, Event, Ads or Other. Over time it shows which channel brings real clients.

Example: 4 of 5 won deals came from Referral → ask every happy client for an intro.

Source note Sönke Ahrens (literature notes) · Notes

Notes on a book, video, podcast or article — written in your own words, not copied. Also called a literature note.

Example: Your notes on $100M Offers: the value equation in your words, with one example from your agency.

Spaced repetition Hermann Ebbinghaus (forgetting curve); Piotr Wozniak (SuperMemo) · Recall

Review information at growing gaps (1 day, 4 days, 2 weeks, 2 months…), right before you would forget it. Each successful recall makes the memory last longer.

Example: Your card "3 parts of the value equation" comes back after 1 day, then 4, then 15, then 36.

Speaking-time estimate (150 wpm) bishOS · Piece editor

The app counts words (ignoring markdown headings) and assumes you speak 150 words a minute. 150 words ≈ 1 minute.

Spent outside budgets bishOS · Finance · budgets, bills, invoices & goals

Spending in categories that have no limit. If this number is big, your budgets cover too little.

Example: Budgets $1,000, but $900 spent outside them → add budgets to the biggest of those categories.

Sprint Scrum sprints; 30/60/90-day plans · Projects

A time-boxed project (15–90 days) with a start, an end, a countdown, milestones, documents and an AI plan. It starts Active.

Example: "Sales Mastery — 30 days": read two books, practise 20 calls, close 2 deals.

Stability FSRS · Recall

In plain words: how long a memory lasts. Stability of 15 days means that after 15 days you still have a 90% chance to remember. Good answers raise it; forgetting lowers it. Shown as "S Nd" in Browse.

Example: A new card answered Good starts around 4 days; after a few good reviews it can reach months.

Stage: Archived bishOS · Content Studio

Out of the pipeline, kept for history. An unpublished piece dropped on Done is archived.

Stage: Brief bishOS · Content Studio

You decide who it is for, the one idea, the angle and the proof you will use.

Stage: Editing bishOS · Content Studio

Being edited. A text format dropped on the Production column lands here too, as a final polish step.

Stage: Idea bishOS · Content Studio

A raw idea in one line. Not judged yet.

Example: "Why most founders post for 3 weeks and quit."

Stage: Measured bishOS · Content Studio

Numbers are logged and the lesson is written. The piece is done.

Stage: Published bishOS · Content Studio

Live. The app stores the publish date, gives 40 XP and sets a recycle date 6 months later. Numbers unlock. Moving the piece back to any stage before Published undoes the publish and removes the XP.

Stage: Ready to publish bishOS · Content Studio

Finished. Waiting for a publish date.

Stage: Ready to record bishOS · Content Studio

The script is done and you can film. Video, story and podcast only. Text formats skip this stage.

Stage: Recorded bishOS · Content Studio

Filmed and waiting for the edit. Not used by text formats.

Stage: Recycle due bishOS · Content Studio

The piece is ready to come back. A published piece also counts as recycle due when its recycle date has passed, even if you never picked this stage. The → button skips this stage; from here → archives.

Stage: Repurposing bishOS · Content Studio

A published hub that you are cutting into children. Only hubs get this stage. Repurposing a published hub moves it here by itself.

Stage: Scheduled bishOS · Content Studio

It has a publish date and waits for that day.

Stage: Script bishOS · Content Studio

You write the words of the video or the full post.

Stage: Seed bishOS · Content Studio

An idea tested as a short post (see Seed).

Stake: A doubter Paddy Galloway · Playbook 5: YouTube long-form

Someone says it cannot be done.

Example: "My co-founder said cold calling is dead. I gave it 30 days."

Stake: A punishment Paddy Galloway · Playbook 5: YouTube long-form

What is lost if it fails.

Example: "If this fails, we shut down the product."

Stake: A reward Paddy Galloway · Playbook 5: YouTube long-form

What is won if it works.

Example: "If this works, we hit $10K MRR."

Stake: A time limit Paddy Galloway · Playbook 5: YouTube long-form

A ticking clock.

Example: "48 hours to fix our churn before the board meeting."

Stake: Cost of not paying attention Paddy Galloway · Playbook 5: YouTube long-form

What the viewer misses by leaving.

Example: "This one pricing mistake costs most SaaS founders $50K a year."

Stakes Paddy Galloway · Playbook 5: YouTube long-form

"Storytelling is useless without stakes." A stake makes leaving feel like a loss. Stack more than one. The stake must fit the video; for teaching videos, use the cost of not knowing.

Stale item (48h) bishOS · Inbox

An open inbox item older than 48 hours. Old items lose context and become guilt. bishOS marks them yellow, adds a chip, and sends a notification.

Example: A capture from Monday morning is stale on Wednesday morning.

Stale task Bullet Journal migration (Ryder Carroll) · Tasks

An open task whose "when" day was moved to a later day 3 or more times. Moving from no day to a day, or to Someday, does not count. Stale tasks get an amber "Moved N×" chip and appear in the stale window.

Example: "Write blog post" was planned Monday, then Tuesday, then Thursday, then Friday: it is now stale.

Stale task (no silent rollover) bishOS; Bullet Journal migration (Ryder Carroll) · Reviews

A task older than 30 days that is not done, not someday and not planned or due in the last 30 days. Each one gets a decision: next week, someday, or drop.

Stand out: Better ideas Kallaway · Playbook 1–2: the loop and positioning

An idea is topic + angle. Choose a topic with a big audience (topic TAM) and a take with a high shock score. Exploit proven winners for about 6 months before you explore new topics.

Stand out: Better proof Kallaway · Playbook 1–2: the loop and positioning

Proof that only you have (one-of-one). Audit the proof of competitors in your niche: beat it, or move to a sub-lane where nobody has better proof than you.

Example: "We took 3 agencies from $0 to $50K MRR" beats "I read 100 sales books".

Stand out: Better storytelling Kallaway · Playbook 1–2: the loop and positioning

Tell it as problem → action → result. Stories carry emotion, and emotion drives purchase.

Stand out: More advanced Kallaway · Playbook 1–2: the loop and positioning

Pitch your content at 4–6 out of 10 in sophistication. You get fewer views, but the viewers are richer, more serious buyers.

Start from plan Eat That Frog (Brian Tracy) · Focus

Begin each focus session from your Top 3 and today's plan, not from whatever is loud. The most important work gets the best hours.

Start-up ritual Michael Hyatt, Full Focus (workday start-up ritual) · Morning start-up ritual

A short, fixed routine at the start of the workday to decide what matters before the world decides for you.

Example: 8:30, coffee, 5 minutes in bishOS, then straight into Top 1.

Starter hooks bishOS · Inspiration, hook library and watchlist

Ten proven templates you can add in one click: “I spent [time] doing [X] so you don't have to.” · “Stop doing [common practice]. Do this instead.” · “The biggest mistake I made building [company]:” · “Everyone says [belief]. Here's why that's wrong.” · “[N] things I wish I knew before [milestone]:” · “How we got [result] in [timeframe] with [constraint].” · “Why do most [audience] fail at [goal]?” · “Last [day], a client told me something I can't stop thinking about.” · “Nobody talks about this part of [topic].” · “[Before state] → [after state]. Here's exactly what changed.”

Starter routines bishOS (Newport shutdown, Sunsama start-up) · Routines

The four routines added on your first visit. Start-up (4 steps), Shutdown (7 steps), Morning (water, move 5 minutes, no phone for 30 minutes) and Evening (lay out tomorrow, screens off, read 10 minutes). Each has minimum steps marked.

Stencil (model outliers closely) Kallaway · Playbook 3–4: data system and the 60-day lab

For your first 30–50 videos, copy the structure of outliers closely, like tracing a drawing with a stencil. After about 100 reps, take the stencil off and find your own lane.

Stopwatch session · Focus

An open-ended timer for flow work, when you do not want a bell to stop you. Save it with Stop & log.

Example: Coding a feature for 2h 10m in one go.

Story structures (the 8) Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Proven story shapes (LEGO brick 4): Personal narrative, Breakdown, Newscaster, Case-study explainer, Listicle, Problem-solver, Tutorial, and YouTube long-form.

Storylock: But / therefore, never “and then” Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Alternate context and conflict (the Dance). Each beat should be linked by “but” or “therefore”.

Storylock: Contrast words Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

The base layer under all other locks: but, actually, instead, turns out, except, yet. Split key sentences into A, then B. Don't overuse it.

Storylock: Embedded truths Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Drop if / maybe / might. Speak with certainty: “when you…”, “the reason this works…”, “once you…”.

Example: Not “This might help you close more”, but “When you use this, you close more.”

Storylock: Jagged rhythm Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Mix short, medium and long sentences, one per line.

Storylock: Last line written first Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

A memorable “last dab” that loops back to the first line. Write it before the middle.

Storylock: Loop openers Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

A re-hook phrase that closes one question and opens the next, so attention restarts. Every 20–30 seconds in shorts, every 60–90 seconds in long videos. The best ones contain a contrast word.

Example: “But that's not even the craziest part.” “Here's the problem.” “Which is exactly why…”

Storylock: Negative frames Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

People are about 2× more motivated to avoid pain than to gain. Turn positive advice into a warning.

Example: Not “How to grow on LinkedIn” but “This is killing your LinkedIn growth.”

Storylock: Term branding Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Give your concept a name. An unknown name creates anticipation (“what is that?”) and makes the idea yours.

Example: “I call it the 3-email rule.”

Storylock: Thought narration Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Say what the viewer is thinking, right after a big point. It feels personal and builds trust.

Example: “You're probably thinking: I don't have time for this.”

Storylocks Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Word-level tricks that keep people watching. The app lists 9: Term branding, Embedded truths, Thought narration, Negative frames, Loop openers, Contrast words, But / therefore, Jagged rhythm, Last line written first.

Streak (recall) bishOS · Recall

Days in a row with at least one review, counting today or yesterday.

Example: You reviewed every day this week → 7-day streak.

Streak repair bishOS · Habits

Missed yesterday or the day before? Log it within 48 hours and it counts as a repair: the streak is kept and the heatmap cell gets a blue ring.

Example: Monday morning the Repair window shows “Journal · Yesterday”. Click Done → “Streak repaired”.

Structure: Breakdown Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Hook → Context / shock → What happened / how it works → Why it matters → Outro. Explains how something works. Fits: Secret reveal, Question, Comparison, Contrarian.

Structure: Case-study explainer Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Hook → The framework (2–4 parts) → Outro. A reflection on how someone got a result (analysis, not a how-to). Fits: Case study, Question, Comparison.

Structure: Listicle Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Hook → Item 1 → Item 2 → Item 3 → Outro. 3–5 independent items: each stands alone. Fits: List, Problem.

Structure: Newscaster Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Hook → Full context → Your short take → Outro. For fresh news in your niche. Fits: Secret reveal, Question, Comparison, Contrarian, Problem.

Structure: Personal narrative Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Hook → The problem I had → What I tried → Why it failed → What actually worked → If you have this problem… The hottest short-form format: one-of-one, AI can't copy it. Fits: Personal experience, Problem, Contrarian hooks.

Structure: Problem-solver Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Hook → Problem (agitate) → Solution → Outro. One pain, one fix. Fits: Problem, Question, Contrarian.

Structure: Tutorial Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Hook → Step 1 → Step 2 → Step 3 → Result + outro. Dependent steps toward one outcome (unlike a list, the steps need each other). Fits: Education.

Structure: YouTube long-form Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Packaging (title locked + thumbnail concept) → Intro: confirm the click (~5 s) → Intro: the common belief → Intro: your contrarian take → Intro: proof + the plan → Point 1 (your second-best) + re-hook → Point 2 (your best) + re-hook → Points 3+ descending to a climax → Outro: recap + free dessert + native CTA. First payoff in 30–60 s, a re-hook every 60–90 s.

Stuck flag (14 days) bishOS flags · Pipeline

The deal has been in the same stage for 14 days or more. Something is blocking it.

Example: In Discovery for 15 days → "Stuck 15d". Ask: what is stopping the proposal?

Study (session kind) bishOS · Learning

Reading, watching and taking notes in your own words.

Example: Reading a chapter of a sales book and writing source notes.

Subscription · Finance · budgets, bills, invoices & goals

A tool or service you pay for again and again, often by card. Small alone, big together.

Example: Figma $15 + Notion $10 + ChatGPT $20 + Canva $13 = $58/month, $696/year.

Suggest, never write bishOS · Strategy AI

Strategy AI only proposes. Your data changes only when you click a button like "Add to notes", "Add to board" or "Apply".

Example: You run "Improve this offer" three times and keep only the third answer.

Suspend Anki convention · Recall

Pause a card so it never comes due, without deleting it.

Example: You suspend cards about a tool you stopped using.

Swipe analysis (AI) Kallaway (LEGO bricks), bishOS · AI content coach

Reverse-engineers why a post worked from its transcript or caption: a short title, the hook line, the three hook layers, the hook type, the format, the beat structure, one sentence on why it worked, one on what to steal, the archetype, and the 7 LEGO bricks. It only fills empty fields.

Swipe file Copywriting tradition; Kallaway (thumb-stop swipe folder) · Inspiration, hook library and watchlist

A library of content that worked, saved to learn from ("swipe" = borrow the move). In bishOS a swipe is useless without "why it worked", so that field is required.

Tactic (lead measure) 12 Week Year; lead measures (The 4 Disciplines of Execution) · Goals · 12 weeks

An action fully in your control that you repeat every week, with a target count. Log each rep with +. Keep 1–3 per goal.

Example: "Send 20 outreach messages" (20/wk), "Book 5 discovery calls" (5/wk).

Takeaways from memory Retrieval practice (Roediger & Karpicke) · Library

Write the key lessons without looking at the book first. Pulling them from memory is itself the learning.

Example: Close the book and write: 1) mirror the last words, 2) label emotions, 3) ask calibrated questions.

Target (stage) bishOS stages, based on Founding Sales (Kazanjy) · Pipeline

Researched, not contacted yet. You know who they are and why they might need you. Suggested next step: "Send the first message".

Example: A clinic owner on LinkedIn who just posted about hiring a receptionist.

Target emotions Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Pick one emotion you want the viewer to feel and write it at the top of the script. Then reread the script through that emotion. Emotion makes people share and buy.

Target performance Scott Young, Ultralearning (directness) · Learning

What you will be able to DO when you have learned it — something you can test, not "know more about X".

Example: Not "learn video", but "Record a 60-second explainer with no notes in under 3 takes."

Task GTD (next actions) · How bishOS works

One concrete action. A task has a Life Area, a priority, an optional 'when' day (the day you plan to do it), an optional deadline, and an optional time estimate.

Example: 'Call Sara about the proposal' — when: tomorrow, estimate 15 min, area Sales.

Task XP bishOS XP system · Tasks

Finishing a task gives 5 XP. Finishing a Top 3 task from the Today list or the Tasks lists gives 15 extra XP. Un-ticking takes the XP back.

Teach (session kind) Richard Feynman (Feynman technique) · Learning

Explaining it simply out loud or in writing, to find where you get stuck.

Example: Explaining your pricing model to your co-founder in 2 minutes.

Template: Hook → Problem → Insight → Proof → CTA bishOS (classic direct-response structure) · Piece editor

The default for short video and posts: the line that stops the scroll, the problem in their words, the one idea that changes how they see it, your proof, one clear next step.

Template: Kallaway · Breakdown Kallaway · Piece editor

Hook (≤4 seconds to first value) → Context / shock (the highest shock-score fact) → What happened / how it works (each line answers the last question and opens the next) → Why it matters (for THEM) → Outro (last line + CTA).

Template: Kallaway · Personal narrative Kallaway · Piece editor

Hook (lean · but · snapback) → The problem I had → What I tried → Why it failed → What actually worked → If you have this problem… (native CTA) → Last line (write it first). The hottest short-form format now: one-of-one, AI cannot copy it.

Template: Kallaway · YouTube long-form Kallaway · Piece editor

Packaging (lock title and thumbnail before scripting) → Intro in 5 moves (confirm the click ~5 s, common belief, your contrarian take, proof, the plan) → Point 1: your SECOND-best point (context → how → why + re-hook) → Point 2: your BEST point → Points 3+ toward a climax → Outro (recap, free dessert, native CTA).

Template: Listicle bishOS · Piece editor

Hook ("N things that…") → 5 numbered tips, each with why it works → Payoff (which one matters most) → CTA.

Template: Story bishOS · Piece editor

Hook (drop into the moment: time, place, something going wrong) → Tension → Turn → Lesson framed for them → CTA (ask about their version).

Template: Tutorial bishOS · Piece editor

Hook (the promise: how to get X in Y time without Z) → Why it matters → Steps → Result → CTA.

Term ownership Kallaway · Playbook 1–2: the loop and positioning

People remember only a few hundred creators. Owning a term means people think of you when they hear it. Pick niche terms nobody owns yet and repeat them in every video. Big words like "business" cannot be owned.

Example: "Founder-led sales" or "revenue engine", said in every video until people link it to you.

Testimonial and referral ask Referral marketing; $100M Leads (Alex Hormozi) · Customers

When delivery is done (or at 90%+), ask a happy client for a quote you can use and for an introduction to someone like them.

Example: "Would you write two lines about the result? And who else do you know with the same problem?"

Text hook Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

The big title text on screen in the first seconds. It is not your captions. Text is read faster than speech, so it must say the same thing as the spoken and visual hooks.

Example: "Founders sell first".

Text hook rules Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

3–5 words, max 2 lines. On screen about 3 seconds, a third from the top, never over your face. No punctuation (quotes and parentheses are fine), no connector words (and, or, that, but, so…). Formula: the subject word + a pain reminder, a dream-outcome tease or a future change.

The 1-of-10 rank rule Kallaway (with Paddy Galloway's 1of10 idea) · Playbook 6–7: iterate and convert

Rank a long video by views among your last 10 (the app needs at least 3). 1–3: “Study it”, let it run and study what you did. 4–6: “Mid pack”, usually a smaller idea audience, don't beat yourself up. 7–10: “Repackage”, your only live lever is the title and thumbnail.

The 200-point arc Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

A viewer starts at 0. Jumping straight to your contrarian take moves them 100 points. First lean them to the common belief (+100), then flip to your take (−100): a 200-point arc, twice the surprise.

Example: “Everyone says you should hire a salesperson first (+100). But that's the fastest way to kill a startup. The founder must close the first 20 deals (−100).”

The 3 hook jobs Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

A great hook does three jobs, in this order: 1 Visual stop, 2 Context in the first sentence, 3 Contrast.

The 3-2-1 plan Kallaway · Playbook 1–2: the loop and positioning

Kallaway's best content strategy for business owners: 3 topic buckets × 2 videos a week each, plus 1 chaos agent = 7 videos a week. One bucket is broad (bullseye ring 4), two are narrow (rings 2–3).

Example: Broad: “How startups actually grow”. Narrow: “Founder-led sales calls” and “Pricing your first SaaS”. Chaos agent: a wild experiment.

The 4 ways to stand out Kallaway · Playbook 1–2: the loop and positioning

With so much content, only four ways are left to win: Better ideas, More advanced, Better proof, Better storytelling. Pick the ones you lean on.

The 45-second intro Paddy Galloway · Playbook 5: YouTube long-form

An intro under about 45 seconds in three moves: deliver on the promise in the first 10 seconds, create intrigue with minimal context, and flow straight into the video. Miss the promise and 60–70% of viewers can leave in 10 seconds.

The 5 Content Games Kallaway · Playbook 1–2: the loop and positioning

Five different games you can play with content, each with its own goal and KPI. Pick your game from your business model before any tactic. Only one game per channel.

Example: Your founder account plays #5 Authority. Your company account plays #4 if the product needs explaining.

The 5 uniqueness axes Kallaway · Playbook 1–2: the loop and positioning

The five ways you can be different from other creators: Topic, Substance / depth, Avatar, Format, Visuals. Fill at least 3.

The 5× rule Kallaway · Playbook 3–4: data system and the 60-day lab

Only research outliers at 5× or more. Below that, the video may just be a good day. Graduate one of your own formats (call it a winner) at 10× or more.

The 6 hook archetypes Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Six ways to create contrast in a hook within about 5 seconds. Any topic can be written in all six. Pick the one that fits your key visual best.

The 60-day lab ramp Kallaway (personal brand 90-day plan) · Playbook 3–4: data system and the 60-day lab

A short-form test: 3 videos in week 1, 5 in week 2, then 7 a week for 6 weeks. About 50 videos in 8 weeks (the app's target is exactly 50). The ramp makes daily posting feel easy.

The 7 LEGO bricks Kallaway · Inspiration, hook library and watchlist

Every short video idea breaks into seven pieces: Topic, Angle, Hook structure, Story structure, Visual format, Key visuals, Audio. Explode the best videos in your niche into these pieces, hold the world-class ones, improve the rest, and restack them into your own video.

The 8-step video workflow Kallaway (pre-post checklists), bishOS · Video workflow 1–4: idea gate, angle, hook, structure

Kallaway's per-video process: 1 Idea gate, 2 Angle & facts, 3 Hook, 4 Structure, 5 Script & retention, 6 Convert, 7 Packaging, 8 Post-mortem. It saves inside the piece.

The 80% rule Paddy Galloway · Playbook 5: YouTube long-form

Your topics should share about 80% of the same audience, and you stay in that zone 80% of the time. The other 20% (1 video in 4–5) is for experiments. Test: can 80% of people who watch this video also watch that one?

The 85% bar 12 Week Year · Goals · 12 weeks

If you execute 85% or more of your tactics, you usually reach the goal. Under 85%, fix execution before you change the plan. The app colours everything green at 85%+.

Example: 82% this week: find the one tactic that slipped and give it an if-then plan.

The 9 formats bishOS · Content Studio

Short video (vertical, under ~90 s), Long video (YouTube), Carousel (swipeable slides), Text post (LinkedIn or X), Thread (a chain of X posts), Newsletter (email), Article (blog), Podcast (audio or video talk) and Story (24-hour Instagram story). Carousel, Text post, Thread, Newsletter and Article are text formats: they skip the recording stages.

The 9 hook formats Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Nine proven sentence structures for the spoken hook. Archetypes describe the kind of contrast; formats describe the sentence. Each niche usually has 1–2 formats that win; find them in outliers and remix them like a fill-in-the-blank.

The aligned funnel Kallaway · Playbook 6–7: iterate and convert

Six steps on the SAME problem: content → lead magnet → keyword DM or page → email + nurture → low-ticket → high-ticket. The problem never changes along the way. “That's what the real pros are doing.”

Example: Video: “Your cold emails get no replies.” → free “5 cold email templates” → $49 cold email course → done-with-you outbound program.

The attention conversion funnel (4 funnel switches) Kallaway · Playbook 6–7: iterate and convert

Four switches that multiply: Bullseye signal × Trust × Clear ramp × Aligned offer. Any switch at zero makes sales zero, no matter how many views you get.

The CEO view Founder dashboards; EOS Scorecard (Gino Wickman, Traction) · Founder HQ

One screen that shows the health of every engine of the business at the same time: sales, marketing, delivery, money promises, time and energy. You look at it often, so problems show up early.

Example: Monday 9:00: Bish sees 0 deals won for 3 weeks and 2 deals without a next step. He blocks 2 hours for sales before any delivery work.

The founder scorecard (starter set) bishOS · Scorecard

Seven numbers: Outreach touches (target 100/week, auto), Sales conversations (5, auto), Deals won (1, auto), Revenue (manual; target = annual income ÷ 52, or 1,000 if not set), Content published (5, auto), Deep work hours (15h, auto), Recall reviews (50, auto).

Example: 100 outreach touches a week = your daily quota of 20 × 5 working days.

The growth system (8 steps) Kallaway (Open Residency podcast, Oct 2026) · Playbook 1–2: the loop and positioning

Kallaway's zero-to-plan for a new expert: 1 Niche interview, 2 Competitor watchlist, 3 Positioning wheel, 4 Audience bullseye, 5 3-2-1 plan, 6 Topic scanner, 7 Format matrix, 8 Write hooks & scripts by hand.

The Kallaway loop (7 steps) Kallaway · Playbook 1–2: the loop and positioning

Every piece goes through the same seven steps, and you repeat them for every rep: Idea, Research, Script, Record, Edit, Post, Review.

The non-obvious take test Kallaway · Playbook 3–4: data system and the 60-day lab

For every outlier ask: “Do I have something non-obvious to say about this?” No: skip it. Yes: you have a validated video, with the topic proven and your own angle.

The pendulum Paddy Galloway · Playbook 5: YouTube long-form

What to focus on, in order, as you grow: 1 make it watchable, 2 ideas + packaging, 3 production quality. Most brands wrongly obsess over “how can I make it look better?”

The quit point (10–30 reps) Kallaway · Playbook 1–2: the loop and positioning

Around rep 10 to 30 you think “I should be good by now and I still suck.” Most people quit here. It is normal, and the first breakout on a new account usually comes in this zone.

The shock sweet spot Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Say things people don't believe, but can believe quickly once they hear the reason. Not random trivia, not unbelievable claims. That “aha” is the contrast.

The spine bishOS (built on PARA areas + the 12 Week Year) · How bishOS works

The order everything in bishOS follows: Life Areas → 12-week goals → projects → tasks → week → day. Big things at the top, today's actions at the bottom. Every task belongs to a Life Area, so you always know which part of life it serves.

Example: Area 'Company Sales & Marketing' → goal 'Sign 5 new clients this cycle' → project 'Outbound campaign' → task 'Send 20 LinkedIn messages' → this week's Big 3 'Book 4 discovery calls' → today's Top 3 'Send 20 messages'.

The two metrics Paddy trusts Paddy Galloway · Playbook 5: YouTube long-form

Views (they include the click, the watch and the satisfaction) and the shape of the retention curve (where people drop off). CTR and average view duration can mislead.

The YouTube track (50 weeks) Kallaway · Playbook 5: YouTube long-form

Publish one long video every week for 50 weeks, with zero traction expected. The app counts each Monday–Sunday week with at least one published Long video piece of this brand. Make one small improvement per video.

Thumbnail → title → thumbnail → click Kallaway · Playbook 5: YouTube long-form

How people decide: the eye locks on the thumbnail, reads the title for keywords, goes back to the thumbnail to confirm, then clicks. Use it to find which part fails.

Thumbnail brief Paddy Galloway, bishOS · Video workflow 5–8: script, convert, packaging, post-mortem

About 5 thumbnail concepts in words, not designs. The app counts elements by lines, commas, semicolons or "+", and warns when a concept shares 3+ meaningful words with the title (it repeats it).

Tiers (A / B / C) Relationship tiers (Ferrazzi; Dunbar's layers) · People

How important a relationship is. A = closest or most valuable, B = important, C = keep warm. Use tiers to choose cadences and to break ties in Due to reconnect.

Example: A: your co-founder's mentor and your top 3 clients. B: past clients. C: people from events.

Tighten script (AI) bishOS · AI content coach

A sharp script editor: keeps your voice and structure, cuts filler, hedges and repetition, sharpens the first line, keeps one idea and a clear CTA. Aims for about 20–30% shorter without losing substance. Needs 30+ characters.

Time audit Dan Martell; Peter Drucker ("know thy time") · Delegation

Two weeks of logging what you actually do, every 15–30 minutes, with a $ value and an energy rating. It shows the truth about your week.

Example: You discover you spend 7 hours a week on invoices and scheduling.

Time audit split Buy Back Your Time (Dan Martell) · Analytics

From the time audit: % of logged minutes rated high-value (value 3+), % energising and % draining.

Time blocking Deep Work (Cal Newport) · Calendar

Give every important piece of work a fixed slot in your calendar, instead of working from a list all day.

Example: Tue 9:00–12:30 "Acme delivery deep work", 13:30–15:00 "Outreach & follow-ups".

Time delay $100M Offers (Alex Hormozi) · Offers

How long until the client sees the result. Higher = slower = worse. A quick first win lowers it.

Example: "First booked call in 14 days" instead of "results in 3 months".

Time of day bishOS · Habits

Morning (before noon), Afternoon (noon–6pm), Evening (after 6pm) or Anytime. It groups habits on Today so each shows up when its cue happens.

Title lab Paddy Galloway · Video workflow 5–8: script, convert, packaging, post-mortem

Write at least 10 title variants before choosing. Each is checked live. Pick the one you would bet your career on.

Title rules Paddy Galloway · Playbook 5: YouTube long-form

Under ~60 characters. Words everyone knows (no jargon unless your niche needs it). Complement the thumbnail, never repeat it. Title Case, no ALL CAPS (harder to read). Written for people, not SEO: search is only 5–10% of views.

Title tester (live title check) bishOS, based on Paddy Galloway · Playbook 5: YouTube long-form

The app checks a title as you type: over 60 characters (warning), words in ALL CAPS longer than 3 letters (tip), more than one word that should be capitalised (Title Case tip), and SEO words like “SEO” or “keyword” (tip). It is a guide; a great long title can still win.

To learn (skill status) bishOS · Learning

You have not started this skill. Counts 0% in skill progress.

Example: “Edit with captions” before you open the editing app.

Today list bishOS · Today (your home screen)

Tasks planned for today (their 'when' is today), tasks that start today, and tasks due today. Top priorities sit above it.

Example: 'Pay VAT' is due today, so it appears even though you never planned it.

Tomorrow's Top 3 (pre-pick) Full Focus / Ivy Lee · Evening shutdown ritual

Choosing tomorrow's priorities tonight, while today's context is fresh. Tomorrow's start-up then only needs to confirm them.

Example: You pick 'Finish Acme deck' as #1 for tomorrow before leaving.

Top 1, not Top 3 bishOS · Energy & Wellbeing

On a low week, pick only one outcome per day. Everything else is a bonus, not a debt.

Example: Today's Top 1: send the proposal. Nothing else is required.

Top 3 EOS (Traction) · Decisions & Issues

Only the three highest-ranked open issues get your attention this week. Solving three issues fully beats discussing ten.

Example: Weekly review: you solve 2 of the top 3; the third moves to Discuss.

Top 3 and day shape Most Important Tasks (Leo Babauta); Ivy Lee method; the 1-3-5 rule · Tasks

The few most important outcomes for today. Your day shape on Today sets the size: Top 3 (3 tasks), Ivy Lee (6) or 1-3-5 (9). Adding a task to Top 3 also plans it for today.

Example: Top 3 for Tuesday: send the Acme proposal, record one short video, follow up 10 leads.

Top priorities (Top 3) Michael Hyatt, Full Focus (Daily Big 3) · Today (your home screen)

The few tasks that make today a win if they get done, ranked 1, 2, 3. Do them first, in order, before anything else. Each finished Top priority gives +15 XP on top of the normal +5.

Example: 1. Send Acme proposal. 2. Record onboarding video. 3. 20 outreach messages.

Topic Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

One sentence on what the video is about. Topic is LEGO brick 1. An idea = topic + angle.

Example: "How to close your first 10 B2B customers without a sales team."

Topic bucket (on a piece) Kallaway, bishOS · Video workflow 1–4: idea gate, angle, hook, structure

Which of your 3-2-1 buckets this piece belongs to, or the chaos agent. Publishing a tagged piece fills a dot in the Playbook's 3-2-1 plan.

Topic scanner Kallaway · Playbook 3–4: data system and the 60-day lab

The list of your logged outliers at 5×+. Each is a validated topic. Mark the ones you have a non-obvious take on, break them into the 7 LEGO bricks, then remix them.

Touch bishOS · Pipeline

Any logged contact with a person: Outreach, Follow-up, Call, Meeting, Email or DM (+2 XP each). A Note is not a touch. Touches update "last contact" and clear the idle flag.

Example: You replied to Sara's email → log an Email touch on her deal.

Touch and last contact bishOS · People

A touch is any logged outreach, follow-up, call, meeting, email or DM. Notes don't count. Last contact is the day of the latest touch and resets the cadence clock.

Example: You log a DM today → Last contact "Today", cadence back to "On track".

Track status rules · Projects

Goal: Done at 100%; On track if progress ≥ time elapsed; At risk if behind by 15 points or less; Behind otherwise. Habit: On track at 80%+ in the last 30 days, At risk at 50%+, Behind below 50%. Task: Done; no due date = On track; overdue = Behind; due within 3 days = At risk. Task progress: done 100%, in progress 50%, else 0%.

Example: Sprint 40% elapsed, goal at 30% → At risk. Goal at 20% → Behind.

Transfer bishOS rule · Finance · cash, spending & runway

Money moving between two of your own accounts. It is not income or expense in the All view. Between the two sides it counts as an owner draw or owner funding in the scoped views.

Example: Moving $1,000 from personal bank to personal savings changes nothing in income or expenses; both balances change.

Trigger Process design practice · Delegation

The event that starts a process.

Example: "When a new client signs the proposal."

Trust Ladder Kallaway · Playbook 6–7: iterate and convert

Eight kinds of proof, from strongest (rung 1) to weakest (rung 8). Stack 2+ rungs in every video. The more painful the problem, the less trust you need.

Two dopamine hits Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

If a viewer gets two useful insights before they would leave, they are locked in. One, maybe. Zero, they bounce.

Ultralearning Scott Young, Ultralearning · Learning

A method for learning hard skills fast and on your own: map the subject first, practise the real thing (directness), drill your weakest point, test yourself, get feedback.

Example: To learn cold email, you write 10 real emails a week (directness) and drill subject lines (drill).

Uncategorised · Finance · cash, spending & runway

An income or expense with no category. It still counts in totals but shows as one grey row in "Where it went" and is missing from budgets.

Example: Ten small uncategorised expenses hide a real food problem. Give them a category in Transactions.

Uniqueness axis: Avatar Kallaway · Playbook 1–2: the loop and positioning

Who exactly it is for.

Example: Not "founders", but "solo technical founders selling to hospitals".

Uniqueness axis: Format Kallaway · Playbook 1–2: the loop and positioning

A story structure or series you own.

Example: A numbered series "Startup lessons 1 of 100".

Uniqueness axis: Substance / depth Kallaway · Playbook 1–2: the loop and positioning

How deep and non-obvious you go.

Example: Others say "do cold email". You show your real reply rates and templates.

Uniqueness axis: Topic Kallaway · Playbook 1–2: the loop and positioning

What you talk about that others don't.

Example: Nobody in your niche talks about pricing for agencies. You do.

Uniqueness axis: Visuals Kallaway · Playbook 1–2: the loop and positioning

Your signature look, set and objects.

Example: Always filmed at the same whiteboard, in the same black hoodie.

Universal appeal Paddy Galloway · Playbook 5: YouTube long-form

A big idea that interests both the biggest creator in the world and your mother, while staying inside your niche.

Unqualified bishOS · Pipeline

Not a fit (wrong size, no real pain, no budget ever). Also needs a reason and also becomes a nurture contact. It does not count in the win rate.

Example: A student wanted a free website: Unqualified, reason "Not a fit".

Urgency $100M Offers (Alex Hormozi) · Offers

A real reason to decide now: a deadline, a price rise, a start date.

Example: "Founding price ends November 30."

Use vs Remix bishOS · Inspiration, hook library and watchlist

Use starts a light piece at Idea with the swipe's why, steal and structure in the brief. Remix starts a piece at Brief with the held bricks already filled in the workflow and the idea gate's outlier check ticked. Remix is the stronger path for outliers.

Used in pieces % bishOS · Inspiration, hook library and watchlist

The share of swipes you actually turned into a piece. Inspiration is raw material; a low % means you collect without making.

Value check-in Customer success practice · Customers

A short message with something useful for the client (an idea, a result, an article), not a sales pitch. It keeps the relationship warm.

Example: "Saw this case study on cutting no-shows by 30%. Thought of your clinic."

Value equation $100M Offers (Alex Hormozi) · Offers

Value = (Dream outcome × Perceived likelihood) ÷ (Time delay × Effort & sacrifice). Push the top up and the bottom down, and people see more value than the price.

Example: Same website service: "Live in 7 days, we write all the copy, 3 case studies" beats "Website in 6–8 weeks, send us your content".

Value score (0–100) bishOS, based on $100M Offers (Alex Hormozi) · Offers

bishOS turns the four 1–10 scores into one number. Raw value = (dream × likelihood) ÷ (time × effort), from 0.01 to 100. The score puts this on a log scale: (log10(raw) + 2) ÷ 4 × 100. All levers at 5 → 50. Labels: 80+ Irresistible, 70+ Strong, 55+ Promising, 40+ Average, under 40 Weak. Colours: 70+ green, 50+ neutral, 35+ amber, under 35 red.

Example: Dream 9, likelihood 8, time 3, effort 3 → raw 8.00× → score 73 "Strong".

Values Personal values practice (Brené Brown, Dare to Lead) · Compass

Your ranked standards of behaviour. When two good options conflict, the higher value wins.

Example: 1. Tell clients the truth early. 2. Ship small, ship often. A feature will be late: value 1 says tell the client today, not on the deadline.

Verbal yes (stage) bishOS stages · Pipeline

They said yes but nothing is signed or paid. Suggested next step: "Send contract + invoice".

Example: "Let's do it" on the call. You send the contract the same day.

Viewer drift Kallaway · Playbook 1–2: the loop and positioning

The slow slide toward vanity topics that get views but do not serve your ideal viewer. The authority statement prevents it.

Vision (3–5 years) Vivid Vision (Cameron Herold) · Compass

A vivid picture of success, written in the present tense as if it is already true. It makes long-term choices concrete.

Example: "It's 2030. We serve 400 clinics with a team of 12. I work four days a week and take every August off."

Vision by area · Compass

One or two lines per life area that say what “great” looks like in about three years.

Example: Fitness: “I run a half marathon each spring and sleep 7+ hours.”

Visual format layouts Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

LEGO brick 5, the screen layout: Talking head + captions (you on camera), Green screen (you in front of a screenshot or image), Split screen (two videos side by side), POV vlog (filmed from your point of view, moving), In-the-world (filmed on location), Faceless text + B-roll (no face, only text over footage), Screen recording (your screen). Hold it constant while you learn.

Visual hook categories Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Five ways to make the first frame stop the scroll: Graphic / text overlay; Pattern interrupt / visual switch; Subject moves in or out of frame; VFX / transition; Striking visual selection. Principle: motion, colour, contrast, aligned with the words. Start simple: move yourself, the visual or the text.

Visual hook: Graphic / text overlay Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

A bold graphic or text on top of the video.

Visual hook: Pattern interrupt / visual switch Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

A sudden change of shot, angle or scene that breaks the feed's rhythm.

Visual hook: Striking visual selection Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

Simply choosing a very unusual or beautiful image.

Visual hook: Subject moves in/out of frame Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

You walk into or out of the shot. The brain notices motion.

Visual hook: VFX / transition Kallaway · Video workflow 1–4: idea gate, angle, hook, structure

A visual effect or a creative transition.

Volume negates luck Kallaway (credits Alex Hormozi) · Playbook 1–2: the loop and positioning

The more reps you post, the more chances you get at a breakout. One video can be unlucky; fifty cannot.

Watchlist check cadence Kallaway · Playbook 3–4: data system and the 60-day lab

Check your watchlist daily, or 4–5 times a week. Log anything at 5× their average or more with more than 2% engagement.

Weak bricks Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

The LEGO bricks of this piece that were weaker than the winner in your niche. They show on Iterate as “Weak: <brick>”. In the next rep you change the weak bricks and hold the strong ones.

Week Michael Hyatt, Full Focus (Weekly Big 3) · How bishOS works

The week layer: your Weekly Big 3 outcomes, your Ideal Week template of time blocks, and one protected Free Day. You plan it on the Week page and close it with the weekly review.

Example: Big 3 this week: 'Send 2 proposals', 'Record 3 videos', 'Close the books for March'.

Week 13 12 Week Year · Goals · 12 weeks

The 7 days after week 12. No new work goals: review, celebrate, rest and plan. The cockpit keeps showing week 12's tactics. The quarterly review closes the cycle.

Example: Jan 19–25: quarterly review on Monday, two Free Days, launch the next cycle for Monday Jan 26.

Weekly Big 3 Michael Hyatt, Full Focus · Today (your home screen)

The three outcomes that would make this week a success. Set on the Week page; tick them on Today (+30 XP each).

Example: 'Send 2 proposals', 'Publish the case study', 'Hire a VA'.

Weekly Big 3 completion · Analytics

Big 3 outcomes done ÷ Big 3 planned, over the period.

Example: 12 weeks, 33 planned, 24 done → 73%.

Weekly content review bishOS (based on Kallaway's "review" step of the loop) · Content Studio

A 20-minute weekly ritual in 5 steps: log numbers, ask why for the top 3, ask why for the bottom 3, promote winning hooks, pick next week's hub.

Weekly hour budget · Life Areas

The hours per week an area should get. It is the target tick on the Focus page, the area hub and Analytics.

Example: Delivery 20h, Sales 10h, Content 5h, Fitness 4h = 39h.

Weekly hours target Time budgeting (bishOS) · Compass

The hours per week you budget for one area. The Week page and the monthly review compare it with planned blocks and actual focus time.

Example: Operations 20h + Sales 8h + Content 5h + Fitness 4h = 37h a week.

Weekly hub target bishOS · Content Studio

How many hub pieces you want to publish each week. You set it in Settings (default 1). The ring on This week's hub and the Cadence chart use it.

Weekly loop David Allen, GTD (weekly review) · How bishOS works

Once a week you review: celebrate wins, score execution, empty inboxes, check each project has a next step and each deal a dated next step, then set next week's Big 3.

Example: Friday 16:00: weekly review (60 min, or 20 min in minimum mode) for +120 XP.

Weekly minutes target bishOS · Learning

A small, fixed weekly time budget for the area. A small weekly budget beats big intentions.

Example: 120 minutes a week for "Short-form video" = about 17 minutes a day.

Weekly review (for tasks) Getting Things Done (David Allen) · Tasks

Once a week you clear your lists: empty "From earlier days", give deadline tasks a day, check Someday and Overdue, and answer the stale prompt.

Weekly review steps Getting Things Done (David Allen) + 12 Week Year + EOS · Reviews

1 Celebrate wins, 2 Score the week, 3 Reflect, 4 Get clear, 5 Get current, 6 Scorecard & issues, 7 Plan next week, 8 Share. Essential (minimum mode): 1, 2, 4, 7.

Weekly scorecard EOS / Traction (Gino Wickman) · Reviews

5–7 numbers you check every week, each with a target. On track or off track, no story.

Example: Outreach 50, conversations 8, proposals 2, revenue $3k, deep-work hours 15.

Weekly target bishOS · Habits

How many days per week the habit is due, from 1 to 7. Pick what you can keep in a bad week. Days off inside the target are built-in rest days (7 − target).

Example: Gym 3× a week = 4 built-in rest days. Missing Tuesday breaks nothing.

Weekly work-hours warning (cap) WHO/ILO (55+ hours linked to health risk) · Energy & Wellbeing

Your personal weekly hours limit in Settings. Weeks at or above it count as long weeks.

Example: You set 50 because you want more margin than the default 55.

What the lab counts bishOS · Playbook 3–4: data system and the 60-day lab

Pieces of this brand with format Short video or Story, published between the lab's Monday and the Sunday 8 weeks later. Long videos and text posts do not count. The start date always snaps to a Monday.

What to steal bishOS · Inspiration, hook library and watchlist

The transferable move a founder could reuse in any topic.

Example: "Start with the result on screen before saying anything."

Wheel of Life Wheel of Life (Paul J. Meyer; classic coaching tool) · Compass

Rate each life area from 1 to 10 once a month and see them as a radar. A lopsided wheel shows where life is out of balance and where the next goal should go.

Example: Sales 4, Operations 8, Fitness 3, Learning 7 → the next 12-week goal belongs in Sales or Fitness.

Wheel of Life rating Wheel of Life (Paul J. Meyer) · Life Areas

Rate each area 1–10 once a month. Low spokes show where the next goal should go.

Example: Fitness dropped from 7 to 4 → next cycle's goal: "Train 3× a week".

Why it worked bishOS · Inspiration, hook library and watchlist

One sentence on the psychological reason a post worked: the reason, not the topic. This is what you reuse.

Example: "Opens on a specific dollar number, then breaks a belief every founder holds."

Why saved bishOS; guards against the Collector's fallacy (Christian Tietze) · Library

A required one-line reason for every resource: what you want to be able to do after it. No reason = no save.

Example: "To write a proposal template that closes 30%+ of calls."

Why the outer ring is banned Kallaway · Playbook 1–2: the loop and positioning

Ring 5 is the broadest audience. A video can go viral there, but nobody who comes will buy, and it teaches the algorithm the wrong audience. Your next videos then get tested on the wrong people.

Example: A plastic surgeon's video about a celebrity's make-up launch may go viral, but no viewer books a facelift.

Wiki link [[ ]] Wiki / Obsidian convention · Notes

Type two square brackets and a note title to link to that note. The link works when the title matches (capital letters do not matter).

Example: In your pricing note you write “see [[Paid pilot]]”.

Win · Wins

Any step forward that mattered: logged by hand, or recorded by the system (progress line, journal win, Top 3 done, Weekly Big 3 done, deal won, content published, promise kept, offer live).

Win rate · Analytics

Deals won ÷ (won + lost) in the period × 100.

Example: 3 won, 9 lost → 25%.

Win rate (90 days, on Pipeline) Standard sales metric · Pipeline

Of the deals closed in the last 90 days, the share you won: won ÷ (won + lost). Unqualified deals are left out. Green at 30% or more.

Example: 3 won, 6 lost in 90 days → 33%.

Win rate (all-time, on Founder HQ) Standard sales metric · Founder HQ

Deals won ÷ (deals won + deals lost), over all time. Unqualified deals are left out. Note: the Pipeline page shows a 90-day win rate instead.

Example: 6 won, 12 lost → 33% win rate.

Win streak · Wins

The number of days in a row with at least one win of any kind. If today has no win yet, the streak counts up to yesterday, so it is not broken until the day ends.

Example: Wins on Mon, Tue, Wed and today Thu → streak 4.

Win, lesson, gratitude Positive psychology (daily reflection) · Evening shutdown ritual

Three short reflection prompts. Win: the best thing that happened. Lesson: what you learned to repeat or avoid. Gratitude: one thing you are thankful for. They fill your Journal.

Example: Win: 'Client renewed'. Lesson: 'Send the agenda the day before'. Grateful: 'My team covered for me'.

Winning hook (×1.2+) bishOS · Content Studio

A hook from one of your pieces that reached ×1.2 your median or more. These are your own proven hooks. Save them to the hook library and reuse the pattern.

WIP limit (work in progress) Personal Kanban; Lean / Kanban · Projects

A cap on how many projects can be Active at once (default 5, set in Settings). Fewer parallel projects finish faster. bishOS warns you when you go over.

Example: You have 6 active projects with a cap of 5: move “Podcast idea” back to Planning.

Won bishOS · Pipeline

Signed and paid. +100 XP. The company becomes a Customer (health Healthy), the person becomes a Customer, and you can create the delivery project in one click.

Example: Acme signs. Acme appears on the Customers page with “Acme: delivery” project at 0%.

Won → delivery project bishOS · Pipeline

When you win, bishOS can create the delivery project in your operations area. It links the project to the deal and the customer, copies the pain, timeline and notes into the description, and moves open promises on the deal into the project.

Example: Win “Acme: website rebuild” → project “Acme: delivery” in Company Operations, with your promise “Send kickoff agenda” attached.

Won deal to bill bishOS (Pipeline → Finance link) · Finance · budgets, bills, invoices & goals

A deal marked Won in Pipeline that has no invoice yet. Billing it the same day shortens the time until cash.

Example: You win “Clinic app · $4,000” on Monday → Monday afternoon click “Create invoice” on its card.

WOOP Gabriele Oettingen (Rethinking Positive Thinking) · Goals · 12 weeks

Wish (what you want), Outcome (the best result, imagined vividly), Obstacle (your main INNER obstacle), Plan (one if-then plan for that obstacle). Thinking about the obstacle, not only the dream, makes you act more.

Example: Wish: 5 new clients. Outcome: a calm runway. Obstacle: I avoid sales calls when tired. Plan: If it's 2pm and I want to skip calls, then I dial the first number before I open email.

Work-hours warning WHO/ILO study (2021) · Settings

A gentle alert when your logged work time goes above your weekly limit. Long hours (55+ a week) are linked to higher risk of stroke and heart disease.

Example: You logged 58 hours this week; bishOS flags it in Energy & Wellbeing.

XP (experience points) bishOS (gamification) · XP, levels, streaks & achievements

Points for good actions. Start-up ritual 25. Shutdown 25. Morning check-in 10. Task done 5. Top priority done +15 extra (20 in total). Weekly Big 3 outcome 30. Habit done or stretch 5, minimum version 3. Routine 10. Inbox item processed 2. Promise kept on time 10. Outreach touch 2. Deal advanced 10. Deal won 100. Content published 40. Recall card 1. Practice session 10. Journal entry 5. Goal tactic 8. Weekly review 120. Monthly review 150. Quarterly review 300. Annual review 500. Each reward can be earned only once per action (no farming), and undoing the action removes it.

Example: Start-up 25 + check-in 10 + 3 Top priorities 60 + 3 habits 15 + shutdown 25 = 135 XP in a good day.

XP and levels bishOS XP system (gamification of the Life OS) · Analytics

XP is points for every action in the OS. Level n starts at 50 × (n − 1)² XP: L2 at 50, L3 at 200, L5 at 800, L10 at 4,050. A new title every two levels: Starter, Builder, Operator, Closer, Creator, Strategist, Founder, Architect, Visionary, Legend.

Example: Start-up 25, shutdown 25, check-in 10, task 5 (+15 for a Top 3 task), habit 5 (minimum version 3), routine 10, journal 5, outreach touch 2, promise kept 10, deal advanced 10, deal won 100, content published 40, tactic 8, practice 10, recall card 1, inbox item processed 2, weekly review 120, monthly 150, quarterly 300, annual 500.

XP by source · Analytics

Where XP came from. Rituals = start-up, shutdown, check-in, journal, routines, inbox and note processing. Reviews = periodic reviews, decision reviews, scorecard. Tasks & tactics = tasks, Top 3, Big 3, tactics, issues solved, decisions. Sales & promises = deals, outreach touches, promises, offers, campaigns. Content = published pieces. Learning = practice and recall. Habits = habit check-ins. Other = anything else.

Example: Period mix "Rituals 45% · Tasks 30% · Sales 10%" → lots of planning, not much selling.

XP for publishing bishOS · Content Studio

Each first publish of a piece gives 40 XP in the bishOS game layer. Un-publishing or deleting removes it, so XP cannot be farmed.

Year theme Yearly themes (CGP Grey); Past Year Review (Tim Ferriss) · Compass

One word or a short line that guides the whole year. You choose it last in the annual review, after looking back.

Example: "Leverage" — every decision asks: does this let the team or the product do more without me?

Your hour (hourly value) Dan Martell · Delegation

Annual income ÷ 2,000 hours. What one hour of your time is worth today.

Example: 100,000 a year → 50 per hour.

Your median (×1.8 your median) bishOS · Content Studio

Every published piece is compared with the median views of your OTHER published pieces at the same snapshot window. The app uses the same format when you have 3+ other pieces in that format, otherwise all formats. ×1.8 means 1.8 times your usual. Green at ×1.2 or more, orange at ×0.7 or less. You compete with yourself, not with famous creators.

Example: Your shorts usually get 2,000 views at 7 days. A short with 3,600 views shows ×1.8.

YouTube core (clicks × watch time × satisfaction) Paddy Galloway · Playbook 5: YouTube long-form

YouTube promotes videos that people click, watch long and feel good about. The click, which depends on packaging, is about half of the game.

YouTube expectations Paddy Galloway / Kallaway · Playbook 5: YouTube long-form

Brands should commit 18–24 months before judging a channel. Kallaway says 1 video a week for 50 weeks and a 3–5 year view. With a budget, hire a YouTuber (someone who grew a channel), not a classic videographer.

YouTube packaging checklist Kallaway · Video workflow 5–8: script, convert, packaging, post-mortem

Seven checks for long videos: title locked before scripting; title triggers a desire loop; thumbnail ≤3 elements that add to the title; readable at 1/16 size in dark mode (bottom-right corner clear for the timestamp); 3 thumbnail variants for an A/B test; intro confirms the click in ~5 s; first payoff in 30–60 s.

Zettelkasten Niklas Luhmann; Sönke Ahrens, How to Take Smart Notes · Notes

German for “slip box”. A note system where each note holds one idea in your own words, and notes are linked to each other. Over time the links create new ideas for you.

Example: Your note “Clients buy outcomes, not hours” links to “Price anchoring” and “Retainer vs project pricing”. When you write your pricing page, the thinking is already done.

Part 4 · Testing guide

First the 30-minute end-to-end test, then the detailed tests for each module.

30-minute end-to-end test

1. Start the app: `npx convex dev` in one terminal, `npm run dev` in another, open http://localhost:3000 and sign in.
2. Today → Start setup → keep your 4 areas → Save. The setup card shows progress.
3. Today → Start my day → go through every step → Lock in. Top 3 appear; XP rises; the Day button ring moves.
4. Press C → Task → type 'Call Sara tomorrow #sales ~30m'. Chips show Tomorrow, the Sales area and 30m. Press Enter.
5. Press C → Inbox → capture two items → Inbox page → press T on one and N on the other.
6. Tick all Top 3 on Today — confetti appears.
7. Habits → add a habit → tick it on Today; try Minimum and Planned skip from the arrow menu.
8. Goals → start a 12-week cycle with one goal and one tactic → press + on the tactic → the execution ring on Today updates.
9. Pipeline → add a deal (saving without a next step is blocked) → log a touch → move to Won → create the delivery project.
0. Commitments → add an 'I owe' promise for today → it shows on Today → tick it.
1. Finance → Set up finance → add an expense and an invoice → mark the invoice paid → income appears.
2. Content → Playbook → fill Positioning → New piece → walk the 8 workflow steps → publish (the checklist gate appears first).
3. Inspiration → save a post (it won't save without 'Why it worked') → Remix it into a piece.
4. Learning → create an area → log practice → Recall → review a card with Space and 1–4.
5. Today → Shutdown → finish → the day appears in Journal with its score.
6. Reviews → Weekly → complete it in minimum mode.
7. Analytics → check the growth charts. Founder HQ → check the cards.
8. Switch to dark mode (avatar menu) and open the app on your phone.

How bishOS works

1. Open bishOS. The address / redirects you to /today.
2. Click 'Start my day' on Today. A full-screen ritual opens. Go through every step and click 'Lock in my day'. Confetti shows and a toast says 'Day locked in. Go win it.' with +25 XP.
3. Press C anywhere (not inside a text box). Quick capture opens. Type a thought and press Enter. Toast: 'Captured to Inbox'.
4. Open Inbox from the sidebar. Your thought is in the 'To process' tab. Press T, check the fields, press Enter. Toast: 'Task created' with +2 XP.
5. Back on Today, tick a Top priority. Toast 'Top priority done' with +20 XP. The day score ring goes up.
6. Click 'Shutdown' on Today (or the Day button in the Topbar). Finish all steps. The last screen shows 'Shutdown complete.' with your day score.
7. Open Journal. Today's square is coloured and shows the sun and moon marks.

Today (your home screen)

1. Open /today. Check the greeting matches the time of day and shows your first name (set it in Profile if missing).
2. Before the start-up: the 'Start my day · 5 min' button glows and the day score ring shows 0.

3. In the quick add field type 'Test call Sara tomorrow #sales ~15m' and press Enter. Expected: toast 'Added for Tomorrow' (or similar). The task does not appear in today's list. Open Tasks to confirm it is planned for tomorrow, area Sales, 15 min.
4. Type 'Write test note ~45m' and press Enter. Expected: toast 'Added to today', the task appears in the Today list with '45m', and the 'planned of' hint grows by 45 minutes.
5. Add tasks until planned time is more than your capacity. Expected: the capacity bar turns yellow and the hint says 'over capacity'.
6. Open the '…' menu on a task and click 'Make it a Top'. Expected: it moves up into Top priorities with a rank number.
7. Tick that Top priority. Expected: toast 'Top priority done' with +20 XP; '+N today' on the level card rises; the score ring rises. Tick all Top priorities: confetti and 'All Top priorities done'.
8. Un-tick it. Expected: the XP is taken back (the '+N today' number drops).
9. Tap a habit pill. Expected: it turns green, toast shows +5 XP, the counter goes up. Open its menu and choose 'Minimum'. Expected: 'min' label and 'Minimum counts. Streak safe.' with +3 XP.
0. Click a task title. Expected: the task drawer opens. Change 'Estimate' to 1 h and close. Expected: the task row shows '1h'.
1. Click a circle in 'This week' (needs Big 3 set on the Week page). Expected: toast 'Weekly outcome done' with +30 XP.
2. Click the Inbox tile. Expected: the Inbox page opens and the number matches the tile.
3. Click the trophy button. Expected: the Achievements window opens with 'Achievements · x/19'.
4. Plan a task for yesterday (task drawer → When → yesterday's date), do the start-up, and return. Expected: the yellow leftovers banner appears. Click 'All to backlog'. Expected: the banner disappears.

Morning start-up ritual

1. On Today click 'Start my day'. Expected: a full-screen overlay with 'Morning start-up' at the top and '1/7' or '1/8'.
2. Click 'Let's go'. On Check-in set sleep to 5h and energy to 'Low', then click Continue. Expected: toast 'Low-energy day mode on' and the next step titles say 'Top 1'.
3. Go back, untick 'Low-energy day', continue. On Day shape choose 'Ivy Lee 6'. Expected: the hint changes to 'Six ranked items, worked strictly in order.'
4. On Top priorities type 'Test start-up task ~30m' and click Add. Expected: it appears as #1 in the picked list. The counter reads '1/6 picked'.
5. Try clicking Continue with nothing picked (remove all). Expected: the button is disabled (unless Free day).
6. On Capacity drag 'Available today' to 1h. Expected: the ring turns yellow with 'over — defer something below'. Click an estimate button on a task; expected: it highlights and stays after you go back and forward.
7. On If–then click an idea. Expected: both fields fill.
8. Click 'Lock in my day'. Expected: confetti, toast 'Day locked in. Go win it.' with +25 XP, Today shows your picks under Top priorities, and the 'Start-up' dot is green.
9. Click 'Re-plan' on Today and lock in again. Expected: your answers are pre-filled and no second +25 XP is shown.
0. With a leftover task (planned for yesterday, not done), open the ritual. Expected: a 'Close yesterday' step appears; choosing 'Drop' and locking in deletes that task.

Evening shutdown ritual

1. Capture two items with C first. Then click 'Shutdown' on Today. Expected: a full-screen overlay with 'Evening shutdown' and '1/7 · Inbox zero', listing your two items.
2. Click 'Task' on one item and the tick on the other. Expected: both disappear; the list shows 'Inbox zero'.

3. Continue. On Decide leftovers click 'All → tomorrow'. Expected: every card shows 'Tomorrow' selected and no undecided warning.
4. Continue. On Habits click 'Done' on a habit. Expected: it highlights; clicking it again clears it.
5. Continue. On Look ahead pick one task. Expected: it shows '1' and the counter reads '1/3'.
6. Continue. Write a resume note. Continue. Write a progress line and a win.
7. Click 'Shutdown complete'. Expected: confetti, toast 'Shutdown complete. You're done for today.' with +25 XP, and the final screen with the day score ring and chips.
8. Click 'Close'. Expected: Today shows 'Day complete — enjoy your evening' and the 'Shutdown' dot is green.
9. Tomorrow, open the start-up. Expected: 'Where you stopped' shows your resume note, 'Yesterday's progress' shows the progress line, and the pre-picked task is already #1.
0. Open Journal → today. Expected: the reflection fields show what you wrote and the day score is saved.

Inbox

1. Press C, type 'Test reply to Sara', press Enter. Press C again, type 'Test idea: reel about pricing', Enter. Open /inbox. Expected: 'To process' shows 2 more items, newest first, with 'just now · quick'.
2. Select 'Test reply to Sara' and press D. Expected: toast 'Done in under 2 minutes' with +2 XP; the item disappears; the next one is selected.
3. Select the idea and press I. Expected: a form with Title and 'Personal brand / Company'. Press Enter. Expected: 'Content idea saved'.
4. Capture 'Test book dentist', select it, press T. Choose When = 'Tomorrow', press Enter. Expected: 'Task created'. Open Tasks: the task exists, planned for tomorrow.
5. Capture 'Test link https://example.com', press L, then Enter with an empty 'Why'. Expected: a warning 'Why are you saving it? One line.'. Type a reason and save. Expected: 'Added to your Library'.
6. Capture one item and press S. Expected: 'Snoozed until tomorrow 9am'; it is now in the 'Snoozed' tab.
7. In 'History' click ↺ on a processed item. Expected: it returns to 'To process' and its XP is removed.
8. Capture 3 items and click 'Sort with AI'. Expected: toast 'AI suggested a home for 3 items'; each row shows a blue type; selecting one shows the 'AI suggests' bar; clicking the bar processes it.
9. Process the last item. Expected: confetti and 'Inbox zero. Mind like water.'
0. Click inside the text box and press X. Expected: nothing is discarded (keys are ignored while typing).

Quick capture

1. On any page (click on empty space first) press C. Expected: the window opens in Inbox mode with the cursor in the box.
2. Type 'Test capture 1', Enter. Expected: toast 'Captured to Inbox', the box clears, chip '1 captured'. Type 'Test capture 2', Enter. Expected: '2 captured'.
3. Switch to Task. Type 'Test call Ali fri #sal !high ~15m'. Expected chips: 'Friday', your Sales area, 'High', '15m'. Press Enter. Open Tasks: title 'Test call Ali', planned for the next Friday, High, 15 min.
4. Type 'Fix bug #123' in Task mode. Expected: no area chip; the title keeps '#123'.
5. Type 'Call Tom' in Task mode. Expected: no date chip — 'Tom' is not read as tomorrow.
6. Switch to Brain dump. Type 'Call Sara Friday about the deck. I promised Ali the invoice by Monday. Idea: reel about pricing.' Click 'Sort with AI'. Expected: the review tray shows about 3 items (task, commitment, content idea) with a date chip on the first ones.
7. Untick one item, change another's type, click 'Save N items'. Expected: toast 'N items filed from your brain-dump' with +2 XP per item; the unticked one is not saved.
8. In Chrome click 'Speak', say a sentence, click 'Stop'. Expected: the text appears in the box.
9. Open the start-up ritual and press C. Expected: Quick capture does not open on top of the ritual.

Command palette

1. Press Ctrl+K. Expected: the palette opens with 'Actions' (6 items) and 'Go to' (all pages).
2. Type 'shut' and press Enter. Expected: the Evening shutdown ritual opens.
3. Press Ctrl+K, type 'pomodoro'. Expected: 'Focus' appears under 'Go to'.
4. Type the first word of one of your task titles (2+ letters). Expected: a 'Tasks' group with that task; clicking it opens the Tasks page.
5. Type 'zzzzqq'. Expected: 'No matches.'
6. Press Esc. Expected: the palette closes.

Journal

1. After a shutdown with a progress line, open /journal. Expected: today's square is green with sun and moon marks, and a card at the top shows today's progress line and win.
2. Click ‹ to go to last month and › to return. Expected: › is disabled on the current month.
3. Click today's square. Expected: the day page opens with your reflection filled in.
4. Type in 'What was hard?', wait 1 second, reload the page. Expected: the text is still there.
5. Write more than 3 characters in 'Win of the day' on a day that had no journal yet. Expected: +5 XP is added for that day (check '+N today' on Today when it is today).
6. Click › on today's page. Expected: it is disabled.
7. Open /journal/abc. Expected: 'Not a valid day'.

XP, levels, streaks & achievements

1. Note '+N today' on Today's level card. Tick a normal task. Expected: toast 'Done' with +5 XP and '+N today' rises by 5. Un-tick it: it drops by 5.
2. Tick a habit (+5 XP), then choose 'Minimum' from its menu. Expected: toast 'Minimum counts. Streak safe.' and '+N today' ends 3 XP above where it started — the habit is now worth 3, not 5 (no double reward).
3. Process one inbox item with D. Expected: +2 XP. Restore it from History and process it again: +2 XP again (not 4 in total).
4. Do today's start-up. Expected: the streak on the level card counts today, and the Topbar Day button shows the flame number.
5. Check the shield icons: with no missed days this week both are blue.
6. Click the trophy. Expected: 'Day One' is unlocked after your first start-up; 'Mind Like Water' shows a progress bar like '3/50'.
7. Turn off Settings → Celebrations, then finish all Top priorities. Expected: the toast shows but no confetti.

Compass

1. Open Compass from the sidebar (Direction → Compass). Expected: Purpose, Values, Not-to-do list, Vision · 3–5 years, Vision by area, Area standards & weekly hours, and the Wheel of Life card on the right.
2. Type a sentence in Purpose and wait one second. Expected: “Saving” then “Saved”. Reload the page. Expected: the text is still there.
3. Type “Leverage” in Year theme. Expected: the chip “Year theme · Leverage” appears at the top right.
4. In Values type “Ship small” and press Enter. Expected: it shows as item 1. Click it, delete all the text, press Enter. Expected: it disappears.
5. Add a not-to-do item the same way. Expected: it appears in the list.
6. In Area standards type 30 in the hours box of two areas. Expected: the chip shows “60h / week” and the 55-hour warning appears.

7. In Wheel of Life click 7 for one area. Expected: the row fills to 7, the radar point moves, Average updates (e.g. “7 / 10 · 1/5 rated”) and this month's bar appears in 12-month average.
8. Click ‹ (Previous month), rate the same area 5, then click › to come back. Expected: the row shows a green “+2”, the dashed shape shows last month and the legend names it.
9. On the current month, try ›. Expected: the button is disabled.

Goals · 12 weeks

1. Open Goals with no cycle. Expected: the “Start your first 12-week cycle” hero with four tiles.
2. Click “Start a cycle”. Step 1: keep the name, choose “This Monday” (to test scoring today). Expected: the range line shows 12 weeks and the week 13 buffer. Click Next.
3. Step 2: click “New goal” four times. Expected: the fourth is blocked with “3 goals max — focus is the point.” Keep one. Click Next.
4. Step 3: leave the title empty. Expected: “Still needs a title, at least one tactic.” and Next is disabled. Fill “Reach $10k MRR”, an area, key result “New MRR” target 10000 unit $, tactic “Send 20 outreach messages” 20/wk. Click “Suggest tactics” and click one idea. Expected: the idea is added and the tab gets a green check.
5. Step 4: click “Launch cycle”. Expected: a celebration toast and the cockpit shows “Week 1 of 12” with your goal card. (With “Next Monday” you would see “Starts in N days” and read-only cards.)
6. On the goal card click + on the tactic three times. Expected: pips fill, “3/20”, +8 XP toasts, the execution ring and this week's bar go up. Click − once. Expected: “2/20” and the XP for that rep is removed.
7. On the goal page set the tactic target to 2 and click + until 2/2. Expected: “Tactic target hit” celebration; if it is the only tactic the ring shows 100% and turns green with the “On the bar” chip.
8. Click + on a key result until it passes the target. Expected: “Key result reached” celebration and a green bar.
9. Add goals until 3/3. Expected: the dashed “Add a 12-week goal” tile and the “12-week goal” button disappear; backlog rows no longer show “Activate” and the full note appears.
0. Add an annual goal “Reach $30k MRR”. With room in the cycle, click “This cycle” on it. Expected: the dialog opens pre-filled; after saving, the annual row shows “1 cycle goal” and the new goal page shows the parent chip.
1. On a goal page change Status to Backlog. Expected: the card leaves the cockpit and the goal appears in Someday backlog with “Activate”.
2. On the goal page click “Coach me” on Obstacle. Expected: a question and a suggestion. Click “Use this”. Expected: the text is saved and the O badge turns dark (x/4 goes up).
3. Click “AI milestones”. Expected: 4–6 milestones appear. On a goal without key results or a metric, tick one and Progress changes.
4. Pause a tactic. Expected: it fades, its counter disappears and the execution score no longer counts it.

Week

1. Open Week (sidebar: Today → Week). Expected: “This week” and its dates in the switcher.
2. In Weekly Big 3 type “Proposal sent to Acme”, pick a goal, click Add. Expected: row 1 with the goal tag. Add two more. Expected: the add form disappears at 3.
3. Click the circle on outcome 1. Expected: +30 XP and the row turns green. Click again. Expected: undone and XP removed. Tick all three. Expected: “Weekly Big 3 complete 🎉” and confetti.
4. In Protected Free Day click Sunday. Expected: “Free Day protected · Sunday”, a palm icon, and Sunday's chip in the 7-day strip says Free.
5. Click a day-type chip in the 7-day strip. Expected: Focus → Buffer → Free in turn.
6. Type in Notes, go to next week and back. Expected: each week keeps its own note.
7. In the Ideal Week click an empty spot on Tuesday at 9:00. Expected: “New template block” 09:00–10:00. Title “Delivery deep work”, type Maker, an area, Save. Expected: the block appears and Maker hours in the legend

go up.
8. Click “Next week”. Expected: “Ideal Week applied to next week · N blocks” (and a “Skipped …” toast if anything clashed). Open the Calendar for next week to see the blocks.
9. Click “Next week” again. Expected: “Nothing new to add to next week” — no duplicates.
0. Click “Apply to this week”, then “Undo apply”. Expected: “Removed N untouched template blocks from this week”. Nothing was created on past days.
1. Set a weekly hours target for an area on the Compass and run a focus session on a task in that area. Expected: Hours by life area shows the target and the actual hours.
2. Click “Weekly review”. Expected: the weekly review for the week shown opens.

Reviews

1. Open Reviews. Expected: four cards with status chips; the weekly card has a highlighted border.
2. Click Start on the weekly card. Expected: the intro with 8 steps, 4 marked ESSENTIAL, and chips 60–90 min / Minimum 20 min / +120 XP.
3. Tick “Minimum mode” and click “Start review”. Expected: the rail shows 4 steps: Celebrate wins, Score the week, Get clear, Plan next week.
4. Type three wins and click “Done · next”. Expected: step 1 gets a green check and the rail says 25% done.
5. Go back to Reviews. Expected: the weekly card says “In progress” with “Resume”. Click it. Expected: it opens at the first unfinished step.
6. In Plan next week add a Big 3 outcome and protect a Free Day. Expected: both appear on next week's Week page.
7. Click “Complete review · +120 XP”. Expected: +120 XP toast, confetti, a green “Done · … · execution frozen at X%” banner. The Week page shows “Reviewed · execution frozen at X%”.
8. Click Reopen, then complete again. Expected: no second +120 XP.
9. Back on the hub: History lists the weekly review with its numbers and “minimum mode”; the chip shows “1-week review streak”.
0. Open the monthly review and rate an area 8 in step 1. Expected: the Compass Wheel of Life shows 8 for that month.
1. Monthly step Habits: choose Graduate on a habit and click Apply. Expected: “Graduated · …” celebration; the habit moves to the Graduated tab on Habits.
2. Monthly step Energy pulse: answer 4, 4, 4. Expected: the orange “running hot” advice. Change to 1, 1, 1. Expected: “You're in a good place. Keep the rhythm that got you here.”
3. Quarterly (with a cycle): drag a goal's grade to 0.65 and pick “Carry to backlog”. In Next cycle click “Close cycle”. Expected: “… closed — well played”, the goal sits in the Goals backlog with grade 0.65, and “Launch the next cycle” opens the wizard.
4. Annual: add a negative peak and click “+ Not-To-Do”. Expected: “Added to your Not-To-Do list” and it shows on the Compass.
5. Annual Year theme: type “Leverage”, click “Save as year theme”. Expected: the Compass header chip shows it.
6. Annual Free Days first: add two dates next year with the label “Family trip”, click “Put 2 on the calendar”. Expected: “2 Free Days protected on the calendar”; the Calendar shows a Free block 08:00–20:00 on those days.
7. In Reflect click “Draft with AI”. Expected: an editable draft. Save stores it (still editable); Discard removes it.

Habits

1. Open Habits → click “New habit”. Type cue “pour my morning coffee” and habit “Journal for 5 minutes”. Expected: “After I pour my morning coffee, I will journal for 5 minutes.” at the top.

2. Set minimum “Write one sentence”, weekly target 7, reserve skips 2, time Morning, a life area. Click “Start habit”. Expected: a “New habit: …” toast and the habit under Morning on the Today tab with “New” consistency.
3. Tap the big square. Expected: green with a check and +5 XP. Tap again. Expected: undone and the XP removed.
4. Long-press the square (or right-click, or ⋯) → “2-minute version”. Expected: light green with a feather, chip “2-min counts”, +3 XP.
5. ⋯ → “Use a reserve skip”. Expected: dashed blue shield, “Shield used — streak protected”, header “Shields left” drops by 1. Use skips until none are left. Expected: the option is disabled with “No shields left this week — try the 2-min version”.
6. Leave a habit (started before yesterday) unlogged for yesterday. Expected: the Repair window lists it with “· Yesterday”. Click Done. Expected: “Streak repaired · …” and a blue ring on that heatmap cell.
7. Log every active habit today. Expected: confetti, “Every habit done today 🎉” and the green “All of today's habits are done.” banner (only once per day).
8. Create habits until you reach the limit (3 started in the last 30 days). Expected: the dialog shows the blue capacity note and the main button says “Add to queue”. The Queue tab shows “#1 in queue” with a disabled “At your limit — graduate one first”.
9. On an active habit ⋯ → “Graduate (lighter tracking)”. Expected: “… graduated 🎓”, it moves to Graduated, and “Start now” in the Queue becomes available.
0. Open a habit page. Tap a past day in the heatmap → “2-minute version”. Expected: the cell turns light green and consistency updates. Future days are not clickable.
1. Edit a habit and link it to a 12-week goal. Expected: on Goals the goal card shows it as a dashed habit row and the execution score includes it.
2. ⋯ → Delete. Expected: a dialog with “Move to queue” and “Delete”.
3. On a habit older than 30 days, the “Day 30 check-in” appears. Click 5. Expected: “Graduate” / “Keep tracking”. On another habit click 3. Expected: saved at once with a kind message.

Routines

1. Open Routines for the first time. Expected: the toast “Added 4 starter routines” and four cards: Start-up, Shutdown, Morning, Evening.
2. On Start-up tick the first step. Expected: the ring fills a little. Reload. Expected: the tick is still there for today.
3. Click “Minimum”. Expected: “Start-up · minimum version done” with +10 XP, the chip “Minimum done”, and today's dot is light green.
4. Click “Undo”. Expected: the chip goes away and the XP is removed; ticked steps stay.
5. Click “Run now”. Expected: full-screen run mode with a running timer. Tick steps — the next step is outlined. Click “Complete”. Expected: +10 XP and the card shows “Done today · m:ss”.
6. ⋯ → “Edit routine”. Change Kind to Shutdown and add minutes until the total is over 10. Expected: the total turns orange with “aim ≤10”.
7. Add a step, mark it “min”, click Save routine. Expected: the card shows “· min N steps” and the step has a “min” chip.
8. ⋯ → “Pause routine”. Expected: the card fades and the header “Done today” no longer counts it.
9. ⋯ → “Move up”. Expected: the order changes and stays after reload.
0. Tick a step on an unfinished routine, then ⋯ → “Reset today”. Expected: today's ticks are cleared.
1. ⋯ → Delete. Expected: a dialog with “Pause instead” and “Delete”.

Founder HQ

1. Open Founder → Founder HQ. Expected: the greeting line with this week's dates, the focus strip, six KPI tiles, Revenue engine, Marketing engine, Scorecard, Time & operations and Needs your attention. While loading, grey skeletons keep the same size (nothing jumps).
2. With no Big 3 set, check the focus strip. Expected: “No Weekly Big 3 yet…” and a “Set the Big 3” button. Click it. Expected: the Week page opens. Add 2 outcomes and come back. Expected: Big 1 and Big 2 are filled, slot 3 shows “+ Add Big 3”, and “0/2 done” shows on the right.
3. In the Scorecard panel click “Start with the founder scorecard”. Expected: toast “Founder scorecard ready”, confetti, and 7 rows (6 with ⚡). The Scorecard tile shows a number like “3/7”.
4. In Pipeline, add a deal with a next step dated yesterday (or move a deal's step to yesterday). Return to Founder HQ. Expected: the status line says “1 deal step due (1 overdue)”, Next steps due lists it with amber “Overdue · Yesterday”, and the Open pipeline tile shows the new total.
5. Mark a deal as won in Pipeline with a value of 1000. Expected on Founder HQ: the Won this week tile shows the value in green and this week's bar grows.
6. In Commitments, add an “I owe” promise due yesterday. Expected: status line “1 promise overdue”, Promises due shows it with amber “Overdue”, the Promises kept tile drops.
7. Start and finish a short focus session linked to a task in a life area. Expected: Hours by Life Area adds the time to that area and Hours this week goes up.
8. Click each KPI tile. Expected: Scorecard → /scorecard, Open pipeline and Won this week → /pipeline, Promises kept → /commitments, Hub content → /content, Hours this week → /insights.
9. Click “Weekly review” and “Scorecard” in the header. Expected: they open /reviews and /scorecard.

Pipeline

1. Open Founder → Pipeline. Expected: the header, four tiles (Open pipeline, Win rate · 90 days, Next steps due, Outreach today) and the board or the empty state “Your pipeline is empty”.
2. Click “New deal”. Clear the next step text. Expected: “Add deal” is disabled. Type a name, a next step and pick “Tomorrow”. Click “Add deal”. Expected: toast “Deal added to the pipeline” and a card in the Target column with the step and a “Tomorrow” chip.
3. Click “+ Add” under Contacted and create a deal there. Expected: toast with +10 XP (“Deal added · Contacted”).
4. Drag the Target card to Contacted. Expected: the “Move to Contacted” dialog with the step “Follow up” and a date in 2 days. Click “Move to Contacted”. Expected: +10 XP toast and the card moves.
5. Drag a card to Discovery while Pain, Budget and Decision-maker are empty. Expected: the amber warning “Discovery is done when pain, budget and the decision-maker are confirmed…”. Move anyway. Expected: the move works.
6. Open a deal and delete the next step text, then click away. Expected: an amber toast “Open deals need a next step and a date…” and the old text comes back.
7. Set a deal's next-step date to yesterday. Expected: amber “Overdue” chip on the card, the box in the drawer turns amber with “This was due yesterday. Do it, or pick a new date.”, and the Next steps due tile counts it as overdue.
8. Click “+1 touch” on the meter. Expected: the ring goes from 0/20 to 1/20, toast “Touch logged · 1/20 today” with +2 XP.
9. Click the gear, set Daily outreach touches to 2, Save. Click “+1 touch” again. Expected: “Outreach quota done: 2/2” celebration and “Quota done. Anything more is a bonus.” Set it back to 20.
0. Click “With person”, pick a person with one open deal. Expected: the Deal field selects that deal by itself. Choose Meeting, write a summary, click “Log touch”. Expected: toast “Touch logged” with “Meetings today: 1/2”, the Meetings booked bar moves to 1/2.

1. Move a deal to Booked when you are at 1/2 meetings. Expected: “Goal hit — you can stop prospecting today” celebration and a green box on the meter.
2. Open a deal, click Won. Enter 1000 as value, keep “Create delivery project” ticked, click “Mark as won”. Expected: confetti, +100 XP, toast “Delivery project created”, the company shows on the Customers page, and the drawer shows the project in Delivery.
3. Open another deal, click Lost, click the chip “No budget”, click “Close as lost”. Expected: toast “Closed as lost. Kept as a nurture contact” and, if the deal has a person without a cadence, that person now has “Quarterly” (90 days) on the People page.
4. Open Closed deals. Expected: “Won this month” shows the won value. Switch to “Lost & unqualified”. Expected: the lost deal with “Lost: No budget”. Click it, click Reopen. Expected: the move dialog to Contacted.
5. Switch to List, choose Sort “Longest idle”. Reload the page. Expected: the page stays in List view (remembered). Click the “Due” filter. Expected: only due or overdue deals.
6. Delete a touch from a deal's Touches list (… → Delete touch). Expected: a confirm, then “Touch deleted”, the XP is removed and Last touch updates.

People

1. Open Founder → People. Expected: the header, People / Companies tabs with counts, filters, and the Due to reconnect rail.
2. Click “Add person”. Type “Test Lead”, company “Test Co”, relation Lead, Keep in touch Weekly, tier A. Click “Add person”. Expected: toast “Added Test Lead”, the row shows company Test Co, Last contact “Never”, cadence “On track”.
3. Open the Companies tab. Expected: “Test Co” exists as a Prospect (created automatically).
4. Back on People, click the + on the Test Lead row. Choose DM, write “Hi”, click “Log touch”. Expected: toast with +2 XP and Last contact “Today”.
5. Add a second person “Old Friend” with Keep in touch Weekly. Click the + on that row, choose DM, set Day to 10 days ago, click “Log touch”. Expected: Last contact “10d ago”, the cadence chip “Reconnect · 3d over”, and Old Friend appears in the Due to reconnect rail.
6. Click Old Friend's button in the rail and log a DM for today. Expected: the person leaves the rail and the chip shows “On track”.
7. Click the “Due to reconnect” toggle on the list. Expected: only due/overdue people. Sort by “Most overdue”. Expected: the most overdue person first.
8. On the profile, type tags “founder, saas” and click away. Back on the list, search “saas”. Expected: the person is found.
9. On the profile use … → New deal. Expected: the New deal dialog with the person and company filled in.
0. On the Companies tab, try “Add company” with the name “Test Co”. Expected: an error toast ““Test Co” already exists.”
1. On the profile use … → Delete person and confirm. Expected: toast “Test Lead deleted” and you are back on /people.

Customers

1. Open Founder → Customers with no customers. Expected: “No customers yet” with “Open the pipeline” and “Add customer”.
2. Click “Add customer”. Expected: the “Add a company” dialog with Relationship = Customer and a Health choice. Add “Test Client”, health Healthy. Expected: a card appears with “Next: Send a first check-in: how is it going so far?”.

3. On the card click Watch. Expected: the health changes, the Need attention tile becomes 1 (amber), and the card appears under the “Needs attention” filter.
4. Click At risk. Expected: the Next line changes to “Book a save call: what would make this a 10/10?” and the card moves to the top.
5. Click “Log check-in”, write a note, log it. Expected: Last contact shows “Today”.
6. From the company page (click the name), use … → Add commitment and add an “I owe” promise. Back on Customers. Expected: “Open promises 1” on the card, “Promises I owe” tile = 1, and Next says “Deliver the open promise first”.
7. Win a deal in the Pipeline for a new company with “Create delivery project” ticked. Expected: the company appears here as a customer with its project in Delivery at 0%.
8. On the company page change Relationship to Prospect. Expected: it disappears from Customers and the back link now says “Companies”.

Commitments

1. Open Founder → Commitments. Expected: the ring card, three tiles, the quick-add bar, the view switch and two columns (or the empty state).
2. In the quick-add bar type “Send deck”, leave the date empty, press Enter. Expected: toast “Promise logged” and the item in I owe under “Next 7 days” with a “Tomorrow” chip.
3. Switch to “Owed to me”, type “Signed contract”, set the date to today, click Add. Expected: “Added to Waiting for” and the item under Owed to me → Today.
4. Click the tick on “Send deck”. Expected: “Promise kept” with +10 XP, the row is struck through and moves to History.
5. Click the tick again in History. Expected: the item reopens and the XP is removed.
6. Create an “I owe” promise dated yesterday (New → pick a past date). Expected: it shows under Overdue with an amber “Due yesterday” chip, the I owe tile shows “1 overdue”, and the rate counts it as missed.
7. Use … → Renegotiate date on it, pick “+3 days”, click “Move the date”. Expected: toast “Renegotiated…”, the old item is in History with “Renegotiated”, a new open item has the new date, and the rate no longer counts the old one.
8. Use … → Mark broken on another “I owe”. Expected: amber toast “Marked broken…” and the item in History with “Broken”.
9. Click “Route a conversation”. Paste: “Call with Sara at Acme. I'll send pricing by Friday. She will intro me to their CFO next week. They worry about migration time.” Click Analyze. Expected: a summary, a commitment (I owe), a commitment (owed to me), maybe a deal proposal and a content idea about migration. Untick one row. Click “Apply N selected”. Expected: “Conversation routed: N items”, and only the ticked items exist (check Commitments and Content Studio ideas).
0. Open Route a conversation and type fewer than 15 characters. Expected: Analyze is disabled.

Offers

1. Open Founder → Offers with no offers. Expected: “Build your first offer” and the “Build an offer” button.
2. Click it. Leave the name empty and click “Create and open builder”. Expected: a warning “Give the offer a working name”. Type “Test Sprint”, price 2500, create. Expected: the builder opens, status Draft, the gauge shows 50 “AVERAGE” and “raw value 1.00×”.
3. Drag Dream outcome to 9 and Perceived likelihood to 8, Time delay to 3, Effort to 3. Expected: the gauge shows 73 “STRONG” and “raw value 8.00×”, the numbers 9 and 8 are green, 3 and 3 are green (reversed sliders).
4. Set Perceived likelihood to 2. Expected: the Biggest lever box says “Perceived likelihood · Add proof…” and that row turns amber. Reload. Expected: the scores are saved.

5. In The stack, type a deliverable and press Enter. Expected: it appears as item 1.
6. In MAGIC name, click the chips “Done-for-you”, “30-day” and “Sprint”, type Avatar “Agency owner” and Goal “10 calls”, click away. Expected: Suggested names list appears. Click Use on one. Expected: toast “Offer renamed” and the title changes; that row shows “In use”.
7. Click the status Live. Expected: “Offer is live. Go sell it!” with +30 XP. Click Draft. Expected: the XP is removed. Click Live again. Expected: +30 XP again.
8. In Pipeline, create a deal and pick this offer. Expected: the deal value is filled with 2500. Win the deal. Back on the builder, Results shows Deals 1, Won 1, Revenue $2,500, and the Offers list shows Revenue on the card.
9. Click “Suggest improvements”. Expected: “Thinking…”, then sections like “Biggest lever” and a “Next test” line. Click “Add to notes”. Expected: “Added”, and Notes contains “--- AI suggestions (date) ---”.
0. Use … → Duplicate. Expected: “Duplicated as a draft” and a page for “Test Sprint (copy)” in Draft.

Campaigns

1. Open Founder → Campaigns with no campaigns. Expected: “Plan your first campaign” with two buttons.
2. Click “New campaign”. Name “Test Push”, objective “5 calls”, pick 2 channels, a start date today and an end date in 30 days. Click “Create campaign”. Expected: the campaign page opens with status Planned.
3. Create another campaign without dates. Expected: it starts as Idea and shows under “Not scheduled” on the Timeline.
4. On “Test Push” click Live. Expected: “Campaign is live. Make some noise!” with +20 XP. The Scoreboard shows “Day 1 of 30”.
5. In Targets vs results type 10 in the Leads target. Use “+ Link a deal…” to link an open deal. Expected: Leads shows “1 / 10” with a ⚡ and the ring moves to 10%.
6. Win that deal in the Pipeline with value 1000. Expected: Deals won 1, Revenue $1,000, Conversations 1.
7. Enter Spend 200. Expected: Per lead $200 and ROI 400% in green.
8. Click the Leads result and type 25, click away. Expected: “Manual” chip with the auto value on hover. Click ↺. Expected: back to 1 with ⚡.
9. Click Done with empty Learnings. Expected: +25 XP and the amber banner. Write a learning and click away. Expected: “Learning captured” and the banner disappears.
0. On the list, switch to Timeline. Expected: a bar for Test Push across the right dates and a red Today marker.
1. Click “AI ideas”, write an objective, click “Generate ideas”. Expected: idea cards. Click “Add to board” on one. Expected: “Added to the board as an idea” and the button shows “Added”; the board has it in Idea.
2. On the board drag the Idea card to Live. Expected: “<name> is live” with +20 XP.

Scorecard

1. Open Founder → Scorecard with no metrics. Expected: the “Start with the founder scorecard” empty state.
2. Click “Start with the founder scorecard”. Expected: toast “Founder scorecard ready · 7 numbers, 6 of them automatic”, confetti, four summary cards, and a grid with 7 rows (6 with ⚡) and 13 week columns starting with “This week”.
3. Check “Numbers to fill”. Expected: 1 (Revenue is manual and empty), amber.
4. Click the Revenue cell under “This week” (+ Add), type 500, press Enter. Expected: +10 XP “Scorecard updated” the first time this week, the cell turns red or green against the target, and Numbers to fill becomes 0.
5. Click the same cell, clear it, press Enter. Expected: the value is removed and “+ Add” comes back.
6. Click an automatic cell. Expected: nothing to edit (read-only).
7. Log 3 outreach touches on the Pipeline (+1 touch). Return. Expected: Outreach touches this week went up by 3.

8. Click “Add metric”. Pick “ ⚡ Auto: Tasks completed”. Expected: Name “Tasks completed”, target 25, unit “tasks” are filled. Click “Add metric”. Expected: “Metric added” and a new row at the bottom.
9. Use the row … → Move up on the new row. Expected: it moves up one place.
0. Use … → Archive. Expected: the row disappears and an “Archived (1)” button appears. Click it. Expected: the row is shown faded with a Restore option.
1. Edit a metric and switch to “At or below target”. Expected: the arrow under the name points down and the colours flip where needed.

Decisions & Issues

1. Open Founder → Decisions & Issues. Expected: the Decisions tab, the empty state “Start your decision journal”, two tiles and the Calibration card saying “Review your first decision…”.
2. Click “Journal a decision”. Type a title, add two options (press Enter after each), click an option chip under “Your choice”. Expected: the choice field is filled. Move the confidence slider to 80. Expected: “80% · Confident”.
3. Pick the “2 weeks” preset and click “Save to journal”. Expected: +10 XP “Decision journaled” and a card with “80%”, “Chose: …” and a chip “Review” + the date two weeks from today (e.g. “Review nov 3”).
4. Open the card. In the drawer change the Review date to today. Expected: the card shows “Review due” with an amber border, the banner “Review due: 1 decision” appears and the tab shows a count.
5. Click “Review now”. Click “Complete review” without filling anything. Expected: warning “Write what actually happened”. Write an outcome and click Complete again. Expected: warning “Did it turn out as you expected?”. Click “No, it surprised me” and complete. Expected: +20 XP and the card shows “Surprised”.
6. Check Calibration. Expected: average confidence 80%, turned out as expected 0%, verdict “Review a few more decisions to see a trend.” (under 3 decisions) and a Brier score of 0.64.
7. Open the reviewed card and click “Reopen review”. Expected: it goes back to awaiting outcome and the review XP is removed.
8. Open a review and click “Too early, remind me in 2 weeks”. Expected: “Review moved 2 weeks out” and the due banner disappears.
9. Switch to the Issues tab. Type “Leads go cold after proposal”, click P1, click Add. Expected: “Issue added”, a Top 3 card numbered 1 with a red P1 chip and “Identify”.
0. Click Discuss on it. Expected: the chip changes to Discuss and the card moves to the Discuss column.
1. Click Solve. Write a solution, keep the task box ticked, click “Mark solved”. Expected: +25 XP “Issue solved · follow-up task created”, the issue appears in Solved with “✓ …” and a Task chip; the task exists in Tasks with high priority.
2. Open the solved issue and click Reopen. Expected: it returns to Identify and the XP is removed.
3. Add an issue, open it and click Drop. Expected: it leaves the board and a “Dropped (1)” button appears. Click it. Expected: a Dropped column shows the issue.

Strategy AI

1. Fill Profile → Business and What you do. Open an offer and click “Suggest improvements”. Expected: “Thinking…”, then an answer with the sections listed above and a “Next test” line.
2. Click “Copy”. Expected: “Copied”. Click “Add to notes”. Expected: “Added” and the Notes field contains the dated AI block.
3. Click “Again”. Expected: a new answer replaces the old one; your notes are unchanged until you click “Add to notes” again.
4. On Campaigns click “AI ideas”, pick Brand “Either”, click “Generate ideas”. Expected: up to 5 idea cards. Nothing new appears on the board until you click “Add to board”.
5. Open a live campaign and click “Suggest 5 plays”. Expected: 5 plays with headings, channels and bullet steps.

6. If the AI service fails (e.g. no API key), click a button. Expected: an amber toast with the error message and no data changed.

Finance · cash, spending & runway

1. Fresh account: open Finance from the sidebar (Founder → Finance). Expected: the card “Set up your money in 30 seconds” with Currency, Personal and Business boxes. No tabs yet.
2. Type “abc” in Business · Balance today and click “Set up finance”. Expected: “Balances must be numbers”. Fix it to 10000, type 2000 for Personal, click again. Expected: “Finance is ready. Log your first transaction!”, confetti, the six tabs and the quick add bar.
3. Open Accounts & goals. Expected: “Personal account” $2,000 and “Business account” $10,000, and under Categories 16 Spending and 5 Income categories.
4. Back on Overview, type “45 groceries” in the quick add bar. Expected preview: “−$45 · groceries · Food & Groceries · Personal account · Today · Enter to add”. Press Enter. Expected: toast “Expense logged · $45” with +2 XP; Expenses tile $45; Where it went shows Food & Groceries 100%.
5. Click “In”, type “3000 client payment”. Expected: the category Client revenue and the Business side are picked by themselves. Press Enter. Expected: Income $3,000, Net +$2,955, Savings rate 99% in green with “Healthy: 20%+ kept”.
6. Click “Add transaction” → Transfer → 500 → From “Business account” → To “Personal account” → Add transfer. Expected (All view): Income and Expenses tiles do not change. Switch the scope to Business. Expected: Where it went shows “Owner draw (to personal)” $500. Switch to Personal. Expected: Income now includes the $500.
7. Switch to Business and read Business runway. Expected: hint “Based on this month so far”, Business cash $12,500, Burn / month $500, Income / month $3,000, Net burn “+$2,500” in green, headline “Profitable”.
8. Log a business expense of 4000 (category Contractors). Expected: Burn / month $4,500, Net burn $1,500, runway “5.7 mo”, amber ring, message “Getting short. Prioritise collections and closing deals.” and an insight “Runway is 5.7 months. Collections and revenue first this week”.
9. Hover the current month in the cashflow chart. Expected: a box with Income, Expenses and Net. Click “Table”. Expected: a table of 12 months, newest first. Click “Chart”, then click last month's column. Expected: the month picker shows last month, the quick add bar disappears and a “This month” button appears. Click “This month”.
0. Click the Food & Groceries row in Where it went. Expected: the Transactions tab opens with the category filter set to Food & Groceries.
1. In Transactions click Clear, type “groc” in Search. Expected: only the groceries row. Click the row, change 45 to 50, click Save. Expected: “Transaction updated” and the new amount.
2. Click the trash icon on that row and confirm. Expected: “Transaction deleted”; the XP total goes down by 2.
3. Click CSV. Expected: a file like finance-2026-10.csv downloads and the toast “Exported N transactions”. Pick a type/account filter with no rows and click CSV. Expected: “Nothing to export in this view”.
4. Click “All time”. Expected: the button becomes “All time ×” and older months show too. Click it again to go back.
5. Open /finance?add=1 in the address bar. Expected: the “Log money in or out” dialog opens and the address becomes /finance.
6. In the dialog leave Amount empty and press Enter. Expected: “Enter an amount above zero”. Choose Transfer, type 100 and leave To on “Pick an account…”, then save. Expected: “Pick a different account to move money to”. (The To list never offers the From account.)
7. Tick “Add another after this”, log one expense. Expected: the dialog stays open, amount and payee are empty, the date and account stay.

8. Use the currency picker: choose EUR. Expected: “Currency set to EUR. Amounts aren't converted.” and € everywhere (numbers unchanged). Choose “Other…”, type XYZ. Expected: “XYZ isn't a currency code we recognise”. Switch back to your currency.
9. Set the scope to Business, reload the page. Expected: Business is still selected. Open the Invoices tab. Expected: the scope switch is hidden.
10. Open Founder HQ. Expected: in Revenue engine the tile shows Business cash, Runway, This month net and Receivables. Click it. Expected: Finance opens.
11. Open Scorecard → add a metric → Source “ ⚡ Auto: Cash collected”. Expected: this week's value equals the business income you logged this week ($3,000 here).

Finance · budgets, bills, invoices & goals

1. Set the scope switch to All. Open Budgets. Expected: the note “Budgets repeat every month. Heads-up at 80%, over at 100%.”, the two summary cards, and every spending category under “No budget yet”.
2. Click “Set” next to Food & Groceries, type 100, press Enter. Expected: “Budget set · $100/month”; the row moves up into the budget list with a green bar.
3. Log an 85 expense in Food & Groceries. Expected: the row is amber, “$15 left · 85% used · heads-up”. Log 30 more. Expected: red “$15 over · 115% used”, a dark tick on the bar, and on Overview the insight “Food & Groceries is over budget this month”.
4. Click the $100 amount, clear it, press Enter. Expected: “Budget removed” and the row goes back to “No budget yet”. Press Esc while editing another amount. Expected: nothing changes.
5. Type “Travel” in “New expense category, e.g. Travel”, choose Business, click “Add category”. Expected: “Category added” and Travel in “No budget yet”.
6. Open Recurring → “Add recurring”. Money out, Name “Figma”, Kind Subscription, Amount 15, Every Monthly, Next due = today, For Business, Category Software/SaaS → Add. Expected: “Figma added · $15/mo”; Due now section shows Figma “Due today”; tiles show Subscriptions / month $15 ($180 a year) and Due now 1.
7. Open Today. Expected: the Money card shows Figma with “$15 · due today”. Click it. Expected: the Recurring tab opens.
8. Click “Mark paid” on Figma. Expected: “Paid Figma · next due on …” one month later, +2 XP; Figma leaves Due now; Transactions has a Figma row with the ↻ icon.
9. Click Skip (⏭) on Figma. Expected: “Skipped. Next due …” one more month later and no new transaction.
0. Click Pause on Figma. Expected: “Figma paused”, the row is faded with “Paused” and “Not running”, Paid and Skip disappear, Subscriptions / month drops to $0. Click Resume.
1. Add a Yearly money-out item of 120. Expected: the row shows “$120/yr” and “≈ $10/mo”. Add a Money in item “Acme retainer” 1500 monthly. Expected: Kind turns to Retainer, the green chip, Recurring income / month $1,500.
2. Delete the yearly item. Expected: the question “Delete “…”? Past payments stay in your transactions.” and the toast “Deleted”.
3. In Pipeline, move a deal with value 2,000 to Won. Open Finance → Invoices. Expected: the card in “Won deals to bill”. Click “Create invoice”. Expected: title, amount, company and project are filled, Number “INV-0001”, Due 14 days from today.
4. Click “Net 30”. Expected: Due = Issued + 30 days. Set Due before Issued and save. Expected: “The due date can't be before the issue date.” Fix it and click “Save as sent”. Expected: “Invoice sent · $2,000”; Outstanding $2,000; the won-deal card disappears.
5. Edit the invoice: set Issued and Due to dates in the past. Expected: chip “Nd overdue”, the Overdue tile turns amber with “1 past due · send a nudge”, an overdue insight on Overview, and the invoice in the Today Money card.

6. Click “Paid”. Expected: confetti, “Cash in: … · $2,000”, +15 XP; Paid this month $2,000; in Transactions a Business income row with the “Invoice” chip, category Client revenue and note “Invoice INV-0001 · …”; Business runway and the scorecard “Cash collected” go up.
7. Click ↺ (Mark unpaid) and confirm. Expected: “Marked unpaid”, the invoice is overdue again and the income row is gone. Click Paid again, then delete that income row in Transactions. Expected: “Deleted. The invoice is unpaid again.”
8. Click “New invoice”, fill a title and amount, click “Save draft”. Expected: “Draft saved”, Drafts tile 1 “Ready to send?”. Click “Sent” on it. Expected: “Marked as sent”. Click Void (⊘). Expected: “Invoice voided”, it leaves Open; in All it is faded and struck through. Click ↺. Expected: “Back to draft”.
9. Open Accounts & goals → “Add account”: Name “Visa”, Type Credit card, opening -1200. Expected: the hint asks for a negative number; after saving, “Owed (cards, loans)” shows $1,200, Net worth drops by $1,200, Cash on hand does not change.
10. Add “Cash wallet”, Type Cash, opening 300. Expected: Cash on hand goes up by $300. Archive it. Expected: “Cash wallet archived. History kept.”, totals drop, “Show 1 archived” appears. Restore it. Expected: the trash icon shows only on accounts with 0 transactions.
11. Click “Add goal”: “Emergency fund”, Target 6000, By = 6 months from today, “What I set aside”, Saved so far 1000. Expected: “Goal added · $6,000”; the card shows 17% and “$5,000 to go · by … · $…/mo” (the $5,000 spread over the months left, about $715–$834).
12. Click “Add money”, type 5000, click Add. Expected: “Goal reached: Emergency fund”, confetti, 100% green ring and “Reached. Nice work.” Edit the goal and switch to “An account's balance”, pick an account. Expected: the footer says “Tracks …” and progress follows that balance.
13. In Categories click a name, rename it, press Enter. Expected: the new name everywhere. Change its side to Both. Archive it. Expected: “Category archived. Past transactions keep it.”, it disappears from the pickers, and “Show archived (1)” appears. Restore it.

Content Studio

1. Open /content. Expected: the header shows This week's hub, the four numbers and a Next move line.
2. Switch the brand filter to Company, reload the page. Expected: Company is still selected.
3. Click New piece, type “Test hub”, turn on Hub piece, pick Long video, click Create & open. Expected: the piece editor opens; the hub appears on This week's hub.
4. On the Board, type “Test idea” in + Capture an idea and press Enter. Expected: a new card in the Ideas column.
5. Click → on the card three times. Expected: Idea → Seed → Brief → Script, with a toast each time.
6. Drag a text post card onto Production. Expected: it lands on Editing.
7. Drag a video card with open checklist items onto Live. Expected: the Publish checklist dialog opens. Click Not yet: the card does not move.
8. In the dialog, click Publish anyway. Expected: a Published celebration with XP; the card moves to Live.
9. Open Calendar, drag a chip from Ready to schedule onto a day. Expected: toast “Scheduled for …”; the chip shows on that day.
0. Drag a chip from a day back onto the tray. Expected: toast “Unscheduled”.
1. Open Ideas, click two spark chips, finish the lines, press Ctrl + Enter. Expected: toast “2 ideas banked”; the ring count goes up by 2.
2. On an idea row click the layers button. Expected: toast “Promoted to hub · now in Brief”.
3. Open Pillars with no pillars, click a suggestion chip. Expected: toast “Pillar … added” and a new card.
4. Open Analytics, click a window button in Needs numbers, type 1.2k in Views, click Save. Expected: toast “24h numbers saved”; the row disappears.

5. In Weekly content review click Start 20 min. Expected: the button counts down from 20:00. Click Finish review on step 5. Expected: “Done for this week”.
6. In Recycle due click Recycle. Expected: toast “Fresh copy created” and the new “Recycle · …” piece opens.

Playbook 1–2: the loop and positioning

1. Open /content?tab=playbook. Expected: the top card shows a % ring, the brand picker and seven section pills.
2. Switch the brand to Company. Expected: all fields change to the Company strategy (empty if new).
3. Click Continue on Up next. Expected: the page scrolls to that section.
4. In Positioning, click the card #5 Authority / B2B. Expected: it gets a tick; the KPI becomes Emails per video if it was empty; Save status shows Saved.
5. Type an authority statement and click away. Expected: “Saved” and the Authority statement chip turns green.
6. Add three takes in the Contrarian take vault. Expected: on the third, toast “3 contrarian takes. That's a point of view.” and the chip shows 3/3–5 in green.
7. Add 5 rings to the bullseye. Expected: ring 5 shows red with ×; you cannot add a sixth.
8. Click the Facts layer of the pyramid. Expected: an orange warning says Facts sit under the line.
9. Name the three 3-2-1 buckets. Expected: the 3-2-1 buckets canvas chip turns green and the growth system tile 3-2-1 plan gets a tick.
0. Add 5 content formulas. Expected: the target chip turns green; mark one Retired and it drops to 4.
1. In The loop, choose “2–3” in Reps per batch with fewer than 300 reps. Expected: the orange warning appears.
2. Fill all 15 canvas items. Expected: confetti and toast “Positioning complete”.

Playbook 3–4: data system and the 60-day lab

1. Open the Playbook, Data system. Click Add creator, type a name, 120k followers, 25k average views. Expected: the hint shows “50–250K: the sweet spot”; after saving, toast “… added to your watchlist” and the count goes up.
2. Add a creator with 2m followers. Expected: an orange “1 over 1M” chip.
3. Click Log an outlier, enter 200k views and 25k creator's usual views, a why line, and save. Expected: toast “8× outlier saved”; the Topic scanner shows the outlier tile with 8×.
4. Open the Lab section and click This week. Expected: toast “Lab started. Week 1: 3 reps.”; W1 has a dark ring; the message says “Week 1: 3 reps to ship.”
5. Publish a Short video piece this week. Expected: W1 shows 1/3 and the total 1/50.
6. Publish a Text post this week. Expected: the lab total does not change.
7. Click Reset and confirm. Expected: the Start my lab box comes back; your pieces still exist.

Playbook 5: YouTube long-form

1. Open the Playbook, YouTube long-form. Click This week. Expected: toast “Weekly YouTube track started. One video a week, 50 weeks.” and the metrics appear.
2. Publish a piece with format Long video. Expected: This week shipped? shows Yes, Shipped / 50 shows 1 and the first square turns green.
3. Open the Paddy Galloway panel and switch through Ideas, Packaging, Retention and Mindset. Expected: each tab shows its content.
4. On Packaging, type “HOW I GOT 100 CUSTOMERS WITH COLD EMAIL AND LINKEDIN IN 2026 SEO” in Test a title. Expected: an orange character warning and tips for ALL CAPS and SEO.
5. Type “I Tried Cold Calling For 30 Days”. Expected: a green chip with the character count only.
6. Click Reset and confirm. Expected: the Start the weekly track box returns.

Playbook 6–7: iterate and convert

1. Publish a short and log 7d numbers with Views 2,000, Follows 20, Leads 3 and 3s hold % 75. Open the Playbook, Iterate. Expected: the rep shows 3 emails, 20 follows, 2k views and a green “75% at 3s” chip.
2. Log a short with 3s hold % 40. Expected: an orange chip and the line “Hook problem — under 50% at 3s…”.
3. Without a post-mortem, the row shows “Add post-mortem →”. Mark a weak brick in that piece's Post-mortem step. Expected: the row shows “Weak: <brick>” and the Iterate summary counts it as reviewed.
4. Click Open next to Own-channel audit. Expected: the Analytics tab opens.
5. In Convert, with a lead magnet named in Positioning, check step 2 of The aligned funnel. Expected: it shows your magnet's name and type with a green tint.
6. Set the KPI to Emails per video and log a rep with leads. Expected: Convert shows 3/3 funnel basics and completes.

Piece editor

1. Open any piece. Change the title and wait a second. Expected: “Saved” next to the badges.
2. Click Hook library with an empty library, then Add 10 starter templates. Expected: toast “10 starter hooks added”. Click one: it fills the Hook box.
3. Click a hook type chip. Expected: it turns dark. Click again: it clears.
4. Pick the Template “Story” on an empty script. Expected: the story skeleton fills the script; the word count updates.
5. With 40+ characters of script, click Draft repurposed posts. Expected: an AI box with drafts; Create as child piece makes a child (toast “Child piece created”) and the Repurpose tree lists it.
6. Turn on Hub piece and click Repurpose. Set Short video to 2, others to 0, click Create 2 pieces. Expected: a reward toast and two children in the tree.
7. Publish the piece. Expected: Performance shows the Numbers editor. Type 1.2k views in 24h and Save 24h: toast “24h numbers saved”.
8. For a short, type 75 in 3s hold % and save. Expected: a green note “Banger hook — ≥70% held at 3s.”
9. Click Recycle now. Expected: a new “Recycle · <title>” piece opens with the lesson in its brief.
0. Link a saved swipe from “+ Link a saved swipe…”. Expected: toast “Inspiration linked” and the swipe card in the sidebar.

Video workflow 1–4: idea gate, angle, hook, structure

1. Open a piece. Expected: the Video workflow panel shows 0/8 and step 1 is open.
2. Tick all 6 Idea gate checks. Expected: a green note “This idea passes the gate.” and the counter 6/6 in green.
3. Click Mark “Idea gate” done. Expected: step 1 folds, step 2 opens, the ring shows 1/8.
4. In step 2, type a topic, a belief and a take. Click Save take to my vault. Expected: toast “Added to your contrarian vault”.
5. Add a fact with Enter. Expected: it appears with score 50. Drag its slider to 80 and release: the list re-sorts and the chip turns green.
6. Click Find shock facts. Expected: an AI box with up to 8 candidates and a verify warning. Click Add on one: it joins your list.
7. In step 3, click the Contrarian format card. Expected: it shows a tick; the piece's hook type becomes Contrarian.
8. Click Start from my belief → take. Expected: lines 1 and 3 fill from step 2; the Preview shows the hook and its word count.
9. Type “If you want more leads” in line 1. Expected: the orange “If you…” warning.
0. Click Use as the piece's hook. Expected: toast “Piece hook updated” and the chip “The piece's hook”.

1. Type “How Founders Close, And Win!” in Text hook. Expected: tips for punctuation and the connector word “and”.
2. Click Audit my hook. Expected: an AI box with 7 scores. Click Tick the checks that scored 7+: those audit rows get ticked.
3. In step 4, pick Listicle, then Insert outline into script. Expected: toast “Outline added to your script” and ## headings in the Script section; the button now says “Outline is in your script”.
4. Collapse the panel, reload the page. Expected: it stays collapsed.

Video workflow 5–8: script, convert, packaging, post-mortem

1. Write a script with “and then” and “maybe” in the Script section, then open step 5. Expected: warnings for “and then” ×1 and 1 hedge word.
2. Add “at the end of the day” to the script. Expected: a drop-off phrase warning credited to Paddy Galloway.
3. Add “but” to a line. Expected: the Contrast words storylock shows “looks done”.
4. Click three dopamine ladder levels. Expected: they turn green and the counter shows 3/6.
5. With 3+ lines of script, click Audit the question chain. Expected: an AI box with a numbered timeline and 3 loop openers with copy buttons.
6. In step 6, tick 2 trust rungs. Expected: “2 used · aim 2+” turns green.
7. Pick Lead magnet, type a CTA and click Use as the piece's CTA. Expected: toast “Piece CTA updated” and the Call to action field shows it.
8. On a short, open step 7. Expected: Short-form packaging with 3 checks, First caption line and Series. Type a series name and 3: “On the cover: <name> · #3”.
9. Change the format to Long video, open step 7. Expected: Title lab, Chosen YouTube title, Thumbnail brief, the checklists and Stakes.
0. Add a 70-character title in the Title lab. Expected: a warning about the length.
1. On an unpublished short, open step 8. Expected: the locked note.
2. Publish the piece, log 24h numbers, open step 8. Click “This was it” on question 3. Expected: it shows “Weak” and the Hook structure chip is selected.
3. Type a fix and click Start next rep. Expected: toast “Next rep ready” and a new “Next rep · …” piece opens at Brief with the fix in its brief and strong bricks prefilled.

Inspiration, hook library and watchlist

1. Open /swipes. Expected: the stats strip, three tabs and the filter row.
2. Click Save inspiration. Paste a TikTok link. Expected: Platform becomes TikTok.
3. Type Views 900k and Creator's usual views 100k. Expected: a green “9× outlier” banner.
4. Click Save inspiration without Why it worked. Expected: the field turns red with “Required.” and nothing is saved.
5. Paste a transcript (15+ characters) and click Analyse with AI. Expected: empty fields fill with “AI” tags and a toast with the count; fields you typed are unchanged.
6. Save. Expected: toast “9× outlier saved” and a card with a green 9× badge.
7. On the card, click Remix. Toggle Topic to Hold, type a title, click Create remix. Expected: a new piece opens at Brief; its workflow step 2 shows the held topic; step 1 has “Validated by an outlier” ticked.
8. On the card, click Use. Expected: a new piece at Idea titled “Inspired by …”.
9. Open the Hooks tab with an empty library and click Add starter hooks. Expected: toast “10 starter hooks added”.
0. Click Copy on a hook. Expected: toast “Hook copied” and its uses go up by 1.
1. Open the Watchlist tab, click Add creator, add one with 2m followers. Expected: an “Over 1M” orange chip and “1 over 1M”.

2. Click the calendar icon on a creator. Expected: toast “Checked … today” and Last checked turns green.
3. Click the trend icon. Expected: Save inspiration opens with the creator and usual views filled.

AI content coach

1. Open a piece with a title and click 10 hook variations. Expected: a box “Hook variations · AI proposal…” with grey bars, then up to 10 hooks.
2. Click Use on one. Expected: toast “Hook updated”; the Hook box changes.
3. Type a brief of 30+ characters and click Simple explanation. Expected: an explanation, jargon chips and 3 drafts. Click Create as seed: toast “Seed created”.
4. Write a 30+ character script and click Tighten script. Expected: the new word count and “Accept & replace”. Click it: toast “Script replaced”.
5. In step 2 with a topic, click Find shock facts. Expected: an orange verify warning and up to 8 scored facts.
6. In step 3, click Write it in all 6 archetypes. Expected: up to 6 cards. Click Use: the builder lines fill.
7. Click Audit my hook. Expected: a verdict, 7 scores with bars and an Improved rewrite.
8. In step 5 with 3+ lines, click Audit the question chain. Expected: a numbered timeline and loop openers.
9. In Save inspiration, paste a transcript and click Analyse with AI. Expected: fields with “AI” tags.
0. Turn off your network and click any AI button. Expected: an orange error in the box, with Try again where available.

Notes

1. Go to /notes and click Fleeting. Expected: a note “Quick thought” opens; the Fleeting chip is active and the status says Inbox.
2. Type one line, then click “Notes” in the breadcrumb. Expected: “Process inbox” shows the note with the chip “just now”.
3. Click “Keep as idea”. Expected: a toast “Kept as an idea note” with +2 XP; the row disappears; in the table the note now has the Idea chip.
4. Create another fleeting note. In the inbox click “Turn into task”, pick a life area, click “Create task”. Expected: toast “Turned into a task”; the note is gone; the task is in /tasks with the note text as description.
5. Create a third fleeting note and click Discard. Expected: toast “Let it go”; the note is deleted.
6. Open an idea note. In Edit mode type [[and pick another note. Expected: “Linked notes” lists it with the orange warning “1 link without a “why””. Type a reason and press Enter. Expected: toast “Link reason saved”; the warning disappears.
7. Open the other note. Expected: its Backlinks card lists the first note.
8. Click Preview and click a [[Link]] to a title that does not exist. Expected: a new note with that title is created and opens.
9. Type a Summary, click outside, reload the page. Expected: the summary is still there.
0. Click Upload and choose a PDF. Expected: it shows under Attachments; back in the list the title has a paperclip icon.
1. Switch the list to Graph. Expected: dots for notes and a line between linked notes; “N notes · N links” is correct; zoom buttons change the %; clicking a dot opens the note.
2. Create 5 notes that link to each other in a chain. Expected: a “Suggest maps” card appears. Click “Create map”. Expected: toast “Map of Content created”; a Map note opens listing all 5 as [[links]]; the suggestion disappears.
3. Switch to Review (you need processed notes with 40+ characters). Press Space, then 1 or 2. Expected: the progress bar moves; after the last note you see “Notes reviewed: N” and “New set”.
4. In a note click Summarize. Expected: 3–5 bullets and a key takeaway appear in the AI box (or “AI unavailable (rate limit). Try again.”).

5. Click Recall cards → “Draft 5 cards with AI”, untick one, click “Add 4 cards”. Expected: a toast; the Learn & share card shows “4 recall cards from this note →”; Recall's due count goes up by 4.
6. Click “Make it public” → “Draft a simple explanation (AI)”, pick a post version, click “Create content seed”. Expected: “Seed planted”; the note shows the “Public seed” chip; the list shows a green megaphone; the seed is in Content Studio.
7. Leave a fleeting note unprocessed for 48 hours. Expected: the table shows an orange “48h+” chip and the inbox shows “2d · process me”.

Learning

1. Go to /learning and click “+ Learning area”. Enter a name, a target performance, choose 2h, click “Create area”. Expected: a toast; the area page opens with status Active and all tiles at 0.
2. On Overview, click Edit on Map, then “Start from the Ultralearning template”. Click outside. Expected: the template saves; Preview shows the headings.
3. In “Things I don't know” type a gap and press Enter. Expected: it appears; the Gaps tile shows 1 open. Tick it. Expected: toast “Gap closed”; “Show 1 closed” appears.
4. Set “Weekly target (minutes)” to 140 and click away. Expected: the ring and the dashed pace line update.
5. Open Skills and click “Suggest a skill map (AI)”. Untick a few, click “Add selected”. Expected: toast “N skills added to the tree”; the tree shows them as To learn.
6. Click one status dot 3 times. Expected: To learn → Learning → Practicing → Solid, with a small celebration at Solid; Skill progress % goes up.
7. Open Practice. Choose Practice, 25, a skill; fill all three text fields (two gaps on two lines); click “Log session”. Expected: toast “Practice logged · 25m …” with +10 XP; toast “2 gaps added…”; the green “Idea note saved” box; History shows the session; the This week bar for today is green.
8. Click “Open note” in the green box. Expected: an Idea note (Processed, tag learning, learning area set) opens.
9. Back on /learning. Expected: the area card ring shows 25/140m; the This week strip shows Sessions 1, Ideas explained 1, Gaps 2/1 (or similar).
0. Delete the session in History and confirm. Expected: it disappears and its XP is removed; the idea note still exists.
1. Open Resources, click Resource, add 3 resources with “Start now”. Expected: on the third a warning toast “3 active in this area — finishing 1–2 at a time works better”; on /learning the card shows “3 active · max 2”.
2. Open Cards → “Generate cards from a note”, choose the idea note, draft and add cards. Expected: the Cards tab count goes up; the header button shows “Review N due”.
3. Click “Review N due”. Expected: Recall opens with “Filtered to <area>”.
4. Set status to Done. Expected: a celebration; on /learning the card moves to “Paused & done”.
5. Click “Delete learning area” and confirm. Expected: back to /learning; the area is gone; its notes, cards and resources still exist without the area.

Library

1. Go to /library, click “+ Resource”, type a title, leave “Why” empty and click “Save resource”. Expected: the Why box turns red with “Add a reason — one line is enough.” and nothing is saved.
2. Add a reason, pick a learning area, choose “Queue it”, save. Expected: toast “Saved to your library · Queued”; the card is in the Queued column with the reason in quotes.
3. Drag it to Active. Expected: it moves; a progress bar appears on the card.
4. Start two more resources in the same area. Expected: a warning toast on the 3rd and the orange overload banner at the top.
5. Open a card, move the progress slider to 40%, let go. Expected: the card shows 40%.

6. Write two takeaway lines and click away. Click “Create from takeaways” → “Write questions myself”. Expected: two cards with answers pre-filled; write questions and click Add. The card shows a brain chip with 2.
7. Drag a resource to Done. Expected: a celebration and the “Finished — lock it in” dialog. Write takeaways, rate 4 stars, click “Save, no cards”. Expected: the card shows 4 stars in Done.
8. Mark another resource Done without takeaways. Expected: its card shows the orange “add takeaways” chip.
9. Switch to List. Change a status with the dropdown. Expected: same behaviour as dragging.
0. Tick “Show dropped” after dropping one. Expected: a Dropped column appears.
1. Search for a word from a takeaway. Expected: only matching resources show.

Recall

1. Open Recall → Create. Type a question and answer, press Ctrl+Enter. Expected: toast “Card added — it's due now”; “1 added this round”.
2. Open the Review tab. Expected: the stats strip shows Due now ≥ 1; the intro says “1 card ready · about 1 min · 1 new”; the sidebar Recall badge shows the count.
3. Press Space. Expected: the card front appears with a “New” chip.
4. Press Space again. Expected: the card flips; the buttons show Again 1m, Hard 6m, Good 10m, Easy 14d.
5. Press 3. Expected: “+1 XP” in the top bar; because the card is in a short step, it comes back in this session (learn ahead).
6. Flip and press 3 again. Expected: the card graduates (about 4 days) and “Session complete” shows Reviews 2, 1 card, XP +1, a time, and the rating bar.
7. Press Ctrl+Z. Expected: toast “Last rating undone”; the card returns flipped; you can rate again.
8. Open Browse. Expected: the card shows state Review, “in 4d” (or similar) and “S 4d”. Click Suspend. Expected: toast “Card suspended”; it is greyed; the Suspended filter count is 1; Due does not count it. Click Resume.
9. Click Reset schedule and confirm. Expected: toast “Card reset”; state New; due now.
0. Open the Notes tab (with processed notes of 40+ characters). Press Space, then 2. Expected: next note; at the end “Notes reviewed: N”.
1. From a learning area click “Review N due”. Expected: “Filtered to <area>” chip; only that area's cards; ✕ removes the filter.
2. Review on two days in a row. Expected: Streak shows 2 with a flame.
3. After 5+ reviews of graduated cards in 30 days. Expected: Retention 30d shows a % instead of “—”.

AI helpers for notes and learning

1. Open a note with a few lines. Click Summarize. Expected: bullets and a key takeaway in the AI box within a few seconds.
2. Click Find related. Expected: up to 5 [[links]] with reasons; clicking one opens that note.
3. Click Recall cards → “Draft 5 cards with AI”. Expected: about 5 editable cards with checkboxes. Untick one and click “Add 4 cards”. Expected: toast “4 recall cards added”.
4. Open a note with fewer than 20 characters and try to draft cards. Expected: the message “There isn't enough text to make cards from yet. Write a few lines first.”
5. Click Make it public → “Draft a simple explanation (AI)”. Expected: Simple explanation plus TIL, Mistake I made and Myth-bust rows; jargon chips; the Hook field is filled.
6. In a learning area, Skills tab → “Suggest a skill map (AI)”. Expected: 4–7 skills with sub-skills and checkboxes; “Add selected” adds only ticked ones.
7. Turn off the internet (or wait for a rate limit) and try any AI button. Expected: a clear warning message, and nothing is saved.

Tasks

1. Open Tasks from the sidebar (Work → Tasks). Expected: the list switcher, the layout switcher, four filters and the Today list.
2. Click New task. Type “Test task”, click Today, pick an area, Estimate 30 min, Energy Light, click Add task. Expected: toast “Task added”; the task appears in Planned for today with chips Today, 30m and Light.
3. Hover the row and click the star. Expected: toast “Added to today's Top 3”; the task moves to the Top 3 group with a filled Top 3 chip.
4. Tick the done circle of the Top 3 task. Expected: a Top 3 reward toast; the task moves to Done today (closed group) and the Today count drops by one.
5. Create another task with When = Tomorrow. Click Upcoming. Expected: a group “Tomorrow · <date> · 30m” with the task.
6. Open a task that already has a “when” day (e.g. Today). In the When date box pick a later day, then a day after that, then one even later (three moves to a later day). Expected: the amber “Moved 3×” chip and the stale banner “1 task has been moved 3+ times”. Click Decide now → Keep. Expected: toast “Decided”, the banner disappears.
7. Tick two tasks. Expected: the bulk bar “2 selected”. Click Someday. Expected: toast “2 tasks → Someday”; they appear in the Someday list grouped by area.
8. Set the Energy filter to Deep (high). Expected: only Deep tasks remain; Clear filters appears and resets the view.
9. Click Board. Drag a card from Not started to Done. Expected: the card moves, the counts change and you earn XP.
0. Click Calendar. Create a task with a Start time today at 10:00. Expected: it sits at 10 AM; drag it to tomorrow — it keeps 10:00.
1. Click Table → Completed. Expected: only finished tasks. Pick a date. Expected: only tasks whose start–deadline span touches that day; “N tasks” updates.
2. Open a task → Duplicate task → pick a date next week → Duplicate task. Expected: a new copy with the same details, status Not started, dates moved to that day.
3. In the task panel, type minutes 15 and click Log time. Expected: Time tracked increases by 15m and the session appears in the list and on the Focus page.
4. Click the full-page icon, then ← Back. Expected: you return to the same Tasks list you came from.

Projects

1. Open Projects (Work → Projects). Expected: the board with Active · n/cap, Planning, Blocked and Done.
2. Click New project → Project. Type “Test project”, pick an area, click Create project. Expected: the project page opens; on the board the card is in Planning.
3. On the project page, the Next action card shows “Add the first next action”. Click it, type “Write outline”, pick Today, click Add next action. Expected: toast “Next action added”; the card shows the task with a Today chip.
4. Change Status to Active. Expected: “Saved”. Back on the board the card is in Active and shows “Next: Write outline · today”.
5. Tick the circle in the Next action card. Expected: “Next action done — what's next?”; the card now shows the amber “Active but no next action” warning, and the board shows the No next action card.
6. In Settings set Active projects to 1, then drag a second project to Active. Expected: a warning toast and the amber WIP banner on the board.
7. Drag a project to Done. Expected: “Project shipped: …” with a celebration; the card shows “Shipped”.
8. Create a Sprint (30 days). Expected: the sprint hero with days left, Time elapsed and Milestone progress; the Command Center below.

9. Add 2 milestones and tick one. Expected: Milestones (1/2) and Milestone progress 50%.
0. Click Link goals / habits / tasks → Tasks → type a title → +. Expected: the task appears in the Track table with Type Task and Status On track.
1. Type “Book 10 calls” in a Day 30 cell and click away. Reload. Expected: the text is still there.

Focus

1. Open Focus (Work → Focus). Expected: the timer card on the left; numbers, Start from today's plan, Hours by Life Area, the deep vs shallow chart and Time per task on the right.
2. Set Focus minutes to 1 and Break to 1. Click Start. Expected: the music window opens; click No music. The dial counts down from 01:00 and the timer pill appears in the top bar.
3. Go to another page. Expected: the pill keeps counting. Click the time. Expected: you are back on Focus.
4. Wait until 00:00. Expected: the timer switches to Break (green) and a 1-minute session appears at the top of Activity history.
5. Click Stopwatch, pick a task in “Attribute to a task…”, click Start, wait 40 seconds, click Stop & log. Expected: a new session for that task appears; Time per task shows the task.
6. Click the tag on that session twice. Expected: Deep, then Shallow. The chart and Deep share update.
7. In Log time manually type 30, pick an area, Deep, today's date, click Log. Expected: “Time logged”; Today goes up by 0.5h and the area's bar grows.
8. In Start from today's plan click Focus on a Top 3 task. Expected: toast “Focusing on …”; the button shows the running time.
9. Start a timer, wait 10 seconds, click Stop & log. Expected: no new session (under 30 seconds is ignored).

Life Areas

1. Open Life Areas (Work → Life Areas). Expected: one card per area and the week summary bar.
2. Click New area, type “Test area”, click Add life area. Expected: a new card appears.
3. Click the Standard text, type “Weekly check done”, click away. Reload. Expected: the text stays.
4. Type 5 in the budget box and click away. Expected: “Budget saved”; the summary bar shows the budget.
5. Type “Admin” in Add section… and click Add. Expected: the section appears; click it to open the section page.
6. On the section page add a task with When = Today. Expected: “Task added”; it shows with a Today chip.
7. Open the area hub (click the area name). Click 7 under This month. Expected: “Test area: 7/10 this month”; the ring shows 7.
8. In Next up add a task. Expected: it appears; Open tasks in At a glance goes up by one.
9. Start a 1-minute focus session on a task in this area and let it finish. Expected: Hours this week goes up on the hub and on the Life Areas card.
0. On the Life Areas page click the Delete icon → Archive instead. Expected: the card disappears; Show archived brings it back faded.

Wins

1. Open Wins (Work → Wins). Expected: four numbers, the heat strip, the filter row and the feed.
2. Click Log a win. Type “Test win”, impact 4, pick an area, click Save win. Expected: a celebration; the win appears in Today's card with 4 impact dots; Wins this week goes up.
3. Click the Logged filter. Expected: only logged wins.
4. Open the area hub of the area you picked. Expected: “Test win” is in Recent wins.
5. Open a task panel and click Win → Save win. Expected: the button shows “✓ Logged”, then a count of 1; the win appears on Wins with a link to the task.
6. Finish a Top 3 task on the Tasks Today list. Expected: a “Top 3 done” win appears in today's card.

7. If today had no win before your test, check Win streak. Expected: the sub-line changes to “days in a row · today counted”.
8. Hover today's square in the heat strip. Expected: “<date> — N wins”. Click it. Expected: today's journal opens.
9. Click the trash on “Test win”. Expected: “Removed”; the win disappears.

Challenges

1. Open Challenges (Work → Challenges). Click New Challenge.
2. Type an icon 🚀, name “Test challenge”, an outcome; Section 1 “Learning”; + Add KPI → “Pages read”, number, unit “pages”, target 30; + Add section → “Sales”. Click Create challenge. Expected: the workspace opens on Overview with 2 sections; a life area “Test challenge” now exists.
3. Open the Learning row. Add a goal “Finish module 1” and a syllabus, click Save. Expected: “· 1 goals · 1 KPIs” and the rendered syllabus.
4. In Habits, type “Gym” and click Create. Expected: a blue chip “Gym”.
5. Click + next to DAYS. Expected: a day named with today's weekday and date opens on the Overview tab.
6. Click the Gym chip. Expected: it turns blue with ✓; Habits done shows 1/1. Open the Habits page: Gym is done today.
7. Click the Learning tab. Add a task “Read chapter 1”. Type 24 in Pages read and click away. Expected: the task appears; the KPI shows 24 / 30.
8. Click the timer button on the task, wait 40 seconds, then use the top-bar pill to Stop & log. Expected: the task shows its focus time and Focus today goes up.
9. Back on Overview fill Sleep duration 7.5 and the journal, click energy 4. Expected: Energy shows 4/5.
0. Open Days table. Expected: one row with Focus, Tasks 0/1, Habits 1/1, Energy 4/5, Sleep 7.5, Gym ✓ and “24 / 30 pages”.
1. Open Health tracker. Expected: Average Sleep Duration 7.5 and one point on the chart.
2. Pick a goal in Serves goal. Go back to Challenges. Expected: the card shows the goal title.

Calendar

1. Open Calendar (Today group → Calendar). Expected: “Schedule”, the Day/Week/Month switch, four stat cards, the gap card and the week timeline.
2. Click an empty slot at 10 AM today. Expected: the window opens with today, 10:00–11:00.
3. Type “Test block”, pick a task and an area, click Add to schedule. Expected: a purple block at 10 AM with the area colour on its left; Scheduled goes up by 1h.
4. Click the block → done. Close and reopen it. Expected: “done” is highlighted with “✓ logged as focus time”; the block turns green; Adherence and Actually focused go up; the Focus page shows a 60-minute session.
5. Set the block back to planned. Expected: the focus session is removed.
6. Create a block with Repeat = Weekly, Mo and We, Until in 3 weeks. Expected: blocks appear on those days only, up to that date.
7. Open one of them → Delete this & all future occurrences in the series. Expected: that block and the later ones disappear; earlier ones stay.
8. Run a 1-minute timer on the task you linked, then check the gap card. Expected: the task row shows Plan vs Focus bars and a signed gap.
9. Switch to Month. Hover a day and click +. Expected: a new block window for that day at 9:00.

Sidebar & mobile navigation

1. Click 'Collapse sidebar'. Expected: only icons show; hover an icon to see its name. Click 'Expand sidebar' to restore.
2. Click the FOUNDER header. Expected: the group folds. Reload the page. Expected: it stays folded.
3. Capture one item with the sidebar 'Capture' button. Expected: the Inbox badge goes up by 1.
4. Click the search button next to Capture. Expected: the command palette opens.
5. Click 'Sign out', then 'Cancel'. Expected: you stay signed in.
6. On a phone (or a narrow browser window): the bottom bar shows Today, Inbox, +, Week, Menu. Tap + → Quick capture opens. Tap Menu → the drawer opens; tap a page → the drawer closes and the page opens.

Topbar

1. Before the start-up: the Day button says 'Start day', glows, and the ring shows 0. Click it. Expected: the popover with 'Morning start-up' and 'Evening shutdown' rows.
2. Click 'Morning start-up' in the popover. Expected: the start-up ritual opens.
3. After the start-up and all Top priorities are done, check the ring. Expected: 67.
4. Start a Pomodoro from a task's play button. Expected: the timer pill appears in the Topbar on every page. Click pause: the time stops. Click stop: the pill disappears and the time is logged on the task.
5. Click the full-screen icon. Expected: the browser goes full screen; click again to exit.
6. Open the avatar menu, choose 'Dark'. Expected: the app turns dark at once and stays dark after reload. Choose 'System' to follow your computer again.

Global search

1. Type one letter in the search box. Expected: no panel yet.
2. Type the first 3 letters of a person's name. Expected: a 'People' group with that person; click → the person's page opens.
3. Type a goal word. Expected: the 'Goals' group shows the goal with its progress %.
4. Type 'zzzqqq'. Expected: 'No matches for "zzzqqq"'.
5. Press Esc. Expected: the box clears and the panel closes.

Notifications

1. Create a task with a deadline today (task drawer → Due / end). Expected: the bell badge goes up and turns red; the panel shows the task with 'Due today'.
2. Click the notification. Expected: the Tasks page opens and the panel closes.
3. Hover a notification and click X. Expected: it disappears and the count drops. Reload: it stays hidden.
4. Before doing the start-up on a new day, open the bell. Expected: 'Start your day'.
5. Click 'Clear all'. Expected: 'You're all caught up'.

Settings

1. Open /settings. Change 'Daily capacity (hours)' to 4 and click outside. Expected: toast 'Saved'. Open Today: the Today card hint says 'of 4h'.
2. Clear the capacity field and click outside. Expected: nothing is saved (capacity stays 4).
3. Set 'Weekly review day' to today's weekday (and don't do the review). Expected: Today shows 'It's weekly review day'.
4. Set 'Daily outreach quota' to 5. Expected: Today's Sales card shows 'x/5 outreach touches'.
5. Turn 'Celebrations' Off, tick a Top priority. Expected: a toast but no confetti. Turn it On: a small confetti burst plays.
6. Click 'Run setup'. Expected: Today opens with the 'Set up your Life Areas' window.

7. Click 'Export everything (JSON)'. Expected: a file bishos-export-[today].json downloads and a toast confirms.

Profile

1. Type your name, click 'Save profile'. Expected: the button shows 'Saved'. Open Today: the greeting includes your first name.
2. Upload a photo. Expected: it shows on the Profile card and in the Topbar avatar.
3. Write 'Be very short' in Preferences, save, then ask the AI chat a question. Expected: a short answer.
4. Turn on Desktop notifications and allow the browser prompt. Expected: the switch turns on and the text says 'On — this browser.'
5. Edit a field and leave the page without saving. Expected: the change is not kept.

AI chat

1. Open /chat and click 'What should I focus on today?'. Expected: a new conversation named after the prompt appears in the list, and an answer streams in that mentions your real tasks or goals.
2. While it answers, click Stop. Expected: the answer stops.
3. Switch the model to 'gpt-oss' and ask a short question. Reload. Expected: this conversation still shows 'gpt-oss' selected.
4. Type '/' plus the first letters of a project name. Expected: the 'Attach context' list shows it. Press Enter. Expected: a context chip appears.
5. Click + and upload a small .txt file. Expected: a chip with the file name and '· N tok'. Ask 'Summarize this file'. Expected: the answer is about the file; the file shows under your message.
6. Click 'Save to notes' under an answer, type a title, click 'Create note'. Expected: the note appears in Notes with the answer as its content.
7. Hover a conversation, click the pencil, rename it, press Enter. Expected: the new name shows. Click the bin. Expected: it is deleted.

AI module assistant (floating ✦ button)

1. Open /tasks. Expected: the ✦ button at the bottom right. Open /today. Expected: no ✦ button there.
2. On /tasks click ✦, then the prompt 'Add a high-priority task to finish the landing page by Friday'. Expected: a reply with an action card and Confirm / Cancel.
3. Click Cancel. Expected: the card shows 'Cancelled' and no task is created.
4. Ask again and click Confirm. Expected: the card turns green with a result, and the task appears in your task list.
5. Close the panel and reopen it. Expected: the conversation is still there. Click the bin. Expected: it clears.

Guide page

1. Open /guide. Expected: the rhythm tabs, the left index and module cards appear quickly.
2. Type 'runway' in the search box. Expected: only matching explanations show, with a count.
3. Open the Weekly tab. Expected: the weekly steps with links.
4. Click 'Download PDF'. Expected: bishOS-Guide.pdf downloads.

Setup & onboarding

1. With no Life Areas, open Today. Expected: the 'Set up your Life OS' banner with 'Start setup'.
2. Click 'Start setup'. Expected: the 'Set up your Life Areas' window with 4 preset cards.
3. Untick Fitness, change the Sales hours to 10, click 'Save my areas'. Expected: confetti, 'Your Life OS spine is ready', and the 'You're set. What next?' list.

4. Open Life Areas. Expected: three areas exist (no Fitness), Sales has 10 hours.
5. Back on Today. Expected: the 'Set up your Life OS' banner is gone (you are now onboarded).
6. Add one habit on the Habits page. Then open Settings → 'Run setup' → 'Save my areas'. Expected: in 'You're set. What next?' the step 'Set up your Life Areas' is not listed and 'Add 1–3 keystone habits' shows a green tick.
7. Open /today?setup=1 directly (or Settings → Run setup). Expected: the setup window opens with your saved standards and hours; clicking 'Later' closes it and the address returns to /today.
8. Try quick add on Today with no areas at all. Expected: the setup window opens instead of creating a task.

Delegation

1. Go to /delegation. Expected: five tabs; the Time audit tab opens (or the last tab you used).
2. Type “Invoices”, choose 30m, $, Draining, click Log. Expected: the preview said “Lands in Delegation”; toast “Logged · Invoices — Delegation quadrant”; the block appears under Today in Logged blocks; 2-week audit shows 1 / 14 days.
3. Switch to “Start – end”, enter 09:00 and 09:45, log “Client call”, $$$$, Energizing. Expected: a 45m block; the next start time is now 09:45.
4. Click the recent chip “Invoices”. Expected: value, energy and minutes fill in from last time.
5. Change Day to yesterday and log a block. Expected: it shows under Yesterday; 2-week audit shows 2 / 14 days.
6. Open DRIP. Expected: “N% of your logged time energizes you”; Invoices in Delegation, Client call in Production; a “Write SOP: Invoices” button on the Delegation card.
7. Click “Write SOP: Invoices”. Expected: the SOP editor opens with the name “Invoices” and rung Admin.
8. Add 7 steps. Expected: the counter turns green “7 steps · sweet spot”. Paste a Loom link and click Save. Expected: toast “SOP created”; the card is in the Processes tab with “7 steps” in green and a Video link.
9. Open that SOP again, set Status to Documented, click Save. Expected: celebration “SOP documented: Invoices”.
0. Open Buyback. Enter 100000 and USD. Expected: Your hour = $50.00, Buyback rate = $12.50. Click Save. Expected: toast “Buyback rate updated”; Delegate candidates lists Invoices with h/wk and a weekly cost.
1. Open a task in /tasks and tick “Should not be me — record it next time (Delegation)”. Back in Processes. Expected: the task is in “Record this next time”. Click “Create SOP from task”. Expected: toast “Draft SOP created”; the editor opens with the task title.
2. On an SOP card click “Ran it”. Expected: toast “Logged a run”; the button changes to “Ran today” and is disabled.
3. Open Ladder. Expected: Admin shows a readiness % and chips (documented, draft, tasks to record); the focus rung has the “Next” chip; “Open SOPs” jumps to Processes filtered to that rung.
4. Set an SOP to Delegated and Owner to a name, save. Expected: celebration “Handed off: … 🙌”; the card says “Owner: <name>”; readiness rises.
5. In the editor click Delete once. Expected: it shows “Tap again”; a second click deletes with toast “SOP deleted”.

Energy & Wellbeing

1. Go to /today, click “Start my day”, fill “How are you, really?” (sleep, sleep quality, energy, mood) and finish. Open /insights. Expected: Check-ins goes up by 1; today's dot appears in “Energy & mood · 30 days”.
2. With fewer than 14 check-ins. Expected: the “Learning your curve · N of 14 check-ins” card with a progress bar and “Check in today →”.
3. Open “Monthly burnout pulse”, choose 4 / 2 / 4, click “Save this month's pulse”. Expected: toast “Pulse saved — thank you for checking in”; tiles 4/5 exhaustion, 2/5 detachment, 4/5 efficacy; “Done for this month…”.

4. Reload. Expected: in Observations, “Burnout pulse” is active (orange, eye icon) and shows “Exhaustion 4/5 · Detachment 2/5 · Efficacy 4/5”; in the Protective toolkit “Talk to someone”, “Run a lighter week” and “What can I delegate…” show “Suggested” and come first.
5. Click “Retake”, answer 2 / 2 / 4, save. Expected: the pulse signal turns “all clear”.
6. Click any toolkit card. Expected: it opens the right page (e.g. “Open delegation” → /delegation).
7. Log sleep under 6.5h on 3 of the last 7 days. Expected: “Short sleep” becomes active with the average.
8. Run 10 focus sessions over a few days. Expected: “Your best focus hours” shows bars and “Your peak window: …”.
9. Log 3+ check-ins with 7h+ sleep and 3+ with less. Expected: “Sleep vs energy” shows dots and the sentence comparing rested vs short nights.
0. In Settings → Wellbeing change “Weekly work-hours warning” to 30. Expected: the observation title becomes “30+ hour weeks” and hour chips at or above 30 turn orange.
1. Click “Support resources” in the low-mood banner or toolkit. Expected: the page scrolls to “This is not a clinical tool” with the findahelpline.com link.

Analytics

1. Open Analytics (System → Analytics). Expected: the title “Analytics · Progress & Growth”, the range switch on 12w, six KPI cards, Headline insights and the eight sections.
2. Click 4w. Expected: the charts fade for a moment, then show 4 weeks; the subtitle says “last 4 weeks”. Reload. Expected: 4w is still selected.
3. Do today's start-up ritual on Today, then come back. Expected: Level XP rises by 25; today's heatmap square gets a colour; Rituals per week goes up by one start-up.
4. Click the Table icon on Cumulative XP. Expected: a table Week / XP earned / Cumulative, newest week first. Click it again to see the chart.
5. Hover a column in XP per week by source. Expected: a tooltip with each group's XP and “XP that week”.
6. Finish a 1-minute focus session on a task in an area. Expected: Hours by life area shows it in that area's colour; Focus by weekday updates.
7. Mark a deal Won with a value in Pipeline. Expected: Revenue won KPI and the Won revenue chart include it; the flywheel's Deals won and Revenue won change.
8. Click Ask AI for more. Expected: “Thinking…”, then 3 blue-tinted AI insight cards (or the friendly error line).
9. Click any KPI card. Expected: it opens its module (e.g. Execution → Goals).
0. With no 12-week cycle, check Execution. Expected: “Start your first 12-week cycle to see execution history” with a Plan a 12-week cycle button.