

Step 1:

Due to some limitations of the laptop I own, instead of running a VM on it I instead created two options. One is a VM on my desktop at home. And second is a dedicated Linux box. Both have been configured to run tailscale allowing me to connect to them from anywhere using any device, this gives a lot more lenience than just the laptop VM.

Step 2:

For my 50 commands I went off of a small list I found online alongside some common basic commands I knew.

Notes:

All work is backed up on my [GitHub](#).
IP Addresses are censored out.

CLI Log.

```
Script started on 2026-09-09 21:27:09-04:00 [TERM="xterm" TTY="/dev/pts/0" COLUMNS="159" LINES="68"]
root@ograzier:/home/ograzier/Documents/3650# nano ~/.bashrc
root@ograzier:/home/ograzier/Documents/3650# source ~/.bashrc [2026-09-09-21:28:28]
root@ograzier:/home/ograzier/Documents/3650# pwd /home/ograzier/Documents/3650 [2026-09-09-21:28:40]
root@ograzier:/home/ograzier/Documents/3650# ls lab1.txt [2026-09-09-21:28:44]
root@ograzier:/home/ograzier/Documents/3650# cd /tmp [2026-09-09-21:28:48]
root@ograzier:/tmp# mkdir testdir [2026-09-09-21:28:59]
root@ograzier:/tmp# touch file1.txt [2026-09-09-21:29:10]
root@ograzier:/tmp# cp file1.txt file2.txt [2026-09-09-21:29:24]
root@ograzier:/tmp# mv file2.txt file3.txt [2026-09-09-21:29:38]
root@ograzier:/tmp# ls file1.txt file3.txt snap-private-tmp-systemd-private-a5573516ffb4493bb58ce3d96f5a8517-ModemManager.service-AQ8XvT-systemd-private-a5573516ffb4493bb58ce3d96f5a8517-bluetooth.service-HPzowQ-systemd-private-a5573516ffb4493bb58ce3d96f5a8517-chrony.service-oLACpD-systemd-private-a5573516ffb4493bb58ce3d96f5a8517-colord.service-s24YAk-systemd-private-a5573516ffb4493bb58ce3d96f5a8517-polkit.service-enjrue-systemd-private-a5573516ffb4493bb58ce3d96f5a8517-power-profiles-daemon.service-kCkrMY-systemd-private-a5573516ffb4493bb58ce3d96f5a8517-switcheroo-control.service-xtg28c-systemd-private-a5573516ffb4493bb58ce3d96f5a8517-systemd-logind.service-La7gDk-systemd-private-a5573516ffb4493bb58ce3d96f5a8517-ubuntu-insights-collect.service-wCuM8U-systemd-private-
```

```

a5573516ffb4493bb58ce3d96f5a8517-upower.service-jCJVL2 testdir [2026-09-09-21:29:41]
root@ograzier:/tmp# rm file3.txt [2026-09-09-21:30:02] root@ograzier:/tmp# ls file1.txt snap-private-tmp
systemd-private-a5573516ffb4493bb58ce3d96f5a8517-ModemManager.service-AQ8XvT systemd-private-
a5573516ffb4493bb58ce3d96f5a8517-bluetooth.service-HPzowQ systemd-private-
a5573516ffb4493bb58ce3d96f5a8517-chrony.service-oLACpD systemd-private-
a5573516ffb4493bb58ce3d96f5a8517-colord.service-s24YAk systemd-private-
a5573516ffb4493bb58ce3d96f5a8517-polkit.service-cnjrue systemd-private-
a5573516ffb4493bb58ce3d96f5a8517-power-profiles-daemon.service-kGkrMY systemd-private-
a5573516ffb4493bb58ce3d96f5a8517-switcheroo-control.service-xtg28c systemd-private-
a5573516ffb4493bb58ce3d96f5a8517-systemd-logind.service-La7gDk systemd-private-
a5573516ffb4493bb58ce3d96f5a8517-ubuntu-insights-collect.service-wCuM8U systemd-private-
a5573516ffb4493bb58ce3d96f5a8517-upower.service-jCJVL2 testdir [2026-09-09-21:30:09]
root@ograzier:/tmp# rmdir testdir [2026-09-09-21:30:20] root@ograzier:/tmp# ls file1.txt snap-private-tmp
systemd-private-a5573516ffb4493bb58ce3d96f5a8517-ModemManager.service-AQ8XvT systemd-private-
a5573516ffb4493bb58ce3d96f5a8517-bluetooth.service-HPzowQ systemd-private-
a5573516ffb4493bb58ce3d96f5a8517-chrony.service-oLACpD systemd-private-
a5573516ffb4493bb58ce3d96f5a8517-colord.service-s24YAk systemd-private-
a5573516ffb4493bb58ce3d96f5a8517-polkit.service-cnjrue systemd-private-
a5573516ffb4493bb58ce3d96f5a8517-power-profiles-daemon.service-kGkrMY systemd-private-
a5573516ffb4493bb58ce3d96f5a8517-switcheroo-control.service-xtg28c systemd-private-
a5573516ffb4493bb58ce3d96f5a8517-systemd-logind.service-La7gDk systemd-private-
a5573516ffb4493bb58ce3d96f5a8517-ubuntu-insights-collect.service-wCuM8U systemd-private-
a5573516ffb4493bb58ce3d96f5a8517-upower.service-jCJVL2 [2026-09-09-21:30:23] root@ograzier:/tmp#
file /bin/bash /bin/bash: ELF 64-bit LSB pie executable, x86-64, version 1 (SYSV), dynamically linked,
interpreter /lib64/ld-linux-x86-64.so.2, BuildID[sha1]=a292b52b679fb438b940f1c17e2e4951ac52ac89, for
GNU/Linux 3.2.0, stripped [2026-09-09-21:30:36] root@ograzier:/tmp# ech "Hello World" Command 'ech' not
found, did you mean: command 'bch' from deb bikeshed (1.78-0ubuntu2) command 'ecm' from deb gmp-
ecm (7.0.6+ds-2) command 'ecl' from deb ecl (24.5.10.20250914.git294da20+dfsg-3) command 'echo' from
deb coreutils-from-gnu (0.0-0ubuntu25) command 'echo' from deb coreutils-from-uutils (0.0.0ubuntu25)
command 'echo' from deb coreutils-from-busybox (0.0-0ubuntu25) command 'echo' from deb coreutils-
from-toybox (0.0.0~ubuntu25) command 'exch' from deb util-linux-extra (2.41.3-3ubuntu2) command 'dch'
from deb devscripts (2.26.7) command 'ecj' from deb ecj (3.35.0+eclipse4.29-2build1) Try: apt install [2026-
09-09-21:30:53] root@ograzier:/tmp# echo "Hello World" Hello World [2026-09-09-21:30:58]
root@ograzier:/tmp# echo "Hello World" > hello.txt [2026-09-09-21:31:08] root@ograzier:/tmp# cat hello.txt
Hello World [2026-09-09-21:31:14] root@ograzier:/tmp# tac hello.txt Hello World [2026-09-09-21:31:20]
root@ograzier:/tmp# head -n 2 /etc/passwd root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin [2026-09-09-21:31:30] root@ograzier:/tmp# tail -n 2
/etc/passwd gdm:x:975:975:Gnome Display Manager:/var/lib/gdm3:/bin/false
ograzier:x:1000:1000:Oliver:/home/ograzier:/bin/bash [2026-09-09-21:31:54] root@ograzier:/tmp# wc
hello.txt 1 2 12 hello.txt [2026-09-09-21:32:09] root@ograzier:/tmp# grep "root" /etc/passwd
root:x:0:0:root:/root:/bin/bash nm-openvpn:x:984:984:NetworkManager
OpenVPN:/var/lib/openvpn/chroot:/usr/sbin/nologin [2026-09-09-21:32:26] root@ograzier:/tmp# sort
/etc/passwd _apt:x:42:65534::nonexistent:/usr/sbin/nologin avahi:x:103:109:Avahi mDNS
daemon:/run/avahi-daemon:/usr/sbin/nologin backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin _chrony:x:988:988:Chrony Daemon:/var/lib/chrony:/usr/sbin/nologin

```

colord:x:977:977:colord colour management daemon:/var/lib/colord:/usr/sbin/nologin cups-browsed:x:110:111::/nonexistent:/usr/sbin/nologin cups-pk-helper:x:107:111:user for cups-pk-helper service:/nonexistent:/usr/sbin/nologin daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin dhcpcd:x:996:996:DHCP Client Daemon:/usr/lib/dhcpcd:/bin/false dnsmasq:x:999:65534:dnsmasq:/var/lib/misc:/usr/sbin/nologin fwupd-refresh:x:982:982:Firmware update daemon:/var/lib/fwupd:/usr/sbin/nologin games:x:5:60:games:/usr/games:/usr/sbin/nologin gdm:x:975:975:Gnome Display Manager:/var/lib/gdm3:/bin/false geoclue:x:109:113::/var/lib/geoclue:/usr/sbin/nologin gnome-remote-desktop:x:980:980:GNOME Remote Desktop:/var/lib/gnome-remote-desktop:/usr/sbin/nologin hplip:x:111:7:HPLIP system user:/run/hplip:/bin/false irc:x:39:39:ircd:/run/ircd:/usr/sbin/nologin list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin mail:x:8:8:mail:/var/mail:/usr/sbin/nologin man:x:6:12:man:/var/cache/man:/usr/sbin/nologin messagebus:x:995:995:System Message Bus:/nonexistent:/usr/sbin/nologin [news:x:9:9:news:/var/spool/news:/usr/sbin/nologin](#) nm-openvpn:x:984:984:NetworkManager OpenVPN:/var/lib/openvpn/chroot:/usr/sbin/nologin nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin ograizer:x:1000:1000:Oliver:/home/ograizer:/bin/bash pipewire:x:981:981:system user for pipewire:/nonexistent:/usr/sbin/nologin polkitd:x:979:979:User for polkitd:/usr/sbin/nologin proxy:x:13:13:proxy:/bin:/usr/sbin/nologin root:x:0:0:root:/root:/bin/bash rtkit:x:978:978:RealtimeKit:/proc:/usr/sbin/nologin saned:x:108:112::/var/lib/saned:/usr/sbin/nologin speech-dispatcher:x:105:29:Speech Dispatcher:/run/speech-dispatcher:/bin/false sssd:x:104:110:SSSD system user:/var/lib/sss:/usr/sbin/nologin sync:x:4:65534:sync:/bin:/bin/sync syslog:x:100:101::/nonexistent:/usr/sbin/nologin systemd-network:x:998:998:systemd Network Management:/usr/sbin/nologin systemd-oom:x:986:986:systemd Userspace OOM Killer:/usr/sbin/nologin systemd-resolve:x:989:989:systemd Resolver:/usr/sbin/nologin sys:x:3:3:sys:/dev:/usr/sbin/nologin tcpdump:x:983:983:tcpdump:/nonexistent:/usr/sbin/nologin tss:x:987:987:tss user for tpm2:/usr/sbin/nologin usbmux:x:106:46:usbmux daemon:/var/lib/usbmux:/usr/sbin/nologin uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin uuid:x:101:105::/run/uuid:/usr/sbin/nologin whoopsie:x:102:108::/nonexistent:/bin/false www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin [2026-09-09-21:32:45] root@ograizer:/tmp# uniq hello.txt Hello World [2026-09-09-21:33:09] root@ograizer:/tmp# diff hello.txt hello.txt [2026-09-09-21:33:22] root@ograizer:/tmp# ls file1.txt hello.txt snap-private-tmp systemd-private-a5573516ffb4493bb58ce3d96f5a8517-ModemManager.service-AQ8XvT systemd-private-a5573516ffb4493bb58ce3d96f5a8517-bluetooth.service-HPzowQ systemd-private-a5573516ffb4493bb58ce3d96f5a8517-chrony.service-oLACpD systemd-private-a5573516ffb4493bb58ce3d96f5a8517-colord.service-s24YAk systemd-private-a5573516ffb4493bb58ce3d96f5a8517-polkit.service-cnjrue systemd-private-a5573516ffb4493bb58ce3d96f5a8517-power-profiles-daemon.service-kGkrMY systemd-private-a5573516ffb4493bb58ce3d96f5a8517-switcheroo-control.service-xtg28c systemd-private-a5573516ffb4493bb58ce3d96f5a8517-systemd-logind.service-La7gDk systemd-private-a5573516ffb4493bb58ce3d96f5a8517-ubuntu-insights-collect.service-wCuM8U systemd-private-a5573516ffb4493bb58ce3d96f5a8517-upower.service-jCJVL2 [2026-09-09-21:33:24] root@ograizer:/tmp# date Wed Sep 9 09:33:31 PM EDT 2026 [2026-09-09-21:33:31] root@ograizer:/tmp# cal Command 'cal' not found, but can be installed with: apt install ncal [2026-09-09-21:33:34] root@ograizer:/tmp# apt install ncal The following packages were automatically installed and are no longer required: linux-headers-7.0.0-30 linux-image-unsigned-7.0.0-30-generic linux-modules-7.0.0-30-generic linux-tools-7.0.0-30-generic linux-

headers-7.0.0-30-generic linux-main-modules-zfs-7.0.0-30-generic linux-tools-7.0.0-30 Use 'apt autoremove' to remove them.

Installing: ncal

Summary: Upgrading: 0, Installing: 1, Removing: 0, Not Upgrading: 9 Download size: 20.8 kB Space needed: 59.4 kB / 226 GB available

Get:1 <http://us.archive.ubuntu.com/ubuntu> resolute/universe amd64 ncal amd64 12.1.8build1 [20.8 kB]
Fetched 20.8 kB in 0s (233 kB/s) Selecting previously unselected package ncal. (Reading database... 194420 files and directories currently installed.) Preparing to unpack .../ncal_12.1.8build1_amd64.deb... Unpacking ncal (12.1.8build1)... Setting up ncal (12.1.8build1)... Processing triggers for man-db (2.13.1-1build1)... [2026-09-09-21:33:46] root@ograzier:/tmp# cal September 2026

Su Mo Tu We Th Fr Sa

1 2 3 4 5

6 7 8 9 10 11 12

13 14 15 16 17 18 19

20 21 22 23 24 25 26

27 28 29 30

[2026-09-09-21:33:49] root@ograzier:/tmp# uptime 21:34:14 up 55 min, 1 user, load average: 0.05, 0.03, 0.00
[2026-09-09-21:34:14] root@ograzier:/tmp# whoami root [2026-09-09-21:34:23] root@ograzier:/tmp# uname -a Linux ograzier 7.0.0-31-generic #31-Ubuntu SMP PREEMPT_DYNAMIC Sat Aug 1 04:26:38 UTC 2026 x86_64 GNU/Linux [2026-09-09-21:34:29] root@ograzier:/tmp# free -m total used free shared buff/cache available
Mem: 3017 886 1428 10 936 2130 Swap: 3336 0 3336 [2026-09-09-21:34:39] root@ograzier:/tmp# df -h
Filesystem Size Used Avail Use% Mounted on tmpfs 604M 8.4M 596M 2% /run /dev/nvme0n1p2 233G 11G 211G 5% / tmpfs 1.5G 0 1.5G 0% /dev/shm efivarfs 150K 80K 65K 56% /sys/firmware/efi/efivars none 1.0M 0 1.0M 0% /run/credentials/systemd-journald.service none 1.0M 0 1.0M 0% /run/credentials/systemd-resolved.service tmpfs 1.5G 12K 1.5G 1% /tmp /dev/nvme0n1p1 1.1G 6.4M 1.1G 1% /boot/efi tmpfs 302M 56K 302M 1% /run/user/60578 tmpfs 302M 44K 302M 1% /run/user/0 [2026-09-09-21:35:03]
root@ograzier:/tmp# du -sh /var 2.1G /var [2026-09-09-21:35:10] root@ograzier:/tmp# history 1 2026-09-09-21:27:58 nano ~/.bashrc 2 2026-09-09-21:28:28 source ~/.bashrc 3 2026-09-09-21:28:40 pwd 4 2026-09-09-21:28:44 ls 5 2026-09-09-21:28:48 cd /tmp 6 2026-09-09-21:28:59 mkdir testdir 7 2026-09-09-21:29:10 touch file1.txt 8 2026-09-09-21:29:24 cp file1.txt file2.txt 9 2026-09-09-21:29:38 mv file2.txt file3.txt 10 2026-09-09-21:29:41 ls 11 2026-09-09-21:30:02 rm file3.txt 12 2026-09-09-21:30:09 ls 13 2026-09-09-21:30:20 rmdir testdir 14 2026-09-09-21:30:23 ls 15 2026-09-09-21:30:36 file /bin/bash 16 2026-09-09-21:30:53 ech "Hello World" 17 2026-09-09-21:30:58 echo "Hello World" 18 2026-09-09-21:31:08 echo "Hello World" > hello.txt 19 2026-09-09-21:31:14 cat hello.txt 20 2026-09-09-21:31:20 tac hello.txt 21 2026-09-09-21:31:30 head -n 2 /etc/passwd 22 2026-09-09-21:31:54 tail -n 2 /etc/passwd 23 2026-09-09-21:32:09 wc hello.txt 24 2026-09-09-21:32:26 grep "root" /etc/passwd 25 2026-09-09-21:32:45 sort /etc/passwd 26 2026-09-09-21:33:09 uniq hello.txt 27 2026-09-09-21:33:22 diff hello.txt hello.txt 28 2026-09-09-21:33:24 ls 29 2026-09-09-21:33:31

```
date 30 2026-09-09-21:33:34 cal 31 2026-09-09-21:33:40 apt install ncal 32 2026-09-09-21:33:49 cal 33
2026-09-09-21:34:14 uptime 34 2026-09-09-21:34:23 whoami 35 2026-09-09-21:34:29 uname -a 36 2026-09-
09-21:34:39 free -m 37 2026-09-09-21:35:03 df -h 38 2026-09-09-21:35:10 du -sh /var 39 2026-09-09-
21:35:21 history [2026-09-09-21:35:21] root@ograzier:/tmp# id uid=0(root) gid=0(root) groups=0(root) [2026-
09-09-21:35:26] root@ograzier:/tmp# ps PID TTY TIME CMD 2997 pts/1 00:00:00 bash 3236 pts/1 00:00:00 ps
[2026-09-09-21:35:27] root@ograzier:/tmp# w 21:35:29 up 56 min, 1 user, load average: 0.01, 0.02, 0.00
USER TTY FROM LOGIN@ IDLE JCPU PCPU WHAT root pts/0 [REDACTED IP ADDRESS] 21:14 1.00s 0.19s
0.09s script lab1.txt [2026-09-09-21:35:29] root@ograzier:/tmp# users [2026-09-09-21:35:32]
root@ograzier:/tmp# groups root [2026-09-09-21:35:37] root@ograzier:/tmp# sleep 1 [2026-09-09-21:35:42]
root@ograzier:/tmp# which bash /usr/bin/bash [2026-09-09-21:35:49] root@ograzier:/tmp# whereis python3
python3: /usr/bin/python3 /usr/lib/python3 /etc/python3 /usr/share/python3
/usr/share/man/man1/python3.1.gz [2026-09-09-21:35:57] root@ograzier:/tmp# whatis ls ls (1) - List
directory contents. Ignore files and directories starting with a '.' by default [2026-09-09-21:36:09]
root@ograzier:/tmp# ping -c [REDACTED IP ADDRESS] ping: invalid argument: '[REDACTED IP ADDRESS]'
[2026-09-09-21:36:27] root@ograzier:/tmp# ping -c 1 [REDACTED IP ADDRESS] PING [REDACTED IP
ADDRESS] ([REDACTED IP ADDRESS]) 56(84) bytes of data. 64 bytes from [REDACTED IP ADDRESS]:
icmp_seq=1 ttl=115 time=14.9 ms
```

```
--- [REDACTED IP ADDRESS] ping statistics --- 1 packets transmitted, 1 received, 0% packet loss, time 0ms
rtt min/avg/max/mdev = 14.930/14.930/14.930/0.000 ms [2026-09-09-21:36:35] root@ograzier:/tmp# ping -c
10 [REDACTED IP ADDRESS] PING [REDACTED IP ADDRESS] ([REDACTED IP ADDRESS]) 56(84) bytes of data.
64 bytes from [REDACTED IP ADDRESS]: icmp_seq=1 ttl=115 time=15.2 ms 64 bytes from [REDACTED IP
ADDRESS]: icmp_seq=2 ttl=115 time=16.7 ms 64 bytes from [REDACTED IP ADDRESS]: icmp_seq=3 ttl=115
time=21.4 ms 64 bytes from [REDACTED IP ADDRESS]: icmp_seq=4 ttl=115 time=16.7 ms 64 bytes from
[REDACTED IP ADDRESS]: icmp_seq=5 ttl=115 time=16.7 ms 64 bytes from [REDACTED IP ADDRESS]:
icmp_seq=6 ttl=115 time=17.6 ms 64 bytes from [REDACTED IP ADDRESS]: icmp_seq=7 ttl=115 time=16.6
ms 64 bytes from [REDACTED IP ADDRESS]: icmp_seq=8 ttl=115 time=21.5 ms 64 bytes from [REDACTED IP
ADDRESS]: icmp_seq=9 ttl=115 time=16.7 ms 64 bytes from [REDACTED IP ADDRESS]: icmp_seq=10 ttl=115
time=17.6 ms
```

```
--- [REDACTED IP ADDRESS] ping statistics --- 10 packets transmitted, 10 received, 0% packet loss, time
9018ms rtt min/avg/max/mdev = 15.212/17.676/21.462/1.986 ms [2026-09-09-21:36:49]
root@ograzier:/tmp# wget -q0- ifconfig.me wget: invalid option -- '0' wget: invalid option -- '-' Usage: wget
[OPTION]... [URL]...
```

```
Try `wget --help' for more options. [2026-09-09-21:37:07] root@ograzier:/tmp# wget --hel[ wget:
unrecognized option '--hel[' Usage: wget [OPTION]... [URL]...
```

```
Try `wget --help' for more options. [2026-09-09-21:37:16] root@ograzier:/tmp# wget --help GNU Wget 1.25.0,
a non-interactive network retriever. Usage: wget [OPTION]... [URL]...
```

Mandatory arguments to long options are mandatory for short options too.

Startup: -V, --version display the version of Wget and exit -h, --help print this help -b, --background go to background after startup -e, --execute=COMMAND execute a `.wgetrc'-style command

Logging and input file: -o, --output-file=FILE log messages to FILE -a, --append-output=FILE append messages to FILE -d, --debug print lots of debugging information -q, --quiet quiet (no output) -v, --verbose be verbose (this is the default) -nv, --no-verbose turn off verboseness, without being quiet --report-speed=TYPE output bandwidth as TYPE. TYPE can be bits -i, --input-file=FILE download URLs found in local or external FILE -F, --force-html treat input file as HTML -B, --base=URL resolves HTML input-file links (-i -F) relative to URL --config=FILE specify config file to use --no-config do not read any config file --rejected-log=FILE log reasons for URL rejection to FILE

Download: -t, --tries=NUMBER set number of retries to NUMBER (0 unlimits) --retry-connrefused retry even if connection is refused --retry-on-host-error consider host errors as non-fatal, transient errors --retry-on-http-error=ERRORS comma-separated list of HTTP errors to retry -O, --output-document=FILE write documents to FILE -nc, --no-clobber skip downloads that would download to existing files (overwriting them) --no-netrc don't try to obtain credentials from .netrc -c, --continue resume getting a partially-downloaded file --start-pos=OFFSET start downloading from zero-based position OFFSET --progress=TYPE select progress gauge type --show-progress display the progress bar in any verbosity mode -N, --timestamping don't re-retrieve files unless newer than local --no-if-modified-since don't use conditional if-modified-since get requests in timestamping mode --no-use-server-timestamps don't set the local file's timestamp by the one on the server -S, --server-response print server response --spider don't download anything -T, --timeout=SECONDS set all timeout values to SECONDS --dns-timeout=SECS set the DNS lookup timeout to SECS --connect-timeout=SECS set the connect timeout to SECS --read-timeout=SECS set the read timeout to SECS -w, --wait=SECONDS wait SECONDS between retrievals (applies if more then 1 URL is to be retrieved) --waitretry=SECONDS wait 1..SECONDS between retries of a retrieval (applies if more then 1 URL is to be retrieved) --random-wait wait from 0.5WAIT... 1.5WAIT secs between retrievals (applies if more then 1 URL is to be retrieved) --no-proxy explicitly turn off proxy -Q, --quota=NUMBER set retrieval quota to NUMBER --bind-address=ADDRESS bind to ADDRESS (hostname or IP) on local host --limit-rate=RATE limit download rate to RATE --no-dns-cache disable caching DNS lookups --restrict-file-names=OS restrict chars in file names to ones OS allows --ignore-case ignore case when matching files/directories -4, --inet4-only connect only to IPv4 addresses -6, --inet6-only connect only to IPv6 addresses --prefer-family=FAMILY connect first to addresses of specified family, one of IPv6, IPv4, or none --user=USER set both ftp and http user to USER --password=PASS set both ftp and http password to PASS --ask-password prompt for passwords --use-askpass=COMMAND specify credential handler for requesting username and password. If no COMMAND is specified the WGET_ASKPASS or the SSH_ASKPASS environment variable is used. --no-iri turn off IRI support --local-encoding=ENC use ENC as the local encoding for IRIs --remote-encoding=ENC use ENC as the default remote encoding --unlink remove file before clobber --xattr turn on storage of metadata in extended file attributes

Directories: -nd, --no-directories don't create directories -x, --force-directories force creation of directories -nH, --no-host-directories don't create host directories --protocol-directories use protocol name in directories -P, --directory-prefix=PREFIX save files to PREFIX/.. --cut-dirs=NUMBER ignore NUMBER remote directory components

HTTP options: --http-user=USER set http user to USER --http-password=PASS set http password to PASS --no-cache disallow server-cached data --default-page=NAME change the default page name (normally this is 'index.html'.) -E, --adjust-extension save HTML/CSS documents with proper extensions --ignore-length ignore 'Content-Length' header field --header=STRING insert STRING among the headers --compression=TYPE choose compression, one of auto, gzip and none. (default: none) --max-redirect maximum redirections

allowed per page --proxy-user=USER set USER as proxy username --proxy-password=PASS set PASS as proxy password --referer=URL include 'Referer: URL' header in HTTP request --save-headers save the HTTP headers to file -U, --user-agent=AGENT identify as AGENT instead of Wget/VERSION --no-http-keep-alive disable HTTP keep-alive (persistent connections) --no-cookies don't use cookies --load-cookies=FILE load cookies from FILE before session --save-cookies=FILE save cookies to FILE after session --keep-session-cookies load and save session (non-permanent) cookies --post-data=STRING use the POST method; send STRING as the data --post-file=FILE use the POST method; send contents of FILE --method=HTTPMethod use method "HTTPMethod" in the request --body-data=STRING send STRING as data. --method MUST be set --body-file=FILE send contents of FILE. --method MUST be set --content-disposition honor the Content-Disposition header when choosing local file names (EXPERIMENTAL) --content-on-error output the received content on server errors --auth-no-challenge send Basic HTTP authentication information without first waiting for the server's challenge

HTTPS (SSL/TLS) options: --secure-protocol=PR choose secure protocol, one of auto, SSLv2, SSLv3, TLSv1, TLSv1_1, TLSv1_2, TLSv1_3 and PFS --https-only only follow secure HTTPS links --no-check-certificate don't validate the server's certificate --certificate=FILE client certificate file --certificate-type=TYPE client certificate type, PEM or DER --private-key=FILE private key file --private-key-type=TYPE private key type, PEM or DER --ca-certificate=FILE file with the bundle of CAs --ca-directory=DIR directory where hash list of CAs is stored --crl-file=FILE file with bundle of CRLs --pinnedpubkey=FILE/HASHES Public key (PEM/DER) file, or any number of base64 encoded sha256 hashes preceded by 'sha256/' and separated by ';', to verify peer against

--ciphers=STR Set the priority string (GnuTLS) or cipher list string (OpenSSL) directly.
Use with care. This option overrides --secure-protocol.
The format and syntax of this string depend on the specific SSL/TLS engine.

HSTS options: --no-hsts disable HSTS --hsts-file path of HSTS database (will override default)

FTP options: --ftp-user=USER set ftp user to USER --ftp-password=PASS set ftp password to PASS --no-remove-listing don't remove '.listing' files --no-glob turn off FTP file name globbing --no-passive-ftp disable the "passive" transfer mode --preserve-permissions preserve remote file permissions --retr-symlinks when recursing, get linked-to files (not dir)

FTPS options: --ftps-implicit use implicit FTPS (default port is 990) --ftps-resume-ssl resume the SSL/TLS session started in the control connection when opening a data connection --ftps-clear-data-connection cipher the control channel only; all the data will be in plaintext --ftps-fallback-to-ftp fall back to FTP if FTPS is not supported in the target server WARC options: --warc-file=FILENAME save request/response data to a .warc.gz file --warc-header=STRING insert STRING into the warcinfo record --warc-max-size=NUMBER set maximum size of WARC files to NUMBER --warc-cdx write CDX index files --warc-dedup=FILENAME do not store records listed in this CDX file --no-warc-compression do not compress WARC files with GZIP --no-warc-digests do not calculate SHA1 digests --no-warc-keep-log do not store the log file in a WARC record --warc-tempdir=DIRECTORY location for temporary files created by the WARC writer

Recursive download: -r, --recursive specify recursive download -l, --level=NUMBER maximum recursion depth (inf or 0 for infinite) --delete-after delete files locally after downloading them -k, --convert-links make links in downloaded HTML or CSS point to local files --convert-file-only convert the file part of the URLs only (usually known as the basename) --backups=N before writing file X, rotate up to N backup files -K, --backup-converted before converting file X, back up as X.orig -m, --mirror shortcut for -N -r -l inf --no-remove-listing -p, --page-requisites get all images, etc. needed to display HTML page --strict-comments turn on strict (SGML) handling of HTML comments

Recursive accept/reject: -A, --accept=LIST comma-separated list of accepted extensions -R, --reject=LIST comma-separated list of rejected extensions --accept-regex=REGEX regex matching accepted URLs --reject-regex=REGEX regex matching rejected URLs --regex-type=TYPE regex type (posix|pcre) -D, --domains=LIST comma-separated list of accepted domains --exclude-domains=LIST comma-separated list of rejected domains --follow-ftp follow FTP links from HTML documents --follow-tags=LIST comma-separated list of followed HTML tags --ignore-tags=LIST comma-separated list of ignored HTML tags -H, --span-hosts go to foreign hosts when recursive -L, --relative follow relative links only -I, --include-directories=LIST list of allowed directories --trust-server-names use the name specified by the redirection URL's last component -X, --exclude-directories=LIST list of excluded directories -np, --no-parent don't ascend to the parent directory

Email bug reports, questions, discussions to bug-wget@gnu.org and/or open issues at <https://savannah.gnu.org/bugs/?func=additem&group=wget>. [2026-09-09-21:37:19] root@ograzier:/tmp# curl ifconfig.me [REDACTED IP ADDRESS][2026-09-09-21:37:42] root@ograzier:/tmp# ip a 1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000 link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00 inet [REDACTED IP ADDRESS]/8 scope host lo valid_lft forever preferred_lft forever inet6 [REDACTED IP ADDRESS]/128 scope host noprefixroute valid_lft forever preferred_lft forever 2: eno1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000 link/ether 84:a9:3e:1f:10:98 brd ff:ff:ff:ff:ff:ff inet [REDACTED IP ADDRESS]/16 brd [REDACTED IP ADDRESS] scope link noprefixroute eno1 valid_lft forever preferred_lft forever inet6 [REDACTED IP ADDRESS]/64 scope global temporary dynamic valid_lft 63809sec preferred_lft 42209sec inet6 [REDACTED IP ADDRESS]/64 scope global dynamic mngtmpaddr proto kernel_r valid_lft 63809sec preferred_lft 42209sec inet6 [REDACTED IP ADDRESS]/64 scope link proto kernel_ll valid_lft forever preferred_lft forever 3: wlp7s0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state UP group default qlen 1000 link/ether 20:79:18:ca:93:d3 brd ff:ff:ff:ff:ff:ff altname wlx207918ca93d3 inet [REDACTED IP ADDRESS]/24 brd [REDACTED IP ADDRESS] scope global dynamic noprefixroute wlp7s0 valid_lft 39705sec preferred_lft 39705sec inet6 [REDACTED IP ADDRESS]/128 scope global dynamic noprefixroute valid_lft 42208sec preferred_lft 20608sec inet6 [REDACTED IP ADDRESS]/64 scope global temporary dynamic valid_lft 63809sec preferred_lft 42209sec inet6 [REDACTED IP ADDRESS]/64 scope global dynamic mngtmpaddr noprefixroute valid_lft 63809sec preferred_lft 42209sec inet6 [REDACTED IP ADDRESS]/64 scope link noprefixroute valid_lft forever preferred_lft forever 4: tailscale0: <POINTOPOINT,MULTICAST,NOARP,UP,LOWER_UP> mtu 1280 qdisc fq_codel state UNKNOWN group default qlen 500 link/none inet [REDACTED IP ADDRESS]/32 scope global tailscale0 valid_lft forever preferred_lft forever inet6 [REDACTED IP ADDRESS]/128 scope global valid_lft forever preferred_lft forever inet6 [REDACTED IP ADDRESS]/64 scope link stable-privacy proto kernel_ll valid_lft forever preferred_lft forever [2026-09-09-21:37:51] root@ograzier:/tmp# hostname ograzier [2026-09-09-21:37:59] root@ograzier:/tmp# tar -cvf archive.tar hello.txt hello.txt [2026-09-09-21:38:17] root@ograzier:/tmp# gzip archive.tar [2026-09-09-21:38:34] root@ograzier:/tmp# gunzip archive.tar.gz [2026-09-09-21:38:49] root@ograzier:/tmp# find . -name "hello.txt" find: unknown predicate ` -namehello.txt' [2026-09-09-21:39:04]

```
root@ograzier:/tmp# find . -name "hello.txt" ./hello.txt [2026-09-09-21:39:12] root@ograzier:/tmp# stat
hello.txt File: hello.txt size: 12 Blocks: 8 IO Block: 4096 regular file Device: 0,46 Inode: 118 Links: 1 Access:
(0644/-rw-r--r--) Uid: ( 0/ root) Gid: ( 0/ root) Access: 2026-09-09 21:38:17.958316167 -0400 Modify: 2026-09-
09 21:31:08.778471749 -0400 Change: 2026-09-09 21:31:08.778471749 -0400 Birth: 2026-09-09
21:31:08.778471749 -0400 [2026-09-09-21:39:25] root@ograzier:/tmp# base 64 hello.txt Command 'base'
not found, did you mean: command 'bake' from snap bake (0.1.3) command 'basex' from deb basex (10.5-2)
command 'bash' from deb bash (5.3-2ubuntu1) command 'gbase' from deb scotch (7.0.11-1ubuntu1)
command 'ase' from deb ase (3.26.0-2ubuntu1) command 'basez' from deb basez (1.6.2-3) See 'snap info '
for additional versions. [2026-09-09-21:39:54] root@ograzier:/tmp# env SHELL=/bin/bash
HISTTIMEFORMAT=%F-%T PWD=/tmp LOGNAME=root XDG_SESSION_TYPE=ttty HOME=/root
LANG=en_US.UTF-8
LS_COLORS=rs=0:di=01;34:ln=01;36:mh=00:pi=40;33:so=01;35:do=01;35:bd=40;33;01:cd=40;33;01:or=40;
31;01:mi=00:su=37;41:sg=30;43:ca=00:tw=30;42:ow=34;42:st=37;44:ex=01;32:tar=01;31:tgz=01;31:arc=0
1;31:arj=01;31:taz=01;31:lha=01;31:lz4=01;31:lh=01;31:lma=01;31:tlz=01;31:txz=01;31:tzo=01;31:t
7z=01;31:zip=01;31:z=01;31:dz=01;31:gz=01;31:lrz=01;31:lzo=01;31:xz=01;31:zst=01;31:tzst
=01;31:bz2=01;31:bz=01;31:tbz=01;31:tbz2=01;31:tz=01;31:deb=01;31:rpm=01;31:jar=01;31:war=01;3
1:ear=01;31:sar=01;31:rar=01;31:alz=01;31:ace=01;31:zoo=01;31:cpio=01;31:7z=01;31:rz=01;31:cab
=01;31:wim=01;31:swm=01;31:dwm=01;31:esd=01;31:avif=01;35:jpg=01;35:jpeg=01;35:mjpg=01;35:
mjpeg=01;35:gif=01;35:bmp=01;35:pbm=01;35:pgm=01;35:ppm=01;35:tga=01;35:xbm=01;35:xpm=01;
35:tif=01;35:tiff=01;35.png=01;35.svg=01;35:svgz=01;35:mng=01;35:pcx=01;35:mov=01;35:mpg=01;3
5:mpeg=01;35:m2v=01;35:mkv=01;35:webm=01;35:webp=01;35:ogm=01;35:mp4=01;35:m4v=01;35:
mp4v=01;35:vob=01;35:qt=01;35:nuv=01;35:wmv=01;35:asf=01;35:rm=01;35:rmvb=01;35:flc=01;35:a
vi=01;35:fli=01;35:flv=01;35:gl=01;35:dl=01;35:xcf=01;35:xwd=01;35:yuv=01;35:cgm=01;35:emf=01;35
:ogv=01;35:ogx=01;35:aac=00;36:au=00;36:flac=00;36:m4a=00;36:mid=00;36:midi=00;36:mka=00;36:
mp3=00;36:mpc=00;36:ogg=00;36:ra=00;36:wav=00;36:oga=00;36:opus=00;36:spx=00;36:xspf=00;36:
~=00;90:#=00;90:bak=00;90:old=00;90:orig=00;90:part=00;90:rej=00;90:swp=00;90:tmp=00;90:dpkg-
dist=00;90:dpkg-old=00;90:ucf-dist=00;90:ucf-new=00;90:ucf-
old=00;90:rpmnew=00;90:rpmorig=00;90:rpsave=00;90: PROMPT_COMMAND=echo -n [$(date
+%F-%T)]\ SSH_CONNECTION=[REDACTED IP ADDRESS] 43860 [REDACTED IP ADDRESS] 22
LESSCLOSE=/usr/bin/lesspipe %s %s XDG_SESSION_CLASS=user-early TERM=xterm LESSOPEN=|
/usr/bin/lesspipe %s USER=root SHLVL=2 XDG_SESSION_ID=2 XDG_RUNTIME_DIR=/run/user/0
SSH_CLIENT=[REDACTED IP ADDRESS] 43860 22 DEBUGINFOD_URLS=https://debuginfod.ubuntu.com
IM_CONFIG_ENTRY=profile
XDG_DATA_DIRS=/usr/share/gnome:/usr/local/share:/usr/share:/var/lib/napd/desktop
PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/usr/local/games:/snap/bin
DBUS_SESSION_BUS_ADDRESS=unix:path=/run/user/0/bus MAIL=/var/mail/root SSH_TTY=/dev/pts/0
OLDPWD=/home/ograzier/Documents/3650 _=/usr/bin/env [2026-09-09-21:39:57] sudo apt install fastfetch
apt install fastfetch The following packages were automatically installed and are no longer required: linux-
headers-7.0.0-30 linux-image-unsigned-7.0.0-30-generic linux-modules-7.0.0-30-generic linux-tools-7.0.0-
30-generic linux-headers-7.0.0-30-generic linux-main-modules-zfs-7.0.0-30-generic linux-tools-7.0.0-30 Use
'sudo apt autoremove' to remove them.
```

Installing: fastfetch

Installing dependencies: libyyjson0

Summary: Upgrading: 0, Installing: 2, Removing: 0, Not Upgrading: 9 Download size: 669 kB Space needed: 2,139 kB / 226 GB available

Continue? [Y/n] y Get:1 <http://us.archive.ubuntu.com/ubuntu> resolute/universe amd64 libyyjson0 amd64 0.12.0+ds-1 [109 kB] Get:2 <http://us.archive.ubuntu.com/ubuntu> resolute/universe amd64 fastfetch amd64 2.57.1+dfsg-1ubuntu1 [560 kB] Fetched 669 kB in 0s (5,120 kB/s)

Selecting previously unselected package libyyjson0:amd64. (Reading database... 194427 files and directories currently installed.) Preparing to unpack .../libyyjson0_0.12.0+ds-1_amd64.deb... Unpacking libyyjson0:amd64 (0.12.0+ds-1)... Selecting previously unselected package fastfetch. Preparing to unpack .../fastfetch_2.57.1+dfsg-1ubuntu1_amd64.deb... Unpacking fastfetch (2.57.1+dfsg-1ubuntu1)... Setting up libyyjson0:amd64 (0.12.0+ds-1)... Setting up fastfetch (2.57.1+dfsg-1ubuntu1)... Processing triggers for man-db (2.13.1-1build1)... Processing triggers for libc-bin (2.43-2ubuntu2.4)... [2026-09-09-21:41:46] root@ograzier:/tmp# fastfetch root@ograzier. ',:clooo: .:looooo: .----- .;looooooooc .oooooooooo' OS: Ubuntu 26.04.1 LTS (Resolute Raccoon) x86_64 .;looooool; ". :oooooooooooc Host: HP EliteDesk 705 G4 DM 35W (TAA) (DBXEnabled) ;loool;. 'oooooooooooo, Kernel: Linux 7.0.0-31-generic ;clool' .cooooooc. ,, Uptime: 1 hour, 3 mins :oo, Packages: 1645 (dpkg), 13 (snap) .;clol;,. .loooo' Shell: bash 5.3.9 :oooooooooooo, 'ooool Terminal: tailscaled 'oooooooooooo. loooo. CPU: AMD PRO A6-9500E R5, 6 COMPUTE CORES 2C+4G (2) @ 3.00 GHz 'oooooooooooool coooo. GPU: AMD Radeon R5 Graphics [Integrated] ,looooooooc. .loooo. Memory: 904.50 MiB / 2.95 GiB (30%) .,;;;' .;ooooc Swap: 0 B / 3.26 GiB (0%) ... ,ooool. Disk (/): 10.46 GiB / 232.64 GiB (4%) - ext4 .coooooc. ..','. .coooo. Local IP (wlp7s0): [REDACTED IP ADDRESS]/24 ;oooo:. ;oooooooc. :l. Locale: en_US.UTF-8 .cooooooc,.. cooooooooooo. .:oooooooolc:. .oooooooooooo'

.':looooo; ,oooooooooooc

..';:c' .;loooo:' [2026-09-09-21:41:50] root@ograzier:/tmp# exit exit

Script done on 2026-09-09 21:42:19-04:00 [COMMAND_EXIT_CODE="0"]