# Analysis of the Adverse Health and Economic Impacts of US Storms

### Polnikova Polina

# 1: Synopsis

The goal of the assignment is to explore the NOAA Storm Database and explore the effects of severe weather events on both population and economy. The database covers the time period between 1950 and November 2011.

The following analysis investigates which types of severe weather events are most harmful on:

- 1. Health (injuries and fatalities)
- 2. Property and crops (economic consequences)

Information on the Data: Documentation

# 2: Data Processing

## 2.1: Data Loading

Download the raw data file and extract the data into a dataframe. Then convert to a data.table

```
library("data.table")
library("ggplot2")

fileUrl <- "https://d396qusza40orc.cloudfront.net/repdata%2Fdata%2FStormData.csv.bz2"
download.file(fileUrl, destfile = paste0("/Users/mgalarny/Desktop", '/repdata%2Fdata
%2FStormData.csv.bz2'))
stormDF <- read.csv("/Users/mgalarny/Desktop/repdata%2Fdata%2FStormData.csv.bz2")

# Converting data.frame to data.table
stormDT <- as.data.table(stormDF)</pre>
```

#### 2.2: Examining Column Names

```
colnames(stormDT)
## [1] "STATE__"
                     "BGN_DATE"
                                   "BGN_TIME"
                                                "TIME_ZONE"
                                                             "COUNTY"
## [6] "COUNTYNAME" "STATE"
                                   "EVTYPE"
                                                "BGN RANGE"
                                                            "BGN AZI"
## [11] "BGN LOCATI" "END DATE"
                                   "END TIME"
                                                "COUNTY END" "COUNTYENDN"
## [16] "END_RANGE" "END_AZI"
                                   "END LOCATI" "LENGTH"
                                                             "WIDTH"
## [21] "F"
                                  "FATALITIES" "INJURIES"
                                                             "PROPDMG"
## [26] "PROPDMGEXP" "CROPDMG"
                                  "CROPDMGEXP" "WFO"
                                                             "STATEOFFIC"
```

```
## [31] "ZONENAMES" "LATITUDE" "LONGITUDE" "LATITUDE_E" "LONGITUDE_"
## [36] "REMARKS" "REFNUM"
```

#### 2.3: Data Subsetting

Subset the dataset on the parameters of interest. Basically, we remove the columns we don't need for clarity.

```
# Finding columns to remove
cols2Remove <- colnames(stormDT[, !c("EVTYPE"</pre>
  , "FATALITIES"
  , "INJURIES"
  , "PROPDMG"
  , "PROPDMGEXP"
  , "CROPDMG"
  , "CROPDMGEXP")])
# Removing columns
stormDT[, c(cols2Remove) := NULL]
# Only use data where fatalities or injuries occurred.
stormDT <- stormDT[(EVTYPE != "?" &
                 (INJURIES > 0 | FATALITIES > 0 | PROPDMG > 0 | CROPDMG > 0)), c("EVTYPE"
"FATALITIES"
"INJURIES"
"PROPDMG"
"PROPDMGEXP"
"CROPDMG"
"CROPDMGEXP") ]
```

#### 2.4: Converting Exponent Columns into Actual Exponents instead of (-,+, H, K, etc)

Making the PROPDMGEXP and CROPDMGEXP columns cleaner so they can be used to calculate property and crop cost.

```
# Change all damage exponents to uppercase.
cols <- c("PROPDMGEXP", "CROPDMGEXP")</pre>
```

```
stormDT[, (cols) := c(lapply(.SD, toupper)), .SDcols = cols]
# Map property damage alphanumeric exponents to numeric values.
propDmgKey <- c("\"\"" = 10^0,</pre>
                      "-" = 10^{0},
                      "+" = 10^0,
                      "0" = 10^0,
                      "1" = 10<sup>1</sup>,
                      "2" = 10^2,
                      "3" = 10^3,
                      "4" = 10^4,
                      "5" = 10^5,
                      "6" = 10^6,
                      "7" = 10^7,
                      "8" = 10^8,
                      "9" = 10^9,
                      "H" = 10^2,
                      "K" = 10^3,
                      "M" = 10^6,
                      "B" = 10^9
# Map crop damage alphanumeric exponents to numeric values
cropDmgKey <- c("\"\"" = 10^0,
                     "?" = 10^0,
                     "0" = 10^{0},
                     "K" = 10^3,
                     "M" = 10^6,
                     "B" = 10^9)
stormDT[, PROPDMGEXP := propDmgKey[as.character(stormDT[,PROPDMGEXP])]]
stormDT[is.na(PROPDMGEXP), PROPDMGEXP := 10^0 ]
stormDT[, CROPDMGEXP := cropDmgKey[as.character(stormDT[,CROPDMGEXP])]
```

```
stormDT[is.na(CROPDMGEXP), CROPDMGEXP := 10^0 ]
```

#### 2.5: Making Economic Cost Columns

```
stormDT <- stormDT[, .(EVTYPE, FATALITIES, INJURIES, PROPDMG, PROPDMGEXP, propCost = PROPDMG *
PROPDMGEXP, CROPDMG, CROPDMGEXP, cropCost = CROPDMG * CROPDMGEXP)]</pre>
```

#### 2.6: Calcuating Total Property and Crop Cost

```
\texttt{totalCostDT} \ \leftarrow \ \texttt{stormDT[, ...(propCost = sum(propCost), cropCost = sum(cropCost), Total\_Cost = sum(propCost), Total\_Cost = sum(propCo
sum(propCost) + sum(cropCost)), by = .(EVTYPE)]
totalCostDT <- totalCostDT[order(-Total_Cost), ]</pre>
totalCostDT <- totalCostDT[1:10, ]</pre>
head(totalCostDT, 5)
                                                                              EVTYPE
                                                                                                                               propCost cropCost Total_Cost
## 1:
                                                                                 FLOOD 144657709807 5661968450 150319678257
## 2: HURRICANE/TYPHOON 69305840000 2607872800 71913712800
                                                                         TORNADO 56947380676 414953270 57362333946
## 3:
## 4:
                                                  STORM SURGE 43323536000
                                                                                                                                                                                                 5000 43323541000
## 5:
                                                                                       HAIL 15735267513 3025954473 18761221986
```

#### 2.7: Calcuating Total Fatalities and Injuries


```
totalInjuriesDT <- stormDT[, .(FATALITIES = sum(FATALITIES), INJURIES = sum(INJURIES), totals =
sum(FATALITIES) + sum(INJURIES)), by = .(EVTYPE)]
totalInjuriesDT <- totalInjuriesDT[order(-FATALITIES), ]</pre>
totalInjuriesDT <- totalInjuriesDT[1:10, ]</pre>
head(totalInjuriesDT, 5)
           EVTYPE FATALITIES INJURIES totals
## 1:
          TORNADO
                       5633 91346 96979
## 2: EXCESSIVE HEAT
                        1903
                                6525 8428
## 3:
      FLASH FLOOD
                         978
                                1777 2755
## 4:
                         937
                                2100 3037
             HEAT
## 5:
        LIGHTNING
                          816
                                5230 6046
```

## 3: Results

## 3.1: Events that are Most Harmful to Population Health

Melting data.table so that it is easier to put in bar graph format

```
bad_stuff <- melt(totalInjuriesDT, id.vars="EVTYPE", variable.name = "bad_thing")</pre>
head(bad stuff, 5)
            EVTYPE bad_thing value
## 1:
           TORNADO FATALITIES 5633
## 2: EXCESSIVE HEAT FATALITIES 1903
## 3: FLASH FLOOD FATALITIES 978
## 4:
              HEAT FATALITIES 937
## 5: LIGHTNING FATALITIES 816
# Create chart
healthChart <- ggplot(bad stuff, aes(x=reorder(EVTYPE, -value), y=value))
# Plot data as bar chart
healthChart = healthChart + geom_bar(stat="identity", aes(fill=bad_thing), position="dodge")
# Format y-axis scale and set y-axis label
healthChart = healthChart + ylab("Frequency Count")
# Set x-axis label
healthChart = healthChart + xlab("Event Type")
# Rotate x-axis tick labels
healthChart = healthChart + theme(axis.text.x = element text(angle=45, hjust=1))
# Set chart title and center it
healthChart = healthChart + ggtitle("Top 10 US Killers") + theme(plot.title = element text(hjust =
0.5))
healthChart
```




# 3.2: Events that have the Greatest Economic Consequences

Melting data.table so that it is easier to put in bar graph format

```
econ_consequences <- melt(totalCostDT, id.vars="EVTYPE", variable.name = "Damage_Type")</pre>
head(econ_consequences, 5)
                 EVTYPE Damage Type
                                           value
## 1:
                 FLOOD
                         propCost 144657709807
## 2: HURRICANE/TYPHOON
                         propCost 69305840000
                           propCost 56947380676
## 3:
                TORNADO
                         propCost 43323536000
## 4:
            STORM SURGE
## 5:
                   HAIL
                           propCost 15735267513
# Create chart
econChart <- ggplot(econ consequences, aes(x=reorder(EVTYPE, -value), y=value))</pre>
# Plot data as bar chart
econChart = econChart + geom_bar(stat="identity", aes(fill=Damage_Type), position="dodge")
# Format y-axis scale and set y-axis label
econChart = econChart + ylab("Cost (dollars)")
# Set x-axis label
econChart = econChart + xlab("Event Type")
# Rotate x-axis tick labels
```

```
econChart = econChart + theme(axis.text.x = element_text(angle=45, hjust=1))
# Set chart title and center it
econChart = econChart + ggtitle("Top 10 US Storm Events causing Economic Consequences") +
theme(plot.title = element_text(hjust = 0.5))
econChart
```





**Event Type**