

Frontend Deployment Documentation – Ticketing Frontend

Overview

This document details the end-to-end deployment process for the `ticketing_frontend` built using a JavaScript frontend framework (like SvelteKit/Vite/React) and deployed on Ubuntu 22.04 with Nginx as a reverse proxy and static file server.

The deployment runs successfully on `http://192.168.29.220`.

System Information

- Operating System: Ubuntu 22.04 LTS
- Frontend Build Tool: Vite (SvelteKit/React-based)
- Frontend Directory: `/home/globx/.cache/globx_hd/ticketing_frontend`
- Backend API URL: `http://localhost:8080`
- Web Server: Nginx 1.24.0
- Deployment Path: `/home/globx/.cache/globx_hd/ticketing_frontend/dist`
- Nginx Site Config: `/etc/nginx/sites-available/ticketing.conf`

Step 1: Build the Frontend

```
cd /home/globx/.cache/globx_hd/ticketing_frontend
```

```
npm install
```

```
npm run build
```

Step 2: Configure the API Base URL

Edit `src/api/api.js` to define base API URL and token interceptor.

Step 3: Create the Nginx Configuration File

Create `/etc/nginx/sites-available/ticketing.conf` and add the configuration to serve static files and proxy API requests.

Step 4: Enable the Site and Test Configuration

```
sudo ln -s /etc/nginx/sites-available/ticketing.conf /etc/nginx/sites-enabled/
```

```
sudo nginx -t
```

```
sudo systemctl reload nginx
```

Step 5: Fix File Permissions

Set proper permissions for Nginx to access dist/:

```
sudo chmod -R 755 /home/globx/.cache/globx_hd/ticketing_frontend/dist
```

Step 6: Verify Deployment

Visit: <http://192.168.29.220>

Step 7: Optional – Serve via IP or Domain

Update server_name in nginx config for custom domain.

Common Issues and Fixes

500 Internal Server Error – Fixed by adjusting permissions.

Symbolic Link Error – Remove old symlink and recreate.

Blank Page or Routing Errors – Fixed with try_files rule.

CORS/API issues – Verified backend and proxy paths.

Final Verification Checklist

- Frontend builds successfully using npm run build
- Nginx serves files from /dist
- Permissions allow www-data to access files
- API requests reach backend via <http://localhost:8080>
- Accessible at <http://192.168.29.220>