

Naïve Bayes Classifier Algorithm

- Naïve Bayes algorithm is a supervised learning algorithm, which is based on **Bayes theorem** and used for solving classification problems.
- It is mainly used in *text classification* that includes a high-dimensional training dataset.
- Naïve Bayes Classifier is one of the simple and most effective Classification algorithms which helps in building the fast machine learning models that can make quick predictions.
- **It is a probabilistic classifier, which means it predicts on the basis of the probability of an object.**
- Some popular examples of Naïve Bayes Algorithm are **spam filtration, Sentimental analysis, and classifying articles.**

Why is it called Naïve Bayes?

The Naïve Bayes algorithm is comprised of two words Naïve and Bayes, Which can be described as:

- **Naïve:** It is called Naïve because it assumes that the occurrence of a certain feature is independent of the occurrence of other features. Such as if the fruit is identified on the bases of color, shape, and taste, then red, spherical, and sweet fruit is recognized as an apple. Hence each feature individually contributes to identify that it is an apple without depending on each other.
- **Bayes:** It is called Bayes because it depends on the principle of **Bayes' Theorem**.

Bayes' Theorem:

- Bayes' theorem is also known as **Bayes' Rule** or **Bayes' law**, which is used to determine the probability of a hypothesis with prior knowledge. It depends on the conditional probability.
- The formula for Bayes' theorem is given as:

$$P(A|B) = \frac{P(B|A)P(A)}{P(B)}$$

Where,

$P(A|B)$ is Posterior probability: Probability of hypothesis A on the observed event B.

$P(B|A)$ is Likelihood probability: The probability of the evidence given that the probability of a hypothesis is true.

$P(A)$ is Prior Probability: Probability of hypothesis before observing the evidence.

$P(B)$ is Marginal Probability: Probability of Evidence.

Working of Naïve Bayes' Classifier:

Working of Naïve Bayes' Classifier can be understood with the help of the below example:

Suppose we have a dataset of **weather conditions** and corresponding target variable "**Play**". So using this dataset we need to decide that whether we should play or not on a particular day according to the weather conditions. So to solve this problem, we need to follow the below steps:

1. Convert the given dataset into frequency tables.
2. Generate Likelihood table by finding the probabilities of given features.
3. Now, use Bayes theorem to calculate the posterior probability.

Problem: If the weather is sunny, then the Player should play or not?

Solution: To solve this, first consider the below dataset:

	Outlook	Play
0	Rainy	Yes
1	Sunny	Yes
2	Overcast	Yes
3	Overcast	Yes
4	Sunny	No
5	Rainy	Yes

6	Sunny	Yes
7	Overcast	Yes
8	Rainy	No
9	Sunny	No
10	Sunny	Yes
11	Rainy	No
12	Overcast	Yes
13	Overcast	Yes

Frequency table for the Weather Conditions:

Weather	Yes	No
Overcast	5	0
Rainy	2	2
Sunny	3	2
Total	10	5

Likelihood table weather condition:

Weather	No	Yes	
Overcast	0	5	$5/14 = 0.35$
Rainy	2	2	$4/14 = 0.29$
Sunny	2	3	$5/14 = 0.35$
All	$4/14 = 0.29$	$10/14 = 0.71$	

Applying Bayes' theorem:

$$P(\text{Yes}|\text{Sunny}) = P(\text{Sunny}|\text{Yes}) * P(\text{Yes}) / P(\text{Sunny})$$

$$P(\text{Sunny}|\text{Yes}) = 3/10 = 0.3$$

$$P(\text{Sunny}) = 0.35$$

$$P(\text{Yes}) = 0.71$$

$$\text{So } P(\text{Yes}|\text{Sunny}) = 0.3 \times 0.71 / 0.35 = \mathbf{0.60}$$

$$P(\text{No}|\text{Sunny}) = P(\text{Sunny}|\text{No}) \times P(\text{No}) / P(\text{Sunny})$$

$$P(\text{Sunny}|\text{NO}) = 2/4 = 0.5$$

$$P(\text{No}) = 0.29$$

$$P(\text{Sunny}) = 0.35$$

$$\text{So } P(\text{No}|\text{Sunny}) = 0.5 \times 0.29 / 0.35 = \mathbf{0.41}$$

So as we can see from the above calculation that $P(\text{Yes}|\text{Sunny}) > P(\text{No}|\text{Sunny})$

Hence on a Sunny day, Player can play the game.

Advantages of Naïve Bayes Classifier:

- Naïve Bayes is one of the fast and easy ML algorithms to predict a class of datasets.
- It can be used for Binary as well as Multi-class Classifications.
- It performs well in Multi-class predictions as compared to the other Algorithms.
- It is the most popular choice for **text classification problems**.

Disadvantages of Naïve Bayes Classifier:

- Naive Bayes assumes that all features are independent or unrelated, so it cannot learn the relationship between features.

Applications of Naïve Bayes Classifier:

- It is used for **Credit Scoring**.
- It is used in **medical data classification**.
- It can be used in **real-time predictions** because Naïve Bayes Classifier is an eager learner.
- It is used in Text classification such as **Spam filtering** and **Sentiment analysis**.

Types of Naïve Bayes Model:

There are three types of Naive Bayes Model, which are given below:

- **Gaussian:** The Gaussian model assumes that features follow a normal distribution. This means if predictors take continuous values instead of discrete, then the model assumes that these values are sampled from the Gaussian distribution.
- **Multinomial:** The Multinomial Naïve Bayes classifier is used when the data is multinomial distributed. It is primarily used for document classification problems, it means a particular document belongs to which category such as Sports, Politics, education, etc. The classifier uses the frequency of words for the predictors.
- **Bernoulli:** The Bernoulli classifier works similar to the Multinomial classifier, but the predictor variables are the independent Booleans variables. Such as if a particular word is present or not in a document. This model is also famous for document classification tasks.

Python Implementation of the Naïve Bayes algorithm:

Now we will implement a Naive Bayes Algorithm using Python. So for this, we will use the "**user_data**" **dataset**, which we have used in our other classification model. Therefore we can easily compare the Naive Bayes model with the other models.

Steps to implement:

- Data Pre-processing step
- Fitting Naive Bayes to the Training set
- Predicting the test result
- Test accuracy of the result(Creation of Confusion matrix)
- Visualizing the test set result.

1) Data Pre-processing step:

In this step, we will pre-process/prepare the data so that we can use it efficiently in our code. It is similar as we did in [data-pre-processing](#). The code for this is given below:

1. Importing the libraries

```
2. import numpy as nm
3. import matplotlib.pyplot as mtp
4. import pandas as pd
5.
6. # Importing the dataset
7. dataset = pd.read_csv('user_data.csv')
8. x = dataset.iloc[:, [2, 3]].values
9. y = dataset.iloc[:, 4].values
10.
11. # Splitting the dataset into the Training set and Test set
12. from sklearn.model_selection import train_test_split
13. x_train, x_test, y_train, y_test = train_test_split(x, y, test_size = 0.25, random_state = 0)
14.
15. # Feature Scaling
16. from sklearn.preprocessing import StandardScaler
17. sc = StandardScaler()
18. x_train = sc.fit_transform(x_train)
19. x_test = sc.transform(x_test)
```

In the above code, we have loaded the dataset into our program using "**dataset = pd.read_csv('user_data.csv')**". The loaded dataset is divided into training and test set, and then we have scaled the feature variable.

The output for the dataset is given as:

Index	User ID	Gender	Age	EstimatedSalary	Purchased
0	15624510	Male	19	19000	0
1	15810944	Male	35	20000	0
2	15668575	Female	26	43000	0
3	15603246	Female	27	57000	0
4	15804002	Male	19	76000	0
5	15728773	Male	27	58000	0
6	15598044	Female	27	84000	0
7	15694829	Female	32	150000	1
8	15600575	Male	25	33000	0
9	15727311	Female	35	65000	0
10	15570769	Female	26	80000	0
11	15606274	Female	26	52000	0
12	15746139	Male	20	86000	0
13	15704987	Male	32	18000	0
14	15628972	Male	18	82000	0
15	15697686	Male	29	80000	0
16	15733883	Male	47	25000	1
17	15617482	Male	45	26000	1
18	15704583	Male	46	28000	1
19	15621083	Female	48	29000	1

2) Fitting Naive Bayes to the Training Set:

After the pre-processing step, now we will fit the Naive Bayes model to the Training set. Below is the code for it:

1. `# Fitting Naive Bayes to the Training set`
2. `from sklearn.naive_bayes import GaussianNB`
3. `classifier = GaussianNB()`
4. `classifier.fit(x_train, y_train)`

In the above code, we have used the **GaussianNB classifier** to fit it to the training dataset. We can also use other classifiers as per our requirement.

Output:


```
Out[6]: GaussianNB(priors=None, var_smoothing=1e-09)
```

3) Prediction of the test set result:

Now we will predict the test set result. For this, we will create a new predictor variable **y_pred**, and will use the predict function to make the predictions.

1. **# Predicting the Test set results**
2. `y_pred = classifier.predict(x_test)`

Output:




The above output shows the result for prediction vector **y_pred** and real vector **y_test**. We can see that some predictions are different from the real values, which are the incorrect predictions.

4) Creating Confusion Matrix:

Now we will check the accuracy of the Naive Bayes classifier using the Confusion matrix. Below is the code for it:

1. `# Making the Confusion Matrix`
2. `from sklearn.metrics import confusion_matrix`
3. `cm = confusion_matrix(y_test, y_pred)`

Output:



As we can see in the above confusion matrix output, there are $7+3=10$ incorrect predictions, and $65+25=90$ correct predictions.

5) Visualizing the training set result:

Next we will visualize the training set result using Naïve Bayes Classifier. Below is the code for it:


1. `# Visualising the Training set results`
2. `from matplotlib.colors import ListedColormap`
3. `x_set, y_set = x_train, y_train`

```

4. X1, X2 = nm.meshgrid(nm.arange(start = x_set[:, 0].min() - 1, stop = x_set[:, 0].
    max() + 1, step = 0.01),
5.          nm.arange(start = x_set[:, 1].min() - 1, stop = x_set[:, 1].max() + 1,
    step = 0.01))
6. mtp.contourf(X1, X2, classifier.predict(nm.array([X1.ravel(), X2.ravel()]).T).reshap
    e(X1.shape),
7.          alpha = 0.75, cmap = ListedColormap(['purple', 'green']))
8. mtp.xlim(X1.min(), X1.max())
9. mtp.ylim(X2.min(), X2.max())
10. for i, j in enumerate(nm.unique(y_set)):
11.     mtp.scatter(x_set[y_set == j, 0], x_set[y_set == j, 1],
12.             c = ListedColormap(['purple', 'green'])(i), label = j)
13. mtp.title('Naive Bayes (Training set)')
14. mtp.xlabel('Age')
15. mtp.ylabel('Estimated Salary')
16. mtp.legend()
17. mtp.show()

```

Output:




In the above output we can see that the Naïve Bayes classifier has segregated the data points with the fine boundary. It is Gaussian curve as we have used **GaussianNB** classifier in our code.

6) Visualizing the Test set result:

```
1. # Visualising the Test set results
2. from matplotlib.colors import ListedColormap
3. x_set, y_set = x_test, y_test
4. X1, X2 = nm.meshgrid(nm.arange(start = x_set[:, 0].min() - 1, stop = x_set[:, 0].
    max() + 1, step = 0.01),
5. nm.arange(start = x_set[:, 1].min() - 1, stop = x_set[:, 1].max() + 1,
    step = 0.01))
6. mtp.contourf(X1, X2, classifier.predict(nm.array([X1.ravel(), X2.ravel()]).T).reshap
    e(X1.shape),
7. alpha = 0.75, cmap = ListedColormap(('purple', 'green')))
8. mtp.xlim(X1.min(), X1.max())
9. mtp.ylim(X2.min(), X2.max())
10. for i, j in enumerate(nm.unique(y_set)):
11.     mtp.scatter(x_set[y_set == j, 0], x_set[y_set == j, 1],
12.                 c = ListedColormap(('purple', 'green'))(i), label = j)
13. mtp.title('Naive Bayes (test set)')
14. mtp.xlabel('Age')
15. mtp.ylabel('Estimated Salary')
16. mtp.legend()
17. mtp.show()
```

Output:




The above output is final output for test set data. As we can see the classifier has created a Gaussian curve to divide the "purchased" and "not purchased" variables. There are some wrong predictions which we have calculated in Confusion matrix. But still it is pretty good classifier.

Regression vs. Classification in Machine Learning


Regression and Classification algorithms are Supervised Learning algorithms. Both the algorithms are used for prediction in Machine learning and work with the labeled datasets. But the difference between both is how they are used for different machine learning problems.

The main difference between Regression and Classification algorithms that Regression algorithms are used to **predict the continuous** values such as price, salary, age, etc. and Classification algorithms are used to **predict/Classify the discrete values** such as Male or Female, True or False, Spam or Not Spam, etc.

Consider the below diagram:



Classification



Regression

Classification:

Classification is a process of finding a function which helps in dividing the dataset into classes based on different parameters. In Classification, a computer program is trained on the training dataset and based on that training, it categorizes the data into different classes.

The task of the classification algorithm is to find the mapping function to map the input(x) to the discrete output(y).

Example: The best example to understand the Classification problem is Email Spam Detection. The model is trained on the basis of millions of emails on different parameters, and whenever it receives a new email, it identifies whether the email is spam or not. If the email is spam, then it is moved to the Spam folder.

Types of ML Classification Algorithms:

Classification Algorithms can be further divided into the following types:

- Logistic Regression
- K-Nearest Neighbours
- Support Vector Machines
- Kernel SVM
- Naïve Bayes

- Decision Tree Classification
- Random Forest Classification

Regression:

Regression is a process of finding the correlations between dependent and independent variables. It helps in predicting the continuous variables such as prediction of **Market Trends**, prediction of House prices, etc.

The task of the Regression algorithm is to find the mapping function to map the input variable(x) to the continuous output variable(y).

Example: Suppose we want to do weather forecasting, so for this, we will use the Regression algorithm. In weather prediction, the model is trained on the past data, and once the training is completed, it can easily predict the weather for future days.

Types of Regression Algorithm:

- Simple Linear Regression
- Multiple Linear Regression
- Polynomial Regression
- Support Vector Regression
- Decision Tree Regression
- Random Forest Regression

Difference between Regression and Classification

Regression Algorithm	Classification Algorithm
In Regression, the output variable must be of continuous nature or real value.	In Classification, the output variable must be a discrete value.
The task of the regression algorithm is to map the input value (x) with the continuous output variable(y).	The task of the classification algorithm is to map the input value(x) with the discrete output variable(y).

Regression Algorithms are used with continuous data.	Classification Algorithms are used with discrete data.
In Regression, we try to find the best fit line, which can predict the output more accurately.	In Classification, we try to find the decision boundary, which can divide the dataset into different classes.
Regression algorithms can be used to solve the regression problems such as Weather Prediction, House price prediction, etc.	Classification Algorithms can be used to solve classification problems such as Identification of spam emails, Speech Recognition, Identification of cancer cells, etc.
The regression Algorithm can be further divided into Linear and Non-linear Regression.	The Classification algorithms can be divided into Binary Classifier and Multi-class Classifier.
