

Glossa-Lab Indus Script Decipherment

Foundation Report — Phase-44 through Phase-61

Generated: 2026-05-17

Foundation Check: READY WITH CAVEATS — 41 passed / 0 failed / 6 warnings

Best z-score: 19.073 (Phase-57) · **Anchor set:** 37 HIGH + 49 MEDIUM · **Decoded formulas:** 22 · **Vowel harmony:** 94%

Phase-44 → Phase-61 Results Summary

Phase	Key Metric	Value	Status
44 T3	Dravidian SA lift (z=12.1)	3.13×	VERIFIED
45 T1	Fuls NWSP concordance	100% (7/7)	VERIFIED
46 T1	Contact zone HIGH anchors	ALL 7	VERIFIED
47 T1	Rebus LM lift	3.19×	VERIFIED
48	MEDIUM→HIGH promotions	30	VERIFIED
49	Syllabic LM bigrams	31,681	VERIFIED
51	Parpola P→M crosswalk entries	45	VERIFIED
52	Constrained SA z-score	z=16.01	VERIFIED
53	Formulas ≥80% decoded	16	VERIFIED
54	Falsification support rate	43%	NEEDS CAVEAT
55	Ensemble (token mismatch)	N/A	DO NOT CLAIM
56	New MEDIUM anchors via Parpola crosswalk	+14 (49 total MEDIUM)	VERIFIED
57	Expanded SA z-score (53 pinned)	z=19.073	VERIFIED
58	Phonotactic violations in HIGH/MEDIUM	0 violations, 16 initials	VERIFIED
59	Formulas ≥80% decoded (expanded)	22	VERIFIED
60	Contact zone P-number findings	0	NEEDS INVESTIGATION
61	Vowel harmony / phonotactic falsification	94% vowel harmony, 12% violations	MOSTLY_VALID

Phase-59: Pilot Formula Translations

Top-50 most frequent formulas analysed. 22 formulas >=80% decoded from 1650 unique formulas in corpus.

Formula (morphological)	Coverage	Count	Signs
■/e■-tu/t■	100%	3	2
p■r-kol	100%	2	2
o■■u/1-ka/ka■	100%	2	2
am/neuter-il/i■	100%	2	2
kuTam-ay/■	100%	2	2
c■r-kol/ko■	100%	2	2
v■■kai-tii	100%	2	2
cem-tii	100%	2	2
m■■-am/neuter	100%	2	2
mu/mu■-an/a■-tu/t■	100%	2	3
■/e■-■■/e■	100%	1	2
k■■-ka/ka■-kol/ko■	100%	1	3
mu/mu■-■/■-■/■	100%	1	3
tiru-il/i■-ay/■-an/a■-kol/ko■-vil	100%	1	6
va■-an/a■-kol/ko■-■/■	100%	1	4
c■■-il/i■-veL	100%	1	3
nal-ay/■-il/i■	100%	1	3
n■r-i■/locative	100%	1	2
an/a■-ay/■-■r-ka/ka■-il/i■-ay/■-i■/locative	100%	1	7
c■■-kol-ay/■-ka/ka■-(iv)-vil-p■/pu■	86%	1	7

Phonotactic Analysis (Phase-58 + Phase-61)

Phase-58 — Phonological Gap Analysis:

Verdict: VALID | Violations: 0 | Distinct initials: 16 | Max phoneme share: 24.7% (threshold <30%)

Initial phoneme coverage: a, c, e, i, k, m, n, o, p, t, v, y, ■, ■, ■, ■

Phase-61 — Phonotactic Falsification Battery:

Verdict: MOSTLY_VALID | Tested: 390 readings | Valid: 343 (88%) | Issues: 47 (12%) | Vowel harmony: 94.0% of inscription sample

Top problematic SA-only readings (not HIGH/MEDIUM):

Sign	Reading	Confidence	Issues
M220	ga	SA	Invalid initial 'g' in Proto-Dravidian
M024	gu	SA	Invalid initial 'g' in Proto-Dravidian
M007	g■	SA	Invalid initial 'g' in Proto-Dravidian
M076	bi	SA	Invalid initial 'b' in Proto-Dravidian
M082	d■	SA	Invalid initial 'd' in Proto-Dravidian

Anchor Set State (INDUS_FINAL_ANCHORS.json)

Total anchors: **163** — HIGH: **37** MEDIUM: **49** LOW: 76 UNCERTAIN: 1

HIGH-confidence anchors (37 total, showing ≤30):

Sign	Reading	Gloss (abbrev.)	Source
M004	k■■■		+Phase48_validated
M006	puli		
M012	o■■■u/1		+Phase48_validated
M013	nakaram		+Phase48_validated
M014	tiru		+Phase48_validated
M016	ka■■i■■u		
M017	kai		+Phase48_validated
M018	n■■r		+Phase48_validated
M020	ku■■		+Phase48_validated
M026	m■■		+Phase48_validated
M027	m■■■		+Phase48_validated
M030	k■■		+Phase48_validated
M034	t■■■		+Phase48_validated
M039	■■■ai		+Phase48_validated
M041	p■■r		+Phase48_validated
M045	y■■nai		
M048	mu/mu■■		+Phase48_validated
M051	p■■/pu■■		+Phase48_validated
M057	m■■■u		+Phase48_validated
M059	■■■/e■■		+Phase48_validated
M060	k■■■■■mirukam		+Phase48_validated
M062	erutu		
M063	mutalai		+Phase48_validated
M073	k■■■		+Phase48_validated
M077	nal		+Phase48_validated
M080	v■■■kai		+Phase48_validated
M089	tu/t■■		+Phase48_validated
M099	kol/ko■■		
M162	il/i■■		+Phase48_validated
M176	an/a■■		

Foundation Check Results

Verdict: READY WITH CAVEATS — 41 passed / 0 failed / 6 warnings

Warnings:

[WARN] Site coverage: 9 sites in Holdat; Gulf/western require ICIT. Phase-46 contact zone analysis (1,462 CDLI Meluhha tablets + Janabiyah seal) partially addresses this.

[WARN] Sign numbering (iconographic_anchors): Uses Parpola P-numbers (47, 87, 261, etc.); INDUS_FINAL_ANCHORS uses Mahadevan M-numbers. Phase-51 crosswalk bridges 45 P→M entries. SEPARATE SYSTEMS for uncrosswalked signs.

[WARN] Phase-31 T3 file: phase31_t3_zipf*.json cleaned up — was verified; slope delta ~0.18 (pass)

[WARN] CISI sign numbering: P-numbers=True, M-numbers=False

[WARN] Sign numbering: Holdat V3 uses M-numbers; CISI/iconographic use Parpola P-numbers. Phase-51 crosswalk: 45/390 M↔P entries mapped. Remaining 345 M-signs without P-crosswalk. Claims using both systems require explicit crosswalk citation.

[WARN] TB corpus: 121-inscription epub corpus contaminated with English/OCR. SUPERSEDED by 944-bigram dravidian_tamil_lm.json (Phase-44, clean, z=12.1 Dravidian). TB issues do not affect Phase-44+ results.

Passed checks (41):

[OK] Holdat seal count: 1670 seals (expected 1670)

[OK] Holdat token count: 7002 tokens (expected 7002)

[OK] Holdat sign count: 390 distinct signs (expected 390)

[OK] Holdat M-prefix signs: all sign IDs are M-prefixed

[OK] Holdat M-number range: M1-M416

[OK] Holdat position order: 0 seals with out-of-order positions

[OK] Anchor count: 163 total

[OK] Core HIGH anchors >= 7: HIGH=37 (core=7, Phase-48 promoted 30 more)

[OK] UNCERTAIN count: UNCERTAIN=1 (M267)

[OK] HIGH anchor M342=ay: reading='ay/■' conf=HIGH

[OK] HIGH anchor M176=an: reading='an/a■' conf=HIGH

[OK] HIGH anchor M099=kol: reading='kol/ko■' conf=HIGH

[OK] HIGH anchor M062=erutu: reading='erutu' conf=HIGH

[OK] HIGH anchor M045=y■nai: reading='y■nai' conf=HIGH

[OK] HIGH anchor M016=ka■i■u: reading='ka■i■u' conf=HIGH

[OK] HIGH anchor M006=puli: reading='puli' conf=HIGH

[OK] M267 is UNCERTAIN (not fish): conf=UNCERTAIN — was wrongly HIGH (miin) before fact-check

[OK] M047 = miin (fish sign): reading='min/m■n' conf=MEDIUM

[OK] Iconographic anchors exist: 12 anchors (expected 12)

[OK] Fish sign P47 in iconographic_anchors: fish anchor sign IDs: ['47', '47']

[OK] Phase-29d file exists: phase29d_reverse_janabiyah_v3.json

[OK] Enmenanak found in Phase-29d: in 30 candidates

[OK] Enheduana found in Phase-29d: in 30 candidates

[OK] CISI corpus file exists: 179 inscriptions

[OK] Dravidian Tamil LM (clean, 944 bigrams): dravidian_tamil_lm.json: 944 bigrams, verdict=CLEAN, contamination=0/15 top bigrams, citation=✓. Sources: DEDR (Burrow & Emeneau 1984) + Sangam corpus + Parpola 1994/2010.

[OK] Phase-44 T3 Dravidian wins: lift_ratio=3.13x verdict=CONFIRMED

[OK] Phase-44 T3 lift >= 3.0: lift=3.13x (expected >=3.0x; confirmed 3.13x)

[OK] Phase-45 T1 concordance = 100%: 100% (7/7 HIGH anchors agree with Fuls NWSP)

[OK] Phase-46 HIGH_ANCHORS_IN_CONTACT_ZONE: verdict=HIGH_ANCHORS_IN_CONTACT_ZONE (Janabiyah seal has all 7 HIGH anchors)

[OK] Phase-47 rebus LM lift >= 3.0: lift=3.19x (rebus phoneme sequence under 944-LM)

[OK] Syllabic LM present: 5630 syllables, 31681 bigrams

[OK] Phase-52 constrained SA z >= 4: z=16.02 (59 anchors pinned)

[OK] GPU CUDA available: NVIDIA GeForce RTX 4070 SUPER

[OK] Phase-56 new MEDIUM anchors > 0: 14 added, 4 upgraded via EXTENDED_PARPOLA_MAP

[OK] Phase-56 MEDIUM anchor count >= 40: after_medium=49 (expanded from ~36 at Phase-52)

[OK] Phase-57 expanded SA z >= 15: z=19.07 (53 anchors pinned — improved from z=16.01 at Phase-52)

[OK] Phase-58 phonotactic verdict VALID: verdict=VALID, 0 violations, 16 distinct initials

[OK] Phase-58 distinct initials >= 10: 16 distinct initial phonemes (expected >=10 for plausible syllabary)

[OK] Phase-59 pilot readings >= 10 formulas: 22 formulas >=80% decoded from top-50 (expected >=10)

[OK] Phase-61 verdict VALID or MOSTLY_VALID: verdict=MOSTLY_VALID (violation_rate=12%)

[OK] Phase-61 sequence vowel harmony >= 85%: 94.0% of inscriptions pass vowel harmony (expected >=85%)

Verified Solid Claims

These claims are defensible and supported by independent evidence chains. Safe to present to Dr. Fuls or in publications.

Claim	Detail	Status
Phase-31 T3 Zipf slope	M77 slope 0.75 vs TB slope 0.93, delta 0.18 < 0.3 threshold	VERIFIED — does not require TB LM, just corpus-level statistics
Holdat corpus validity	1,670 seals, 7,002 tokens, 390 signs, all M-prefixed, position-sorted	VERIFIED — data integrity checks passed
Animal classifiers	M062=erutu (100% zebu bull), M045=y■nai (100% elephant), M006=puli (tiger lift 6.2)	VERIFIED — from Holdat motif correlation data
M047=m■n (fish sign)	M047 = Parpola P47 = fish, per crosswalk and iconographic anchors	VERIFIED — crosswalk + Parpola 2010 iconographic anchor
Positional grammar	INITIAL/MEDIAL/TERMINAL structure confirmed across all phases	VERIFIED — consistent across Phase-10 to Phase-30
Phase-29d reverse-Janabiyah	Enmenanak ranks as top candidate (score 7.0) vs 1,222 ePSD2 PNs	VERIFIED if Phase-29d result file contains live data (check above)
P30-A1 permutation null	Enmenanak score 7.0 at 100th percentile of null ($p < 0.001$)	VERIFIED — but simulation used simplified model
Spectral anomaly	M77 shows corpus-wide spectral gap=0.0 (not short-inscription noise)	VERIFIED — Phase-30a/c confirmed across all length strata
Gulf seal site coverage	ICIT database covers Failaka, Janabiyah, Saar, Susa, etc.	CONFIRMED from Fuls 2023 preview — access needed for data
Phase-44 Dravidian 3.13x	$z=12.1$, 944-LM, confirmed multi-strand	VERIFIED — strongest SA result
Phase-45 Fuls 7/7 concordance	100% agreement HIGH anchors vs Fuls NWSP	VERIFIED — independent method corroboration
Phase-46 Janabiyah ALL 7 anchors	Gulf contact zone has all 7 HIGH anchor signs	VERIFIED — external corroboration
Phase-47 rebus LM lift 3.19x	Etymology phonemes 3.19x more probable under Dravidian LM	VERIFIED — independent of SA
Phase-48 30 signs promoted to HIGH	30/30 MEDIUM signs validated; HIGH coverage 54%	VERIFIED — 3-test battery
Phase-52 syllabic SA $z=16$	59 anchors pinned; $z=16.01$; SA agrees 55%	VERIFIED — highest z-score
Phase-53 16 formulas decoded	tiru-il-ay-an-kol and 15 others $\geq 80\%$ decoded	VERIFIED — pilot readings with morphological annotation
Phase-56 expanded Parpola crosswalk	14 new MEDIUM anchors added; 75-entry EXTENDED_PARPOLA_MAP; total anchors 163	VERIFIED — Parpola 1994/2010 sources cross-referenced with DEDR

Claim	Detail	Status
Phase-57 z=19.07 (best SA result)	53 pinned anchors; z=19.07 > Phase-52 z=16.01; 5-seed consensus	VERIFIED — highest z-score in the project
Phase-58 phonotactic VALID	0 violations in HIGH/MEDIUM set; 16 distinct initials; max phoneme share 24.7% (<30%)	VERIFIED — Krishnamurti 2003 Dravidian phonotactic rules
Phase-59 22 formulas decoded	22 formulas >=80% decoded incl. tiru-il-ay-an-kol-vil, ■■■-tu, p■■r-kol	VERIFIED — pilot readings with morphological annotation and per-slot confidence
Phase-61 94% vowel harmony	94% of inscriptions (500-seal sample) pass Dravidian vowel harmony constraint	VERIFIED — consistent with Dravidian hypothesis

Claims Requiring Caveats or Qualification

These claims need explicit qualification before any external communication. DO NOT present without the caveats listed.

Claim	Detail	Status
TB correlation 0.907	Computed against approximate TB freq; clean corpus needed for verification	NEEDS CAVEAT
signs assigned	37 HIGH + 36 MEDIUM (Phase-48+51 validated) = 73 signs with phonetic/grammatical evidence. 75 LOW (distributional only), 1 UNCERTAIN (M267). ~48% of corpus tokens are HIGH/MEDIUM.	CLARIFY: HIGH+MEDIUM are supported; LOW are distributional proposals only
Phase-32 T4	SA M77→TB LM: INCONCLUSIVE — TB LM too noisy (2 or few bigrams)	DO NOT CLAIM
V8-V24 decipherment campaign	Distributional hypothesis proposals only; not verified phonetic readings	MUST CLARIFY
P30-E1 falsification	AMBIGUOUS after TB freq update — framework doesn't separate Dravidian from Sanskrit at phoneme distribution level	NEEDS CAVEAT
M↔P crosswalk	45/390 M↔P entries now mapped (Phase-51 expanded from 38). 345 M-signs without P-equivalent. RISK-001 partially resolved.	RISK-001 partial: 45 entries now mapped, 345 remain
M267 reading	4 STRONG candidates (col/in/um/e) but SA cannot discriminate	NEEDS CAVEAT — multi-syllabic, use grammar analysis only
Phase-54 falsification	43% support — some tests under-powered	NEEDS CAVEAT
Phase-55 ensemble	Token granularity mismatch prevents reliable consensus	DO NOT CLAIM — needs normalization fix
Phase-61 12% initial-consonant violation rate	47/390 SA-assigned readings use voiced stops (g/b/d) as initials; invalid in Proto-Dravidian. SA-only readings not phonotactically filtered — HIGH/MEDIUM set has 0 violations.	NEEDS CAVEAT — SA proposals only; HIGH+MEDIUM readings are phonotactically clean
Phase-60 P-number mining: 0 new readings	Pattern matching found no P-number readings in 10 contact-zone publications — likely OCR noise or paywall-protected texts. High-density passages scored but no pattern match.	NEEDS INVESTIGATION — does not invalidate other Phase-56-61 results

Remaining Work / Next Steps

Phase	Task
Phase-62+	Normalise Phase-55 ensemble (fix token granularity mismatch) → reliable ENSEMBLE_HIGH consensus.
Phase-62+	Run permutation null on Phase-60 contact zone to confirm 0 P-number readings is not false negative.
Phase-63+	Morphological boundary detection: separate case markers (M342=■y, M176=an, M367=am) from root syllables using positional grammar.
Phase-63+	ICIT corpus integration: request access from Dr. Fuls (TU Berlin) for 4,537-object corpus + spatial metadata.
Phase-64+	Yajñadevam Sanskrit decipherment as competing hypothesis: run SA with Sanskrit LM to produce clean falsification comparison.
Phase-65+	Phase-61 feedback loop: filter SA assignments that violate Proto-Dravidian phonotactics; re-run Phase-57 with cleaned anchor set.
Crosswalk	Complete M↔P crosswalk: 345/390 M-signs still without P-equivalent. Target: map top-100 by corpus frequency.

Data sources: Holdat LLC Indus corpus V3 (1,670 seals / 7,002 tokens); DEDR (Burrow & Emeneau 1984); Parpola 1994/2010; Krishnamurti 2003 Dravidian phonotactics. GPU: NVIDIA RTX 4070 SUPER (CUDA 12.1). Reproducible: backend/scripts/phase44-61_*.py + foundation_check.py.