

Mahadevan (1977) Corpus OCR Report

Indus Script — Sign Sequences and Bigram Analysis · Glossa Lab

Generated: 2026-04-06 15:59 UTC

1. OCR Scope

Glossa Lab applied Mistral's `mistral-ocr-latest` model to Mahadevan (1977) *The Indus Script: Texts, Concordance and Tables*, targeting two sections:

Section	Pages	Status	Result
Inscription texts (§2: plates)	39–162	124 pages done	2223 inscription IDs found
Bigram frequency tables (§5)	717–745	7 pages done	84 sign-pair frequencies extracted

Note on inscription text pages: Mahadevan's inscription plates show the Indus signs as typeset glyphs from a custom font, not as numeric codes. The OCR engine correctly transcribed the inscription catalog metadata (ID numbers, site codes) but could not convert the graphical sign glyphs to M77 numeric codes. Obtaining the full ordered sign sequences requires either (a) a glyph-font-to-M77 mapping applied to the OCR output, or (b) direct access to the ICIT database from Dr. Andreas Fuls (TU Berlin).

2. Inscription Catalog

The OCR successfully identified **2223** unique inscription entries from 124 pages covering Mahadevan's reference numbers. Range: M1001 to M9905.

Site	Inscriptions	% of total
Mohenjo-daro	1535	69.1%
Unknown site	655	29.5%
Harappa	33	1.5%

Table 1. Inscription distribution by site.

3. Sign-Pair Bigram Frequencies

The bigram frequency tables (Mahadevan §5, pages 717–745) were successfully OCR'd and parsed. These tables record every pair of adjacent signs across the full M77 corpus of 2,906 inscriptions.

Metric	Value
Sign-pair types (bigrams)	84
Total bigram occurrences	1,052
Unique signs in bigrams	39
Most frequent pair	481+203
Most frequent pair frequency	184

Top 15 Most Frequent Sign Pairs

Rank	Sign Pair	Frequency	Significance
1	481+203	184	
2	147+169	102	
3	045+045	88	
4	047+106	66	
5	430+256	56	
6	692+692	52	
7	430+430	40	
8	430+394	34	
9	047+256	29	
10	138+173	28	
11	874+106	21	
12	173+173	21	
13	106+106	20	
14	427+256	17	
15	874+526	17	

Table 2. Top bigrams by frequency.

Top 15 Signs by Bigram Appearance

Sign (M77)	Bigram appearances	Notes
481	218	
430	209	
045	190	
203	186	
106	157	
047	155	
147	137	
692	109	
256	109	
169	107	
173	97	
874	85	
138	40	

394	37	
461	23	

Table 3. Signs ranked by total bigram frequency.

4. Next Steps

The following steps are required to complete the M77 corpus analysis:

Priority	Step	Unlocks
1 (immediate)	Apply glyph-to-M77 font mapping to OCR text output	Full ordered sign sequences for all 2,906 inscriptions
2	Request ICIT database from Dr. Andreas Fuls (TU Braunschweig)	Ground-truth sequences, site metadata, NWSP validation
3	Run NWSP on real ordered sequences	Validated TMK classification replacing aggregate estimates
4	Run Ventris grid on real sequences	CV-clustering without phoneme assumptions on actual data
5	Bigram Markov model on real corpus	Rao (2009) replication on actual M77 sequences