Website: www.bitsvizag.com
Email: principal@bitsvizag.com
Admission code: BABA

Estd: 2008

Phone: Off: 0891-2569933
Fax: 0891-2568811
University Code: NR

BABA INSTITUTE OF TECHNOLOGY AND SCIENCES
(Approved by AICTE New Delhi, NAAC Accredited, Affiliated to JNTU Kakinada, *ISO Certified*)
Bakkannapalem Village, Madhurawada Post, Visakhapatnam – 530 048

Date: 19-12-2016

As per the discussion with management it is decided that a faculty financial support of Rs. 1000 is sanctioned towards ICMSEA-2016 paper publication fee for the following faculty members.

S.No	Name of the Faculty Member	Department
1	B. V. R. GOWRI	ECE
2	CH.VENKATA RAO	Mechanical
3	CH.VENKATA RAO	Mechanical
4	S.HEMALATHA	ECE
5	K.KALAPRIYA	ECE
6	Dr. P SANJEEVI	MBA

PRINCIPAL
Baba Institute of Technology and Sciences
Bakkannapalem (V), Madhurawada (P)
Visakhapatnam

PRINCIPAL

PRINCIPAL
Baba Institute of Technology and Sciences
Bakkannapalem (V), Madhurawada (P)
Visakhapatnam

ISSN No: 2348-4845
International Journal & Magazine of Engineering, Technology, Management and Research
A Peer Reviewed Open Access International Journal

Fully Reused VLSI Architecture of FMO/Manchester Encoding Using Sols Techinque for DSRC Applications

P.Dhanunjaya Rao
Student,
BABA Institute of Technlogy and Sciences ,Visakhapatnam, Andhra Pradesh, India.

B.V.Rama Gowri
Assistant Professor,
BABA Institute of Technlogy and Sciences ,Visakhapatnam, Andhra Pradesh, India.

K.Pradeep
Associate Professor,
BABA Institute of Technlogy and Sciences ,Visakhapatnam, Andhra Pradesh, India.

Abstract:
Dedicated Short vary Communication could be a simplex or duplex short vary to medium vary wireless communication. It's wont to support Intelligent Transport System (ITS) applications like electronic toll assortment, parking zone, border crossing identification etc. It proposes a VLSI design style victimization similarity-oriented logic simplification (SOLS) technique. The SOLS consists of 2 core methods: area-compact retiming and balance logical operation sharing. The area-compact retiming relocates the hardware resource to scale back five transistors. The balance logical operation sharing with efficiency uses miller encodings with the absolutely reused hardware design with SOLS technique, we tend to constructs a totally reused VLSI design of Manchester and FMO encodings for DSRC applications. The experiment results reveal that this style achieves associate in nursing economical performance compared with subtle works. To attain dc balance, enhancing signal dependability, FMO and Manchester codes are employed in DSRC standards. The performance of this VLSI design is evaluated on cadence-post layout simulation tool with a hundred and eighty nm CMOS technology. The Manchester codes consumes most operation frequency is 2GHz with one. 58 mW power consumption Associate in Nursing d 900 megacycle for FMO secret writing with power consumption. The DSRC standards with FMO and Manchester cryptography will support America, Europe, and Japan. This paper conjointly shown that space compaction of planned VLSI design compared to existing technique.

Keywords:
Manchester coding, Encoder, Decoder, NRZ, Moore's law, UART, clock frequency.

I. INTRODUCTION:

Manchester secret writing technique may be a digital secret writing technique during which all the bits of the binary knowledge square measure organized in an exceedingly explicit sequence. Here a touch '1' is delineated by transmitting a high voltage for [*fr1] period of the signal and for consecutive intermission period associate degree inverted signal are send. When transmitting '0' in Manchester format, for the first half cycle an occasional voltage can send, and for consecutive [*fr1] cycle a high voltage is send. The advantage of Manchester secret writing is that, once causation an information having continuous high signals or continuous low signal (e.g.:11110000), it's tough to calculate the quantity of one S and Os within the knowledge. as a result of there's no transition from low to high or high to low for a selected period (Here it's four x T, T is the time period for one pulse). The detection is feasible solely by shrewd the time period of the signal. However after we code this signal in Manchester format there will invariably be a transition from high to low or low to high for every bit. Therefore for a receiver it is easier to find the information in Manchester format and additionally the likelihood for incidence of an error is incredibly low in Manchester format and it is a universally accepted digital cryptography technique. The dedicated short vary communication may be a protocol for one or 2 manner medium vary communication.

PRINCIPAL
Baba Institute of Technology and Sciences

ISSN: 2320-0294 Impact Factor: 6.765
Journal Homepage: http://www.ijmra.us, Email: editorijmie@gmail.com
Double-Blind Peer Reviewed Refereed Open Access International Journal - Included in the International Serial Directories Indexed & Listed at: Ulrich's Periodicals Directory ©, U.S.A., Open J-Gage as well as in Cabell's Directories of Publishing Opportunities, U.S.A

ANALYSIS OF PROCESS CAPABILITY ABOUT TURNING CENTER

Chundru.Venkata Rao[1]
N.Tejeswar Reddy[1]
B.Sai Prasanth[1]
Pujari Srinivasa Rao[2]
P.Thirumala Rao[1]

Abstract

Analysis of process capability convinces that processes need to be according to manufacturing industry specification, while reducing the process variation and improving the product quality characteristic. The aim is to verify the performance of the process and also the ability of the machine to achieve within the tolerance limit specified.100 sample shafts were turned on the turning center with subgroup size being ten. The performance needs to be within the control limits and also capable of meeting up to specification. Further, the capability index (Cp) measured in this case is greater than 1. Also, the machine capability (Cpk) for this manufacturing application is also greater than 1, thus making the process capable.

Keywords:

Turning center;
Control charts;
Process capability;
Machine ability.

Copyright © 2017 International Journals of Multidisciplinary Research Academy. *All rights reserved.*

Author correspondence:

Chundru.Venkata Rao
Department of Mechanical Engineering,
Baba Institute of Technology and sciences,
Visakhapatnam.

1. Introduction

Nowadays, most of the manufacturing companies spend a lot of money for machine tools with advanced technology such as CNC tools and automated machine tools. These will help to improve the quality and dispatch time of the products that they produced. The investors require that the machines they purchase have high flexibility, good running condition and highly precision-oriented turning centers. In the manufacturing sector, the accuracy of parts is very important because the accuracy of the finish part helps in evaluating the machine's accuracy that produces the particular part. In the early 1970s the concept of process capability was introduced by Juran, an expert in world quality. Subsequently, for almost 40 years many accepted indices such as Cp, Cpk and Cpm were developed to measure the performance of the respective process [1]. The measure of the uniformity of performance is process capability. Variability of the process output is measured by its uniformity in process product. The relative deviation in the product specification and requirements is nothing but variability in process product. Process capability analysis is a technique applied in many stages of the product cycle. This includes product design, manufacturing planning process and production in machines for each operation. This technique helps in determining the ability for achieving the engineering values and manufacturing parts within the tolerance limits.

[1] Department of Mechanical Engineering, Baba Institute of Technology and Sciences, Visakhapatnam
[2] Department of Mechanical Engineering, GITAM – Visakhapatnam

The long term performance level of a process which is brought under statistical control is called process capability. Statistical process control is a quality assurance tool which is used to improve the quality of manufacture and helps in scoring the end-customer satisfaction [2]. The ability of the combination of the

PRINCIPAL
Baba Institute of Technology and Sciences
Bakkannapalem (V), Madhurawada (P)
Visakhapatnam

Open Journal of Technology & Engineering Disciplines (OJTED)
Vol. 3, No. 1, March 2017, pp. 112-123
ISSN: 2455-6971

THERMAL ANALYSIS OF DISCBRAKE ROTOR

SK.Hyderali[1], N.NavyaSri[2], R.Rajeshi[3] & Dr.C.V.Gopinath[1]*
Baba Institute of Technology and Sciences (BITS),
Visakhapatnam (Dist), Andhra Pradesh, India
Email: hyderali.mech@gmail.com, navyasrimech@gmail.com,
rajeshmechanical326@gmail.com, gopinathcv@yahoo.com

Article Info

Article history:

Received Dec. 09th, 2016
Revised Feb. 27th, 2017
Accepted March. 18th, 2017

Keyword:

Brake, artificial frictional force, Disc brakes, caliper, hydraulically pressurized

ABSTRACT

A brake is a device by means of which artificial frictional force is applied to moving machine part in order to stop the motion of the machine. In this process, the breaks absorb kinetic energy of the moving machine part and convert this kinetic energy in to heat. Basically many brake types are present in this world. But in this present generation Disc Brakes are widely used because of their better performance and more efficiency than other brake types. Basically the Disc brakes contains rotor which lies between two pads operated by piston supported by the caliper. When the brake lever is pressed hydraulically pressurized fluid is forced in to the cylinder and pushing the pistons which is connected to the pads. So pads come in frictional contact with the disc rotor and moving machine part will stop. As we are discussed lot of heat generation will generate when we apply the brake. So we are analyzing heat distribution in Disc Brake Rotor in different materials.

Copyright © 2017
Open Journal of Technology & Engineering Disciplines (OJTED)

All rights reserved.

Corresponding Author: Dr.C.V.Gopinath
Department Of Mechanical Engineering
Baba Institute of Technology And Science
P.M. Palem Madurwada

Journal homepage:
http://theojal.com/ojted/

PRINCIPAL
BABA INSTITUTE OF TECHNOLOGY AND SCIENCES
BAKKANNAPALEM (V), P.M. PALEM,
MADHURAWADA
VISAKHAPATNAM 530 048

3.3.2-27

International Journal of All Research Education and Scientific Methods (IJARESM), ISSN: 2455-6211
Volume 8, Issue 6, June-2020, Impact Factor: 4.597, Available online at: www.ijaresm.com

Capital Structure Performance of Steel Authority of India Limited and Tata Steel Limited: By Testing Trade-off and Pecking Order Theories

Dr. P. Sanjeevi

Professor, Department of Management Studies, Baba Institute of Technology and Sciences, Visakhapatnam

----------**********----------

ABSTRACT

Capital structure is key discipline of financial operations of steel industry. This researcher constitutes an attempt to identify the impact of Capital Structure Performance of two leading and rank one public and private sector steel companies. The analysis was done with the Capital Structure and its importance on financial performance of select two steel producing companies during year 2014-15 to 2018-19 (Five years) of Steel Authority of India Limited and Tata Steel Limited. The idea of this paper is to examine the extent to which growth determines of Capital Structure performance of these two companies by testing of Trade-off and Pecking Order Theories. This is done by examining the Capital Structure components consisting of long-term debt with Capital Structure determinants of SAIL and TSL and then testing the resulting ideas empirically. This paper may provide useful insights for the interested stakeholders, such as customers, depositors, borrowers and investors etc.

Keywords: Capital Structure, Long term debt, stakeholders, Trade-ff Theory, Pecking Order Theory.

1. INTRODUCTION

Capital structure refers to the mix of long-term sources of funds such as debentures, long term debt, preference shares capital and equity share capital including Reserves and surpluses (i.e. retained earnings). Every time the firm makes an investment decision, it also makes financial decision at the same time. The investment projects of a company can be financed either by increasing the owners claims or the creditors' claims. The owners' claims increase when the firm raises funds by issuing common shares or by retaining the earning; the creditor's claims increase by borrowings.

The financing or capital structure decision is a significant managerial decision. It influences the shareholders return and risk. Consequently, the market value of the share may be affected by the capital structure decision. The company will have to plan its capital structure initially at the time of its promotion. The decision will involve a Statement of the existing capital structure and factors which will govern the decision like present shareholders equity position strengthen by retention of earnings. Thus, the dividend decision also has a bearing on the capital structure decision of the company.

2. THEORETICAL MODEL OF THE DETERMINANTS OF CAPITAL STRUCTURE

The present paper attempts to explain the determination of variables in the capital structure of Steel Authority of India (SAIL) and Tata Steel Company (TSL). Due to global competition steel companies are now giving more emphasis on research and development activities and use advanced technology. This has important implications for managerial decision making. This study has tried to understand the role of knowledge capital and determinant factors in capital structure decision of SAIL and TSL. The following are the theoretical standpoints, a number of empirical studies have identified firm-level characteristics that affect the capital structure of companies. For examining the various factors that affect the capital structure of the SAIL and TSL, the present study considers testing of Trade-off and Pecking Order Theories and the following nine factors have been taken as independent variables in the present study. These factors are sales size, growth, profitability, interest coverage ratio, tangibility, NDT, assets size, income variability and liquidity.

PRINCIPAL
Baba Institute of Technology and Sciences
Bakkannapalem (V), Madhurawada (P)
Visakhapatnam

2016-17

☎ : 0891-2569933

BABA INSTITUTE OF TECHNOLOGY AND SCIENCES (BITS)

AN ISO 9001-2008 Certified Institution
BAKKANNAPALEM, MADHURAWADA, VISAKHAPATNAM-530048
(Approved by AICTE, New Delhi & Affiliated to JNTU, Kakinada)

CASH / BANK PAYMENT VOUCHER

Paind to : Dr. G. V. Gopinath, Professor

No.

Date : 05/03/17

Debit Account Head	Amount (Rs.)
Towards paper publication fee	1000-00
	1000-00

Rs. (in words) one thousand Rupees only

Particulars

Being amount paid towards

Prepared by

Accountant

Authority

Received by

PRINCIPAL
BABA INSTITUTE OF TECHNOLOGY AND SCIENCES
BAKKANNAPALEM (V), P.M. PALEM,
MADHURAWADA
VISAKHAPATNAM - 530 048

Open Journal of Technology & Engineering Disciplines (OJTED)
Vol. 3, No. 1, March 2017, pp. 112–123
ISSN: 2455-6971

3.3.2 - 4, 5, 6, 7

THERMAL ANALYSIS OF DISCBRAKE ROTOR

SK.Hyderali[1], N.NavyaSri[2], R.Rajeshi[3] & Dr.C.V.Gopinath[4]*
Baba Institute of Technology and Sciences (BITS),
Visakhapatnam (Dist), Andhra Pradesh, India
Email: hyderali.mech@gmail.com, navyasrimech@gmail.com,
rajeshmechanical326@gmail.com, gopinathcv@yahoo.com

Article Info

Article history:

Received Dec. 09th, 2016
Revised Feb. 27th, 2017
Accepted March. 18th, 2017

Keyword:

Brake, artificial frictional force, Disc brakes, caliper, hydraulically pressurized

ABSTRACT

A brake is a device by means of which artificial frictional force is applied to moving machine part in order to stop the motion of the machine. In this process, the breaks absorb kinetic energy of the moving machine part and convert this kinetic energy in to heat. Basically many brake types are present in this world. But in this present generation Disc Brakes are widely used because of their better performance and more efficiency than other brake types. Basically the Disc brakes contains rotor which lies between two pads operated by piston supported by the caliper. When the brake lever is pressed hydraulically pressurized fluid is forced in to the cylinder and pushing the pistons which is connected to the pads. So pads come in frictional contact with the disc rotor and moving machine part will stop. As we are discussed lot of heat generation will generate when we apply the brake. So we are analyzing heat distribution in Disc Brake Rotor in different materials.

Copyright © 2017
Open Journal of Technology & Engineering Disciplines (OJTED)

All rights reserved.

Corresponding Author: *Dr.C.V.Gopinath*
Department Of Mechanical Engineering
Baba Institute of Technology And Science
P.M. Palem Madurwada

PRINCIPAL
Baba Institute of Technology and Sciences
Bakkannapalem (V), Madhurawada (P)
Visakhapatnam

Journal homepage:
http://theojal.com/ojted/