As a library, NLM provides access to scientific literature. Inclusion in an NLM database does not imply endorsement of, or agreement with, the contents by NLM or the National Institutes of Health.

Learn more: PMC Disclaimer | PMC Copyright Notice



Genome Announc. 2017 Aug 31;5(35):e00696-17. doi: 10.1128/genomeA.00696-17

# Draft Genome Sequence of *Solibacillus kalamii*, Isolated from an Air Filter Aboard the International Space Station

<u>Arman Seuylemezian</u> <sup>1</sup>, <u>Nitin K Singh</u> <sup>1</sup>, <u>Parag Vaishampayan</u> <sup>1</sup>, <u>Kasthuri Venkateswaran</u> <sup>1,⊠</sup>

Author information Article notes Copyright and License information

PMCID: PMC5578834 PMID: 28860236

### **ABSTRACT**

We report here the draft genome of *Solibacillus kalamii* ISSFR-015, isolated from a high-energy particulate arrestance filter aboard the International Space Station. The draft genome sequence of this strain contains 3,809,180 bp with an estimated G+C content of 38.61%.

#### GENOME ANNOUNCEMENT

Solibacillus is a novel microbial genus characterized in 2009 by Krishnamurthi et al., who reclassified *Bacillus silvestris* into the genus *Solibacillus*, making it the type species (1). The *Solibacillus* genus was described as comprising *Bacillus*-like organisms with Gram-positive, rod-shaped cells, and round endospores formed terminally in swollen sporangia. In 2016, Poonam et al. reclassified *Bacillus isronensis* into the genus *Solibacillus* and provided an emended description of the genus *Solibacillus* that showed the peptidoglycan type to be A4 $\alpha$ -L Lys-D-Glu and the fatty acid profile to contain iso-C<sub>15:0</sub>, C<sub>16:1 $\omega$ 7c alcohol, and iso-C<sub>17:1 $\omega$ 7c, with MK-7 being the major menaquinone and diphosphatidylglycerol, phosphatidylglycerol, phosphatidylethanolamine, and phosphatidylserine being the major polar lipids (2).</sub></sub>

Until recently, there were two bacterial species in the genus *Solibacillus* (*S. isronensis* and *S. silvestris*), and draft genomes of both species have been completed (3, 4). In an ongoing microbiological survey from 2014 to 2017, a novel bacterial species was isolated from a high-energy particulate arrestance (HEPA) filter system aboard the International Space Station (ISS). The round spore-forming bacterium was described as *Solibacillus kalamii* (5), and here we present its draft genome. The HEPA filter was in service for 40 months on the ISS before being brought back to earth for further microbiological and molecular analyses (5).

In this study, we characterize the draft whole-genome sequence of strain *S. kalamii* ISSFR-015 (NRRL 65388<sup>T</sup> = DSM 101595<sup>T</sup>), which provides insight on putative genes coding for superoxide dismutase, universal stress proteins, vancomycin resistance, copper resistance, hydrogen peroxide resistance, and arsenic resistance. This evidence is suggestive of the bacterium's success in surviving the high-stress environment of the ISS and the harsh cleaning procedures during spacecraft assembly.

*S. kalamii* strain ISSFR-015<sup>T</sup> was sequenced following a shotgun sequencing method using the Illumina MiSeq platform with a paired-end module. A total of 12,244,464 paired-end reads were generated, and CLC Genomics Workbench version 10.0.1 was used to filter for adapter-free, high-quality reads, yielding 8,435,258 reads representing an approximate genome coverage of 332×. These reads were assembled using CLC Genomics Workbench, resulting in 28 contigs with a total size of 3,809,180 and an  $N_{50}$  contig length of 199,024 bp. The largest assembled contig measured 778,658 bp. The NCBI Prokaryotic Genome Annotation Pipeline was used for annotating protein-coding genes and other functional elements present in the genome. The genome contained a total of 3,814 genes, of which 3,662 were protein-coding genes. The complete genome of strain ISSFR-015<sup>T</sup> was 3,809,180 bp in length with an estimated G+C content of 38.61% and with 64 tRNA genes and 18 rRNA (eight 5S, six 16S, and four 23S) genes.

# Accession number(s).

The genome sequences of *S. kalamii* ISSFR-015 have been deposited at DDBJ/ENA/GenBank under the accession number NHNT00000000.

## **ACKNOWLEDGMENTS**

Part of the research described in this publication was carried out at the Jet Propulsion Laboratory, California Institute of Technology, under a contract with NASA. We thank Jay Perry, Marshall Space Flight Center, for providing the HEPA filter and Alexandra Checinska Sielaff, Jet Propulsion Laboratory, for isolating this strain.

This research was funded by 2012 Space Biology NNH12ZTT001N grant 19-12829-26 under Task Order NNN13D111T awarded to K.V., as well as to N.K.S. for a postdoctoral fellowship.

## **Footnotes**

**Citation** Seuylemezian A, Singh NK, Vaishampayan P, Venkateswaran K. 2017. Draft genome sequence of *Solibacillus kalamii*, isolated from an air filter aboard the International Space Station. Genome Announc 5:e00696-17. <a href="https://doi.org/10.1128/genomeA.00696-17">https://doi.org/10.1128/genomeA.00696-17</a>.

## **REFERENCES**

- 1. Krishnamurthi S, Chakrabarti T, Stackebrandt E. 2009. Re-examination of the taxonomic position of *Bacillus silvestris* Rheims et al. 1999 and proposal to transfer it to *Solibacillus* gen. nov. as *Solibacillus silvestris* comb. nov. Int J Syst Evol Microbiol 59:1054–1058. doi: 10.1099/ijs.0.65742-0. [DOI ] [PubMed] [Google Scholar ]
- 2. Mual P, Singh NK, Verma A, Schumann P, Krishnamurthi S, Dastager S, Mayilraj S. 2016. Reclassification of *Bacillus isronensis* Shivaji et al. 2009 as *Solibacillus isronensis* comb. Nov. and emended description of genus *Solibacillus* Krishnamurthi et al. 2009. Int J Syst Evol Microbiol 66:2113–2120. doi: 10.1099/ijsem.0.000982. [DOI ] [PubMed] [Google Scholar ]
- 3. Kennedy V, Van Laar TA, Aleru O, Thomas M, Ganci M, Rawat M. 2016. Genome sequences of three spore-forming bacteria isolated from the feces of organically raised chickens. Genome Announc 4(5):e00880-16. doi: 10.1128/genomeA.00880-16. [DOI ] [PMC free article] [PubMed] [Google Scholar ]
- 4. Morohoshi T, Tominaga Y, Someya N, Ikeda T. 2012. Complete genome sequence and characterization of the *N*-acylhomoserine lactone-degrading gene of the potato leaf-associated *Solibacillus silvestris*. J Biosci Bioeng 113:20–25. doi: 10.1016/j.jbiosc.2011.09.006. [DOI ] [PubMed] [Google Scholar ]
- 5. Checinska Sielaff A, Kumar RM, Pal D, Mayilraj S, Venkateswaran K. 2017. *Solibacillus kalamii* sp. nov., isolated from a high-efficiency particulate arrestance filter system used in the International Space Station. Int J Syst Evol Microbiol 67:896–901. doi: 10.1099/ijsem.0.001706. [DOI ] [PubMed] [Google Scholar ]

Articles from Genome Announcements are provided here courtesy of **American Society for**Microbiology (ASM)