Python For Data Science Cheat Sheet

NumPy Basics

Learn Python for Data Science Interactively at www.DataCamp.com



NumPy

The **NumPy** library is the core library for scientific computing in Python. It provides a high-performance multidimensional array object, and tools for working with these arrays.

Use the following import convention:

>>> import numpy as np



NumPy Arrays

1D array





3D array



Creating Arrays

Initial Placeholders

>>> np.zeros((3,4))
>>> np.ones((2,3,4),dtype=np.int16)
>>> d = np.arange(10,25,5)
>>> np.linspace(0,2,9)
>>> e = np.full((2,2),7)
>>> f = np.eye(2)
>>> np.random.random((2,2))
>>> np.empty((3,2))

Create an array of zeros
Create an array of ones
Create an array of evenly
spaced values (step value)
Create an array of evenly
spaced values (number of samples)
Create a constant array
Create a 2X2 identity matrix
Create an empty array

<u>I/O</u>

Saving & Loading On Disk

```
>>> np.save('my_array', a)
>>> np.savez('array.npz', a, b)
>>> np.load('my_array.npy')
```

Saving & Loading Text Files

| >>> | np.loadtxt("myfile.txt") |
|-----|--|
| >>> | <pre>np.genfromtxt("my file.csv", delimiter=',')</pre> |
| >>> | np.savetxt("myarray.txt", a, delimiter=" ") |

Data Types

| >>> np.int64 | Signed 64-bit integer types |
|-----------------|--|
| >>> np.float32 | Standard double-precision floating point |
| >>> np.complex | Complex numbers represented by 128 floats |
| >>> np.bool | Boolean type storing TRUE and FALSE values |
| >>> np.object | Python object type |
| >>> np.string_ | Fixed-length string type |
| >>> np.unicode_ | Fixed-length unicode type |

Inspecting Your Array

```
>>> a.shape Array dimensions
>>> len(a) Length of array
>>> b.ndim Number of array dimensions
>>> e.size Number of array elements
>>> b.dtype Data type of array elements
>>> b.dtype.name Name of data type
>>> b.astype(int) Convert an array to a different type
```

Asking For Help

>>> np.info(np.ndarray.dtype)

Array Mathematics

Arithmetic Operations

```
>>> q = a - b
                                             Subtraction
 array([[-0.5, 0., 0.],
      [-3. , -3. , -3. ]])
>>> np.subtract(a,b)
                                             Subtraction
>>> b + a
                                             Addition
 array([[ 2.5, 4., 6.],
        [5., 7., 9.]])
>>> np.add(b,a)
                                             Addition
>>> a / b
                                             Division
 array([[ 0.66666667, 1. [ 0.25 , 0.4
>>> np.divide(a,b)
                                             Division
>>> a * b
                                             Multiplication
 array([[ 1.5, 4., 9.],
       [ 4., 10., 18.]])
                                             Multiplication
>>> np.multiply(a,b)
                                             Exponentiation
>>> np.exp(b)
>>> np.sgrt(b)
                                             Square root
>>> np.sin(a)
                                             Print sines of an array
>>> np.cos(b)
                                             Element-wise cosine
                                             Element-wise natural logarithm
>>> np.log(a)
>>> e.dot(f)
                                             Dot product
 array([[ 7., 7.],
        [7., 7.]])
```

Comparison

| >>> a == b array([[False, True, True], | Element-wise comparison |
|--|-------------------------|
| <pre>[False, False, False]], dtype=bool) >>> a < 2 array([True, False, False], dtype=bool)</pre> | Element-wise comparison |
| >>> np.array_equal(a, b) | Array-wise comparison |

Aggregate Functions

| >>> a.sum() | Array-wise sum |
|----------------------|--------------------------------|
| >>> a.min() | Array-wise minimum value |
| >>> b.max(axis=0) | Maximum value of an array row |
| >>> b.cumsum(axis=1) | Cumulative sum of the elements |
| >>> a.mean() | Mean |
| >>> b.median() | Median |
| >>> a.corrcoef() | Correlation coefficient |
| >>> np.std(b) | Standard deviation |

Copying Arrays

| >>> h = a.view() | Create a view of the array with the same data |
|------------------|---|
| >>> np.copy(a) | Create a copy of the array |
| >>> h = a.copy() | Create a deep copy of the array |

Sorting Arrays

| >>> a.sort() | Sort an array |
|--------------------|--------------------------------------|
| >>> c.sort(axis=0) | Sort the elements of an array's axis |

Subsetting, Slicing, Indexing

1 2 3

1 2 3

Also see **Lists**

Subsetting

```
>>> a[2]
3
>>> b[1,2]
6.0
```

Slicing



[4., 5., 6.]] >>> a[: :-1] array([3, 2, 1])

Boolean Indexing

array([1])

Fancy Indexing

```
>>> b[[1, 0, 1, 0], [0, 1, 2, 0]]
    array([4., 2., 6., 1.5])
>>> b[[1, 0, 1, 0]][:, [0,1,2,0]]
    array([4., 5., 6., 4.],
    [1.5, 2., 3., 1.5],
    [4., 5., 6., 4.],
    [1.5, 2., 3., 1.5]])
```

Select the element at the 2nd index

Select the element at row 1 column 2 (equivalent to b[1][2])

Select items at index 0 and 1

Select items at rows 0 and 1 in column 1

```
Select all items at row 0 (equivalent to b[0:1, :])
Same as [1,:,:]
```

Reversed array a

Select elements from a less than 2

Select elements (1,0), (0,1), (1,2) and (0,0)

Select a subset of the matrix's rows and columns

Array Manipulation

Transposing Array

```
>>> i = np.transpose(b)
>>> i.T
```

Changing Array Shape

>>> b.ravel()
>>> g.reshape(3,-2)

Adding/Removing Elements

```
>>> h.resize((2,6))
>>> np.append(h,g)
>>> np.insert(a, 1, 5)
>>> np.delete(a,[1])
```

Combining Arrays

```
>>> np.concatenate((a,d),axis=0)
    array([1, 2, 3, 10, 15, 20])
>>> np.vstack((a,b))
    array([[1, 2, 3, 3],
        [1.5, 2, 3],
        [4, 5, 6]])
>>> np.r_[e,f]
>>> np.hstack((e,f))
    array([[7, 7, 1, 0],
        [7, 7, 0, 1]])
>>> np.column_stack((a,d))
    array([[1, 10],
        [3, 20]])
>>> np.c_[a,d]
```

Splitting Arrays

Permute array dimensions Permute array dimensions

Flatten the array

Reshape, but don't change data

Return a new array with shape (2,6) Append items to an array Insert items in an array Delete items from an array

Concatenate arrays

Stack arrays vertically (row-wise)

Stack arrays vertically (row-wise) Stack arrays horizontally (column-wise)

Create stacked column-wise arrays

Create stacked column-wise arrays

Split the array horizontally at the 3rd

ndex

Split the array vertically at the 2nd index

