




FRENCH POWER BREAK

Mercredi 31 Aout 2022 – 13h



Rémi DELARBOULAS

Power Apps : Optimisez les performances de vos applications Canevas



Pierre BOURDIAL

Power Pages : Démarrer avec Power Pages !



+ les dernières nouveautés de la plateforme et de la communauté



Le

FRENCH POWER BREAK

Un événement organisé par...



<https://bizappsfrenchcommunity.com/>

En association avec...



<https://ppfc.fr/>

CALL FOR SPEAKER

**Envie de participer et proposer
une session speaker ?**

C'est ouvert à tous et gratuit!

Déposes ton sujet de session
(15 à 20 min) via ce formulaire
[>>](#)

L'équipe Biz Apps French
Community te recontactera.



Power Platform French Summit 2022

L'événement Francophone de l'année autour de **Microsoft Power Platform** réunissant les 3 Cloud Microsoft : **Azure, Dynamics 365 et Microsoft 365**

**Evénement
#PPFS2022
RDV 17 et 18 Novembre !**

[Power Platform French Summit](#)

75 SESSIONS

2 KEYNOTES

4 ASK THE EXPERTS

80 Speakers

+ 2000 participants

L'événement aura lieu en physique cette année - 2022 - (Speakers & Participants) - au centre de conférence Microsoft France - ainsi qu'une rediffusion simultanée sur les différentes plateformes en ligne. (mode hybride)

[Power Platform French Summit \(2022\): Call for Speakers/Papers @ Sessionize.com](#)



Rémi
DELARBOULAS
Co-Chief
Executive Officer

Optimisez les performances de vos applications Canevas.


Retour d'expérience sur le code review tool qui permet d'analyser le code des canvas App des utilisateurs afin de proposer des axes d'optimisation de votre code.



Présentation de l'outil


- Outil permettant à un créateur d'application, d'analyser la qualité de son code et cela sous plusieurs biais
 - La performance des traitements
 - Sa maintenabilité
 - Le respect des standards de codage
 - Accessibilité
- Utilise le moteur d'extraction des fichiers source des msapp : <https://powerapps.microsoft.com/en-us/blog/source-code-files-for-canvas-apps/>
- Se compose :
 - d'une powerapp : permettant l'import des msapp et la consultation/modification des résultats
 - d'un plugin dataverse (C#) : permettant l'import des contenus dans la base de données et l'analyse de la qualité du code
- L'outil scrute automatiquement les 18 principaux points d'attention d'une application de canevas.
Il s'appuie pour chacun, soit sur l'analyse de votre msapp (code, paramètres, médias, ...) soit sur des warnings présents dans l'app checker (stéthoscope)
- Il est donné la possibilité à un utilisateur de créer ses propres points d'attention et de les associer à des warnings de l'app checker
- Attribution d'un score final à l'application
- Idée originale et pilotage de Mehdi Slaoui Andaloussi de la PowerCat team

Architecture de l'outil



Eléments de performance

Traitement d'une requête PowerApps : Le coût de l'abstraction



Points d'attention :

- La multiplication de petites requêtes va engendrer des temps T1, T2, T4 et T5 inutiles (patch dans un forall, lookup dans une galerie, ...)
- Des requêtes compliquées sans justification (Filters imbriqués ou Filter(Search)) vont induire un temps de traduction vers Odata plus élevé (étapes 1 et). Penser à une complexité adaptée aux besoins.
- Autres : paramètres, médias, ...

Eléments de performance

Point d'attention (pattern)	Mode de détection
Délégation	vérification de l'absence de warnings dans l'app checker de votre app
Requêtes N+1 dans des galeries	analyse de votre code
Requêtes Filter/Search imbriquées	analyse de votre code
Optimisation des médias	Analyse des médias de votre fichier Et vérification de l'absence de warnings dans l'app checker de votre app
Paramètres	Vérification de l'utilisation de certains paramètres de l'app liés à l'optimisation
Utilisation de la fonction Concurrent()	analyse de votre code
Utilisation de Lookup() au lieu de First() Filter ()	analyse de votre code

Eléments de performance

Point d'attention (pattern)	Mode de détection
Utilisation de In au lieu de StartsWith	analyse de votre code
Trop d'appels imbriqués à des bases de données externes	analyse de votre code
Analyse de votre stratégie de chargement des données en local (OnStart/OnVisible de l'app)	analyse de votre code
Dépendances inter-écrans	vérification de l'absence de warnings dans l'app checker de votre app
Optimisation de la fonction Patch() Sous requêtes pour rien	analyse de votre code

Eléments de maintenabilité et respect des standards de codage

- Standards de codage : [Livre blanc Microsoft](#)
 - Gestion des erreurs : Requêtes d'écriture non encapsulées par IsError ou IfError
 - Nommage des contrôles (app checker)
- Maintenabilité
 - Lisibilité du code : Détection de code long sans commentaires
 - Utilisation de composants : warning contenu dans l'app checker (stéthoscope de l'éditeur)
 - Variables et code inutilisé : l'outil analyse le warning de l'app checker

Utilisation de l'application

- Plus de 800 téléchargements
- Une centaine d'applications de clients traitées sur un mode « support » à l'aide de l'outil
- Le scoring de l'outil a servit d'arbitrage et de seuil de qualité pour des applications de prestataires
- Traitement et remise en performance de plusieurs applications « au point mort »

Démonstration de l'outil



Pierre BOURDIAL

Cloud Solution
Architect @ Ms

<https://aka.ms/pierreb>

Démarrer avec Power Pages

Création d'un questionnaire avec des quelques règles métiers dans Power Pages.




Power Pages




Microsoft Power Platform

The low-code platform that spans Office 365, Azure, Dynamics 365, and standalone applications





Microsoft Power Platform


The low-code platform that spans Office 365, Azure, Dynamics 365, and standalone applications




Power Pages = Power Apps portals ++

Taking the existing Power Apps portals capability that gained immense customer momentum and creating standalone product in the Power Platform family – Power Pages!










Low-code maker





Low-code maker

Home Page & Gallery



The screenshot shows the Microsoft Power Pages interface. At the top, there's a banner with the text "Welcome, Mona" and "Create modern, secure business websites". Below the banner, there's a "+ Create a site" button. On the left, a sidebar menu includes "Home", "Templates", "Learn", "Manage", and "Solutions". The main area is titled "My sites" and displays two website preview cards:

- Fabricaminc**: A dark-themed site featuring a globe and a grid of colored bars. It has a trial period of 29 days. Creator: Mona Kane. Suggested actions: Connect a custom domain, Customize theme.
- Woodland Bank**: A light-themed site featuring a woman's face and the text "Welcome home to Woodland! You're Part Of The Family". It has a trial period of 29 days. Creator: Mona Kane. Suggested actions: Connect a custom domain, Customize theme.


At the bottom of the screen, there are links for "Privacy & cookies" and "Terms & conditions".



Low-code maker

Home Page & Gallery

Learn hub



The screenshot shows the Microsoft Power Pages Learning Hub interface. At the top, there's a navigation bar with links for Home, Templates, Learn, Manage, and Solutions. The main content area features a purple header with the text "Welcome to the learning hub" and a sub-header "Explore the documents, videos, and other resources that will help make it easier for you to create the website you want." Below the header, there's a decorative illustration of a landscape with clouds, a path, and office supplies like a pen, paper, and glasses. A callout button "Can't find a learning topic? Suggest a new one" is located in the top right corner. A navigation bar below the header includes tabs for Overview, Getting started (which is underlined), Training videos, Design and build, Customize and extend, Security, Go live, and Administer and monitor. The "Getting started" tab is currently active. Five cards are displayed under this tab, each with an icon and a title: "Create your first site" (with a rocket icon), "Create pages" (with a page and plus sign icon), "Style your Power Pages site" (with a paintbrush icon), "Connect to Dataverse" (with a gear and chart icon), and "How security works" (with a shield icon). A "See more" button with an arrow icon is located on the right side of the card row.



Low-code maker

Home Page & Gallery

Learn hub

Templates hub

The screenshot shows the Microsoft Power Portals 'Templates' hub. At the top, there's a banner with the text 'Customize any template' and sub-sections for 'Application submission', 'Interactive maps', and 'New employee onboarding checklist'. Below the banner, a search bar and filter options ('All', 'Application submission', 'Scheduling', 'Interactive maps', 'Progress tracking', 'FAQ', 'Daily pass') are visible. The main area displays several template cards:

- Default design template**: A card for a generic template with a preview image showing a city skyline.
- Business reopening guidelines FAQ**: A card for a frequently asked question page with a preview image showing a Q&A interface.
- New employee onboarding checklist**: A card for a checklist with a preview image showing a list of items.
- Estimated time of restoration portal**: A card for a restoration portal with a preview image showing a progress bar.
- Daily visitor pass (single use)**: A card for a daily visitor pass with a preview image showing a pass template.
- Building permit application portal**: A card for a building permit application with a preview image showing a form.

At the bottom right, there are buttons for 'Sort by newest' and 'Search templates'.



Low-code maker

Home Page & Gallery

Learn hub

Templates hub

Pages workspace

Microsoft Portals

New design studio On

Search Site name - Saved

Feedback Preview Sync

Environment Prod environment

Pages

Main navigation

- Home
- Find vaccines
- Vaccines
- Types
- Locations
- About us
- Our terms

Other pages

- Contact us
- Vaccine FAQ
- Provide resources
- Privacy
- CDC disclaimer
- Non-discrimination

Co-WIN

Home Find vaccines Locations Our terms Sign in

Schedule your CoVID-19 vaccination

First step is to register for this program, which lets you schedule your vaccination (both dose)



How it works





Low-code maker


Home Page & Gallery

Learn hub

Templates hub

Pages workspace

Styling workspace



The screenshot shows the Microsoft Power Pages Styling workspace. On the left, there's a sidebar with 'Pages', 'Styling' (selected), 'Data', and 'Set up'. Under 'Styling', there are sections for 'Themes' (Orange, Bright blue, Teal, Moss, Neutral) and 'Color palette'. Below that are 'Background color' and 'Fonts' (Header 1, Header 2, Header 3, Subheader 1, Subheader 2, Paragraph 1). At the bottom are 'Buttons + Links' (Button 1, Button 2).

Fabricaminc - Saved

Company name

Create an engaging headline, welcome, or call to action

Add a call to action here

Header 1

Header 2

Header 3

Subheader 1

Subheader 2

Paragraph 1

Buttons + Links

1

2

3

Introduction section

Create a short paragraph that shows your target audience a clear benefit to them if they continue past this point and offer direction about the next steps.

Featured Item 1

Featured Item 2

Featured Item 3



Pro developer





Pro developer

In-line Editor

Portals (Preview)

New design studio On

Pages

Main navigation +

- Home
- Pages
- Contact us

Other pages +

- Access Denied
- Page Not Found

Company name

Create an engaging headline, welcome, or call to action

Add a call to action here

OB310 - Saved

Edit Home

```
1 <div class="row sectionBlockLayout" style="padding: 8px; margin: 0px; display: flex; flex-wrap: wrap; text-align: left; min-height: 260px; background-color: var(--portalThemeColor7);>
2   <div class="col-nd-6 col-md-push-6 columnBlockLayout" style="flex-grow: 1; display: flex; flex-direction: column; min-width: 260px; padding: 16px;>
3     <div class="col-nd-6 col-md-pull-6 columnBlockLayout" style="flex-grow: 1; display: flex; flex-direction: column; min-width: 360px; padding: 16px;">
4       <h2 style="text-align: left;">Create an engaging headline, welcome, or call to action!</h2><button class="button">Add a call to action here</button>
5     </div>
6   </div>
7 </div>>
8 <div class="row sectionBlockLayout" style="padding: 8px; margin: 0px; display: flex; flex-wrap: wrap; min-height: 28px; background-color: var(--portalThemeColor3);>
9   <div class="col-nd-12 columnBlockLayout" style="flex-grow: 1; display: flex; flex-wrap: wrap; min-height: 28px; background-color: var(--portalThemeColor7);>
10    <div class="col-nd-12 columnBlockLayout" style="flex-grow: 1; display: flex; flex-wrap: wrap; min-height: 28px; background-color: var(--portalThemeColor7);>
11      <div class="col-nd-12 columnBlockLayout" style="flex-grow: 1; display: flex; flex-wrap: wrap; min-height: 28px; background-color: var(--portalThemeColor7);>
12        <div class="col-nd-12 columnBlockLayout" style="flex-grow: 1; display: flex; flex-direction: column; min-width: 360px; padding: 16px;">
13          <h2 style="text-align: center;">Introduction section</h2>
14          <p style="text-align: center;">Create a short paragraph that shows your target audience a clear benefit to them if they continue past this point and offer direction about the next steps</p>
15        </div>
16      </div>
17    </div>
18  </div>
19 <div class="row sectionBlockLayout" style="padding: 8px; margin: 0px; display: flex; flex-wrap: wrap; text-align: left; min-height: 260px; background-color: var(--portalThemeColor7);>
20   <div class="col-nd-4 columnBlockLayout" style="flex-grow: 1; display: flex; flex-direction: column; min-width: 88px; padding: 16px;>
21     <h3 style="text-align: center;">Featured Item 1</h3>
22     <p style="text-align: center;">Create a short description or engaging message to activate your audience to find out more about this item.</p>
23   </div>
24   <div class="col-nd-4 columnBlockLayout" style="flex-grow: 1; display: flex; flex-direction: column; min-width: 88px; padding: 16px;>
25     <h3 style="text-align: center;">Featured Item 2</h3>
26     <p style="text-align: center;">Create a short description or engaging message to activate your audience to find out more about this item.</p>
27   </div>
28 <div class="col-nd-4 columnBlockLayout" style="flex-grow: 1; display: flex; flex-direction: column; min-width: 88px; padding: 16px;>
29     <h3 style="text-align: center;">Featured Item 3</h3>
30   </div>
31 </div>
```

Feedback Preview Sync



Pro developer



In-line Editor

VS Code Extensions
Code components (PCF)
CSS modification
Web API's

The screenshot shows a Visual Studio Code interface. The title bar indicates the file 'Service-Location.en-US.webpage.copy.html' is open in the 'CONTOSO-AUTO-PORTAL' workspace. The Explorer sidebar shows a tree view of files and folders related to the 'CONTOSO-AUTO-PORTAL'. The code editor displays a script block containing JavaScript code for handling web API requests and updating form values. A status bar at the bottom right shows a message to restart the application and provides links for 'Update Now', 'Later', and 'Release Notes'.

```
116     notificationMsg.show(processingMsg);
117     return webapi.safeAjax.ajaxOptions
118       .fail(function(response) {
119         if (response.responseJSON) {
120           alert("Error: " + response.responseJSON.error.message);
121         } else {
122           alert("Error: Web API is not available... ");
123         }
124       }).always(notificationMsg.hide);
125
126 //load values in form
127 var entityAttributes = [
128   "msauto_name",
129   "msauto_addressstreet1",
130   "msauto_addresscity",
131   "msauto_addressstateprovince",
132   "msauto_addresscountry",
133   "msauto_addresspostalcode"
134 ];
135 //call read webapi to fetch records
136 appAjax('loading...', {
137   type: "GET",
138   url: "/_api/msauto_businessoperations({{request.params}}",
139   contentType: "application/json",
140   success: function(res, status, xhr) {
141     $.each(entityAttributes, function(i, value) {
142       $("[name=" + value + "]").val(res[value]);
143     });
144   }
145 });
</script>
```

Ln 135, Col 15 Spaces: 2 UTF-8 CRLF HTML



Pro developer

In-line Editor

VS Code Extensions
Code components (PCF)
CSS modification
Web API's

GitHub and
Azure Dev Ops:
Continuous Integration &
Deployment

The screenshot shows the Visual Studio Code interface with the 'Changes' tab selected in the sidebar. The main editor area displays a snippet of HTML code for a webpage. The code includes various CSS styles using inline and class-based styling. The sidebar also shows other tabs like 'File', 'Edit', 'Selection', etc., and sections for 'COMMITS', 'FILE HISTORY', 'BRANCHES', 'REMOTES', 'STASHES', 'TAGS', and 'SEARCH & COMPARE'.

```
<div> Home.en-US.webpage.copy.html - DemoContosoPortalC:\code\DemoContosoPortal - Visual Studio Code
File Edit Selection View Go Run Terminal Help
Home.en-US.webpage.copy.html
Message (Ctrl+Enter to commit or...)

<div> Home.en-US.webpage.copy.html > <div> row.sectionBlockLayout.sectionFixedStyle > <div> container > <div> col-md-12.columnBlockLayout > <h1>
You, seconds ago | 3 authors (L... and others)
1 <div> sectionFixedStyle" style="display: flex; flex-wrap: wrap; text-align: left; min-height: 500px; t...
2 "display: flex; flex-wrap: wrap;">
3 <div> nBlockLayout" style="display: flex; flex-direction: column; justify-content: center;">
4 <div> ver_Apps_Portals!</h1><a href="https://go.microsoft.com/fwlink/?linkid=2127817" aria-label="Learn m...
5
6
7
8 <div> put" style="text-align: left; min-height: 100px; padding: 8px; margin: 8px;">
9 "display: flex; flex-wrap: wrap;">
10 <div> nBlockLayout">
11 <div> value: </p>% editable snippets 'Secret-Value' type: 'html' %<p></p>
12
13
14
15 <div> put sectionPrimaryColor" style="display: flex; flex-wrap: wrap; text-align: center; min-height: auto; ...
16 "display: flex; flex-wrap: wrap;">
17 <div> nBlockLayout" style="display: flex; flex-direction: column; justify-content: center;">
18 <div> ter; margin-top: 16px;">Create powerful website for users inside and outside your organization to si...
19
20
21
22
23 <div> put" style="display: flex; flex-wrap: wrap; text-align: center; min-height: auto; padding: 45px 8px; ...
24 "display: flex; flex-wrap: wrap;">
25 <div> nBlockLayout" style="display: flex; flex-direction: column; padding-bottom: 20px; width: 100%;">
26
27
```



Site administrator





Site
administrator

Identity providers and
authentication

Microsoft Portals

New design studio On

Site name - Saved

Sync Preview Sync

Environment Prod environment

Identity providers

+ New provider Authentication settings

Name	Provider	Status
Azure AD	Azure Active Directory	Enabled
Azure B2C	Azure Active Directory B2C	Enabled
Facebook	Facebook	Enabled
LinkedIn	LinkedIn	Enabled
Google	Google	Configure
Open ID	Open ID	Configure



Site administrator

Identity providers and authentication

User roles and authorization

The screenshot shows the Microsoft Portals 'Roles' page. On the left, a sidebar titled 'Set up' lists various categories: General, Authentication & security, Mobile, and Administration. Under 'Authentication & security', the 'Identity providers' and 'Roles' options are selected. The main area displays a table of roles and their assigned contacts:

Role	Contacts
Administrator	LB
Authenticated	All site visitors
Anonymous	All site visitors
Role 1	LB, CB, KP, +9
Role 2	No contacts assigned



Site administrator

Identity providers and authentication

User roles and authorization

Dataverse table permissions

Microsoft Portals

New design studio On

Site name - Saved

Sync Preview Sync

Environment Prod environment

Table permissions

+ New permission

Name	Status	Table	Access type	Relationship	Read	Write	Create	Delete	Append	Append to	Roles
Permission	***	Active	Table	Access	Relation	<input type="checkbox"/>					
Permission	***	Active	Table	Access	Relation	<input type="checkbox"/>					
Permission	***	Active	Table	Access	Relation	<input type="checkbox"/>					
Permission	***	Active	Table	Access	Relation	<input type="checkbox"/>					
↳ Permission	***	Active	Table	Access	Relation	<input type="checkbox"/>					
↳ Permission	***	Active	Table	Access	Relation	<input type="checkbox"/>					

Get Started: Resources



Browse the different learning modules to begin developing your skills.

[Explore Learning >](#)



Access self-help guides to help you get started with Power Pages.

[View Documentation >](#)



Empower anyone—either inside or outside your organization—to interact with Microsoft Dataverse data using Power Pages.

[Watch Overview >](#)



Experience building a page through Power Apps.

[Start Building Pages >](#)




Nouveautés, liens pratiques, ...

Echanger librement avec les experts de la communauté Francophone Power Platform, ...



Nouveautés

Power Fx : les fonctions de gestion des erreurs passe en préversion publique




Qu'est-ce que cela signifie pour vous?

- Vos applications détecteront et signaleront les erreurs de manière plus fiable.
- Vous pouvez écrire des valeurs vides/nulles dans une base de données.
- Vous pouvez détecter et remplacer les erreurs par les fonctions **IsError**, **IsErrorOrBlank** et **IfError**.
- Vous pouvez contrôler les rapports d'erreurs et la journalisation à un emplacement central avec **App.OnError**.
- Vous pouvez créer et générer vos propres erreurs personnalisées avec la fonction **Erreur**.

Nouveautés

Créer automatiquement une Power App à partir d'une API REST




Une nouvelle [commande Power Platform CLI](#) est disponible et permet de créer une application Power Canvas.

Cette application a plusieurs actions GET et POST, chacune étant représentée par un écran. Vous pouvez accéder à l'une des actions et interagir directement avec l'API.

[Créez automatiquement une Application Power à partir d'une API REST](#)
[Applications Microsoft Power](#)

Nouveautés

Modèle Driven Edition en ligne en mode grille



The screenshot shows the Dynamics 365 Customer Service Hub interface. On the left, there's a navigation bar with links like Home, Recent, Pinned, My Work (Dashboards, Activities, Customers, Accounts, Contacts, Social Profiles), Service (Cases, Queues, Swarms), Insights (Customer Service Insights, Knowledge analyt...), and Knowledge (Service). The main area is titled 'My contacts' and displays a grid of 13 rows. Each row contains information for a contact: Full Name, Email, Credit Limit, Company Name, Business Phone, and Birthday. The contacts listed are Jim Glynn, Maria Campbell, Nancy Anderson, Patrick Sands, Paul Cannon, Rene Valdes, Robert Lyon, Scott Konersmann, Sidney Higa, Susan Burk, Susanna Stubberod, Thomas Andersen, and Yvonne McKay. The grid has a header row with sorting icons for each column.

Full Name	Email	Credit Limit	Company Name	Business Phone	Birthday
Jim Glynn (sample)	someone_j@example.com		Coho Winery (sample)	555-0109	3/2/1959
Maria Campbell (sample)	someone_d@example.com		Fabrikam, Inc. (sample)	555-0103	1/14/1962
Nancy Anderson (sample)	someone_c@example.com		Adventure Works (sample)	555-0102	4/22/1960
Patrick Sands (sample)	someone_k@example.com		Alpine Ski House (sample)	555-0110	7/2/1952
Paul Cannon (sample)	someone_h@example.com		Alpine Ski House (sample)	555-0107	7/5/1966
Rene Valdes (sample)	someone_i@example.com		A. Datum Corporation (sample)	555-0108	11/22/1984
Robert Lyon (sample)	someone_g@example.com		Contoso Pharmaceuticals (sample)	555-0106	3/12/1978
Scott Konersmann (sample)	someone_f@example.com		City Power & Light (sample)	555-0105	6/17/1977
Sidney Higa (sample)	someone_e@example.com		Blue Yonder Airlines (sample)	555-0104	3/7/1966
Susan Burk (sample)	someone_l@example.com		A. Datum Corporation (sample)	555-0111	1/3/1969
Susanna Stubberod (sample)	someone_b@example.com		Litware, Inc. (sample)	555-0101	12/10/1989
Thomas Andersen (sample)	someone_m@example.com		Coho Winery (sample)	555-0112	4/8/1983
Yvonne McKay (sample)	someone_a@example.com		Fourth Coffee (sample)	555-0100	5/16/1954

Ce contrôle permet un mode modifiable qui permet aux utilisateurs d'apporter des modifications aux enregistrements directement dans la grille sans avoir à naviguer d'abord dans un formulaire.

[L'édition en ligne, la navigation moderne et plus encore avec le nouveau contrôle de réseau Power Apps | Applications Microsoft Power](#)

Nouveautés

Modèle Driven : Défilement infini

The screenshot shows the Microsoft Dynamics 365 Customer Service Hub interface. On the left, there is a navigation sidebar with various sections like Home, Recent, Pinned, My Work, Dashboards, Activities, Customers, Accounts, Contacts (which is selected), Social Profiles, Service, Cases, Queues, Swarms, Insights, Customer Service, Knowledge, and a Service dropdown. The main area is titled "My contacts" and displays a table with columns: Full Name, Email, Credit Li..., Company Name, Business Phone, and Birthday. The table lists 15 contact entries. At the bottom left of the table, it says "513 rows". The top navigation bar includes icons for Show Chart, New, Delete, Refresh, Email a Link, Flow, Run Report, Excel Templates, Export to Excel, Import from Excel, and a search bar.

- plus besoin de se déplacer explicitement entre des pages
- Les utilisateurs peuvent défiler indéfiniment les données
- activé par défaut, il est possible de désactiver cette fonctionnalité et d'avoir des boutons de pagination à la place

L'édition en ligne, la navigation moderne et plus encore avec le nouveau contrôle de réseau Power Apps | Applications Microsoft Power

Nouveautés



Modèle Driven : Apportez la collaboration Microsoft 365


- ▼ Collaboration (Preview)
 - ⚙️ Approvals (Preview)
 - 📄 Files (Preview)
 - 📅 Meetings (Preview)
 - 📝 Notes (Preview)
 - ☑️ Tasks (Preview)

- Créer et gérer des tâches, soutenu par Planner
- Planifier des réunions soutenues par des calendriers Outlook et Teams
- Ajouter des rendez-vous virtuels avec Bookings
- Stocker vos fichiers dans SharePoint
- Demander l'approbation d'autres membres de votre équipe



Nouveautés

Activer la création d'applications canevas en tant que solutions Dataverse par défaut



Désactivée par défaut, les administrateurs de l'environnement peuvent activer cette fonctionnalité en accédant aux paramètres avancés de l'environnement, Paramètres du produit, et basculer la fonctionnalité « **Créer de nouvelles applications canevas dans Dataverse par défaut** » sur « **Activé** » pour activer la fonctionnalité.

Liens pratiques



<https://ppfc.fr>

SATISFAIT ? UNE REMARQUE ?

Votre avis nous intéresse !

Répondez à l'enquête via ce formulaire (1 min)

L'équipe Biz Apps French Community adapte le format et les sujets en fonction de vos retours !

Un grand Merci !





A la prochaine !



Mercredi 28 septembre à 13h

