Task 2

Date - 22/10/26

Command-

```
[ec2-user@ip-172-31-6-191 ~]$ cd /
[ec2-user@ip-172-31-6-191 /]$ ls
bin  boot  dev  etc  home  lib  lib64  local  media  mnt  opt  proc  root  run  sbin  srv  sys  tmp  usr  var
[ec2-user@ip-172-31-6-191 /]$ ls -h
bin  boot  dev  etc  home  lib  lib64  local  media  mnt  opt  proc  root  run  sbin  srv  sys  tmp  usr  var
[ec2-user@ip-172-31-6-191 /]$ ls -lh
total 32K
lrwxrwxrwx.   1 root root    7 Jan 30  2023 bin -> usr/bin
dr-xr-xr-x.   5 root root  16K Oct 15 23:49 boot
drwxr-xr-x.  14 root root 3.1K Oct 22 14:23 dev
drwxr-xr-x.  76 root root  16K Oct 22 07:57 etc
drwxr-xr-x.   9 root root   97 Oct 22 07:56 home
lrwxrwxrwx.   1 root root    7 Jan 30  2023 lib -> usr/lib
lrwxrwxrwx.   1 root root    9 Jan 30  2023 lib64 -> usr/lib64
drwxr-xr-x.   2 root root    6 Oct 15 23:44 local
drwxr-xr-x.   2 root root    6 Jan 30  2023 media
drwxr-xr-x.   2 root root    6 Jan 30  2023 mnt
drwxr-xr-x.   3 root root   17 Oct 15 23:48 opt
dr-xr-xr-x. 117 root root    0 Oct 22 14:23 proc
dr-xr-x---.   3 root root  103 Oct 15 23:48 root
drwxr-xr-x.  28 root root  820 Oct 22 14:24 run
lrwxrwxrwx.   1 root root    8 Jan 30  2023 sbin -> usr/sbin
drwxr-xr-x.   2 root root    6 Jan 30  2023 srv
dr-xr-xr-x.  13 root root    0 Oct 22 14:23 sys
drwxrwxrwt.  11 root root  220 Oct 22 14:30 tmp
drwxr-xr-x.  12 root root  144 Oct 15 23:47 usr
drwxr-xr-x.  19 root root  266 Oct 17 07:08 var
[ec2-user@ip-172-31-6-191 /]$ cd
[ec2-user@ip-172-31-6-191 ~]$  cd ..
[ec2-user@ip-172-31-6-191 home]$ ls
amit  de01  dev02  dev3  ec2-user  priya  sumit
[ec2-user@ip-172-31-6-191 home]$ ls -lh
total 0
drwx------. 2 amit     amit      62 Oct 17 07:41 amit
drwx------. 2 de01     de01      62 Oct 22 07:13 de01
drwx------. 2 dev02    dev02     83 Oct 22 07:51 dev02
drwx------. 3 dev3     dev3      98 Oct 22 08:27 dev3
drwx------. 4 ec2-user ec2-user 114 Oct 22 06:51 ec2-user
```

```
drwx------. 2 priya    priya     62 Oct 17 07:41 priya
drwx------. 2     1001 sahil     83 Oct 17 07:39 sumit
[ec2-user@ip-172-31-6-191 home]$ deluser amit
-bash: deluser: command not found
[ec2-user@ip-172-31-6-191 home]$ del user amit
-bash: del: command not found
[ec2-user@ip-172-31-6-191 home]$ userdel amit
userdel: Permission denied.
userdel: cannot lock /etc/passwd; try again later.
[ec2-user@ip-172-31-6-191 home]$ cd
[ec2-user@ip-172-31-6-191 ~]$ ls
application
[ec2-user@ip-172-31-6-191 ~]$ adduser raaj
adduser: Permission denied.
adduser: cannot lock /etc/passwd; try again later.
[ec2-user@ip-172-31-6-191 ~]$ sudo useradd raaj
[ec2-user@ip-172-31-6-191 ~]$ cd ..
[ec2-user@ip-172-31-6-191 home]$ ls
amit  de01  dev02  dev3  ec2-user  priya  raaj  sumit
[ec2-user@ip-172-31-6-191 home]$ cd
[ec2-user@ip-172-31-6-191 ~]$ su raaj
Password:



khgiuadhsu: Authentication failure
[ec2-user@ip-172-31-6-191 ~]$
[ec2-user@ip-172-31-6-191 ~]$
[ec2-user@ip-172-31-6-191 ~]$
[ec2-user@ip-172-31-6-191 ~]$ sudo gpasswd raaj
Changing the password for group raaj
New Password:
Re-enter new password:
[ec2-user@ip-172-31-6-191 ~]$ su raaj
Password:
su: Authentication failure
[ec2-user@ip-172-31-6-191 ~]$ sudo su raaj
[raaj@ip-172-31-6-191 ec2-user]$ cd
[raaj@ip-172-31-6-191 ~]$ ls
[raaj@ip-172-31-6-191 ~]$ ls -a
.  ..  .bash_logout  .bash_profile  .bashrc
[raaj@ip-172-31-6-191 ~]$ mkdir application
[raaj@ip-172-31-6-191 ~]$ ls
application
[raaj@ip-172-31-6-191 ~]$ cd application/
[raaj@ip-172-31-6-191 application]$ mkdir frontend backend database
[raaj@ip-172-31-6-191 application]$ ls
backend  database  frontend
[raaj@ip-172-31-6-191 application]$ touch frontend/ index.html
[raaj@ip-172-31-6-191 application]$ touch backend/ app.py
```

```
[raaj@ip-172-31-6-191 application]$ touch database/ main.sql
[raaj@ip-172-31-6-191 application]$ ls
app.py  backend  database  frontend  index.html  main.sql
[raaj@ip-172-31-6-191 application]$ cd frontend/
[raaj@ip-172-31-6-191 frontend]$ ls
[raaj@ip-172-31-6-191 frontend]$ cd ..
[raaj@ip-172-31-6-191 application]$ ls
app.py  backend  database  frontend  index.html  main.sql
[raaj@ip-172-31-6-191 application]$ mv frontend index.html
mv: cannot overwrite non-directory 'index.html' with directory 'frontend'
[raaj@ip-172-31-6-191 application]$ mv index.html  frontend
[raaj@ip-172-31-6-191 application]$ ls
app.py  backend  database  frontend  main.sql
[raaj@ip-172-31-6-191 application]$ cd frontend/
[raaj@ip-172-31-6-191 frontend]$ ls
index.html
[raaj@ip-172-31-6-191 frontend]$ rm index.html
[raaj@ip-172-31-6-191 frontend]$ ls
[raaj@ip-172-31-6-191 frontend]$ cd ..
[raaj@ip-172-31-6-191 application]$ ls
app.py  backend  database  frontend  main.sql
[raaj@ip-172-31-6-191 application]$ rmdir database
[raaj@ip-172-31-6-191 application]$ ls
app.py  backend  frontend  main.sql
[raaj@ip-172-31-6-191 application]$ cd
[raaj@ip-172-31-6-191 ~]$ ls
application
[raaj@ip-172-31-6-191 ~]$ exit
exit
[ec2-user@ip-172-31-6-191 ~]$ ls
application
[ec2-user@ip-172-31-6-191 ~]$ cd application/
[ec2-user@ip-172-31-6-191 application]$ ls
opt
[ec2-user@ip-172-31-6-191 application]$ cd
[ec2-user@ip-172-31-6-191 ~]$ ls
application
[ec2-user@ip-172-31-6-191 ~]$ rmidr
.bash_history  .bash_logout   .bash_profile  .bashrc        .ssh/          application
/
[ec2-user@ip-172-31-6-191 ~]$ rmidr application/
-bash: rmidr: command not found
[ec2-user@ip-172-31-6-191 ~]$ rmdir application/
rmdir: failed to remove 'application/': Directory not empty
[ec2-user@ip-172-31-6-191 ~]$ rmdir -r application/
rmdir: invalid option -- 'r'
Try 'rmdir --help' for more information.
[ec2-user@ip-172-31-6-191 ~]$ rmdir -r application
rmdir: invalid option -- 'r'
Try 'rmdir --help' for more information.
```


```
[ec2-user@ip-172-31-6-191 ~]$ rmdir -rf application/
rmdir: invalid option -- 'r'
Try 'rmdir --help' for more information.
[ec2-user@ip-172-31-6-191 ~]$ cd ..
[ec2-user@ip-172-31-6-191 home]$ ls
amit  de01  dev02  dev3  ec2-user  priya  raaj  sumit
[ec2-user@ip-172-31-6-191 home]$ cd
[ec2-user@ip-172-31-6-191 ~]$ sudo useradd rahul
useradd: group rahul exists - if you want to add this user to that group, use -g.
[ec2-user@ip-172-31-6-191 ~]$ id rahul
id: ‘rahul’: no such user
[ec2-user@ip-172-31-6-191 ~]$  sudo useradd sahil
useradd: group sahil exists - if you want to add this user to that group, use -g.
[ec2-user@ip-172-31-6-191 ~]$  sudo useradd john
[ec2-user@ip-172-31-6-191 ~]$ cd ..
[ec2-user@ip-172-31-6-191 home]$ ls
amit  de01  dev02  dev3  ec2-user  john  priya  raaj  sumit
[ec2-user@ip-172-31-6-191 home]$ sudo gpasswd john
Changing the password for group john
New Password:
Re-enter new password:
[ec2-user@ip-172-31-6-191 home]$ su john
Password:
su: Authentication failure
[ec2-user@ip-172-31-6-191 home]$ sudo john
sudo: john: command not found
[ec2-user@ip-172-31-6-191 home]$ sudo su john
[john@ip-172-31-6-191 home]$ cd
[john@ip-172-31-6-191 ~]$ exit
exit
[ec2-user@ip-172-31-6-191 home]$ ls
amit  de01  dev02  dev3  ec2-user  john  priya  raaj  sumit
[ec2-user@ip-172-31-6-191 home]$ cd
[ec2-user@ip-172-31-6-191 ~]$ ls
application
[ec2-user@ip-172-31-6-191 ~]$ sudo su jo
su: user jo does not exist or the user entry does not contain all the required
fields
[ec2-user@ip-172-31-6-191 ~]$ sudo su john
[john@ip-172-31-6-191 ec2-user]$ ls
ls: cannot open directory '.': Permission denied
[john@ip-172-31-6-191 ec2-user]$ whoami
john
[john@ip-172-31-6-191 ec2-user]$ who am i
ec2-user pts/1        2026-10-22 14:54 (13.233.177.3)
[john@ip-172-31-6-191 ec2-user]$ cd
[john@ip-172-31-6-191 ~]$ exit
exit
[ec2-user@ip-172-31-6-191 ~]$ cd ..
[ec2-user@ip-172-31-6-191 home]$ ls
```


```
amit de01 dev02 dev3 ec2-user john priya raaj sumit
[ec2-user@ip-172-31-6-191 home]$ sudo userdel amit
[ec2-user@ip-172-31-6-191 home]$ ls\
>
amit de01 dev02 dev3 ec2-user john priya raaj sumit
[ec2-user@ip-172-31-6-191 home]$ cd amit/
-bash: cd: amit/: Permission denied
[ec2-user@ip-172-31-6-191 home]$ sudo cd amit/
[ec2-user@ip-172-31-6-191 home]$ ls
amit de01 dev02 dev3 ec2-user john priya raaj sumit
[ec2-user@ip-172-31-6-191 home]$ sudo cd amit
[ec2-user@ip-172-31-6-191 home]$ ls
amit de01 dev02 dev3 ec2-user john priya raaj sumit
[ec2-user@ip-172-31-6-191 home]$ su -i
su: invalid option -- 'i'
Try 'su --help' for more information.
[ec2-user@ip-172-31-6-191 home]$ sudo su de01
[de01@ip-172-31-6-191 home]$ ls
amit de01 dev02 dev3 ec2-user john priya raaj sumit
[de01@ip-172-31-6-191 home]$ cd
[de01@ip-172-31-6-191 ~]$ ls
[de01@ip-172-31-6-191 ~]$ cd ..
[de01@ip-172-31-6-191 home]$ exit
exit
[ec2-user@ip-172-31-6-191 home]$ cd
[ec2-user@ip-172-31-6-191 ~]$ ls
application
[ec2-user@ip-172-31-6-191 ~]$ sudo addgroup developer
sudo: addgroup: command not found
[ec2-user@ip-172-31-6-191 ~]$ sudo groupadd frontend
[ec2-user@ip-172-31-6-191 ~]$ getent group
root:x:0:
bin:x:1:
daemon:x:2:
sys:x:3:
adm:x:4:ec2-user
tty:x:5:
disk:x:6:
lp:x:7:
mem:x:8:
kmem:x:9:
wheel:x:10:ec2-user,priya
cdrom:x:11:
mail:x:12:
man:x:15:
dialout:x:18:
floppy:x:19:
games:x:20:
tape:x:33:
video:x:39:
```


```
ftp:x:50:
lock:x:54:
audio:x:63:
users:x:100:
nobody:x:65534:
utmp:x:22:
utempter:x:35:
dbus:x:81:
ssh_keys:x:101:
input:x:104:
kvm:x:36:
render:x:105:
sgx:x:106:
systemd-journal:x:190:ec2-user
systemd-network:x:192:
systemd-oom:x:999:
systemd-resolve:x:193:
rpc:x:32:
libstoragemgmt:x:998:
systemd-coredump:x:997:
systemd-timesync:x:996:
sshd:x:74:
chrony:x:995:
ec2-instance-connect:x:994:
stapusr:x:156:
stapsys:x:157:
stapdev:x:158:
stapunpriv:x:159:stapunpriv
rpcuser:x:29:
tcpdump:x:72:
screen:x:84:
ec2-user:x:1000:
sahil:x:1001:
rahul:x:1002:
test:x:1004:priya
DB:x:1005:
priya:x:1006:
de01:x:1008:
developers:x:1009:de01,dev02
dev02:x:1010:
dev3:x:1011:
raaj:x:1012:
john:x:1013:
frontend:x:1014:
[ec2-user@ip-172-31-6-191 ~]$ groups raaj
raaj : raaj
[ec2-user@ip-172-31-6-191 ~]$ sudo usermod -aG frontend raaj
[ec2-user@ip-172-31-6-191 ~]$ id raaj
uid=1008(raaj) gid=1012(raaj) groups=1012(raaj),1014(frontend)
[ec2-user@ip-172-31-6-191 ~]$ sudo usermode -c "raaj is ui developer" raaj
```


```
sudo: usermode: command not found
[ec2-user@ip-172-31-6-191 ~]$ sudo usermod -c "raaj is ui developer" raaj
[ec2-user@ip-172-31-6-191 ~]$ id raaj
uid=1008(raaj) gid=1012(raaj) groups=1012(raaj),1014(frontend)
[ec2-user@ip-172-31-6-191 ~]$ sudo usermod -u 1005 raaj
usermod: UID '1005' already exists
[ec2-user@ip-172-31-6-191 ~]$ sudo usermod -u 1009 raaj
usermod: UID '1009' already exists
[ec2-user@ip-172-31-6-191 ~]$ sudo usermod -u 1015 raaj
[ec2-user@ip-172-31-6-191 ~]$ id raaj
uid=1015(raaj) gid=1012(raaj) groups=1012(raaj),1014(frontend)
[ec2-user@ip-172-31-6-191 ~]$
```

Output-





Free Cloud Computing Services
Instances | EC2 | My First Project
EC2 Instance Connect | My First
Go Home Directory
715054849658-y26kevkq.ap-southeast-2.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connTy
FreeJobAlert.Com :...
Inbox (14,525) - bhu...
Inbox (2,317) - bhu...
Home | Mynaukri
Feed | LinkedIn
Job Search India | In...
aws
Search
[Alt+S]
We trust you have received the usual lecture from the local System
Administrator. It usually boils down to these three things:
#1) Respect the privacy of others.
#2) Think before you type.
#3) With great power comes great responsibility.
For security reasons, the password you type will not be visible.
[sudo] password for john:
Sorry, try again.
[sudo] password for john:
Sorry, try again.
[sudo] password for john:
sudo: 3 incorrect password attempts
[john@ip-172-31-36-237 home]$ exit
exit
[ec2-user@ip-172-31-36-237 ~]$ cd ..
[ec2-user@ip-172-31-36-237 home]$ ls
ec2-user john raj
[ec2-user@ip-172-31-36-237 home]$ sudo userdel raj
[ec2-user@ip-172-31-36-237 home]$ ls\
>
ec2-user john raj
[ec2-user@ip-172-31-36-237 home]$ sudo su de01
su: user de01 does not exist or the user entry does not contain all the required fields
[ec2-user@ip-172-31-36-237 home]$ cd
[ec2-user@ip-172-31-36-237 ~]$ ls
amit dev1 dev2 dev3 dev4 rahul sachin
i-0b293ea15f7b8e879 (Linux-Server)
PublicIPs: 13.211.163.66 PrivateIPs: 172.31.36.237
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026,


715054849658-y26kevkq.ap-southeast-2.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=
EC2 Instance Connect | My First
FreeJobAlert.Com :...
Inbox (14,525) - bhu...
Inbox (2,317) - bhu...
Home | Mynaukri
Feed | LinkedIn
Job Search India
aws
Search
[Alt+S]
>
ec2-user john raj
[ec2-user@ip-172-31-36-237 home]$ sudo su de01
su: user de01 does not exist or the user entry does not contain all the required fields
[ec2-user@ip-172-31-36-237 home]$ cd
[ec2-user@ip-172-31-36-237 ~]$ ls
amit dev1 dev2 dev3 dev4 rahul sachin
[ec2-user@ip-172-31-36-237 ~]$ sudo su am01
su: user am01 does not exist or the user entry does not contain all the required fields
[ec2-user@ip-172-31-36-237 ~]$ cd ..
[ec2-user@ip-172-31-36-237 home]$ sudo su am01
su: user am01 does not exist or the user entry does not contain all the required fields
[ec2-user@ip-172-31-36-237 home]$ sudo su b1
su: user b1 does not exist or the user entry does not contain all the required fields
[ec2-user@ip-172-31-36-237 home]$ mkdir de01
mkdir: cannot create directory 'de01': Permission denied
[ec2-user@ip-172-31-36-237 home]$ cd
[ec2-user@ip-172-31-36-237 ~]$ mkdir de01
[ec2-user@ip-172-31-36-237 ~]$ ls
amit de01 dev1 dev2 dev3 dev4 rahul sachin
[ec2-user@ip-172-31-36-237 ~]$ cd ..
[ec2-user@ip-172-31-36-237 home]$ sudo su de01
su: user de01 does not exist or the user entry does not contain all the required fields
[ec2-user@ip-172-31-36-237 home]$ cd
[ec2-user@ip-172-31-36-237 ~]$ ls
amit de01 dev1 dev2 dev3 dev4 rahul sachin
[ec2-user@ip-172-31-36-237 ~]$ sudo groupadd frontend
[ec2-user@ip-172-31-36-237 ~]$ getent group
root:x:0:
bin:x:1:
i-0b293ea15f7b8e879 (Linux-Server)


Free Cloud Computing Services
Instances | EC2 | My First Project
EC2 Instance Connect | My First
Go Home Directory
715054849658-y26kevkq.ap-southeast-2.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=
FreeJobAlert.Com :...
Inbox (14,525) - bhu...
Inbox (2,317) - bhu...
Home | Mynaukri
Feed | LinkedIn
Job Search India | In...
aws
Search
[Alt+S]
[ec2-user@ip-172-31-36-237 home]$ cd
[ec2-user@ip-172-31-36-237 ~]$ ls
amit de01 dev1 dev2 dev3 dev4 rahul sachin
[ec2-user@ip-172-31-36-237 ~]$ sudo groupadd frontend
[ec2-user@ip-172-31-36-237 ~]$ getent group
root:x:0:
bin:x:1:
daemon:x:2:
sys:x:3:
adm:x:4:ec2-user
tty:x:5:
disk:x:6:
lp:x:7:
mem:x:8:
kmem:x:9:
wheel:x:10:ec2-user
cdrom:x:11:
mail:x:12:
man:x:15:
dialout:x:18:
floppy:x:19:
games:x:20:
tape:x:33:
video:x:39:
ftp:x:50:
lock:x:54:
audio:x:63:
users:x:100:
nobody:x:65534:
utmp:x:22:
i-0b293ea15f7b8e879 (Linux-Server)
PublicIPs: 13.211.163.66 PrivateIPs: 172.31.36.237
CloudShell
Agent Toolkit for AWS
Feedback
Language

FreeJobAlert.Com :...
Inbox (14,525) - bhu...
Inbox (2,317) - bhu...
Home | Mynaukri
Feed | LinkedIn
aws
Search
[Alt+S]
sshd:x:74:
chrony:x:995:
ec2-instance-connect:x:994:
stapusr:x:156:
stapsys:x:157:
stapdev:x:158:
stapunpriv:x:159:stapunpriv
rpcuser:x:29:
tcpdump:x:72:
screen:x:84:
ec2-user:x:1000:
john:x:1002:
frontend:x:1003:
[ec2-user@ip-172-31-36-237 ~]$ groups aj
groups: 'aj': no such user
[ec2-user@ip-172-31-36-237 ~]$ groups raj
groups: 'raj': no such user
[ec2-user@ip-172-31-36-237 ~]$ sudo usermod -aG frontend raj
usermod: user 'raj' does not exist
[ec2-user@ip-172-31-36-237 ~]$ sudo usermod -aG frontend john
[ec2-user@ip-172-31-36-237 ~]$ id john
uid=1002(john) gid=1002(john) groups=1002(john),1003(frontend)
[ec2-user@ip-172-31-36-237 ~]$ sudo usermode -c
sudo: usermode: command not found
[ec2-user@ip-172-31-36-237 ~]$ sudo usermod -c
usermod: option requires an argument -- 'c'
Usage: usermod [options] LOGIN
Options:
-b, --badnames allow bad names
i-0b293ea15f7b8e879 (Linux-Server)
PublicIPs: 13.211.163.66 PrivateIPs: 172.31.36.237
CloudShell
Agent Toolkit for AWS
Feedback
Language
32°C
Sunny


715054849658-y26kevkq.ap-southeast-2.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ip
FreeJobAlert.Com :...
Inbox (14,525) - bhu...
Inbox (2,317) - bhu...
Home | Mynaukri
Feed | LinkedIn
Job Search India | In
aws
Search
[Alt+S]
[ec2-user@ip-172-31-36-237 ~]$ sudo usermod -aG frontend raj
usermod: user 'raj' does not exist
[ec2-user@ip-172-31-36-237 ~]$ sudo usermod -aG frontend john
[ec2-user@ip-172-31-36-237 ~]$ id john
uid=1002(john) gid=1002(john) groups=1002(john),1003(frontend)
[ec2-user@ip-172-31-36-237 ~]$ sudo usermode -c
sudo: usermode: command not found
[ec2-user@ip-172-31-36-237 ~]$ sudo usermod -c
usermod: option requires an argument -- 'c'
Usage: usermod [options] LOGIN
Options:
-b, --badnames allow bad names
-c, --comment COMMENT new value of the GECOS field
-d, --home HOME_DIR new home directory for the user account
-e, --expiredate EXPIRE_DATE set account expiration date to EXPIRE_DATE
-f, --inactive INACTIVE set password inactive after expiration
to INACTIVE
-g, --gid GROUP force use GROUP as new primary group
-G, --groups GROUPS new list of supplementary GROUPS
-a, --append append the user to the supplemental GROUPS
mentioned by the -G option without removing
the user from other groups
-h, --help display this help message and exit
-l, --login NEW_LOGIN new value of the login name
-L, --lock lock the user account
-m, --move-home move contents of the home directory to the
new location (use only with -d)
-o, --non-unique allow using duplicate (non-unique) UID
-p, --password PASSWORD use encrypted password for the new password
i-0b293ea15f7b8e879 (Linux-Server)
PublicIPs: 13.211.163.66 PrivateIPs: 172.31.36.237
CloudShell
Agent Toolkit for AWS
Feedback
Language
32°C
Sunny
Search