

Supervisor walk — every screen, step by step

Before you start — five minutes, once

1. On the shop PC, double-click **START.cmd**; it prints the address for the tablet.
2. On the tablet, turn **mobile data off** and join the shop Wi-Fi.
3. Install the certificate on the tablet once — **server\certs\lan-cert.crt**, as in TABLET_TRUST.md — so the address opens with no warning and the camera and offline mode are allowed.
4. Open the address START.cmd printed and accept *Add to home screen*.
5. Sign in with the supervisor account you were given.

Then go step by step. Each step shows the screen as it should look, the taps in order, what must be on your screen, and what to suspect when it is not. Tick **Seen it** only when you saw it.

Verified on the packaged build

17 / 17 steps verified

When 21 September 2026

On the packaged bundle, seeded with the demonstration record, on a laptop screen

By hand 1 step (3.8) need a person or a second device


3.1 – 3.7, 3.10 – 3.11 · The pipeline — wagons, the gate, the wheels

3.8 – 3.9 · A released wagon — certificate and passport

3.15 – 3.21 · The records — manual, shadow run, ask, audit, override, Hindi

The pipeline — wagons, the gate, the wheels 3.1 – 3.7, 3.10 – 3.11

Sign in as a supervisor. On the laptop, on the projector.



pipeline

DO

1. Sign in with the account you were given.
2. Tap **Wagons Pipeline** in the bar.

YOU MUST SEE

- **Wagons in the workshop**: a tile for each of the seven stages with its count, **Total 13**.
- A card per wagon: its stage, **days in shop** (hours while it is under two days), the bar of progress, *In: date · Due: date*, and **Open →**.
- Above the list, **Shift handover**: *Draft from today's records* writes a few sentences from the day's own record to read, change and sign.

WHAT IT PROVES

This is the board the shop keeps on a whiteboard today, computed from the record — which stage each wagon is in, how long it has been there, and when it is due.

CHECKED ON THE BUILD

verified · 05:05:18 pm

- ✓ the Wagons Pipeline heading
- ✓ thirteen wagons, seven stage tiles with their counts
- ✓ days in shop and the due date on the cards

IF IT IS NOT THERE

- Fewer than thirteen wagons or empty stage tiles: the demonstration record was not seeded — DEMO-DATA.cmd on the PC.

register form

DO

1. Tap **Register New Wagon**. Read the form: number, type, railway, due-out date, notes.
2. Try to register **WR/BCNHL/40112** again; try **ADSFADS**; try a made-up type.

YOU MUST SEE

- The duplicate is refused — *already exists*.
- **ADSFADS** is refused — *not a wagon number*. A number is RLY/TYPE/NUMBER or the eleven-digit form.
- A type the standard does not know is refused — the checklist, spring counts and pocket counts all come from the type.

WHAT IT PROVES

The pipeline can only hold real wagons of known types; the rest of the record is built on that. A wagon registered by mistake is voided with a reason and a one-time code (*Registered in error?* on the wagon), never deleted.

CHECKED ON THE BUILD

verified • 05:05:21 pm

- ✓ a duplicate number (WR/BCNHL/40112) is refused: 409
WAGON_ALREADY_EXISTS
- ✓ "ADSFADS" is refused — not a wagon number: 400
- ✓ a nonsense type is refused: 400

IF IT IS NOT THERE

- A nonsense number or type goes through: report it — it is a validation fault on the server.

3.3 The pocket counts, as a supervisor sees them

☐ Seen it

IR

WRS Raipur

RDSO G-95 Rev-II

Online

हिंदी

S. K. Verma

SUPERVISOR

Authenticator

Password

Logout

Wagons Pipeline

Single Spring

Spring Batch

Ask the Manual

Shadow Run

Ask the Records

Audit Chain

← Back to Wagons List

WR/BCNHL/40112

BCNHL

WR

Due out: 2026-09-19

19/09/2026

Advance to Next Stage →

Move Stage (incl. back)

Entry Registration

Dismantling

Component Inspection

Repair & Replacement

Reassembly

Final QC Gate

Certified Release

Checklist

Condition report

Release checks

Passport

Parts

Photos (4)

Timeline

Air-brake test

Sound

Serialized parts (2)

Bogie assembly evidence

All four positions recorded. Nothing is checked automatically — reading them is a person's job.

Open

Pocket counts

A person counts the springs in each frame; a second person recounts without seeing the first. The expected number comes from the wagon type and is compared on the server. A short count reaches the exit gate; a matching count is a count, not a tick.

BOGIE 1 · SIDE A	7% and 7% — agree	View
BOGIE 1 · SIDE B	Counted 7% by Praveen Singh — recount pending	Recount
BOGIE 2 · SIDE A	Counted 7% by Praveen Singh — recount pending	Recount
BOGIE 2 · SIDE B	Counted 5% by Praveen Singh — recount pending BOGIE 2 SIDE B: 6 of 7 outer counted on the photograph. A pocket may be empty — look at the frame before this wagon is signed off.	Recount

40112 photos

DO

1. Open **WR/BCNHL/40112** → the **Photos** tab.
2. Read the four **Pocket counts** lines.

YOU MUST SEE

- Bogie 1 · Side A, Bogie 1 · Side B, Bogie 2 · Side A: complete, not flagged.
- **Bogie 2 · Side B: 6 of 7 outer counted** — the figure the inspector was not shown, because a supervisor may see a first count before the blind recount.

WHAT IT PROVES

The same wagon the inspector saw in 2.13. The inspector saw "a blind recount is needed" and no numbers; the supervisor sees the numbers. Two views of one record, by role.


CHECKED ON THE BUILD

verified · 05:05:24 pm

- ✓ Bogie 2 · Side B shows the figures the inspector was not shown: "BOGIE 2 · SIDE B Counted 6,7,7,2 by Praveen Singh — recount pending BOGIE 2 SIDE B: 6 of 7 outer counted on the "
- ✓ BOGIE 1-SIDE A is complete — not flagged
- ✓ BOGIE 1-SIDE B is complete — not flagged
- ✓ BOGIE 2-SIDE A is complete — not flagged

IF IT IS NOT THERE

- The supervisor sees no figures either: the seed did not write the counts — re-seed.



40112 release checks

DO

1. Same wagon → the **Release checks** tab.

YOU MUST SEE

- ▶ *Bogie 2 Side B: the first count fell short of what this wagon type carries. A second person must recount the frame blind before the figures are shown here.* — listed as an advisory, by name.
- ▶ Release needs it acknowledged by the supervisor signing off.


WHAT IT PROVES

Nothing about the short pocket is lost between the photograph and the exit gate: it is waiting there, named, for a person to deal with.

CHECKED ON THE BUILD

verified · 05:05:32 pm

- ✓ the advisory names the frame: "BOGIE 2 SIDE B: the first count fell short of what this wagon type carries. A second person must recount the frame blind before the figures are shown here."
- ✓ and it is on the screen



30914 release checks

DO

1. Open **SER/BOXNHL/30914** (at the Final QC Gate) → **Release checks**.

YOU MUST SEE

- Three blockers, each in plain words: *Outer Spring (Bogie 1) is condemned and requires replacement; Wheel axle 3 left is below the last-shop-issue diameter: tread diameter 917.5 mm (last shop issue 919 mm, condemn 906 mm); CTRB Cartridge Bearing Rotation has not been inspected.*
- The **Authorize** button is disabled while any blocker stands.

WHAT IT PROVES

Nothing leaves with a known condemned spring, a wheel under the last-shop-issue diameter or a mandatory check undone — and the screen says which, with the figure and the limit.

CHECKED ON THE BUILD

verified • 05:05:36 pm


- ✓ blocked by a condemned spring: "Mandatory component "Outer Spring (Bogie 1)" (SPRINGS) is condemned and requires replaceme"
- ✓ blocked by the axle-3 pair at 917.5 below 919: "Wheel axle 3 left is below the last-shop-issue diameter: tread diameter 917.5 mm (last shop issue 919 mm, cond"
- ✓ a bearing rotation check pending: "Mandatory component "CTRB Cartridge Bearing Rotation" (BEARINGS) has not been inspected."
- ✓ the blockers are on the screen with the figure
- ✓ Authorise is disabled or absent while blockers stand

IF IT IS NOT THERE

- Authorize is enabled with blockers listed: report it at once.

3.6 The wheels, with the limit beside each

☐

 Seen it

30914 wheels

DO

- 1. Same wagon → **Checklist** tab → scroll to the wheels (Axle 1 · bogie 1 ... Axle 4 · bogie 2).

YOU MUST SEE

- ▶ Eight chalk figures, one per wheel, each judged: *within limits* in green, *below issue limit* in amber for axle 3 (917.5 / 917.8 mm).
- ▶ Beneath: *Diameters: Wagon Maintenance Manual Ch.6 (RDSO WD-88089/S-1). Variation: IRCA Part III Rule 2.8.9.2. Flange and flat limits: IRCA Part III Plate 52.*
- ▶ *8 of 8 wheels read; every variation within its limit.*

WHAT IT PROVES

The limit and the drawing number are on the screen, not in someone's memory; the same-axle and same-bogie variation rules are checked as the figures come in.


CHECKED ON THE BUILD

verified · 05:05:45 pm

- ✓ eight chalk figures (11 found)
- ✓ axle 3 flagged below the issue limit
- ✓ the drawing and rule cited beneath

3.7 The condition report

☐ Seen it



30914 condition report

DO

1. Same wagon → **Condition report** tab.

YOU MUST SEE

- ▶ A one-page report for this wagon — what was found, what was done — with **Print report**.

WHAT IT PROVES

The paper the shop files today, produced from the record instead of retyped.

CHECKED ON THE BUILD

verified · 05:05:48 pm

- ✓ a printable one-page report with a Print button
- ✓ for this wagon

3.10 Moving a due-out date asks why

☐ Seen it

WRS Raipur RDSO G-95 Rev-II
WRS Raipur Bogie & Wagon QC Section

Online हिंदी S. K. Verma SUPERVISOR Authenticator Password Logout

Wagons Pipeline Single Spring Spring Batch Ask the Manual Shadow Run Ask the Records Audit Chain

← Back to Wagons List
WR/BCNHL/40112 BCNHL WR Due out: 2026-09-24 24/09/2026 Advance to Next Stage → Move Stage (incl. back)

Due-out moved 2026-09-19 → 2026-09-24, with the reason, on the audit trail.

Entry Registration Dismantling Component Inspection Repair & Replacement Reassembly Final QC Gate Certified Release

Checklist Condition report Release checks Passport Parts Photos (4) Timeline Air-brake test Sound Serialized parts (2)

Suggestions from history
Drawn from what this shop recorded on the same part before. Nothing applies itself — each one shows its evidence and waits for you. Suggest from history

Wheels — what the gauge read
BCN / BOXN on CASNUB: new 1000 mm, may not leave a POH below 919 mm, condemned below 906 mm (WD-97037-S-01 (WMM Ch.6, WD-88089/S-1)). Diameters on one axle within 0.5 mm, one bogie 13 mm, the wagon 25 mm. Tread diameter is measured 66.5 mm from the rim face (63.5 mm from the flange end).
Diameters: Wagon Maintenance Manual Ch.6 (RDSO WD-88089/S-1). Variation: IRCA Part III Rule 2.8.9.2. Flange and flat limits: IRCA Part III Plate 52 (tyre defect gauge). Hollow tyre: IRIMEE notes.

AXLE 1 · BOGIE 1	AXLE 2 · BOGIE 1	AXLE 3 · BOGIE 2	AXLE 4 · BOGIE 2
Left not read	Left not read	Left not read	Left not read
Right not read	Right not read	Right not read	Right not read

40112 due out

DO

1. Open **WR/BCNHL/40112**. In the **Due out** badge pick a date a few days on.
2. Type a reason; tap **Move the date**.

YOU MUST SEE

- ▶ A box appears asking **why**; *Move the date* is disabled until a reason is typed.
- ▶ A green line: *Due-out moved 2026-09-19 → 2026-09-24, with the reason, on the audit trail.*

WHAT IT PROVES

The date the DRM's "will miss its date" list is computed from cannot drift silently.


CHECKED ON THE BUILD

verified · 05:06:07 pm

- ✓ a box asks why
- ✓ "Move the date" stays disabled until a reason is typed
- ✓ a green line confirms it: "Due-out moved 2026-09-19 → 2026-09-24, with the reason, on the audit trail."

IF IT IS NOT THERE

- Put the date back afterwards (with a reason) so the demonstration record stays as the demo expects.



supervisor menu

DO

1. Look at the bar.

YOU MUST SEE

► Wagons Pipeline · Single Spring · Spring Batch · Ask the Manual · Shadow Run · Ask the Records · Audit Chain — and not Stores, Passports, History, Analytics or Learning.

WHAT IT PROVES

By design for the pilot: the supervisor's menu is the shop floor. The rest is under the DRM (4.3, 4.4) and the administrator (5.9–5.11).

CHECKED ON THE BUILD

verified · 05:06:16 pm

✓ none of the five is on the menu (0 visible) – by design, the pilot keeps the supervisor on the shop floor

A released wagon — certificate and passport 3.8 – 3.9

SECR/BOXNHL/10492, released weeks ago.

Release Certificate — SECR/BOXNHL/10492
Form RDSO/WRS/QC-REL (Bogie & Brake Certified)

भारतीय रेल / INDIAN RAILWAYS - दक्षिण पूर्व मध्य रेलवे / SECR
WAGON REPAIR SHOP (WRS), RAIPUR (C.G.)
रोलिंग स्टॉक विमुक्ति प्रमाणपत्र / ROLLING STOCK QUALITY RELEASE CERTIFICATE
CERTIFICATE NO: WRS/QC-REL/2026/08/C805

Wagon Number:	SECR/BOXNHL/10492	Wagon Type:	BOXNHL
Owning Railway:	SECR	Intake Date:	2026-08-24
Release Date:	2026-08-30	Workshop TAT:	6.2 Days

1. CASNUB BOGIE 8-CATEGORY RDSO QUALITY CLEARANCE MATRIX

Category	Subsystem Inspection Scope	Standard Ref	Clearance Status
1. Springs	Outer, Inner, Snubber (Bogie 1 & 2)	RDSO G-95 Table 28-33	6/6 CLEARED
2. Wheels & Axles	Wheel profile, tread wear, flange, UST	RDSO C-9901 / ND-97	4/4 CLEARED
3. Bearings	CTRB cartridge bearings, adapter, seals	RDSO G-81	6/6 CLEARED
4. Brake System	Brake blocks, rigging, SAB, cylinder, DV	RDSO 02-ABR-02	7/7 CLEARED
5. Couplers & Draft	CBC body, knuckle, high-capacity draft gear	RDSO 48-BD-08 / WD-70-BD-10	6/6 CLEARED
6. Bogie Frame	Side frames, bolster, centre plate, bearers	RDSO G-95	5/5 CLEARED
7. Friction Wedges	Slope wear, vertical face, spigot fit	RDSO G-95 / WMM 2.0 §309D	3/3 CLEARED

10492 certificate

DO

1. Open **SECR/BOXNHL/10492** (Certified Release) → the green **Release Certificate** button.
2. Read the header; scroll the eight categories.
3. **Scan the QR with the phone** on the same Wi-Fi. Then **Print Certificate**.

YOU MUST SEE

- ▶ *Certificate No: WRS/QC-REL/2026/08/...*, wagon, type, railway, intake date, **release date weeks ago — not today**, *Workshop TAT: 6.2 Days*.
- ▶ The eight-category clearance matrix, each **CLEARED** with its standard (G-95 Tables 28–33, C-9901, G-81, 02-ABR-02 ...).
- ▶ The QR is a link to *verify.html* on this server; the phone opens it and shows **VERIFIED**. Print gives a clean page.

WHAT IT PROVES

A certificate that proves itself: the number fetches the signed record with no account, and the signature is checked in the phone's own browser.

CHECKED ON THE BUILD

verified • 05:05:52 pm

- ✓ a certificate number: WRS/QC-REL/2026/08/C805
- ✓ the turnaround: TAT: 6.2 Days
- ✓ the eight categories, each cleared
- ✓ a QR on the certificate
- ✓ the QR is a link to this server's verify page:
<https://192.168.1.5:3200/verify.html?n=WRS%2FQC-REL%2F2026%2F08%2FC805...>
- ✓ the release date is when it left (2026-08-30), not today
- ✓ the number fetches the signed certificate with no account (200)


By hand: Scanning the QR needs the phone; the verify page itself was checked from the laptop.

IF IT IS NOT THERE


- The phone opens the sign-in screen instead of the verify page: the phone has an old copy of the app — open the address once more and it updates itself.
- The release date is today: the seed ran with the wrong clock; re-seed.

3.9 The passport

☐ Seen it



10492 passport



10492 passport exported

DO

1. Same wagon → **Passport** tab → **Export the passport**.
2. Read *What the passport holds* under the button.

YOU MUST SEE

- ▶ A file `SECR_BOXNHL_10492.passport.jsonl` downloads.
- ▶ *Passport file saved. It is for the next workshop's software, not for reading — what it contains is listed below.* Stage moves, spring readings, checklist verdicts, parts, tests, photographs, the sign-off, with dates and who sealed each.

WHAT IT PROVES

The wagon carries its own signed history to the next POH shop; no central server has to exist for two shops to trust each other's record.

CHECKED ON THE BUILD

verified · 05:06:00 pm

- ✓ a .jsonl file downloads (`SECR_BOXNHL_10492.passport.jsonl`)
- ✓ under the button, what the passport holds: "Passport file saved. It is for the next workshop's software, not for reading — what it contains is listed below. Anyone ..."


IF IT IS NOT THERE

- Nothing downloads: the browser blocked the download — allow it for this address.

What the supervisor uses to decide and to prove.

3.15 Ask the Manual

☐ Seen it



manual

DO

- 1. Ask the Manual → brake block condemning limit.

YOU MUST SEE

- The first hit labelled **ANSWER — IN THE DOCUMENT'S OWN WORDS**, the page, a *Source*: line; more under **ALSO IN**.

WHAT IT PROVES

Same as 2.19 — it quotes, never paraphrases.


CHECKED ON THE BUILD

verified · 05:06:17 pm

- ✓ the answer in the document's own words, with its source

IF IT IS NOT THERE

- "Manual not indexed": INDEX-MANUALS.cmd on the PC.



shadow

DO

1. **Shadow Run.** Read the week and the verdict.
2. Record a discrepancy and a day's summary with the two forms.

YOU MUST SEE

- A week of the log, day by day; the verdict box.
- The case that decides: *the snubber on NR/BOXN/60334 — the register would have passed it.*
- Both forms are on the page; what you record appears in the list.

WHAT IT PROVES

This is how the pilot is proposed to start — the register and the app side by side for two weeks — and this screen is what decides go-live.

CHECKED ON THE BUILD

verified • 05:06:24 pm


✓ a week of the log

✓ the verdict


✓ the snubber on NR/BOXN/60334 — the register would have passed it

✓ a discrepancy can be recorded

✓ a day's summary can be recorded



ask snubbers



ask gauge

DO

1. **Ask the Records** → *which wagon type condemns the most snubbers this quarter* → open **How this was computed**.
2. Then *is any gauge reading high*.
3. Then something it cannot know.

YOU MUST SEE

- ▶ An answer with its count; under *How this was computed* the query, its parameters and the rows.
- ▶ **OSG-02** named as reading high, by how much, and that with two gauges the record cannot say which is off — both go against the master.
- ▶ A question outside the record → it says it cannot answer, rather than inventing one.


WHAT IT PROVES

Questions in plain words; the arithmetic is fixed and shown. Its refusal to guess is the point.

CHECKED ON THE BUILD

- ✓ an answer with its count
- ✓ "How this was computed" shows the query and the rows
- ✓ OSG-02 named as the gauge reading high
- ✓ a question it cannot answer → it says so

verified • 05:06:28 pm



audit

DO

1. Audit Chain → Verify chain again.

YOU MUST SEE

► **Chain intact**, and the green card gains *Re-derived just now — at HH:MM:SS, in N ms (check 2 this session)* with the count of entries checked.


WHAT IT PROVES

Every entry is hashed with the one before it. The screen re-derives the whole chain in front of you; if any entry had been altered it would say where.


CHECKED ON THE BUILD		verified · 05:06:44 pm
✓	the verdict: "Chain intact Re-derived just now — at 5:06:48 pm, in 14 ms (check 2 this session)"	
✓	"Re-derived just now — at 5:06:48 pm, in 14 ms (check 2 this session)"	

IF IT IS NOT THERE

- The card does not change on the second press: reload once; the pulse is one second long.



single spring override button



override modal

DO

1. **Single Spring** → a wagon, a bogie, a height.
2. At the bottom, next to Save, tap the amber **Supervisor override — change the band**.

YOU MUST SEE

- **Supervisor Override**: the six bands to choose from; *Override justification (required)*, ten characters at least; *Supervisor OTP verification* → *Request OTP*; **Authorize Override** disabled until all three are given.
- The record then shows both the original and the overridden band, with the name and the reason.

WHAT IT PROVES

A supervisor can overrule the table — with a reason, a code and their name on the record. Never silently.

CHECKED ON THE BUILD

verified · 05:06:52 pm


- ✓ the amber "Supervisor override — change the band" is next to Save
- ✓ it asks the new band — six to pick from
- ✓ a justification is required (ten characters at least)
- ✓ and the one-time code
- ✓ Authorize Override stays disabled until all three are given

IF IT IS NOT THERE

- Cancel in this check; do not leave an override on the demo record.

3.21 Hindi on the pipeline and release checks

☐ Seen it



pipeline hindi

DO

1. **Wagons Pipeline** → tap **हिंदी**; then a wagon's release checks; then back to **EN**.

YOU MUST SEE

- ▶ Everything translated; wagon numbers, dates and figures unchanged.

WHAT IT PROVES

The floor works in Hindi; the numbers are the same in both.

CHECKED ON THE BUILD

verified · 05:07:00 pm

- ✓ the pipeline is in Hindi
- ✓ wagon numbers unchanged

IF IT IS NOT THERE

- A line still in English inside a Hindi screen: note which — a missing translation, not a fault in the record.