NAME: _____   DATE: _____

C|Y|S: _____   SCORE: _____

EXERCISE #9: Internal Style Sheet

Edit the script below with the following specification:

- Set background color of the page to green.
- Change the color of the element <h1>, <h2>, <h3>, <a>, <em>, <strong>, to yellow.
- Change the color of the element <label> to black.
- Center the element <p> and <h1>.
- Change the font size of the element <p> to 20px.
- Change the padding of the element <table>, <th>, <td> to 10px.

Save your work under "***Internal Style Sheet***" folder. Filename: ***Exer5.html***

```
<!DOCTYPE html>
<html>
<head>
   <title>Internal Style Sheet</title>

        <style>


        </style>

</head>

<body>

  <h1>Internal Style Sheet</h1>

  <p>An internal CSS is used to define a style for a single HTML page.

        An internal CSS is defined in the "head" section of an HTML page, within a
"style" element:
  </p>

  <h2>Tutorials:</h2>
    <ul>
     <li><a href="https://www.w3schools.com/html/html_css.asp">Color</a></li>
        <li><a href="https://www.w3schools.com/html/html_css.asp">Backround
Color</a></li>
        <li><a href="https://www.w3schools.com/html/html_css.asp">Font
Size</a></li>
```

Prepared by:
Jay-Arr C. Buhain

```
        <li><a href="https://www.w3schools.com/html/html_css.asp">Font
Family</a></li>
        <li><a href="https://www.w3schools.com/html/html_css.asp">Border</a></li>
        <li><a
href="https://www.w3schools.com/html/html_css.asp">Padding</a></li>
        <li><a href="https://www.w3schools.com/html/html_css.asp">Margin</a></li>
        <li><a href="https://www.w3schools.com/html/html_css.asp">Text
Alignment</a></li>
        <li><a href="https://www.w3schools.com/html/html_css.asp">ID
Attribute</a></li>
        <li><a href="https://www.w3schools.com/html/html_css.asp">Class
Attribute</a></li>
    </ul>

  <h2>Table</h2>
  <table border="1">
   <thead>
    <tr>
     <th>Column A</th>
     <th>Column B</th>
    </tr>
   </thead>
   <tbody>
    <tr>
     <td>Row 1 Column 1</td>
     <td>Row 1 Column 2</td>
    </tr>
    <tr>
      <td>Row 2 Column 1</td>
      <td>Row 2 Column 2</td>
    </tr>
   </tbody>
  </table>

  <h2>Form</h2>
  <form action="mailto:youraddress@gmail.com" enctype="text/plain"
method="post">
   <label>Last Name: <input class="required" name="lname" type="text"></label>
   <br>
   <label>First Name: <input class="required" name="fname" type="text"></label>
   <br>
   <label>Location:
    <select name="location">
     <option value="loc">Local</option>
     <option value="int">International</option>
    </select></label>
   <br>
```

```html
    <fieldset>
     <legend>Sex:</legend>
     <label for="female">Female</label>
     <input type="radio" name="sex" id="female" value="female">
     <label for="male"> Male</label>
     <input type="radio" name="sex" id="male" value="male">
    </fieldset>
    <br>
    <label>Experience:
    <br>
    <textarea name="experience"></textarea>
    </label>
    <br>
    <button type="submit">send</button>
  </form>

  <br><br>
  <a id="twitter" href="http://www.twitter.com">Twitter</a> | <a
href="http://www.facebook.com">Facebook</a> | <a
href="http://www.instagram.com">Instagram</a>

 </body>
</html>
```

Prepared by:
Jay-Arr C. Buhain

Internal CSS

An internal CSS is used to define a style for a single HTML page.

An internal CSS is defined in the <head> section of an HTML page, within a <style> element:

Example1:

```
<!DOCTYPE html>
<html>
<head>
<style>
body {background-color: powderblue;}
h1   {color: blue;}
p    {color: red;}
</style>
</head>
<body>

<h1>This is a heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

Example2:

```
<!DOCTYPE html>
<html>
<head>
<style>
h1 {
    color: blue;
    font-family: verdana;
    font-size: 300%;
}
p  {
    color: red;
    font-family: courier;
    font-size: 160%;
}
</style>
```

Prepared by:
Jay-Arr C. Buhain

```
</head>
<body>

<h1>This is a heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

CSS Border, Padding, Margin and Text Alignment

Example3:

```
p {
    border: 1px solid powderblue;
    padding: 30px;
    margin: 50px;
    text-align: center;

}
```

ID Attribute

```
<style>
#p01 {
    color: blue;
}

</style>
<p id="p01">I am different</p>
```

Class Attribute

```
<style>
p.error {
    color: red;
}

</style>


<p class="error">I am different</p>
```

Prepared by:
Jay-Arr C. Buhain