

GRAINGER®

|||| FOR THE ONES WHO GET IT DONE

Canada

GRAINGER®

|||| FOR THE ONES WHO MAKE IT HAPPEN

Supplies & Solutions for Every Industry®

HIGH-QUALITY PRODUCTS | FAST DELIVERY
ACCESS TO EXPERTS | INVENTORY MANAGEMENT

CONDOR

Standard Bump Caps

- For situations where protection is desired, but not required
- Such as automotive, pest control, food processing
- Adjustable sizing



EBP23Z351

Colour	Item No.
Red	EBP23Z351
White	EBP23Z350
Yellow	EBP23Z349
Green	EBP23Z353

NORTH

Baseball Style Vented Bump Cap



Colour	Head Protection Material	Fits Hat Size	Item No.
Blue	Inner ABS Polymer, Outer Polycotton	Universal	NONSC2BL

NORTH

Bump Caps

High-density polyethylene bump caps with replaceable suspensions and sweat bands. Front of cap embossing available. Not for use where compliance with either CSA or ANSI Standards are required.



NONBC86GR

Colour	Item No.
Green	NONBC86GR
Orange	NONBC86OR
Red	NONBC86RD
White	NONBC86WH
Yellow	NONBC86YW

HONEYWELL NORTH

The Summit

High density polyethylene outer shell, designed to provide all around limited impact and penetration protection. Universal accessory slots. Ergonomically designed fully adjustable ratchet suspension. Meets and exceeds all test requirements of CSA Z94.1-05.



NONN10R10000

Colour	ANSI Classification	Head Protection Suspension Type	Item No.
White	Type 1, Class E	Ratchet (4-Point)	NONN10R010000
Yellow	Type 1, Class E	Ratchet (4-Point)	NONN10R020000

NORTH

The Everest A49

Full brim HDPE hard hat for protection from the sun, rain and falling debris. Choice of high-quality suspensions designed for comfort, with forehead comfort band and crown pad, 2-level height adjustment and self centering. A combination head hugging nape strap and sizing adjustment from 6 1/2" to 8". Meets CSA Z94.1-2005 and ANSI Z89.1-2009 Type I Class E.



Ratchet Suspension	Colour	Item No.
	Green	NONA49R-GRD
	Navy	NONA49R-NY

NORTH

Everest A119

Full brim HDPE shell with foam liner for lateral impact protection. Ideal for workers who are exposed to the risk of a blow to the side, front or rear of the head, along with the hazard of falling debris, rain or the sun's UV rays. Ratchet adjustment with 6 point nylon web suspension. 2-level height adjustment provides comfort and stability. Meets ANSI Z89.1-2014 and exceeds all test requirements of CSA Z94.1-05 Type 2 Class E.



NONA119R-RD

Colour	Item No.
Black	NONA119R-BK
Green	NONA119R-GR
Orange	NONA119R-OR
Red	NONA119R-RD
Sky Blue	NONA119R-BLSK
White	NONA119R-WH
Yellow	NONA119R-YW

NORTH

The Matterhorn A89

All-purpose lateral impact hard hat with foam liner, HDPE outer shell grooved for rigidity, rain trough and accessory slots. Choice of unique quick fit or ratchet suspension, both with forehead comfort band and crown pad. Meets CSA Z94.1-2005 and ANSI Z89.1-2009 Type II Class E.



NONA89R-GRD

Colour	Item No.
Ratchet Suspension	
Black	NONA89R-BK
Green	NONA89R-GRD
Navy Blue	NONA89R-NY
Orange	NONA89R-OR
White	NONA89R-WH
Yellow	NONA89R-YW

NORTH

Replacement Suspensions

NONA99RS2

Description	Item No.
Ratchet Suspension for A79R, A29R, A29SPR & A29SRW	NONA79RS2
Pin Lock Suspension for A79	NONA79S2
Ratchet Suspension for A89R	NONA89RS3
Ratchet Suspension for A49R and A99R	NONA99RS2

MSA

Medical Information Carrier System

- Provides access to the hardhat wearer's medical information while the worker is on the job
- Fill out the data form, tuck it into the small orange carrier, and stick it inside the helmet shell, then place the small reflective decal on the left rear of the helmet to alert emergency personnel
- Can be used on any make of hardhat



Description	Sold By	Item No.
Medical Information Carrier System	10 per pack	MSA10013393

NORTH

Convert-A-Cap

An insert that turns any baseball cap into a piece of protective headgear offering a mild form of head protection.



Description	Item No.
Cap Insert	NONSC01

NORTH

Supereight® Protective Caps with Full Graphics

Full graphic design protective hats and caps raise aesthetics to a new level. The full graphic process produces complex, colourful designs that won't chip, fade or peel. Meets ANSI Z89.1-2014 type 1, Class E.



Suspension Type	Approval Rating	Colour	Item No.
Ratchet	Type 1, Class E	Black, White, Red	NONE2RW00A389

NORTH

SuperEight® Series Protective Caps

Fibre-Metal SuperEight® series protective caps are the quality leaders in head protection. The exclusive smooth crown design contains a technically advanced suspension with 8 load bearing points to stabilize and balance the hat during everyday wear. On impact, the impact energy control system dissipates force by reducing it to smaller increments and spreading it over a greater area. Choice of 360° padded, perforated sweat band; ratchet headband or exclusive Swingstrap™ reversible ratchet headband. Available in full graphic designs. Meets ANSI Z89.1-2014 Type 1, Class E.



NONE2RW09A000

ANSI Electrical Class	ANSI Type	Ratchet Suspension	Colour	Item No.
C, E	Type 1	Blue	NONE2SW71A000	
C, E	Type 1	White	NONE2SW01A000	
Model E2RW with Standard Ratchet Suspension				
C, E	Type 1	Blue	NONE2RW71A000	
E	Type 1	Gray	NONE2RW09A000	
C, E	Type 1	Red	NONE2RW15A000	
E, G	Type 1	White	NONE2RW01A000	
Model E2QRW with Standard Ratchet Suspension, and Quick-Lok Connectors				
C, G	Type 1	Blue	NONE2QRW71A000	
Model SE2 with Ratchet, and Side Impact Attenuator Band				
C, E	Type II	Blue	NONSE2BL	
E	Type II	Gray	NONSE2GY	
C, E	Type II	White	NONSE2WHITE	
Model SE20C with Ratchet, Side Impact Attenuator Band, and Quick Lok Connectors				
C	Type II	Blue	NONSE20C-BLUE	
C	Type II	White	NONSE20C-WHITE	

NORTH

Wide Brim Accessories

NONCP5006

Description	Item No.
Face Shield Bracket for Everest Series	NONCP5006

NORTH

SuperEight® Roughneck Series Protective Caps

SuperEight® Roughneck® fiberglass protective caps set the standard for exceptional impact resistance, durability and crack resistance. Contains a unique impact energy control system with eight load-bearing points to balance weight and impact energy over a wide area for added comfort and safety. Smooth, matte finish yields crisper, long-lasting logo imprints. Protection in high heat environments up to 500° F. Meets CSA standard for reverse donning. Meets ANSI Z89.1-2014 type 1, Class G and CSA Z94.1-2005 type 1, Class G or C (Class C for Quick-Lok® model).



NONP2HNRW-WHITE

Colour	Item No.
Model P2HNRW with Standard Ratchet Suspension	
Blue	NONP2HNRW-BLUE
Gray	NONP2HNRW-GRAY
Orange	NONP2HNRW-ORANGE
White	NONP2HNRW-WHITE
Yellow	NONP2HNRW-YELLOW
Model P2HNQRW with Standard Ratchet Suspension and Quick-Lok® Connectors	
Blue	NONP2HNQRW-BLUE
Gray	NONP2HNQRW-GRAY
Green	NONP2HNQRW-GREEN
Orange	NONP2HNQRW-ORANGE
Red	NONP2HNQRW-RED
White	NONP2HNQRW-WHITE
Yellow	NONP2HNQRW-YELLOW

MSA

Officially Licensed NFL V-Gard® Caps

- Polyethylene
- Fits sizes 6 1/2 - 8
- Easy to adjust 1-Touch® suspension
- ANSI Z89.1-2009; CSA Z91.1-15



MSA818401

MSA

V-Gard® Liner Knit Cap

- Stylish skullie cap
- Design prevents liner from obstructing vision
- 100% high bulk acrylic

Item No.
MSA10118417

DYNAMIC

DOM CSA Type 1 Safety Hats

- Smooth dome shape design to accommodate welding helmets and accessories
- Accessory slots for hearing or face protection and chin strap attachment
- HDPE – high density polyethylene shell
- Shell has rain trough for extra comfort
- Large printing surfaces for custom logos on front, sides and back
- Optional EPHC01 adapter used to mount welding helmets or faceshield without drilling holes
- Proudly made and designed in Canada
- CSA Type 1 Z94.1-15 Class E certified



DSIHP341/17

Colour	Item No.
Pin Lock Suspension	
Black	DSIHP341/11
Dark Green	DSIHP341/04
Forest Green	DSIHP341/74
Gray	DSIHP341/09
Navy Blue	DSIHP341/08
Orange	DSIHP341/03
Red	DSIHP341/15
Royal Blue	DSIHP341/17
Steel Blue	DSIHP341/71
White	DSIHP341/01
Yellow	DSIHP341/02
Sure-Lock Ratchet Suspension	
Black	DSIHP341R/11
Dark Green	DSIHP341R/04
Forest Green	DSIHP341R/74
Gray	DSIHP341R/09
Navy Blue	DSIHP341R/08
Orange	DSIHP341R/03
Red	DSIHP341R/15
Royal Blue	DSIHP341R/17
Steel Blue	DSIHP341R/71
White	DSIHP341R/01
Yellow	DSIHP341R/02
Welding Helmet Mounting Adapter	
Cap-Lock Kit	DSIEPHC01

V-GARD

Flame-Resistant V-Gard® Supreme 2-Piece Liner

- Multi-layered flame-resistant top cap
- Fabric tested to withstand arc exposure to an ATPV of 8 cal/cm²
- Water repellent
- Inside neck pocket holds warming packet
- Extended, zipper on/off high-bulk flame-resistant knit bottom
- No metal parts

Item No.
MSA10118427Description
Flame-Resistant V-Gard® Supreme 2-Piece LinerDescription
V-Gard® Liner Knit Cap

DYNAMIC**Whistler CSA Type 1 Safety Hats**

- Proudly designed and made in Canada for Canadians by Canadians
- Sleek and attractive design high density polyethylene shell
- Shell has rain trough for extra comfort
- Large printing surfaces for great custom logos on front, sides and back
- Comfortable pin lock or exclusive SURE-LOCK ratchet adjustment suspensions
- Accessory slots and chin strap attachments
- Meets ANSI Type I, Z89.1-2009
- CSA certified Type 1 Z94.1-15 Class E



DSIHP241/07

Colour	Item No.
Pin Lock Suspension	
Dark Green	DSIHP241/04
Gray	DSIHP241/09
Hi-Viz Lime Yellow	DSIHP241/44
Hi-Viz Orange	DSIHP241/31
Hi-Viz Red	DSIHP241/05
Light Blue	DSIHP241/06
Navy	DSIHP241/08
Orange	DSIHP241/03
Red	DSIHP241/15
Sky Blue	DSIHP241/07
SURE-LOCK Ratchet Suspension	
Dark Green	DSIHP241R/04
Gray	DSIHP241R/09
Hi-Viz Yellow	DSIHP241R/44
Hi-Viz Orange	DSIHP241R/31
Hi-Viz Red	DSIHP241R/05
Light Blue	DSIHP241R/06
Navy Blue	DSIHP241R/08
Orange	DSIHP241R/03
Red	DSIHP241R/15
Yellow	DSIHP241R/07
White	DSIHP641RS
Yellow	DSIHP641S
Replacement 4 Point Nylon Pin-Lock Suspension	DSIHP241S
Replacement Suspensions	
Replacement 4 Point Nylon Ratchet Suspension	DSIHP241RS

DYNAMIC**Rocky Climbing Safety Hats**

- Ultra light shell made out of HDPE/ABS
- Shell has no frontal peak giving you a clear upward vision
- 4-point chin strap with easy and comfortable adjustment



DSIHP141R/02

Suspension	Colour	Accessory Slots	CSA Type	CSA Class	Item No.
Ratchet	Black	Yes	1	E	DSIHP141R/11
Ratchet	Dark Green	Yes	1	E	DSIHP141R/04
Ratchet	Gray	Yes	1	E	DSIHP141R/09
Ratchet	Light Blue	Yes	1	E	DSIHP141R/06
Ratchet	Orange	Yes	1	E	DSIHP141R/03
Ratchet	Red	Yes	1	E	DSIHP141R/15
Ratchet	White	Yes	1	E	DSIHP141R/01
Ratchet	Yellow	Yes	1	E	DSIHP141R/02
Ratchet	Black	Yes	2	E	DSIHP142R/11
Ratchet	Dark Green	Yes	2	E	DSIHP142R/04
Ratchet	Gray	Yes	2	E	DSIHP142R/09
Ratchet	Light Blue	Yes	2	E	DSIHP142R/06
Ratchet	Orange	Yes	2	E	DSIHP142R/03
Ratchet	Red	Yes	2	E	DSIHP142R/15
Ratchet	White	Yes	2	E	DSIHP142R/01
Ratchet	Yellow	Yes	2	E	DSIHP142R/02

3M**3M™ H700 Series Hard Hats**

- Comfortable 4-point ratchet or pinlock suspension system with height adjustment
- Low profile, short brim design for balance, stability and upward visibility
- Vented and non-vented versions
- CSA certified Z94.1-05 Type 1 Class C, G and E (vented versions are Class C only)



MMMH700PS4

Colour	Head Protection Suspension Type	Item No.
—	Ratchet (4-Point)	MMMH700RS4
—	Pinlock (4-Point)	MMMH700PS4

DYNAMIC**Kilimanjaro CSA Type 1 Wide Brim Safety Hats**

- Wide brim design for "UV SUN" protection
- Wide brim offers protection from falling debris
- HDPE – high density polyethylene shell
- Large printing surfaces for custom logos on front, sides and back
- Accessory slots and chin straps attachments
- Proudly made and designed in Canada
- CSA Type 1 Z94.1-15 Class E certified



DSIHP641/09

Style	Suspension	Colour	CSA Type	CSA Class	Item No.
Hat - Full Brim	4-Pt Pinlock	Gray	1	E	DSIHP641/09
Hat - Full Brim	4-Pt Pinlock	Navy Blue	1	E	DSIHP641/08
Hat - Full Brim	4-Pt Pinlock	Red	1	E	DSIHP641/15
Hat - Full Brim	4-Pt Pinlock	White	1	E	DSIHP641/01
Hat - Full Brim	4-Pt Pinlock	Yellow	1	E	DSIHP641/02
Hat - Full Brim	4-Pt Ratchet	Dark Green	1	E	DSIHP641R/04
Hat - Full Brim	4-Pt Ratchet	Gray	1	E	DSIHP641R/09
Hat - Full Brim	4-Pt Ratchet	Navy Blue	1	E	DSIHP641R/08
Hat - Full Brim	4-Pt Ratchet	Orange	1	E	DSIHP641R/03
Hat - Full Brim	4-Pt Ratchet	Red	1	E	DSIHP641R/15
Hat - Full Brim	4-Pt Ratchet	White	1	E	DSIHP641R/01
Hat - Full Brim	4-Pt Ratchet	Yellow	1	E	DSIHP641R/02

DYNAMIC

Mont Blanc CSA Type 2 Lateral Protection Safety Hats



DSIHP542/01

- Proudly designed and made in Canada by Canadians for Canadians
- Extra lateral protection CSA Type 2 "super lightweight", high-density, polyethylene hard hat
- Foam liner adds lateral side, front and rear impact protection
- Rain trough and slotted designed shell to accommodate all the latest accessories such as hearing protection, faceshields forestry kits or welding protection
- Comfortable 4 point nylon webbing suspensions with pin-lock or our exclusive SURE-LOCK ratchet adjustment to properly fit all head sizes large or small. Crown comfort pad and inside ratchet foam make these the most comfortable hats available
- Larger printing surfaces to accommodate company logos on front, sides and back
- Meets ANSI Type II standard Z89.1-2009
- CSA certified Type 2 Z94.1-15 Class E

Colour	Item No.
Pin Lock Suspension	
Dark Green	DSIHP542/04
Gray	DSIHP542/09
Hi-Viz Orange	DSIHP542/31
Hi-Viz Red	DSIHP542/05
Hi-Viz Yellow	DSIHP542/44
Light Blue	DSIHP542/06
Navy Blue	DSIHP542/08
Orange	DSIHP542/03
Red	DSIHP542/15
Sky Blue	DSIHP542/07
White	DSIHP542/01
Yellow	DSIHP542/02
SURE-LOCK Ratchet Suspension	
Dark Green	DSIHP542R/04
Gray	DSIHP542R/09
Hi Vis Lime Yellow	DSIHP542R/44
Hi-Viz Orange	DSIHP542R/31
Hi-Viz Red	DSIHP542R/05
Light Blue	DSIHP542R/06
Navy Blue	DSIHP542R/08
Orange	DSIHP542R/03
Red	DSIHP542R/15
Sky Blue	DSIHP542R/07
White	DSIHP542R/01
Yellow	DSIHP542R/02

Description	Item No.
Replacement Parts for DSIHP542 Series	
Pin Lock Suspension	DSIHP542S
SURE LOCK Ratchet Suspension	DSIHP542RS
Foam Interior Liner	DSIHP542FM

DSI

Miner's Lamp Bracket

Support for miner's lamp. Includes the strap to attach the cord holder.



Description	Item No.
Lamp Bracket	DSIHPMLB

DYNAMIC

Stromboli High Heat CSA Type 1 & Type 2 Safety Hats



DSIHP841R/01

- Smooth dome for high heat and welding applications
- Rain trough free shell is made of lightweight polycarbonate
- Comfortable Sure-Lock ratchet adjustment suspension
- Made in Canada
- CSA certified Type 1 or Type 2 Class E Z94.1-15
- Meets ANSI Type I or Type II Class E Z89.1-2009

Colour	Item No.
CSA Type 1, ANSI Type I	
Black	DSIHP841R/11
Orange	DSIHP841R/03
Red	DSIHP841R/15
White	DSIHP841R/01
Yellow	DSIHP841R/02
CSA Type 2, ANSI Type II	
Black	DSIHP842R/11
Forest Green	DSIHP842R/74
Orange	DSIHP842R/03
Red	DSIHP842R/15
White	DSIHP842R/01
Yellow	DSIHP842R/02

BULLARD

Classic Hard Hats & Caps



BUL30YLR-YW



BUL33RDP-RD

Models C30 and C33

The most popular Bullard hard hat, the classic models C30 and C33 feature a wider profile style that workers prefer. Made from high-density polyethylene, the classic design hats and caps offer increased protection from rain, snow, dust and harmful ultraviolet rays. Choose the 6-point self-sizing pinlock or the 6-point Flex-Gear® ratchet suspension systems. Both suspensions have a replaceable, absorbent brow pad for ongoing worker comfort. The C30 and C33 meet ANSI/ISEA Z89.1-2014, Type 1, Classes E&G and CSA Z94.1-2015 Type 1 Classes E&G requirements.

Colour	Item No.
Model C30 Cap with Pinlock Suspension	
Blue	BULC30KBP
Green	BULC30FGP
Orange Hi Viz	BULC30HOP
Red	BULC30RDP
White	BULC30WHP
Yellow	BUL30YLP-YW
Model C30 Cap with Ratchet Suspension	
Blue	BULC30KBR
Green	BULC30FGR
Orange Hi Viz	BULC30HOR
Red	BULC30RDR
White	BULC30WHR
Yellow	BUL30YLR-YW
Model C33 Full Brim with Pinlock Suspension	
Blue	BUL33KBP-BL
Green	BUL33FGP-GRF
Orange Hi Viz	BUL33HOP-ORHV
Red	BUL33RDP-RD
White	BUL33WHP-WH
Yellow	BUL33YLP-YW
Model C33 Full Brim with Ratchet Suspension	
Blue	BUL33KBR-BL
Green	BUL33FGR-GRF
Orange Hi Viz	BUL33HOR-ORHV
Red	BUL33RDR-RD
White	BUL33WHR-WH
Yellow	BUL33YLR-YW

MSA, V-GARD

Hard Hats

- Meet ANSI Z89.1-2014 and CSA Z94.1-2015

Tough, lightweight polyethylene shell. V-Gard® hats have slots for easy attachment of accessories such as hearing protection. Hats with full brim offer extra coverage at sides and back of neck. Vented hard hats provide improved air circulation.



MSA449895



MSA10061127



MSA454719

For Use With	Fits Hat Size	Colour	Brand	Item No.
Chin Strap				
MSA Hard Hats	—	Black	MSA	MSA10171103
MSA Hard Hats	—	Grey	MSA	MSA10171107
MSA Hard Hats	—	Grey	MSA	MSA10171104
Goggle Retainer				
Full Brim Hard Hats	—	Black	MSA	MSA449895
Hard Hat Suspension				
SmoothDome®, V-Gard®, V-Gard® 500, V-Gard® GREEN	Universal	Grey	MSA	MSA10148708
SmoothDome®, V-Gard® 500	Universal	Grey	MSA	MSA10153382
Thermalgard®, Topgard®	Universal	Grey	MSA	MSA10153384
Topgard®	6 1/2 to 8	—	MSA	MSA10061127
V-Gard®	6 1/2 to 8	—	MSA	MSA10061123
V-Gard®	6 1/2 to 8	—	MSA	MSA10087218
V-Gard®	6 1/2 to 8	—	MSA	MSA816645
V-Gard® Large Size	L	Grey	MSA	MSA10148707
V-Gard® Small Size	S	Grey	MSA	MSA10148706
Sweatband				
—	—	Tan	MSA	MSA10068890
MSA Fas-Trac® III Suspensions	—	Blue, Grey	MSA	MSA10153518

Head Protection Style	Colour	Head Protection Suspension Type	Head Protection Venting	ANSI Electrical Class	Brand	Item No.
Hard Hat						
—	Blue	One-Touch (4-Point)	—	E	MSA	MSA10057442
—	Blue	One-Touch (4-Point)	No	—	MSA	MSA454714
—	Blue	Ratchet (4-Point)	—	—	MSA	MSA475389
—	Gray (Navy)	One-Touch (4-Point)	—	E	MSA	MSA10057447
—	Green	One-Touch (4-Point)	—	E	MSA	MSA10057445
—	Hi-Viz® Orange	One-Touch (4-Point)	—	E	MSA	MSA10057420
—	Orange	One-Touch (4-Point)	—	E	MSA	MSA10057444
—	Red	One-Touch (4-Point)	—	E	MSA	MSA10057446
—	Red	—	—	E	MSA	MSA454727
—	Red	Ratchet (4-Point)	—	—	MSA	MSA475392
—	White	One-Touch (4-Point)	—	E	MSA	MSA10057441
—	White	—	—	—	MSA	MSA454719
Front Brim	Black	Ratchet (4-Point)	No	E	MSA	MSA492559
Front Brim	Blue	Ratchet (4-Point)	Yes	C	MSA	MSA10034019
Front Brim	Blue	Ratchet (6-Point)	Yes	C	MSA	MSA10034028
Front Brim	Blue	Pinlock (4-Point)	—	E	MSA	MSA454723
Front Brim	Blue	Ratchet (4-Point)	No	E	V-Gard	MSA475359
Front Brim	Blue	Ratchet (4-Point)	No	C, E	MSA	MSA475380
Front Brim	Blue	Ratchet (4-Point)	No	C, E	MSA	MSA10074068
Front Brim	Gray	Pinlock (4-Point)	No	C, E	MSA	MSA463948
Front Brim	Gray (Navy)	Ratchet (4-Point)	No	E	V-Gard	MSA475364
Front Brim	Green	Ratchet (4-Point)	No	E	V-Gard	MSA475362
Front Brim	Green	Ratchet (4-Point)	Yes	C	MSA	MSA10034023
Front Brim	Green	Ratchet (6-Point)	Yes	C	MSA	MSA10034032
Front Brim	Green Hi Viz	Ratchet (6-Point)	Yes	C	MSA	MSA10035213
Front Brim	Hi-Viz Orange	Ratchet (4-Point)	No	E	V-Gard	MSA488146
Front Brim	Lime Green	Ratchet (4-Point)	No	E	MSA	MSA815565
Front Brim	Orange	Ratchet (4-Point)	No	E	V-Gard	MSA475361
Front Brim	Orange Hi Viz	Ratchet (4-Point)	Yes	C	MSA	MSA10034026
Front Brim	Orange Hi Viz	Ratchet (4-Point)	No	C, E	MSA	MSA10074077
Front Brim	Pink	Ratchet (4-Point)	No	E	MSA	MSA495862
Front Brim	Red	Ratchet (4-Point)	No	E	V-Gard	MSA475363
Front Brim	Red	Ratchet (4-Point)	Yes	C	MSA	MSA10034022
Front Brim	Red	Ratchet (6-Point)	Yes	C	MSA	MSA10034031
Front Brim	Red	Ratchet (4-Point)	No	C, E	MSA	MSA10074071
Front Brim	Red	Ratchet (4-Point)	No	C, E	MSA	MSA10150223
Front Brim	Red/White	Ratchet (4-Point)	No	C	MSA	MSA10050613
Front Brim	White	Ratchet (4-Point)	Yes	C	MSA	MSA10034018
Front Brim	White	Ratchet (6-Point)	Yes	C	MSA	MSA10034027
Front Brim	White	Pinlock (4-Point)	No	E	MSA	MSA454728
Front Brim	White	Pinlock (4-Point)	No	C, E	MSA	MSA463942
Front Brim	White	Ratchet (4-Point)	No	E	V-Gard	MSA475358
Front Brim	White	Ratchet (4-Point)	No	E	MSA	MSA475385
Front Brim	White	Ratchet (4-Point)	No	C, E	MSA	MSA10074067
Front Brim	Yellow	Ratchet (4-Point)	Yes	C	MSA	MSA10034020
Front Brim	Yellow	One-Touch (4-Point)	No	C, E	MSA	MSA10057443
Front Brim	Yellow	Pinlock (4-Point)	—	E	MSA	MSA454721
Front Brim	Yellow	Ratchet (4-Point)	No	E	V-Gard	MSA475360
Front Brim	Yellow	Ratchet (4-Point)	No	C, E	MSA	MSA475378
Front Brim	Yellow	Ratchet (6-Point)	Yes	C	MSA	MSA10034029
Front Brim	Yellow	Ratchet (4-Point)	No	C, E	MSA	MSA10074069
Front Brim	Yellow/Green Hi Viz	Ratchet (4-Point)	No	E	MSA	MSA10061512
Front Brim	Yellow/Green Hi Viz	Ratchet (4-Point)	Yes	C	MSA	MSA10074819
Front Brim	Yellow/Green Hi Viz	Ratchet (4-Point)	No	C, E	MSA	MSA10074084
Front Brim	Yellow Hi Viz	Ratchet (6-Point)	Yes	C	MSA	MSA10074820
Front Brim	Yellow Hi Viz	Ratchet (4-Point)	No	C, E	MSA	MSA475368

CONTINUED ▶

◀ CONTINUED

MSA, V-GARD

Hard Hats

Head Protection Style	Colour	Head Protection Suspension Type	Head Protection Venting	ANSI Electrical Class	Brand	Item No.
Full Brim	Blue	One-Touch (4-Point)	No	E	MSA	MSA10058320
Full Brim	Gray	Ratchet (4-Point)	No	C, E	V-Gard	MSA475367
Full Brim	Gray (Navy)	One-Touch (4-Point)	No	E	MSA	MSA10058319
Full Brim	Green	Ratchet (4-Point)	No	C, E	MSA	MSA475370
Full Brim	Green	One-Touch (4-Point)	No	E	MSA	MSA10058323
Full Brim	Hi-Viz® Orange	Ratchet (4-Point)	No	C, E	MSA	MSA10021292
Full Brim	Hi-Viz® Orange	One-Touch (4-Point)	No	E	MSA	MSA10058326
Full Brim	Orange	One-Touch (4-Point)	No	E	MSA	MSA10058322
Full Brim	Orange	Ratchet (4-Point)	No	C, E	MSA	MSA496075
Full Brim	Red	Ratchet (4-Point)	No	C, E	V-Gard	MSA475371
Full Brim	Red	One-Touch (4-Point)	No	E	MSA	MSA10058324
Full Brim	White	Ratchet (4-Point)	No	C, E	V-Gard	MSA475369
Full Brim	White	Ratchet (4-Point)	—	E	MSA	MSA475393
Full Brim	White	One-Touch (4-Point)	No	E	MSA	MSA10058321
Full Brim	Yellow	Ratchet (4-Point)	No	C, E	MSA	MSA475366
Full Brim	Yellow	Ratchet	No	E	MSA	MSA475387
Full Brim	Yellow	One-Touch (4-Point)	No	E	MSA	MSA10058318
Hard Hat Neck Shade		—	—	—	MSA	MSA10098031
—	Orange	—	—	—	MSA	MSA10098032
—	Yellow/Green	—	—	—	MSA	MSA10098032
Slotted Hard Hat		Front Brim	Red	Ratchet	No	MSA475384



MSA10098031



MSA10021292

HONEYWELL FIBRE-METAL, NORTH

Hard Hats

All models feature an 8-pt. suspension and smooth dome design. SuperEight® E2 Hard Hats - Thermoplastic shell with impact energy control system disperses impacts over a greater area, reducing the force. E2 hard hats meet ANSI Type 1 (top impact) in both forward and reverse positions.



NONE2SW74A000



NONE2QRW03A000



NONFM44RTV



NONFM69

Head Protection Style	Colour	Suspension	Head Protection Suspension Type	Head Protection Venting	Brand	Item No.
Hard Hat						
SuperEight E2						
Front Brim	Blue	Ratchet	Ratchet (8-Point)	No	North	NONE2QRW71A000
Front Brim	Green	—	Ratchet (8-Point)	No	Honeywell Fibre-Metal	NONE2SW74A000
Front Brim	Green	Ratchet	Ratchet (8-Point)	No	Honeywell Fibre-Metal	NONE2QRW74A000
Front Brim	Green	Ratchet	Ratchet (8-Point)	No	Honeywell Fibre-Metal	NONE2RW74A000
Front Brim	Orange	Ratchet	Ratchet (8-Point)	No	Honeywell Fibre-Metal	NONE2QRW03A000
Front Brim	White	Swingstrap	Swing Ratchet (8-Point)	No	Honeywell Fibre-Metal	NONE2GSW1A000

For Use With	Fits Hat Size	Colour	Brand	Item No.
Hard Hat Sweatband				
Fibre Metal Ratchet Suspension Hard Hats	—	Black	Honeywell Fibre-Metal	NONFM44RTV
Hard Hats and Full Brim Hard Hats	—	Assorted	Honeywell Fibre-Metal	NONFM69

HONEYWELL UVEX**Turboshield™ Faceshield**

- Meet ANSI Z87.1-2015 standard when headgear or bracket is used in conjunction with proper visor to create complete faceshield
 - Meet CSA Z94.3
 - UVXS9500 full crown headgear features patented quick-change visor mounting system, ergonomically designed adjustment mechanisms, positive stops in raised and lowered position and head comfort cradle system
- Toric polycarbonate lens provides excellent optics and increased field of view in chemical splash and debris impact applications.

**UVXS9555****UVXS9560****UVXS9500**

Includes	Visor Material	Visor Colour	Visor Height	Visor Width	Visor Thickness	Visor Coating	Dielectric Protection	Item No.
Headgear								
Ratchet headgear	—	—	—	—	—	—	Yes	UVXS9500
Hard Hat Adapter								
(1) Hard hat adapter	—	—	—	—	—	—	—	UVXS9510
Faceshield Visor								
Replacement Visor Only	Polycarbonate	Clear	9 in	15 1/8 in	0.09 in	Uncoated	Yes	UVXS9550
Replacement Visor Only	Polycarbonate	Clear	9 in	15 1/8 in	0.09 in	Anti-Fog	Yes	UVXS9555
Replacement Visor Only	Polycarbonate	Gray	9 in	15 1/8 in	0.09 in	Uncoated	Yes	UVXS9570
Replacement Visor Only	Polycarbonate	Gray	9 in	15 1/8 in	0.09 in	—	Yes	UVXS9575
Replacement Visor Only	Polycarbonate	Green	9 in	15 1/8 in	0.09 in	—	Yes	UVXS9560
Replacement Visor Only	Polycarbonate	Green	9 in	15 1/8 in	0.09 in	Uncoated	Yes	UVXS9565

HONEYWELL NORTH, NORTH**North Zone™ Hard Hats**

- Meet ANSI Type I (top impact) Class C, G, and E and CSA Z94.1-2015

Lightweight hard hats are built to be super comfortable and stable for all-day wear and all-day protection. 3-level height adjustment. Removable rear cradle also helps improve fit and comfort.

**NONN10460000****NONN10SB****NONN10RS**

Colour	Head Protection Suspension Type	ANSI Electrical Class	Item No.	Colour	Head Protection Suspension Type	ANSI Electrical Class	Item No.
Hard Hat							
Black	Ratchet (4-Point)	C, E, G	NONN10R110000	Red	Pinlock (4-Point)	C, E, G	NONN10150000
Gray	Pinlock (4-Point)	C, E, G	NONN10090000	Sky Blue	Ratchet (4-Point)	C, E, G	NONN10R150000
Green	Ratchet (4-Point)	C, E, G	NONN10R090000	Tan	Pinlock (4-Point)	C, E, G	NONN10R070000
	Pinlock (4-Point)	C, E, G	NONN10040000	White	Pinlock (4-Point)	C, E, G	NONN10010000
	Ratchet (4-Point)	C, E, G	NONN10R040000		Ratchet (4-Point)	C, E, G	NONN10R010000
Hi-Viz Orange	Pinlock (4-Point)	C, E, G	NONN10460000	Yellow	Pinlock (4-Point)	C, E, G	NONN10020000
	Ratchet (4-Point)	C, E, G	NONN10R460000		Ratchet (4-Point)	C, E, G	NONN10R020000
Hot Pink	Pinlock (4-Point)	C, E, G	NONN10200000	Hard Hat Suspension			
	Ratchet (4-Point)	C, E, G	NONN10R200000	—	Pinlock (4-Point)	—	NONN10S
Navy Blue	Ratchet (4-Point)	C, E, G	NONN10R080000		Ratchet (4-Point)	—	NONN10RS
Orange	Pinlock (4-Point)	C, E, G	NONN10030000	Sweatband			
	Ratchet (4-Point)	C, E, G	NONN10R030000	Black	—	—	NONN10SB

DYNAMIC, HONEYWELL NORTH, NORTH**Faceshield Replacement Visors**

- Meet ANSI Z87.1-2015 standard and certified to the CSA Z94.3 when headgear or bracket is used in conjunction with proper visor to create complete faceshield

Visors have universal mounting pattern.

**NONFS03****DSIEPHG700R**

Item	Visor Height	Headgear Style	Includes	For Use With	Item No.
Faceshield Visor	8 in	—	Faceshield Window	North Headgear and Brackets	NONA18152/40
Faceshield Visor	8 in	—	Faceshield window	F400 Mounting Crown, F500 Mounting Crown	NONA178CLEAR
Faceshield Visors	8 in	—	—	Headgear; Brackets	DSIEP815P/40
Forestry Screen	7 in	—	Integrated Adapter	Cap Style Hard Hats	NONFS03
Headgear	—	—	—	Faceshields	NONF400CSA
Headgear with Pinlock Adjustment	—	—	—	—	DSIEPHG700R
Visor	8 in	—	—	Headgear	DSIEP815PG/40

DYNAMIC, HONEYWELL FIBRE-METAL, NORTH

Faceshield Headgear

- Meet ANSI Z87.1-2003 standard when headgear or bracket is used in conjunction with proper visor to create complete faceshield



NONF300CSA



DSIEPB201



NONF4500



NON4118CLEAR

Item	Visor Height	Headgear Style	Includes	For Use With	Brand	Item No.
7in Crown Protector	—	—	Does Not Include Visor	Faceshields	North	NONF500CSA
Faceshield Bracket	—	—	—	Regular Brim Hats	Dynamic	DSIEPB201
Faceshield Visor	8 in	—	Faceshield window	F400 Mounting Crown, F500 Mounting Crown	North	NON4178CLEAR
Faceshield Window	8 in	—	Faceshield window	F300 Mounting Crown	North	NON4118CLEAR
Headgear	4 in Crown	Single Crown	Mounting Cups	Attaches to E2Q and P2HNQ Series Hard Hats	Honeywell Fibre-Metal	NONF4400
Headgear	7 in Crown	Single Crown	4 in Crown with Mounting Cups	Attaches to E2Q or P2NQ/P2HNQ Series Hard Hat	Honeywell Fibre-Metal	NONF4500
Headgear	4 in Crown	Single Crown	4 in Crown with Mounting Cups	Attaches to E2Q and P2HNQ Series Hard Hats	Honeywell Fibre-Metal	NONF5400

SELLSTROM**Protective Goggles**

Green tinted lenses with indirect venting offer basic protection against sunlight; not rated for dust or splash.



SLL80210

Series	Lens Coating	Lens Colour	Eyewear Venting	Foam Lined	Eyewear Size	Eyewear Frame Design	Frame Colour	Strap Material	Lens Material	Item No.
Odyssey II	Anti-Fog, Scratch Resistant	Clear	Indirect	No	Universal	OTG	Black	Cloth	Polycarbonate	SLL80210


NORTH**Heat-Resistant Front-Brim Hard Hats**

Used in high-heat applications such as metalworking, forging, welding, and smelting. They are classified as ANSI Type I, which indicates head protection for impacts on the top of the head, and they are Class G to provide low-voltage protection up to 2.2kV. These hard hats are constructed of heat-resistant material that resists damage when exposed to high temperatures. The front brim reduces glare and shades the eyes from overhead sun.



NONP2AQSW01A000

CSA Class	Colour	Fits Hat Size	Item No.
Model P2ARW with Standard Ratchet Suspension and Quick-Lok® Connectors			
G	Black	—	NONP2AQSW11A000
G	Blue	6 1/2 to 8	NONP2AQSW71A000
G	Brown	—	NONP2AQSW12A000
G	Green	6 1/2 to 8	NONP2AQSW74A000
G	Orange	—	NONP2AQSW46A000
G	Red	6 1/2 to 8	NONP2AQSW15A000
G	White	6 5/8 to 7 3/4	NONP2AQSW01A000
G	Yellow	6 5/8 to 7 3/4	NONP2AQSW02A000
Model P2ARW with Standard Ratchet Suspension			
G	Black	—	NONP2ARW11A000
G	Blue	6 1/2 to 8	NONP2ARW71A000
G	Gray	—	NONP2ARW09A000
G	Green	Universal	NONP2ARW74A000
G	Orange	—	NONP2ARW46A000
G	White	6 1/2 to 8	NONP2ARW01A000
G	Yellow	6 5/8 to 7 3/4	NONP2ARW02A000

NORTH**Quick-Lok® Kit and Terry Cloth Sweatband**

NONFM44T

Item	Colour	For Use With	Item No.
Hard Hat Adapter Kit	Black	Fibre Metal Welding Helmets	NON4000
Sweatband	Black	—	NONFM44T

ERGODYNE**Squids® Hard Hat Lanyards**

- Secures hard hat to a worker
- Attaches to hard hats and other headwear
- High stretch elastic material



EGO3155

Item	For Use With	Colour	Item No.
Hard Hat Tether	Hard Hats	Lime	EGO3150
			EGO3155

HONEYWELL UVEX, UVEX**Bionic® Faceshield**

- Available with anti-fog lens
- Enhanced protection from airborne debris
- Excellent optics and increased visibility
- Easily replaceable visor with dual position choices
- Lightweight, ergonomic design for extended use
- Breathable, removable, washable headband
- Comfortably worn with most goggles and respirators
- Meets ANSI Z87.1+ 2015 and certified to the requirements of the CSA Z94.3 2007 standard

This revolutionary face shield is designed with chin and top-of-the-head protection built right in. The sturdy Bionic Shield easily stands up to airborne debris, particles, splash and welding IR. Its ergonomic design affords workers greater visibility and simplifies adjustment. The Bionic Shield is tough yet extremely lightweight and comfortable.



UVXS8500



UVXS8560

Item	Visor Height	Headgear Style	Includes	For Use With	Item No.
Face Shield	8 1/2 in	—	—	Mfr. No. S8500, Most Hard Hats	UVXS8515 UVXS8590
Faceshield Adapter	—	—	Adapter, Suspension	UVXS8550	
Faceshield Visor	—	—	Faceshield Visor	Uvex Bionic Faceshields	UVXS8555 UVXS8560 UVXS8565
Ratchet Faceshield Assembly	9 1/2 in	Full Frame	Faceshield and Visor	Spectacles or Goggles Most Goggles and Respirators	UVXS8500 UVXS8510

3M, TUFFMASTER**Faceshield Headgear**

- Meet ANSI Z87.1-2015 standard when headgear or bracket is used in conjunction with proper visor to create complete faceshield
- Polycarbonate visors allow high clarity and are ideal for heavy-duty impact and heat-resistance applications.



CBT82542



CBTWP96C



CBTWP96X



CBT82604

Item	Material	For Use With	Brand	Item No.
Chin Protector	—	Face Shield, Headgear	3M	CBT82542
Faceshield	Polycarbonate	3M™ Headgear Systems	3M	CBTWP96C
Faceshield Visor	—	3M Headgear	3M	CBTWP96X
Headgear	Plastic	AOTuffmaster	Tuffmaster	CBT82604
		Face Shield	Tuffmaster	CBTWP96B

3M**Hard Hats**

- Vented or non-vented
- Front or full brim
- Meet ANSI Type I (top impact)

Models with UV indicator alert user to replace hats due to prolonged UV exposure.

H-700 Series Hard Hats - Low-profile hard hats are designed for comfortable, extended wear. Easily replaced brow pad helps assure wearer comfort.

H-800 Series Hard Hats - Lightweight, with an easy-to-adjust ratchet suspension that sits low on the head for improved security and absorbent brow pad. Hi-Vis colors meet ANSI Z89.1-2009.



MMMH702V-UV



MMMMMMH709SFRUV

Head Protection Style	Head Protection Color	Head Protection Venting	Series	Standards	Fits Hat Size	Item No.
Baseball	Hi-Visibility Yellow	No	SecureFit™	ANSI Z87.1, ANSI/ISEA Z99.1, CSA Z94.1	One Size Fits Most	MMMMMMH709SFRUV
	Green	No	SecureFit™	ANSI Z87.1, ANSI/ISEA Z99.1, CSA Z94.1	One Size Fits Most	MMMMMMH704SFRUV
	Blue	No	SecureFit™	ANSI Z87.1, ANSI/ISEA Z99.1, CSA Z94.1	One Size Fits Most	MMMMMMH703SFRUV
	Yellow	No	SecureFit™	ANSI Z87.1, ANSI/ISEA Z99.1, CSA Z94.1	One Size Fits Most	MMMMMMH702SFRUV
	White	No	SecureFit™	ANSI Z87.1, ANSI/ISEA Z99.1, CSA Z94.1	One Size Fits Most	MMMMMMH701SFRUV
Front Brim	Yellow	Yes	H-700	ANSI Z89.1 Type I, Class C, CSA Z94.1 Type I	6 5/8 to 7 1/4	MMMH702V-UV
Full Brim	White	No	H800 Uvicator(R)	ANSI/ISEA Z89.1-2009	6 5/8 to 7 1/4	MMMH801R-UV

SELLSTROM

DP4™ Faceshield Assemblies

- Meet ANSI Z87.1-2015 standard when headgear or bracket is used in conjunction with proper visor to create complete faceshield
- Assemblies meet CSA Z94.3-07 CUL certified

For use in grinding, cutting and brazing operations. Polycarbonate visor provides high clarity and is great for heavy-duty impact and heat-resistance applications. DP4™ Faceshield Assembly No. SLL32151 combines full-face coverage with shade 5, 6, or 8 flip visor options, eliminating the need to wear 2 protective devices. Provides UV/IR protection during grinding, cutting, and brazing operations.



SLL32181



WWG5DAD1

Item	Visor Height	Headgear Style	Includes	For Use With	Item No.
Faceshield Flip Window	4 3/8 in	—	Visor	S32151, S32152, S32153, S32251, S32252	SLL32155
Faceshield Flip Window	4 3/8 in	—	Visor	S32181, S32182, S32183, S32281, S32282	SLL32188
Ratchet Faceshield Assembly	9 in	Single Crown	Crown, Faceshield, Flip-Up/Flip-Down IR Visor, Ratcheting Headgear	—	SLL32151
Ratchet Faceshield Assembly	9 in	Single Crown	Crown, Faceshield, Flip-Up/Flip-Down IR Visor, Ratcheting Headgear	—	SLL32181
Ratchet Faceshield Assembly	8 in	Single Crown	Bound Window, Ratcheting Headgear, Single Crown	—	WWG5DAD1

NORTH

Chin Straps



Description	Item No.
Econo, 2 Point	NONA79C100
Econo, 4 Point	NONA29C100
Deluxe, 4 Point	NONA99C100

NONA79C100

DYNAMIC

Sweat & Comfort Bands

Terry cloth hard hat comfort bands attach with velcro around existing suspension. Foam sweatbands include elastic head strap.



DSIHP65000

Description	Item No.
Terry Cloth Hard Hat Comfort Band with Velcro, 10/pk.	DSIHP8470
Sweat Bands Foam with Elastic Head Strap, 25/pk.	DSIHP65000

DYNAMIC

Hard Hat Visors

Attach to hard hats for added eye protection.



DSIEP815PG/40

Material	Colour	Visor Height	Visor Width	Visor Thickness	Brand	Item No.
FaceShield Visors						
PETG	Clear	8 in	15 1/2 in	0.40 in	Dynamic	DSIEP815/40
PETG	Clear	8 in	15 1/2 in	0.60 in	Dynamic	DSIEP815/60
Polycarbonate	Clear	8 in	15 1/2 in	0.40 in	Dynamic	DSIEP815P/40
Polycarbonate	Clear	8 in	15 1/2 in	0.60 in	—	DSIEP815P/60
Visor						
Polycarbonate	Green	8 in	15 in	0.4 in	Dynamic	DSIEP815PFG/40
Polycarbonate	Green	8 in	15 in	0.4 in	Dynamic	DSIEP815PG/40

CONDOR

Deluxe Sweatband

- Soft reinforced sponge
- 8 5/8" x 1 3/4", package of 100
- Evaporative cooling helps to keep wearer cool



Description	Material	Pattern	Colour	Item No.
Sweatband	Cellulose Sponge	Solid	Blue	CDR2AF07

ERGODYNE

Chill-Its® Evaporative Series

When keeping your cool is the name of the game, the Chill-Its® Evaporative Series turns hot and bothered into heat-beating happiness. Inside an ordinary headband is a layer of brilliance. Simply soak them in cold water for 2 – 5 minutes and slap'em on for hours of wet hydrated relief and comfort.



Description	Item No.
Bandana (Tie), Solid Blue	EG06700BL
Bandana (Tie), Navy Western	EG06700NY
Bandana (Tie), Red Western	EG06700RD
Bandana (Tie), Camouflage	EG06700CAMO
Triangle Tie, Navy Western	EG06710NY
Triangle Tie, Red Western	EG06710RD
Hard Hat Pad, Blue	EG06715
Hard Hat Liner, Blue	EG06716

1-888-602-0000

NORTH

Terry Cloth Sweatband

- Full size: 8 $\frac{5}{8}$ " x 1 $\frac{3}{4}$ "
- Terry cloth with Velcro®
- 10 per pack



Description
Sweatband

Item
No.
NONSB470

BOB DALE

Winter Liners For Safety Caps

100% cotton quilted cap liner for extra protection. Attachable face mask for warmth. With elastic chinstrap and velcro closure.



ALG90-0-410

Description	Item No.
Quilted Cap Liner	ALG90-0-400
Zipper Style Cap Liner	ALG90-0-430

Liner with Face Cover	Item No.
Quilted Cap Liner	ALG90-0-410
Shoulder Length Cap Liner	ALG90-0-420

TOUGH DUCK

Duck Aviator Hat

- Fabric: 100% cotton duck
- Lining: 100% cotton quilted to 40 g Thinsulate™
- Pile trim: 100% polyester
- Snap up/down visor
- Ear flaps with "hearing" holes
- Adjustable chin strap



RICI150LGE-BRN

Size

Item
No.

Brown	L	RICI150LGE-BRN
Black	XL	RICI150XL-BRN
	L	RICI150LGE-BLK
	XL	RICI150XL-BLK

Orange

M

RICI15516M-FLOR

BOB DALE

Balaclava Style Headwear

Knitted wool or acrylic. Long length for extra coverage Balaclava style headwear.



ALG90-0-510



ALG90-0-500

Item
No.

Neck Warmer, Black

ALG90-0-700

Knitted 100% Acrylic

Face Mask, 1 Hole Style

ALG90-0-510

Face Mask, 3 Hole Style

ALG90-0-520

Neck Warmer, Red

ALG90-0-500

Black with 40 g Thinsulate® Lining – One Hole Design

ALG90-0-615

Black with 40 g Thinsulate® Lining – Three Hole Design

ALG90-0-616

LAURENTIDE

Winter Liners For Safety Caps



LTG3L07ABLU



LTG3L15ARED

Item
No.

Knitted Headband Liner

Blue

LTG3L07ABLU

Knitted 100% Acrylic Winter Liner

Red

LTG3L15ARED

ERGODYNE

Balaclava

- Long length
- Polyester fleece
- Reflective accent for higher visibility



Description	Item No.
Balaclava	EG06821

CHILL-ITS BY ERGODYNE, ERGODYNE

Chill-Its® Headwear and Sweat/Wristbands

Evaporative Cooling - PVA material activates when run under water for 1 min. Provides cooling comfort for hours.

Reusable; just rewt. Ranger Hats have a wide brim and constructed of 150 denier oxford polyester with vented mesh panels and PVA lining. Include Level 2 ANSI-compliant reflective tape with contrasting color.

Absorptive Cooling - Absorbent moisture-wicking terry fabric draws sweat away from skin.



EGO12566



EGO12564



EGO12563



EGO6615BL



EGO6550WHT

Material	Colour	Pattern	Closure Type	Size	Item No.
Bandana					
Cotton	Green	Solid	Tie	Universal	EGO12566
Cotton	Blue	Solid	Tie	Universal	EGO12567
Cotton	Red	Western	Tie	Universal	EGO12563
Cotton	Navy	Western	Tie	Universal	EGO12564
Cotton, PVA	Green	Solid	Hook-and-Loop	Universal	EGO12576
Dew Rag					
Terry Cloth	Green	Camouflage	Tie	Universal	EGO6615CAMO
Terry Cloth	Black, Orange	Flames	Tie	Universal	EGO6615FLAME
Terry Cloth	Blue	Solid	Tie	Universal	EGO6615BL
Terry Cloth	Green	Solid	Tie	Universal	EGO6615LIME
Terry Cloth	Blue	Western	Tie	Universal	EGO6615NY
Terry Cloth	Red	Western	Tie	Universal	EGO6615RD
Hat					
Cotton, PVA	Green	Solid	Tie	Universal	EGO12586
Cotton, PVA	Blue	Solid	Tie	Universal	EGO12587
Cotton, PVA	Red	Western	Tie	Universal	EGO12583
Cotton, PVA	Navy	Western	Tie	Universal	EGO12584
Sun Hat					
Polyester	Green	Solid	—	M	EGO12590
Polyester	Green	Solid	—	XL	EGO12591
Sweatband					
Cotton	Black	Solid	Elastic	Universal	EGO6550BLK
Cotton	White	Solid	Elastic	Universal	EGO6550WHT
Terry Cloth	Navy	Western	Tie	Universal	EGO12424
Wrist Band					
Terry Cloth	Black	Solid	Elastic	Universal	EGO6550BLK

APPROVED VENDOR

Hard Hat Storage Racks

Keep one or several hard hats close at hand and off working surfaces with these racks. Fit any hard hat shape.




GGS5LTR5

Item	Colour	Includes	Material	Item No.
Hard Hat Rack	Black	—	Epoxy Coated Steel	GG56GLA7
	Grey	Double-Sided Foam Tape	Powder Coated Steel	GG56GLA8
Hard Hat Window Mount Kit	Clear	—	Nickel Plated Steel	GG55LTR4
		(3) 3 in dia Suction Cups, Hardware	Metal, Plastic	GG55LTR3
				GG55LTR5

ACCUFORM SIGNS

Reflective Hard Hat Labels

Self-adhesive retro-reflective microprism labels promote visibility. Measure 1" W x 4" L. Pkg. of 16.



ACFLHR104BU

Item	Colour	Legend/ Background Colour	Material	Width	Height	Item No.
Hard Hat Label	Blue	Blue	Self-Adhesive Vinyl	4"	1"	ACFLHR104BU
	Lime Yellow	Fluorescent Lime, Green, Yellow	Self-Adhesive Vinyl	4"	1"	ACFLHR104GNYL
	Red	Red	Self-Adhesive Vinyl	4"	1"	ACFLHR104RD
	Red/Orange	Fluorescent Red, Orange	Self-Adhesive Vinyl	4"	1"	ACFLHR104RDOR
	White	White	Self-Adhesive Vinyl	4"	1"	ACFLHR104WT

CONDOR**Ear Plugs**

- Meet ANSI S3.19-1974

Disposable ear plugs conform to the ear canal as they expand, creating a seal that protects and is comfortable to wear.

Reusable ear plugs are premolded with grip stems for hygienic insertion, and washable for extended wear.

Metal-detectable plugs feature bright color and metalized formulation to help avoid contamination in the food/beverage industry.



GGG22ED80

Noise Reduction Rating NRR	Earplug Material	Earplug Shape	Earplug Packaging	Ear Plug Colour	Cord Options	Disposable/Reusable	Pairs per Package	Item No.
32	Foam	Bullet	Bulk Bag	Orange	Uncorded	Disposable	200	CDR22ED80

HONEYWELL HOWARD LEIGHT, HOWARD LEIGHT**Disposable and Reusable Ear Plugs**

- Meet ANSI S3.19-1974

Advanced designs and materials help provide proper fit for ear canals of all shapes and sizes. Choose disposable single-use plugs for work settings that demand a high degree of comfort or frequent changes, and where hygiene would bar reuse. Reusable ear plugs are great for environments where employees can keep and store the plugs to use multiple times. Specially created for environments where contamination by foreign objects is unacceptable.



HDLAS1



HDLTRUSTFITPOD1



HDLFDT30SM



HDLSDT30


Noise Reduction Rating NRR	Earplug Material	Earplug Shape	Earplug Packaging	Ear Plug Colour	Cord Options	Disposable/Reusable	Pairs per Package	Item No.
Earplugs								
25 dB	TPE	Flanged	Bulk Box	Blue	Corded	Reusable	100	HDLFDT30
25 dB	—	Flanged	—	Blue	Corded	Reusable	50	HDLFDT30SM
25 dB	TPE	Flanged	Bulk Box	Blue	Corded	Reusable	100	HDLSDT30
25 dB	TPE	Flanged	Bulk Box	Orange	Corded	Reusable	100	HDLSMF30
25 dB	TPE	Flanged	Bulk Box	Blue	Corded	Reusable	100	HDLSMF30BU
26 dB	Vinyl	Bell	Bulk Box	Orange	Uncorded	Reusable	100	HDLQD1
EarPlugs								
26 dB	—	Bell	—	Orange	Uncorded	—	—	HDLQD1RC
EarPlugs								
26 dB	Vinyl	Bell	Bulk Box	Orange	Corded	Reusable	100	HDLQD30
26 dB	Vinyl	Bell	Bulk Box	Orange	Corded	Reusable	50	HDLQD30RC
27 dB	Soft Plastic	Flanged	Carrying Case	Blue	Uncorded	Reusable	—	HDLAS1
27 dB	TPE	Flanged	Bulk Box	Blue	Corded	Reusable	50	HDLAS30R
27 dB	TPE	Flanged	Bulk Box	Blue	Uncorded	Reusable	100	HDLDPAS1
27 dB	Vinyl	Flanged	Bulk Box	Blue	Corded	Reusable	100	HDLDPAS30R
27 dB	TPE	Flanged	Bulk Box	Blue	Corded	Reusable	100	HDLDPAS30W
27 dB	TPE	Flanged	Bulk Box	Blue	Corded	Reusable	100	HDLFUS30HP
28 dB	Foam	Pod	Bulk Box	Orange	Uncorded	Reusable	50	HDLAS30W
28 dB	Foam	Pod	Bulk Box	Orange	Corded	Reusable	100	HDLTRUSTFITPOD1
30	Foam	Cylinder	Bulk Box	Orange	Corded	Disposable	100	HDLFF30
30	Foam	Cylinder	Bulk Box	Orange	Uncorded	Disposable	200	HDLFF1
30 dB	Foam	Contoured-T	Bulk Box	Green	Uncorded	Disposable	200	HDLLPF1
30 dB	Foam	Contoured-T	Bulk Box	Green	Corded	Disposable	100	HDLLPF30
32 dB	Foam	Contoured-T	Bulk Box	Magenta, Yellow	Uncorded	Disposable	200	HDLLL1
32 dB	Foam	Contoured-T	Bulk Box	Magenta, Yellow	Corded	Disposable	100	HDLLL30
32 dB	Foam	Contoured-T	Bulk Box	Blue, Orange	Corded	Disposable	100	HDLLT30
33 dB	Foam	Bell	Bulk Box	Orange	Uncorded	Disposable	200	HDLMAX1
33 dB	Foam	Bell	Bulk Box	Orange	Corded	Disposable	100	HDLMAX30

3M

Disposable Ear Plugs

▪ Meet ANSI S3.19-1974, except Nos. CBT318-1009 and CBT318-1008
Slow-recovery foam expands to conform to the individual ear for a comfortable custom fit. A variety of roll-down ear plug designs let you choose the best comfort and protection solution for your needs. Metal-detectable ear plugs are great for use in the food and beverage industry.

Nos. MMM1100 and MMM1110—Hypo-allergenic material and a dirt-resistant surface.



CBT310-1101

MMM1110

Series	Noise Reduction Rating NRR	Earplug Material	Earplug Shape	Earplug Packaging	Ear Plug Colour	Disposable/Reusable	Pairs per Package	Item No.
Earplugs								
1100	29 dB	Foam	Bullet	Bulk Box	Orange	Disposable	200	MMM1100
1100	29 dB	Foam	Bullet	Bulk Box	Orange	Disposable	100	MMM1110
—	33 dB	Foam	Cylinder	Pillow Pack	Yellow	—	—	CBT310-1250
E-A-R Pistonz	29 dB	Foam	Cylinder	Bulk Box	Grey	Reusable	100	MMMP1400
E-A-R Pistonz	29 dB	Foam	Cylinder	Bulk Bag	Grey	Reusable	100	MMMP1401
E-A-R Soft™	32 dB	Foam	Bullet	Bulk Box	Yellow	Disposable	200	CBT311-4106
E-A-R Soft™ FX™	33 dB	Foam	Bell	Bulk Box	Yellow	Disposable	200	CBT312-1260
E-A-R Soft™ FX™	33 dB	Foam	Bell	Bulk Box	Yellow	Disposable	200	CBT312-1261
E-A-R Soft™ Grippers™	31 dB	Foam	Bullet	Bulk Box	Yellow	Disposable	200	CBT312-6001
E-A-R Soft™ SuperFit™	33 dB	Foam	Bullet	Bulk Box	Orange, Yellow	Disposable	200	CBT312-1256
E-A-R Soft™ Yellow Neon Blasts™	29 dB	Foam	Bullet	Bulk Box	Red, Yellow	Disposable	200	CBT311-1252
E-A-R Soft™ Yellow Neon Blasts™	33 dB	Foam	Bullet	Bulk Bag	Red, Yellow	Disposable	200	CBT312-1252
E-A-R Soft™ Yellow Neons™	33 dB	Foam	Bullet	Bulk Box	Yellow	Disposable	200	CBT311-1250
E-A-R Soft™ Yellow Neons™	33 dB	Foam	Bullet	Bulk Box	Yellow	Disposable	200	CBT311-1251
E-A-R Soft™ Yellow Neons™	33 dB	Foam	Bullet	Bulk Box	Yellow	Disposable	200	CBT312-1250
E-A-R Soft™ Yellow Neons™	33 dB	Foam	Bullet	Bulk Box	Yellow	Disposable	200	CBT312-1251
E-A-R™ Classic™	29 dB	Foam	Cylinder	Bulk Box	Yellow	Disposable	200	CBT310-1001
E-A-R™ Classic™	29 dB	Foam	Cylinder	Paper Wrapped Pair	Yellow	Disposable	30	CBT310-1060
E-A-R™ Classic™	33 dB	Foam	Cylinder	Bulk Box	Yellow	Disposable	200	CBT310-1101
E-A-R™ Classic™	29 dB	Foam	Cylinder	Paper Wrapped Pair	Yellow	Disposable	200	CBT310-1103
E-A-R™ Classic™	29 dB	Foam	Cylinder	Bulk Box	Yellow	Disposable	200	CBT311-1101
E-A-R™ Classic™	33 dB	Foam	Cylinder	Bulk Box	Yellow	Disposable	200	CBT311-1105
E-A-R™ Classic™	29 dB	Foam	Cylinder	Bulk Box	Yellow	Disposable	200	CBT311-1106
E-A-R™ Classic™	33 dB	Foam	Cylinder	Bulk Box	Yellow	Disposable	200	CBT311-4101
E-A-R™ Classic™	29 dB	Foam	Cylinder	Bulk Box	Yellow	Disposable	200	CBT312-1201
E-A-R™ E-Z-Fit™	23 dB	Foam	Bell	Bulk Box	Yellow	Disposable	200	CBT312-1208
E-A-R™ E-Z-Fit™	23 dB	Foam	Bell	Bulk Box	Yellow	Disposable	200	CBT312-1222
E-A-R™ EXPRESS™	25 dB	Foam	Pod	Paper Wrapped Pair	Yellow	Reusable	100	CBT311-1114
E-A-R™ EXPRESS™	25 dB	Foam	Pod	Paper Wrapped Pair	Yellow	Reusable	100	CBT311-1115
E-A-R™ EXPRESS™	25 dB	Foam	Pod	Paper Wrapped Pair	Yellow	Reusable	100	CBT311-1127
E-A-R™ EXPRESS™	23 dB	Foam	Pod	Paper Wrapped Pair	Yellow	Reusable	100	CBT321-2100
E-A-R™ EXPRESS™	23 dB	Foam	Pod	Bulk Box	Yellow	Reusable	100	CBT321-2200
E-A-R™ Push-Ins™	23 dB	Foam	Pod	Bulk Bag	Yellow	Reusable	100	CBT318-1000
E-A-R™ Push-Ins™	23 dB	Foam	Pod	Bulk Box	Yellow	Reusable	100	CBT318-1001
E-A-R™ Push-Ins™	30 dB	Foam	Cone	Bulk Box	Yellow	Reusable	200	CBT318-1008
E-A-R™ Push-Ins™	29 dB	Foam	Cone	Bulk Box	Yellow	Reusable	200	CBT318-1009
E-A-R™ Push-Ins™	29 dB	Foam	Cone	Bulk Box	Yellow	Reusable	200	CBT318-4001
E-A-R™ Skull Screws™	32 dB	Foam	Cone	Bulk Box	Grey	Disposable	120	PELP1300
E-A-R™ Skull Screws™	32dB	Foam	Cone	Bulk Bag	Grey	Disposable	120	PELP1301
E-A-R™ TaperFit™	32 dB	Foam	Bullet	Bulk Box	Yellow	Disposable	200	CBT312-1219
E-A-R™ TaperFit™	32 dB	Foam	Bullet	Bulk Box	Yellow	Disposable	200	CBT312-1221
E-A-R™ TaperFit™	32 dB	Foam	Bullet	Bulk Bag	Yellow	Disposable	200	CBT312-1223
E-A-R™ TaperFit™	32 dB	Foam	Bullet	Bulk Box	Yellow	Disposable	200	CBT312-1224
No-Touch™	29 dB	Foam	Bell	Bulk Bag	Purple	Disposable	100	MMMP2000
No-Touch™	29 dB	Foam	Bell	Bulk Box	Purple	Disposable	100	MMMP2001



Register now

Enjoy these features & more

- ✓ Access your pricing
- ✓ View order history
- ✓ Save favourites to your personal lists
- ✓ Quicker check-outs with saved shipping features

Sign in or register on [Grainger.ca](#) today

3M

Reusable Ear Plugs

- Meet ANSI S3.19-1974
- Universal size

Extended-wear premolded plugs are offered in corded designs, allowing the ability to hang around shoulders for quick on/off use.



CBT340-4003

Cord Options	Noise Reduction Rating NRR	Earplug Material	Earplug Shape	Earplug Packaging	Ear Plug Colour	Disposable/Reusable	Pairs per Package	Item No.
E-A-R™ UltraFit™								
Corded	25 dB	Elastomeric Polymer	Flanged	Carrying Case	Yellow	Reusable	50	CBT340-4002
Corded	25 dB	Elastomeric Polymer	Flanged	Bulk Bag	Yellow	Reusable	100	CBT340-4004
Corded	25 dB	Elastomeric Polymer	Flanged	Bulk Bag	Blue	Reusable	100	CBT340-4007
Corded	25 dB	Elastomeric Polymer	Flanged	Bulk Bag	Yellow	Reusable	200	CBT340-4014
Uncorded	25 dB	Elastomeric Polymer	Flanged	Bulk Box	Yellow	Reusable	100	CBT340-4003
Uncorded	27 dB	Elastomeric Polymer	Flanged	Bulk Bag	Yellow	Reusable	100	CBT340-8001
Uncorded	27 dB	Elastomeric Polymer	Flanged	Bulk Bag	Yellow	Reusable	100	CBT340-8001PK
Tri-Flange™								
Corded	26 dB	Elastomeric Polymer	Flanged	Bulk Box	Clear	Reusable	100	MMMP3000
Corded	26 dB	Elastomeric Polymer	Flanged	Bulk Box	Clear	Reusable	100	MMMP3001

3M

Ear Plug Dispensing Base and Refills

- Meet ANSI S3.19-1974

One Touch™ Pro dispensing base is reusable. Dispenses one ear plug at a time directly into hand. Durable ABS plastic with powder-coated steel back plate for indoor or outdoor use. Free standing or wall-mounted. Disposable ear plugs packaged in nonrefillable bottles are sold separately.



CBT391-1005



CBT391-0000

Series	Capacity	Dispenser Mounting Style	Overall Depth	Overall Height	Overall Width	Item No.	
E-A-R™ One Touch™ Pro	400 to 500 Pairs	Table Top, Wall	21 in	10 in	8 in	CBT391-0000	
Refill							
Ear Plug Dispenser Refill	3M™ EAR™ Classic		29 dB	Yellow	Cylinder	500	CBT391-1001
Ear Plug Dispenser Refill	3M™ EARsoft Yellow Neons		33 dB	Yellow	Bullet	500	CBT391-1004
Ear Plug Dispenser Refill	E-A-Rsoft Yellow Neons Blasts / One Touch		33 dB	Red, Yellow	Bullet	500	CBT391-1010
Ear Plug Dispenser Refill	E-A-Rsoft™		33 dB	Yellow	Bullet	500	CBT391-1005
Ear Plug Dispenser Refill	E-A-Rsoft SuperFit / One Touch		33 dB	Orange, Yellow	Bullet	500	CBT391-1254

APPROVED VENDOR

Ear Plug Dispensers

Dispensers keep out dust and restock quickly with easy-access hinged lid. Place on tabletop/countertop or wall-mount.



GGS4GMR9

Item	Material	Type	Mounting Hole Center to Center	Holds	Item No.
Earplug Dispenser	High Impact PETG	Small	3 1/16 in	100 Pairs	GGS4GMR9
Earplug Dispenser	High Impact PETG	Large	9 1/2 in	200 Pairs	GGS4GMT1

HOWARD LEIGHT

Leight® Source 500 Earplug Dispenser

- Heavy-duty anodized aluminum
- Mount on wall for easy access
- Dispenses plugs with turn of handle
- Highly visible
- Holds 500 pairs of Howard Leight single-use earplugs

**HDLLS500**

Description	Noise Reduction Rating NRR	Item No.
Earplug Dispenser, Holds 500 Pairs		HDLLS500
Sold by Package of 500 Pairs		
Uncorded Max® Earplug LS500 Refill, NRR 33 dB	33	HDLMAX1D
Uncorded LS500 Earplugs Refill, NRR 30 dB	30	HDLLPF1D
Uncorded Laser Lite® Earplug LS500 Refill, NRR 32 dB	32	HDLLL1D
Sold by Package of 200 Pairs		
Quiet® Earplug LS500 Refill	26	HDLQD1DS

HOWARD LEIGHT

Max® Disposable Foam Earplugs

Max® pre-shaped polyurethane foam earplugs feature smooth outer skin for maximum user comfort. Smooth soil-resistant skin helps prevent foreign material from penetrating surface while rolling prior to insertion. Orange colour. NRR 33.

**HDLMAX1**

Plug Material	Cord Options	Pairs per Package	Item No.
Polyurethane	Uncorded	200	HDLMAX1
Polyurethane	Uncorded	500	HDLMAX1D
Polyurethane	Corded	100	HDLMAX30

MOLDEX

Rockets®

- NRR 27 gives protection in most noisy environments
- Easy grip handle lets ear plugs easily slip into ear
- Air bubble in tip provides cushioned comfort
- Earplugs can be washed and reused
- Pocket-Pak® carrying case provides hygienic storage of plugs between uses
- 100% PVC-free
- CSA Class A(L)

**MDX6400**

Description	Item No.
With Cord	MDX6405
Without Cord	MDX6400

MOLDEX

Glide™ Twist-In Triple Flange Earplugs


- Unique multi-curved stem rotates for a custom fit
- Large handle on curved stem for easy insertion & removal
- Cord can be attached at any desired length
- 50 pairs per box



MOLDEX

Meteors®

- 100% PVC-Free
- The contours follow the shape of the ear canal which means less pressure at the smallest diameter of the ear canal
- Meteors® innovative undercut design affords a secure fit, all day long
- Meteors® are independently tested to ANSI S3.19-1974
- CSA class A(L)

**MDX6870**

Description	Pairs per Package	Item No.
Regular Size – NRR Rating 33		
Uncorded	200	MDX6870
Corded	100	MDX6970
Small Size – NRR Rating 28		
Uncorded	200	MDX6630
Corded	100	MDX6632

MOLDEX

Flip To Listen™ Dual Mode Earplugs

- NRR 24 for most noisy environments
- NRR 4 when you need to communicate or hear
- Triple flange design provides all day comfort
- 50 pairs per box



Plug Material	Cord Options	Item No.
TPE	Corded	MDX6770

MOLDEX

Pura-Fit®

- 100% PVC-Free
- Tapered for easier insertion
- Hygienically packaged in biodegradable paper pouches (uncorded only)
- Longer length for easy fitting and removal
- NRR Rating 33
- CSA Class A(L)

**MDX6800**

Description	Item No.
Uncorded, Box of 200 Pairs	MDX6800
Corded, Box of 100 Pairs	MDX6900
Pura-Fit® 250 Pairs per Station	MDX6844
Pura-Fit® 500 Pairs per Station	MDX6845

1-888-602-0000
MOLDEX

Mellows® – Disposable Foam Earplugs

- Extra-soft, extra-light foam for superior all-day comfort
- High visibility colours make compliance checks quick and easy
- Tapered shape for easy insertion and removal
- Shaped to fit even very small ear canals
- Non-irritating smooth surface
- 100% PVC-free
- Independently tested to ANSI S3.19-1974, NRR 30
- CSA Class A(L)


MDX6820

Description	Item No.
Uncorded, 200 Pairs per Box	MDX6820
Corded, 100 Pairs per Box	MDX6840

3M

3M™ E-A-R™ Push-ins™

- Quick, clean and hygienic
- EARform™ foam shapes to the ear canal
- CSA Class A(L)


CBT318-3000

Cord Options	Noise Reduction Rating NRR	Item No.	Pairs per Package
E-A-R™ Push-Ins™			
Corded	28dB	CBT318-3000	200
Corded	23dB	CBT318-1005BX	500

3M

3M™ E-A-R™ Ultrafit™ Earplugs

The stay-together cord helps to prevent loss and allows storage around the neck when not in use. CSA Class A(L), NRR 25.


CBT340-4014

Description	Pairs per Package	Item No.
Corded in Econopack	200	CBT340-4014
Corded in Poly Bag	100	CBT340-4004
Corded with Carrying Case	50	CBT340-4002
Uncorded in Poly Bag	100	CBT340-4003
Uncorded with Carrying Case	50	CBT340-4001

MOLDEX

SparkPlugs® Multi-Colored Foam Earplugs

- 100% PVC-free
- Extra soft foam and tapered design fit snugly and comfortably in the ear
- Bright, fun colours provide easy compliance checks
- NRR 33
- CSA Class A(L)


MDX6604

Description	Item No.
Uncorded, Box of 200 Pairs	MDX6604
Corded, Box of 100 Pairs	MDX6654
Earplug Dispenser with 250 Pairs	MDX6644
Earplug Dispenser with 500 Pairs	MDX6645

HOWARD LEIGHT

Fusion® Reusable Earplugs

- Central FlexiFirm® stem for easy fitting
- SoftFlanges™ for superior comfort and fit
- Unique detachable cord system
- HearPack storage case


HDLFUS30S-HP

Size	Noise Reduction Rating NRR	Cord Colour	Item No.
S	27 dB	Green, Yellow	HDLFUS30S-HP
M	27 dB	Blue, Yellow	HDLFUS30HP

MOLDEX

Rockets® Metal Detectable

- 100% PVC-Free®
- Metal detectable for food processing applications
- The enclosed metal spring eliminates any exposed metal
- The earplugs are corded to prevent earplug loss
- Metal detectable cord
- Independently tested to ANSI S3.19-1974
- CSA class A(L)



Description	Noise Reduction Rating NRR	Item No.
Rockets® Metal Detectable	27 dB	MDX6415

MOLDEX

Jetz® Reusable Earplugs

- Extra-soft material and triple flange design
- Cloth cord
- Plugs can be washed and reused
- Independently tested to ANSI S3.19-1974, NRR 27 dB
- 100% PVC-Free®
- CSA class A(L)


MDX6450

Description	Item No.
Uncorded	MDX6450
Corded	MDX6455

MOLDEX

SparkPlugs® Metal Detectable

- 100% PVC-Free®
- Extra-soft foam and tapered design fit snugly and comfortably in the ear
- The ball bearing and cord are in separate holes so that the earplugs remain detectable even if the cord is removed
- Cord is metal detectable
- Independently tested to ANSI S3.19-1974
- NRR 33
- CSA class A(L)



Description	Item No.
Corded (100 Pairs)	MDX6615

MOLDEX

Jazz Band® Semi-Aural Hearing Protector

Soft, comfortable foam pods that gently cap the ear canal. Hangs easily around the neck with optional breakaway cord when not in use. Bands come with a pair of replacement pods. NRR Rating 25.



MDX6506

Description	Item No.
Canal Cap Hearing Protector	MDX6506
Bag with 5 Pair Replacement Pods and 1 Neck Cord for Jazz Band®	MDX6504

CONDOR

Cap Mount Earmuffs

- Earmuffs snap conveniently onto sides of hard hat
- Fits Condor/North Safety caps
- NRR 23



EBP26X629

Item	Colour	Item No.
Earmuffs	Black/Red	EBP26X629

BILSON

Replacement Parts for Ear Muffs

- Replacement pad kits (sometimes called hygiene kits) extend the life and restore the performance of ear muffs by replacing worn or lost ear cup pads. They're also used to supply clean pads for a new user. New pads optimize hearing protection by maintaining a proper seal around the ears.

Model	Item No.
Replacement Hygiene Kits	
For L3, L3H & L3HV	BSM1012000
For V2 & L2	BSM1011999
For L1 & L1H	BSM1011998

3M

3M™ Peltor™ Optime 101

With a wide protection range that covers both severe and high noise levels. Protects up to 101 decibels. CSA Class A.



PELH7A

Item	Earmuff Style	NRR Rating	Colour	Item No.
Earmuffs	Over-the-Head	27	Black	PELH7A
Earmuffs	Behind-the-Neck	26	Black	PELH7B
Earmuffs	Hard Hat Mounted	24	Green/Black	PELH7P3E
Replacement Ear Muff Cushion Kit	—	—	—	PELHY7

3M

3M™ Peltor™ Optime 95

These slim design muffs were specially engineered for high comfort and continuous wear. Protects up to 95 decibels. NRR 21.



PELH6F/V

Item	Earmuff Style	Colour	Item No.
Earmuffs	Behind-the-Neck	Black/Tan	PELH6B/V
Earmuffs	Hard Hat Mounted	Beige/Black	PELH6P3E/V
Earmuffs	Over-the-Head	Black/Tan	PELH6F/V



BSM1012000

HOWARD LEIGHT

QM24+®

- Ultra lightweight design
- Multiple position headband allows wearer to select position over-the-head, behind-the-head or under-the-chin
- Alternative to cap-mounted earmuffs – wear with hard hats, face shields, respirators and other PPE
- Dielectric construction suitable for electrical environments

NRR Rating
25Item No.
HDLQM24PLUS

3M

3M™ Peltor™ Optime 105

Represents the ultimate in earmuff technology by providing one of the highest protection levels in the industry. Protects up to 105 decibels. CSA Class A(L).



PELH10A

Item	NRR Rating	Earmuff Style	Colour	Item No.
Earmuffs	30	Over-the-Head	Black/Red	PELH10A
Earmuffs	30	Over-the-Head	Black/Green	PELH10A-HV
Earmuffs	29	Behind-the-Neck	Black/Red	PELH10B
Earmuffs	27	Hard Hat Mounted	Red/Black	PELH10P3E
Hygiene Kit	—	—	Black	PELHY10

BILSON

Replacement Pad Kits

- Replacement pad kits (sometimes called hygiene kits) extend the life and restore the performance of ear muffs by replacing worn or lost ear cup pads. They're also used to supply clean pads for a new user. New pads optimize hearing protection by maintaining a proper seal around the ears.



BSM1010974

Model No.
Replacement Hygiene Kits
For T1 & T1HItem No.
BSM1010974**3M™ Peltor™ H31 Deluxe Hearing Protectors**

- Dual low pressure bands improve comfort
- Liquid/foam ear cushion construction
- CSA Class A



PELH31A

Description	NRR Rating	Item No.
Headband Model	24	PELH31A

**Grainger catalogues
Are digital too**

- Choose from our library of catalogues
- Browse, download, and share pages
- Add items to your cart and checkout when ready



MSA, V-GARD HP

EXC Hearing Protectors

- Excellent noise attenuation with maximum ear space in cups
- Wide and soft padding provides a firm fit
- Meets ANSI S3.19-1974 and CSA Class A Standards



MSA10061229

Description	NRR Rating	Item No.
Headband Model	24	MSA10061229 MSA10190357

3M PELTOR

3M™ Peltor™ Receive-Only Headset

Headset for monitoring or listening to 2-way portable radios or personal entertainment devices. Equipped with speakers in both ears. Neckband and cap mount units available.



Features
High Attenuation

Item No.
PELHT52P3E112

HOWARD LEIGHT

Electronic & Communication Earmuffs

- Provides ideal protection from most low to medium hazardous noise levels
- Volume Management Technology™ manages output volume from portable audio devices at 82 dBA (based on sound output no greater than 126 mV)
- No batteries required – just plug in and go
- Includes 3.5 mm input cable, plugs into most MP3 players, mobile phones, and other personal audio devices
- NRR 25, CSA Class A



HDL1030110
MP3 PLAYER
NOT INCLUDED

Description	Item No.
Headband Model	HDL1030110
Hygiene Kit for HDL1030110	HDL1030220

TAKE CONTROL OF YOUR STUFF

Inventory managed. Space organized.
Time and money saved.

Grainger KeepStock solutions are subject to customer eligibility and agreements.

GRAINGER
Canada

KeepStock
Inventory Management

Contact your Grainger rep or visit
grainger.ca/keepstock to learn more.

3M

E-A-Rbuds™ Hearing Protector and Ear Muffs

Protect hearing while listening to music. 3.5mm stereo audio jack is compatible with MP3 players. Comfortable design with triflange reusable ear plug. With easy-access volume control and belt clip.



PELEARBUD2600N

Item	Noise Reduction Rating NRR	Earplug Shape	Ear Plug Colour	Cord Options	Item No.
Earmuffs	21dB	—	—	—	PELH6P3E/V
Electronic Earplugs	26dB	Multiple	Black	Corded	PELEARBUD2600N

3M, 3M PELTOR, CONDOR, ELVEX, HONEYWELL HOWARD LEIGHT, HOWARD LEIGHT

Headband and Folding Ear Muffs

- Meet ANSI S3.19-1974, except except

Peltor™ X Series and Nextera®

Padded headbands cushion the head and distribute pressure for comfort. Dielectric ear muffs are nonconductive for use in electrical environments.

Peltor™ X Series - Technologically advanced ear muffs deliver reliable protection and all-day comfort. The electrically insulated wire headband offers comfortable pressure during prolonged use. Lightweight, low-profile ear cups pivot and tilt for efficiency and comfort.

Thunder® Series - Dielectric construction helps protect wearers in all workplaces, especially in electrical environments. Snap-in ear cushions are easy to replace. Quick-click height adjustment.

Peltor™ Optime™ Series - Feature 4-point steel suspension headband, liquid/foam-filled ear cushions, and broad soft rings. Use No. PELH10A for noise levels up to 105dBA, No. PELH7A up to 101dBA, No. PELH9A up to 98dBA, and No. PELH6FV up to 95dBA. No. PELH6FV folds for easy storage.

Viking™ Series - 3-position headband offers optimal comfort and fit (over-the-head, behind-the-neck, under-the-chin). Snap-in ear cushions are easy to replace. Include auxiliary headband strap.

Sync™ Stereo - Personal audio device for listening to music while working. Acoustically optimized ear cup design delivers protection against hazardous noise and limits music to a safe 82dB.



NON1035106VS

Series	Item	Noise Reduction Rating NRR	Earmuff Style	Ear Muff Shell Colour	Colour	Dielectric	Brand	Item No.
X	Earmuffs	22 dB	Over-the-Head	Black, Green	Black / Green	Yes	3M Peltor	PELX1A
X	Earmuffs	24 dB	Over-the-Head	Black, Yellow	Black / Yellow	Yes	3M Peltor	PELX2A
X	Earmuffs	27 dB	Over-the-Head	Black, Chartreuse	Black/Green	Yes	3M Peltor	PELX4A
X	Earmuffs	28 dB	Over-the-Head	Black, Red	Black / Red	Yes	3M Peltor	PELX3A
X	Earmuffs	31 dB	Over-the-Head	Black	Black	Yes	3M Peltor	PELX5A
WELHB	Earmuffs	28 dB	Multi-Position	Black, Red	Black/Red	Yes	Elvex	WWG3RXE1
VeriShield™ 100	Earmuffs	27 dB	Over-the-Head	Black, Yellow	—	No	Honeywell Howard Leight	NON1035106VS
VeriShield™ 100	Earmuffs	30 dB	Over-the-Head	Black, Yellow	—	No	Honeywell Howard Leight	NON1035110VS
Sync®	Electronic Earmuffs	25 dB	Over-the-Head	Black	—	No	Howard Leight	HDL1030110
Impact Pro	Electronic Earmuffs	30 dB	Over-the-Head	Black, Yellow	—	No	Honeywell Howard Leight	HDL1030943
Impact® Sport	Electronic Earmuffs	22 dB	Over-the-Head	Green	Green	No	Howard Leight	HDLR01526
EM-108	Earmuffs	24 dB	Over-the-Head	Yellow	Yellow	No	Condor	CDR2AA65
EM-105	Earmuffs	26 dB	Multi-Position	Yellow	Yellow	Yes	Condor	EBP2AA64
Condor	Earmuffs	22	Over-the-Head	Yellow	Yellow	Yes	Condor	GGS26X628
Condor	Earmuffs	24 dB	Over-the-Head	Red	Red/Black	No	Condor	GGS26X625
Condor	Earmuffs	25	Over-the-Head	Black, Red	Black/Red	Yes	Condor	GGS26X624
Condor	Earmuffs	26	Over-the-Head	Yellow	Yellow	No	Condor	GGS26X627
Condor	Earmuffs	27	Over-the-Head	Red	Red	No	Condor	GGS26X626
Condor	Earmuffs	28	Multi-Position	Red	Red/Black	Yes	Condor	GGS26X623
Condor	Earmuffs	29	Over-the-Head	Yellow	Yellow/Black	Yes	Condor	GGS26X622
98	Earmuffs	25 dB	Over-the-Head	Yellow	Black/Yellow	No	3M	PELH9A
95	Earmuffs	21 dB	Over-the-Head	Black	Black/Tan	No	3M	PELH6F/V
105	Earmuffs	30 dB	Over-the-Head	Black, Red	Black/Red	No	3M	PELH10A
101	Earmuffs	27 dB	Over-the-Head	Black, Green	Black	No	3M	PELH7A

HONEYWELL HOWARD LEIGHT

SYNC Ear Muffs

- Meet ANSI S3.19-1974

Aux. input. Run wirelessly on 2 AA batteries (included).



Series	Includes	Radio Band Type	Noise Reduction Rating NRR	Earmuff Style	Ear Muff Shell Colour	Item No.
Electronic Earmuffs	3.5mm Cable	AM/FM	25 dB	Over-the-Head	Black	HDL1030331
Sync®	3.5mm Cable	FM	25 dB	Over-the-Head	Black	HDL1030333
Sync®	3.5mm Cable	AM/FM	25 dB	Over-the-Head	Hi-Visibility Green	HDL1030390

3M, 3M PELTOR, CONDOR, HONEYWELL HOWARD LEIGHT, MSA

Behind-the-Head and Front Brim/ Full Brim Hat-Mounted Ear Muffs

■ Meet ANSI S3.19-1974, except Nos. PELH505B, PELX3P5E to PELX5P5E

Behind-the-Head - Include headband for behind-the-head wear and better positioning. Curve to a natural headshape.

Peltor™ Optime™ Series - Foam- and gel-filled cushions for better comfort. Ear cups for hard hats pivot and tilt, providing adjustment for comfort and efficiency. Behind-the-neck feature corded neckbands for versatile wearing with unlimited hat types.

Verishield™ 100 Series-Comfortably Fits A Wide Range of Head Sizes, 17% More Adjustable Than Earlier Versions, Ideal for Workers with Larger Ears, Opening Area of The Cup Increased By 16% Over Earlier Versions, Steel-Wire Construction with Padded Headband, Precision Micro Adjustments are Designed for Just The Right Fit Around The Ear

Thunder® Series—Air flow control and snap-in ear cups. Include hard hat adapter and hat.

Condor® - Foam-filled cushions for comfort.

Soprano™—No. MSA10034487 only. Ear cups swivel for above face position. Include mechanically attached hard hat. Reduce helmet class to C.



MSA10034487

Series	Item	Noise Reduction Rating NRR	Earmuff Style	Ear Muff Shell Colour	Colour	Dielectric	Brand	Item No.
X	Earmuffs	21 dB	Hard Hat Mounted	Black	—	Yes	3M Peltor	PELX1P5E
X	Earmuffs	24 dB	Hard Hat Mounted	Black, Yellow	Black/Yellow	Yes	3M Peltor	PELX2P5E
X	Earmuffs	25 dB	Hard Hat Mounted	Black	—	Yes	3M Peltor	PELX3P5E
X	Earmuffs	25 dB	Hard Hat Mounted	Black	—	Yes	3M Peltor	PELX4P5E
X	Earmuffs	31 dB	Hard Hat Mounted	Black	Black/White	Yes	3M Peltor	PELX5P5E
VeriShield™ 100	Earmuffs	22 dB	Behind-the-Neck	Black	—	No	Honeywell Howard Leight	NON1035112VS
VeriShield™ 100	Earmuffs	24 dB	Hard Hat Mounted	Black	—	No	Honeywell Howard Leight	NON1035121VS
VeriShield™ 100	Earmuffs	27 dB	Hard Hat Mounted	Black	—	No	Honeywell Howard Leight	NON1035124VS
VeriShield™ 100	Earmuffs	28 dB	Behind-the-Neck	Black	—	No	Honeywell Howard Leight	NON1035116VS
Specialty	Earmuffs	17 dB	Behind-the-Neck	Gray	Black	No	3M	PELH505B
Soprano™	Earmuffs	25 dB	Hard Hat Mounted	Gray	Gray/Green	Yes	MSA	MSA10034487
left/RIGHT™	Earmuffs	21 dB	Hard Hat Mounted	White	White	Yes	MSA	MSA10087439
left/RIGHT™	Earmuffs	25 dB	Over-the-Head	Blue	Blue	Yes	MSA	MSA10087426
left/RIGHT™	Earmuffs	25 dB	Hard Hat Mounted	Blue	Blue	Yes	MSA	MSA10087429
left/RIGHT™	Earmuffs	28 dB	Over-the-Head	Yellow	Yellow	Yes	MSA	MSA10087399
L3H	Earmuffs	26 dB	Hard Hat Mounted	White	—	No	Honeywell Howard Leight	HDLEM7209HL
Condor	Earmuffs	18 dB	Hard Hat Mounted	Black, Red	Black/Red	No	Condor	EBP26X629
98	Earmuffs	23 dB	Hard Hat Mounted	Yellow	Yellow	No	3M	PELH9P3E
95	Earmuffs	21 dB	Behind-the-Neck	Black	Black/Tan	No	3M	PELH6BV
105	Earmuffs	27 dB	Hard Hat Mounted	Black, Red	Red/Black	No	3M	PELH10P3E
105	Earmuffs	29 dB	Behind-the-Neck	Black, Red	Black/Red	No	3M	PELH10B
101	Earmuffs	24 dB	Hard Hat Mounted	Green	Green/Black	No	3M	PELH7P3E
101	Earmuffs	26 dB	Behind-the-Neck	Black, Green	Black	No	3M	PELH7B
—	Earmuffs	25 dB, CSA Class A	Multi-Position	—	Black with Bright Yellow	No	3M Peltor	PELX4P3E

3M, HONEYWELL HOWARD LEIGHT

Impulse Noise Protection Ear Muffs

Impulse noise protection ear muffs (also called electronic ear muffs) electronically filter out constant, loud noise and short bursts of high-volume noise. These electronic hearing protection ear muffs reduce, or attenuate, loud noises while still allowing you to hear ambient sound. Electronic ear protection is often worn to protect against impulse (or impact) noises such as gunfire or metal stamping, pressing, and forging sounds.

Nos. PELMT13H221A and PELMT13H221P3E feature voice guided menu system, auto power off, turn off after 4 hr. of non-use to save battery, low-battery warning.



HDL1030942



PELMT13H221A

Series	Item	Noise Reduction Rating NRR	Wired Connection Type	Earmuff Style	Ear Muff Shell Colour	Dielectric	Brand	Item No.
ProTac III	Electronic Earmuffs	23 dB	3.5mm Stereo Jack	Hard Hat Mounted	Black	No	3M	PELMT13H221P3E
ProTac III	Electronic Earmuffs	26 dB	3.5mm Stereo Jack	Over-the-Head	Black	No	3M	PELMT13H221A
Impact® Sport	Electronic Earmuffs	22 dB	3.5mm Stereo Jack	Over-the-Head	Black	No	Honeywell Howard Leight	HDL1030942

3M

Radio Ear Muffs

- Up to 5 stored radio stations
- Require 2 AA batteries

Peltor™ WorkTunes™ ear muffs allow listening to the radio and music while protecting hearing from potentially harmful workplace noise. Hard hat-mounted AM/FM radio ear muffs (No. PELHRXS221P3E-NA) include built-in antenna, digital station search, and 3.5mm stereo plug.



Item	Noise Reduction Rating NRR	Earmuff Style	Ear Muff Shell Colour	Item No.
Electronic Earmuffs	23 dB	Hard Hat Mounted	Black	PELHRXS221P3E-NA

CONDOR

Frameless Safety Glasses

- Meet ANSI Z87.1
- 99.9% UV protection

Addison™—Has 9-base lenses and provides 180° field of vision. Curved temples with soft tips. Nonslip nosepiece.

Condor® V—Features flexible, contoured spatula temples.

Condor® Visitor—Universal size with spatula temples. No. GGS4JND6 is 1-pc. construction, vented style. Fit over most prescription glasses.



EBP4VCK9



EBP1FYX6

Item	Lens Colour	Lens Coating	Frame Colour	Eyewear Frame Design	Item No.
Addison(TM)					
Safety Glasses	Clear	Scratch Resistant	Clear	Wraparound	EBP4VCK9
Condor(TM) V					
Safety Glasses	Clear	Uncoated	Clear	Wraparound	EBP4EY97
Safety Glasses	Clear	Scratch Resistant	Clear	Wraparound	EBP1FYX6
Condor(TM) Visitor					
Safety Glasses	Amber	Scratch Resistant	Amber	OTG	GGS4JND7
Safety Glasses	Gray	Scratch Resistant	Gray	OTG	GGS4JND6



HONEYWELL

Half Frame Safety Glasses

- Meet ANSI Z87.1-2015
- 99.9% UV protection

A400 Series—Wraparound design with universal nosebridge and integrated side protection. Meets CSA Z94.3.



WSSA700

A700 Series—Wraparound 9-base design provides distortion-free 180° field of vision. Universal nosebridge and soft temple tips. Meets CSA Z94.3.



WSSA805

A800 Series—Wraparound 9-base lenses with distortion-free 180° field of vision. Flexible temples and soft, nonslip nosepiece.

Lens Colour	Lens Coating	Frame Colour	Eyewear Frame Design	Item No.
Honeywell A400				
Gray Mirror	Scratch Resistant	Gray	Wraparound	WSSA403
Gray Mirror	Scratch Resistant	Clear	Wraparound	WSSA404
Honeywell A700				
Amber	Scratch Resistant	Amber	Wraparound	WSSA702
Blue	Scratch Resistant	Gray	Wraparound	WSSA703
Clear	Anti-Fog	Clear	Wraparound	WSSA705
Clear	Scratch Resistant	Clear	Wraparound	WSSA700
Gray	Scratch Resistant	Gray	Wraparound	WSSA701
Gray Mirror	Scratch Resistant	Gray	Wraparound	WSSA704
Honeywell A800				
Amber	Scratch Resistant	Clear	Wraparound	WSSA802
Clear	Anti-Fog	Clear	Wraparound	WSSA805
Clear	Scratch Resistant	Clear	Wraparound	WSSA800
Gray	Anti-Fog	Gray	Wraparound	WSSA806
Gray	Scratch Resistant	Gray	Wraparound	WSSA801
Gray Mirror	Scratch Resistant	Gray	Wraparound	WSSA804

CONDOR

Sealed Safety Glasses

- Meet ANSI Z87.1-2010
- 99.9% UV protection

Nylon frame has foam in the face-piece that fits snugly around eyes, and indirect venting helps keep liquid splash from getting in. Versatile Donyi™ design lets you switch as needed from temples to elastic strap.



Lens Colour	Lens Coating	Frame Colour	Eyewear Frame Design	Item No.
Donyi				
Clear	Anti-Fog	Black	Wraparound	EBP22ED39

Register now

Enjoy these features & more

- Access your pricing
- View order history
- Save favourites to your personal lists
- Quicker check-outs with saved shipping features

Sign in or register on [Grainger.ca](#) today

HONEYWELL UVEX, UVEX

Frameless Safety Glasses

- Meet ANSI Z87.1-2015
- Meets CSA Z94.3
- 99.9% UV protection

Astro OTG® (Over-the-Glass) 3001—Meets Military V₀ Ballistic Test for Impact. Designed to be worn over prescription glasses. Unilens wraparound design features universal nosebridge; cushioned, adjustable temple lengths; and adjustable lens angle.

Falcon®—9-base unilens provides coverage with a wide field of vision. Molded-in nosebridge, adjustable temple lengths, and lens angle adjustment.

Ignite™—Meets Military V₀ Ballistic Test for Impact. Frameless design features 9-base wraparound unilens with adjustable nosepiece and cushioned temples.

Skyper®—Wraparound unilens has molded-in nosebridge and side shields. Adjustable comfort-cushioned temples with adjustable temple lengths and lens angle adjustment.

Ultra-spec® OTG (Over-the-Glass) 2001—Designed to be worn over prescription glasses. Molded-in side shields, browguard, universal nosebridge, and flexible and adjustable temple lengths.

Ultra-spec® 2000—Unilens design is antistatic with built-in side shields, browguard, and adjustable temple lengths.



	Lens Colour	Lens Coating	Frame Colour	Eyewear Frame Design	Item No.
Astro OTG(R) 3001	Clear	Anti-Fog	Black	OTG	UVXS2500C
	Clear	Anti-Fog	Blue	OTG	UVXS2510C
	Clear	Anti-Fog, Scratch Resistant	Black	OTG	UVXS2500
	Clear	Scratch Resistant	Blue	—	UVXS2510
	Gray	Scratch Resistant	Black	OTG	UVXS2504
	Green	Scratch Resistant	Black	OTG	UVXS2508
	Green	Scratch Resistant	Black	OTG	UVXS2509
	SCT-Low IR	Scratch Resistant	Black/Blue	—	UVXS2505
Falcon(R)	Amber	Anti-Fog	Black	—	UVXS4502X
	Clear	Anti-Fog	Black	Wraparound	UVXS4500X
Genesis(R)	Clear	Anti-Fog, Scratch Resistant	Black	Wraparound	UVXS3200HS
	Clear	Scratch Resistant	Black	Wraparound	UVXS3200
Ignite	Clear	Anti-Fog	Black/Silver	Wraparound	UVXS4400X
Skyper(R)	SCT-Low IR	Anti-Fog	Black	—	UVXS1930X
SVP200	Light Gray	Scratch Resistant	Blue	Wraparound	UVXSVP207
Ultra-spec(R) 2000	Clear	Anti-Fog	Black/Clear	Wraparound	UVXS0250X
Ultra-spec(R) 2001 OTG	Clear	Anti-Fog	Clear	—	UVXS0112C
	Clear	Scratch Resistant	Clear	OTG	UVXS0112

Grainger catalogues Are digital too

- Choose from our library of catalogues
- Browse, download, and share pages
- Add items to your cart and checkout when ready



HONEYWELL, HONEYWELL UVEX
Half Frame Safety Glasses

- 99.9% UV protection

Fuse®—Wraparound 9-base lenses with adjustable nose pads and soft, flexible temple tips. Includes adjustable, breakaway retainer. Meet ANSI Z81.1 and CSA Z94.3.

Millennia Sport™—Lenses have curved temples and universal nosebridge. Includes adjustable, breakaway retainer. Meets ANSI Z87.1 and CSA Z94.3.

Vapor®—Wraparound frame with 9-base lenses provides 180° field of vision. Universal nosepiece. No. 4FE55 include adjustable, breakaway retainer. Meet ANSI Z87.1 and CSA Z94.3.

Bandit™—Wraparound unilens design. Features dual lens with replaceable lenses, adjustable temples, and molded-in side shields. Meet ANSI Z81.1.

Genesis®—Dual 9-base wraparound lenses feature a shock-absorbing browguard and a ventilation channel to prevent fogging. Unilens design, flexible

nose pads, adjustable temple length, and lens angle adjustment. Meet ANSI Z87.1 and CSA Z94.3.

Genesis® S—Same features as Genesis® eyewear, but feature a 6% smaller frame for workers with slimmer facial profiles. Meet ANSI Z87.1 and CSA Z94.3. Meet Military VO Ballistic Test for Impact.

Genesis XC®—Same features as Genesis® eyewear, but provide 20% more coverage for extra protection.

Protégé®—Expandable, floating unilens design with wraparound brow, cushioned temples, and a soft, flexible nosepiece. Meet ANSI Z87.1 and CSA Z94.3.

Mercury™—Wraparound dual-lens design offers a 180° field of vision with additional side protection. Soft, flexible nosepiece conforms to almost any nasal profile to reduce slippage while soft, padded temples provide secure, no-slip fit. Meet ANSI Z87.1 and CSA Z94.3.

Honeywell Fuse

Lens Colour	Lens Coating	Frame Colour	Eyewear Frame Design	Item No.
Gray Mirror	Scratch Resistant	Gray	Wraparound	WSS11150804

Honeywell Millennia Sport(TM)

Clear	Scratch Resistant	Black	Wraparound	WSS11150750
-------	-------------------	-------	------------	-------------

Honeywell Vapor

Clear	Scratch Resistant	Blue	Wraparound	WSS11150900
-------	-------------------	------	------------	-------------

Honeywell Uvex Avatar

Gray	Anti-Fog, Scratch Resistant	Blue	Wraparound	UVXS2871HS
------	-----------------------------	------	------------	------------

Honeywell Uvex Genesis(R)

Amber	Anti-Fog, Scratch Resistant	Black	Wraparound	UVXS3202HS
-------	-----------------------------	-------	------------	------------

Amber	Anti-Fog, Scratch Resistant	Blue	Wraparound	UVXS3241HS
-------	-----------------------------	------	------------	------------

Amber	Anti-Fog, Scratch Resistant	Black	Wraparound	UVXS3201HS
-------	-----------------------------	-------	------------	------------

Amber	Scratch Resistant	Black	Wraparound	UVXS3201
-------	-------------------	-------	------------	----------

Amber	Scratch Resistant	Blue	Wraparound	UVXS3241
-------	-------------------	------	------------	----------

Amber Mirror	Scratch Resistant	Brown	Wraparound	UVXS3223
--------------	-------------------	-------	------------	----------

Blue	Anti-Fog, Scratch Resistant	Black	Wraparound	UVXS3211HS
------	-----------------------------	-------	------------	------------

Clear	Anti-Fog, Scratch Resistant	Blue	Wraparound	UVXS3240HS
-------	-----------------------------	------	------------	------------

Clear	Anti-Fog, Scratch Resistant	Black	Wraparound	UVXS3200HS
-------	-----------------------------	-------	------------	------------

Clear	Scratch Resistant	Black	Wraparound	UVXS3200
-------	-------------------	-------	------------	----------

Clear	Scratch Resistant	Black	Wraparound	UVXS3204
-------	-------------------	-------	------------	----------

Gray	Anti-Fog, Scratch Resistant	Black	Wraparound	UVXS32240
------	-----------------------------	-------	------------	-----------

Gray	Anti-Fog, Scratch Resistant	Black	Wraparound	UVXS3212HS
------	-----------------------------	-------	------------	------------

Gray	Anti-Fog, Scratch Resistant	Black	Wraparound	UVXS3213HS
------	-----------------------------	-------	------------	------------

SCT-Reflect 50	Scratch Resistant	Blue	Wraparound	UVXS3244
----------------	-------------------	------	------------	----------

Honeywell Uvex Genesis(R) S				
------------------------------------	--	--	--	--

Clear	Anti-Fog, Scratch Resistant	Black/Gray	Wraparound	UVXS3700
-------	-----------------------------	------------	------------	----------

Clear	Anti-Fog, Scratch Resistant	Black/Gray	Wraparound	UVXS3700X
-------	-----------------------------	------------	------------	-----------

Honeywell Uvex Genesis(R) X(R)				
---------------------------------------	--	--	--	--

Clear	Anti-Fog, Scratch Resistant	Black	Wraparound	UVXS3300HS
-------	-----------------------------	-------	------------	------------

Clear	Scratch Resistant	Black	Wraparound	UVXS3300
-------	-------------------	-------	------------	----------

Gray	Anti-Fog, Scratch Resistant	Black	Wraparound	UVXS3310HS
------	-----------------------------	-------	------------	------------

Gray	Anti-Fog, Scratch Resistant	Black	Wraparound	UVXS3301HS
------	-----------------------------	-------	------------	------------

Gray	Scratch Resistant	Black	Wraparound	UVXS3301
------	-------------------	-------	------------	----------

SCT-Low IR	Anti-Fog, Scratch Resistant	Black	Wraparound	UVXS3304HS
------------	-----------------------------	-------	------------	------------

SCT-Vermillion	Anti-Fog, Scratch Resistant	Black	Wraparound	UVXS3311HS
----------------	-----------------------------	-------	------------	------------

Honeywell Uvex Protege(R)				
----------------------------------	--	--	--	--

Amber	Anti-Fog, Scratch Resistant	Black	Wraparound	UVXS4222HS
-------	-----------------------------	-------	------------	------------

Clear	Anti-Fog, Scratch Resistant	Black	Wraparound	UVXS4200
-------	-----------------------------	-------	------------	----------

Clear	Anti-Fog, Scratch Resistant	Black	Wraparound	UVXS4200HS
-------	-----------------------------	-------	------------	------------

Gray	Anti-Fog, Scratch Resistant	Black	Wraparound	UVXS4201HS
------	-----------------------------	-------	------------	------------

SCT-Low-IR	Anti-Fog, Scratch Resistant	Black	Wraparound	UVXS4206HS
------------	-----------------------------	-------	------------	------------



UVXS3201



UVXS4200



UVXS4200HS




UVXS3241HS



UVXS3201HS



UVXS3202HS



UVXS3223HS



UVXS3240HS



UVXS3311HS



UVXS4206HS

HONEYWELL, HONEYWELL UVEX

Tornado F5™ T5750 and T5850 Series

- Universal comfort fit
- Choice of adjustable length curved or straight stylish temples
- Cup type integrated lateral protection
- Adjustable lens angle
- North 4A coating protects against fog, scratches, UV and static

- Meets the requirements of ANSI Z87.1+ 2015
 - Certified to CSA Z94.3 2007 standards
- Tornado F5 offers a unique dual lens styling in a single-piece lens design. It comes in two temple configuration.



UVXS2851HS



UVXS2873

Lens Coating	Lens Colour	Lens Material	CURVED Item No.	RATCHET WIRE CORE Item No.
Black				
Anti-Fog, Scratch Resistant	Amber	Polycarbonate	—	UVXS2852HS
Anti-Fog, Scratch Resistant	Gray	Polycarbonate	—	UVXS2851HS
Scratch Resistant	Gray Mirror	Polycarbonate	—	UVXS2854
Black/Red				
Scratch Resistant	Clear	Polycarbonate	NONT57505B	—
Blue				
Scratch Resistant	Blue	Polycarbonate	—	UVXS2873
Anti-Fog, Scratch Resistant	Clear	Polycarbonate	—	UVXS2870HS

NORTH

Adjustable Safety Eyewear

- Three spectacle variations: large, narrow and wide to fill all facial features
- 30° temple angle adjustment
- Adjustable temples
- Three-position nosepiece height adjustment
- Meets the requirements of ANSI Z87.1+ 2015
- Certified to CSA Z94.3 2007 standards



NONT5900LBL



NONT5900NTKHS

Lens Colour	Lens Coating	Lens Material	M Item No.	S Item No.
Clear	Anti-Fog, Anti-Static, Scratch Resistant	Polycarbonate	NONT5900LTKHS	NONT5900NTKHS
Gray	Anti-Fog, Anti-Static, Scratch Resistant	Polycarbonate	NONT5900LTKSHS	NONT5900NTKSHS
Clear	Anti-Fog, Scratch Resistant	Polycarbonate	NONT5900WTKHS	—
Gray	Anti-Fog, Scratch Resistant	Polycarbonate	NONT5900WTKSHS	—

Lens Colour	Lens Coating	Lens Material	Size UNIVERSAL Item No.
Clear	Anti-Fog, Scratch Resistant	Polycarbonate	NON500LRLHS

PYRAMEX

Venture 3™

- Ventilated nosepiece is soft and adjustable
- Soft dual-injected rubber temple tips combined with fully adjustable straight back temples
- Top of frame is ventilated
- Lenses provide 99% protection against harmful UV rays
- Meets the requirements of ANSI Z87.1+
- SEI Certified to CSA Z94.3 standards
- Independently tested to MCEPS GL-PD Ballistic standard



PSPSB5710D

Lens Colour	Lens Coating	Frame Design	Frame Colour	Frame Material	Lens Material	Temple Colour	Temple Style	UV Protection	Standards	Item No.
Clear	Scratch Resistant	Wraparound	Black	Polycarbonate	Polycarbonate	Black	Soft Dual-Injected Rubber	Yes	CSA/ANSI/MCEPS PSPSB5710D	
Clear	Anti-Fog, Anti-Static, Scratch Resistant	Wraparound	Black	Polycarbonate	Polycarbonate	Black	Soft Dual-Injected Rubber	Yes	CSA/ANSI/MCEPS PSPSB5710DT	
Gray	Scratch Resistant	Wraparound	Black	Polycarbonate	Polycarbonate	Black	Soft Dual-Injected Rubber	Yes	CSA/ANSI/MCEPS PSPSB5720D	
Gray	Anti-Fog, Anti-Static, Scratch Resistant	Wraparound	Black	Polycarbonate	Polycarbonate	Black	Soft Dual-Injected Rubber	Yes	CSA/ANSI/MCEPS PSPSB5720DT	
Amber	Scratch Resistant	Wraparound	Black	Polycarbonate	Polycarbonate	Black	Soft Dual-Injected Rubber	Yes	CSA/ANSI/MCEPS PSPSB5730D	
Blue	Scratch Resistant	Wraparound	Black	Polycarbonate	Polycarbonate	Black	Soft Dual-Injected Rubber	Yes	CSA/ANSI/MCEPS PSPSB5760D	
Gray Mirror	Scratch Resistant	Wraparound	Black	Polycarbonate	Polycarbonate	Black	Adjustable	Yes	CSA/ANSI/MCEPS PSPSB5770D	
Gray Mirror	Scratch Resistant	Wraparound	Black	Polycarbonate	Polycarbonate	Black	Soft Dual-Injected Rubber	Yes	CSA/ANSI/MCEPS PSPSB5780D	

PYRAMEX

Provoq™

- Economical lightweight glasses offer superior protection
- Soft nose piece provides comfort fit
- Rubber temples provide non-slip comfort
- Meets ANSI Z87.1 high impact requirements
- Certified to CSA Z94.3-07



PSPS7220S

Lens Colour	Lens Coating	Item No.
Clear	Scratch Resistant	PSPS7210S
Clear	Anti-Fog, Anti-Static, Scratch Resistant	PSPS7210ST
Gray	Scratch Resistant	PSPS7220S
Gray	Anti-Fog, Anti-Static, Scratch Resistant	PSPS7220ST
Blue	Scratch Resistant	PSPS7275S
Gray Mirror	Scratch Resistant	PSPS7280S

PYRAMEX

V2-Metal®

- 9.75 base curved lens provides full side protection
- Contemporary metal frame and temples adjust to all facial sizes
- Spring loaded temples make this eyewear easy to position
- 99% protection against harmful UV rays
- Gun metal frame
- Meets the requirements of ANSI Z87.1+
- SEI certified to CSA Z94.3 standards



PSPSGM1810S

Lens Colour	Lens Coating	Item No.
Clear	Scratch Resistant	PSPSGM1810S
Gray	Scratch Resistant	PSPSGM1820S

1-888-602-0000

CONDOR

Condor High Style Safety Eyewear

- Modern stylish design
- Superior choices in frame colour and lens tint
- CSA certified to Z94.3



CDR10128G-RHC

Lens Colour	Lens Coating	Brand	Item No.
Black with Gray Temples			
Clear	Anti-Fog	Condor	CDR10128G-CAF
Red Mirror	—	Condor	CDR10128G-RHC
Silver with Black Temples			
Blue	—	Condor	CDR10128B-BLHC

CONDOR

Condor Uni-Lens Safety Eyewear

- Sporty uni-lens styling is universally accepted by wearers
- Excellent frontal and side impact protection
- CSA certified to Z94.3 standards

Lightweight, stylish eyewear, polycarbonate lens with rubberized temple ends that provide additional support and comfort to the wearer. Lens provides a 99.9% protection from harmful UV radiation and is optically correct for clear undistorted vision.



CDR411CHC

Lens Colour	Lens Coating	Brand	Item No.
Black/Gray Temple	Scratch Resistant	Condor	CDR411CHC

CONDOR, MCR SAFETY

Safety Glasses

- Economical unilens styling is universally accepted by wearers
- Excellent frontal and side impact protection
- Scratch resistant polycarbonate lens absorbs 99.9% of harmful UV radiation
- CSA certified to Z94.3 standards



CDRCA1101B-GHC

Lens Colour	Diopter	Brand	Item No.
Black Temple	—	Condor	CDRCA1101B-GHC
Gray	—	Condor	CDRCA1101B-GHC
Reading Glasses	+1.0	Condor	CDRCA1101B10
Clear	—	Mcr Safety	MSFSS110
Clear	—	Mcr Safety	MSFSS112
Gray	—	Mcr Safety	MSFSS112

CONDOR, MCR SAFETY

Safety Glasses

- Economical, one size fits all
- Provides impact protection from both the front and side
- Anti-scratch coating
- CSA certified to Z94.3 standards



MSFBKH10

Lens Colour	Lens Coating	Diopter	Brand	Item No.
Clear	Scratch Resistant	—	Mcr Safety	MSFBKH10
Clear	Scratch Resistant	+3.0	Condor	EBP30ZC57

HONEYWELL UVEX

Honeywell Uvex Safety Glasses

Lightweight, stylish eyewear, polycarbonate lens with integrated nosepiece and rubberized temple ends that provide additional support and comfort to the wearer. Lens provides 99.9% protection from harmful UV radiation and is optically correct for clear undistorted vision. CSA certified to Z94.3 standards.



UVXSV200

Lens Colour	Lens Coating	Item No.
Amber Frame	Amber	UVXSV204
Clear Frame	Anti-Fog, Scratch Resistant	UVXSV200
Gray Frame	Gray	UVXSV202
Blue Frame	Light Gray	UVXSV207
	Blue	UVXSV206

DYNAMIC

Safety Glasses

Lightweight, stylish eyewear affords protection on the job.



DSIEP800A

Lens Colour	Lens Coating	Frame Colour	Item No.
Firebird(TM)			
Amber	Anti-Static, Scratch Resistant	Amber	DSIEP800A
Amber	Anti-Static, Scratch Resistant	Blue	DSIEP800IO
Blue	Anti-Static, Scratch Resistant	Blue	DSIEP800BT
Clear	Anti-Static, Scratch Resistant	Clear	DSIEP800C
Smoke	Anti-Static, Scratch Resistant	Smoke	DSIEP800S
Solus(TM)			
Clear	—	—	DSIEP550C
Indoor/Outdoor Mirror	—	—	DSIEP550IO
Smoke	—	—	DSIEP550S
Techno(TM)			
Amber	Anti-Fog, Anti-Static, Scratch Resistant	Amber	DSIEP850A
Amber	Anti-Fog, Anti-Static, Scratch Resistant	Indoor/Outdoor Mirror	DSIEP850IO
Blue	Anti-Fog, Anti-Static, Scratch Resistant	Blue	DSIEP850BT
Clear	Anti-Fog, Anti-Static, Scratch Resistant	Clear	DSIEP850C
Smoke	Anti-Fog, Anti-Static, Scratch Resistant	Smoke	DSIEP850S

CONDOR

**Condor Metal Frame
Safety Eyewear**

- Sleek up to date styling
- Popular lens tints available
- CSA certified to Z94.3



CDRC101SB-RHC

Lens Colour	Lens Coating	Item No.
Bronze Frame Red Mirror	Scratch Resistant	CDRC101SB-RHC

**HONEYWELL UVEX
Genesis XC®**

- Extended wrap-around lens for cheek and side coverage
- Cushioned temples for non-slip fit and comfort
- Soft, flexible nose fingers fit a variety of nasal profiles
- Lens and temple adjustability options to customize the fit
- Specially designed Rx carrier for workers requiring prescription safety eyewear
- Clear, gray, amber, silver mirror, 50% gray, and SCT-Reflect 50 tints meet Mil Vo ballistic test for impact
- Easy and economical lens replacement system
- Meets ANSI Z87.1+ 2015. Certified to the requirements of the CSA Z94.3 2007 standard



UVXS3300

Lens Type	Lens Coating	Frame Colour	Item No.
Black Frame Clear UD	Scratch Resistant	Black	UVXS3300
Gray UD	Scratch Resistant	Black	UVXS3301
Accessories RX Lens Insert	—	Silver	UVXS3350

**HONEYWELL UVEX
Genesis® Replacement Lenses**



UVXS6903

Lens Colour	Lens Coating	Item No.
Espresso	Scratch Resistant	UVXS6901
Amber	Scratch Resistant	UVXS6902
Mirrored Gold	Scratch Resistant	UVXS6903
Clear	Anti-Fog, Scratch Resistant	UVXS6900HS
Espresso	Anti-Fog, Scratch Resistant	UVXS6901HS

**HONEYWELL UVEX
Replacement Lenses For UVEX
ASTROSPEC® OTG 3001**



UVXS562

Lens Colour	Lens Coating	Item No.
Gray	Scratch Resistant	UVXS562

**UVEX
Replacement Lenses For Skyper®**



UVXS6504X

Description	Item No.
SCT-GY XTR	UVXS6504X

TAKE CONTROL OF YOUR STUFF

Inventory managed. Space organized.
Time and money saved.

Grainger KeepStock solutions are subject to customer eligibility and agreements.

GRAINGER
Canada

KeepStock
Inventory Management

Contact your Grainger rep or visit
grainger.ca/keepstock to learn more.

1-888-602-0000

HONEYWELL UVEX

Uvex Instinct™

- Adjustable lens inclination/ratcheting temples for a more secure and customizable fit
- Soft flexible fingers adjust and conform to almost any nasal profile
- Meets ANSI Z87.1+ 2015. Certified to the requirements of the CSA Z94.3 2007 standard



UVXS3200HS

Lens Colour	Lens Material	Lens Coating	Temple Style	Frame Material	Frame Colour	Item No.
Clear	Polycarbonate	Anti-Fog, Scratch Resistant	Spatulite	Polycarbonate	Black	UVXS3200HS

HONEYWELL UVEX

Uvex Hypershock™

- Molded nosepiece and streamlined, padded temple tips
- 100% dielectric
- Meets ANSI Z87.1+ 2015



UVXS2970HS

Lens Colour	Lens Material	Lens Coating	Temple Style	Frame Material	Frame Colour	Item No.
Clear	Polycarbonate	Scratch Resistant	Straight	Polycarbonate	Black	UVXS2943
Blue	Polycarbonate	Anti-Fog, Polarized, Scratch Resistant	Straight	Polycarbonate	Black	UVXS2945
Amber	Polycarbonate	Anti-Fog, Polarized, Scratch Resistant	Straight	Polycarbonate	Black	UVXS2949
SCT-Reflect 50	Polycarbonate	Scratch Resistant	Straight	Polycarbonate	Brown	UVXS2963
Amber	Polycarbonate	Anti-Fog, Polarized, Scratch Resistant	Straight	Polycarbonate	Brown	UVXS2964
Amber	Polycarbonate	Anti-Fog, Polarized, Scratch Resistant	Straight	Polycarbonate	Brown	UVXS2969
Red Mirror	Polycarbonate	Polarized	Straight	Polycarbonate	Clear	UVXS2974
Blue	Polycarbonate	Anti-Fog, Polarized, Scratch Resistant	Straight	Polycarbonate	Clear	UVXS2975
Clear	Polycarbonate	Anti-Fog, Polarized, Scratch Resistant	Padded Temple	Polycarbonate	Black	UVXS2940HS
Gray	Polycarbonate	Anti-Fog, Polarized, Scratch Resistant	Padded Temple	Polycarbonate	Black	UVXS2941HS
Amber	Polycarbonate	Anti-Fog, Polarized, Scratch Resistant	Padded Temple	Polycarbonate	Black	UVXS2942HS
Blue	Polycarbonate	Anti-Fog, Scratch Resistant	Padded Temple	Polycarbonate	Black	UVXS2951HS
Clear	Polycarbonate	Polarized	Padded Temple	Polycarbonate	Brown	UVXS2960HS
Amber	Polycarbonate	Anti-Fog, Polarized, Scratch Resistant	Padded Temple	Polycarbonate	Brown	UVXS2961HS
Clear	Polycarbonate	Anti-Fog, Polarized, Scratch Resistant	Padded Temple	Polycarbonate	Clear	UVXS2970HS

HONEYWELL UVEX

Genesis XC® Replacement Lenses



UVXS6950HS

Lens Colour	Size	Lens Coating	Item No.
Clear	Universal	Anti-Fog, Scratch Resistant	UVXS6950HS
Gray	Universal	Anti-Fog, Scratch Resistant	UVXS6951HS
SCT-Low IR	Universal	Anti-Fog, Scratch Resistant	UVXS6954HS

DYNAMIC, UVEX

OTG Eyewear

- Exceptional peripheral vision and coverage in a lightweight, wrap-around uni-lens design
- Soft, flexible nasal fingers
- Adjustable and bendable, wire-core temples
- Meets ANSI Z87.1+ 2015. Certified to the requirements of the CSA Z94.3 2007 standard



DSIEP750A

Lens Coating	Lens Colour	Brand	Brand	Item No.
Anti-Fog, Anti-Static, Scratch Resistant	Amber	Dynamic	Dynarnic	DSIEP750A
Anti-Reflective, Scratch Resistant	Clear	Uvex	Uvex	UVXS3853
Anti-Reflective, Scratch Resistant	Gray	Uvex	Uvex	UVXS3852

PYRAMEX

Ztek®/Mini Ztek®

- Meets the requirements of ANSI Z87.1
- SEI certified to CSA Z94.3 standards
- Economical wrap-around single lens provides full panoramic view. Soft, non-slip rubber temple tips, integrated nose piece for a non-binding fit. Coated lenses for superior scratch resistance, and provides 99% protection against harmful UV rays.
- Mini Ztek® is designed for smaller facial sizes including youth and women.



PSPS2560SN

Lens Tint & Coating	Item No.	Lens Tint & Coating	Item No.	Lens Tint & Coating	Item No.
Ztek®		Blue	PSPS2560S	Clear	PSPS2510SN
Clear	PSPS2510S	Blue	PSPS2560ST	Clear	PSPS2510SNT
Clear	PSPS2510ST	Purple	PSPS2566S	Gray	PSPS2520SN
Gray	PSPS2520S	Gray Mirror	PSPS2580S	Amber	PSPS2530SN
Amber	PSPS2530S	Gray Mirror	PSPS2570S	Blue	PSPS2560SN
Orange	PSPS2540S	Blue	PSPS2575S	Indoor/Outdoor Mirror	PSPS2580SN
Amber	PSPS2515S	Amber Mirror	PSPS2590S	Clear	PSPS2575SN

3M, CONDOR

3M™ Securefit™ 400 Series

- Self-adjusting 3M™ Pressure Diffusion Temple technology
- Soft, adjustable nosepads
- ANSI Z87.1-2010, CSA Z94.3-2007



CBTSF401AF-CA

Lens Colour	Lens Material	Lens Coating	Temple Style	Temple Colour	Item No.
Clear	Polycarbonate	Anti-Fog, Scratch Resistant	3M Pressure Diffusion Temple Technology, Dual Injected Temple	Black/Lime Green	CBTSF401AF-CA
Gray	Polycarbonate	Anti-Fog, Scratch Resistant	3M Pressure Diffusion Temple Technology, Dual Injected Temple	Black/Lime Green	CBTSF402AF-CA
Amber	Polycarbonate	Anti-Fog	Dual Material	Black and Neon	CBTSF403AF-CA
Gray Mirror	Polycarbonate	Scratch Resistant	Dual Material	Black	CBTSF410AS-CA
Blue	Polycarbonate		Bayonet	Silver/Black	CDR10128B-BLHC

3M

3M™ Securefit™

This eyewear was designed to enhance comfort for a wider range of people. Featuring proprietary self-adjusting 3M™ Pressure Diffusion Technology, SecureFit™ helps diffuse pressure over the ear, improving comfort while ensuring a secure fit. 99.9% UV protection. CSA Z94.3 and ANSI Z87.1



CBTSF201AF-CA

PYRAMEX

OTS®

- Lightweight nylon temples adjust for length and pitch
- Lenses are coated for superior scratch resistance
- 99% protection against harmful UV rays
- Designed to better fit today's prescription eyewear
- Black temples
- Meets the requirements of ANSI Z87.1+
- SEI certified to CSA Z94.3 standards



PSPS3510SJ

Lens Tint & Coating	Item No.
Clear	PSPS3510SJ
Clear	PSPS3510STJ
Gray	PSPS3520SJ
Gray Mirror	PSPS3580SJ

PYRAMEX

Venture II®

- 9.75 base curved lens provides full side protection
- Nose buds secure the glass and prevent slipping
- Lenses are coated for superior scratch resistance
- 99% protection against harmful UV rays
- Meets the requirements of ANSI Z87.1+
- SEI certified to CSA Z94.3 standards



PSPSB1810S

Lens Colour	Lens Coating	Item No.
Black Frame		
Clear	Scratch Resistant	PSPSB1810S
Clear	Anti-Fog, Scratch Resistant	PSPSB1810ST
Gray	Scratch Resistant	PSPSB1820S
Gray	Anti-Fog, Anti-Static, Scratch Resistant	PSPSB1820ST
Amber	Scratch Resistant	PSPSB1830S
Sunblock Bronze	Scratch Resistant	PSPSB1835S
Orange	Scratch Resistant	PSPSB1840S
Blue	Scratch Resistant	PSPSB1860S
Gray Mirror	Scratch Resistant	PSPSB1880S
Gray Mirror	Anti-Fog, Anti-Static, Scratch Resistant	PSPSB1880ST
Gray Mirror	Scratch Resistant	PSPSB1870S
Blue	Scratch Resistant	PSPSB1875S
Gold Mirror	Scratch Resistant	PSPSB1890S

CABOT

3M™ OX™ Over the Glass Eyewear

- Lightweight, high-impact Duralite™ polycarbonate lens
- All-around coverage
- Meets the requirements of ANSI Z87.1
- CSA certified to Z94.3 standards



CBT12166

1-888-602-0000
**BEARKAT, CREWS, HEXARMOR, HONEYWELL UVEX,
INERTIA, KLODIKE, LAW, MCR SAFETY, STORM**

Safety Glasses

- Meet ANSI Z87.1-2015
- 99.9% UV protection

Checklite®—Lightweight single-lens glasses are sized to fit smaller faces. Frameless design features colored spatula temples. Meet MIL-PRF-31013 military standards. Meet CAN/CSA Z94.3-16.

Bearkat®—The one-piece wraparound lens design allows you unobstructed vision and the tight fit can provide greater safety. Lenses have a scratch-resistant Duramass® coating and the flexible temples with non-slip soft material offer a comfortable fit. Bearkat® 3 models feature a soft, secure gel nosepiece. Meet MIL-PRF-31013 military standards, CAN/CSA Z94.3-16; except Bearkat® 3 only meet ANSI Z87.1-2015.

Swagger®—Provides great comfort and excellent seal. Nonslip low-profile bayonet temples are thick and wide for better side protection and a bold modern look. Dual lens design. Soft TPR temple and nose pad material for long-wearing comfort. Meet ANSI Z87.1-2015.


MSFCL113

MSFSR140AF

Lens Colour	Lens Coating	Photochromatic Lens	Frame Colour	Eyewear Frame Design	Brand	Item No.
BEARKAT(R)						
Amber	Scratch Resistant	—	Amber	—	Bearkat	MSFBK114
BK1						
Blue	Scratch Resistant	No	Black/Blue	Wraparound	Bearkat	MSFBK113
Checklite						
Gray	Scratch Resistant	No	Smoke	Wraparound	Mcr Safety	MSFCL112
CL1						
Blue	Scratch Resistant	No	Blue	Traditional	Mcr Safety	MSFCL113
Clear	Anti-Fog, Scratch Resistant	No	Clear	Wraparound	Crews	MSFCL110AF
Inertia						
Clear	Anti-Fog, Scratch Resistant	No	Black	Wraparound	Inertia	MSFIA110
Gray	Anti-Fog, Scratch Resistant	No	Black	Wraparound	Inertia	MSFIA112
KD1						
Blue	Scratch Resistant	No	Black	Wraparound	Klondike	MSFKD113
Gray	Anti-Fog, Scratch Resistant	No	Black	Wraparound	Crews	MSFKD112AF
KD3						
Blue	Scratch Resistant	No	Black	Wraparound	Mcr Safety	MSFKD313
Clear	Anti-Fog, Scratch Resistant	No	Black	Wraparound	Mcr Safety	MSFKD310AF
Gray	Scratch Resistant	No	Black	Wraparound	Mcr Safety	MSFKD312
Klondike(R)						
Amber	Scratch Resistant	No	Black	Wraparound	Klondike	MSFKD114
Gray	Scratch Resistant	No	Black	Wraparound	Klondike	MSFKD112
LW2						
Gray	Anti-Fog, Scratch Resistant	No	Gray	Wraparound	Law	MSFLW212AF
SR1						
Blue	Scratch Resistant	No	Clear	Wraparound	Mcr Safety	MSFSR148B
Clear	Anti-Fog, Scratch Resistant	No	Clear	Wraparound	Mcr Safety	MSFSR140AF
Gray	Anti-Fog, Scratch Resistant	No	Clear	Wraparound	Mcr Safety	MSFSR142AF
Red Mirror	Scratch Resistant	No	Clear	Wraparound	Mcr Safety	MSFSR14R
ST1						
Clear	Scratch Resistant	No	Black	Wraparound	Storm	MSFST110
Gray	Scratch Resistant	No	Black	Wraparound	Storm	MSFST112
Storm(R)						
Clear	Scratch Resistant	No	Blue	Wraparound	Storm	MSFST120
Indoor/Outdoor	Scratch Resistant	No	Black	Wraparound	Storm	MSFST119
Uvex XV100						
Gray	Anti-Fog	—	Gray	—	Honeywell Uvex	UVXXV406
VS250						
Amber	Anti-Fog, Scratch Resistant	No	Gray	Wraparound	HexArmor	HEX111500604
Clear	Anti-Fog, Scratch Resistant	No	Gray	Wraparound	HexArmor	HEX111500403
Clear	Anti-Fog, Scratch Resistant	Yes	Dark Gray	Wraparound	HexArmor	HEX111500508
Gray	Anti-Fog, Scratch Resistant	No	Gray	Wraparound	HexArmor	HEX111500304

NORTH

North Adaptec Safety Glasses

- Meet ANSI Z87.1-2015
- Meet CSA Z94.3
- 99.9% UV protection

Multiadjustable design provides a comfortable, customized fit for almost any face, with adjustable nosebridge, vented cushioned frame, and ratcheting temple hinges. Temple tension adjustment helps prevent slipping and allows comfortable extended wear. Hydrophilic/hydrophobic Uvex HydroShield® coating technology offers 90x longer-lasting fog-free performance.


NONT5900LTKSHS

Primary Lens Color	Lens Coating	Frame Colour	M Item No.
Half-Frame			
Gray	Anti-Fog, Anti-Static, Scratch Resistant	Black	NONT5900LTKSHS
Green	Anti-Fog, Scratch Resistant	Black	NONT5900LTK5.0HS

HONEYWELL UVEX

Full Frame Safety Glasses

- Meet ANSI Z87.1-2015
- 99.9% UV protection

Astrospec 3000®—Meets CSA Z94.3. Meets Military V₀ Ballistic Test for Impact. Unilens wraparound design with universal nosebridge, adjustable lens angle, and replaceable lenses.



UVXS1359

Lens Colour	Lens Coating	Frame Colour	Eyewear Frame Design	Item No.
Astrospec 3000(R)				
Clear	Anti-Fog	Black	Wraparound	UVXS1359C
Clear	Anti-Fog	Blue	Wraparound	UVXS1299C
Clear	Anti-Fog	Blue/Red/White	Wraparound	UVXS1169C
Clear	Anti-Fog, Scratch Resistant	Blue/Red/White	Wraparound	UVXS1169
Clear	Scratch Resistant	Black	Wraparound	UVXS135
Clear	Scratch Resistant	Black	Wraparound	UVXS1359
Gray	Anti-Fog	Black	Wraparound	UVXS136C
Gray	Scratch Resistant	Black	Wraparound	UVXS1369

Lens Colour	Lens Coating	Item No.
Replacement lens		
Clear	Anti-Fog	UVXS535C
Gray	Anti-Fog	UVXS536C

PYRAMEX

Safety Glasses

- Meet ANSI Z87.1-2015
- 99.9% UV light protection

Intruder—Lightweight, frameless protection with an integrated nosepiece that delivers a good fit for most facial sizes.

Itek—Feature a soft nosepiece for comfort. Curved lens provides excellent side protection. Rubber temple tips for all-day comfort. Meet CAN/CSA Z94.3-2007.

Highlander XP—Extended sideshield design provides additional protection. Indirect vented foam helps reduce fogging. Includes adjustable strap with quick release. Meet CSA Z94.3-07.



PSPS4110S

Lens Colour	Lens Coating	Frame Colour	Item No.
Frameless			
Intruder(R)			
Clear	Scratch Resistant	Clear	PSPS4110S
Gray	Scratch Resistant	Gray	PSPS4120S
Itek(R)			
Clear	Scratch Resistant	Clear	PSPS5810S
Clear	Anti-Fog, Anti-Static,	Clear	PSPS5810ST
Gray	Scratch Resistant	Gray	PSPS5820S
Gray	Anti-Fog, Anti-Static,	Gray	PSPS5820ST
Amber	Scratch Resistant	Amber	PSPS5830S
Blue	Scratch Resistant	Blue	PSPS5860S
Silver Mirror	Scratch Resistant	Gray	PSPS5870S
Blue	Scratch Resistant	Gray	PSPS5875S
Gray Mirror	Scratch Resistant	Indoor/Outdoor	PSPS5880S
Full-Frame			
Highlander Plus(TM)			
Clear	Anti-Fog, Anti-Static, Scratch Resistant	Black	PSPSBG5010DT
Gray	Anti-Fog, Anti-Static, Scratch Resistant	Black/Gray	PSPSBG5020DT
Gray Mirror	Anti-Fog, Anti-Static, Scratch Resistant	Black/Gray	PSPSBG5080DT
Highlander XP			
Amber	Anti-Fog	Black	PSPSBG5030DT
Red	Anti-Fog	Black	PSPSBG5050DT

HONEYWELL UVEX

Tirade™ Safety Glasses

- Met ANSI Z87.1-2010
- Meet CSA Z94.3
- 99.99% UVA/UVB protection



UVXS4044

Offer protection in high particulate locations where debris, dirt, and dust present the risk of eye injury. Feature a large unilens design for a wide field of unobstructed peripheral vision, and a soft foam subframe to help ensure a comfortable gap-free fit. The Uvextra® anti-fog coating helps keep lenses clear. Indirect ventilation channels on the subframe provide superior dust filtration. The quick-release hinge system converts easily from temples to headband, with removable temples and standard adjustable headband included.

Lens Colour	Lens Coating	Frame Colour	Item No.
Clear	Anti-Fog	Black	UVXS4040
Gray	Anti-Fog	Black	UVXS4041
Amber	Anti-Fog	Black	UVXS4042
Gray Mirror	Anti-Fog	Black	UVXS4043
Gray	Anti-Fog	Black	UVXS4044

JACKSON SAFETY

Jackson Safety Glasses

- Meet ANSI Z87.1+
- 99.9% UV protection
- Meet CSA Z94.3-2007, EN 166-2001

V50 Calico™—Lightweight wraparound style has interchangeable temple bars and a head strap for tight fit. Cushioned brow bar provides additional ventilation and comfort.



JCK25672

3M, CABOT

Safety Glasses

- Meet ANSI Z87.1
- 99.9% UV protection

Virtua™—Wraparound design with contoured, flexible temples.
BX™—Adjustable-length contoured soft-tip temples, soft nosebridge, and 3 adjustable lens angles. Meets CSA Z94.3-2007.
Privo™—Euro-style design with soft-tip temples and soft nosebridge. Meets CSA Z94.3-2007.



CBT12261

Lens Colour	Lens Coating	Frame Colour	Brand	Item No.
Frameless				
AP				
Gray Mirror	Scratch Resistant	Clear	Cabot	CBT11847-00000-20
Half-Frame				
BX(TM)				
Clear	Anti-Fog, Scratch Resistant	Black/Silver	Cabot	CBT11380
Gray	Anti-Fog, Scratch Resistant	Black/Silver	Cabot	CBT11381
Privo				
Clear	Anti-Fog	Black	Cabot	CBT12261
Gray	Anti-Fog	Black	Cabot	CBT12262
Light Amber	Anti-Fog	Black	Cabot	CBT12263
Silver Mirror	Anti-Fog	Black	3M	CBT12264

1-888-602-0000

BEARKAT, CREWS, MCR SAFETY Reader Safety Glasses

- Meet ANSI Z87.1-2015
- 99.9% UV protection

Bearkat®—Single lens design with integral side shields for unobstructed views. Flexible temples with non-slip temple sleeves that are notched on the end to accept a clip-on breakaway cord.

Klondike®—Adjustable, 5-position spatula temple for a more comfortable fit.



MSFK3H25

Diopter	Lens Colour	Lens Coating	Frame Colour	Brand	Item No.
Frameless					
BK1					
+1.0	Gray	Scratch Resistant	Gray	Mcr Safety	MSFBKH10G
+1.5	Gray	Scratch Resistant	Gray	Mcr Safety	MSFBKH15G
+2.0	Gray	Scratch Resistant	Gray	Mcr Safety	MSFBKH20G
+2.5	Gray	Scratch Resistant	Gray	Mcr Safety	MSFBKH25G
Good					
1.5	Clear	Scratch Resistant	Clear	Bearkat	MSFBKH15
Half-Frame					
Better					
+1.0	Clear	Scratch Resistant	Black	Mcr Safety	WWG8Y682
+2.5	Clear	Scratch Resistant	Black	Mcr Safety	MSFK3H25
KD3					
+1.5	Clear	Scratch Resistant	Black	Crews	MSFK3H15

CONDOR, HONEYWELL UVEX Sealed and Reader Safety Glasses

- Meet ANSI Z87.1-2015
- Meet CSA Z94.3
- 99.9% UV protection

Contemporary design can be worn with detachable temples or with an adjustable headband for all-day comfort. Soft, flexible nasal pads and face cushioning for excellent fit. Suited for dirty, high-particulate work environments such as those where grinding, chipping, shaving and sanding occur. The hydrophilic/hydrophobic HydroShield® antifog coating technology on select items offers 90x longer-lasting fog-free performance than most other antifog products. Nos. UVXS0661X, UVXS0662X and UVXS0663X offer increased magnification for reading, inspection and other fine-detail work.



UVXS0663X

Lens Colour	Lens Coating	Frame Colour	Item No.
Amber	Anti-Fog, Scratch Resistant	Black	UVXS0602HS
Brown	Anti-Fog, Scratch Resistant	Black	UVXS0601HS
Clear	Anti-Fog	Black	UVXS0661X
Clear	Anti-Fog	Black	UVXS0662X
Clear	Anti-Fog	Black	UVXS0663X
Clear	Anti-Fog, Scratch Resistant	Black	UVXS0600
Clear	Anti-Fog, Scratch Resistant	Black	UVXS0600HS
Clear	Anti-Fog, Scratch Resistant	Blue	UVXS0620
Clear	Anti-Fog, Scratch Resistant	Blue	UVXS0620HS
Gray	Anti-Fog	Black	CDR10167B-GAF
SCT Gray	Anti-Fog	Black	UVXS0604X

HONEYWELL UVEX

A900 Reader Safety Glasses

- 99.9% UV protection
- Frame colour: black
- Scratch-resistant lens coating
- Eyewear style: university
- Frame style: half-frame

Eyewear offers stylish protection with distortion-free vision by precision placed magnification inserts.



WWG5CFP3

Wrap around, polycarbonate frames. Soft, padded tips provide less temple fatigue, and the soft, nonslip nosebridge reduces slippage. Includes reader with three strengths and two lens tints. Meet ANSI Z87.1-2003

Diopter	Lens Colour	Item No.
Half-Frame		
A900		
+1.5	Clear	WWG5CFP3
+2.0	Clear	WWG5CFP4
+2.5	Clear	WWG5CFP5

3M, CABOT

Reader Safety Glasses

- Eyewear size: universal
- Lens coating: anti-fog
- Lens material: polycarbonate

SecureFit™—Lightweight bifocals' temples auto-adjust with 3M™ Pressure Diffusion Temple Technology for a secure, comfortable fit.

BX™—Multiple diopter strengths for reading, inspection, and detail work. Adjustable-length, contoured soft-tip temples; soft nosebridge; and 3 adjustable lens angles provide comfort without distorting vision.

Novo™—1-pc. lens with protective brow bar. Adjustable-length temples with soft temple tips and soft nosebridge. ANSI Z87.1-2003; CSA Z94.3



CBT11377



CBT11374

Diopter	Lens Colour	Frame Colour	Brand	Item No.
Half-Frame				
BX™				
1.5	Clear	Black/Gray	Cabot	CBT11374
1.5	Gray	Black/Gray	Cabot	CBT11377
2.0	Clear	Black/Gray	Cabot	CBT11375
2.0	Gray	Black/Gray	Cabot	CBT11378
2.5	Clear	Black/Gray	3M	CBT11376
2.5	Gray	Black/Gray	Cabot	CBT11379



Register now
Enjoy these features & more

- ✓ Access your pricing
- ✓ View order history

- ✓ Save favourites to your personal lists
- ✓ Quicker check-outs with saved shipping features

Sign in or register on **Grainger.ca** today

HONEYWELL UVEX, UVEX

Goggles

- Meet ANSI Z87.1-2015
- Meet CSA Z94.3
- 99.9% UV protection

Select goggles feature hydrophilic/hydrophobic HydroShield® antifog coating technology, which offers 90x longer-lasting fog-free performance than most other antifog products.

Classic™ OTG (Over-the-Glass)—Soft, flexible PVC. Durable construction. Fit over most prescription eyewear.

Futura™ OTG—Offer distortion-free 180° field of vision. Fit over most prescription eyewear.

Flex Seal® OTG—Silicone construction with soft body seal withstands extreme temperatures. Pivoting clips allow positioning on a hard hat or above the ears. Low-profile design fits over most prescription eyewear.

Stealth®—Soft, flexible elastomer seal conforms to facial contours. Quick-adjust headband clips. Prescription insert holder sold separately.

Stealth® OTG—Pivoting headband clip and wide adjustable-slide headband allow goggles to be used comfortably with hard hats and over most prescription eyewear.

Carbonvision™—Wide-vision goggles with a soft, flexible body and frame conform to your face for excellent fit.



Item	Lens Coating	Lens Colour	Eyewear Venting	Foam Lined	Eyewear Size	Eyewear Frame Design	Frame Colour	Band Material	Lens Material	Item No.
Replacement Lens	Anti-Fog, Scratch Resistant	Amber	—	—	Universal	—	—	—	Polycarbonate	UVXS702HS
Carbonvision™										
Safety Goggles	Anti-Fog, Anti-Static, Scratch Resistant	Clear Clear	Non-Vented Non-Vented	Yes Yes	Universal Universal	Wraparound Wraparound	Black Black	Fabric Neoprene	Polycarbonate Polycarbonate	UVXS1650DF UVXS1650D
Classic™										
Safety Goggles	Anti-Fog, Scratch Resistant	Clear	Indirect	No	Universal	OTG	Clear	Neoprene	Polycarbonate	UVXS350
	Anti-Fog	Clear	Indirect	No	Universal	OTG	Clear	Neoprene	Polycarbonate	UVXS364
Flex Seal										
Safety Goggles	Anti-Fog	Shade 5.0	Indirect	Yes	Universal	OTG	Navy	Neoprene	Polycarbonate	UVXS3435X
	Anti-Fog, Scratch Resistant	Clear	—	No	Universal	Goggle	Navy	Neoprene	Polycarbonate	UVXS3400HS
Futura™										
Safety Goggles	Anti-Fog, Scratch Resistant	Clear	Indirect	Yes	Universal	OTG	Clear	Neoprene	Polycarbonate	UVXS345C
Stealth®										
Protective Goggles	Anti-Fog	Clear	Indirect	No	Universal	Wraparound	Blue	Neoprene	Polycarbonate	UVXS3991X
	Anti-Fog, Scratch Resistant	Clear	Indirect	No	Universal	Wraparound	Blue	Neoprene	Polycarbonate	UVXS3993X
Safety Goggles	Anti-Fog, Anti-Static, Scratch Resistant	Clear	Indirect	No	Universal	Wraparound	Gray	Neoprene	Polycarbonate	UVXS3960HS
	Anti-Fog, Scratch Resistant	Gray	Indirect	Yes	Universal	Wraparound	Gray	Neoprene	Polycarbonate	UVXS3961HS
Protective Goggles	Anti-Fog	Clear	Indirect	Yes	Universal	Wraparound	Teal	Neoprene	Polycarbonate	UVXS39610HS
	Anti-Fog, Scratch Resistant	Clear	Indirect	Yes	Universal	Wraparound	Blue	Neoprene	Polycarbonate	UVXS3992X
Replacement Lens	Anti-Fog, Scratch Resistant	Clear	—	No	Universal	—	—	—	Polycarbonate	UVXS700HS
Safety Goggles	Anti-Fog, Anti-Static, Scratch Resistant	Gray	—	No	Universal	—	—	—	Polycarbonate	UVXS701HS
Stealth® OTG										
Safety Goggles	Anti-Fog, Scratch Resistant	Clear	—	No	Universal	OTG	Navy	Fabric	Polycarbonate	UVXS3970HSF
	Anti-Fog, Scratch Resistant	Clear	—	No	Universal	OTG	Navy	Neoprene	Polycarbonate	UVXS3970HS

Grainger catalogues Are digital too

- Choose from our library of catalogues
- Browse, download, and share pages
- Add items to your cart and checkout when ready



HONEYWELL**V-Maxx® OTG (Over-the-Glass) Goggles**

Wraparound design fits over most prescription eyewear. Adjustable headband. Peel-off covers protect lenses to extend goggle life.

- WSS11250800 and WWS11250810 meet ANSI Z87.1-2003, CSA Z94.3
- WWS11250830 and WWS11250850 meet ANSI Z87.1-2003
- WWS11250860 meets ANSI Z87.1: CSA Z94.3

**WSS11250800**

Item	Lens Colour	Lens Coating	Frame Colour	Eyewear Venting	Strap Material	Item No.
Safety Goggles	Clear	Anti-Fog, Scratch Resistant	Clear	Direct	Elastic	WSS11250800
Safety Goggles	Clear	Anti-Fog, Anti-Static, Scratch Resistant	Clear	Indirect	Neoprene	WSS11250810
Safety Goggles	Green	Anti-Fog, Scratch Resistant	Black	Indirect	Elastic	WSS11250850
V-Maxx Lens protector	—	—	—	—	—	WSS11250860

3M**GoggleGear™ 500 Series Goggles**

- Meet ANSI Z87.1, CSA Z94.3
- 99.9% UV protection

Low-profile splash goggles feature long-lasting 3M™ Scotchgard™ antifog coating that helps increase eyewear performance and visibility in wet and steamy settings. With adjustable strap for comfortable fit.



Lens Coating	Lens Colour	Eyewear Venting	Foam Lined	Eyewear Size	Eyewear Frame Design	Frame Colour	Strap Material	Lens Material	Item No.
500	Anti-Fog	Clear	Indirect	No	Universal	Wraparound	Gray	Elastic	Polycarbonate CBTGG501SGAF

DURA-TOUCH**Dura-Touch® – Vinyl – Standard Quality****SHOWA****Biodegradable Disposable Nitrile Gloves**

These nitrile gloves are food-safe and chemical resistant.



Series	Material	Colour	Size- Alpha	Size - Numeric	Cuff Style	Palm Thickness	Length	Powdered/ Powder Free	Brand	Item No.
Disposable Glove										
Food Contact, General Purpose										
Showa 7500PF	Nitrile	Blue	XS	5 to 6					Showa	BEM7500PFXS
			S	6 to 7						BEM7500PFS
			M	7 to 8						BEM7500PFM
			L	8 to 9						BEM7500PFL
			XL	9 to 10						BEM7500PFLX
			2XL	10 to 11						BEM7500PFXL
Disposable Gloves										
Chemical-Resistant, Food Contact										
6110PF	Nitrile	Green	XS	6					Showa	BEM6110PFXS
			S	7						BEM6110PFS
			M	8						BEM6110PFM
			L	9						BEM6110PFL
			XL	10						BEM6110PFLX
			2XL	11						BEM6110PXXL
6112PF		Black	XS	6						BEM6112PFXS
			S	7						BEM6112PFS
			M	8						BEM6112PFM
			L	9						BEM6112PFL
			XL	10						BEM6112PFLX
			2XL	11						BEM6112PXXL
7502PF	Nitrile		XS	6					Showa	BEM7502PFXS
			S	7						BEM7502PFS
			M	8						BEM7502PFM
			L	9						BEM7502PFL
			XL	10						BEM7502PFLX
			2XL	11						BEM7502PXXL

BDG, BLURITE PLUS, BOB DALE, CONDOR, KLEENGUARD, NITECH, RONCO, WATSON GLOVES

Nitrile Disposable Gloves

- Colour: blue
- Unlined
- Latex free
- Length: 9 1/2"

100% nitrile gloves offer superior resistance to punctures, abrasion, and chemicals, and contain no natural rubber proteins known to cause allergic reactions. These 1-time-use gloves are good for food and pharmaceutical applications. They meet FDA 21 CFR 170-199 specifications.

Glove texture location has the following features:

Textured surface on palm and fingers is great for jobs that require exceptional tactile sensitivity, and provides an enhanced grip.

Textured fingers provide comfort and a great grip. Smooth gloves offer excellent hand and fingertip sensitivity.



CDR2XMAS

Palm Thickness	Glove Texture Location	Texture	Cuff	Powdered/Powder Free	Brand	7 Item No.	8 Item No.	9 Item No.	10 Item No.	11 Item No.	6.5 Item No.	8.5 Item No.	9.5 Item No.
Chemical-Resistant, Food Contact													
5.00 mil	—	Grain	—	Powder-Free	Bdg	ALG9916350S	ALG9916350M	ALG9916350L	ALG9916350XL	—	—	—	—
4.00 mil	—	—	Beaded	Powder-Free	Blurite Plus	—	—	—	RON996	—	—	—	—
4.00 mil	—	—	Beaded	Powder-Free	Ronco	RON966	RON976	RON986	—	—	—	—	—
Food Contact, General Purpose													
3.15 mil	Palm and Fingers	Grain	Beaded	Powder-Free	Condor	CDR2XLZ6	CDR2XLZ7	CDR2XLZ8	CDR2XLZ9	CDR2XMA1	—	—	—
4.00 mil	Smooth	Textured	Rolled	Powder-Free	Watson Gloves	WAT5559PF-S	WAT5559PF-M	WAT5559PF-L	WAT5559PF-X	WAT5559PF-XXL	—	—	—
4.50 mil	Palm and Fingers	Grain	Rolled/Beaded	Powdered	Condor	CDR2XMA2	CDR2XMA3	CDR2XMA4	—	—	—	—	—
4.50 mil	Palm and Fingers	Grain	Rolled/Beaded	Powder-Free	Condor	CDR2XMA6	CDR2XMA7	CDR2XMA8	—	—	—	—	—
5.00 mil	—	Smooth	Beaded	Powder-Free	Nitech	—	RON375	RON385	RON395	RON395XX	—	—	—
5.00 mil	—	Smooth	Rolled	Powder-Free	Watson Gloves	—	WAT5554PF-M	WAT5554PF-L	WAT5554PF-X	WAT5554PF-XXL	—	—	—
5.00 mil	Smooth	—	Powder-Free	Watson Gloves	WAT5554PFS	—	—	—	—	—	—	—	—
6.00 mil	—	Grain	—	Powder-Free	Kleenguard	—	KMB54422	—	—	—	KMB54421	KMB54423	KMB54424
6.00 mil	Fully Diamond	Diamond	Beaded	Powder-Free	Watson Gloves	—	WAT5557PF-MD	WAT5557PF-LG	—	WAT5557PF-X2	—	—	—
6.00 mil	Palm and Fingers	Diamond	Beaded	Powder-Free	Watson Gloves	—	—	—	WAT5557PF-XL	—	—	—	—
General Purpose													
4.00 mil	Fully	—	—	Powder-Free	Bob Dale	ALG99-1-6500S	ALG99-1-6500M	ALG99-1-6500L	ALG99-1-6500XL	—	—	—	—

MCR SAFETY, MICROFLEX, SUPERIOR GLOVE, TOUCHNTUFF, WATSON GLOVES

General Purpose Disposable Gloves

Used for common tasks such as cleaning, handling parts, and other general maintenance tasks. Throw gloves away or recycle them after each use to reduce the risk of cross-contamination.



WAT5554PF

Material	Glove Length	Size-Alpha	Size - Numeric	Palm Thickness	Colour	Cuff	Glove Texture Location	Brand	Item No.	Pkg. Qty.
Chemical-Resistant, Food Contact, General Purpose										
Nitrile	9 1/2"	M	8	4.30 mil	Blue	Beaded	Fingers Only	Touchntuff	ANL92-575MED	100
Nitrile	9 1/2"	L	9	4.30 mil	Blue	Beaded	Fingers Only	Touchntuff	ANL92-575LGE	100
Nitrile	9 1/2"	XL	10	4.30 mil	Blue	Beaded	Fingers Only	Touchntuff	ANL92-575XL	100
Nitrile	9 1/2"	S	7	4.70 mil	Green	Beaded	Fingers Only	Touchntuff	ANL92-600-7	100
Nitrile	9 1/2"	M	8	4.70 mil	Green	Beaded	Fingers Only	Touchntuff	ANL92-600-8	100
Nitrile	9 1/2"	L	9	4.70 mil	Green	Beaded	Fingers Only	Touchntuff	ANL92-600-9	100
Nitrile	9 1/2"	XL	10	4.70 mil	Green	Beaded	Fingers Only	Touchntuff	ANL92-600-10	100
Food Contact										
Nitrile	9 1/2"	S	6.5 to 7	4.30 mil	Green	Rolled Beaded	—	Touchntuff	ANL92-500-7	100
Nitrile	9 1/2"	S	6.5 to 7	4.30 mil	Blue	Beaded	—	Touchntuff	ANL92-575SM	100
Nitrile	9 1/2"	M	7.5 to 8	4.30 mil	Green	Rolled Beaded	—	Touchntuff	ANL92-500-8	100
Nitrile	9 1/2"	L	8.5 to 9	4.30 mil	Green	Rolled Beaded	—	Touchntuff	ANL92-500-9	100
Nitrile	9 1/2"	XL	9.5 to 10	4.30 mil	Green	Rolled Beaded	—	Touchntuff	ANL92-500-10	100
Nitrile	11"	M	8	8.00 mil	Black	Rolled	—	Watson Gloves	WAT5555PF-M	50
Nitrile	11"	L	9	8.00 mil	Black	Rolled	—	Watson Gloves	WAT5555PF-L	50
Nitrile	11"	XL	10	8.00 mil	Black	Rolled	—	Watson Gloves	WAT5555PF-X	50
Nitrile	11"	2XL	11	8.00 mil	Black	Rolled	—	Watson Gloves	WAT5555PF-XXL	50
Latex	11"	M	8	15.00 mil	Blue	Rolled	—	Watson Gloves	WAT5553PF-M	50
Latex	11"	L	9	15.00 mil	Blue	Rolled	—	Watson Gloves	WAT5553PF-L	50
Latex	11"	XL	10	15.00 mil	Blue	Rolled	—	Watson Gloves	WAT5553PF-X	50
Latex	11"	2XL	11	15.00 mil	Blue	Rolled	—	Watson Gloves	WAT5553PF-XXL	50
Nitrile	12"	S	6.5 to 7	4.30 mil	Blue	Beaded	—	Touchntuff	ANL92-675SM	100
Nitrile	12"	M	7.5 to 8	4.30 mil	Blue	Beaded	—	Touchntuff	ANL92-675MED	100
Nitrile	12"	L	8.5 to 9	4.30 mil	Blue	Beaded	—	Touchntuff	ANL92-675LGE	100
Nitrile	12"	XL	9.5 to 10	4.30 mil	Blue	Beaded	—	Touchntuff	ANL92-675XL	100
Food Contact, General Purpose										
Nitrile	9"	S	7	3.00 mil	Blue	Rolled	Smooth	Mcr Safety	MSF60011S	1
Nitrile	9 1/2"	XS	6	3.9 mil	Blue	Beaded	Palm and Fingers	Microflex	MCFN190	100
Nitrile	9 1/2"	S	7	3.9 mil	Blue	Beaded	Palm and Fingers	Microflex	MCFN191	100
Nitrile	9 1/2"	M	8	3.9 mil	Blue	Beaded	Palm and Fingers	Microflex	MCFN192	100
Nitrile	9 1/2"	L	9	3.9 mil	Blue	Beaded	Palm and Fingers	Microflex	MCFN193	100
Nitrile	9 1/2"	XL	10	3.9 mil	Blue	Beaded	Palm and Fingers	Microflex	MCFN194	100
Nitrile	9 1/2"	2XL	11	3.9 mil	Blue	Beaded	Palm and Fingers	Microflex	WAT5554PF-M	100
Nitrile	9 1/2"	S	7	5.10 mil	Beige	Beaded	Fingers Only	Microflex	MCFL561	100

CONTINUED

CONTINUED**MCR SAFETY, MICROFLEX, SUPERIOR GLOVE, TOUCHNTUFF, WATSON GLOVES****General Purpose Disposable Gloves**

Material	Glove Length	Size- Alpha	Size - Numeric	Palm Thickness	Colour	Cuff	Glove Texture Location	Brand	Item No.	Pkg. Qty.
Latex	9½"	M	8	5.10 mil	Beige	Beaded	Fingers Only	Microflex	MCFL562	100
Latex	9½"	L	9	5.10 mil	Beige	Beaded	Fingers Only	Microflex	MCFL563	100
Latex	9½"	XL	10	5.10 mil	Beige	Beaded	Fingers Only	Microflex	MCFL564	100
Nitrile	9½"	S	7	6.70 mil	Blue	Beaded	Palm and Fingers	Microflex	MCFN861	1
Nitrile	9½"	M	8	6.70 mil	Blue	Beaded	Palm and Fingers	Microflex	MCFN862	1
Nitrile	9½"	L	9	6.70 mil	Blue	Beaded	Palm and Fingers	Microflex	MCFN863	1
Nitrile	9½"	XL	10	6.70 mil	Blue	Beaded	Palm and Fingers	Microflex	MCFN864	1
Nitrile	11"	XL	10	3.50 mil	Blue	Beaded	Fingers Only	Microflex	MCFUSE880XL	1
Nitrile	11"	2XL	10.5	3.50 mil	Blue	Beaded	Fingers Only	Microflex	MCFUSE880XXL	1
Nitrile	11½"	S	7	3.50 mil	Blue	Beaded	—	Microflex	MCFUSE880SML	1
Nitrile	11½"	M	8	3.50 mil	Blue	Beaded	—	Microflex	MCFUSE880MED	1
Nitrile	11½"	L	9	3.50 mil	Blue	Beaded	—	Microflex	MCFUSE880LGE	1
Nitrile	12"	S	7	5.90 mil	Green	Beaded	Palm and Fingers	Microflex	MCFN891	50
Nitrile	12"	M	8	5.90 mil	Green	Beaded	Palm and Fingers	Microflex	MCFN892	50
Nitrile	12"	L	9	5.90 mil	Green	Beaded	Palm and Fingers	Microflex	MCFN893	50
Nitrile	12"	XL	10	5.90 mil	Green	Beaded	Palm and Fingers	Microflex	MCFN894	50
Food Contact, General Purpose, Medical										
Nitrile	9½"	S	7	2.80 mil	Blue	Beaded	Fingers Only	Microflex	MCFXC310S	1
Nitrile	9½"	M	8	2.80 mil	Blue	Beaded	Fingers Only	Microflex	MCFXC310M	1
Nitrile	9½"	L	9	2.80 mil	Blue	Beaded	Fingers Only	Microflex	MCFXC310L	1
Nitrile	9½"	XL	10	2.80 mil	Blue	Beaded	Fingers Only	Microflex	MCFXC310XL	1
Food Contact, Medical										
Nitrile	9½"	XS	5.5 to 6	2.80 mil	Blue	Beaded	Fingers Only	Microflex	MCFXC310XS	1
Natural Rubber Latex	9½"	XS	5.5 to 6	5.50 mil	Black	Beaded	—	Microflex	MCFBD1000PF-XS	1
Natural Rubber Latex	9½"	S	6.5 to 7	5.50 mil	Black	Beaded	—	Microflex	MCFBD1001PF-S	1
Natural Rubber Latex	9½"	M	7.5 to 8	5.50 mil	Black	Beaded	—	Microflex	MCFBD1002PF-M	1
Natural Rubber Latex	9½"	L	8.5 to 9	5.50 mil	Black	Beaded	—	Microflex	MCFBD1003PF-L	1
Natural Rubber Latex	9½"	XL	9.5 to 10	5.50 mil	Black	Beaded	—	Microflex	MCFBD1004PF-XL	1
Nitrile	11½"	XL	10	5.50 mil	Blue	Beaded	Fingers Only	Microflex	MCFSEC375XL	50
Nitrile	11½"	2XL	10.5	5.50 mil	Blue	Beaded	Fingers Only	Microflex	MCFSEC375XL	50
Nitrile	11¾"	S	6.5 to 7	5.50 mil	Purple	Beaded	—	Microflex	MCFSEC375SML	50
General Purpose										
Nitrile	9½"	XS	6	2.40 mil	Blue	Beaded	Fingers Only	Microflex	MCFN730	100
Nitrile	9½"	S	7	2.40 mil	Blue	Beaded	Fingers Only	Microflex	MCFN731	100
Nitrile	9½"	M	8	2.40 mil	Blue	Beaded	Fingers Only	Microflex	MCFN732	100
Nitrile	9½"	L	9	2.40 mil	Blue	Beaded	Fingers Only	Microflex	MCFN733	100
Nitrile	9½"	XL	10	2.40 mil	Blue	Beaded	Fingers Only	Microflex	MCFN734	100
Nitrile	10½"	S	7	8.30 mil	Green	Beaded	Palm and Fingers	Microflex	MCFDFK608S	1
Nitrile	10½"	M	8	8.30 mil	Green	Beaded	Palm and Fingers	Microflex	MCFDFK608M	1
Nitrile	10½"	L	9	8.30 mil	Green	Beaded	Palm and Fingers	Microflex	MCFDFK608L	1
Nitrile	10½"	XL	10	8.30 mil	Green	Beaded	Palm and Fingers	Microflex	MCFDFK608XL	1
Nitrile	10½"	2XL	10.5	8.30 mil	Green	Beaded	Palm and Fingers	Microflex	MCFDFK608XXL	1
General Purpose, Medical										
Nitrile	11¾"	M	7.5 to 8	5.50 mil	Blue	Beaded	—	Microflex	MCFSEC375MED	50
Nitrile	11¾"	L	8.5 to 9	5.50 mil	Blue	Beaded	—	Microflex	MCFSEC375LGE	50
Medical										
Nitrile	9½"	S	7	3.50 mil	Black	Beaded	Fingers Only	Microflex	MCFN641	100
Nitrile	9½"	M	8	3.50 mil	Black	Beaded	Fingers Only	Microflex	MCFN642	100
Nitrile	9½"	L	9	3.50 mil	Black	Beaded	Fingers Only	Microflex	MCFN643	100
Nitrile	9½"	XL	10	3.50 mil	Black	Beaded	Fingers Only	Microflex	MCFN644	100
Nitrile	9½"	2XL	10.5	3.50 mil	Black	Beaded	Fingers Only	Microflex	MCFN645	100
Nitrile	9½"	S	7	4.00 mil	Blue	Beaded	—	Superior Glove	SUGRDNPFSML	100
Nitrile	9½"	M	8	4.00 mil	Blue	Beaded	—	Superior Glove	SUGRDNPFMED	100
Nitrile	9½"	L	9	4.00 mil	Blue	Beaded	—	Superior Glove	SUGRDNPFLGE	100
Nitrile	9½"	XL	10	4.00 mil	Blue	Beaded	—	Superior Glove	SUGRDNPFXL	100

TAKE CONTROL OF YOUR STUFF

Inventory managed. Space organized.
Time and money saved.



KeepStock
Inventory Management

Contact your Grainger rep or visit
grainger.ca/keepstock to learn more.

MCR SAFETY, MICROFLEX

Nitrile Disposable Gloves

- Glove palm thickness: 4.00-4.99 mil
- Length: 9½"
- Unlined
- Powder-free

Powder-free nitrile disposable gloves provide high resistance to puncture, tearing, and abrasion, and good resistance to accidental chemical splash. Nitrile gloves are generally thinner and more tactile than vinyl and latex gloves, while maintaining strength. Powder-free, general purpose disposable gloves provide basic hand protection against non-hazardous materials and do not have a powder coating inside the glove, reducing the risk of allergic reactions and contamination.



MSF6001L



MCFSU690L

Disposable Glove Grade	Size- Alpha	Size - Numeric	Colour	Cuff	Glove Texture Location	Brand	Item No.	Pkg. Qty.
Exam, Medical	XS	5.5 to 6	Black	Beaded	Palm and Fingers	Microflex	MCFMK296XS	1
Exam, Medical	XS	6	Purple	Beaded	Fingers Only	Microflex	MCFSU690XS	100
Exam, Medical	S	6.5 to 7	Black	Beaded	Palm and Fingers	Microflex	MCFMK296S	100
Exam, Medical	S	7	Purple	Beaded	Fingers Only	Microflex	MCFSU690S	100
Exam, Medical	M	8	Black	Beaded	Palm and Fingers	Microflex	MCFMK296M	100
Exam, Medical	M	8	Purple	Beaded	Fingers Only	Microflex	MCFSU690M	100
Exam, Medical	L	9	Black	Beaded	Palm and Fingers	Microflex	MCFMK296L	100
Exam, Medical	L	9	Purple	Beaded	Fingers Only	Microflex	MCFSU690L	100
Exam, Medical	XL	10	Black	Beaded	Palm and Fingers	Microflex	MCFMK296XL	100
Exam, Medical	XL	10	Purple	Beaded	Fingers Only	Microflex	MCFSU690XL	100
Exam, Medical	2XL	10.5	Black	Beaded	Palm and Fingers	Microflex	MCFMK296XXL	100
Food	S	7	Blue	Beaded	Palm and Fingers	Mcr Safety	MSF6015S	1
Food	M	8	Blue	Beaded	Palm and Fingers	Mcr Safety	MSF6015M	1
Food	L	9	Blue	Beaded	Palm and Fingers	Mcr Safety	MSF6015L	1
Food	2XL	11	Blue	Beaded	Palm and Fingers	Mcr Safety	MSF6015XL	1
Food, Industrial	XL	10	Blue	Rolled/Beaded	Palm and Fingers	Mcr Safety	MSF6015XL	1
Industrial	S	7	Blue	Rolled	—	Mcr Safety	MSF6001S	1
Industrial	M	8	Blue	Rolled	—	Mcr Safety	MSF6001M	1
Industrial	L	9	Blue	Rolled	Fully	Mcr Safety	MSF6001L	1
Industrial	XL	10	Blue	Rolled	—	Mcr Safety	MSF6001XL	1

CONDOR

Vinyl Disposable Gloves

- Glove length: 9"
- Cuff: beaded
- Glove grade: food
- Texture location: smooth

Gloves offer sensitivity and dexterity. For use in food and pharmaceutical applications.

Powdered gloves are easy to pull on and off, with no silicone-based materials. Smooth finish offers excellent hand and fingertip sensitivity. Powder-free gloves are useful in applications where contamination is a concern. A polymer inner coating helps ease donning and doffing in wet/dry conditions. Latex free. Unlined. Meet US Government 21 CFR 170-199 Specifications.



CDR3BA42



CDR3BA46

Palm Thickness Food	Glove Texture Location	Glove Length	Colour	Cuff	Item No.	Pkg. Qty.
Powdered						
2.70 mil	Smooth	9'	Clear	Beaded	CDR3BA42	100
2.70 mil	Smooth	9'	Clear	Beaded	CDR3BA41	100
2.70 mil	Smooth	9'	Clear	Beaded	CDR3BA40	100
2.70 mil	Smooth	9'	Clear	Beaded	CDR3BA39	100
Powder-Free						
2.70 mil	Smooth	9'	Clear	Beaded	CDR3BA44	100
2.70 mil	Smooth	9'	Clear	Beaded	CDR3BA45	100
2.70 mil	Smooth	9'	Clear	Beaded	CDR3BA46	100
2.70 mil	Smooth	9'	Clear	Beaded	CDR3BA43	100

CONDOR

Latex Disposable Gloves

- Colour: natural
- Length: 9½"
- Cuff thickness: 5.00 mil
- Palm thickness: 5.00
- FDA approved gloves meet FDA regulations for food contact, except Nos. CDR10D865, CDR10D864, CDR10D863 and CDR10D863.
- Unlined
- Powder-free

100% natural latex gloves provide the highest level of flexibility and dexterity of all disposable gloves. For use in food and pharmaceutical applications. Powder-free gloves are useful for tasks where contamination is a concern. Medical Exam-Grade gloves are certified as Class 1 Medical Devices as designated by FDA 510(k).

Gloves are offered with a smooth finish that offers excellent hand and fingertip sensitivity, or a textured finish for increased flexibility and dexterity, and improved grip on small and slick/oily items.



CDR10D864



CDR2XMC3

Size- Alpha Food	Size - Numeric	Cuff	Glove Texture Location	Item No.	Pkg. Qty.
S	7		Palm and Fingers	CDR2XMC1	100
M	8	Rolled/Beaded	Palm and Fingers	CDR2XMC2	100
L	9		Palm and Fingers	CDR2XMC3	100
Exam, Medical					
S	7		Smooth	CDR10D863	100
M	8		Fully	CDR10D864	100
L	9	Beaded	Smooth	CDR10D865	100
XL	10		Smooth	CDR10D866	100

CONFORM, MICROFLEX

Latex Disposable Gloves

100% natural latex gloves are made for use where the highest grade latex glove is required. Choose powdered gloves that are easy to pull on and off, or powder-free gloves where contamination is a concern. Longer-length gloves extend coverage over the wrist and forearm for enhanced safety. Medical Exam-Grade gloves are certified as Class 1 Medical Devices as designated by FDA 510(k).

Gloves are offered with a smooth finish for excellent hand/fingertip sensitivity; textured fingers that provide a great grip and comfort; or fully textured for enhanced grip and exceptional tactile sensitivity.



ANL69-210LGE



MCFL851

Palm Thickness	Glove Finish Type	Glove Length	Colour	Glove Texture Location	Cuff	Brand	Item No.	Pkg. Qty.
Chemical-Resistant, Food Contact, General Purpose								
4.70 mil	Textured	9½"	Beige	Fingers Only	Beaded	Conform	ANL69-318LGE	100
4.70 mil	Textured	9½"	Beige	Fingers Only	Beaded	Conform	ANL69-318XL	100
Food Contact, General Purpose								
3.50 mil	Smooth	9½"	Natural	—	Beaded	Conform	ANL69-210MED	100
3.50 mil	Smooth	9½"	Natural	—	Beaded	Conform	ANL69-210SML	100
3.50 mil	Smooth	9½"	Natural	—	Beaded	Conform	ANL69-210XL	100
Food Contact, Medical								
3.50 mil	Smooth	9½"	Natural	Smooth	Beaded	Conform	ANL69-210LGE	100
Food Contact; General Purpose								
9.80 mil		11½"	Blue	Palm and Fingers		Microflex	MCFL853PK	50
General Purpose, Medical								
5.50 mil	Textured	9½"	Beige	Palm and Fingers	Beaded	Microflex	MCFEV2050L	1
6.30 mil	Textured	9½"	Beige	Fingers Only	Beaded	Microflex	MCFMF300L	100
6.30 mil	Textured	9½"	Beige	Fingers Only	Beaded	Microflex	MCFMF300M	1
6.30 mil	Textured	9½"	Beige	Fingers Only	Beaded	Microflex	MCFMF300S	1
6.30 mil	Textured	9½"	Beige	Fingers Only	Beaded	Microflex	MCFMF300XL	100
6.30 mil	Textured	9½"	Beige	Fingers Only	Beaded	Microflex	MCFMF300XS	1
9.80 mil	Textured	11½"	Blue	Palm and Fingers	Beaded	Microflex	MCFL851	1
11.00 mil	Textured	11½"	Blue	Fingers Only	Rolled/Beaded	Microflex	MCFSG375L	1
11.00 mil	Textured	11½"	Blue	Fingers Only	Rolled/Beaded	Microflex	MCFSG375M	1
11.00 mil	Textured	11½"	Blue	Fingers Only	Rolled/Beaded	Microflex	MCFSG375S	1
11.00 mil	Textured	11½"	Blue	Fingers Only	Rolled/Beaded	Microflex	MCFSG375XL	1
Medical								
3.50 mil	Textured	9½"	Black	Fingers Only	Beaded	Microflex	MCFN645	100

MCR SAFETY

Polyethylene Disposable Gloves

- Cuff thickness: 4.00 mil
- Palm thickness range: 0.00-0.99 mil
- Finger thickness: 0.40 mil
- Length: 10"
- Unlined

SensaGuard™ gloves are commonly used for bottling, canning, dairy, painting, and cafeteria applications. Textured finish helps boost dexterity and flexibility. Clear color. Latex and powder free. Box of 500. Component materials comply with all relevant federal regulations for food contact



MSF5040M

Size - Numeric	Palm Thickness	Glove Texture Location	Glove Length	Cuff	Item No.
8	0.40 mil	Palm and Fingers	10"	Straight	MSF5040M
10					MSF5040XL

ZING

Universal Glove Box Dispensers

- Made with minimum 70% post-consumer recycled content
- Metal surfaces

Durable, $\frac{3}{16}$ " PETG dispensers can be mounted either vertically or horizontally. Optional magnet mount for metal surfaces available separately.




ZNG7220



ZNG7226

Holds	Colour	Height	Width	Depth	Item No.
Glove Box Dispenser					
(1) Glove Box	Clear	10 ½ in	6 in	4 in	ZNG7220
(2) Glove Boxes	Clear	10 ½ in	12 in	4 in	ZNG7221
(3) Glove Boxes	Clear	10 ½ in	16 in	4 in	ZNG7222
(1) Glove Box	White	10 ½ in	6 in	4 in	ZNG7223
(2) Glove Boxes	White	10 ½ in	12 in	4 in	ZNG7224
(3) Glove Boxes	White	10 ½ in	16 in	4 in	ZNG7225
(1) Glove Box	White	10 in	5 in	¾ in	ZNG7226



Register now
Enjoy these features & more

- Access your pricing
- View order history

- Save favourites to your personal lists
- Quicker check-outs with saved shipping features

Sign in or register on [Grainger.ca](#) today

MCR SAFETY

SensaGuard™ Food-Grade Gloves

- 9½" length
- 5 mil thickness
- Powder free

Premium grade clear vinyl gloves. Rolled/beaded cuff.

MSF5015S



SOLVEX

Solvex®

Combination of strength and chemical resistance when exposed to aromatic and petrochemical solvents as well as caustics and animal fats. Agriculture Canada accepted.

Glove Size	Thickness	Glove Length	Lining	Colour	Finish	Item No.
7	11.0 mil	13 in	Unlined	Green	Sand Patch	ANL37-145-7
8	11.0 mil	13 in	Unlined	Green	Sand Patch	ANL37-145-8
9	11.0 mil	13 in	Unlined	Green	Sand Patch	ANL37-145-9
10	11.0 mil	13 in	Unlined	Green	Sand Patch	ANL37-145-10
11	11.0 mil	13 in	Unlined	Green	Sand Patch	ANL37-145-11
7	15.0 mil	13 in	Unlined	Green	Sand Patch	ANL37-155-7
8	15.0 mil	13 in	Unlined	Green	Sand Patch	ANL37-155-8
9	15.0 mil	13 in	Unlined	Green	Sand Patch	ANL37-155-9
10	15.0 mil	13 in	Unlined	Green	Sand Patch	ANL37-155-10
11	15.0 mil	13 in	Unlined	Green	Sand Patch	ANL37-155-11
7	22.0 mil	13 in	Unlined	Green	Sand Patch	ANL37-165-7
8	22.0 mil	13 in	Unlined	Green	Sand Patch	ANL37-165-8
9	22.0 mil	13 in	Unlined	Green	Sand Patch	ANL37-165-9
10	22.0 mil	13 in	Unlined	Green	Sand Patch	ANL37-165-10
11	22.0 mil	13 in	Unlined	Green	Sand Patch	ANL37-165-11
7	15.0 mil	13 in	Cotton Flocking	Green	Sand Patch	ANL37-175-7
8	15.0 mil	13 in	Cotton Flocking	Green	Sand Patch	ANL37-175-8
9	15.0 mil	13 in	Cotton Flocking	Green	Sand Patch	ANL37-175-9
10	15.0 mil	13 in	Cotton Flocking	Green	Sand Patch	ANL37-175-10
11	15.0 mil	13 in	Cotton Flocking	Green	Sand Patch	ANL37-175-11
7	22.0 mil	18 in	Unflocked	Green	Sand Patch	ANL37-185-7
8	22.0 mil	18 in	Unflocked	Green	Sand Patch	ANL37-185-8
9	22.0 mil	18 in	Unflocked	Green	Sand Patch	ANL37-185-9
10	22.0 mil	18 in	Unflocked	Green	Sand Patch	ANL37-185-10
11	22.0 mil	18 in	Unflocked	Green	Sand Patch	ANL37-185-11



ANL37-145-10

MICROFLEX

VersaTouch™ Food Glove

- Raised diamond-grip pattern provides grip in wet, oily and dry conditions
- Lightweight and reusable



ANL37-200-10

Glove Size	Thickness	Glove Length	Lining	Material	Colour	Finish	Item No.
10	8 mil	12 ½ in	Thermal Liners	Nitrile	Green	Raised Large Diamond	ANL37-200-10
8	11 mil	12 ½ in	Unlined	Nitrile	Blue	Raised Diamond	ANL37-510-8
9	11 mil	12 ½ in	No	Nitrile	Blue	Chlorinated	ANL37-510-9
10	11 mil	12 ½ in	No	Nitrile	Blue	Chlorinated	ANL37-510-10
11	11 mil	12 ½ in	No	Nitrile	Blue	Chlorinated	ANL37-510-11
12	11 mil	12 ½ in	Unlined	Nitrile	Blue	Raised Diamond	ANL37-510-12

Grainger catalogues Are digital too

- Choose from our library of catalogues
- Browse, download, and share pages
- Add items to your cart and checkout when ready



BOB DALE, CONDOR**Nitrile Gloves**

Chemical, fat, and oil resistant nitrile gloves. Silicone-free to provide less risk of contamination to products. Canadian Food Inspection Agency accepted (CFIA).



Glove Size	Thickness	Glove Length	Lining	Colour	Finish	Brand	Item No.
Small (7)	9 Mil	11 1/2 in	Unlined	Green	Pebbeled	Condor	CDRGRN9U7
Medium (8)	9 Mil	11 1/2 in	Unlined	Green	Pebbeled	Condor	CDRGRN9U8
X-Large (10)	9 Mil	11 1/2 in	Unlined	Green	Pebbeled	Condor	CDRGRN9U10
Large (9)	15 Mil	12 1/2 in	Flock	Green	Pebbeled	Condor	CDRGRN15F9
Universal	—	14 in	Cotton Interlock Lining	Yellow	Smooth Finish PVC Coating	Bob Dale	ALG764
11	—	13 in	Flock	Green	Smooth	Condor	EBP6JG01

SOL-KNIT**Sol-Knit®**

Agriculture Canada accepted. Fully coated.



ANL39-122-10

MICROFLEX**AlphaTec®**

- Delivers properties of a sponge with a moisture absorption capacity up to 10 times traditional cotton flocked linings
- Foldable cuff gutter

Glove Size	Material	Thickness	Glove Length	Lining	Supported / Unsupported	Glove Texture Location	Cuff	Colour	Item No.
7	Nitrile	13 mil	11 3/8 in	Acrylic Liner	Supported	Smooth	Gauntlet	Grey	ANL58-530B7
8	Nitrile	13 mil	11 3/8 in	Acrylic Liner	Supported	Smooth	Gauntlet	Grey	ANL58-530B8
9	Nitrile	13 mil	11 3/8 in	Acrylic Liner	Supported	Smooth	Gauntlet	Grey	ANL58-530B9
10	Nitrile	13 mil	11 3/8 in	Acrylic Liner	Supported	Smooth	Gauntlet	Grey	ANL58-530B10
11	Nitrile	13 mil	11 3/8 in	Acrylic Liner	Supported	Smooth	Gauntlet	Grey	ANL58-530B11
7	Nitrile	13 mil	13 3/8 in	Acrylic Liner	Supported	Smooth	Gauntlet	Grey	ANL58-535B7
8	Nitrile	13 mil	13 3/8 in	Acrylic Liner	Supported	Smooth	Gauntlet	Grey	ANL58-535B8
9	Nitrile	13 mil	13 3/8 in	Acrylic Liner	Supported	Smooth	Gauntlet	Grey	ANL58-535B9
10	Nitrile	13 mil	13 3/8 in	Acrylic Liner	Supported	Smooth	Gauntlet	Grey	ANL58-535B10
11	Nitrile	13 mil	13 3/8 in	Acrylic Liner	Supported	Smooth	Gauntlet	Grey	ANL58-535B11



ANL58-530B10

MCR SAFETY**Nitrile Unlined Gloves**

MSF5300S

Glove Size	Chemical Resistant Glove Material	Thickness	Glove Length	Lining	Supported / Unsupported	Finish	Cuff	Colour	Item No.
S	Nitrile	8	13 in	Unlined	Unsupported	Diamond Grip	Straight	Blue	MSF5300S
M	Nitrile	8	13 in	Unlined	Unsupported	Diamond Grip	Straight	Blue	MSF5300M

MCR SAFETY

Industrial Grade Nitri-Chem®

Glove Size	Chemical Resistant Glove Material	Thickness	Glove Length	Lining	Supported / Unsupported	Finish	Cuff	Colour	Item No.
XL	Nitrile	11	13 in	Unlined	Unsupported	Textured Grip	Straight	Green	MSF5310
2XL	Nitrile	11	13 in	Unlined	Unsupported	Textured Grip	Straight	Green	MSF5311
2XL	Nitrile	15	13 in	Flocked	Unsupported	Diamond Grip	Straight	Green	MSF5321
S	Nitrile	18	13 in	Flocked	Unsupported	Diamond Grip	Straight	Green	MSF537S
L	Nitrile	18	13 in	Flocked	Unsupported	Diamond Grip	Straight	Green	MSF539S
XL	Nitrile	18	13 in	Flocked	Unsupported	Diamond Grip	Straight	Green	MSF5330S
L	Nitrile	18	18 in	Unlined	Unsupported	Textured	Straight	Green	MSF5350L
XL	Nitrile	18	18 in	Unlined	Unsupported	Textured	Straight	Green	MSF5350XL
2XL	Nitrile	18	18 in	Unlined	Unsupported	Textured	Straight	Green	MSF5350XXL



MCR SAFETY

Economy Grade Nitri-Chem®

Glove Size	Chemical Resistant Glove Material	Thickness	Glove Length	Lining	Supported / Unsupported	Finish	Cuff	Colour	Item No.
S	Nitrile	11	13 in	Unlined	Unsupported	Textured	Straight	Green	MSF5307E
M	Nitrile	11	13 in	Unlined	Unsupported	Textured	Straight	Green	MSF5308E
L	Nitrile	11	13 in	Unlined	Unsupported	Textured	Straight	Green	MSF5309E
XL	Nitrile	11	13 in	Unlined	Unsupported	Textured	Straight	Green	MSF5310E
2XL	Nitrile	11	13 in	Unlined	Unsupported	Textured	Straight	Green	MSF5311E



MCR SAFETY

Predalite® Lightweight Premium Nitrile

- 100% cotton interlock lining for a greater sense of touch and dexterity
- Lightweight nitrile

Glove Size	Glove Length	Lining	Colour	Finish	Cuff	Item No.
Small (7)	11 in	Interlock	Blue	Palm Coat	Knit Wrist	MSF9780S
Medium (8)	11 in	Interlock	Blue	Palm Coat	Knit Wrist	MSF9780M
Large (9)	11 in	Interlock	Blue	Palm Coat	Knit Wrist	MSF9780L
X-Large (10)	11 in	Interlock	Blue	Palm Coat	Knit Wrist	MSF9780XL
S	10.5 in	Interlock	Blue	Full Coat	Knit Wrist	MSF9781S
M	10.5 in	Interlock	Blue	Full Coat	Knit Wrist	MSF9781M
L	10.5 in	Interlock	Blue	Full Coat	Knit Wrist	MSF9781L
XL	11 in	Interlock	Blue	Full Coat	Knit Wrist	MSF9781XL
S	10.5 in	Interlock	Blue, White	Palm Coat	Safety	MSF9785S
S	11 in	Interlock	Blue	Full Coat	Safety	MSF9786S
M	11 in	Interlock	Blue	Full Coat	Safety	MSF9786M
L	11 in	Interlock	Blue	Full Coat	Safety	MSF9786L



MICROFLEX

Latex Food Processing Glove

Glove Size	Material	Thickness	Glove Size	Lining	Supported / Unsupported	Finish	Cuff	Colour	Item No.
7	Natural Rubber Latex	17 mil	7	Flocked Lined	Unsupported	Fishscale	Pinked	Yellow	ANL87198-7
8	Natural Rubber Latex	17 mil	8	Flocked Lined	Unsupported	Fishscale	Pinked	Yellow	ANL87198-8
9	Natural Rubber Latex	17 mil	9	Flocked Lined	Unsupported	Fishscale	Pinked	Yellow	ANL87198-9
10	Natural Rubber Latex	17 mil	10	Flocked Lined	Unsupported	Fishscale	Pinked	Yellow	ANL87198-10



CONDOR

Latex and Latex Blend Gloves

- Glove material: natural rubber latex
- Texture location: palm and fingers
- Lining: flock
- FDA approved gloves meet FDA regulations for food contact

Unsupported gloves provide excellent dexterity and tactile sensitivity. Gloves are flock-lined to help keep hands comfortable and dry.



EBP48UP19

Glove Length	Glove Thickness	Cuff	Colour	Glove Size	Item No.
12 in	17 mil	Beaded	Yellow	XL	EBP48UP19
12 in	17 mil	Beaded	Yellow	S	EBP48UP16
13 in	28 mil	Straight	Orange	10	CDR2YEN4
13 in	28 mil	Straight	Orange	11	CDR2YEN5
13 in	28 mil	Straight	Orange	7	CDR2YEN1
13 in	28 mil	Straight	Orange	8	CDR2YEN2

SHOWA

Heavy Weight Neoprene Chemical-Resistant Gloves

- Colour: black
- Size: 10/L
- Cuff: gauntlet
- Texture location: palm and fingers

Durable Neo Grab™ gloves feature a 5-pc. flannel liner that helps keep you cool and comfortable in hot environments or warm in cold conditions. They're launderable and ideal for handling acids and caustics. Can be used in many heavy-duty applications such as pellet blasting and sandblasting. Rough finish is ideal for applications where a good wet grip is required.



BEM6780R

Glove Length	Lining	Item No.
12 in	Cotton Liner	BEM6780R
12 in	Cotton Liner	BEM6780R10
14 in	Cotton Flannel Lining	BEM6784R
18 in	Cotton Liner	BEM6797R

TRIONIC

Tripolymer Controlled Environment Gloves

- Thickness: 20.00 mil
- Class: 10
- Contain latex

Natural tri-polymer material provides added strength, tear resistance, and enhanced grip and dexterity. Fully textured gloves are hand specific. Powder free. Non-sterile. 72 pair individually packaged in polybags.



MPA517316

ISO Class	Glove Length	Glove Texture Location	Lining	Cuff	Colour	6 Item No.	7 Item No.	8 Item No.	9 Item No.	10 Item No.
4	14 in	Fully	Unlined	Flat	Beige	MPA517316	MPA517317	MPA517318	MPA517319	MPA517310

CONDOR, HYFLEX, MCR SAFETY, NATURAL BLUE, ORANGE HEAVYWEIGHT

Latex and Latex Blend Gloves

- FDA approved gloves meet FDA regulations for food contact

Flexible materials make these gloves a comfortable chemical protection choice. Unsupported gloves allow excellent dexterity and tactile sensitivity. Supported gloves enhance strength, comfort, and durability. The flock lining in select gloves help keep hands dry and comfortable.

Orange Heavyweight—Thickness enhances abrasion resistance while allowing tensile strength and sensitivity.



ANL356-8

MSF5110L

Glove Length	Glove Thickness	Glove Texture Location	Lining	Cuff	Colour	Glove Size	Brand	Item No.
8.25 in	53.0 mil	Palm and Fingers	Seamless Knit, Nylon/Spandex	Elastic	Black, Grey	8	Hyflex	ANL11-840-8
11 3/4 in	17 mil	Fingers Only	Unlined	Pinked	Blue	8	Natural Blue	ANL356-8
11 3/4 in	17 mil	Fingers Only	Unlined	Pinked	Blue	9	Natural Blue	ANL356-9
11 3/4 in	17 mil	Fingers Only	Unlined	Pinked	Blue	10	Natural Blue	ANL356-10
12 1/2 in	27 mil	—	Flock	Rolled	Orange	Small (7)	Condor	CDGRGL27L7
12 5/8 in	28.7 mil	—	100% Cotton Flock Lining	—	Orange	7	Orange Heavyweight	ANL208-7
12 5/8 in	28.7 mil	—	100% Cotton Flock Lining	—	Orange	8	Orange Heavyweight	ANL208-8
12 5/8 in	28.7 mil	—	100% Cotton Flock Lining	—	Orange	9	Orange Heavyweight	ANL208-9
12 5/8 in	28.7 mil	—	100% Cotton Flock Lining	—	Orange	10	Orange Heavyweight	ANL208-10
12 5/8 in	28.7 mil	—	100% Cotton Flock Lining	—	Orange	11	Orange Heavyweight	ANL208-11
12 in	18 mil	Palm and Fingers	Unlined	Rolled	Amber	L	Mcr Safety	MSF5110L
12 in	18 mil	Palm and Fingers	Unlined	Rolled	Amber	M	Mcr Safety	MSF5110M
12 in	18 mil	Palm and Fingers	Unlined	Rolled	Amber	XL	Mcr Safety	MSF5110XL
13 in	15 mil	Palm and Fingers	Flocked	Straight	Green	2XL	Mcr Safety	MSF5321E
13 in	15 mil	Palm and Fingers	Flocked	Straight	Green	L	Mcr Safety	MSF5319E
13 in	15 mil	Palm and Fingers	Flocked	Straight	Green	M	Mcr Safety	MSF5318E
13 in	15 mil	Palm and Fingers	Flocked	Straight	Green	S	Mcr Safety	MSF5317E
13 in	15 mil	Palm and Fingers	Flocked	Straight	Green	XL	Mcr Safety	MSF5320E
13 in	53 mil	Palm and Fingers	Seamless Knit, Nylon/Spandex	Elastic	Blue	7	Hyflex	ANL11-840-7

SHOWA

PVC Chemical Resistant Gloves

- Cotton lining

Resists caustics, animal fats, alcohols, acids, salts, detergents and petroleum based solvents, and abrasion.

Glove Size	Glove Length	Supported / Unsupported	Glove Thickness	Cuff	Colour	Item No.
M	9.5 in	Supported	15.0 mil	Knit Wrist	Green	WWG10D928
L	10 in	Supported	15.0 mil	Knit Wrist	Green	WWG10D929
XL	10.5 in	Supported	15.0 mil	Knit Wrist	Green	WWG10D930
S	12 in	Supported	16 mil	Gauntlet	Blue	WWG1PA54
M	12 in	Supported	16 mil	Gauntlet	Blue	WWG1PA55
L	12 in	Supported	16 mil	Gauntlet	Blue	WWG1PA56
XL	12 in	Supported	16 mil	Gauntlet	Blue	WWG1PA57



WWG10D928

BOB DALE

PVC Chemical Resistant Gloves

- One size



ALG502



ALG764



ALG904



ALG912



ALG914



ALG918

Glove Performance	Glove Texture Location	Glove Liner Material	Colour	Cuff	Finish/Pattern	Item No.
Gloves and Hand Protection						
High Grip	Fully	Cotton Interlock	Red	Gauntlet	Roughened	ALG502
High Grip	Fully	Cotton Interlock	Yellow	Gauntlet	Roughened	ALG764
High Grip	—	Unlined	Green	Knit Wrist	Roughened	ALG904
High Grip	—	Fleece	Green	Gauntlet	Roughened	ALG912
General Purpose	Fully	Fleece	Green	Gauntlet	Roughened	ALG914
High Grip	—	Fleece	Green	Gauntlet	Roughened	ALG918

SUPERIOR GLOVE

Long Arm PVC Gloves

Some industrial applications require full arm chemical protection. To keep the sleeves in place, shoulder length gloves have a wide elastic that goes behind the neck.



Size	Length (in.)	Lining	Colour	Finish/ Pattern	Item No.
One Size	38.0	Jersey	Black	Roughened	SUGF294SL



WATSON GLOVES

9341 Foamtastic

- Foam lining
- Double-dipped PVC coating

Size	Glove Length	Lining	Material	Colour	Finish	Cuff	Item No.
One Size	12 in	Foam	PVC	Orange	Textured	Gauntlet	WAT9341

WATSON GLOVES

Frost Free

For extreme cold conditions. Heavy acrylic fleece lining. PVC coating with resin finish. 12" gauntlet style cuff.



WAT491L

Size	Coating Material	Lining	Cuff	Colour	Item No.
Medium (8)	PVC	Heavy Acrylic Fleece	Gauntlet	Blue	WAT491M
Large (9)	PVC	Heavy Acrylic Fleece	Gauntlet	Blue	WAT491L
X-Large (10)	PVC	Acrylic Fleece	Gauntlet	Blue	WAT491X
2X-Large (11)	PVC	Heavy Acrylic Fleece	Gauntlet	Blue	WAT491XXL

WATSON GLOVES

Piggy Back

WATSON GLOVES

Piggy Back

EVA (Ethylene Vinyl Acetate) foam padded back. Fully coated PVC/nitrile blend. Double-dipped resin finish. 100% cotton jersey shell with a slip-on style safety cuff.



Size	Coating Material	Lining	Coating Coverage	Coating Finish	Cuff	Item No.
Large	PVC/Nitrile	100% Cotton Jersey Shell	Full	Rough	Rubberized Safety	WATWB66

1-888-602-0000

WATSON GLOVES

Pigs In A Blanket

PVC/Nitrile blend, full, rough coating finish, C40 Thinsulate™ lining, large, black, cuff slip-on, wing thumb style.



Size	Lining	Coating Coverage	Coating Finish	Cuff	Colour	Item No.
One Size	3M Thinsulate™ C40	Full	Rough	Slip-On	Black	WAT9WB67

WATSON GLOVES

Rig Pig 3-Pack

Fully coated nitrile/PVC blend for maximum protection against petrochemicals and is resistant to punctures and abrasions.



Size	Coating Material	Lining	Coating Coverage	Coating Finish	Cuff	Colour	Item No.
One Size	Nitrile/PVC Blend	100% Cotton Jersey Shell	Full	Rough	Rubberized Safety	Black	WATWB67-3

ANSELL, MICROFLEX

VersaTouch® PVC Gloves

- Good dexterity and pliability at low temperatures
- Good grip in handling both wet and slippery materials owing to the roughened sandblast finish



ANL23-201-10

Glove Size	Material	Thickness	Glove Length	Lining	Supported / Unsupported	Finish	Cuff	Colour	Brand	Item No.
7	PVC	4 mm	11 1/8 in	Cotton	Supported	Sandblast	Gauntlet	Blue	Microflex	ANL23-200-7
8	PVC	4 mm	11 1/8 in	Cotton	Supported	Sandblast	Gauntlet	Blue	Microflex	ANL23-200-8
9	PVC	4 mm	11 1/8 in	Cotton	Supported	Sandblast	Gauntlet	Blue	Ansell	ANL23-200-9
10	PVC	4 mm	11 1/8 in	Cotton	Supported	Sandblast	Gauntlet	Blue	Ansell	ANL23-200-10
7	PVC	4 mm	24 2/3 in	Cotton	Supported	Sandblast	Gauntlet	Blue	Microflex	ANL23-201-7
8	PVC	4 mm	24 2/3 in	Cotton	Supported	Sandblast	Gauntlet	Blue	Microflex	ANL23-201-8
9	PVC	4 mm	24 2/3 in	Cotton	Supported	Sandblast	Gauntlet	Blue	Microflex	ANL23-201-9
10	PVC	4 mm	24 2/3 in	Cotton	Supported	Sandblast	Gauntlet	Blue	Microflex	ANL23-201-10

POLARIS

VersaTouch® PVC-Lined Gloves

- Inner polar acrylic seamless liner, gauge 13
- Designed to protect at temperatures down to -30°C



ANL23-202-8

Thermaprene™

Thermaprene™ gloves combine the flexibility and chemical-resistance of neoprene with the heat-resistance of a soft thermal liner. Protects from intermittent contact with hot surfaces up to 400° F. Agriculture Canada accepted.



ANL19-024-10

Glove Size	Thickness	Length (in.)	Cuff	Lining	Finish/ Pattern	Item No.
8	Not Applicable	18.0	Gauntlet	Soft Thermal Liner	Rough	ANL19-024-8
10	Not Applicable	18.0	Gauntlet	Soft Thermal Liner	Rough	ANL19-024-10
8	Not Applicable	26.0	Gauntlet	Soft Thermal Liner	Rough	ANL19-026-8
10	Not Applicable	26.0	Gauntlet	Soft Thermal Liner	Rough	ANL19-026-10

NEOPRENE

Neoprene

- Hardened to increase chemical and abrasion resistance
- Broad-spectrum protection
- Excellent resistance to a wide range of chemicals, including oils, acids, caustics and solvents
- Agriculture Canada accepted



ANL29-865-10

Glove Size	Thickness	Length (in.)	Cuff Type	Lining	Finish/ Pattern	Item No.
7	18 mil	13.0	Gauntlet	Cotton Flock	Rough	ANL29-865-7
8	18 mil	13.0	Gauntlet	Cotton Flock	Rough	ANL29-865-8
9	18 mil	13.0	Gauntlet	Cotton Flock	Rough	ANL29-865-9
10	18 mil	13.0	Gauntlet	Cotton Flock	Rough	ANL29-865-10

SCORPIO

Scorpio®

- Interlock knit cotton lining and flexible neoprene coating stretch to provide a snug fit
- Resistance to a wide range of chemicals, including oils, acids, solvents and caustics
- Agriculture Canada accepted



ANL8-352-10

Glove Size	Thickness	Length (in.)	Cuff	Lining	Finish/Pattern	Item No.
9 Standard Weight	12.0	Gauntlet	Interlock Knit	Rough	ANL8-352-9	
10 Standard Weight	12.0	Gauntlet	Interlock Knit	Rough	ANL8-352-10	

NITRI-SOLVE, SHOULDER LENGTH NITRILE, SHOWA

Nitrile Chemical-Resistant Gloves

- Glove texture location: palm and fingers

Chemical resistant gloves work in a variety of applications and offer excellent dexterity and tactile sensitivity.

Glove Length	Supported / Unsupported	Lining	Cuff	Colour	Glove Size	Brand	Item No.
13 in	Supported	Flock	Gauntlet	Green	6	Showa	WWG4EZE1
13 in	Supported	Flock	Gauntlet	Green	7	Showa	WWG4JF17
13 in	Supported	Flock	Gauntlet	Green	8	Showa	WWG4JF18
13 in	Supported	Flock	Gauntlet	Green	9	Showa	WWG4JF19
13 in	Supported	Flock	Gauntlet	Green	10	Showa	BEM730-10
13 in	Supported	Flock	Gauntlet	Green	11	Nitrile-Solve	BEM730-11
14 in	Supported	Interlock Knit	Gauntlet	Blue	8	Showa	WWG1PPP1
14 in	Supported	Interlock Knit	Gauntlet	Blue	9	Showa	WWG1PPP3
14 in	Supported	Interlock Knit	Gauntlet	Blue	10	Showa	BEMNSK24-10
25 1/2 in	Supported	Interlock Knit Cotton	Elastic	Yellow	7	Showa	WWG40ZJ94
650 mm	Supported	Cotton Interlock Liner		Yellow	9	Shoulder Length Nitrile	BEM772-09
650 mm	Supported	Cotton Interlock Liner		Yellow	10	Shoulder Length Nitrile	BEM772-10

SHOWA

Neoprene Chemical-Resistant Gloves

Sanitized cotton lining retards the growth of bacteria, mold, and mildes, reduces perspiration odor, and improves confort. Durable Chem Master® gloves are double dipped; first in natural rubber latex for superior flexibility and strength, then in compounded neoprene blend for added chemical resistance and physical resilience. The black over blue construction warns you of wear and the need for replacement. Nonslip tractor-tread grip allows runoff of fluids. Excellent resistance to acids, oils, salts, and detergents.



WWG4EZE1



Chemical Resistant Glove Material	Glove Thickness	Glove Length	Supported / Unsupported	Glove Texture Location	Lining	Cuff	Colour	Glove Size	Item No.
Natural Rubber Latex / Neoprene	26 mil	12 in	Unsupported	Fully	Flock	Gauntlet	Black/Blue	7	WWG4EZE5
Natural Rubber Latex / Neoprene	26 mil	12 in	Unsupported	Fully	Flock	Gauntlet	Black/Blue	8	WWG1K783
Natural Rubber Latex / Neoprene	26 mil	12 in	Unsupported	Fully	Flock	Gauntlet	Black/Blue	9	WWG1K785
Natural Rubber Latex / Neoprene	26 mil	12 in	Unsupported	Fully	Flock	Gauntlet	Black/Blue	10	WWG1K779

SHOWA

PVC Chemical- and Cut-Resistant Gloves

Triple-dipped PVC coating and the seamless, cut-resistant Kevlar® liner help protect you from cuts, oil, and a wide range of chemicals. ANSI Level 3 cut protection. Coating also increases abrasion resistance and ensures a secure grip. Gloves maintain cut performance even after multiple launderings.

Glove Size	Glove Length	Supported / Unsupported	Glove Texture Location	Glove Thickness	Cuff	Colour	Item No.
M	12 in	Supported	Fully	22 mil	Gauntlet	Blue	BEMKV660-08
L	12 in	Supported	Fully	22 mil	Gauntlet	Blue	BEMKV660-09
XL	12 in	Supported	Fully	22 mil	Gauntlet	Blue	BEMKV660-10
2XL	12 in	Supported	Fully	22 mil	Gauntlet	Blue	BEMKV660-11



BEMKV660-08

GOLDKNIT, VANTAGE**Cut-Resistant Gloves**

- For dry environments

Neptune®—100% Kevlar string knit offers cut resistance and durability.

Vantage®—Lightweight gloves with reinforced thumb crotch deliver excellent cut protection when handling sharp and fabricated materials. ANL70-765 series gloves have a leather palm that is double-stitched with Kevlar fiber for superior grip and protection against sharp snags and punctures.



Item	Glove Size	ANSI/ISEA Abrasion Level	ANSI/ISEA Cut Level - 2011	Glove Coating Finish	Cuff	Colour	Brand	Item No.
Vantage								
Cut-Resistant Glove	6	4	2	—	Knit	Green, Grey	Vantage	ANL70-761-6
Neptune								
Kevlar(R) String-Knit with PVC Dots	Large (9)	3	2	Dotted	Knit	Yellow	Goldknit	ANL70-330-9
Kevlar® String-Knit with PVC Dots	X-Small (6)	3	2	Dotted	Knit	Yellow	Goldknit	ANL70-330-6
ActivArmp® 70-765								
Knit Glove	9	5	4	—	Knit	Green	Vantage	ANL70-765-9
Knit Glove	11	5	4	—	Knit	Green	Vantage	ANL70-765-11
Vantage								
Knit Glove	2XL	2	4	Smooth	Knit	Grey	Vantage	ANL70-761-11
Knit Glove	8	5	4	—	Knit	Green, Grey	Vantage	ANL70-765-8
Knit Glove	10	5	4	—	Knit	Green, Grey	Vantage	ANL70-765-10
Knit Glove	L	2	4	Smooth	Knit	Grey	Vantage	ANL70-761-9
Knit Glove	M	2	4	Smooth	Knit	Grey	Vantage	ANL70-761-8
Knit Glove	S	2	4	Smooth	Knit	Grey	Vantage	ANL70-761-7
Knit Glove	XL	2	4	Smooth	Knit	Grey	Vantage	ANL70-761-10
Neptune								
Knit Gloves	M	3	2	Dotted	Knit	Blue/Yellow	Goldknit	ANL70-330-8
Knit Gloves	S	3	2	Dotted	Knit	Blue/Yellow	Goldknit	ANL70-330-7

POWERPLEX**Cut-Resistant Gloves**

- For dry and light oil environments.



ANL80-100-10

ANL80-600-10

ANL80-400-10

Glove Length	ANSI/ISEA Abrasion Level	ANSI/ISEA Cut Level - 2011	Glove Coating Finish	Glove Lining Material	Cuff	Colour	Glove Size	Item No.
80-400								
10.25 in	4	3	Rough	Acrylic Terry	Knit	Blue, Yellow	M	ANL80-400-8
10.5 in	4	3	Rough	Acrylic Terry	Knit	Blue, Yellow	L	ANL80-400-9
11 in	4	3	Rough	Acrylic Terry	Knit	Blue, Yellow	XL	ANL80-400-10
ActivArmp® 80-100								
9.25 in	4	2	Rough	Cotton, Polyester	Knit	Blue, Grey	L	ANL80-100-9
9.25 in	4	2	Rough	Cotton, Polyester	Knit	Blue, Grey	M	ANL80-100-8
9.25 in	4	2	Rough	Cotton, Polyester	Knit	Blue, Grey	XL	ANL80-100-10
ActivArmp® 80-600								
10.25 in	4	2	Rough	Kevlar®	Knit	Blue, Yellow	L	ANL80-600-9
10.5 in	4	2	Rough	Kevlar®	Knit	Blue, Yellow	XL	ANL80-600-10
9.75 in	4	2	Rough	Kevlar®	Knit	Blue, Yellow	M	ANL80-600-8
ACTIVARMR 80-400								
10 in to 12 in	4	—	Crinkle	—	—	Yellow	7	ANL80-400-7
PowerFlex Plus								
10 in to 11 in	4	2	—	—	Knit Wrist	Blue, Yellow	7	ANL80-600-7

SHOWA**Polyurethane Cut-Resistant Palm-Coated Gloves**

Cut- and Abrasion-Resistant Showa Palm-Coated Gloves provide both the protection and the sensitivity that you need to perform delicate tasks where there is a high risk of cut injuries. The polyurethane palm and finger coating help ensure a reliable grip on greasy and oily work pieces, while the HPPE lining provides a comfortable fit. An elastic knit-wrist helps keep out debris. Launderable.



Glove Length	ANSI/ISEA Abrasion Level	ANSI/ISEA Cut Level	Glove Coating Finish	Cuff	Colour	Glove Size	Item No.
10 in	4	A3	Smooth	Knit	Blue, Yellow	2XL	WWG23PG89
11 in	6	A2	Smooth	Knit	Grey	S	WWG1FYJ9
11 in	6	A2	Smooth	Knit	Grey	M	WWG1FYK2
11 in	6	A2	Smooth	Knit	Grey	L	WWG1FYK4
11 in	6	A2	Smooth	Knit	Grey	XL	WWG1FYK6
11 in	6	A2	Smooth	Knit	Grey	2XL	WWG5ULE3

MCR SAFETY**KS-4 Cut-Resistant HPT Coated Gloves**

Lightweight Memphis® KS-4 coated gloves from MCR Safety offer high cut protection and solid grip—particularly useful for tasks such as sheet metal pressing and light stamping, framing, glass and window installation, and small part assembly and handling. The textured HPT coating boosts grip and enhances puncture protection, and the Kevlar®/stainless steel liner provides high dexterity and enhanced grip.



Glove Length	ANSI/ISEA Abrasion Level	ANSI/ISEA Cut Level	Glove Coating Finish	Cuff	Colour	Glove Size	Item No.
12 in	4	A4	Smooth	Knit Wrist	Black, Green	2XL	MSF9389PVXXL

SHOWA

Cut-Resistant Gloves

These cut-resistant knit gloves have a 13-gauge knit shell made of HPPE engineered fibers, plated with Lycra®-Spandex® and Thermax® for unmatched stretch, comfort, and thermal warmth. Provides a higher level of tactile dexterity than other cut-resistant gloves. Ideal for handling box cutters, knives, shears, and fabricated and sharp-edged metals. Ambidextrous and reversible.



WWG2ZPY6

Glove Length	ANSI/ISEA Abrasion Level	ANSI/ISEA Cut Level	Glove Coating Finish	Cuff	Colour	Glove Size	Item No.
10.75 in	2	A4	Dotted	Knit	Blue, Grey	8	WWG2ZPY6
12 in	2	A4	Dotted	Knit	Blue, Grey	9	WWG2ZPY7

BDG

Cut-Resistant Knit Gloves

- ANSI/ISEA cut level A3, abrasion level 2
- 11" glove length
- 21 ga thickness
- Gray/Hi Viz yellow
- Smooth finish
- Knit wrist

Abrasion-resistant, puncture-resistant, touchscreen-compatible styles



Item No.

Gloves and Hand Protection	Size- Alpha	Item No.
	2XS	ALG99194305
	XS	ALG99194306
	S	ALG99194307
	M	ALG99194308
	L	ALG99194309
	XL	ALG991943010
	2XL	ALG991943011
	3XS	ALG99194304

CONDOR

Cut-Resistant Gloves

- For dry and light oil applications

Coated gloves boost job performance by enhancing grip, particularly on slippery surfaces.

Natural Rubber Latex—A natural material with elasticity that resists cuts, punctures, and slashes.

Nitrile—Protects against petroleum, acids, and solvents, and resists snags, punctures, abrasion, and cuts.

Polyurethane—Allows tactile sensitivity and helps protect hands from harmful residue and chemicals.

Glove Length	ANSI/ISEA Abrasion Level	ANSI/ISEA Cut Level - 2011	Glove Lining Material	Cuff	Colour	Glove Size	Item No.
Latex							
9 in	3	3	Kevlar®	Knit	Blue, Yellow	S	CDR4TXL3
9 in	4	2	Polyester	Elastic	Grey	S	CDR29JV91
9.5 in	3	3	Kevlar®	Knit	Blue, Yellow	M	CDR4TXL4
9.5 in	4	2	Polyester	Elastic	Grey	M	CDR29JV92
10 in	3	3	Kevlar®	Knit	Blue, Yellow	L	CDR4TXL5
10 in	4	2	Polyester	Elastic	Grey	L	CDR29JV93
10.25 in	3	3	Kevlar®	Knit	Blue, Yellow	XL	CDR4TXL6
10.5 in	4	2	Polyester	Elastic	Grey	XL	CDR29JV94
11 in	3	3	Kevlar®	Knit	Blue, Yellow	2XL	CDR4TXL7
11 in	4	2	Polyester	Elastic	Grey	2XL	CDR29JV95
Nitrile							
8.75 in	3	2	Kevlar®	Knit	Black, Yellow	XS	CDR4TXJ9
9 in	3	2	Kevlar®	Knit	Black, Yellow	S	CDR4TXK1
9 in	5	4	Kevlar®	Knit	Grey, Yellow	S	CDR21AH85
9.5 in	3	2	Kevlar®	Knit	Black, Yellow	M	CDR4TXK2
9.5 in	5	4	Kevlar®	Knit	Grey, Yellow	M	CDR21AH86
10 in	3	2	Kevlar®	Knit	Black, Yellow	L	CDR4TXK3
10 in	5	4	Kevlar®	Knit	Grey, Yellow	L	CDR21AH87
10.5 in	3	2	Kevlar®	Knit	Black, Yellow	XL	CDR4TXK4
10.5 in	5	4	Kevlar®	Knit	Grey, Yellow	XL	CDR21AH88
11 in	3	2	Kevlar®	Knit	Black, Yellow	2XL	CDR4TXK5
11 in	5	4	Kevlar®	Knit	Grey, Yellow	2XL	CDR21AH89
Polyurethane							
9 in	4	4	HPPE	Knit	Black	S	CDR21AH68
9 in	4	3	HPPE	Knit	Black, Grey	S	CDR29JV35
9 in	4	2	HPPE	Knit	Grey	S	CDR2RA20
9 in	4	2	HPPE	Knit	Grey, White	S	GGS19L416
9.5 in	4	4	HPPE	Knit	Black	M	CDR21AH69
9.5 in	4	3	HPPE	Knit	Black, Grey	M	CDR29JV36
9.5 in	4	2	HPPE	Knit	Grey	M	CDR2RA21
9.5 in	4	2	HPPE	Knit	Grey, White	M	GGS19L417
9.5 in	5	2	HPPE	Knit	White	M	CDR29JV87
10 in	4	4	HPPE	Knit	Black	L	CDR21AH70
10 in	4	3	HPPE	Knit	Black, Grey	L	CDR29JV37
10 in	4	2	HPPE	Knit	Grey	L	CDR2RA22
10 in	4	2	HPPE	Knit	Grey, White	L	GGS19L418
10 in	5	2	HPPE	Knit	White	L	CDR29JV88
10.5 in	4	4	HPPE	Knit	Black	XL	CDR21AH71
10.5 in	4	3	HPPE	Knit	Black, Grey	XL	CDR29JV38
10.5 in	4	2	HPPE	Knit	Grey	XL	CDR2RA23
10.5 in	4	2	HPPE	Knit	Grey, White	XL	GGS19L419
10.5 in	5	2	HPPE	Knit	White	XL	CDR29JV89
11 in	4	4	HPPE	Knit	Black	2XL	CDR21AH72
11 in	4	3	HPPE	Knit	Black, Grey	2XL	CDR29JV39
11 in	4	2	HPPE	Knit	Grey	2XL	CDR22ZME8
11 in	4	2	HPPE	Knit	Grey, White	2XL	GGS19L420
11 in	5	2	HPPE	Knit	White	2XL	CDR29JV90



CDR4TXK1



GGS19L416



CDR29JV39



CDR2ZME8

BOB DALE

**Cut-Resistant
Coated
Gloves**

- 9" length
- Seamless knit construction



ALG99-1-9630-10

ALG99-1-9632-10

Glove Size	Colour	ANSI/ISEA Abrasion Level	ANSI/ISEA Cut Level	Item No.
Cut-Resistant Cut-X				
9	Black, Blue	Not Tested	A9	ALG99-1-9630-9
8	Black, Blue	Not Tested	A9	ALG99-1-9630-8
7	Black, Blue	Not Tested	A9	ALG99-1-9630-7
6	Black, Blue	Not Tested	A9	ALG99-1-9630-6
11	Black, Blue	Not Tested	A9	ALG99-1-9630-11
10	Black, Blue	Not Tested	A9	ALG99-1-9630-10
Cut-X 99-1-9632				
7	Red	6	A5	ALG99-1-9632-11
6	Red	6	A5	ALG99-1-9632-10
5	Red	6	A5	ALG99-1-9632-9
4	Red	6	A5	ALG99-1-9632-8
3	Red	6	A5	ALG99-1-9632-7
2	Red	6	A5	ALG99-1-9632-6
X-Site 99-1-9631				
7	Black, Blue, Yellow	Not Tested	A5	ALG99-1-9631-11
6	Black, Blue, Yellow	Not Tested	A5	ALG99-1-9631-10
5	Black, Blue, Yellow	Not Tested	A5	ALG99-1-9631-9
4	Black, Blue, Yellow	Not Tested	A5	ALG99-1-9631-8
3	Black, Blue, Yellow	Not Tested	A5	ALG99-1-9631-7
2	Black, Blue, Yellow	Not Tested	A5	ALG99-1-9631-6

BOB DALE

**Cut-Resistant Gloves with
Foam Nitrile Coating**

- ANSI/ISEA cut level A3
- Black/Orange
- Deny Series

These cut-resistant knit cold-condition gloves with foam nitrile coating are insulated to keep hands warm. Foam nitrile provides a cushioned base with a tacky surface to provide a secure positive grip when twisting and turning objects. It is the most breathable nitrile, and provides better flexibility and less resistance to water and oil than smooth nitrile.



Glove Size	Touchscreen Compatible	Thickness	ANSI/ISEA Abrasion Level	ANSI/ISEA Cut Level	Glove Coating Finish	Cuff Style	Item No.
Gloves and Hand Protection							
S	No	15 ga	Not Tested	A3	—	Knit	ALG9993017
M	No	15 ga	Not Tested	A3	—	Knit	ALG9993018
L	No	15 ga	Not Tested	A3	—	Knit	ALG9993019
XL	No	15 ga	Not Tested	A3	—	Knit	ALG99930110
2XL	No	15 ga	Not Tested	A3	—	Knit	ALG99930111

MCR SAFETY

K-5 Cut-Resistant Natural Rubber Latex Gloves

Use MEMPHIS GLOVES KS-5™ cut-resistant coated gloves for applications involving metal shards, sheet metal, glass, and other sharp objects. Unique blend of Kevlar® and stainless steel in a lightweight, high-dexterity shell provides superior cut protection. Textured latex palm and finger coating enhances grip and puncture protection.



MSF9389S

MICROFLEX

ActivArmr® Cut-Resistant Gloves

Reach for the ultimate construction gloves in cut protection and durability. Designed with Intercept Technology® Stretch Armor Yarn, these gloves deliver comfort, dexterity and ANSI Level 4 Cut resistance to the Professional Contractor. Foam nitrile dip technology delivers excellent wear compared to leather gloves

and a sure grip in all environments— ensuring your hands stay safe. Keep your gloves on and still get that bare hand feel while handling nails, screws, nuts and bolts. Withstand all day handling of rough, sharp and abrasive building materials. Knit wristcuffs complete your comfort.

Glove Length	ANSI/ISEA Abrasion Level	ANSI/ISEA Cut Level	Glove Coating Finish	Series	Cuff	Colour	Glove Size	Item No.
9 in	3	A4	Smooth	CutPro™ KS-5™ 9389	Knit	Black, Green	S	MSF9389S

**TAKE CONTROL OF YOUR STUFF**

Inventory managed. Space organized.
Time and money saved.

Grainger KeepStock solutions are subject to customer eligibility and agreements.

GRAINGER
Canada

KeepStock®
Inventory Management

Contact your Grainger rep or visit
grainger.ca/keepstock to learn more.

HYFLEX

HyFlex® Cut-Resistant Palm-Coated Gloves

- For dry and light oil environments

Gloves are designed to balance comfort, protection, and dexterity when handling small parts and in general assembly applications.

Kevlar® Lining—Foam nitrile coating offers a sure grip. Style 11-501 features proprietary Intercept™ cut resistance technology, which employs nylon and Kevlar zonal plait on palm and back for flexibility, comfort, and durability with reinforced abrasion resistance.

Intercept™ Lining—ANSI/ISEA A2 cut-level knit gloves with a palm-dip foam-nitrile coating have a tacky surface to provide excellent grip when working with light cut hazards such as those found in assembly-line production or when handling plastic and other light raw materials. Features proprietary Intercept™ cut resistance technology, which employs nylon and Kevlar zonal plait on palm and back for flexibility, comfort, and durability with reinforced abrasion resistance. The palm-dip foam-nitrile coating protects the palm-side of the hand from abrasion and leaves the back-side of the hand uncoated for breathability. Foam nitrile provides better flexibility and less resistance to water and oil than smooth nitrile.

HPPE Lining—Style 11-644 Ansell Cut Protection Technology™ combines a proprietary blend of high-performance polyethylene yarn (HPPE) with a polyurethane coating for enhanced cut protection, wear life, and comfort with a high level of dexterity.



Glove Length	ANSI/ISEA Abrasion Level	ANSI/ISEA Cut Level - 2011	Glove Coating Finish	Series	Cuff	Colour	Glove Size	Item No.
HPPE								
8.25 in	5	2	Sandy	Hyflex® 11-644	Knit	Grey, White	6	ANL11-644-6
8.75 in	5	2	Sandy	Hyflex® 11-644	Knit	Grey, White	7	ANL11-644-7
9.25 in	5	2	Sandy	Hyflex® 11-644	Knit	Grey, White	8	ANL11-644-8
9.5 in	5	2	Sandy	Hyflex® 11-644	Knit	Grey, White	9	ANL11-644-9
10.5 in	5	2	Sandy	Hyflex® 11-644	Knit	Grey, White	11	ANL11-644-11
10.5 in	5	2	Sandy	Hyflex® 11-644	Knit	Grey, White	12	ANL11-644-12
Intercept™								
7.75 in	4	A2	Sandy	Hyflex® 11-550	—	Black, Green	6	ANL11550060PR
8 in	4	A2	Sandy	Hyflex® 11-550	—	Black, Green	7	ANL11550070PR
8.25 in	4	A2	Sandy	Hyflex® 11-550	—	Black, Green	8	ANL11550080PR
8.75 in	4	A2	Sandy	Hyflex® 11-550	—	Black, Green	9	ANL11550090PR
9.25 in	4	A2	Sandy	Hyflex® 11-550	—	Black, Green	10	ANL11550100PR
9.75 in	4	A2	Sandy	Hyflex® 11-550	—	Black, Green	11	ANL11550110PR
Kevlar®								
8.75 in	3	—	Sandy	Hyflex® 11-501	Knit	Blue, Grey	XS	ANL11-501-6
9.5 in	3	—	Sandy	Hyflex® 11-501	Knit	Blue, Grey	S	ANL11-501-7
9.75 in	3	—	Sandy	Hyflex® 11-501	Knit	Blue, Grey	M	ANL11-501-8
10 in	3	—	Sandy	Hyflex® 11-501	Knit	Blue, Grey	L	ANL11-501-9
10.75 in	3	—	Sandy	Hyflex® 11-501	Knit	Blue, Grey	XL	ANL11-501-10
Nylon, Polyester, Stainless Steel								
8 3/4 in	4	A7	Smooth	HyFlex® 11-757	—	Black	6	ANL11757060
9 in	4	A7	Smooth	Hyflex® 11-757	—	Black	7	ANL11757070
9 1/4 in	4	A7	Smooth	HyFlex® 11-757	—	Black	8	ANL11757080
10 in	4	A7	Smooth	HyFlex® 11-757	—	Black	9	ANL11757090
10 1/4 in	4	A7	Smooth	HyFlex® 11-757	—	Black	10	ANL11757100
10 5/8 in	4	A7	Smooth	HyFlex® 11-757	—	Black	11	ANL11757110

BDG

Cut- and Heat-Resistant Palm-Coated Gloves

- ANSI/ISEA cut level A5
- 9 3/4" length
- Black color
- Knit cuff
- BDGplanet™ series

Cut-resistant gloves protect against lacerations and some punctures caused by handling sharp items, such as metal and glass. Foam coating.



Knit Material	Size- Alpha	Colour	ANSI/ISEA Cut Level	Item No.
Heat-Resistant				
Nylon, Spandex	2	Black	—	ALG99181106
HPPE	2	Black, Blue	A2	ALG99181206
HPPE	2	Black, Green	A3	ALG99181306
Nylon, Spandex	2XS	Black	—	ALG99181105
HPPE	2XS	Black, Blue	A2	ALG99181205
HPPE	2XS	Black, Green	A3	ALG99181305
Nylon, Spandex	3	Black	—	ALG99181107
HPPE	3	Black, Blue	A2	ALG99181207
HPPE	3	Black, Green	A3	ALG99181307
Nylon, Spandex	4	Black	—	ALG99181108
HPPE	4	Black, Blue	A2	ALG99181208
HPPE	4	Black, Green	A3	ALG99181308

Knit Material	Size- Alpha	Colour	ANSI/ISEA Cut Level	Item No.
Heat-Resistant				
Nylon, Spandex	5	Black	—	ALG99181109
HPPE	5	Black, Blue	A2	ALG99181209
HPPE	5	Black, Green	A3	ALG99181309
Nylon, Spandex	6	Black	—	ALG991811010
HPPE	6	Black, Blue	A2	ALG99181210
HPPE	6	Black, Green	A3	ALG99181310
Nylon, Spandex	7	Black	—	ALG991811011
HPPE	7	Black, Blue	A2	ALG991812011
HPPE	7	Black, Green	A3	ALG991813011
Nylon, Spandex	8	Black	—	ALG991811012
HPPE	8	Black, Blue	A2	ALG991812012
HPPE	8	Black, Green	A3	ALG991813012

GOLDEN GRAB-IT II**Cut-Resistant Natural Rubber Coated Gloves**

Crinkle-finish natural rubber coating provides excellent protection, durability, and a secure grip on smooth, dry surfaces. Soft knit jersey lining for comfort and flexibility.



Glove Length	ANSI/ISEA Abrasion Level	ANSI/ISEA Cut Level - 2011	Glove Coating Finish	Series	Cuff	Colour	Glove Size	Item No.
10.5 in	4	2	Rough	Golden Grab-It II	Safety	Yellow	XL	ANL16-347

METALIST, MICROFLEX**Cut-Resistant Nitrile Coated Gloves**

Metalist® gloves are designed for heavier duty tasks. 2-pc. liner is cotton with Kevlar® reinforcement in high-stress areas. Flexible foam nitrile coating provides cut and abrasion resistance.



ANL28-507-8

Glove Length	ANSI/ISEA Abrasion Level	ANSI/ISEA Cut Level - 2011	Glove Coating Finish	Cuff	Colour	Glove Size	Brand	Item No.
Metalist								
11 in	3	2	Smooth	Safety	Burgundy	M	Microflex	ANL28-507-8
11 in	3	2	Smooth	Safety	Burgundy	L	Microflex	ANL28-507-9
11 in	3	2	Smooth	Safety	Burgundy	XL	Metalist	ANL28-507-10
Hyflex								
8 1/4 in	4	Not Tested	Smooth	—	Blue, Grey	5	Microflex	ANL11561050
8 1/2 in	4	Not Tested	Smooth	—	Blue, Grey	6	Microflex	ANL11561060
9 in	4	Not Tested	Smooth	—	Blue, Grey	7	Microflex	ANL11561070
9 3/8 in	4	Not Tested	Smooth	—	Blue, Grey	8	Microflex	ANL11561080
9 9/16 in	4	Not Tested	Smooth	—	Blue, Grey	9	Microflex	ANL11561090
10 1/8 in	4	Not Tested	Smooth	—	Blue, Grey	10	Microflex	ANL11561100
10 1/2 in	4	Not Tested	Smooth	—	Blue, Grey	11	Microflex	ANL11561110
10 5/8 in	4	Not Tested	Smooth	—	Blue, Grey	12	Microflex	ANL11561120
11 1/4 in	4	Not Tested	Smooth	—	Blue, Grey	12	Microflex	ANL11561120
Hyflex 11-754								
9 in	4	Not Tested	Smooth	—	Grey	6	Microflex	ANL11754060
9 1/4 in	4	Not Tested	Smooth	—	Grey	7	Microflex	ANL11754070
9 1/2 in	4	Not Tested	Smooth	—	Grey	8	Microflex	ANL11754080
10 in	4	Not Tested	Smooth	—	Grey	9	Microflex	ANL11754090
10 1/2 in	4	Not Tested	Smooth	—	Grey	10	Microflex	ANL11754100
10 3/4 in	4	Not Tested	Smooth	—	Grey	11	Microflex	ANL11754110
11 1/4 in	4	Not Tested	Smooth	—	Grey	12	Microflex	ANL11754120
Hyflex 11-755								
9 in	4	Not Tested	Smooth	—	Grey	6	Microflex	ANL11755060
9 1/4 in	4	Not Tested	Smooth	—	Grey	7	Microflex	ANL11755070
9 1/2 in	4	Not Tested	Smooth	—	Grey	8	Microflex	ANL11755080
10 in	4	Not Tested	Smooth	—	Grey	9	Microflex	ANL11755090
10 1/2 in	4	Not Tested	Smooth	—	Grey	10	Microflex	ANL11755100
10 3/4 in	4	Not Tested	Smooth	—	Grey	11	Microflex	ANL11755110
11 1/4 in	4	Not Tested	Smooth	—	Grey	12	Microflex	ANL11755120

SUPERIOR GLOVE**Heavy-Duty and Extreme-Cut-Resistant Gloves with Nitrile Coating**

▪ Superior Glove® TenActiv™

Heavy cut-level knit gloves with nitrile coating provide a good grip when handling oily workpieces. Heavy cut levels (ANSI A6) protect from cuts caused from handling slitter blades, steel cable, and stamped metal. Nitrile resists abrasion, oils, and chemical splash and provides a secure grip when working with dry, greasy, and oily parts. It provides excellent abrasion resistance and good puncture resistance when handling blunt objects like burrs and dull wire.



SUGS21TXUFN5

Extreme cut-level knit gloves with polyurethane coating provide a good grip when handling dry workpieces. Extreme cut levels (ANSI A9) protect against cuts caused when handling sheet metal, steel cable, and heavy plate glass. Polyurethane is lightweight and breathable to keep hands cool. It is less resistant to oil and abrasion than other coatings.



SUGS18TAXFN10

Glove Size	ANSI/ISEA Cut Level	ANSI/ISEA Abrasion Level	ANSI/ISEA Puncture Level	Colour	Series	Item No.
Fibre						
6						SUGS18TAXFN6
7						SUGS18TAXFN7
8						SUGS18TAXFN8
9	A6	4	3	Yellow	S18TAXFN	SUGS18TAXFN9
10						SUGS18TAXFN10
11						SUGS18TAXFN11
12						SUGS18TAXFN12
Foam Nitrile						
5						SUGS21TXUFN5
6						SUGS21TXUFN6
7						SUGS21TXUFN7
8						SUGS21TXUFN8
9	A9		3	Black	S21TXUFN	SUGS21TXUFN9
10						SUGS21TXUFN10
11						SUGS21TXUFN11
12						SUGS21TXUFN12



Register now
Enjoy these features & more

- ✓ Access your pricing
- ✓ View order history
- ✓ Save favourites to your personal lists
- ✓ Quicker check-outs with saved shipping features

Sign in or register on **Grainger.ca** today

HEXARMOR

Cut-Resistant Latex Palm-Coated Gloves

Highly durable, cut-resistant SuperFabric® material won't snag, fray, or tear.

9000 Series™—For dry environments. Gloves are designed to protect against lacerations and industrial punctures while offering exceptional dexterity and feel. The comfortable cotton-blend shell is supplemented with SuperFabric on the palm for enhanced protection. Textured rubber palm dip maintains the highest grip and increased abrasion resistance in varying conditions.

Needlestick SharpsMaster II®—For dry and light oil environments.

Multiple-layer SuperFabric construction offers the highest levels of needle, puncture, and cut protection. The gloves provide superior dexterity and comfort. Their textured rubber palm coating has Actifresh® antimicrobial treatment.



HEX9011-7



HEX9014-6

ANSI/ISEA Abrasion Level	ANSI/ISEA Cut Level	Glove Coating Finish	Cuff	Colour	Glove Size	Item No.
9000 Series						
6	A7	Rough	Safety	Black, Red	3	HEX9011-7
6	A7	Rough	Knit	Black, Red	4	HEX9011-8
6	A7	Rough	Knit	Black, Red	5	HEX9011-9
6	A7	Rough	Knit	Black, Red	6	HEX9011-10
6	A7	Rough	Knit	Black, Red	7	HEX9011-11
PointGuard Ultra						
6	A9	Rough	Elastic	Orange, White	2	HEX9014-6
6	A9	Rough	Knit	Orange, White	3	HEX9014-7
6	A9	Rough	Knit	Orange, White	4	HEX9014-8
6	A9	Rough	Knit	Orange, White	5	HEX9014-9
6	A9	Rough	Knit	Orange, White	6	HEX9014-10

MCR SAFETY

Leather Cut-Resistant Gloves

Includes leather knuckle strap. Durable enough to take on the toughest jobs these Big Jake® leather gloves by MCR Safety are constructed of heavy, select premium A+ side split cow leather. Sewn with strong, heat-resistant DuPont™ Kelvar® thread for long life. Gloves feature an 8-oz. jersey palm lining, non-woven DuPont Kevlar liner, cotton canvas back, and a rubberized safety cuff to help keep your hands comfortable and safe.



MSF1702M

CONDOR

Cut-Resistant Uncoated Gloves



CDR5MPP9



CDR29JV78

ANSI/SEA Cut Level - 2011	ANSI/SEA Abrasion Level	Glove Length	Glove Lining Material	Glove Cut	Thumb Style	Colour	Glove Size	Item No.
Goatskin								
2	3	9 1/2 in	Kevlar®	Gunn	Keystone	Grey	4	CDR2MCZ9
2	3	9 in	Kevlar®	Gunn	Keystone	Grey	3	CDR2MCZ8
2	3	10 in	Kevlar®	Gunn	Keystone	Grey	5	CDR2MDA1
2	3	10 1/2 in	Kevlar®	Gunn	Keystone	Grey	6	CDR2MDA2
Cowhide								
3	5	9 3/4 in	Kevlar®	Gunn	Wing	Grey	3	CDR5MPP9
3	5	10 3/4 in	Kevlar®	Gunn	Wing	Grey	5	CDR3AB57
3	5	11 in	Kevlar®	Gunn	Wing	Grey	6	CDR5MPRO
4	5	9 in	HPPE	Clute	Straight	Black, Yellow	3	CDR29JV75
4	5	9.5 in	HPPE	Clute	Straight	Black, Yellow	4	CDR29JV76
4	5	10.5 in	HPPE	Clute	Straight	Grey	6	CDR29JV78
4	5	10 in	HPPE	Clute	Straight	Black, Yellow	5	CDR29JV77
4	5	11 in	HPPE	Clute	Straight	Grey	7	CDR29JV79

BARRIER**Barrier®**

Barrier® gloves feature a unique non-woven liner that absorbs perspiration making the gloves comfortable especially for extended periods. The hand-specific design provides greater dexterity.



ANL2-100-10

Item No.
ANL2-100-9
ANL2-100-10

Glove Size	Thickness	Cuff	Item No.
9	2.5 mil	Gauntlet	ANL2-100-9
10	2.5 mil	Gauntlet	ANL2-100-10

BOB DALE**Gander Brand® Fleece Gloves**

GKI is a fleece, flannel glove with a knit wrist offering durability and warmth. Applications include: material handling, forestry and general purpose industrial use.

Size
Large (9)Item No.
ALGGK1**WATSON GLOVES****609 Black Magic**

- Invista™ Thermolite® seamless knit
- Snug-fitting wrists



Size	Material	Gauge	Fabric Weight	Application	Item No.
OSFA	Thermolite®	8	20 oz.	Liner	WAT609

SAFETY KING**Super Green King™ – Padded Back**

- Extra heavy fleece
- Padded back of hand protection

Item No.
JMCSKP100**SAFETY KING****Fleece Gloves**

Jomac's extra-heavy fleece gloves provide exceptional protection with a high level of comfort and warmth. Perfect for jobs ranging from the petroleum industry to logging. Size large.



JMCSUPER-GR-KING

Description	Item No.
Super Green King™, Extra Heavy Green Fleece Glove, Knit Wrist	JMCSUPER-GR-KING

BOB DALE**Gander Brand® Leather Faced Cotton**

Offers low cost protection, split leather palm and abrasion resistance.

Applications: construction, assembly, mining and outdoor work. Clute cut pattern, knit wrist.

ALGLK86E
Item No.

Standard Quality	Size	Item No.
	Large	ALGLK86E
	Small	ALGLK86L
	Large	ALG903K
	Large	ALG903K10

Premium Quality	Size	Item No.
	Large	ALGLK99

BOB DALE**Gander Brand® Cotton Jersey**

9 oz. knitted jersey fleece inside face provides a good choice for light-duty applications or as winter glove liners. Knit wrist.



ALG120

Description	Item No.
Brown Jersey	ALG120
"Salt & Pepper"	ALG910

JOMAC**Super Green King™ – Striker**

- $\frac{3}{8}$ " back of hand and thumb impact protection
- Heavy cotton fleece keeps hands warm in cold conditions and wicks moisture in warm conditions
- Withstands multiple washes



Size	Palm Material	Knuckle Padding Material	Item No.
Large (9)	AX Suede	Ocho Ax Suede Pad	JMCSKG-STR

BOB DALE**Gander Brand® Cotton Canvas**

100% cotton canvas gloves offer light-duty protection in automotive plants, food industry and parts handling.

ALGK8
Item No.
ALGK8
ALGK8W
ALGK2

Description
8 oz. Cotton, Knit Wrist
8 oz. Cotton, Knit Wrist, Small Hand Size
12 oz. Cotton, Knit Wrist

WATSON GLOVES**511 Jagger**

18 oz. heavyweight cotton flannel with 100% cotton drill back. Double layered stitched palm, thumb and index finger and snug-fitting knit wrist.

WAT511
Item No.

Size	Colour	Material	Fabric Weight	Cuff	Item No.
One Size	Green, Yellow	Flannel	18 oz	Knit	WAT511

SUPERIOR GLOVE

**7 Cut String – Sure-Knit
7 Cut Cotton/Poly**

General purpose work gloves, especially for parts handling and general maintenance. Cotton/poly blend launders extremely well.

Glove	Size	Item No.
Knit Glove	Small	SUGSQ-SML
Medium	SUGSQ-MED	
Large	SUGSQ-LGE	
Glove	X-Large	SUGSQ-XL
Men's Glove	Small	SUGSCP-SML
Medium	SUGSCP-MED	
Large	SUGSCP-LGE	



SUGSCP-LGE

HYFLEX CR+

HyFlex® 11-920

- Ansell's Grip Technology™ coating repels oils and other lubricants away from the surface via microscopic channels
- Increases surface contact for enhanced grip and control
- Provides softness, comfort and breathability to the glove
- Ergonomic, natural fit
- Agriculture Canada accepted



ANL11-920-7

Size	Item No.
Nitrile Palm Coated, Nylon Liner, Blue	
6	ANL11-920-6
7	ANL11-920-7
8	ANL11-920-8
9	ANL11-920-9
10	ANL11-920-10
11	ANL11-920-11

EASYFLEX

Easy Flex®

- Nitrile coating, light-duty
- Superior dry grip
- Better resistance to snags, punctures, abrasions and cuts than standard 8 oz. cotton/string knit gloves
- Coolness and comfort of a light, flexible glove
- Agriculture Canada accepted



ANL47-200-8.5

Size	Item No.
Nitrile, Palm Coated, Knitwrist	
7	ANL47-200-7
8	ANL47-200-8
8.5	ANL47-200-8.5
9	ANL47-200-9
10	ANL47-200-10

HYLITE

HyLite®

- Nitrile coated, interlock knit lined, medium-duty
- Exceptional snag, puncture, abrasion and cut resistance
- Extra comfort
- 47-400 Agriculture Canada accepted

Size	Item No.
Palm Coated, Knitwrist	
7	ANL47-400-7
8	ANL47-400-8
9	ANL47-400-9
10	ANL47-400-10
Fully Coated, Knitwrist	
7	ANL47-402-7
8	ANL47-402-8
8.5	ANL47-402-8.5
9	ANL47-402-9
10	ANL47-402-10



ANL47-400-8

SUPERIOR GLOVE

Cotton Inspectors

Form fitting gloves made of 100% cotton knit fabric are hand to hand reversible. Can also be used as a glove liner beneath rubber gloves to absorb perspiration. Sold by package of 12 pairs.



SUGML80K

Description	Item No.
Heavy Weight, Jersey Knit, Natural Colour	
Knit Wrist Cuff, Mens	SUGML80K
Ladies	SUGLL80-12
Parade Pattern Jersey Knit, White	
Small	SUGLL100-7
Medium	SUGLL100-8
Large	SUGLL100-9

HYFLEX CR+

HyFlex® 11-900

- Nitrile coated, nylon knit liner, light-duty
- Excellent dry grip for applications involving small to medium sized parts
- Abrasion resistance
- Agriculture Canada accepted



ANL11-900-8

Size	Item No.
Blue Nitrile Palm Coated, White Nylon Liner	
6	ANL11-900-6
7	ANL11-900-7
8	ANL11-900-8
9	ANL11-900-9
10	ANL11-900-10

ANSELL, MICROFLEX

**HyFlex® 11-925
Nitrile Gloves**

Combines a ¼ dip geometry, oil repellence and oil grip in a single flexible glove design to ensure back of finger full protection. Knit cuff.



ANL11925-8

Size	Brand	Item No.
6	Microflex	ANL11925-6
7	Microflex	ANL11925-7
8	Microflex	ANL11925-8
9	Ansell	ANL11925-9
10	Microflex	ANL11925-10
11	Microflex	ANL11925-11

MICROFLEX

**HyFlex® 11-926
Nitrile Gloves**

- ¾ dip coating with textured grip
- Knit wrist



ANL11-926-7

Size	Gauge	Item No.
6	18	ANL11-926-6
7	18	ANL11-926-7
8	18	ANL11-926-8
9	18	ANL11-926-9
10	18	ANL11-926-10
11	18	ANL11-926-11

BOB DALE

Nitrile Dipped Seamless Knit Nylon Gloves

- Gray nitrile dipped palm and fingers
- Seamless nylon knit liner
- Knit wrist



ALG9800-11

Size
11Item
No.
ALG9800-11

HYCRON

Hycron®

Nitrile coated, heavy-duty gloves offer excellent dry grip and superior service when handling rough, abrasive materials. Styles 27-607 and 27-805 are Agriculture Canada accepted.



ANL27-607-8

Description

Size

Item
No.

Palm Coated		
Knitwrist	10	ANL27-600-10
Safety Cuff	8	ANL27-607-8
Safety Cuff	10	ANL27-607-10
Fully Coated		
Knitwrist	10	ANL27-602-10
Safety Cuff	10	ANL27-805-10

HYNIT

Hynit®

Nitrile impregnated, light- to medium-duty gloves provide excellent snag, puncture, abrasion and cut resistance. Superior dry grip, light and comfortable to wear. Fully launderable. Style 32-105 is Agriculture Canada accepted. Fully coated.



ANL32-105-8

Description

Size

Item
No.

Full Glove	7	ANL32-105-7
Full Glove	7.5	ANL32-105-7.5
Full Glove	8	ANL32-105-8
Full Glove	9	ANL32-105-9
Full Glove	10	ANL32-105-10

HYDTUF, HYD-TUF

Hyd-Tuf®

Nitrile coated, cloth back, medium-to heavy-duty gloves outperform cotton and leather. Style 52-590 is Agriculture Canada accepted.



ANL52-547-9

Description

Size

Item
No.

Safety Cuff	9	ANL52-547-9
Safety Cuff	10	ANL52-547-10
Safety Cuff, Winter	9	ANL52-590-9

BOB DALE

GKN2BLP Series

Nitrile coated knit nylon glove.

- Blue nitrile coated palm and fingers
- Knit nylon liner

Excellent abrasion resistance



ALG9800-6

Size

Item
No.

Nitrile Foam Palm

6

ALG9800-6

MCR SAFETY

9679 Memphis™ Nitrile Gloves

- 13-gauge nylon with gray flat nitrile palm and fingers
- Knit wrist



MSF9679M

Glove Size

Item
No.

XS	MSF9679XS
S	MSF9679S
M	MSF9679M
L	MSF9679L
XL	MSF9679XL

MCR SAFETY

9683 UltraTech® Nitrile Gloves

- Better fit and greater function
- 15-gauge nylon with gray flat nitrile palm and fingers
- Knit wrist



MSF9683M

Glove Size

Item
No.

XS	MSF9683XS
S	MSF9683S
M	MSF9683M
L	MSF9683L
XL	MSF9683XL

MCR SAFETY

FT350 FlexTuff® Nitrile Gloves

- Manufactured on seamless knit liners that are flat dipped to reproduce the natural curved shape of the hand
- 10-gauge nylon with green textured nitrile palm and fingers
- Knit wrist



MSFFT350M

Glove Size

Item
No.

S	MSFFT350S
M	MSFFT350M
L	MSFFT350L
XL	MSFFT350XL

MCR SAFETY

**MG9694 Nylon/
Spandex Shell
Nitrile Gloves**

Feature seamless black 15-gauge nylon/spandex shell with a 3/4-dipped black bi-polymer coated. Coated with nitrile dots on the palm and fingers for additional grip. Knit wrist.



MSFMG9694M

BOB DALE

Nitrile Coated

Nitrile coated gloves offer excellent abrasion and cut protection, as well as resistance to oils, grease and hydrocarbons.



ALG9166

Description

Item

Item No.

Fully Coated, Safety Cuff

One Size

Synthetic Glove

ALG9166

Fully Coated, Knit Wrist

Size 8

Synthetic Glove

ALG9402-8

Size 9

Synthetic Glove

ALG9402-9

Size 10

Synthetic Glove

ALG9402-10

ANSELL

ActivArmr® General Purpose Hi-Viz™ Gloves

- Contrast vivid orange colour increases visibility and safety
- Exclusive nitrile foam compound provides excellent wet/dry grip
- 15-gauge liner design offers tactility/dexterity to complete intricate tasks more efficiently



ANL97-012-7

Glove Size

Colour

Coating Finish

Coating Coverage

Cuff

Item No.

Glove Size	Colour	Coating Finish	Coating Coverage	Cuff	Item No.
XS	Orange	Smooth	Palm	Knit Wrist	ANL97-012-7
M	Orange	Smooth	Palm	Knit Wrist	ANL97-012-9
L	Orange	Smooth	Palm	Knit Wrist	ANL97-012-10
XL	Orange	Smooth	Palm	Knit Wrist	ANL97-012-11

BOB DALE

Ninja® X

15 gauge fashion grade nylon shell. Proprietary bi-polymer palm provides durability and excellent wet grip and abrasion resistance. CFIA approved.



ALG99-1-9870-8

SUPERIOR GLOVE

Dexterity Series

The tough nitrile dipped coating on Dexterity NT gloves gives superior abrasion, cut and puncture resistance. Dexterity NT is a comfortable long wearing glove.



SUGS15NT7

Size	Item No.
Gloves, Nitrile Dipped Palm	
6	SUGS15NT6
7	SUGS15NT7
8	SUGS15NT8
9	SUGS15NT9

MCR SAFETY

UltraTech® Foam Gloves

Provide tactile sensitivity, dexterity and abrasion resistance.



MSF9674S

Glove Size	Gauge	Lining	Cuff	Item No.
XS	15	Nylon	Knit Wrist	MSF9674XS
S	15	Nylon	Knit Wrist	MSF9674S
M	15	Nylon	Knit Wrist	MSF9674M
L	15	Nylon	Knit Wrist	MSF9674L
XL	15	Nylon	Knit Wrist	MSF9674XL

MCR SAFETY

96781 Memphis™ Foam Gloves

- Seamless gray 13-gauge nylon shell
- Black foam nitrile dipped palm, fingers and over the knuckle



MSF96781L

Glove Size	Gauge	Lining	Cuff	Item No.
S	13	Nylon	Knit Wrist	MSF96781S
M	13	Nylon	Knit Wrist	MSF96781M
L	13	Nylon	Knit Wrist	MSF96781L
XL	13	Nylon	Knit Wrist	MSF96781XL
2XL	13	Nylon	Knit Wrist	MSF96781XXL

MCR SAFETY

Ninja® BNF

15- or 18-gauge nylon/spandex shell with breathable nitrile coating.



MSFN96785XS



MSFN96783XS

Glove Size	Base Coating Material	Coating Finish	Coating Coverage	Gauge	Cuff	Colour	Item No.
XS	Nitrile	—	¾ Dipped	18	Knit Wrist	Black, Orange	MSFN96783XS
S	Nitrile	—	¾ Dipped	18	Knit Wrist	Black, Orange	MSFN96783S
M	Nitrile	—	¾ Dipped	18	Knit Wrist	Black, Orange	MSFN96783M
L	Nitrile	—	¾ Dipped	18	Knit Wrist	Black, Orange	MSFN96783L
XL	Nitrile	—	¾ Dipped	18	Knit Wrist	Black, Orange	MSFN96783XL
2XL	Nitrile	—	¾ Dipped	18	Knit Wrist	Black, Orange	MSFN96783XXL
XS	Nitrile	—	¾ Dipped	18	Slip-On	Black, Red	MSFN96785XS
S	Nitrile	—	¾ Dipped	18	Slip-On	Black, Red	MSFN96785S
M	Nitrile	—	¾ Dipped	18	Slip-On	Black, Red	MSFN96785M
L	Nitrile	—	¾ Dipped	18	Slip-On	Black, Red	MSFN96785L
XL	Nitrile	—	¾ Dipped	18	Slip-On	Black, Red	MSFN96785XL
2XL	Nitrile	—	¾ Dipped	18	Slip-On	Black, Red	MSFN96785XXL
XS	Foam Nitrile	—	Coated Palm and Fingers	15	Knit Wrist	Black, Grey	MSFN96790XS
S	Foam Nitrile	—	Coated Palm and Fingers	15	Knit Wrist	Black, Grey	MSFN96790S
M	Foam Nitrile	—	Coated Palm and Fingers	15	Knit Wrist	Black, Grey	MSFN96790M
L	Foam Nitrile	—	Coated Palm and Fingers	15	Knit Wrist	Black, Grey	MSFN96790L
XL	Foam Nitrile	—	Coated Palm and Fingers	15	Knit Wrist	Black, Grey	MSFN96790XL
2XL	Foam Nitrile	—	Coated Palm and Fingers	15	Knit Wrist	Black, Grey	MSFN96790XXL
XS	Foam Nitrile	Foam	Coated Palm and Fingers w/ Dots	15	Knit Wrist	Black, Grey	MSFN96797XS
S	Foam Nitrile	Foam	Coated Palm and Fingers w/ Dots	15	Knit Wrist	Black, Grey	MSFN96797S
M	Foam Nitrile	Foam	Coated Palm and Fingers w/ Dots	15	Knit Wrist	Black, Grey	MSFN96797M
L	Foam Nitrile	Foam	Coated Palm and Fingers w/ Dots	15	Knit Wrist	Black, Grey	MSFN96797L
XL	Foam Nitrile	Foam	Coated Palm and Fingers w/ Dots	15	Knit Wrist	Black, Grey	MSFN96797XL
2XL	Foam Nitrile	Foam	Coated Palm and Fingers w/ Dots	15	Knit Wrist	Black, Grey	MSFN96797XXL
S	Foam Nitrile	—	Fully Coated	15	Knit Wrist	Black	MSFN96795S
M	Foam Nitrile	—	Fully Coated	15	Knit Wrist	Black	MSFN96795M
L	Foam Nitrile	—	Fully Coated	15	Knit Wrist	Black	MSFN96795L
XL	Foam Nitrile	—	Fully Coated	15	Knit Wrist	Black	MSFN96795XL
2XL	Foam Nitrile	—	Fully Coated	15	Knit Wrist	Black	MSFN96795XXL

BOB DALE**Foam Nitrile
Palm Glove**

Fine knit nylon liner glove with nitrile foam palm provides grip in light oil conditions. Snag and abrasion resistant.



ALG9800-7

Size	Item No.
6	ALG9800-6
7	ALG9800-7
8	ALG9800-8
9	ALG9800-9
10	ALG9800-10
11	ALG9800-11

BOB DALE**Ninja® Flex**

Ninja® series gloves provide uncompromising hand protection. 15 gauge Fashion Grade nylon shell for excellent dexterity. High-density crinkle latex coating provides excellent grip, flexibility, durability, and abrasion resistance. CFIA approved for direct food contact.



ALG99-1-9842-7

Size	Item No.
7	ALG99-1-9842-7
8	ALG99-1-9842-8
9	ALG99-1-9842-9
10	ALG99-1-9842-10

BOB DALE**Coated Gloves**

ALG99-1-9610KD9

Glove Size	Brand	Item No.
8	Bob Dale	ALG99-1-9610KD8
9	Bob Dale	ALG99-1-9610KD9
10	Bob Dale	ALG99-1-9610KD10
7	Bob Dale	ALG99-1-9610KD7
6	Bob Dale	ALG99-1-9610KD6

WATSON GLOVES

Stealth Slipstream

- Extreme-grip foam nitrile coating
- Triple-thread nylon seamless knit shell
- Snug-fitting wrist

Glove Size	Colour	Lining	Glove Coating Material	Glove Coating Finish	Glove Coating Coverage	Cuff	Item No.
7	Black, Grey	Triple Thread Nylon	Nitrile	—	¾ Dip	Knit Wrist	WAT393S
8	Black, Grey	Triple Thread Nylon	Nitrile	—	¾ Dip	Knit Wrist	WAT393M
9	Black, Grey	Triple Thread Nylon	Nitrile	—	¾ Dip	Knit Wrist	WAT393L
X-Large (10)	Black	Unlined	Nitrile	Smooth	Palm and Fingers	Knit Wrist	WATVEN393X



WAT393M

WATSON GLOVES

Blackbird

- Microfoam nitrile coating with nitrile dotted palm
- 15gg fine nylon shell
- Snug-fitting wrist

Size	Colour	Lining	Coating Material	Coating Finish	Coating Coverage	Cuff	Item No.
XX-Large	Black	Nylon	Nitrile	Nitrile Dots	Full Dip	Seamless Knit	WAT395XX



WATSON GLOVES

Stealth Cold War

Heavy napped thermal interior with two layer seamless knit shell. NFN (New Foam Nitrile) ¾ dipped coating treated with Actifresh®. Hi-vis yellow with snug-fitting knit wrist.

Glove Size	Lining	Coating Finish	Coating Coverage	Cuff	Item No.
8	Two Layer Seamless Knit	Textured	¾ Dipped	Knit Wrist	WAT9392M
9	Two Layer Seamless Knit	Textured	¾ Dipped	Knit	WAT9392L
10	Two Layer Seamless Knit	Textured	¾ Dipped	Knit Wrist	WAT9392X
11	Two Layer Seamless Knit	Textured	¾ Dipped	Knit Wrist	WAT9392XXL



WAT9392L

WATSON GLOVES

Tough As Nails – Insulated

3M™ Thinsulate™ C40 lining with nitrile coating. Slip-on style safety cuff.

Size	Coating Material	Lining	Coating Coverage	Coating Finish	Thumb Style	Cuff	Item No.
Large	Nitrile	3M Thinsulate™ C40	Full	Flat	Straight	Slip-On	WAT9N660



WATSON GLOVES

Tough As Nails

Cotton lining with nitrile coating. 100% cotton interlock shell with slip-on style safety cuff.

Size	Coating Material	Lining	Coating Coverage	Coating Finish	Thumb Style	Cuff	Item No.
Large	Nitrile	Cotton	Full	Flat	Straight	Slip-on Safety	WATN660T-L
X-Large	Nitrile	Cotton	Full	Flat	Straight	Slip-on Safety	WATN660T-X



WATN660T-X

BOB DALE**Seamless Knit
Latex Coated**

Seamless knit poly-cotton liner that is pre-curved for a natural feel and reduced hand fatigue. Open back design for breathability. Crinkle latex palm coating provides excellent grip and resistance to abrasion, punctures and cuts.



ALG275BP8

Size	Item No.
Seamless Knit with Natural Rubber Palm Coat	
6	ALG275BP6
7	ALG275BP7
8	ALG275BP8
9	ALG275BP9
10	ALG275BP10

BOB DALE**Black Nitrile
Coated Gloves**

These Black Nitrile Coated Gloves are best used for General Assembly, Micro-Engineering, Automotive Components, Painting, or Horticulture



ALG99-1-9799-7

Size	Item No.
Small	ALG99-1-9799-7
Medium	ALG99-1-9799-8
Large	ALG99-1-9799-9
X-Large	ALG99-1-9799-10

BOB DALE**General Purpose**

Breathable poly knit/cotton back gloves, palm coated with a textured rubber coating. Excellent grip in wet and dry applications. Resistance to abrasion, punctures, and cuts.



ALG275BP7

Size	Item No.
Seamless Knit with Natural Rubber Palm Coat	
7	ALG275BP7

Size	Item No.
Glove, Nylon with Terry Liner	
Small (7)	ALG99-9-265-7

CONDOR**Red Hi-Viz**

Breathable poly knit/cotton back gloves, palm coated with a textured rubber coating. Excellent grip in wet and dry applications. Resistance to abrasion, punctures, and cuts.



Size	Item No.
7	CDR8845-7

BOB DALE**Ninja® Lite**

Ninja® series gloves provide uncompromising hand protection. Ultralight Fashion Grade nylon shell for second skin sensitivity. Light polyurethane palm for excellent wet, dry and light oil grip. 30% lighter than traditional nylon/PU gloves providing unparalleled tactile sensitivity. CFIA approved for direct food contact.



ALG99-1-9865-7

Size	Item No.
Glove, Blue Nylon with Black PU Palm	
7	ALG99-1-9865-7
8	ALG99-1-9865-8
9	ALG99-1-9865-9
10	ALG99-1-9865-10

CONDOR**Polyurethane Coated
Nylon Gloves**

- Super lightweight
 - Seamless coated palm and fingers for strength and abrasion resistance
 - Latex and silicone free
- Polyurethane coated knit nylon liner.



CDRGKP1GP7

Size	Item No.
White Nylon Liner, White Polyurethane Coated Palm	
7	CDRGKP1GP7

Grainger catalogues Are digital too

- Choose from our library of catalogues
- Browse, download, and share pages
- Add items to your cart and checkout when ready



MCR SAFETY

9665 Memphis™

Economy polyurethane-coated nylon provides good tactile sensitivity, dexterity and abrasion resistance.



MSF9665L

Glove Size	Coating Coverage	Gauge	Lining	Cuff	Colour	Item No.
XS	Coated Palm and Fingers	13	Nylon	Knit Wrist	White	MSF9665XS
S	Coated Palm and Fingers	13	Nylon	Knit Wrist	White	MSF9665S
M	Coated Palm and Fingers	13	Nylon	Knit Wrist	White	MSF9665M
L	Coated Palm and Fingers	13	Nylon	Knit Wrist	White	MSF9665L
XL	Coated Palm and Fingers	13	Nylon	Knit Wrist	White	MSF9665XL

MCR SAFETY

96699 Memphis™

Economy polyurethane coating provides good tactile sensitivity, dexterity and abrasion resistance.



MSF96699M

Glove Size	Glove Coating Finish	Coating Coverage	Gauge	Cuff	Colour	Item No.
Polyester						
X-Small (6)	Smooth	Coated Palm and Fingers	13	Knit Wrist	Black	MSF96699XS
Small (7)	Smooth	Coated Palm and Fingers	13	Knit Wrist	Black	MSF96699S
Medium (8)	Smooth	Coated Palm and Fingers	13	Knit Wrist	Black	MSF96699M
Large (9)	Smooth	Coated Palm and Fingers	13	Knit Wrist	Black	MSF96699L
X-Large (10) 11	Smooth	Coated Palm and Fingers	13	Knit Wrist	Black	MSF96699XL
Nylon						
S	Smooth	Coated Palm and Fingers	13	Knit Wrist	Black	MSF9669S
M	Smooth	Coated Palm and Fingers	13	Knit Wrist	Black	MSF9669M
L	Smooth	Coated Palm and Fingers	13	Knit Wrist	Black	MSF9669L

SUPERIOR GLOVE

**Clean Room Gloves
– Polyurethane
Coated Seamless
Knit Nylon Gloves**

Polyurethane (PU) has the lowest particulate shed of any polymer glove coating. Offers excellent ventilation and superior grip, excellent flexibility and dexterity and they are machine washable.



SUGS13PU8

Size	Item No.
8	SUGS13PU8
9	SUGS13PU9

WATSON GLOVES

Stealth Black Lite

- Lightweight polyurethane coating
- Fine-gauge nylon seamless knit shell
- Snug-fitting wrist



WAT391L

Glove Size	Colour	Lining	Glove Coating Material	Coating Finish	Glove Coating Coverage	Cuff Style	Thumb Style	Item No.
L	Black	Nylon	Polyurethane	Textured	Palm	Knit	Wing	WAT391L
XL	Black	Nylon	Polyurethane	Textured	Palm	Knit	Wing	WAT391X
M	Black	—	Polyurethane	—	Palm	Knit	—	WAT391MR
S	Black	—	Polyurethane	—	Palm	Knit	—	WAT391SR

BOB DALE

Economy Goat Skin Gloves

Size	Leather Palm Material	Leather Palm Type	Grade of Leather	Lining	Cuff	Colour	Item No.
S	Goatskin	Full Grain Goatskin	Premium	Unlined	Hemmed	Pearl	ALG20-1-1610S
M	Goatskin	Full Grain Goatskin	Premium	Unlined	Hemmed	Pearl	ALG20-1-1610M
L	Goatskin	Full Grain Goatskin	Premium	Unlined	Hemmed	Pearl	ALG20-1-1610L
XL	Goatskin	Full Grain Goatskin	Premium	Unlined	Hemmed	Pearl	ALG20-1-1610XL
2XL	Goatskin	Full Grain Goatskin	Premium	Unlined	Hemmed	Pearl	ALG20-1-1610X2L
S	Goatskin	Full Grain Goatskin	Premium	C100 Thinsulate™	Hemmed	Pearl	ALG20-9-1610S
M	Goatskin	Full Grain Goatskin	Premium	C100 Thinsulate™	Hemmed	Pearl	ALG20-9-1610M
L	Goatskin	Full Grain Goatskin	Premium	C100 Thinsulate™	Hemmed	Pearl	ALG20-9-1610L
XL	Goatskin	Full Grain Goatskin	Premium	C100 Thinsulate™	Hemmed	Pearl	ALG20-9-1610XL
2XL	Goatskin	Full Grain Goatskin	Premium	C100 Thinsulate™	Hemmed	Pearl	ALG20-9-1610X2L



ALG20-1-1610M

MICROFLEX**HyFlex® 11-618**

Light-duty 18 gauge liner offers outstanding comfort and sensitivity. Extra-thin 0.8 mm polyurethane coating provides high dexterity with high abrasion resistance.

Size	ANSI/ISEA Cut Level	ANSI/ISEA Abrasion Level	Lining	Coating Material	Coating Coverage	Coating Finish	Cuff	Thumb Style	Item No.
6	A1	3	Nylon	Polyurethane	Palm	Smooth	Elasticized Knit Wrist	Straight	ANL11-618-6
7	A1	3	Nylon	Polyurethane	Palm	Smooth	Elasticized Knit Wrist	Straight	ANL11-618-7
8	A1	3	Nylon	Polyurethane	Palm	Smooth	Elasticized Knit Wrist	Straight	ANL11-618-8
9	A1	3	Nylon	Polyurethane	Palm	Smooth	Elasticized Knit Wrist	Straight	ANL11-618-9
10	A1	3	Nylon	Polyurethane	Palm	Smooth	Elasticized Knit Wrist	Straight	ANL11-618-10
11	A1	3	Nylon	Polyurethane	Palm	Smooth	Elasticized Knit Wrist	Straight	ANL11-618-11



ANL11-618-7

LAURENTIDE**F5452/F5456**

These gloves feature welt protected outside seams, wing thumb. Patch palm sewn with 4 rows of stitching. Split cuff with inner lining for comfort. Gusset and cuff protector. Reflective tape. Shirred elastic back. All sewn with Kevlar® thread.



LTGF5452LGE

Glove Grain Cowhide Reflective, 3" Cuff	Size	Item No.	Glove Grain Cowhide Reflective, 5" Cuff	Size	Item No.
Small	LTGF5452SML	Small	LTGF5456SML		
Medium	LTGF5452MED	Medium	LTGF5456MED		
Large	LTGF5452LGE	Large	LTGF5456LGE		
X-Large	LTGF5452XL	X-Large	LTGF5456XL		

BOB DALE, CONDOR**Leather Fitters Gloves**

Glove Size	Quality	Glove Backing Material	Glove Liner Material	Brand	Item No.
Leather Gloves					
2XL	Standard	Blue/Tan/Yellow Cotton Canvas	Unlined	Bob Dale	ALG40-1-281ECU2XL
XL	Premium	Blue/Tan/Yellow Cotton Canvas	Cotton Fleece	Bob Dale	ALG1511K/W
L	Economy	Blue/Tan/Yellow Cotton Canvas	Cotton Fleece	Bob Dale	ALG2812EY5
L	Standard	Green/Pearl Cotton Canvas	Cotton Fleece	Bob Dale	ALG1511BR
XL	Premium	Red/Tan Cotton Canvas	Cotton Fleece	Bob Dale	ALG1512RXL
L	—	Blue/Yellow Cotton Canvas	Fleece	Condor	ALG1511W/5CD
S	—	Blue/Tan/Yellow Cotton Canvas	Cotton Fleece	Condor	EBP40-1-1511W
S	—	Blue/Tan/Yellow Cotton Canvas	Unlined	Condor	EBP40-1-281ECU-S
M	—	Blue/Tan/Yellow Cotton Canvas	Unlined	Condor	EBP40-1-281ECU-M
L	—	Blue/Tan/Yellow Cotton Canvas	Cotton Fleece	Condor	EBP40-1-1511BC
L	—	Blue/Tan/Yellow Cotton Canvas	Unlined	Condor	EBP40-1-281ECU-L
L	—	Blue/Yellow Cotton Canvas	Cotton Fleece	Condor	EBP40-1-1511Y
XL	—	Blue/Tan/Yellow Cotton Canvas	Unlined	Condor	EBP40-1-281ECU-XL



EBP40-1-281ECU-XL

BOB DALE, CONDOR

Leather Gloves

Premium cowhide fitters gloves in split and grain for heavy-duty applications. Gauntlet and standard style cuffs available.



EBP40-1-1511-5

Item	Lining	Back Material	Brand	Item No.
Leather Gloves	Fleece Palm Lining	Cotton, Canvas	Bob Dale	ALG825
Leather Gloves	Fleece Palm Lining	Cotton, Canvas	Bob Dale	ALG271DP
Leather Gloves	Fleece Palm Lining	Cotton, Canvas	Bob Dale	ALG271DP/5
Split Leather Fitters, Double Palm and Fingers with 5" Cuff	Fleece Palm Lining	Cotton	Bob Dale	ALG499G
Leather Gloves	Fleece Palm Lining	—	Condor	EBP40-1-1511-5

BOB DALE

Gander Brand® Hi-Viz Leather Fitters Gloves

These gloves feature a high visibility back and include a reflective strip.



ALG40-1-287

Description	Item No.
Split Leather, Hi-Viz	ALG30-1-1003
Grain Leather, Hi-Viz	ALG40-1-287

LAURENTIDE

Grain Leather Palm, Cotton Back Fitters Gloves



LTG03067MED

Description	Item No.
Cowhide, Unlined Palm, Safety Cuff	
Standard Quality, Small	LTG03067SML
Standard Quality, Medium	LTG03067MED
Standard Quality, Large	LTG03067LGE
Standard Quality, X-Large	LTG03067XL

LAURENTIDE

Grain Cowhide Winter Fitters

Grain cowhide with cotton back and soft brush fleece lining. Shirred elastic on back of hand for snug closure.



LTG03116LGE

Size	Item No.
Medium (8)	LTG03116MED
Large (9)	LTG03116LGE
X-Large (10)	LTG03116XL
2X-Large (11)	LTG03116XXL

SUPERIOR GLOVE

Wrangler Grain Fitters Gloves

Made from smooth top grain leather for durability, dexterity, plus oil and water resistance. Extra long cuff for added protection.



WATSON GLOVES

Red Baron Insulated Gloves

Heavy sherpa lining. Full-grain cowhide leather with cotton drill back. Shirred elastic wrist with slip-on style safety cuff. Perfect for outdoor activities, general purpose work, and cold weather construction.



WAT94002L

Glove Size	Item No.
2X-Small (5)	WAT94002XXS
8	WAT94002M
9	WAT94002L
X-Large (10)	WAT94002X
2X-Large (11)	WAT94002XXL

BOB DALE

Gander Brand® Split Leather Fitters Winter Gloves

Full lining helps retain warmth and feels comfortable for winter wear.



ALG30-9-428A

Description	Size	Item No.
Standard Quality		
Glove, Cotton Fleece Lined	Large	ALG273
Glove, Small Hand Size, Cotton Fleece Lined	Women's One Size	ALG273W
Premium Quality		
Glove, Acrylic Pile Lined, Small Hand Size	Women's One Size	ALG30-9-428A

WATSON GLOVES

North Paws

- 3M™ Thinsulate™ G100 lining
- Split cowhide leather
- Cotton drill back
- Shirred elastic wrist

Size	Leather	Palm Material	Back Material	Cuff	Lining	Colour	Grade of Leather	Thumb Style	Item No.
OSFA	Cowhide		Cotton	Safety	Thinsulate™	Blue	A	Wing	WAT9281



WATSON GLOVES

Sno Stopper

- Heavy Sherpa® lining
- Split cowhide leather
- Cotton drill back

Size	Leather	Palm Material	Back Material	Cuff	Lining	Colour	Grade of Leather	Thumb Style	Item No.
Large	Cowhide		Cotton	Safety	Sherpa®	Grey	A	Wing	WAT94004I-L
X-Large	Cowhide		Cotton	Safety	Sherpa®	Grey	A	Wing	WAT94004I-X



WATSON GLOVES

White Out

- Removable heavy Sherpa® lining
- Full-grain cowhide leather palm
- Pigskin leather back

Size	Leather	Palm Material	Back Material	Cuff	Lining	Colour	Grade of Leather	Thumb Style	Item No.
OSFA	Cowhide		Pigskin	Safety	Sherpa®	Beige	A	Wing	WAT94231



WATSON GLOVES

Poor Boy

- Foam lining
- Full-grain cowhide leather
- Palm patch
- Cotton drill back



Size	Leather	Palm Material	Back Material	Cuff	Lining	Colour	Thumb Style	Item No.
Large	Cowhide		Cotton	Safety	Foam	Black, Yellow	Wing	WATA281BSL

BOB DALE

Gander Brand® Economy Grain Drivers Gloves

Driver style gloves made with grain leather. Identified by their one-piece back, drivers gloves have a gathering of shirred elastic on the front or the back of the wrist. Driver gloves offer protection for the whole hand. Typical users are vehicle drivers, warehouse operators, equipment operators, and contractor yard personnel.



ALG1571-7-11

Leather Gloves	Size	Item No.
	Small	ALG1571-9
	Medium	ALG1571-10
	Large	ALG1571-11
	X-Large	ALG1571-12

WATSON GLOVES

Longhorn

- Economy-grade full-grain cowhide leather
- Cotton drill back
- Outside elastic wrist
- Wing thumb style



Glove Size	Item No.
8	WATA281E-M
9	WATA281E-L
X-Large (10)	WATA281E-X
2X-Large (11)	WATA281E-XXL

BOB DALE

Gander Brand® Hi-Viz Leather Drivers Gloves

- Grain cowhide drivers glove
- Hi-viz breathable stretch back
- Hi-viz reflective striping



ALG20-1-1582MED

Grain Cowhide, High Visibility Drivers Glove – Orange	Size	Item No.
	Small	ALG20-1-1582SML
	Medium	ALG20-1-1582MED
	Large	ALG20-1-1582LG
	X-Large	ALG20-1-1582XL

BOB DALE

Gander Brand® Top Grain Deerskin Drivers

Deerskin is a durable yet comfortable natural leather. It remains soft and comfortable to wear day after day even if exposed to wetness.



ALG20-1-366MED

Size	Item No.
Small	ALG20-1-366SML
Medium	ALG20-1-366MED
Large	ALG20-1-366LGE
X-Large	ALG20-1-366XL

SUPERIOR GLOVE

Endura® Grain Fitters Gloves

Endura® gloves are made from smooth top grain leather for durability, dexterity, plus oil and water resistance. Cowgrain styles are a heavier weight and are very durable. Applications: farming, construction, utilities. Safety cuff.



SUG76BRF

Description	Glove Size	Item No.
Foam Lined	9	SUG76BRF
Acrylic Fleece BOA Lined	9	SUG76BOA

CONDOR

Leather Gloves – Roper

- **No. CDRGLR1L-** Beige colour, top grain cow leather, adjustable wrist strip
- **No. EBP20-1-981-10-** full grain leather, clute cut with seamless palms and keystone thumbs. Snap tabs at the wrist.
- **No. EBP20-1-981-12-** Beige colour, clute cut leather, keystone thumbs, and snap-back wrists.
- Great for equipment operating, ranching, and other general purposes



CDRGLR1L

Glove Size	Item No.
M	EBP20-1-981-10
9	CDRGLR1L
XL	EBP20-1-981-12

CONDOR, WATSON GLOVES

Driver's Gloves

- 9" length

Model 546 - Protect your hands in the comfort of these soft goatskin leather driver gloves. These gloves feature a keystone thumb and Shirred elastic cuffs that provide comfort and slip-on ease.

Model 545 - These white clute cut leather gloves are made of full-grain goatskin and have a Thinsulate C100 lining. They feature a gauntlet-style cuff, a shirred elastic wrist, and a slip-on style cuff.

	Glove Size	Item No.
Drivers Gloves		
X-Small (6)		WAT546XS
Small (7)		WAT9545S
9		WAT9545LPR
X-Large (10)		WAT546XL
X-Large (10)		WAT9545X
X-Large (10)		WAT9545XP
2X-Large (11)		WAT546XXL
2X-Large (11)		WAT9545XXL
Leather Gloves		
Small (7)		WAT546S
8		WAT546M
M		EBP20-1-981-10
9		WAT546L
9545 Scape Goat Glove		
	Medium (8)	WAT9545M



WAT546



EBP20-1-981-10

BOB DALE, CONDOR

Gander Brand® Drivers Winter Gloves

Driver style gloves made with all leather grain and lined with fleece or 3M™ C-100 Thinsulate™. Identified by their one-piece back, driver gloves have a gathering or shirred elastic on the front or the back of the wrist.



ALG1571-7-11

	Size	Item No.
Leather Gloves		
Small (7)		ALG1571-7-9
Medium (8)		ALG1571-7-10
Large (9)		ALG1571-7-11
X-Large (10)		ALG1571-7-12
S		EBP20-9-1581TFL9
M		EBP20-9-1581TFL10
L		EBP20-9-1581TFL11
XL		EBP20-9-1581TFL12

BOB DALE

Gander Brand® Premium Grain Drivers Gloves

A versatile smooth grain finish cowhide with comfortable inset keystone thumb pattern and sewn-in elastic back. Ideal for millwrights and general maintenance applications.



ALG1581-10

Size	Item No.
Small	ALG1581-9
Medium	ALG1581-10
Large	ALG1581-11
X-Large	ALG1581-12

LAURENTIDE

Hercules Linesman's Cover Gloves

Gunn cut pattern, inside seams, straight thumb with welt, nylon strap with buckle on back, 6" bell yellow cuff with cuff protector, black cotton binding. Total length of glove 14".



LTG05211-12

Glove Cover Class 2, 6" Cuff	Size	Item No.
	9	LTG05211-9
	10	LTG05211-10
	11	LTG05211-11
	12	LTG05211-12

LAURENTIDE

Grain Cowhide Gloves

Gauntlet style safety cuff with welt protected seam.



LTG05259-10

Description	Item No.
4½" Gauntlet, Size 9	LTG05259-9
4½" Gauntlet, Size 10	LTG05259-10
4½" Gauntlet, Size 12	LTG05259-12

BOB DALE

Goatskin Impact Gloves

ALG20-1-10695M



ALG20-1-10696M

Size	Cuff	Leather Palm Material	Back Material	Grade of Leather	Colour	Thumb Style	Stitching Material	Item No.
Small	Grain	Goatskin	Goatskin	A	Yellow	Keystone	Kevlar®	ALG20-1-10695S
Medium	Grain	Goatskin	Goatskin	A	Yellow	Keystone	Kevlar®	ALG20-1-10695M
Large	Grain	Goatskin	Goatskin	A	Yellow	Keystone	Kevlar®	ALG20-1-10695L
X-Large	Grain	Goatskin	Goatskin	A	Yellow	Keystone	Kevlar®	ALG20-1-10695XL
2X-Large	Grain	Goatskin	Goatskin	A	Yellow	Keystone	Kevlar®	ALG20-1-10695X2L
Small	5 in Safety	Goatskin	Goatskin	A	Yellow	Wing	Kevlar®	ALG20-1-10696S
Medium	5 in Safety	Goatskin	Goatskin	A	Yellow	Wing	Kevlar®	ALG20-1-10696M
Large	5 in Safety	Goatskin	Goatskin	A	Yellow	Wing	Kevlar®	ALG20-1-10696L
X-Large	5 in Safety	Goatskin	Goatskin	A	Yellow	Wing	Kevlar®	ALG20-1-10696XL
2X-Large	5 in Safety	Goatskin	Goatskin	A	Yellow	Wing	Kevlar®	ALG20-1-10696X2L

BOB DALE

Winter Lined Goatskin Impact Gloves

Size	Cuff	Lining	Palm Material	Back Material	Grade of Leather	Colour	Thumb Style	Stitching Material	Item No.
Small (7)	Rolled	C100 Thinsulate Lined Full Sock, Fleece Lined	Goatskin	Goatskin Leather	A Grade	Yellow	Keystone	Kevlar®	ALG20-9-10695S
Medium (8)	Rolled	C100 Thinsulate Lined Full Sock, Fleece Lined	Goatskin	Goatskin Leather	A Grade	Yellow	Keystone	Kevlar®	ALG20-9-10695M
Large (9)	Rolled	C100 Thinsulate Lined Full Sock, Fleece Lined	Goatskin	Goatskin Leather	A Grade	Yellow	Keystone	Kevlar®	ALG20-9-10695L
X-Large (10)	Rolled	C100 Thinsulate Lined Full Sock, Fleece Lined	Goatskin	Goatskin Leather	A Grade	Yellow	Keystone	Kevlar®	ALG20-9-10695XL
2X-Large (11)	Rolled	C100 Thinsulate Lined Full Sock, Fleece Lined	Goatskin	Goatskin Leather	A Grade	Yellow	Keystone	Kevlar®	ALG20-9-10695X2L
Small (7)	Safety	C100 Thinsulate Lined Full Sock, Fleece Lined	Goatskin	Goatskin Leather	A Grade	Yellow	Keystone	Kevlar®	ALG20-9-10696S
Medium (8)	Safety	C100 Thinsulate Lined Full Sock, Fleece Lined	Goatskin	Goatskin Leather	A Grade	Yellow	Keystone	Kevlar®	ALG20-9-10696M
Large (9)	Safety	C100 Thinsulate Lined Full Sock, Fleece Lined	Goatskin	Goatskin Leather	A Grade	Yellow	Keystone	Kevlar®	ALG20-9-10696L
X-Large (10)	Safety	C100 Thinsulate Lined Full Sock, Fleece Lined	Goatskin	Goatskin Leather	A Grade	Yellow	Keystone	Kevlar®	ALG20-9-10696XL
2X-Large (11)	Safety	C100 Thinsulate Lined Full Sock, Fleece Lined	Goatskin	Goatskin Leather	A Grade	Yellow	Keystone	Kevlar®	ALG20-9-10696X2L



ALG20-9-10695S



ALG20-9-10695M

WATSON GLOVES

Storm Trooper

Full-grain deerskin leather back with water-resistant WaterOff treated cowhide palm.
Stitched with Kevlar®. Heavy-duty rubber on fingers and knuckle bar.

Size	Cuff	Leather Palm Material	Leather Palm Type	Back Material	Grade of Leather	Item No.
Small	Slip-On	Cowhide	One Piece	Deerskin	A	WAT5782S
Medium	Slip-On	Cowhide	One Piece	Deerskin	A	WAT5782M
Large	Slip-On	Cowhide	One Piece	Deerskin	A	WAT5782L
X-Large	Slip-On	Cowhide	One Piece	Deerskin	A	WAT5782X
2X-Large	Slip-On	Cowhide	One Piece	Deerskin	A	WAT5782XXL
Small (7)	Shirred Elastic	—	—	Deerskin with TPR	—	WAT5782S
Large (9)	Shirred Elastic	—	—	Deerskin with TPR	A	WAT95782L
Medium (8)	Shirred Elastic	—	—	Deerskin with TPR	A	WAT95782M
X-Large (10)	Shirred Elastic	—	—	Deerskin with TPR	A	WAT95782X
2X-Large (11)	Shirred Elastic	—	—	Deerskin with TPR	A	WAT95782XXL



WAT5782X

WATSON GLOVES

Storm Trooper – Gauntlet – Insulated

Full-grain deerskin leather back with water-resistant WaterOff treated cowhide palm.
Stitched with Kevlar®. Heavy-duty rubber on fingers and knuckle bar. Snug-fitting shirred elastic wrist and slip-on style cuff. 3M™ Thinsulate™ C100 lining. 4.5" gauntlet style cuff.

Size	Cuff	Palm Material	Palm Construction	Back Material	Grade of Leather	Thumb Style	Item No.
Small (7)	Gauntlet	Cowhide	Water-Resistant	Full grain Deerskin Leather	A	Wing	WAT95782G-S
Medium (8)	Gauntlet	Cowhide	Water-Resistant	Full grain Deerskin Leather	A	Wing	WAT95782G-M
Large (9)	Gauntlet	Cowhide	Water-Resistant	Full grain Deerskin Leather	A	Wing	WAT95782G-L
X-Large (10)	Gauntlet	Cowhide	Water-Resistant	Deerskin	A	Wing	WAT95782G-X
2X-Large (11)	Gauntlet	Cowhide	Water-Resistant	Deerskin	A	Wing	WAT95782G-XXL



WAT95782G-S

LAURENTIDE

Aquastop Steadfast Black Diamond™ Series Gloves

Split leather palm, cotton back, C100
Thinsulate™ lining with waterproof and
breathable Aquastop insert, safety cuff.

Description	Item No.
One-Size	LTG03041



HERCULES

**Aquastop™ Series
Waterproof
Winter Gloves**

Waterproof gold cow grain leather glove, 3" cuff rubber on cotton Stedfast Black Diamond™ with nylon storm cuff, patch palm sewn with 4 rows of stitching, full TR2 + C40 3M™ Thinsulate™ lining with waterproof and breathable Aquastop insert.



LTG03491L

Size	Item No.
Large	LTG03491L

LAURENTIDE

**Linemans Foam
Lined Glove**

Cowhide leather palm and back glove, wing thumb, patch palm sewn with 4 rows of stitching, shirred elastic back, welt protected outside seams, 5" split leather cuff, with lime yellow reflective tape, foam lined and all seams sewn with Kevlar® thread.



LTGF5457MED

Size	Item No.
Small	LTGF5457SML
Medium	LTGF5457MED
Large	LTGF5457LGE
X-Large	LTGF5457XL

SUPERIOR GLOVE

Teammate Winter Fitters Gloves

Teammate split fitters premium winter gloves available in different lining configurations.



LTG15850LGE

Size	Item No.
Leather Gloves	
Small (7)	LTG15840SML
Medium (8)	LTG15840MED
X-Large (10)	LTG15840XL
Leather Mitts Gloves	
Small (7)	LTG15850SML
Medium (8)	LTG15850MED
Large (9)	LTG15850LGE
X-Large (10)	LTG15850XL

LAURENTIDE

F5464

One finger mitt features welt protected seams. Wing thumb patch palm sewn with 4 rows of stitching. 5" split cuff with inner lining for comfort. Gusset and thumb protector. Reflective tape. Shirred elastic back. All sewn with Kevlar® thread.



LTGF5464MED

Size	Item No.
One-Finger Mitt	
Small	LTGF5464SML
Medium	LTGF5464MED
Large	LTGF5464LGE
X-Large	LTGF5464XL

Item No.
SUG66BRF

WATSON GLOVES

Storm Trooper – Insulated

Heavy-duty rubber on fingers and knuckle bar. 3M™ Thinsulate™ C100 lining.

Size	Palm Material	Palm Construction	Back Material	Cuff	Grade of Leather	Item No.
Medium (8)	Cowhide	Water-Resistant	Deerskin with TPR	Shirred Elastic	A	WAT95782M
Large (9)	Cowhide	Water-Resistant	Deerskin with TPR	Shirred Elastic	A	WAT95782L
X-Large (10)	Cowhide	Water-Resistant	Deerskin with TPR	Shirred Elastic	A	WAT95782X
2X-Large (11)	Cowhide	Water-Resistant	Deerskin with TPR	Shirred Elastic	A	WAT95782XXL



WAT95782X

WATSON GLOVES

Storm Trooper – Gauntlet

Full-grain deerskin leather back with water-resistant WaterOff treated cowhide palm. Stitched with Kevlar®. Heavy-duty rubber on fingers and knuckle bar. With 4.5" gauntlet style cuff.



WAT5782G-L

BOB DALE

Glove & Mitt Liners

Liners available in poly/cotton, acrylic, or wool. Some can be worn as gloves or liners.



ALG105



ALG210

Description	Item No.
Poly Cotton Knit, Medium Weight	
Glove Liner, Bleached White	ALG10-9-77L
Glove Liner, Gray	ALG375G
100% Cotton Fleece, Medium Weight	
Glove Liner	ALG105
100% Acrylic Pile, Medium Weight	
One Finger Mitt Liner	ALG111
100% Acrylic Knit, Medium Weight	
Full Mitt Liner, 100% Acrylic Knit, Medium Weight	ALG210

BOB DALE

Gander Brand® Winter Lined PVC Gloves



ALG193

Description	Item No.
PVC Coated, Red Tan Colour, Foam and Cotton Jersey Lined, Safety Cuff, One Size	ALG193
PVC Coated, HI-VIZ Orange Colour, Foam Lined, Knit Wrist, One Size	ALG9491

BOB DALE

Pullover Mitts



ALG803IMP



ALG803PL

LAURENTIDE

05108 Winter Mitt

Cowhide leather palm mitt, black polyester/Lycra wrist and finger tip, reinforced leather back, leather reinforced wing thumb, shirred elastic at wrist, fully BOA lined. Black cotton binding.



LTG05108XL

Size	Item No.
X-Large (10)	LTG05108XL

LAURENTIDE

05190 Winter Gloves

Glove, cowhide leather palm, thumb and fingers, black waterproof neoprene back and thumb, nylon Lycra fourchettes, keystone thumb, elastic back at wrist 3M™ Thinsulate™ C40 lining. Black cotton binding.



LTG05190XL

Size	Item No.
X-Large (10)	LTG05190XL
2X-Large (11)	LTG05190XXL

SUPERIOR GLOVE

Endura® Winter Lined Mitts

Cowgrain, winter chopper mitt, full acrylic fleece BOA liner.



SUG304BOA

Size
One Size

INSULATOR, THERMAKNIT**Insulator® Lightweight**

The Insulator® is made of Invista Thermoilite® fast-wicking fibers. For use in cold and damp working environments. Used as a liner under gloves. Applications include utilities, handling chilled or refrigerated products, fishing industry, construction and general maintenance. Agriculture Canada accepted. One size.



ANL78-150

Colour	Item No.
White	ANL78-150
Blue	ANL78-101

BOB DALE**Deerskin Winter Mitts**

Tan/black deerskin mitt, with a glove Liteloft™ lining and Rao Tex water barrier.



ALG80-9-0504181L

Leather Mitts	Size	Item No.
	Medium (8)	ALG80-9-0504181M
	Large (9)	ALG80-9-0504181L
	X-Large (10)	ALG80-9-0504181XL

ERGODYNE**816 Flip-Top-Mitt**

Thermal Flip Top: converts from mitten to fingerless glove for cold weather detail work.

- Flip-top fingers and thumb secured open with hook and loop tabs
- Durable polyester knit outside
- Wind proof, water repellent micro fleece inside
- Double layer palm with synthetic suede anti-slip grip



EGO816SML

Size	Item No.
Small (7)	EGO816SML
Medium (8)	EGO816MED
Large (9)	EGO816GE
X-Large (10)	EGO816XL
2X-Large (11)	EGO816XXL

BOB DALE**Deerskin Winter Gloves**

Tan/black deerskin gauntlet style glove with Thinsulate™ Liteloft™ lining and Rao Tex water barrier.



ALG80-9-041101L

Leather Gloves	Size	Item No.
	Medium (8)	ALG80-9-041101M
	Large (9)	ALG80-9-041101L
	X-Large (10)	ALG80-9-041101XL

ERGODYNE**ProFlex® 817 – Thermal Utility Gloves**

- 40 g 3M™ Thinsulate™ insulation
- Low-profile closure with woven elastic cuff
- Padded spandex back and neoprene knuckle pad
- Double reinforced synthetic leather palm
- Terry thumb brow wipe



EGO817XXL

Thermal Lined	Size	Item No.
	Medium (8)	EGO817MED
	Large (9)	EGO817LGE
	X-Large (10)	EGO817XL
	2X-Large (11)	EGO817XXL

Thermal Lined and Waterproof	Size	Item No.
	Medium (8)	EGO817WP-MED
	Large (9)	EGO817WP-LGE
	X-Large (10)	EGO817WP-XL
	2X-Large (11)	EGO817WP-XXL

TAKE CONTROL OF YOUR STUFF

Inventory managed. Space organized.
Time and money saved.

Grainger KeepStock solutions are subject to customer eligibility and agreements.

GRAINGER
Canada

KeepStock
Inventory Management

Contact your Grainger rep or visit
grainger.ca/keepstock to learn more.

POLAR GRIP

Polar Grip®

A winter series vinyl coated glove with a rough finish, the vinyl coating remains soft when cold. Rough finish surface provides excellent grip for handling of both wet and dry materials, curved fingers, wing thumb and soft insulative lining. Offers resistance to oils, acids, caustics and alcohols. Style 23-700 is Agriculture Canada accepted. Applications: Fishing industry, cold storage, construction, winter transportation, yard and field work, freight handling and trash collection. Fully coated foam insulated nylon liner.

Description	Size	Item No.
11", Fluorescent Orange	Large (9)	ANL23-700-9
11", Fluorescent Orange	X-Large (10)	ANL23-700-10



ANL23-700-10

WATSON GLOVES

Big Dawg

3M Thinsulate™ C100 lining. Full-grain cowhide leather with cotton drill back. Shirred elastic wrist with slip-on style safety cuff.



WAT94006HW-L

Glove Size	Leather Palm Material	Leather Palm Type	Back Material	Cuff	Lining	Colour	Thumb Style	Item No.
Small (7)	Cowhide	One Piece	Cotton	Safety	Thinsulate	Black, Grey	Wing	WAT94006HW-S
8	Cowhide	One Piece	Cotton	Safety	Thinsulate	Black, Grey	Wing	WAT94006HW-M
9	Cowhide	One Piece	Cotton	Safety	Thinsulate	Black, Grey	Wing	WAT94006HW-L
X-Large (10)	Cowhide	One Piece	Cotton	Safety	Thinsulate	Black, Grey	Wing	WAT94006HW-X
2X-Large (11)	Cowhide	One Piece	Cotton	Safety	Thinsulate	Black, Grey	Wing	WAT94006HW-XXL
3X-Large (12)	—	—	—	—	—	Black, Grey	Wing	WAT94006HW-XXXL

WATSON GLOVES

9502 North of 49

- Water resistant and breathable Enprotex® barrier
- Hooded fingertips and thumb reinforcement
- Extended gauntlet cuff with drawstring closure



WAT9502S

Size	Palm Material	Back Material	Lining	Temp. Range	Cuff	Colour	Thumb Style	Thumb Material	Item No.
Small (7)	Sheepskin	Durable Nylon	J150 Thinsulate™	-20° C	Gauntlet	Black, Tan	Wing	Nylon, Leather	WAT9502S
Large (9)	Sheepskin	Durable Nylon	J150 Thinsulate™	-20° C	Gauntlet	Black, Tan	Wing	Nylon, Leather	WAT9502L
X-Large (10)	Sheepskin	Durable Nylon	J150 Thinsulate™	-20° C	Gauntlet	Black, Tan	Wing	Nylon, Leather	WAT9502X

SUPERIOR GLOVE

Snowforce Winter Gloves

Featuring genuine Clarino® palms for super flexibility and long wear; anti-slip PVC patches in critical palm and fingertip areas for excellent grip even in wet conditions, gauntlet cuffs that adjust for a custom fit using velcro tabs; and elastic at the wrists to ensure a snug fit that locks out the cold.



SUGSNOW388V-LGE

Size	Item No.
Medium	SUGSNOW388V-MED
Large	SUGSNOW388V-LGE
X-Large	SUGSNOW388V-XL

SHOWA

Atlas® TEM-RES

Liquid proof, insulated acrylic liner, superior warmth. Breathable poly-urethane coating and extremely flexible. Excellent abrasion resistance.



BEM282L09

ERGODYNE

3400 Grabber

- Easy to use, comfortable feel
- Clips to clothing, belts, tool belts, and D-rings
- Detachable, usable with beepers, D-rings, etc
- Breakaway feature
- Dielectric/non-conductive material



Description	Item No.
Grabber, Dual Clip	EGL3400BK

ARC-SAFE

Arc-Safe™ Cut-Resistant Gloves

- 100% DuPont™ Kevlar®, fiberglass, wool and modacrylic fibres are combined for better performance
- An inherently flame resistant glove with high cut resistance
- Arc flash tested on the glove itself not the fabric
- ANSI/ISEA level 4 cut resistance
- Arc flash NFPA 70E



JMCFR1901LPR

MECHANIX WEAR

Team Issue™ Level 5 Carbon-X®

- Short cuff design
- Features a sturdy Carbon-X® lined genuine leather palm
- Back of the hand is covered with two layers of heavy Carbon-X® stretch knit fire retardant material
- Back of hand features high-density accordion knuckle padding
- Hook and loop wrist closure
- Arc rating 47.6



MXWCXG-L5-008

SHOWA

CharGuard™

- Insulated, non-woven
- 14" long
- Intermittent heat protection up to 500° F
- No-slip textured coating
- Launderable
- CFIA approved



BEM8814-08

Size	Item No.
7	BEM8814-07
8	BEM8814-08
9	BEM8814-09
10	BEM8814-10

MICROFLEX, POLAR BEAR SUPREME, VERSATOUCH

VersaTouch® Cut-Resistant Gloves

Knitted variable-stitch design adjusts to the shape of the hand to reduce fatigue and enhance cut protection. Exclusive materials manage moisture and hand temperature in hot and cold environments for high levels of comfort as well as cut protection. Off-hand (left) gloves are designed with zonal plating and Dyneema® Diamond Technology.



ANL74-730-10



ANL72-400-10EA

Glove Size	Palm Material	ANSI/ISEA Cut Level - 2011	ANSI/SEA Abrasion Level	Gauge	Colour	Item No.
Knife Hand						
Small (7)	Dyneema®, Steel, Fiberglass, Polyester, Dyneema® Diamond, Sta-Cool® Lycra	4	4	13	Gray/Green	ANL74-731-7
Medium (8)	Dyneema®, Steel, Fiberglass, Polyester, Dyneema® Diamond, Sta-Cool® Lycra	4	4	13	Gray/Green	ANL74-731-8
Off Hand						
8	HPPE, Steel, Fiberglass, Polyester, HPPE Diamond, Sta-Cool Elastane	4	4	13	Green, Grey	ANL74-730-8
9	HPPE, Steel, Fiberglass, Polyester, HPPE Diamond, Sta-Cool Elastane	4	4	13	Green, Grey	ANL74-730-9
X-Large (10)	Dyneema®, Steel, Fiberglass, Polyester, Dyneema® Diamond, Sta-Cool® Lycra	4	4	13	Gray/Green	ANL74-730-10
—	Fiberglass, Stainless Steel, HPPE, Polyester, Elastane	—	3	—	Blue	ANL72-400-10EA
10	—	—	2	—	—	ANL74-045-9

HYFLEX

HyFlex® 11-518

Ultra-light weight 18 gauge seamless liner creates a barehand-like sensation while providing a high level of cut-resistance.



ANL11-518-6

Size	ANSI/ISEA Cut Level - 2011	ANSI/SEA Abrasion Level	Palm Material	Coating Material	Coating Coverage	Coating Finish	Cuff	Colour	Thumb Style	Item No.
6	2	3	HPPE Diamond, Polyurethane	Polyurethane	Palm	Smooth	Elasticized Knit Wrist	Blue	Straight	ANL11-518-6
7	2	3	Polyurethane	Polyurethane	Palm	Smooth	Elasticized Knit Wrist	Blue	Full	ANL11-518-7
8	2	3	Polyurethane	Polyurethane	Palm	Smooth	Elasticized Knit Wrist	Blue	Full	ANL11-518-8
9	2	3	Polyurethane	Polyurethane	Palm	Smooth	Elasticized Knit Wrist	Blue	Full	ANL11-518-9
10	2	3	Polyurethane	Polyurethane	Palm	Smooth	Elasticized Knit Wrist	Blue	Full	ANL11-518-10
11	2	3	HPPE Diamond, Polyurethane	Polyurethane	Palm	Smooth	Elasticized Knit Wrist	Blue	Straight	ANL11-518-11

MCR SAFETY

Memphis Dyneema®

Extremely cool to work in and offers the best abrasion resistance of the high-performance fibers.



MSF96720NFS

Glove Size	ANSI/SEA Cut Level	Stitching Material	Gauge	Glove Coating Material	Glove Coating Coverage	Glove Coating Finish	Cuff	Item No.
XS	A3	HPPE	13	Foam Nitrile	Palm	Smooth	Knit Wrist	MSF96720NFXS
S	A3	HPPE	13	Foam Nitrile	Palm	Smooth	Continuous Knit	MSF96720NFS
M	A3	HPPE	13	Foam Nitrile	Palm	Smooth	Continuous Knit	MSF96720NFM
L	A3	HPPE	13	Foam Nitrile	Palm	Smooth	Continuous Knit	MSF96720NFL
XL	A3	HPPE	13	Foam Nitrile	Palm	Smooth	Continuous Knit	MSF96720NFXL
2XL	A3	HPPE	13	Foam Nitrile	Palm	Smooth	Continuous Knit	MSF96720NFXL

RONCO, SHOWA, WATSON GLOVES

Cut-Resistant Knit Gloves

Knit cut-resistant gloves meet ANSI/ISEA 105 standards to protect hands from cuts, abrasions, lacerations, and punctures when handling sharp items. Spun yarn construction makes knit gloves formfitting. ANSI/ISEA cut levels indicate the level of protection provided. Higher numbers indicate more cut protection, but they generally have less dexterity than gloves with lower levels of cut protection.



RON78-500-06

Glove Size Gloves and Hand Protection	ANSI/ISEA Cut Level	ANSI/ISEA Abrasion Level	Colour	Brand	Item No.
10	A2	4	Grey	Watson Gloves	WAT388XR
11	A2	4	Grey	Watson Gloves	WAT388XLR
2XL	—	2	Black, Blue	Watson Gloves	WAT337XXL
2XL	A1	4	Black	Ronco	RON78-500-11
2XL	A4	4	Black, Grey	Showa	BEM234XXL10
2XL	A4	4	Black, Orange	Watson Gloves	WAT379XXL
2XL	A5	3	Green	Watson Gloves	WAT351XXL
2XL	A5	4	Orange	Watson Gloves	WAT387TPRXL
2XL	A7	4	Black, Yellow	Showa	BEM257XXL10
6	A1	4	Black	Ronco	RON78-500-06
7	A2	4	Grey	Watson Gloves	WAT388SR
8	A2	4	Grey	Watson Gloves	WAT388MR
9	A2	4	Grey	Watson Gloves	WAT388LR
L	—	2	Black, Blue	Watson Gloves	WAT337L
L	A1	4	Black	Ronco	RON78-500-09
L	A4	4	Black, Grey	Showa	BEM234L08
L	A4	4	Black, Orange	Watson Gloves	WAT379L
L	A5	3	Green	Watson Gloves	WAT351L
L	A5	4	Orange	Watson Gloves	WAT387TPRL
L	A7	4	Black, Yellow	Showa	BEM257L08
M	—	2	Black, Blue	Watson Gloves	WAT337M
M	A1	4	Black	Ronco	RON78-500-08
M	A4	4	Black, Grey	Showa	BEM234M07
M	A4	4	Black, Orange	Watson Gloves	WAT379M
M	A5	3	Green	Watson Gloves	WAT351M
M	A5	4	Orange	Watson Gloves	WAT387TPRM
M	A7	4	Black, Yellow	Showa	BEM257M07
S	—	2	Black, Blue	Watson Gloves	WAT337S
S	A1	4	Black	Ronco	RON78-500-07
S	A4	4	Black, Grey	Showa	BEM234S06
S	A4	4	Black, Orange	Watson Gloves	WAT379S
S	A5	3	Green	Watson Gloves	WAT351S
S	A5	4	Orange	Watson Gloves	WAT387TPRS
S	A7	4	Black, Yellow	Showa	BEM257S06
XL	—	2	Black, Blue	Watson Gloves	WAT337X
XL	A1	4	Black	Ronco	RON78-500-10
XL	A4	4	Black, Orange	Watson Gloves	WAT379X
XL	A5	3	Green	Watson Gloves	WAT351X
XL	A5	4	Orange	Watson Gloves	WAT387TPRX
XL	A7	4	Black, Yellow	Showa	BEM257XL09
XS	A2	4	Grey	Watson Gloves	WAT388XS
XS	A4	4	Black, Orange	Watson Gloves	WAT379XS
XS	A5	3	Green	Watson Gloves	WAT351XS
XS	A5	4	Orange	Watson Gloves	WAT387TPRXS

BOB DALE**Dyneema® Seamless Knit – Polyurethane Coated**

The fine-knit liner provides excellent dexterity in a breathable and lint-free, cut-resistant glove. Polyurethane coating provides good wet/dry grip and excellent abrasion, tear and cut resistance. CE Standard 4343 (Cut Level 3).



ALG99-1-9740-9

Size	Item No.
7	ALG99-1-9740-7
8	ALG99-1-9740-8
9	ALG99-1-9740-9
10	ALG99-1-9740-10
11	ALG99-1-9740-11

MCR SAFETY

Memphis Dyneema® PU

13-gauge salt-and-pepper DSM-Certified Dyneema shell with gray polyurethane palm and fingertip coating.



MSF9672XS

Glove Size	ANSI/ISEA Cut Level	Stitching Material	Gauge	Coating Coverage	Coating Finish	Cuff	Finger Style	Item No.
XS	A3	HPPE	13	Palm and Fingers	Smooth	Knit Wrist	Full Finger	MSF9672XS
S	A3	HPPE	13	Palm and Fingers	Smooth	Knit Wrist	Full Finger	MSF9672S
M	A3	HPPE	13	Palm and Fingers	Smooth	Knit Wrist	Full Finger	MSF9672M
L	A3	HPPE	13	Palm and Fingers	Smooth	Knit Wrist	Full Finger	MSF9672L
XL	A3	HPPE	13	Palm and Fingers	Smooth	Knit Wrist	Full Finger	MSF9672XL
2XL	A3	HPPE	13	Palm and Fingers	Smooth	Knit Wrist	Full Finger	MSF9672XXL
Small (7)	A2	Dyneema®	13	Palm and Fingers	Smooth	Knit Wrist	Full Finger	MSF9672RES

BOB DALE

Cut-Resistant Gloves

- ANSI/ISEA Abrasion-Level 3
- ANSI/ISEA Cut-Level A6
- Colour-Gray
- Glove Coating Material Nitrile
- Glove Length 10½ in



ALG99-1-9626-9

Glove Size	Item No.
S	ALG99-1-9626-7
M	ALG99-1-9626-8
L	ALG99-1-9626-9
XL	ALG99-1-9626-10

BOB DALE

Hi-Viz Dyneema®

Hi-viz yellow Dyneema® seamless knit liner. Cut resistant Level 5. Waterbase microfoam polyurethane coated palm.



ALG99-1-9761-8

Size	Item No.
6	ALG99-1-9761-6
7	ALG99-1-9761-7
8	ALG99-1-9761-8
9	ALG99-1-9761-9
10	ALG99-1-9761-10
11	ALG99-1-9761-11

WATSON GLOVES

Stealth Dynamo

HPPE fibre seamless knit shell. Sure-grip foam nitrile coating with textured finish and snug-fitting knit wrist.



WAT353M

SUPERIOR GLOVE

Dexterity® Kevlar®/Composite

- String knit with foamed-nitrile palm coat
- ASTM cut-level 4

Glove Size	Item No.
Kevlar®/Fiberglass String Knit with Nitrile Palm Coat	
6	SUGS13KFGFNT6
7	SUGS13KFGFNT7
8	SUGS13KFGFNT8
9	SUGS13KFGFNT9
Kevlar®/Fiberglass String Knit with PU Palm Coat	
6	SUGS13KFGPU6
7	SUGS13KFGPU7
8	SUGS13KFGPU8
9	SUGS13KFGPU9
10	SUGS13KFGPU10
11	SUGS13KFGPU11



SUGS13KFGFNT9

SUPERIOR GLOVE**Emerald CX® Kevlar®/
Stainless Steel**

- Composite knit blend of stainless steel, Kevlar® and nylon
- ASTM cut-level 4

**SUGS13CX7****Glove, Kevlar®, Wire-core Steel and Cordura Nylon**

Glove Size	Item No.
7	SUGS13CX7
8	SUGS13CX8
10	SUGS13CX10
11	SUGS13CX11
12	SUGS13CX12

Glove, PU Coated Kevlar®, Wire-core Steel and Cordura Nylon

Glove Size	Item No.
6	SUGS13CXP06
7	SUGS13CXP07
8	SUGS13CXP08
9	SUGS13CXP09
10	SUGS13CXP010
11	SUGS13CXP011
12	SUGS13CXP012

SUPERIOR GLOVE**Superior Touch® Dyneema®
Cut Resistant Palm Coated**

With their high coefficient of friction polyurethane palm coating and Dyneema® glove body, these gloves give an unparalleled cut resistance for a glove of such high dexterity and flexibility. A good choice for handling sharp steel, glass or circuit boards, especially when lint and particulate contamination is a concern. Cut protection CE Level 3.

**SUGS13SXP08**

Glove Size	Item No.
6	SUGS13SXP06
7	SUGS13SXP07
8	SUGS13SXP08
9	SUGS13SXP09
10	SUGS13SXP010
11	SUGS13SXP011

WATSON GLOVES**Stealth Dog Fight**

Aramid fibre seamless knit shell with hi-vis safety yellow sandy nitrile coating. Ergonomically formed with an extended snug-fitting knit wrist.

**WAT357M**

Size	ANSI/ISEA Cut Level	ANSI/ISEA Abrasion Level	Lining	Coating Material	Coating Coverage	Cuff	Colour	Finger Style	Thumb Style	Item No.
Small	A5	4	HPPE composite fiber	Sandy Nitrile	Palm	Knit	Grey, Yellow	Full Finger	Straight	WAT357S
Medium	A5	4	HPPE composite fiber	Sandy Nitrile	Palm	Knit	Grey, Yellow	Full Finger	Straight	WAT357M
Large	A5	4	HPPE composite fiber	Sandy Nitrile	Palm	Knit	Grey, Yellow	Full Finger	Straight	WAT357L
X-Large	A5	4	HPPE composite fiber	Sandy Nitrile	Palm	Knit	Grey, Yellow	Full Finger	Straight	WAT357X
2X-Large	A5	4	HPPE composite fiber	Sandy Nitrile	Palm	Knit	Grey, Yellow	Full Finger	Straight	WAT357XXL

HYFLEX CR+**HyFlex® 11-511**

- Exclusive Stretch Armor lining, silicone and latex-free provides reinforced abrasion resistance
- Knitted Variable Stitch Design (KVSD) anatomically matched to the human hand, reducing hand fatigue
- Agriculture Canada accepted
- Cut Protection EN Level 4/ANSI Level 4

**ANL11-511-6**

Size	Item No.
DuPont™ Kevlar® Stretch Liner with Spandex, Foam Nitrile Palm Coated, Green	ANL11-511-6
6	ANL11-511-7
7	ANL11-511-8
8	ANL11-511-9
9	ANL11-511-10
10	ANL11-511-11
11	

HYFLEX

HyFlex® 11-510

- Patented nylon and Kevlar® zonal plaiting on palm and back of hand provides reinforced abrasion resistance
- Knitted Variable Stitch Design (KVSD) anatomically matched to the human hand, reducing hand fatigue
- ComfortFlex cuff incorporates a padded nylon area inside the cuff for a soft feel and sweat absorption
- Black foam nitrile coated palm for enhanced grip with good abrasion resistance
- Cut protection EN Level 3 / ANSI Level 2



ANL11-510-8

Size	Item No.
6	ANL11-510-6
7	ANL11-510-7
8	ANL11-510-8
9	ANL11-510-9
10	ANL11-510-10
11	ANL11-510-11

BOB DALE

BDG® X A2 Glove

Seamless HPPE knit blend cut resistant gloves. Polyurethane coated palm and fingers repel liquids and provide firm wet or dry grip.



ALG99-1-9780-7

Size	Item No.
Small	ALG99-1-9780-7

MICROFLEX

**ActivArmr® Hi-Viz™ Oil Impermeable/
Enhanced Grip Gloves**

- Enhanced grip in wet or oily conditions
- Vivid orange colour for greater visibility
- Contact heat rated EN407 category 1

- Nylon, Kevlar®, spandex, polyester, low-melt polyethylene lining
- Latex blend/NBR-CR coating



ANL97-100-11

BOB DALE

Ninja® X4

13-gauge synthetic fibre/fiberglass seamless knit. Bi-polymer palm provides softness and durability. Economical and effective cut protection. Treated with Actifresh® to kill bacteria and promote freshness. CFIA approved for direct food contact. CE standard 4432 Cut Level 4.



ALG99-1-9730-8

Size	Item No.
7	ALG99-1-9730-7
8	ALG99-1-9730-8
9	ALG99-1-9730-9
10	ALG99-1-9730-10
11	ALG99-1-9730-11

BOB DALE

BDG® X3 Ice Gloves

Abrasion- and puncture-resistant cold insulated gloves.



ALG99-9-300-7

Item	Glove Size	Item No.
Coated Glove	S	ALG99-1-9780-7
Coated Glove	S	ALG99-9-300-7
Coated Glove	M	ALG99-9-300-8
Coated Glove	L	ALG99-9-300-9
Coated Glove	2XL	ALG99-9-300-11

MICROFLEX

ActivArmr® Hi-Viz™ Cold Weather Gloves

- 2-ply acrylic brushed liner performs in conditions down to -20° C
- Vivid orange colour contrasts the black nitrile for greater visibility



ANL97-011-9

Glove Size	ANSI/ISEA Puncture Level	ANSI/ISEA Abrasion Level	Lining	Palm Material	Coating Coverage	Coating Finish	Cuff	Colour	Item No.
8	2	4	Acrylic/Polyester	Nitrile	¾	Rough	Knit Wrist	Orange	ANL97-011-8
9	2	4	Acrylic/Polyester	Nitrile	¾	Rough	Knit Wrist	Orange	ANL97-011-9
10	2	4	Acrylic/Polyester	Nitrile	¾	Rough	Knit Wrist	Orange	ANL97-011-10
11	2	4	Acrylic/Polyester	Nitrile	¾	Rough	Knit Wrist	Orange	ANL97-011-11

ANSELL, MICROFLEX

ActivArmr® Hi-Viz™ Medium Duty Gloves

- Techcor® knitting technology
- Vivid orange colour for greater visibility
- Reflective logo to enhance safety in dark/low light conditions



ANL97-013-11

Size	ANSI/ISEA Puncture Level	ANSI/ISEA Abrasion Level	Palm Material	Coating Coverage	Coating Finish	Cuff	Colour	Brand	Item No.
7	2	4	Nitrile, Polyurethane	Palm	Smooth	Knit Wrist	Orange	Microflex	ANL97-013-7
8	2	4	Nitrile, Polyurethane	Palm	Smooth	Knit Wrist	Orange	Microflex	ANL97-013-8
9	2	4	Water-Based Polyurethane, Nitrile	Palm	Smooth	Knit Wrist	Orange	Microflex	ANL97-013-9
10	2	4	Nitrile, Polyurethane	Palm	Smooth	Knit Wrist	Orange	Microflex	ANL97-013-10
11	2	4	Nitrile, Polyurethane	Palm	Smooth	Knit Wrist	Orange	Ansell	ANL97-013-11

BOB DALE, CONDOR

Carton Handling Gloves

- Cut resistant gloves
- 13 gauge heavy-duty knit
- Nitrile dotted palms and dipped finger tips, except ALG99-1-9780-8 and ALG99-1-9780-10, which has polyurethane palm-dipped coating



CDRGKC3D9

Size	Brand	Item No.
7	Condor	CDRGKC3D7
9	Condor	CDRGKC3D9
Medium	Bob Dale	ALG99-1-9780-8
X-Large	Bob Dale	ALG99-1-9780-10

SUPERIOR GLOVE

Endura® Hi-Viz Chainsaw Gloves

- Eight-layer lining of Kevlar® on the back of the hand, a specific chain-arrest woven Kevlar® that provides a level of cut resistance, tested to withstand a chainsaw running at 3,140 feet per minute (16 m/s)
- Meets the EN 381:1999 Class 0 for chainsaw gloves
- Water-repellant, smooth grain goatskin leather palms that have built in anti-vibration reinforcement
- Elasticized velcro wrists. The fabric on the back of the hand is constructed with stretchy nylon/Lycra fabric, laminated with a water-repellent breathable membrane



SUG385CS-LGE

Chainsaw Glove, Eight-layer	Size	Item No.
	Medium	SUG385CS-MED
	Large	SUG385CS-LGE
	Ex-Large	SUG385CS-XL

MCR SAFETY

93861 Memphis Hero™

Blended Kevlar, stainless steel, and other fibers are used for general-purpose work applications to provide cut and abrasion resistance.



MSF93861S

Glove Size	ANSI/ISEA Cut Level - 2011	Lining	Gauge	Coating Material	Coating Coverage	Cuff	Colour	Item No.
S	4	Kevlar®/Steel	7	Leather	Palm	Knit	Grey	MSF93861S
M	4	Kevlar®/Steel	7	Leather	Palm	Knit Wrist	Multi	MSF93861M
L	4	Kevlar®/Steel	7	Leather	Palm	Knit	Grey	MSF93861L
XL	4	Kevlar®/Steel	7	Leather	Palm	Knit Wrist	Multi	MSF93861XL
2XL	4	Kevlar®/Steel	7	Leather	Palm	Knit Wrist	Multi	MSF93861XXL

MCR SAFETY

93867 Memphis Hero™

Blended Kevlar, stainless steel, and other fibers are used for general-purpose work applications to provide cut and abrasion resistance.



MSF93867M

Size	ANSI/ISEA Cut Level	Lining	Gauge	Glove Coating Material	Coating Coverage	Cuff	Colour	Item No.
XS	A6	Kevlar®/Steel	7	PVC	Palm	Knit Wrist	Blue, Yellow	MSF93867XS
S	A6	Kevlar®/Steel	7	PVC	Palm	Knit Wrist	Blue, Yellow	MSF93867S
M	A6	Kevlar®/Steel	7	PVC	Palm	Knit Wrist	Blue, Yellow	MSF93867M
L	A6	Kevlar®/Steel	7	PVC	Palm	Knit Wrist	Blue, Yellow	MSF93867L
XL	A6	Kevlar®/Steel	7	PVC	Palm	Knit Wrist	Blue, Yellow	MSF93867XL

MICROFLEX

HyFlex® 11-515

High visibility glove with a high level cut-resistance. The extended cuff offers additional wrist protection and the foam nitrile coating provides longer wear.



ANL11-515-7

Size	ANSI/ISEA Puncture Level	ANSI/ISEA Abrasion Level	Palm Material	Glove Coating Material	Coating Coverage	Coating Finish	Cuff	Colour	Gauge	Item No.
6	3	4	Hybrid Nitrile Foam	Nitrile	Palm	Smooth	Elasticized Knit Wrist	Orange, Yellow	13	ANL11-515-6
7	3	4	Hybrid Nitrile Foam	Nitrile	Palm	Smooth	Elasticized Knit Wrist	Orange, Yellow	13	ANL11-515-7
8	3	4	Nitrile	Foam Nitrile	Palm	Smooth	Elasticized Knit Wrist	Orange, Yellow	13	ANL11-515-8
9	3	4	Nitrile	Foam Nitrile	Palm	Smooth	Elasticized Knit Wrist	Orange, Yellow	13	ANL11-515-9
10	3	4	Nitrile	Foam Nitrile	Palm	Smooth	Elasticized Knit Wrist	Orange, Yellow	13	ANL11-515-10
11	3	4	Hybrid Nitrile Foam	Nitrile	Palm	Smooth	Elasticized Knit Wrist	Orange, Yellow	13	ANL11-515-11

ANSELL, MICROFLEX

HyFlex® with INTERCEPT™ Technology – 18-Gauge

Features an 18-gauge ultra lightweight liner with INTERCEPT™ Technology yarns. Liner also features Zonz™ Comfort Fit Technology for breathability and ergonomic movement.



ANL11-531-6



ANL11-537-6

Size	ANSI/ISEA Cut Level - 2011	ANSI/ISEA Abrasion Level	Back Material	Gauge	Palm Material	Coating Coverage	Coating Finish	Colour	Brand	Item No.
6	2	4	HPPE, Nylon, Spandex®	18	Nitrile	Palm	Smooth	Black, Grey	Microflex	ANL11-531-6
7	2	4	HPPE, Nylon, Spandex®	18	Nitrile	Palm	Smooth	Black, Grey	Microflex	ANL11-531-7
8	2	4	HPPE, Nylon, Spandex®	18	Nitrile	Palm	Smooth	Grey	Microflex	ANL11-531-8
9	2	4	HPPE, Nylon, Spandex®	18	Nitrile	Palm	Smooth	Grey	Microflex	ANL11-531-9
10	2	4	HPPE, Nylon, Spandex®	18	Nitrile	Palm	Smooth	Grey	Microflex	ANL11-531-10
11	2	4	HPPE, Nylon, Spandex®	18	Nitrile	Palm	Smooth	Black, Grey	Microflex	ANL11-531-11
6	2	4	HPPE, Nylon, Spandex®	18	Nitrile	¾	Smooth	Black, Grey	Microflex	ANL11-537-6
7	2	4	HPPE, Nylon, Spandex®	18	Nitrile	¾	Smooth	Black, Grey	Microflex	ANL11-537-7
8	2	4	HPPE, Nylon, Spandex®	18	Nitrile	¾	Smooth	Black, Grey	Ansell	ANL11-537-8
9	2	4	HPPE, Nylon, Spandex®	18	Nitrile	¾	Smooth	Black, Grey	Microflex	ANL11-537-9
10	2	4	HPPE, Nylon, Spandex®	18	Nitrile	¾	Smooth	Black, Grey	Ansell	ANL11-537-10
11	2	4	HPPE, Nylon, Spandex®	18	Nitrile	¾	Smooth	Black, Grey	Ansell	ANL11-537-11
6	2	4	HPPE, Nylon, Spandex®	18	Nitrile	—	Smooth	Black, Grey	Microflex	ANL11-539-6
7	2	4	HPPE, Nylon, Spandex®	18	Nitrile	—	Smooth	Black, Grey	Microflex	ANL11-539-7

ANSELL, HYFLEX, MICROFLEX

HyFlex® with INTERCEPT™ Technology

Features an ultra lightweight liner with INTERCEPT™ Technology yarns. Liner also features an optimized Lycra® content that is soft and cool on the skin.



ANL11-724-6

ANL11-727-6

Glove Size	ANSI/ISEA Cut Level - 2011	ANSI/SEA Abrasion Level	Back Material	Gauge	Palm Material	Coating Coverage	Coating Finish	Colour	Brand	Item No.
6	2	6	HPPE, Nylon, Spandex®	13	Silicone	Palm	Smooth	Black, White	Microflex	ANL11-724-6
7	2	6	HPPE, Nylon, Spandex®	13	Silicone	Palm	Smooth	Black, White	Microflex	ANL11-724-7
8	2	6	HPPE, Nylon, Spandex®	13	Silicone	Palm	Smooth	Black, White	Microflex	ANL11-724-8
9	2	6	HPPE, Nylon, Spandex®	13	Silicone	Palm	Smooth	Black, White	Microflex	ANL11-724-9
10	2	6	HPPE, Nylon, Spandex®	13	Silicone	Palm	Smooth	Black, White	Ansell	ANL11-724-10
11	2	6	HPPE, Nylon, Spandex®	13	Silicone	Palm	Smooth	Black, White	Microflex	ANL11-724-11
6	2	6	HPPE, Nylon, Lycra®	15	Polyurethane	Palm	Smooth	Grey	Microflex	ANL11-727-6
7	2	6	HPPE, Nylon, Lycra®	15	Polyurethane	Palm	Smooth	Grey	Microflex	ANL11-727-7
8	2	6	HPPE, Nylon, Lycra®	15	Polyurethane	Palm	Smooth	Grey	Microflex	ANL11-727-8
9	2	6	HPPE, Nylon, Lycra®	15	Polyurethane	Palm	Smooth	Grey	Microflex	ANL11-727-9
10	2	6	HPPE, Nylon, Lycra®	15	Polyurethane	Palm	Smooth	Grey	Microflex	ANL11-727-10
11	2	6	HPPE, Nylon, Lycra®	15	Polyurethane	Palm	Smooth	Grey	Microflex	ANL11-727-11
6	4	6	HPPE, Nylon, Fiberglass, Spandex®	10	Polyurethane	Palm	Smooth	Black, White	Hyflex	ANL11-735-6
7	4	6	HPPE, Nylon, Fiberglass, Spandex®	10	Polyurethane	Palm	Smooth	Black, White	Hyflex	ANL11-735-7
8	4	6	HPPE, Nylon, Fiberglass, Spandex®	10	Polyurethane	Palm	Smooth	Black, White	Hyflex	ANL11-735-8
9	4	6	HPPE, Nylon, Fiberglass, Spandex®	10	Polyurethane	Palm	Smooth	Black, White	Hyflex	ANL11-735-9
10	4	6	HPPE, Nylon, Fiberglass, Spandex®	10	Polyurethane	Palm	Smooth	Black, White	Hyflex	ANL11-735-10
11	4	6	HPPE, Nylon, Fiberglass, Spandex®	10	Polyurethane	Palm	Smooth	Black, White	Hyflex	ANL11-735-11

HYFLEX**HyFlex® 11-541**

- Protection plus performance
- 18-gauge ultra lightweight liner with INTERCEPT™ Technology yarns that provide ANSI Cut Level 4
- ZonZ™ Comfort Fit Technology for breathability and ergonomic movement

Size	ANSI/ISEA Cut Level - 2011	ANSI/ISEA Abrasion Level	Back Material	Gauge	Palm Material	Coating Coverage	Coating Finish	Cuff	Colour	Item No.
6	4	4	Kevlar®, Stainless Steel, Nylon	18	Silicone	Palm	Smooth	Knit	Grey	ANL11-541-6
7	4	4	Kevlar®, Stainless Steel, Nylon	18	Silicone	Palm	Smooth	Knit	Grey	ANL11-541-7
8	4	4	Kevlar®, Stainless Steel, Nylon	18	Nitrile	Palm	Smooth	Knit	Grey	ANL11-541-8
9	4	4	Kevlar®, Stainless Steel, Nylon	18	Nitrile	Palm	Smooth	Knit	Grey	ANL11-541-9
10	4	4	Kevlar®, Stainless Steel, Nylon	18	Nitrile	Palm	Smooth	Knit	Grey	ANL11-541-10
11	4	4	Kevlar®, Stainless Steel, Nylon	18	Nitrile	Palm	Smooth	Knit	Grey	ANL11-541-11

ANL11-541-8

**MICROFLEX****HyFlex® 11-947/11-948**

- Good blade cut resistance and very good grip properties due to the nitrile micro finishing of the coating
- Flexible and comfortable
- Coating resistant to residual oils and greases present on handled parts



ANL11-947-7

Size	ANSI/ISEA Cut Level - 2011	ANSI/ISEA Abrasion Level	Lining	Gauge	Palm Material	Coating Coverage	Coating Finish	Cuff	Colour	Item No.
7	3	4	High Performance Fibre with Techcor® Technology	13	Nitrile	¾	Crinkle	Elasticized Knit Wrist	Black, Blue	ANL11-947-7
8	3	4	High Performance Fibre with Techcor® Technology	13	Nitrile	¾	Crinkle	Elasticized Knit Wrist	Black, Blue	ANL11-947-8
9	3	4	High Performance Fibre with Techcor® Technology	13	Nitrile	¾	Crinkle	Elasticized Knit Wrist	Black, Blue	ANL11-947-9
10	3	4	High Performance Fibre with Techcor® Technology	13	Nitrile	¾	Crinkle	Elasticized Knit Wrist	Black, Blue	ANL11-947-10
11	3	4	High Performance Fibre with Techcor® Technology	13	Nitrile	¾	Crinkle	Elasticized Knit Wrist	Black, Blue	ANL11-947-11
7	3	4	High Performance Fibre with Techcor® Technology	13	Nitrile	¾	Crinkle	Safety	Black, Blue	ANL11-948-7
8	3	4	High Performance Fibre with Techcor® Technology	13	Nitrile	¾	Crinkle	Safety	Black, Blue	ANL11-948-8
9	3	4	High Performance Fibre with Techcor® Technology	13	Nitrile	¾	Crinkle	Safety	Black, Blue	ANL11-948-9
10	3	4	High Performance Fibre with Techcor® Technology	13	Nitrile	¾	Crinkle	Safety	Black, Blue	ANL11-948-10

ANL11-948-8

**GOLDKNIT****Sleeves – GoldKnit®**

- 100% Kevlar® String Knit
- Double-layered construction for extra cut resistance
- Provides forearm protection from minor heat and burn injuries
- ANSI cut level 3, CE cut level 3



ANL70-118-18

	Length (in.)	Item No.
With Thumb Slot		
10		ANL70-118-10
14		ANL70-118-14
18		ANL70-118-18
Without Thumb Slot		
8		ANL70-128-8
10		ANL70-128-10
18		ANL70-128-18

MCR SAFETY**Cut-Resistant Sleeves
100% Kevlar®**

- Economy weight 1 and 2 ply
- Launderable
- Sold individually



MSF9371E

Sleeve Style	Description	Sleeve Length	ANSI/ISEA Cut Level	Item No.
Without Thumbhole	1 Ply, No Thumb Hole	10 in	A2	MSF9371ES
—	2 Ply, No Thumb Hole	10 in	A3	MSF9371E
—	2 Ply, No Thumb Hole	14 in	A3	MSF9374E
—	2 Ply, No Thumb Hole	18 in	A3	MSF9378E
With Thumbhole	2 ply, Thumb Hole	10 in	A3	MSF9371TE
With Thumbhole	2 ply, Thumb Hole	18 in	A3	MSF9378TE
With Thumbhole	—	12 in	A3	MSF9372T
With Thumbhole	—	14 in	A3	MSF9374T

KEVLAR

Kevlar® Cut Resistant Sleeves

100% Kevlar® by Dupont knit sleeve products offer heat and cut protection.



JMC SK10-1PLY

Description	Item No.
2-Ply, 10"	JMC SK10
Single Ply, 10"	JMC SK10-1PLY
2-Ply, 12"	JMC SK12
2-Ply, 12" with Thumb Hole	JMC SK12H
2-Ply, 14" with Thumb Hole	JMC SK14H
2-Ply, 18"	JMC SK18
2-Ply, 18" with Thumb Hole	JMC SK18H

JOMAC

Armguard II

- Outstanding cut resistance to reduce the risk of laceration
- Exceptional comfort and softness
- Excellent wear resistance
- Sold individually
- Glove sold separately



WPW333559

Size	Item No.
10" Sleeve	WPW333559
20" Sleeve	WPW333562

JACKSON SAFETY

Jackson Safety* G60 ANSI Level 3 Cut-Resistant Sleeves

- Dyneema® fibre with nylon, Lycra® fibre and glass liner provides cut resistance and a comfortable fit
- Proprietary closure on arm and wrist
- ANSI level 3 cut-resistance



Description	Item No.
Cut-Resistant Sleeve	KMB90075

SHOWA

T-Flex® Sleeve

Gray 15 gauge seamless cut-resistant knit sleeve. Dyneema® engineered fiber. Approved for food handling. ANSI cut Level 4. CFIA. Sold individually.



BEMS8115L16

Size	Length	Item No.
Medium	16"	BEMS8115M16
Large	16"	BEMS8115L16

HYFLEX

Cut-High Comfort Sleeves with Compression Profile

- Cut Resistant
- Ergonomic Fit
- Comfort
- 18" length



ANSI/ISEA Abrasion Level	ANSI/ISEA Cut Level	Item No.
Cut-High Comfort Sleeve with Compression Profile	A5	ANL11290180N
3	A5	ANL11290180W

MCR SAFETY

Steelcore® II Stainless Steel Polyester Gloves

Provide ultimate protection from cuts. Strands of stainless steel wrapped with polyester fiber add strength and comfort to this cut resistant offering.



MSF9350S

Glove Size	ANSI/ISEA Cut Level	Palm Material	Gauge	Cuff	Item No.
X-Small (6)	A8	Steelcore	7	Knit Wrist	MSF9350XS
Small (7)	A8	Steelcore	7	Knit Wrist	MSF9350S
Medium (8)	A8	Steelcore	7	Knit Wrist	MSF9350M
Large (9)	A8	Steelcore	7	Knit Wrist	MSF9350L
X-Large (10)	A8	Steelcore	7	Knit Wrist	MSF9350XL
X-Small (6)	A6	Steelcore	10	Knit Wrist	MSF9356XS
Small (7)	A6	Steelcore	10	Knit Wrist	MSF9356S
Medium (8)	A6	Steelcore	10	Knit Wrist	MSF9356M
Large (9)	A6	Steelcore	10	Knit Wrist	MSF9356L
X-Large (10)	A6	Steelcore	10	Knit Wrist	MSF9356XL

BDG, SUPERIOR GLOVE, WATSON GLOVES

Cut-Resistant Leather Gloves

Cut-resistant leather gloves have cut-resistant liner and stitching to protect hands from cuts and lacerations. Leather naturally resists abrasion and protects from incidental contact with heat and sparks. Cut-resistant gloves are used wherever workers encounter sharp items, such as when installing ductwork, and handling cardboard, heavy plate glass, and cut and stamped metal.



ALG2015000L

SUGSTAGBLPVBX2

WAT9547TPRL

WAT9549TPRS

Glove Size	Glove Length	ANSI/ISEA Impact Level	ANSI/ISEA Abrasion Level	ANSI/ISEA Puncture Level	ANSI/ISEA Cut Level	Brand	Item No.
Cowhide							
Brown, Grey, Yellow							
XS	9.25 in	1	1	5	A8	Superior Glove	SUGSTAGBLPVBS
S	9.25 in	1	1	5	A8	Superior Glove	SUGSTAGBLPVBM
M	9 in	1	1	5	A8	Superior Glove	SUGSTAGBLPVBL
L	9.5 in	1	1	5	A8	Superior Glove	SUGSTAGBLPVXL
XL	10 in	1	1	5	A8	Superior Glove	SUGSTAGBLPV2X
2XL	10 in	1	1	5	A8	Superior Glove	SUGSTAGBLPV3X
3XL	10 in	1	1	5	A8	Superior Glove	SUGSTAGBLPVBX2
Goatskin							
Black, Grey							
XS	9 in	2	4	4	A6	Bdg	ALG20-1-5000XS
S	14 in	2	4	4	A6	Bdg	ALG2015005S
M	14 in	2	4	4	A6	Bdg	ALG2015005M
L	14 in	2	4	4	A6	Bdg	ALG2015005L
XL	14 in	2	4	4	A6	Bdg	ALG2015005XL
2XL	14 in	2	4	4	A6	Bdg	ALG2015005X2L
3XL	14 in	2	4	4	A6	Bdg	ALG2015005X3L
XS	14 in	2	4	4	A6	Bdg	ALG20-1-5005XS
Red, White							
Small (7)	9 1/2 in	2	5	4	A7	Watson Gloves	WAT9547TPRS
8	9 1/2 in	2	5	4	A7	Watson Gloves	WAT9547TPRM
9	9 1/2 in	2	5	4	A7	Watson Gloves	WAT9547TPRL
X-Large (10)	9 1/2 in	2	5	4	A7	Watson Gloves	WAT9547TPRX
2X-Large (11)	9 1/2 in	2	5	4	A7	Watson Gloves	WAT9547TPRXXL
White							
X-Small	10 in	—	5	4	A7	Watson Gloves	WAT9547XS
X-Large (10)	9 1/2 in	—	5	4	A7	Watson Gloves	WAT9547X
2X-Large (11)	9 1/2 in	—	5	4	A7	Watson Gloves	WAT9547XXL
Red, White							
Small (7)	13 in	2	5	5	A7	Watson Gloves	WAT9549TPRS
8	13 in	2	5	5	A7	Watson Gloves	WAT9549TPRM
9	13 in	2	5	5	A7	Watson Gloves	WAT9549TPRL
X-Large (10)	13 in	2	5	5	A7	Watson Gloves	WAT9549TPRX
2X-Large (11)	13 in	2	5	5	A7	Watson Gloves	WAT9549TPRXXL
Synthetic Leather							
Black, Grey							
S	9 in	2	4	4	A6	Bdg	ALG2015000S
L	9 in	2	4	4	A6	Bdg	ALG2015000L
M	9 in	2	4	4	A6	Bdg	ALG2015000M
XL	9 in	2	4	4	A6	Bdg	ALG2015000XL
2-XL	9 in	2	4	4	A6	Bdg	ALG2015000X2L
3XL	9 in	2	4	4	A6	Bdg	ALG2015000X3L

HEXARMOR

9000 Series™ 9010

- Cut resistant knit shell for added protection
- Puncture protection on the palm and fingers from wires, metal and glass
- Enhanced dexterity and comfort
- Nitrile palm coating for enhanced grip
- Machine washable
- Highest level cut resistance – ISEA Level 5



HEX9010-9

Size	Item No.
7	HEX9010-7
8	HEX9010-8
9	HEX9010-9
10	HEX9010-10
11	HEX9010-11

HEXARMOR

PointGuard® X 6044

PointGuard® X gloves are designed to be compatible with a disposable outer glove to provide extra durability.

- Uses 3 layers of the highest sharps (needlestick) protection technology available
- Highly cut resistance – Level 5 on ISEA guideline
- Should be worn as a liner



HEX6044S

Size	Item No.
Small	HEX6044S
Medium	HEX6044M
Large	HEX6044L
X-Large	HEX6044XL

HEXARMOR
SteelLeather®
5033

High cut and puncture resistant protection on the palm and fingers. Back of hand patch provides additional cut protection.

- Highly cut resistant – Level 5 on ISEA guideline
- Industrial puncture protection from wires, metal and glass



HEX5033-9

HEXARMOR
Rig Lizard® 2021

Size	Palm Material	Lining	Knuckle Padding Material	ANSI/ISEA Abrasion Level	ANSI/ISEA Puncture Level	Item No.
7	TP-X®	Synthetic Leather	Thermal Plastic Rubber	4	4	HEX2021-7
11	TP-X®	Synthetic Leather	Thermal Plastic Rubber	4	4	HEX2021-11
12	TP-X®	Synthetic Leather	Thermal Plastic Rubber	4	4	HEX2021-12



HEX2021-7

HEXARMOR
Lizard Arctic® 2023

Size	Palm Material	Lining	Knuckle Padding Material	ANSI/ISEA Abrasion Level	ANSI/ISEA Puncture Level	Item No.
7	Synthetic Leather	H2X™ and C40 Thinsulate™ interior lining	Thermal Plastic Rubber	Not Tested	5	HEX2023-7
8	Synthetic Leather	H2X™ and C40 Thinsulate™ interior lining	Thermal Plastic Rubber	Not Tested	5	HEX2023-8
9	Synthetic Leather	H2X™ and C40 Thinsulate™ interior lining	Thermal Plastic Rubber	Not Tested	5	HEX2023-9
10	Synthetic Leather	H2X™ and C40 Thinsulate™ interior lining	Thermal Plastic Rubber	Not Tested	5	HEX2023-10
11	Synthetic Leather	H2X™ and C40 Thinsulate™ interior lining	Thermal Plastic Rubber	Not Tested	5	HEX2023-11
12	Synthetic Leather	H2X™ and C40 Thinsulate™ interior lining	Thermal Plastic Rubber	Not Tested	5	HEX2023-12



HEX2023-9

HEXARMOR
2000 Series™ 2082

Size	Palm Material	Lining	Back Material	ANSI/ISEA Abrasion Level	ANSI/ISEA Puncture Level	Item No.
7	Neoprene, Nitrile Blend	Kevlar/Wool	Kevlar®/Wool	3	4	HEX2082-7
11	Neoprene, Nitrile Blend	Kevlar/Wool	Kevlar®/Wool	3	4	HEX2082-11



HEX2082-7

BOB DALE

GP14DG
Series

CDRGP14DG-SM

Leather Mechanic's Style Work Glove with Double Layered Padded Palm

Goatskin double layered padded leather palm for durability with neoprene padded knuckle, black spandex mesh back for comfort and a slip on elastic wrist with velcro tab closure for a more comfortable fit.

Size	Colour	Item No.
Small	Black, Yellow	ALG20-1-1214S
Large	Black, Yellow	ALG20-1-1214L
2X-Large	Black, Yellow	ALG20-1-1214-2XL
X-Large	Black, Yellow	ALG20-1-1214XL

BOB DALE

Performance Gloves
- Mechanic's

- Synthetic palm
- Spandex back
- Hook-and-Loop cuff style



ALG20-1-10603B-L

CONDOR

Performance Oil & Gas Gloves

CDRGP4S

Condor's performance gloves provide reinforced textured leather palm patches with pads for extra impact resistance and provide extra gripping power. They have heavy rubber padded backhand and fingers for the ultimate abrasion and impact protection. Made from synthetic leather which is oil and abrasion resistant while keeping exceptionally comfortable. They are ideal for applications in the petrochemical, gas, and oil industry, and also excellent for lifting and handling.

Item	Size	Item No.
Mechanics Gloves	Small	CDRGP4S

IRONCLAD

Mechanic's Leather Gloves

Size	Palm Material	Palm Construction	Stitching Material	Back Material	Cuff	Colour	Standards	Item No.
S	Goatskin	Single Layer	Nylon	Stretch Polyester	TPR/Hook-and-Loop	Black, Gold	EN 388	IPWG-EXMLG2-02S
M	Goatskin	Single Layer	Nylon	Stretch Polyester	TPR/Hook-and-Loop	Black, Gold	EN 388	IPWG-EXMLG2-03M
L	Goatskin	Single Layer	Nylon	Stretch Polyester	TPR/Hook-and-Loop	Black, Gold	EN 388	IPWG-EXMLG2-04L
X-Large	Goatskin	Single Layer	Nylon	Stretch Polyester	TPR/Hook-and-Loop	Black, Gold	EN 388	IPWG-EXMLG2-05XL
2X-Large	Goatskin	Single Layer	Nylon	Stretch Polyester	TPR/Hook-and-Loop	Black, Gold	EN 388	IPWG-EXMLG2-06XXL



IPWG-EXMLG2-03M

IRONCLAD

Motor Pro Reinforced Gloves

Size	Palm Material	Palm Construction	Knuckle Padding Material	Back Material	Cuff	Colour	Standards	Item No.
S	Synthetic Leather	Double Layer	Foam and Neoprene	Stretch Polyester	TPR/Hook-and-Loop	Black, Green	EN 388	IPWG-EXMPRE02S
M	Synthetic Leather	Double Layer	Foam and Neoprene	Stretch Polyester	TPR/Hook-and-Loop	Black, Green	EN 388	IPWG-EXMPRE03M
L	Synthetic Leather	Double Layer	Foam and Neoprene	Stretch Polyester	TPR/Hook-and-Loop	Black, Green	EN 388	IPWG-EXMPRE04L
X-Large	Synthetic Leather	Double Layer	Foam and Neoprene	Stretch Polyester	TPR/Hook-and-Loop	Black, Green	EN 388	IPWG-EXMPRE05XL
2X-Large	Synthetic Leather	Double Layer	Foam and Neoprene	Stretch Polyester	TPR/Hook-and-Loop	Black, Green	EN 388	IPWG-EXMPRE06XXL



IPWG-EXMPRE03M

IRONCLAD

Women's Tactical Gloves

Size	Palm Material	Palm Construction	Knuckle Padding Material	Back Material	Cuff	Colour	Item No.
S	Synthetic Leather	Single Layer and Seamless	Neoprene Knuckle	Spandex/Neoprene	TPR/Hook-and-Loop	Black	IPWG-EXTPBLK22S
M	Synthetic Leather	Single Layer and Seamless	Neoprene Knuckle	Spandex/Neoprene	TPR/Hook-and-Loop	Black	IPWG-EXTPBLK23M
L	Synthetic Leather	Single Layer and Seamless	Neoprene Knuckle	Spandex/Neoprene	TPR/Hook-and-Loop	Black	IPWG-EXTPBLK24L



IPWG-EXTPBLK24L

MECHANIX WEAR

Cut-Resistant Gloves

▪ Hook and loop cuff

Have touchscreen capable palm and fingers and a thermoplastic rubber (TPR) closure with hook and loop for a secure fit. An internal layer of Armortex® helps protect fingers and palm from abrasions and cuts. Machine washable.

M-Pact E5—Features molded thermoplastic rubber (TPR) impact and pinch-point protection for knuckles and fingers, with added Impact Guard™ EVA foam on the first knuckle. Thumb and index finger grip is enhanced by rubberized tacky material. The D3O® palm padding helps reduce hand fatigue while the TrekDry® material helps keep hands cool and comfortable.

The Original E5—Hands can stay cool and comfortable with TrekDry® material.



Glove Length	Glove Size	ANSI/ISEA Abrasion Level	ANSI/ISEA Cut Level - 2011	Glove Coating Finish	Colour	Item No.
High-Visibility Original® E5						
8 1/2 in	8	Not Tested	5	—	Yellow	MXWSMG-C91-008
8 3/4 in	9	Not Tested	5	—	Yellow	MXWSMG-C91-009
9 in	10	Not Tested	5	—	Yellow	MXWSMG-C91-010
9 1/4 in	11	Not Tested	5	—	Yellow	MXWSMG-C91-011
9 1/2 in	12	Not Tested	5	—	Yellow	MXWSMG-C91-012
M-Pact®						
8 1/2 in	8	4	5	—	Yellow	MXWSMP-C91-008
8 3/4 in	9	4	5	—	Yellow	MXWSMP-C91-009
9 in	10	4	5	—	Yellow	MXWSMP-C91-010
9 1/4 in	11	4	5	—	Yellow	MXWSMP-C91-011
9 1/2 in	12	4	5	—	Yellow	MXWSMP-C91-012



BEMS-TEX300L09



BEMS-TEX303L09



WWG45MU53



WWG36VP96



BEMS-TEX541XXL10

SHOWA Cut-Resistant Gloves

Feature Hagane Coil® design that combines Hagane stainless steel with polyester to provide a high level of cut resistance.

S-TEX® 376—Ergonomic design with a 3/4 nitrile-coated base that helps protect from abrasion, grease, and oil. An additional coating of nitrile foam covers the palm and fingertips to provide a secure lasting grip in oily and wet conditions.

S-TEX® 300—The form-fitting design allows maximum dexterity while the natural rubber palm coating has a rough textured finish for a secure grip under dry or wet conditions. Open-back design offers breathability for greater comfort.

S-TEX® 541—Polyurethane coating for dexterity, flexibility, abrasion resistance, and protects hands from grease and oil. Seamless liner helps prevent irritation for enhanced comfort. Ergonomic design reduces hand fatigue and the open back design helps promote breathability for greater comfort.

S-TEX® 303—Feature a shell with the added combination of Kevlar® to the stainless steel core for excellent hand protection from cuts and lacerations. Rubber palm coating for greater wet/dry grip and enhanced durability. Open-back design offers extra comfort and flexibility.

Glove Length	ANSI/SEA Abrasion Level	ANSI/SEA Cut Level	Glove Coating Finish	Cuff	Colour	Glove Size	Item No.
S-TEX 300							
9.5 in	4	A4	Smooth	Knit	Black, Yellow	L	BEMS-TEX300L09
9.5 in	4	A4	Smooth	Knit	Black, Yellow	M	BEMS-TEX300M08
9.5 in	4	A4	Smooth	Knit	Black, Yellow	XL	BEMS-TEX300XL10
S-TEX 303							
10.5 in	4	A8	Smooth	Knit	Black, Yellow	M	BEMS-TEX303M08
11 in	4	A8	Smooth	Knit	Black, Yellow	L	BEMS-TEX303L09
11 in	4	A8	Smooth	Knit	Black, Yellow	XL	BEMS-TEX303XL10
S-TEX 376							
10.75 in	4	A4	Smooth	Knit	Black, Blue, Grey	2XL	WWG45MU53
10 in	4	A4	Smooth	Knit	Black, Blue, Grey	L	WWG36VP98
10 in	4	A4	Smooth	Knit	Black, Blue, Grey	M	WWG36VP97
10 in	4	A4	Smooth	Knit	Black, Blue, Grey	S	WWG36VP96
10 in	4	A4	Smooth	Knit	Black, Blue, Grey	XL	WWG36VP99
S-TEX 541							
10 in	6	A4	Smooth	Knit	Black, Grey	2XL	BEMS-TEX541XXL10
10 in	6	A4	Smooth	Knit	Black, Grey	L	BEMS-TEX541L08
10 in	6	A4	Smooth	Knit	Black, Grey	M	BEMS-TEX541M07
10 in	6	A4	Smooth	Knit	Black, Grey	S	BEMS-TEX541S06
10 in	6	A4	Smooth	Knit	Black, Grey	XL	BEMS-TEX541XL09

CONDOR**Cold-Condition Gloves**

Fully coated, durable double PVC provides abrasion resistance and tactility while the foam/jersey liner provides flexibility and dexterity. Smooth finish.

**CDR4NMU2****CDR4NMU3****CDR4NMU4**

Length	Cuff	Colour	Size	Item No.
10 1/4"	Knit Wrist	Orange	Large	CDR4NMU2
10 1/4"	Safety	Orange	Large	CDR4NMU3
11 1/4"	Gauntlet	Orange	Large	CDR4NMU4

HEXARMOR**SuperFabric® Arm Guards**

- Sold individually

Durable SuperFabric® guard plate provides high levels of puncture and cut protection. Material is lightweight, cooler than knit or leather, and won't snag, fray, or tear.

Length	ANSI/ISEA Abrasion Level	ANSI/ISEA Cut Level	Colour	Size	Item No.
9"	6	A7	Grey	L	HEXAG10009S-L
9"	6	A7	Grey	M	HEXAG10009S-M
9"	6	A7	Grey	S	HEXAG10009S-S
9"	6	A7	Grey	XL	HEXAG10009S-XL
19"	6	A7	Black	L	HEXAS019S-L
19"	6	A7	Black	M	HEXAS019S-M
19"	6	A7	Black	S	HEXAS019S-S
19"	6	A7	Black	XL	HEXAS019S-XL

ACTIVARMR, POLARIS, SHOWA**Cold Protective and Cut-Resistant Gloves**

Warm, weatherproof, grease- and oil-repelling, fully coated gloves resist chemicals and abrasion. The PVC coating stays flexible at low temperatures and provides excellent grip. No. ANL23-491 adds a fluorescent vinyl dip for visibility.

**ANL23-493****ANL23-173****BEM406L08**

Back Material Coated Glove	Palm Material	Lining	ANSI/ISEA Cut Level	Min. Temp.	Cuff	Colour	Glove Size	Brand	Item No.
PVC	PVC	Cotton Jersey	—	—	Safety	Tan	8	Polaris	ANL23-173
PVC	PVC	Cotton Jersey	—	—	Safety	Tan	8	Activarmr	ANL23-193
—	—	Insulated Acrylic	A1	-22°F	Knit Wrist	Black, Orange	M	Showa	BEM406M07
—	—	Insulated Acrylic	A1	-22°F	Knit Wrist	Black, Orange	L	Showa	BEM406L08
—	—	Insulated Acrylic	A1	-22°F	Knit Wrist	Black, Orange	XL	Showa	BEM406XL09
—	—	Insulated Acrylic	A1	-22°F	Knit Wrist	Black, Orange	2XL	Showa	BEM406XXL10

NATIONAL SAFETY APPAREL

Cryogenic Gloves

- Sold by the pair
 - Temp. Range: -260° to -300°F
- These gloves provide excellent thermal protection for hands and arms in ultracold environments and cryogenic atmospheres. Gloves with silicone-coated material in the palm allow for enhanced grip and durability. Waterproof gloves provide additional protection against cryogenic splashes. Not intended for immersion in liquid cryogens. Meets EN 511 standard.



WWG2AFA6



WWG2AEZ9



NSAG99CRBEMA09R



WWG3PWD8

Item	Glove Length	Lining	Cuff	Colour	Glove Size	Item No.
Laminated Nylon						
Cryogenic Glove	12 in	Thinsulate™	Knit	Blue	S	WWG2AFA6
Cryogenic Glove	12 in	Thinsulate™	Knit	Blue	M	WWG2AFA7
Cryogenic Glove	12 in	Thinsulate™	Knit	Blue	XL	WWG2AFA9
Cryogenic Glove	14 in	Thinsulate™	Gauntlet	Blue	S	WWG2AEZ7
Cryogenic Glove	14 in	Thinsulate™	Gauntlet	Blue	M	WWG2AEZ8
Cryogenic Glove	14 in	Thinsulate™	Gauntlet	Blue	L	WWG2AEZ9
Cryogenic Glove	14 in	Thinsulate™	Gauntlet	Blue	XL	WWG2AFA1
Cryogenic Glove	15 in	Thinsulate™	Gauntlet	Blue	M	NSAG99CRBEMA09R
Cryogenic Glove	15 in	Thinsulate™	Gauntlet	Blue	L	NSAG99CRBEMA10R
Cryogenic Glove	15 in	Thinsulate™	Gauntlet	Blue	XL	NSAG99CRBEMA11R
Cryogenic Glove	15 in	Olefin/Polyester	Gauntlet	Blue	L	NSAG99CRBEMALGR
Cryogenic Glove	17 in	Thinsulate™	Extended	Blue	M	WWG2AEZ4
Cryogenic Glove	17 in	Thinsulate™	Extended	Blue	L	WWG2AEZ5
Cryogenic Glove	17 in	Thinsulate™	Extended	Blue	XL	WWG2AEZ6
Cryogenic Glove	18 in	Thinsulate™	Extended	Blue	S	WWG2AEY9
Cryogenic Glove	18 in	Thinsulate™	Extended	Blue	M	WWG2AEZ1
Cryogenic Glove	18 in	Thinsulate™	Extended	Blue	L	WWG2AEZ2
Cryogenic Glove	18 in	Thinsulate™	Extended	Blue	XL	WWG2AEZ3
Cryogenic Glove	26 in	Thinsulate™	Extended	Blue	L	WWG2AFB5
Cryogenic Glove	26 in	Thinsulate™	Extended	Blue	XL	WWG2AFB6
Cryogenic Glove	26 in	Thinsulate™	Open	Blue	M	WWG2AFA3
Cryogenic Glove	26 in	Thinsulate™	Open	Blue	XL	WWG2AFA5
Laminated Nylon With Silicone Coated Palm						
Cryogenic Glove	15 in	Thinsulate™	Straight	Blue	L	WWG3PWD4
Cryogenic Glove	15 in	Thinsulate™	Straight	Blue	M	WWG3PWD5
Cryogenic Glove	15 in	Thinsulate™	Straight	Blue	S	WWG3PWD6
Cryogenic Glove	15 in	Thinsulate™	Straight	Blue	XL	WWG3PWD7
Cryogenic Glove	18 in	Thinsulate™	Straight	Blue	L	WWG3PWD8
Cryogenic Glove	18 in	Thinsulate™	Straight	Blue	M	WWG3PWD9
Cryogenic Glove	18 in	Thinsulate™	Straight	Blue	XL	WWG3PWE1
Cryogenic Glove	26 in	Thinsulate™	Straight	Blue	L	WWG3PWE2
Cryogenic Glove	26 in	Thinsulate™	Straight	Blue	XL	WWG3PWE4

MCR SAFETY

Polyurethane Palm-Coated Gloves

- For dry environments

Flat-dipped palm and finger coating provide grip and dexterity for small parts handling.



MSF9666S



MSFN9696S



MSF9666L

Glove Length	ANSI/ISEA Abrasion Level	Lining	Glove Coating Finish	Series	Cuff	Colour	Glove Size	Item No.
8.75 in	3	Nylon	Smooth	NXG 9669	Knit Wrist	Black	2	MSF9669XS
9 in	3	Nylon	Smooth	NXG 9669	Knit Wrist	Black	3	MSF9669S
9.5 in	3	Nylon	Smooth	NXG 9669	Knit Wrist	Black	4	MSF9669M
9.25 in	3	Unlined	Smooth	Ninja N9696	Knit Wrist	Black, Blue	3	MSFN9696S
9.75 in	3	Unlined	Smooth	Ninja N9696	Knit Wrist	Black, Blue	4	MSFN9696M
9 in	3	Unlined	Smooth	Ninja N9696	Knit Wrist	Black, Blue	2	MSFN9696XS
9 in	3	Nylon	Smooth	NXG 9666	Knit Wrist	Grey	3	MSF9666S
9.5 in	3	Nylon	Smooth	NXG 9666	Knit Wrist	Grey	4	MSF9666M
10 in	3	Nylon	Smooth	NXG 9669	Knit Wrist	Black	5	MSF9669L
10.5 in	3	Nylon	Smooth	NXG 9669	Knit Wrist	Black	6	MSF9669XL
10 in	3	Unlined	Smooth	Ninja N9696	Knit Wrist	Black, Blue	5	MSFN9696L
10.75 in	3	Unlined	Smooth	Ninja N9696	Knit Wrist	Black, Blue	6	MSFN9696XL
10 in	3	Nylon	Smooth	NXG 9666	Knit Wrist	Grey	5	MSF9666L
10.5 in	3	Nylon	Smooth	NXG 9666	Knit Wrist	Grey	6	MSF9666XL
11 in	3	Nylon	Smooth	NXG 9669	Knit Wrist	Black	7	MSF9669XXL

HYFLEX, HYFLEX CR+, MICROFLEX

Nitrile Coated Gloves

Style 11-600 and 11-601—Designed for light & delicate applications in dry environments that require high levels of dexterity. They offer comfortable & exact handling of small objects.

Style 11-800 and 11-801—For dry environments. Lightweight, flexible gloves allow dexterity with protection and grip in precision assembly and general handling. Increased stretch and flexibility in high-stress areas let the hand move more freely with less fatigue and more comfort, boosted by the excellent breathability. Nylon spandex elastic lessens the risk of latex allergy, and the silicone-free materials reduce potential product contamination.

Style 11-818—Barehand-like tactility. The seamless 18 gauge nylon and spandex liner combined with an ultra thin coating provide a barehand feel for workers who rely on fingertip sensitivity for precision tasks. The FORTIX™ nitrile patent pending foam coating lasts longer than comparable styles under abrasive conditions reducing the total cost of ownership. Ansell ZONZ™ Comfort Fit Technology optimizes the knitting in selected zones of the liner improving support, breathability and range of movement.

Style 11-900—For dry and light oil environments. Oil-repellent industrial work gloves are made for secure handling, dexterity, protection, and comfort. They offer a dry grip and abrasion resistance in moderately oily manufacturing and maintenance tasks.



ANL11-600-10



ANL11-601-10



ANL11-800-10



ANL11-801-10



ANL11-900-10

Glove Length	Length	ANSI/ISEA Abrasion Level	Glove Coating Finish	Cuff	Colour	Glove Size	Brand	Item No.
11-601								
210 to 260 mm	—	3	—	—	Black, Grey	7	Hyflex	ANL11-601-7
210 to 260 mm	—	3	—	—	Black, Grey	8	Hyflex	ANL11-601-8
210 to 260 mm	—	3	—	—	Black, Grey	9	Hyflex	ANL11-601-9
210 to 260 mm	—	3	—	—	Black, Grey	10	Hyflex	ANL11-601-10
11-800								
199 to 265 mm	—	3	—	—	White	6	Hyflex	ANL11-800-6
11-801								
192 to 265 mm	—	3	—	—	Grey	6	Hyflex	ANL11-801-6
11-818								
200 to 270 mm	—	4	—	—	Blue	6	Microflex	ANL11-818-6
200 to 270 mm	8"	5	—	Knit Wrist	Blue	7	Microflex	ANL11-818-7
200 to 270 mm	8"	5	—	Knit Wrist	Blue	8	Microflex	ANL11-818-8
200 to 270 mm	9"	5	—	Knit Wrist	Blue	9	Microflex	ANL11-818-9
200 to 270 mm	9½"	5	—	Knit Wrist	Blue	10	Microflex	ANL11-818-10
200 to 270 mm	9½"	5	—	Knit Wrist	Blue	11	Microflex	ANL11-818-11
HyFlex 11-600								
8.25 in	8¼" to 10-2/9"	3	Smooth	Knit Wrist	Black, Grey	7	Hyflex Cr+	ANL11-600-7
8.5 in	8¼" to 10-2/9"	3	Smooth	Knit Wrist	Black, Grey	8	Hyflex Cr+	ANL11-600-8
8.75 in	8¼" to 10-2/9"	3	Smooth	Knit Wrist	Black, Grey	9	Hyflex Cr+	ANL11-600-9
9.75 in	8¼" to 10-2/9"	3	Smooth	Knit Wrist	Black, Grey	10	Hyflex Cr+	ANL11-600-10
HyFlex 11-800								
8 in	—	3	Sandy	Knit Wrist	Grey, White	7	Hyflex	ANL11-800-7
8.5 in	—	3	Sandy	Knit Wrist	Grey, White	8	Hyflex	ANL11-800-8
9 in	—	3	Sandy	Knit Wrist	Grey, White	9	Hyflex	ANL11-800-9
9.5 in	—	3	Sandy	Knit Wrist	Grey, White	10	Hyflex	ANL11-800-10
10.5 in	—	3	Sandy	Knit Wrist	Grey, White	11	Hyflex	ANL11-800-11
HyFlex 11-801								
—	—	3	Sandy	Knit Wrist	Black, Grey	7	Hyflex	ANL11-801-7
—	—	3	Sandy	Knit Wrist	Black, Grey	8	Hyflex	ANL11-801-8
—	—	3	Sandy	Knit Wrist	Black, Grey	9	Hyflex	ANL11-801-9
—	—	3	Sandy	Knit Wrist	Black, Grey	10	Hyflex	ANL11-801-10
—	—	3	Sandy	Knit Wrist	Black, Grey	11	Hyflex	ANL11-801-11
HyFlex 11-900								
8.5 in	7½" to 10"	4	Smooth	Knit Wrist	Blue, White	7	Hyflex Cr+	ANL11-900-7
8.75 in	7½" to 10"	4	Smooth	Knit Wrist	Blue, White	8	Hyflex Cr+	ANL11-900-8
9.25 in	7½" to 10"	4	Smooth	Knit Wrist	Blue, White	9	Hyflex Cr+	ANL11-900-9
9.75 in	7½" to 10"	4	Smooth	Knit Wrist	Blue, White	10	Hyflex Cr+	ANL11-900-10

IRONCLAD

Mechanic's Gloves

Proprietary silicone fused palm and index finger give you a sure grip to keep from dropping your tools. The EXO® Motor Grip style also features a TPR cuff puller, neoprene knuckle pads, and snug-fitting hook-and-loop closure. Black color.

Closure Type	Palm Material	Colour	Size	Item No.
TPR Closure				
Hook-and-Loop	Synthetic Leather	Black, Green	S	IPWG-EXMPG02S
Hook-and-Loop	Synthetic Leather	Black, Green	M	IPWG-EXMPG03M
Hook-and-Loop	Synthetic Leather	Black, Green	L	IPWG-EXMPG04L
Hook-and-Loop	Synthetic Leather	Black, Green	X-Large	IPWG-EXMPG05XL
Hook-and-Loop	Synthetic Leather	Black, Green	2XL	IPWG-EXMPG06XXL
Hook-and-Loop	Synthetic Leather	Black, Grey	S	IPWG-EXMWRO2S
Hook-and-Loop	Synthetic Leather	Black, Grey	M	IPWG-EXMWRO3M
Hook-and-Loop	Synthetic Leather	Black, Grey	L	IPWG-EXMWRO4L
Hook-and-Loop	Synthetic Leather	Black, Grey	X-Large	IPWG-EXMWRO5XL
Hook-and-Loop	Synthetic Leather	Black, Grey	2XL	IPWG-EXMWRO6XXL
Hook-and-Loop	Goatskin	Black, Gold	S	IPWG-EXMOL02S
Hook-and-Loop	Goatskin	Black, Gold	M	IPWG-EXMOL03M
Hook-and-Loop	Goatskin	Black, Gold	L	IPWG-EXMOL04L
Hook-and-Loop	Goatskin	Black, Gold	X-Large	IPWG-EXMOL05XL
Hook-and-Loop	Goatskin	Black, Gold	2XL	IPWG-EXMOL06XXL
TPR				
Knit	Synthetic Leather	Black	Small	IPWWWX202S
Knit	Synthetic Leather	Black	Medium	IPWWWX203M
Knit	Synthetic Leather	Black	Large	IPWWWX204L
Knit	Synthetic Leather	Black	X-Large	IPWWWX205XL
Knit	Synthetic Leather	Black	2X-Large	IPWWWX206XXL
Slip Fit				
Slip On	Synthetic Leather	Black, Green	S	IPWG-EXMUG02S
Slip On	Synthetic Leather	Black, Green	M	IPWG-EXMUG03M
Slip On	Synthetic Leather	Black, Green	L	IPWG-EXMUG04L
Slip On	Synthetic Leather	Black, Green	X-Large	IPWG-EXMUG05XL
Slip On	Synthetic Leather	Black, Green	2XL	IPWG-EXMUG06XXL
Open	Synthetic Leather	Black, Green	S	IPWG-EXMULR02S
Open	Synthetic Leather	Black, Green	M	IPWG-EXMULR03M
Open	Synthetic Leather	Black, Green	L	IPWG-EXMULR04L
Open	Synthetic Leather	Black, Green	X-Large	IPWG-EXMULR05XL
Open	Synthetic Leather	Black, Green	2XL	IPWG-EXMULR06XXL
Open				
Slip On	Synthetic Leather	Black	S	IPWWFG2-02S
Slip On	Synthetic Leather	Black	M	IPWWFG2-03M
Slip On	Synthetic Leather	Black	L	IPWWFG2-04L
Slip On	Synthetic Leather	Black	X-Large	IPWWFG2-05XL
Slip On	Synthetic Leather	Black	2XL	IPWWFG2-06XXL
Compression				
Slip On	Synthetic Leather	Black, Yellow	2XL	IPWG-WCG206XXL
Closed				
Hook-and-Loop	Synthetic Leather	Black	S	IPWFUG2-02S
Hook-and-Loop	Synthetic Leather	Black	M	IPWFUG2-03M
Hook-and-Loop	Synthetic Leather	Black	2XL	IPWFUG2-06XXL
Hook-and-Loop	Synthetic Leather	Black	S	IPWHUG2-02S
Hook-and-Loop	Synthetic Leather	Black	M	IPWHUG2-03M
Hook-and-Loop	Synthetic Leather	Black	L	IPWFUG2-04L
Hook-and-Loop	Synthetic Leather	Black	X-Large	IPWFUG2-05XL
Hook-and-Loop	Synthetic Leather	Black	L	IPWHUG2-04L
Hook-and-Loop	Synthetic Leather	Black	X-Large	IPWHUG2-05XL
Hook-and-Loop	Synthetic Leather	Black	2XL	IPWHUG2-06XXL
—				
Slip On	Synthetic Leather	Black, Yellow	L	WWG24U151
Slip On	Synthetic Leather	Black, Yellow	S	WWG24U149
Slip On	Synthetic Leather	Black, Yellow	X-Large	WWG24U152
Slip On	Synthetic Leather	Black, Yellow	M	WWG24U150



IPWG-EXMUG02S



IPWFUG2-02S

IRONCLAD

Mechanic's and Packaging Handling Gloves

- Finger style: full finger

Proprietary silicone fused palm and index finger give you a sure grip to keep from dropping your tools. The EXO® Motor Grip style also features a TPR cuff puller, neoprene knuckle pads, and snug-fitting hook-and-loop closure. Black color.

Box Handler®—all-purpose package-handling design has a sticky grip with super-tacky palm and fingertips. Breathable, with synthetic leather palm and knuckle impact protection. Features terry sweat wipe.

Cuff	Palm Material	Size	Item No.
Box Handler®			
—	Synthetic Leather	2XL	WWG24U128
—	Synthetic Leather	S	WWG24U124
—	Synthetic Leather	X-Large	WWG24U127
EXO® Motor Grip			
TPR Closure	Synthetic Leather	S	IPWG-EXMGG02S
TPR Closure	Synthetic Leather	M	IPWG-EXMGG03M
TPR Closure	Synthetic Leather	L	IPWG-EXMGG04L
TPR Closure	Synthetic Leather	X-Large	IPWG-EXMGG05XL
TPR Closure	Synthetic Leather	2XL	IPWG-EXMGG06XXL



WWG24U128



IPWG-EXMGG02S

MECHANIX WEAR**Mechanic's Gloves**

- Finger style: full finger
- Palm material: synthetic leather
- Stitching material: nylon

FastFit®—Feature an ergonomically designed 2-pc. palm for a more comfortable fit, plus moisture-wicking TrekDry® material that helps keep your hands cool and dry. Elastic cuff can provide a secure fit and helps ease donning and doffing. Reinforcement panels in high-wear areas help increase durability for long life. Ideal for light-duty tasks such as automotive maintenance and repair, equipment operation, and manufacturing/assembly activities.

The Original®—Durable synthetic leather palm can protect hands from hot surfaces and materials. Form-fitting gloves have a 2-way stretch top and low-profile thermoplastic rubber wrist hook-and-loop closure. Reinforced thumb and fingertips help increase protection and reduce wear.



MXWMG09-008

MXWMFF05-008

Cuff	Closure Type	Palm Material	Colour	Size	Item No.
FastFit®					
Elastic	Slip On	Synthetic Leather	Black	S	MXWMFF05-008
Elastic	Slip On	Synthetic Leather	Black	M	MXWMFF05-009
Elastic	Slip On	Synthetic Leather	Black	L	MXWMFF05-010
Elastic	Slip On	Synthetic Leather	Black	X-Large	MXWMFF05-011
Elastic	Slip On	Synthetic Leather	Black	2XL	MXWMFF05-012
Elastic	Slip On	Synthetic Leather	Red	M	MXWMFF02-009
Elastic	Slip On	Synthetic Leather	Red	L	MXWMFF02-010
Elastic	Slip On	Synthetic Leather	Red	X-Large	MXWMFF02-011
Elastic	Slip On	Synthetic Leather	Blue	M	MXWMFF03-009
Elastic	Slip On	Synthetic Leather	Blue	L	MXWMFF03-010
Elastic	Elastic	Synthetic Leather	Red	Small	MXWMFF02-008
Elastic	Elastic	Synthetic Leather	Red	2X-Large	MXWMFF02-012
Elastic	Elastic	Synthetic Leather	Blue	Small	MXWMFF03-008
The Original®					
—	Hook-and-Loop	Synthetic Leather	Orange	Small	MXWMG09-008
—	Hook-and-Loop	Synthetic Leather	Orange	Medium	MXWMG09-009
—	Hook-and-Loop	Synthetic Leather	Orange	Large	MXWMG09-010
—	Hook-and-Loop	Synthetic Leather	Orange	X-Large	MXWMG09-011
—	Hook-and-Loop	Synthetic Leather	Orange	2X-Large	MXWMG09-012
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Blue	S	MXWMG03-008
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Blue	M	MXWMG03-009
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Blue	L	MXWMG03-010
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Blue	X-Large	MXWMG03-011
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Blue	2XL	MXWMG03-012
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Black	S	MXWMG05-008
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Black	M	MXWMG05-009
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Black	L	MXWMG05-010
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Black	X-Large	MXWMG05-011
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Black	2XL	MXWMG05-012
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Black	Small	MXWMG55-008
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Black	X-Large	MXWMG55-011
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Red	L	MXWMG02-010
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Red	Small	MXWMG02-008
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Red	Medium	MXWMG02-009
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Red	X-Large	MXWMG02-011
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Red	2X-Large	MXWMG02-012

MECHANIX WEAR**Impact Resistant Gloves**

Provide full coverage hand protection with high impact PORON® XRD™ in the palm helps absorb more shock and vibration. Sonic welded rubber integrated with TPR knuckle and finger protection helps protect against impact and improves dexterity. Rubberized grip material on thumb and index finger gives extra gripping power. Feature Trek Dry™ stretch fabric on back of hand wicks away moisture and gives ventilation.



MXWMPT58-008

MXWMPT55-008

Cuff	Closure Type	Palm Material	Colour	Size	Item No.
Hook-and-Loop					
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Black, Grey	Small	MXWMPT58-008
Hook-and-Loop	Hook & Loop	Synthetic Leather	Black, Grey	Medium	MXWMPT58-009
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Black, Grey	Large	MXWMPT58-010
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Black, Grey	X-Large	MXWMPT58-011
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Black, Grey	2X-Large	MXWMPT58-012
Shirred	TPR with Hook and Loop	Poron, Synthetic Leather	Black	Small	MXWMPT55-008
Shirred	TPR with Hook and Loop	Poron, Synthetic Leather	Black	Medium	MXWMPT55-009
Shirred	TPR with Hook and Loop	Poron, Synthetic Leather	Black	Large	MXWMPT55-010
Shirred	TPR with Hook and Loop	Poron, Synthetic Leather	Black	X-Large	MXWMPT55-011
Shirred	Hook & Loop	Poron, Synthetic Leather	Black	2X-Large	MXWMPT55-012
Shirred	Hook-and-Loop	Poron, Synthetic Leather	Tan	S	MXWMPT72-008
Shirred	TPR with Hook and Loop	Poron, Synthetic Leather	Tan	Medium	MXWMPT72-009
Shirred	TPR with Hook and Loop	Poron, Synthetic Leather	Tan	Large	MXWMPT72-010
Shirred	TPR with Hook and Loop	Poron, Synthetic Leather	Tan	X-Large	MXWMPT72-011
Shirred	Hook-and-Loop	Poron, Synthetic Leather	Tan	2XL	MXWMPT72-012

IRONCLAD

Leather Palm Mechanic's Gloves

- Finger style: full finger

EXO® Motor Impact—Soft, pliable, and abrasion-resistant genuine goatskin leather palm. Full back-of-hand padding. TPR cuff puller and hook-and-loop closure.

EXO® Motor Pro—High-quality leather palm for grip. Neoprene knuckles help protect against impact. Hook-and-loop closure.

Cowboy—Made of washable Bullwhip® leather, with Duraclad® abrasion-resistant reinforcements and TPR knuckle protection. Slip-fit cuff.



IPWRWC2-02S



IPWG-EXMPLW06XXL



IPWG-EXMPLD02S

Mechanics Gloves

Item	Cuff	Closure Type	Palm Material	Colour	Size	Item No.
Mechanics Gloves	Knit	Neoprene	Goatskin	Black, Tan	Small	IPWRWC2-02S
				Black, Tan	Large	IPWRWC2-04L
				Black, Tan	X-Large	IPWRWC2-05XL
				Black, Tan	2X-Large	IPWRWC2-06XXL
				Black, Tan	Medium	IPWRWC2-03M
	TPR	Goatskin	Black, Gold	Black, Gold	Small	IPWG-EXMIGL02S
				Black, Gold	Medium	IPWG-EXMIGL03M
				Black, Gold	Large	IPWG-EXMIGL04L
				Black, Gold	X-Large	IPWG-EXMIGL05XL
				Black, Gold	2X-Large	IPWG-EXMIGL06XXL
TPR Closure	Hook-and-Loop	Deerskin	Black, White	Black, White	X-Large	IPWG-EXMPLW05XL
				Black, White	2XL	IPWG-EXMPLW06XXL
				Black, Gold	S	IPWG-EXMPLG02S
				Black, Gold	M	IPWG-EXMPLG03M
				Black, Gold	L	IPWG-EXMPLG04L
	Cowhide	Black, Gold	Black, Gold	Black, Gold	X-Large	IPWG-EXMPLG05XL
				Black, Gold	2XL	IPWG-EXMPLG06XXL
				Black, Gold	S	IPWG-EXMPLD02S
				Black, Gold	M	IPWG-EXMPLD03M
				Black, Gold	L	IPWG-EXMPLD04L
Motor Pro White Glove	TPR Closure	Goatskin	Black, Gold	Black, Gold	X-Large	IPWG-EXMPLD05XL
				Black, Gold	2XL	IPWG-EXMPLD06XXL
				White	—	IPWXO2MPLW02S
				White	—	IPWXO2MPLW03M
				White	—	IPWXO2MPLW04L

IRONCLAD

Mechanic's Gloves

- Finger style: full finger
- Knuckle padding material: neoprene

Gloves are for mechanical, utility, and general purpose applications. They have a spandex, neoprene back material. Single layer palm construction.

Cuff	Closure Type	Palm Material	Colour	Size	Item No.
TPR Closure	Hook-and-Loop	Synthetic Leather	Orange, Yellow	S	IPWG-EXHVP02S
				M	IPWG-EXHVP03M
				L	IPWG-EXHVP04L
				X-Large	IPWG-EXHVP05XL
				2XL	IPWG-EXHVP06XXL



IPWG-EXHVP02S

MECHANIX WEAR

General Utility High Visibility Mechanic's Gloves

- Finger style: full finger
- Palm material: synthetic leather
- Stitching material: nylon
- thumb style: partial

Gloves are for mechanical, utility, general purpose, landscaping, maintenance, assembly, and MRO applications. The 3M™ Scotchlite™ reflective ink helps increase visibility. Gloves have form-fitting TrekDry® upper material to help keep your hands dry and comfortable. Reinforcement panels in high wear areas for long life.

Elastic Cuff Models—The anatomically cut thumb area of the palm provides you a comfortable fit, while the elastic cuff eases donning and doffing. Machine washable.

Hook-and-Loop Cuff Models—Seamless palm for a comfortable fit and a hook-and-loop closure secures glove to your wrist.



MXWSFF91-008

Cuff	Closure Type	Palm Material	Colour	Size	Item No.
Elastic	Slip On	Synthetic Leather	Yellow	S	MXWSFF91-008
Elastic	Slip On	Synthetic Leather	Yellow	M	MXWSFF91-009
Elastic	Slip On	Synthetic Leather	Yellow	L	MXWSFF91-010
Elastic	Slip On	Synthetic Leather	Yellow	X-Large	MXWSFF91-011
Elastic	Slip On	Synthetic Leather	Yellow	2XL	MXWSFF91-012
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Yellow	S	MXWSMG91-008
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Yellow	M	MXWSMG91-009
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Yellow	Large	MXWSMG91-010
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Yellow	X-Large	MXWSMG91-011
Hook-and-Loop	Hook-and-Loop	Synthetic Leather	Yellow	2XL	MXWSMG91-012

BOB DALE, WATSON GLOVES

Mechanics Gloves

Mechanics- and riggers-style gloves protect hands from dirt, grime, scrapes, and blisters. They have good dexterity and tactility and are often worn when performing basic tasks in general maintenance and repair operations, including handling boxes, stocking warehouses, performing carpentry work, and working on cars and machinery. ANSI-107, EN 420, EN 388(3121)



WAT005L



ALG20110360L



ALG20110400L



ALG209103601



ALG20910400L

ANSI/ISEA Cut Level	Glove Liner Material	Palm Material	Colour	Glove Size	Brand	Item No.	
Gloves and Hand Protection							
—	Unlined	Goatskin	Black	Small (7)	Watson Gloves	WAT005S	
				Medium (8)	Watson Gloves	WAT005M	
				Large (9)	Watson Gloves	WAT005L	
				X-Large (10)	Watson Gloves	WAT005X	
				2X-Large (11)	Watson Gloves	WAT005XXL	
	Black, Tan		Black, Tan	Small (7)	Watson Gloves	WAT012S	
				Medium (8)	Watson Gloves	WAT012M	
				XS	Bob Dale	ALG20110360XS	
				S	Bob Dale	ALG20110360S	
				M	Bob Dale	ALG20110360M	
A5	HPPE	Polyester	Black, Yellow	L	Bob Dale	ALG20110360L	
				XL	Bob Dale	ALG20110360XL	
				2XL	Bob Dale	ALG20110360X2L	
				XS	Bob Dale	ALG20910360XS	
				S	Bob Dale	ALG20910360S	
	Black, Grey, Yellow		Black, Grey, Yellow	M	Bob Dale	ALG20910360M	
				L	Bob Dale	ALG20910360L	
				XL	Bob Dale	ALG20910360XL	
				2XL	Bob Dale	ALG20910360X2L	
				XS	Bob Dale	ALG20110400XS	
A7	Aramid	Synthetic Leather	Black, Yellow	S	Bob Dale	ALG20110400S	
				M	Bob Dale	ALG20110400M	
				L	Bob Dale	ALG20110400L	
				XL	Bob Dale	ALG20110400XL	
				2XL	Bob Dale	ALG20110400X2L	
	Black, Grey		Black, Grey	3XL	Bob Dale	ALG20110400X3L	
				XS	Bob Dale	ALG20910400XS	
				S	Bob Dale	ALG20910400S	
				M	Bob Dale	ALG20910400M	
				L	Bob Dale	ALG20910400L	

MECHANIX WEAR

High-Visibility Impact Resistant Mechanic's Gloves

- Series: M-pact
 - Finger style: full finger
 - Lining: tricot

Feature 3M™ Scotchlite™ reflective ink to increase visibility and have moisture wicking TrekDry® material to help keep your hands dry. Thermal plastic rubber (TPR) helps protect knuckle and fingers, while Poron® XRD® palm padding absorbs impacts. Rubberized tacky material on the thumb and index finger help improve your grip. ANSI-107, EN 420, EN 388(3121)



MXWSMP91-008

Cuff	Closure Type	Palm Material	Colour	Size	Item No.
Hook-and-Loop	Hook & Loop	Synthetic Leather	Yellow	Small	MXWSMP91-008
				Medium	MXWSMP91-009
				Large	MXWSMP91-010
				X-Large	MXWSMP91-011
				2X-Large	MXWSMP91-012

CONDOR

Inspection Gloves

- Colour: white
- Sold as: pair, pk 12
- Type: thin, two-piece ambidextrous

Keep hands cool and dry. Durable white gloves absorb perspiration. White color. OSFM means One Size Fits Most.



CDR4JC99

	Design	Gauge	Size	Item No.	Pkg. Qty.
Cotton					
Unhemmed		Medium	Men's One Size Fits Most	CDR4JC99	12
		Light	Women's One Size Fits Most	CDR4JD01	12
		Heavy	Women's One Size Fits Most	CDR4JC98	12
Nylon			Men's One Size Fits Most	CDR4JC97	12
Hemmed		Heavy	Men's One Size Fits Most	CDR4JD02	12
			Women's One Size Fits Most	CDR4JD03	12
Polyester					
Hemmed		Medium	Men's One Size Fits Most	CDR4JD15	12
			Women's One Size Fits Most	CDR4JD14	12
			Women's L	CDR4JD08	12
			Men's L	CDR4JD11	12
			Women's M	CDR4JD09	12
			Men's M	CDR4JD12	12
			Women's S	CDR4JD10	12

CONDOR

Coated String Knit Gloves

- Cuff: knit wrist

Seamless construction with knit wrist for a close, comfortable fit and enhanced dexterity.

Palm Coated—Available with a raised dot pattern on the palm side or flat-dipped pattern on the palm and sides of the fingertips. Flat-dipped gloves conform to the hand and resist degradation through stretching.

Double-Sided Coating—Gloves coated on both sides are fully reversible for extended wear. Available with a raised dot pattern, flat dipped, or with a fish net pattern.



CDR4NMK5

CDR3BA38

Material	Colour	Glove Size	Cuff	Glove Coating Material	Glove Coating Finish	Item No.
Palm and Fingers						
Polyester/Cotton	Russet, White	S	Knit Wrist	Nitrile	Flat	CDR4NG24
Palm						
—	Red, White	L	Knit Wrist	PVC	Smooth	CDR3BA38
—	Red, White	S	Knit Wrist	PVC	Smooth	CDR1GD19
—	Red, White	XL	Knit Wrist	PVC	Smooth	CDR4NML2
Polyester/Cotton	Beige, Black	S	Knit Wrist	PVC	Dotted	EBP2UUA1
Polyester/Cotton	Beige, Black	L	Knit Wrist	PVC	Dotted	EBP3ZL55
Polyester/Cotton	Beige, Black	XL	Knit Wrist	PVC	Dotted	EBP2UUA2
Polyester/Cotton	Beige, Blue	L	Knit Wrist	PVC	Dotted	CDR5AM23
Polyester/Cotton	Beige, Blue	S	Knit Wrist	PVC	Dotted	CDR2AK99
Full						
Acrylic	Black, Orange	XL	Knit Wrist	PVC	Dotted	CDR4NML1
Acrylic	Black, Orange	XS	Knit Wrist	PVC	Dotted	CDR4NMK7
Acrylic	Black, Orange	S	Knit Wrist	PVC	Dotted	CDR4NMK8
Acrylic	Black, Orange	L	Knit Wrist	PVC	Dotted	CDR4NMK9
Acrylic	Black, Yellow	L	Knit Wrist	PVC	Dotted	CDR4NMK5
Acrylic	Black, Yellow	XL	Knit Wrist	PVC	Dotted	CDR4NMK6
Acrylic	Black, Yellow	S	Knit Wrist	PVC	Dotted	CDR4NMK4
Acrylic	Black, Yellow	XS	Knit Wrist	PVC	Dotted	CDR4NMK3
Cotton/Polyester	Beige, Black	L	Knit Wrist	PVC	Dotted	EBP5JK50
Cotton/Polyester	Beige, Black	S	Knit Wrist	PVC	Dotted	EBP5JK51
Polyester/Cotton	Beige, Black	L	Knit Wrist	PVC	Smooth	CDR2ELK5 *
Polyester/Cotton	Beige, Black	S	Knit Wrist	PVC	Smooth	CDR2ELK6 *
Polyester/Cotton	Beige, Black	XL	Knit Wrist	PVC	Dotted	EBP2UUJ6
Polyester/Cotton	Beige, Red	L	Knit Wrist	Nitrile	Dotted	CDR4NGY6
Polyester/Cotton	Beige, Red	S	Knit Wrist	Nitrile	Dotted	CDR4NGY8
Polyester/Cotton	Beige, Red	XL	Knit Wrist	Nitrile	Dotted	CDR4NGY7

* Fingerless

CONDOR

String Knit Gloves

- Uncoated
- Cuff: knit wrist
- Thumbstyle: wing

Ambidextrous with seamless construction. Knit stretches for fit and breathability.



CDR2UTZ7



CDR5JK52

Gauge	Colour	Type	Glove Size	Item No.	Pkg. Qty.
Cotton					
7	Beige	Standard Weight	L	CDR2UTZ7	1
7	Beige	Standard Weight	S	CDR2UTZ6	1
7	Beige	Standard Weight	XL	CDR4NML5	1

* Fingerless design.

Cotton—Absorb perspiration and moisture.
Prevent chafing.

Polyester—For use in electronics industry, painting, and delicate parts handling.

Polyester/Cotton—Allow comfort while reducing hand fatigue. Nos. CDR2TUZ1 and CDR2TUZ2 are constructed with recycled poly/cotton material.—

Gauge	Colour	Type	Glove Size	Item No.	Pkg. Qty.
Polyester					
7	White	Standard Weight	L	CDR6AH35	1
7	White	Standard Weight	S	CDR3BC95	1
7	White	Standard Weight	XL	CDR1FYP3	1
Polyester/Cotton					
7	Beige	Heavyweight	L	CDR5JK52	1
7	Beige	Heavyweight	S	CDR5JK53	1
7	Grey	Standard Weight	XL	CDR4NML4	12
7	Grey	Standard Weight	L	CDR5PE87	12
7	Natural	Standard Weight	L	CDR4NMU9	144
7	Grey	Standard Weight	S	CDR5PE86	12
7	White	Standard Weight	S	CDR4NMU8	144
7	Grey	Standard Weight	XS	CDR5PE85	12
7	Beige	Standard Weight	S	CDR2UTZ8	*
7	Beige	Standard Weight	L	CDR2UTZ9	1
7	Beige	Standard Weight	XL	CDR4NML6	1
7	Grey	Lightweight	S	CDR2UTZ1	1
7	Grey	Lightweight	L	CDR2UTZ2	1
7	Beige	Standard Weight	L	EBP4JF62	1
7	Beige	Standard Weight	XL	EBP2UTZ5	1
7	Beige	Standard Weight	S	EBP4JF63	1
7	Beige	Standard Weight	XS	EBP5AJ51	1
Polyester					
13	White	—	S	CDR3AJ97	1
13	White	—	L	CDR6AL50	1
Polyester/Cotton					
13	Beige	Lightweight	S	EBP2UTZ3	1
13	Beige	Lightweight	L	EBP2UTZ4	1

CONDOR

Leather Driver's Gloves

- Gunn cut
- Shirred wrist
- Unlined

These comfortable work gloves cover the whole hand with excellent abrasion resistance, breathability, and thermal protection. Most are stitched with strong polyester thread.



CDR4TJV9



CDR4TJV5



CDR4TJZ7

Thumb Style	Glove Leather Grade	Colour	Size	Item No.
Cowhide				
Keystone	A	Off-White	Large	CDR4TJV9
Keystone	A	Off-White	Medium	CDR4TJV8
Keystone	A	Off-White	X-Large	CDR4TJW1
Keystone	A, B	Yellow	Large	CDR4TJV6
Keystone	A, B	Yellow	Large	CDR4TJX8
Keystone	A, B	Yellow	Medium	CDR4TJV8
Keystone	A, B	Yellow	Medium	CDR4TJZ4
Keystone	A, B	Yellow	Small	CDR4TJV9
Keystone	A, B	Yellow	Small	CDR4TJ8
Keystone	A, B	Yellow	X-Large	CDR4TJV7
Keystone	A, B	Yellow	X-Large	CDR4TJZ8
Keystone	A, B	Yellow	2X-Large	CDR5NGP1
Keystone	A, B	Yellow	Large	CDR5NGN9
Keystone	A, B	Yellow	Medium	CDR5NGN8
Keystone	A, B	Yellow	Small	CDR5NGN7
Keystone	A, B	Yellow	X-Large	CDR5NGP0
Keystone	B, C	Beige	Large	CDR2ELG9
Keystone	B, C	Beige	Medium	CDR2ELH1
Keystone	B, C	Beige	Small	CDR2ELH2
Keystone	B, C	Beige	X-Large	CDR2ELH3
Straight	A, B	White	2X-Large	CDR2MCZ7
Straight	A, B	White	Large	CDR1AJ23
Straight	A, B	White	Medium	CDR6AW35
Straight	A, B	White	Small	CDR3AC90
Straight	A, B	White	X-Large	CDR5AV28
Straight	B	White	2X-Large	CDR2MCZ6
Straight	B	White	Large	CDR3LZ50
Straight	B	White	Medium	CDR3LZ51
Straight	B	White	Small	CDR3LZ52
Straight	B	White	X-Large	CDR3LZ49
Straight	B	White	X-Small	CDR5AJ33

Thumb Style	Glove Leather Grade	Colour	Size	Item No.
Split				
Straight	B, C	Grey	Large	CDR5PE83
Straight	B, C	Grey	Medium	CDR5PE82
Straight	B, C	Grey	Small	CDR5PE81
Straight	B, C	Grey	X-Large	CDR5PE84
Straight	B, C	Grey	2X-Large	CDR2MCZ3
Deerskin				
Keystone	B, C	Yellow	Large	CDR4TJV5
Keystone	B, C	Yellow	Medium	CDR4TJV4
Keystone	B, C	Yellow	Small	CDR4TJX6
Keystone	B, C	Yellow	X-Large	CDR4TJV6
Goatskin				
Keystone	A, B	Beige	Large	CDR4TJZ7
Keystone	A, B	Beige	Medium	CDR4TJZ3
Keystone	A, B	Beige	Small	CDR4TJX9
Keystone	A, B	Beige	X-Large	CDR4TJZ6
Keystone	B	Grey	2X-Large	CDR2MCZ5
Keystone	B	Grey	Large	CDR1VT47
Keystone	B	Grey	Medium	CDR1VT48
Keystone	B	Grey	Small	CDR1VT49
Keystone	B	Grey	X-Large	CDR1VT50
Pigskin				
Keystone	B	Beige	X-Small	CDR5AJ32
Keystone	B	Beige	2X-Large	CDR2MCZ4
Keystone	B	Beige	Large	CDR5AC74
Keystone	B	Beige	Medium	CDR3AW80
Keystone	B	Beige	Small	CDR1AD40
Keystone	B	Beige	X-Large	CDR1AD52

WATSON GLOVES

Abrasion-Resistant Driver's Gloves

Driver's gloves are formfitting and less bulky than standard work gloves, making it easier to handle small items and parts.



WAT547L



WAT549M

Glove Size	Palm Material	Cut	Cuff Style	Colour	Glove Length	ANSI/ISEA Abrasion Level	ANSI/ISEA Cut Level	Item No.
Gloves and Hand Protection								
Van Goat								
2X-Small	Goatskin	—	Slip-On	White	9 in	3	A6	WAT547XXS
X-Small	Goatskin	—	Slip-On	White	9 in	3	A6	WAT547XS
Small	Goatskin	—	Slip-On	White	9 in	3	A6	WAT547S
Medium	Goatskin	Roper	Slip-On	White	—	Not Tested	A6	WAT547M
Large	Goatskin	Roper	Slip-On	White	—	Not Tested	A6	WAT547L
XLarge	Goatskin	Roper	Slip-On	White	—	Not Tested	A6	WAT547X
XX-Large (10)	Goatskin	Roper	Slip-On	White	—	Not Tested	A6	WAT547XXL
Medium	Goatskin	Welder	Gauntlet	White	—	Not Tested	A6	WAT549M
Large	Goatskin	Welder	Gauntlet	White	—	Not Tested	A6	WAT549L
XL	Goatskin	Welder	Gauntlet	White	—	Not Tested	A6	WAT549X
XXL	Goatskin	Welder	Gauntlet	White	—	Not Tested	A6	WAT549XXL

CONDOR

Insulated Driver's Gloves

- Gunn cut
- Shirred wrist

Made to help your hands stay comfy in hot or cold applications.

Polyester stitching is tough and long-lasting.



CDR4NHC3



CDR4TJW8

	Thumb Style	Grade of Leather	Colour	Size	Item No.
Cowhide					
	Keystone	Industrial	Cream	Large (9)	CDR4NHC5
	Keystone	Industrial	Cream	Medium (8)	CDR4NHC4
	Keystone	Industrial	Cream	Small (7)	CDR4NHC3
	Straight	B/C	Beige	Medium	CDR5AR48
	Straight	B/C	Beige	X-Large	CDR5AW69
	Straight	B/C	Beige	Small	GGS1D999
	Straight	B/C	White	Large	CDR3AJ48
Deerskin Leather					
	Keystone	B/C Deerskin	Gold	Large (9)	CDR4TJW8
	Keystone	B/C Deerskin	Gold	Medium (8)	CDR4TJW6
	Keystone	B/C Deerskin	Gold	Small (7)	CDR4TJW7
	Keystone	B/C Deerskin	Gold	X-Large (10)	CDR4TJW9
Grain Cowhide Leather					
	Keystone	Industrial	Cream	X-Large (10)	CDR4NHC6
Grain Pigskin					
	Keystone	Premium	Beige	Large	CDR1VT43
	Keystone	Premium	Beige	Medium	CDR1VT44
	Keystone	Premium	Beige	Small	CDR1VT45
	Keystone	Premium	Beige	X-Large	CDR1VT46
	Keystone	Premium	Cream	Large (9)	CDR4NHC1
	Keystone	Premium	Cream	Medium (8)	CDR4NHA9
	Keystone	Premium	Cream	X-Large (10)	CDR4NHC2
Grain Pigskin Leather					
	Keystone	Premium	Cream	Small (7)	CDR4NHA8

MCR SAFETY

Leather-Palm Gloves

- Leather: grade A
- Grade of leather: premium
- Thumb style: wing

Safety Cuff Models—Rugged heavy-duty gloves are made with heavy, select side leather for durability. Rubberized cuffs. Sewn with DuPont™ Kevlar®.

Luminator® Hi-Vis—High-visibility 3M™ Scotchlite™ reflective backing and reflective material on the knuckle and rubberized cuff help you be seen in dim lighting or busy locations. Provides abrasion resistance and durability. Helps keep you working in wet conditions, with a waterproof barrier and full Thermo Sock® liner.



MSF1700M



MSF34411L

Glove Leather Grade	Back Material	Lining	Cuff	Thumb Style	Cut	Colour	Size	Item No.
A	Grain Pigskin	Full Sock Lining With Thermo Sock(R)	Knit Wrist	Wing	Gunn	Black, Orange, Yellow	L	MSF34411L
A	Grain Pigskin	Full Sock Lining With Thermo Sock(R)	Knit Wrist	Wing	Gunn	Black, Orange, Yellow	M	MSF34411M
A	Grain Pigskin	Full Sock Lining With Thermo Sock(R)	Knit Wrist	Wing	Gunn	Black, Orange, Yellow	S	MSF34411S
A	Grain Pigskin	Full Sock Lining With Thermo Sock(R)	Knit Wrist	Wing	Gunn	Black, Orange, Yellow	XL	MSF34411XL
A	Leather, Canvas	Jersey	Safety	Wing	Gunn	Grey, Tan	Medium	MSF1700M
A	Leather, Canvas	Jersey	Safety	Wing	Gunn	Grey, Tan	X-Large	MSF1700XL
A	Leather, Canvas	Jersey	Safety	Wing	Gunn	Grey	Large	MSF1710L
A	Leather, Canvas	Jersey	Safety	Wing	Gunn	Grey	Medium	MSF1710M
A	Leather, Canvas	Jersey	Safety	Wing	Gunn	Grey	X-Large	MSF1710XL
A	Leather, Canvas	Jersey	Safety	Wing	Split Side	Grey, Tan	Large	MSF1700L
A	Leather, Canvas	Jersey	Safety	Wing	Split Side	Grey, Tan	Small	MSF1700S
A	Leather, Canvas	Jersey	Safety	Wing	Split Side	Grey, Tan	2X-Large	MSF1700XXL

HEXARMOR

Heavy-Duty Leather Gloves

Heavy-duty leather gloves resist wear and provide a balance of abrasion resistance and dexterity. PPE category (CAT)-rated gloves (sometimes called hazard risk category (HRC)) are flame-resistant and meet NFPA 70E standards to protect workers from arc flash burns.

Glove Size	Item No.
S	HEX5042-7
M	HEX5042-8
L	HEX5042-9
XL	HEX5042-10
2XL	HEX5042-11

**Grainger catalogues****Are digital too**

- Choose from our library of catalogues
- Browse, download, and share pages
- Add items to your cart and checkout when ready



BOB DALE, GANDER BRAND

Leather Work Bibs and Gloves

Gander Brand® Cotton Jersey No. ALG120—9 oz. knitted jersey fleece inside face provides a good choice for light-duty applications or as winter glove liners. Knit wrist.

Gander Brand® Premium Mitts ALG1220 Series—Best quality grain leather mitt with large gauntlet cuff and gore. Cuff opens to fit over parka, coveralls, etc. Thumbstrap, welted seams for better wear. For use with separate liners.

Gander Brand® ALG1065C Series Ruf-Rigger—Welted tips, seams, gauntlet cuff with expanded opening or gore, and double stitched everything. Made from premium quality side grain leather. Soft, heavy, exceptionally durable.

Gander Brand® Glove & Mitt Liners No. ALG105, ALG375G—Liners available in poly/cotton, acrylic, or wool. Some can be worn as gloves or liners.



Item	Cuff	Colour	Brand	Item No.
Leather Gloves	5" Gauntlet	Pearl	Bob Dale	ALG40-9-2515M
Leather Gloves	5" Gauntlet	Pearl	Bob Dale	ALG40-9-2515L
Cotton Jersey Glove	—	Brown	Bob Dale	ALG120
Welding Glove	5" Gauntlet	Brown, Grey	Gander Brand	ALG60-1-1940S
Welding Glove	5" Gauntlet	Brown, Grey	Gander Brand	ALG60-1-1940M
Welding Glove	5" Gauntlet	Black, Brown, Grey	Gander Brand	ALG60-9-1942S
Welding Glove	5" Gauntlet	Black, Brown, Grey	Gander Brand	ALG60-9-1942M
Welding Glove	5" Gauntlet	Black, Brown, Grey	Gander Brand	ALG60-9-1942X2L
Welding Glove	5½" Gauntlet	Grey, Yellow	Bob Dale	ALG60-9-7800
Welding Glove	5" Gauntlet	Brown, Grey	Gander Brand	ALG60-1-1940X2L

Item	Size	Colour	Brand	Item No.
Glove Liner	Large (9)	Beige	Bob Dale	ALG105
Poly-Cotton Glove	One Size	Grey	Bob Dale	ALG375G
Leather Gloves	10 Medium	Gold, Grey	Bob Dale	ALG1065C10
Leather Gloves	11 Large	Gold, Grey	Bob Dale	ALG1065C11
Leather Gloves	12 Extra Large	Gold, Grey	Bob Dale	ALG1065C12
Leather Gloves	8 Extra Small	Gold, Grey	Bob Dale	ALG1065C8
Welding Glove	9 Small	Yellow	Bob Dale	ALG1065C9
Leather Mitts Gloves	10 Medium	—	Bob Dale	ALG1220-10
Leather Mitts Gloves	11 Large	—	Bob Dale	ALG1220-11
Leather Mitts Gloves	X-Large	—	Bob Dale	ALG1220-12
Leather Mitts Gloves	9 Small	—	Bob Dale	ALG1220-9
Coated Glove	—	Black, Grey	Bob Dale	ALG99-1-9772-7

Item	Size	Colour	Brand	Item No.
Coated Glove	—	Black, Grey	Bob Dale	ALG99-1-9772-6
Coated Glove	—	Black, Grey	Bob Dale	ALG99-1-9772-9
Coated Glove	—	Black, Grey	Bob Dale	ALG99-1-9772-10
Leather Gloves	—	Grey, Tan	Bob Dale	ALG60-1-1280LGE
Welding Glove	—	Black, Brown, Grey	Gander Brand	ALG60-9-1942XL
Welding Glove	—	Black, Brown, Grey	Gander Brand	ALG60-9-1942X2L
Welding Glove	—	Black, Brown, Grey	Gander Brand	ALG60-9-1942S
Welding Glove	—	Black, Brown, Grey	Gander Brand	ALG60-9-1942M
Welding Glove	—	Black, Brown, Grey	Gander Brand	ALG60-9-1942L
Leather Gloves	—	Pearl	Bob Dale	ALG40-9-2515M
Leather Gloves	—	White, Yellow	Bob Dale	ALG20-9-10697XS
Leather Gloves	—	White, Yellow	Bob Dale	ALG20-9-10697X3L

Item	Item No.
Bob Dale	
Welding Apron	ALG61
Welding Apron	ALG62

BOB DALE

Winter Work Gloves

Goatskin Gauntlet Back Protection FR120 Thins & Kevlar® Series 20-9-10698

- Premium grain goatskin for a soft, comfortable fit
- EN 388 Cut Level 5 Kevlar® lining for cut/abrasion resistance
- Thinsulate™ lined (C-100) for added warmth
- TPR guards for impact protection
- Reinforced thumb saddle area for extra protection
- Foam padded palm



ALG20-9-10698XS

Size	Cuff	Colour	Palm Material	Lining	Back Material	Thumb Style	Thumb Material	Finger Style	Finger Material	Item No.
Leather Gloves	3" Gauntlet	Grey	Goatskin	C100	Goatskin/TPR	Keystone	TPR	Full Finger	Goatskin	ALG20-9-10698X3
X-Small (6)	3" Gauntlet	Grey	Goatskin	C100	Goatskin/TPR	Keystone	TPR	Full Finger	Goatskin	ALG20-9-10698X2L
2X-Large (11)	3" Gauntlet	Grey	Goatskin	C100	Goatskin/TPR	Keystone	TPR	Full Finger	Goatskin	ALG20-9-10698X3L

BOB DALE, GANDER BRAND

Work Gloves

Gander Brand® Premium Roper Gloves ALG2186E

Series—A premium grain deerskin roper glove, cut and sewn in Canada to exceptional quality standards. This glove has a sewn-in elastic back for a snug wrist fit and soft comfortable feel.

Gander Brand® Grain Leather Fitters Gloves—

ALG2812EY5 is made from smooth grain leather for durability, dexterity, plus oil and water resistance. Safety cuffs, leather knuckle straps and cotton lined palm. Grainger offers 3 levels of quality to meet all applications and budgets.

Gander Brand® Hi-Viz Leather Fitters Glove No.

ALG30-9-1003—These gloves feature a high visibility back and include a reflective stripe.

Gander Brand® Hi-Viz Leather Winter Fitters Glove

ALG30-9 Series—These gloves feature a high visibility back and include a reflective stripe, as well as a premium winter lining.

No. ALG30-9-428A—Full lining helps retain warmth and feels comfortable for winter wear.

Fitters Foam/Fleece Lined Split Leather Cowhide

No. ALG30-9-2007 Glove—Premium grade leather. Foam/fleece lined. Solid colour safety cuff.

Gander Brand® Hot Mill Glove No. ALG28G

Hot mill gloves have a 100% cotton quilted double palm with a nap out palm, thumb and index finger providing long wear and good heat protection for applications up to 300° F. For use in foundries, forging operations, glass and ceramic plants.

Gander Brand® Knit Aramid Gloves Series

ALG370KLP—Leather Palm—Seamless Knit Aramid cut resistant liner. Quality split cowhide palm for added protection and abrasion resistance. CE standard 4344 Cut Level 3.

Seamless Knit Latex Coated No. ALG275BP9—

Seamless knit poly-cotton liner that is pre-curved for a natural feel and reduced hand fatigue. Open back design for breathability. Crinkle latex palm coating provides excellent grip and resistance to abrasion, punctures and cuts.



ALG30-9-1003



ALG28G

Item	Glove Size	Cuff	Colour	Item No.
Leather Gloves	9	—	Grey, Orange	ALG30-9-1003
	9	—	Grey, Yellow	ALG30-9-2007
	Ladies	—	Blue, Yellow	ALG30-9-428A
Cotton Glove	—	—	—	ALG28G
	L	—	Blue, Tan, Yellow	ALG2812EY5
	L	—	Grey, Orange	ALG30-1-1003
Leather Gloves	S	Rubberized Safety	Blue, Grey, Yellow	ALG30-1-599W
	XL	Rubberized Safety	Blue, Grey, Yellow	ALG30-1-599XL
	2XL	Rubberized Safety	Blue, Grey, Yellow	ALG30-1-599X2L
Coated Glove	L	—	Blue, Grey	ALG275BP9
Cotton Canvas Glove	—	—	—	ALG307
Welding Glove	L	4"	White	ALG60-1-1949L
	XL	5" Gauntlet	Brown, Grey	ALG60-1-1940XL

GANDER BRAND

Cold Storage, Construction, Outdoor Winter Use Gloves

Gander MIG Welder Grain Black/Split Brown Cow Fleece Lined No. ALG60-9-1942L

- Premium cowhide grain leather provides excellent comfort and strength
- Full fleece lining for warmth
- Kevlar® stitching for heat and spark protection
- 5" split leather gauntlet cuff
- Goatskin leather reinforced thumb area
- Reinforced leather patches on palm and backhand for added heat protection and long lasting wear
- Sleek form fitting design



Item	Cuff	Colour	Lining Material	Glove Back Material	Thumb Style	Glove Size	Item No.
Welding Glove	5" Gauntlet	Black, Brown, Grey	Fleece	Cowhide Leather	Wing	L	ALG60-9-1942L

IRONCLAD

Heatworx® Heat-Resistant Gloves

- ANSI/ISEA cut level: A2
- Colour: black
- Finger style: full finger

Gloves for welders, plant workers, tooling, and mechanic applications. Palms are cut-, abrasion-, and shrink-resistant and oil- and water-repellent. 100% Kevlar® stitching. Excellent protection for handling hot objects. 2½" gauntlet cuffs. Heavy-Duty gloves have molded silicone rubber palm for enhanced heat and puncture resistance. Straight thumb style.

Note: Max. temp. may vary depending on application, weight of product, and length of time handled.



Max. Temp.	Cut	Fabric Weight	Size	Item No.	Max. Temp.	Cut	Fabric Weight	Size	Item No.
Heavy-Duty									
600 Degrees F	Clute	12 oz.	Small (7)	IPWHW6X02S	450 Degrees F	Gunn	21 oz.	Small (7)	IPWHW4-02S
600 Degrees F	Clute	12 oz.	Medium (8)	IPWHW6X03M	450 Degrees F	Gunn	21 oz.	Medium (8)	IPWHW4-03M
600 Degrees F	Clute	12 oz.	Large (9)	IPWHW6X04L	450 Degrees F	Gunn	21 oz.	Large (9)	IPWHW4-04L
600 Degrees F	Clute	12 oz.	X-Large (10)	IPWHW6X05XL	450 Degrees F	Gunn	21 oz.	X-Large (10)	IPWHW4-05XL
600 Degrees F	Clute	12 oz.	2X-Large (11)	IPWHW6X06XXL	450 Degrees F	Gunn	21 oz.	2X-Large (11)	IPWHW4-06XXL

CONDOR

Heat-Resistant Knit Sleeves and Gloves

Loop-in style gloves reduce snags and increase longevity. Loop-out style protects against abrasion and provides nonslip grip.



Material	Type	Max. Temp.	Length	Cuff	Lining	Colour	Size	Item No.
Bakers Pad								
Terry Cloth	Heat Resistant	450°F	11"	Elastic Strap	Unlined	White	One Size	CDR4JD55 *
Coated Glove								
Cotton/Acrylic	Grip N® Hot Mill, Ambidextrous	482°F	10¾"	Knit	Cotton	Red, White	OSFA	CDR1AHE9
Heat-Resistant Glove								
Terry Cloth	Lined, Reversible and Extra Heavy Weight	450°F	13½"	Gauntlet	Cotton	Red	X-Large (10)	CDR4JC92
Heat-Resistant Sleeve								
100% Cotton	—	200°F	17"	Knit Wrist	—	White	Universal	CDR1NXN1 *
Terry Cloth	Sleeve, Elastic Top, Knit Wrist	200°F	16"	Knit Wrist	—	Beige	Universal	CDR4JD86 *
Terry Cloth	Sleeve, Elastic Top, Hemmed Bottom	350°F	19"	Hemmed	—	White	Universal	CDR4JD84 *
Knit Glove								
Canvas/Burlap/ Cotton	—	500°F	14"	Gauntlet	Wool	Off-White	Men's Large	CDR4TJU8
Cotton	16 Ounce, Loop In Terrycloth, Natural	250°F	10"	Knit	Unlined	White	Men's Large	CDR5AV90
Cotton	Gauntlet Cuff, 22 Ounces Cotton, Nap Out, Clute Pattern	275°F	12"	Gauntlet	Cotton	White	Men's Large	CDR6AJ18
Cotton	16 Ounce, Loop In Terrycloth, Natural	250°F	9"	Knit	Unlined	White	Men's Small	CDR5AP60
Cotton	22 Ounces, Band Top, Clute Pattern, Cotton	275°F	10"	Safety	Cotton	White	Men's Large	CDR2AP57
Cotton/Acrylic	Maximum Heat Resistance, Ambidextrous	480°F	10⅞"	Knit	Cotton	Russet, White	Men's X-Large	CDR4A277
Kevlar®/Nomex®	—	500°F	11"	Knit	Unlined	White, Yellow	Men's Large	CDR2AK66
Cotton/Kevlar®	Terry Knit	500°F	10½"	Knit	Unlined	Gold, White	Men's Large	CDR5MPK4
Cotton/Kevlar®	Cut and Sewn/Woven	250°F	10½"	Knit	Cotton	Off-White	Men's Large	CDR5MPK7
Cotton/Kevlar®	Grip N Hot Mill, Ambidextrous	400°F	10¾"	Knit	Cotton/Acrylic	Russet, White, Yellow	Men's X-Large	CDR5T942
Kevlar®/Nomex®	—	480°F	11½"	Knit	Cotton	White, Yellow	Men's Large	CDR1ZPP3 *
Polyester/Cotton	Ambidextrous	400°F	18"	Knit	Polyester/Cotton	Off-White	OSFA	CDR2ENE3 *
Polyester/Cotton	Loop In, 24 Ounces, 100 Percentage Cotton	250°F	9"	Knit	Unlined	White	Small (7)	CDR6AF64
Terry Cloth	Loop Out, Heat Protection, 24 Ounces, 100 Percentage Cotton	250°F	10"	Knit	Unlined	White	Men's Large	CDR3AT17
Terry Cloth	Lined, Reversible and Extra Heavy Weight	450°F	13½"	Gauntlet	Cotton	Brown, White	X-Large (10)	CDR4JC91
Terry Cloth	Loop In, 24 Ounces, 100 Percentage Cotton	250°F	10"	Knit	Unlined	White	Large (9)	CDR2AP49
Terry Cloth	Loop Out, 24 Ounces, 100 Percentage Cotton	250°F	9"	Knit	Unlined	Off-White	Men's Small	CDR3AP36
Terry Cloth	Lined, Reversible and Extra Heavy Weight	450°F	10½"	Safety	Cotton	Brown, White	X-Large (10)	CDR4JC94
Terry Cloth	Lined, Safety Cuff, Extra Heavy Weight	450°F	9"	Safety	Cotton	Brown, White	Men's X-Large	CDR4JD73
Terry Cloth	Lined, Reversible, Gauntlet, Extra Heavy Weight	450°F	17"	Gauntlet	—	White	Men's Large	CDR4JD74
Thermal Knit	Abrasion Resistance	605°F	11"	Knit	Cotton	Russet, White	Men's Large	CDR4JF36

* Sold individually

WATSON GLOVES**What The Buck**

Split deerskin leather, clute cut design with straight thumb, leather reinforced thumb saddle, stitched with Kevlar® thread, gauntlet style cuff with leather gore, unlined.



WAT263AW07

Size	Item No.
7	WAT263AW07
8	WAT263AW08
9	WAT263AW09
10	WAT263AW10
11	WAT263AW11
12	WAT263AW12
13	WAT263AW13

CAIMAN, CONDOR, IRONCAT, TILLMAN, WATSON GLOVES**Welding Gloves**

- Cut: gunn

Applications:

Stick—Thick, heavy-duty gloves with welted fingers offer superior burn, spark, and high-heat resistance. Gauntlet cuff provides additional wrist protection.

MIG—Provide good burn, spark, and medium heat resistance. Enhanced dexterity allows operation of trigger and welding guns.

TIG—Thinner leather provides superior feel and dexterity with light burn, spark, and heat resistance.

Glove Length	Leather Palm Material	Leather Palm Type	Glove Back Material	Lining Material	Hand	Stitching Material	Glove Cut	Cuff	Colour	Glove Size	Brand	Item No.
TIG												
10 ½ in	Cowhide	Grain	Goatskin Leather	Unlined	Left and Right	Kevlar®	Gunn	Gauntlet	White	M	Condor	CDR2AJ91
11 ¼ in	Cowhide	Grain	Goatskin Leather	Unlined	Left and Right	Kevlar®	Gunn	Gauntlet	White	L	Condor	CDR1AD18
11 ½ in	Pigskin	Grain	Pigskin	Cotton, Foam	Left and Right	Kevlar®	Gunn	Gauntlet	Yellow	M	Condor	CDR4JF95
11 ¾ in	Cowhide	Split	Goatskin Leather	Unlined	Left and Right	Kevlar®	Gunn	Gauntlet	White	XL	Condor	CDR2MGC5
12 in	Pigskin	Grain	Pigskin	Cotton, Foam	Left and Right	Kevlar®	Gunn	Gauntlet	Yellow	L	Condor	CDR4JF94
12 ¼ in	Pigskin	Grain	Pigskin	Cotton, Foam	Left and Right	Kevlar®	Gunn	Gauntlet	Yellow	XL	Condor	CDR2MGC4
12 in	Goatskin	Grain	Kidskin	Unlined	Left and Right	Kevlar®	Gunn	Hemmed	White	L	Condor	EWP31KY87
12 in	Goatskin	Grain	Kidskin	Unlined	Left and Right	Kevlar®	Gunn	Hemmed	White	XL	Condor	EWP31KY88
12 in	Goatskin	Grain	Kidskin	Unlined	Left and Right	Kevlar®	Gunn	Hemmed	White	M	Condor	EWP31KY86
13 in	Deerskin	Split	Deerskin Leather	Unlined	Left and Right	Kevlar®	Gunn	Gauntlet	Grey	M	Caiman	WWG23J998
13 in	Deerskin	Split	Deerskin Leather	Unlined	Left and Right	Kevlar®	Gunn	Gauntlet	Grey	L	Caiman	WWG23J999
13 in	Deerskin	Split	Deerskin Leather	Unlined	Left and Right	Kevlar®	Gunn	Gauntlet	Grey	XL	Caiman	WWG23K001
Stick												
11 in	Elkskin	Grain	Cowhide Leather	Cotton foam lined	Left and Right	Kevlar®	Gunn	Safety	Tan	M	Tillman	WWG5UPC0
11 in	Elkskin	Grain	Cowhide Leather	Cotton foam lined	Left and Right	Kevlar®	Gunn	Safety	Tan	L	Tillman	WWG5UPC1
12 ½ in	Kidskin	Grain	Cowhide Leather	Cotton	Left Only	Polyester	Gunn	Gauntlet	Grey	M	Condor	CDR4NHC9
12 ¼ in	Cowhide	Split	Cowhide Leather	Cotton	Left Only	Polyester	Gunn	Gauntlet	Red	M	Condor	CDR4NH3D
12 ½ in	Cowhide	Split	Cowhide Leather	Cotton	Left and Right	Polyester	Gunn	Gauntlet	Grey	M	Condor	CDR1VT51
12 ¼ in	Cowhide	Split	Cowhide Leather	Cotton	Left and Right	Kevlar®	Gunn	Gauntlet	Brown	M	Condor	CDR2MGC2
13 in	Cowhide	Split	Cowhide Leather	Cotton	Left Only	Kevlar®	Gunn	Gauntlet	Red	L	Condor	GG54NH4D
13 in	Cowhide	Split	Cowhide Leather	Cotton	Left and Right	Kevlar®	Gunn	Gauntlet	Brown	L	Condor	CDR5T184
13 ¾ in	Sheepskin	Grain	Cowhide Leather	Cotton, Polyester	Left and Right	Kevlar®	Gunn	Gauntlet	Blue	L	Condor	CDR4TJX5
13 ½ in	Deerskin	Grain	Cowhide Leather	Cotton, Polyester	Left and Right	Kevlar®	Gunn	Gauntlet	Blue	M	Condor	CDR4TJV2
13 ¾ in	Sheepskin	Grain	Cowhide Leather	Cotton, Polyester	Left and Right	Kevlar®	Gunn	Gauntlet	Blue	XL	Condor	CDR4TJV3
14 in	Cowhide	Split	Cowhide Leather	Cotton	Left Only	Polyester	Gunn	Gauntlet	Grey	L	Condor	CDR4NH1D
14 in	Cowhide	Split	Cowhide Leather	Cotton	Left Only	Polyester	Gunn	Gauntlet	Grey	XL	Condor	CDR4NH2D
14 in	Cowhide	Split	Cowhide Leather	Cotton	Left Only	Kevlar®	Gunn	Gauntlet	Red	XL	Condor	CDR4NH5D
14 in	Cowhide	Split	Cowhide Leather	Cotton	Left and Right	Kevlar®	Gunn	Gauntlet	Brown	XL	Condor	CDR2MGC3
14 in	Cowhide	Split	Cowhide Leather	Cotton	Left and Right	Polyester	Gunn	Gauntlet	Grey	L	Condor	CDR4JF96
14 in	Cowhide	Split	Cowhide Leather	Cotton	Left and Right	Polyester	Gunn	Gauntlet	Brown	XL	Condor	CDR2MGC1
14 in	Elkskin	Split	Elk Hide Leather	Cotton, Foam	Left and Right	Kevlar®	Gunn	Gauntlet	Yellow	S	Ironcat	WWG39E776
14 in	Elkskin	Split	Elk Hide Leather	Cotton, Foam	Left and Right	Kevlar®	Gunn	Gauntlet	Yellow	L	Ironcat	WWG39E778
14 in	Elkskin	Split	Elk Hide Leather	Cotton, Foam	Left and Right	Kevlar®	Gunn	Gauntlet	White	M	Ironcat	WWG39E781
16 ¼ in	—	Full-Grain	Cowhide Leather	Cotton foam lined	Left and Right	Kevlar®	Gunn	Safety	Tan	S	Tillman	WWG5UPA9
16 ¼ in	Goatskin	Full-Grain	Cowhide Leather	Cotton foam lined	Left and Right	Kevlar®	Gunn	Safety	Tan	XL	Tillman	WWG5UPC2
MIG, TIG												
9 in	Cowhide	Full-Grain	Cowhide Leather	Fleece	Left and Right	Kevlar®	Gunn	Safety	Yellow	M	Caiman	WWG23J993
10 in	Cowhide	Full-Grain	Cowhide Leather	Fleece	Left and Right	Kevlar®	Gunn	Safety	Yellow	L	Caiman	WWG23J994
10 in	Cowhide	Full-Grain	Cowhide Leather	Fleece	Left and Right	Kevlar®	Gunn	Safety	Yellow	XL	Caiman	WWG23J995
11 in	—	Full-Grain	Cowhide Leather	Fleece	Left and Right	Kevlar®	Gunn	Gauntlet	Brown, White	M	Tillman	WWG5UPC3
12 in	Pigskin	Full-Grain	Cowhide Leather	Fleece	Left and Right	Kevlar®	Gunn	Gauntlet	Brown, White	L	Tillman	WWG5UPC4
13 in	Pigskin	Full-Grain	Cowhide Leather	Fleece	Left and Right	Kevlar®	Gunn	Gauntlet	Brown, White	XL	Tillman	WWG5UPC5
13 in	Goatskin	Full-Grain	Cowhide Leather	Fleece	Left and Right	Kevlar®	Gunn	Gauntlet	White	M	Caiman	WWG23J990
13 in	Goatskin	Full-Grain	Cowhide Leather	Fleece	Left and Right	Kevlar®	Gunn	Gauntlet	White	L	Caiman	WWG23J991
13 in	Goatskin	Full-Grain	Cowhide Leather	Fleece	Left and Right	Kevlar®	Gunn	Gauntlet	White	XL	Caiman	WWG23K002
13 in	Cowhide	Full-Grain	Goatskin Leather	Unlined	Left and Right	Kevlar®	Gunn	Gauntlet	Yellow	M	Caiman	WWG23K003
13 in	Cowhide	Full-Grain	Goatskin Leather	Unlined	Left and Right	Kevlar®	Gunn	Gauntlet	Yellow	L	Caiman	WWG23K004

WATSON GLOVES**Fabulous Fabricator Welding Gloves**

Full-grain cowhide leather palm & index finger, cotton fleece lined palm, split cowhide back, gusset cut design with wing thumb, pulse protector reinforcement, gauntlet style cuff.



WAT2757S

Size	Item No.
Small	WAT2757S
Medium	WAT2757M
Large	WAT2757L
X-Large	WAT2757X



CDR2AJ91



WWG5UPCO



WWG5UPC4

CONTINUED

CAIMAN, CONDOR, IRONCAT, TILLMAN, WATSON GLOVES

Welding Gloves

Glove Length	Leather Palm Material	Leather Palm Type	Glove Back Material	Lining Material	Hand	Stitching Material	Glove Cut	Cuff	Colour	Glove Size	Brand	Item No.
MIG, Stick												
13 in	Pigskin	Full-Grain	Cowhide Leather	Fleece, Foam	Left and Right	Kevlar®	Gunn	Gauntlet	Tan	L	Caiman	WWG23J984
13 in	Cowhide	Full-Grain	Cowhide Leather	Fleece, Foam	Left and Right	Kevlar®	Gunn	Gauntlet	Tan	XL	Caiman	WWG23J985
13 1/2 in	Pigskin	Full-Grain	Cowhide Leather	Fleece, Foam	Left and Right	Kevlar®	Gunn	Gauntlet	Yellow	L	Caiman	WWG23J986
13 1/2 in	Pigskin	Full-Grain	Cowhide Leather	Fleece, Foam	Left and Right	Kevlar®	Gunn	Gauntlet	Yellow	XL	Caiman	WWG23J987
13 1/2 in	Elkskin	Split	Deerskin Leather	Wool	Left and Right	Kevlar®	Gunn	Gauntlet	Black	L	Caiman	WWG23K005
21 in	Deerskin	Split	Deerskin Leather	Fleece, Foam	Left Only	Kevlar®	Gunn	Extended	Black	L	Caiman	WWG23J997
MIG												
13 1/4 in	Cowhide	Full-Grain	Cowhide Leather	Unlined	Left and Right	Kevlar®	Gunn	Gauntlet	White	S	Tillman	WWG5UPA5
13 in	Kidskin	Split	Cowhide Leather	Unlined	Left and Right	Kevlar®	Gunn	Gauntlet	Brown, White	M	Tillman	WWG5UPC6
13 1/4 in	Deerskin	Split	Cowhide Leather	Fleece Lined	Left and Right	Kevlar®	Gunn	Gauntlet	Brown, White	L	Tillman	WWG5UPC7
14 in	Deerskin	Split	Cowhide Leather	Fleece Lined	Left and Right	Kevlar®	Gunn	Gauntlet	Brown, White	XL	Tillman	WWG5UPC8
—	—	Full Grain Cowhide	Cowhide Leather	Cotton Fleece	—	Kevlar®	Gunn	Gauntlet	—	Large	Watson Gloves	WAT2757L
—	—	Full Grain Cowhide	Cowhide Leather	Cotton Fleece	—	Kevlar®	Gunn	Gauntlet	—	Medium	Watson Gloves	WAT2757M
—	—	Full Grain Cowhide	Cowhide Leather	Cotton Fleece	—	Kevlar®	Gunn	Gauntlet	—	Small	Watson Gloves	WAT2757S
—	—	Full Grain Cowhide	Cowhide Leather	Cotton Fleece	—	Kevlar®	Gunn	Gauntlet	—	XL	Watson Gloves	WAT2757X
—	—	—	Cowhide Leather	—	—	Kevlar®	Gunn	—	—	XL	Watson Gloves	WAT2757XL
—	—	—	Cowhide	—	—	Kevlar®	—	—	—	M	Watson Gloves	WAT2782M
—	—	—	Cowhide	—	—	Kevlar®	—	—	—	S	Watson Gloves	WAT2782S
13 in	Gold Cowsplit	—	—	—	—	—	—	—	Black, Tan	9	Watson Gloves	WAT2780L
13 in	Gold Cowsplit	—	—	—	—	—	—	—	Black, Tan	8	Watson Gloves	WAT2780M
13 in	Gold Cowsplit	—	—	—	—	—	—	—	Black, Tan	7	Watson Gloves	WAT2780S
13 in	Gold Cowsplit	—	—	—	—	—	—	—	Black, Tan	10	Watson Gloves	WAT2780X
13 in	Gold Cowsplit	—	—	—	—	—	—	—	Black, Tan	11	Watson Gloves	WAT2780XXL

EDGEWOOD

Welding Mats

- Size: 3' x 4'
- Thickness: 5/8"

Designed to provide welder comfort and increase productivity in welding and fabrication applications. Solid domed top face style. Available in individual sections or linear connectable for extending comfort zone. Withstands temperatures up to 1,500° C.



EDGWEI220304

CLC, IMPACTO, NOTRAX Kneeling Mats

- Colour: black
- Thickness: 1"

Material	Length	Width	Edges	Brand	Item No.
Closed Cell Foam Rubber	16"	8"	Tapered	Impacto	IMOMAT5040
Closed Cell Foam Rubber	21"	14"	Tapered	Impacto	IMOMAT5050
NBR	21"	14"	Square	CLC	KNY302
NBR	28"	16"	Tapered	CLC	KNY303
NBR	36"	18"	Tapered	CLC	KNY305
Nitrile Foam Blend	22"	12"	Square	Notrax	NTX950S1222BL
Nitrile Foam Blend, w/ Solid Rubber Base	22"	12"	Square	Notrax	NTX951S1222BL



KNY302

CONDOR**Ambidextrous Wrist Supports – Single Strap**

Wrist support. Single strap style. Ambidextrous. Black. Neoprene. Features removable 2" woven elastic strap. Hook and loop closure.

**CDR1AGH1****CONDOR****Ambidextrous Wrist Supports – Single Strap with Stay – Elastic**

Wrist support. Single strap style. Ambidextrous. Black. Elastic with vented terry cloth lining.

**CDR3RXT6****CONDOR****Knee Supports**

Neoprene material, vented with a terry cloth lining and a nylon outer shell. Contour fit.

**CDR3TCJ7****APPROVED VENDOR****Neoprene-Nylon
Elbow Support**

Elbow support, single strap style, sizes up to 12", black, neoprene/nylon, machine washable.

**GGS6T569**

Size	Material	Fits	Colour	Item No.
Single Strap				
S	Neoprene/Nylon	Up to 10"	Black	GGS6T568
M	Neoprene/Nylon	10" - 11"	Black	GGS6T569
L	Neoprene/Nylon	11" - 12"	Black	GGS6T570
XL	Neoprene/Nylon	12" - 13"	Black	GGS6T571

ERGODYNE**Kneeling Pads**

- Non-conductive
- Silicone-free, will not promote corrosion
- Closed-cell foam rubber will not compression set
- Resistant to petroleum products and other liquids

**EGO380****EGO385**

Description	Size (in.)	Item No.
Kneeling Pad with Built-in Handle, 14" x 21" x 1"	14 x 21 x 1"	EGO380
Kneeling Pad with Beveled Safety Edge and Warning Stripe, 16" x 28" x 1"	16 x 28 x 1"	EGO385
Kneeling Pad with Beveled Safety Edge and Warning Stripe, 18" x 36" x 1"	18 x 36 x 1"	EGO390

TOMMYCO

T-Foam™ Knee Pads with CoolMax®

Built with medical grade, environmentally friendly, Nitrofoam™ and a superior moisture wicking CoolMax® liner.

T-Foam™ Light-Duty

- Ideal for those quick jobs that require a little knee protection.

T-Foam™ Tradesman with CoolMax®

- Extended length, lightweight and comfortable for a little more protection.



TCOHD220



TCOULV12

Description	Item No.
T-Foam™ Light-Duty without Liner	TCOHD220
T-Foam™ Tradesman with CoolMax®	TCOULV12

KUNY'S

Durable Foam Knee Pads

Long lasting comfort in a durable lightweight pad. Two 1 1/4" heavy elastic straps with hook and loop fasteners.



Description
Foam Knee Pads

Item No.
KNYKP314

KUNY'S

Durable Foam Knee Pads – Hook Closure

- Made of durable dense foam
- 1 1/4" elastic strap with hook and loop fastener



Description
Foam Knee Pads

Item No.
KNYKP315

KUNY'S

Buckle-Style Flooring Knee Pads

Side buckle fastening system with adjustable clips for convenience and fit. Heavy-duty construction with foam padding for comfort.



Style	Cap Material	Pad Material	Size	Closure Type	Colour	No. of Straps	Strap Material	Item No.
Non-Marring	Polyester	EVA Foam	One Size Fits All	Quick Release	Black	2	Nylon and Elastic	KNYKP342

WESTWARD

Hardshell Poly Cap Knee Pads

- Provides extra protection for the knees
- Hard cap allows for best surface coverage and knee comfort
- One size fits all



Description
Hardshell Poly Cap Knee Pads

Item No.
WSWKP2PC

TOMMYCO

GEL-PRO™ Total Flex Kneepads

Free-floating center easily positions to fit any knee. Adjustable straps above and below provides comfort and ease of movement.

GEL-PRO™ Total Flex Rough Terrain

- Patented Rough Terrain cover – ideal for rough exterior use



Description
GEL-PRO™ Total Flex Rough Terrain

Item No.
TC030321

KUNY'S

Accordion Knee Pads

Accordion top provides comfort while standing. Flexible outer shell with thick closed cell foam provides extreme comfort. Thermo plastic rubber straps prevents pad from sliding out of position, while preventing knee joint stress. Ultra-Flex™ accordion construction.



Description
Item No.
Rubber Knee Pads
KNYKP309

KUNY'S

Professional Gel Knee Pads

- Specially designed gel centre distributes weight throughout pad, not directly into the knee for less pressure points than typical knee pads
- Two strap fastening for added stability vs. common single strap models
- Super tough 1680D Ballistic Nylon throughout, resists puncture and tears
- GradTab™ for easy positioning of pads
- Breathable neoprene lower straps secure below the knee for comfort all day long
- Elastic upper strap with QuickBuckle™ fasteners for rapid fit



Description
Item No.
Gel Knee Pads
KNYKP340

KUNY'S

Airflow™ Gel Knee Pads

- Layered gel, high density closed-cell foam and neoprene padding for superior all-day comfort
- Airflow™ side panel design helps ventilate knee pad and reduce heat build-up
- Our Stabili-cap™ design provides a solid kneeling base and also allows for easier forward movement, effectively increasing your range of motion
- Elastic web straps with hook and loop closures provide for a perfect fit
- One size fits most



Description
Airflow™ Gel Knee Pads
KNYKP367

KUNY'S

Gel-Tek™ Flooring Knee Pads

- Injection-molded polyurethane and gel technology give our Contour-Fit Knee Cups™ unsurpassed all-day comfort and support
- Our Softcap™ design resists scratching and works well on hard, polished finish surfaces
- Nylon web and woven elastic straps with slide buckle connectors allow for easy adjustment and a secure fit
- One size fits most



Description
Item No.
Gel-Tek™ Flooring Knee Pads
KNYKP372

KUNY'S

Gel-Tek™ Stabili-Cap™ Articulated Knee Pads

- Injection-molded polyurethane and gel technology give our Contour-Fit Knee Cups™ unsurpassed all-day comfort and support
- Articulated straps are configured to allow knee pads to "float" over the knees when standing, need less strap adjustment, and provide greater all-day comfort than traditional strap systems
- Provides a solid kneeling base and also allows for easier forward movement, effectively increasing your range of motion



Description
Item No.
Gel-Tek™ Stabili-Cap™ Articulated Knee Pad
KNYKP378

KUNY'S

Professional Ultra-Flex™ Gel Knee Pads

- Specially designed gel centre distributes weight throughout pad, not directly into the knee for less pressure points than typical kneepads
- Soft, flexible outer shell protects and grips most surfaces without scratching or scuffing
- Durable Soft-Flex™ rubber straps are completely adjustable to fit all sizes
- Super accordion, Ultra-Flex™ construction for comfort and protection
- Maximum memory foam layer under gel centre for extreme comfort
- One size fits all



Description
Item No.
Gel Knee Pads
KNYKPG361

BDG

Cut-Resistant Gloves



ALG99-1-9675-10

ALG99-1-9677-10

Series	ANSI/ISEA Abrasion Level	Glove Length	Thumb Style	Colour	Glove Size	Item No.
Aramid					7	ALG99-1-9675-7
99-1-9675					8	ALG99-1-9675-8
					9	ALG99-1-9675-9
					10	ALG99-1-9675-10
					11	ALG99-1-9675-11
					12	ALG99-1-9675-12
99-1-9677					7	ALG99-1-9677-7
					8	ALG99-1-9677-8
					9	ALG99-1-9677-9
					10	ALG99-1-9677-10
					11	ALG99-1-9677-11
					12	ALG99-1-9677-12

CONDOR, SALISBURY

Rubber Insulating Gloves and Accessories

Rubber Insulating Gloves - Meet ASTM D120, IEC EN60903, and NFPA 70E standards. Protect against electrical shock. Gloves should be tested every 6 months in accordance with ASTM F496, "Standard Specification for In Service Care of Insulating Gloves and Sleeves" at an authorized safety equipment testing facility.

Leather Protectors - Meet ASTM F696 standard. Top-grain leather protects rubber insulating gloves against physical damage. Goatskin is soft, pliable, and offers greater abrasion resistance than cowhide.

Glove Kits - Convenient kits include 1 pr. of rubber insulating gloves with goatskin leather protectors and canvas glove bag.

Canvas Glove Bags - Designed for temporary storage of gloves and protectors. Belt clip for glove bag included.

Glove Inflator Kit with Adapter - Field-inspect gloves in a wide range of sizes, including those in Class 0 and Class 00. Includes inflator, adapter, carrying bag, and nylon fastening strap.

Glove Dust - Cooling frictionless powder absorbs moisture and perspiration inside rubber gloves.



Note: Switching glove colors assures all gloves are in the proper test cycle per OSHA and ASTM requirements. Every time a new pair of gloves is used, the colors need to be alternated. Alternate colors by using 1 color for the first test period and a different color for the second test period. Example: Red Class 00 gloves are worn for first test cycle period, then Black Class 00 gloves are worn during the second test cycle period. Class 1, 2, and 3 gloves feature an exterior and interior color for easier inspection of tears.

Class	Size	Colour	Length	Material	AC Max. Use Voltage	Brand	Item No.
Electrical Glove							
0	7	Black	11"	Natural Rubber	1000	Salisbury	SALE011B7
0	7	Red	11"	Natural Rubber	1000	Salisbury	SALE011R7
0	8	Black	11"	Natural Rubber	1000	Salisbury	SALE011B8
0	8	Blue	11"	Salcor® Rubber	1000	Salisbury	SALE011BL8
0	8	Red	11"	Natural Rubber	1000	Salisbury	SALE011R8
0	9	Black	11"	Natural Rubber	1000	Salisbury	SALE011B9
0	9	Blue	11"	Rubber	1000	Salisbury	SALE011BL9
0	9	Red	11"	Natural Rubber	1000	Salisbury	SALE011R9
0	10	Black	11"	Natural Rubber	1000	Salisbury	SALE011B10
0	10	Blue	11"	Salcor® Rubber	1000	Salisbury	SALE011BL10
0	10	Red	11"	Natural Rubber	1000	Salisbury	SALE011R10
0	11	Black	11"	Natural Rubber	1000	Salisbury	SALE011B11
0	11	Red	11"	Natural Rubber	1000	Salisbury	SALE011R11
0	8½	Black	11"	Natural Rubber	1000	Salisbury	SALE011B8H
0	8½	Red	11"	Natural Rubber	1000	Salisbury	SALE011R8H
0	10½	Red	11"	Natural Rubber	1000	Salisbury	SALE011R10H
00	7	Red	11"	Natural Rubber	500	Salisbury	SALE0011R7
00	8	Black	11"	Natural Rubber	500	Salisbury	SALE0011B8
00	8	Red	11"	Natural Rubber	500	Salisbury	SALE0011R8
00	9	Black	11"	Natural Rubber	500	Salisbury	SALE0011B9
00	9	Blue	11"	Salcor® Rubber	500	Salisbury	SALE0011BL9
00	9	Red	11"	Natural Rubber	500	Salisbury	SALE0011R9
00	10	Black	11"	Natural Rubber	500	Salisbury	SALE0011B10
00	10	Red	11"	Natural Rubber	500	Salisbury	SALE0011R10

CONTINUED ➔

CONTINUED

CONDOR, SALISBURY

Rubber Insulating Gloves and Accessories

**SALE318RB10**

Class	Size	Colour	Length	Material	AC Max. Use Voltage	Brand	Item No.
00	11	Red	11"	Natural Rubber	500	Salisbury	SALE0011R11
1	8	Black	14"	Natural Rubber	7500	Salisbury	SALE114RB8
1	9	Black	14"	Natural Rubber	7500	Salisbury	SALE114RB9
1	10	Black	14"	Natural Rubber	7500	Salisbury	SALE114RB10
1	11	Black	14"	Natural Rubber	7500	Salisbury	SALE114RB11
Electrical Glove Inflator Kit							
—	—	Black, Red	—	Canvas, Nylon	—	Salisbury	SALG100
Electrical Glove Kit							
0	8	Black	11"	Natural Rubber	1000	Salisbury	SALGK011B/8
0	9	Black	11"	Natural Rubber	1000	Salisbury	SALGK011B/9
0	9	Blue	11"	Rubber	1000	Salisbury	SALGK011BL9
0	10	Black	11"	Natural Rubber	1000	Salisbury	SALGK011B10
0	10	Blue	11"	Salcor® Rubber	1000	Salisbury	SALGK011BL10
0	11	Black	11"	Natural Rubber	1000	Salisbury	SALGK011B/11
0	11	Blue	11"	Salcor® Rubber	1000	Salisbury	SALGK011BL11
00	9	Red	11"	Natural Rubber	500	Salisbury	SALGK0011R9
Electrical Glove Protector							
—	7	Cream	10"	Import Cowhide	—	Salisbury	SALILP10/7
—	7	Gray	10"	Top Grain Goatskin	—	Condor	CDR5WUR9
—	7	Gray/Orange/Black	12"	Goatskin Leather	—	Condor	CDR4FPF9
—	7	Gray/Orange/Black	15"	Goatskin Leather	—	Condor	CDR4FPG2
—	7	Green, Orange	10 in	Goatskin Leather	—	Salisbury	SALILPG10/7
—	7	Tan/Black	10"	Cowhide Leather	—	Condor	CDR4FPG7
—	7	Tan/Orange/Black	12"	Cowhide Leather	—	Condor	CDR4FPF5
—	7	Tan/Orange/Black	15"	Cowhide Leather	—	Condor	CDR4FPF7
—	8	Cream	10"	Import Cowhide	—	Salisbury	SALILP10/8
—	8	Gray	10"	Top Grain Goatskin	—	Condor	CDR3RNA3
—	8	Gray/Black	10"	Goatskin Leather	—	Condor	CDR3RMZ8
—	8	Gray/Orange/Black	12"	Goatskin Leather	—	Condor	CDR3NEE6
—	8	Gray/Orange/Black	15"	Goatskin Leather	—	Condor	CDR4FPG3
—	8	Tan/Black	10"	Cowhide Leather	—	Condor	CDR5EU28
—	8	Tan/Orange/Black	12"	Cowhide Leather	—	Condor	CDR4FPF6
—	8	Tan/Orange/Black	15"	Cowhide Leather	—	Condor	CDR4FPF8
—	8	White	10"	Import Goatskin	—	Salisbury	SALILP10/8
—	9	Cream	10"	Import Cowhide	—	Salisbury	SALILP10/9
—	9	Gray	10"	Top Grain Goatskin	—	Condor	CDR3RNA4
—	9	Gray/Black	10"	Goatskin Leather	—	Condor	CDR3RMZ9
—	9	Gray/Orange/Black	15"	Goatskin Leather	—	Condor	CDR4FPG4
—	9	Tan/Black	10"	Cowhide Leather	—	Condor	CDR4T491
—	9	Tan/Orange/Black	15"	Cowhide Leather	—	Condor	CDR4JD72
—	9	Tan/Orange/Black	12"	Cowhide Leather	—	Condor	CDR4T495
—	9	White	10"	Import Goatskin	—	Salisbury	SALILPG10/9
—	9	White/Orange	12"	Import Cowhide	—	Salisbury	SALILP3S/9
—	10	Gray	10"	Top Grain Goatskin	—	Condor	CDR3RNA1
—	10	Gray/Black	10"	Goatskin Leather	—	Condor	CDR3RMZ6
—	10	Gray/Orange/Black	12"	Goatskin Leather	—	Condor	CDR3NEE4
—	10	Gray/Orange/Black	15"	Goatskin Leather	—	Condor	CDR4FPG5
—	10	Tan/Black	10"	Cowhide Leather	—	Condor	CDR4T557
—	10	Tan/Orange/Black	15"	Cowhide Leather	—	Condor	CDR4JD70
—	10	Tan/Orange/Black	12"	Cowhide Leather	—	Condor	CDR4T559
—	10	White	10"	Import Goatskin	—	Salisbury	SALILPG10/10
—	10	White/Orange	12"	Import Cowhide	—	Salisbury	SALILP3S/10
—	11	Cream	10"	Import Cowhide	—	Salisbury	SALILP10/11
—	11	Gray	10"	Top Grain Goatskin	—	Condor	CDR3RNA2
—	11	Gray/Black	10"	Goatskin Leather	—	Condor	CDR3RMZ7
—	11	Gray/Orange/Black	12"	Goatskin Leather	—	Condor	CDR3NEE5
—	11	Gray/Orange/Black	15"	Goatskin Leather	—	Condor	CDR4FPG6
—	11	Tan/Black	10"	Cowhide Leather	—	Condor	CDR4T558
—	11	Tan/Orange/Black	15"	Cowhide Leather	—	Condor	CDR4JD71
—	11	Tan/Orange/Black	12"	Cowhide Leather	—	Condor	CDR4T560
—	11	White	10"	Import Goatskin	—	Salisbury	SALILPG10/11
—	11	White/Orange	12"	Import Cowhide	—	Salisbury	SALILP3S/11
Glove Bag							
—	—	Beige	12 in	Canvas	—	Condor	CDR4AJ28
—	—	Beige	14 in	Canvas	—	Condor	CDR4T498
—	—	Beige	20 3/4 in	Canvas	—	Condor	CDR5T101
Glove Dust							
—	5 oz.	White	—	—	—	Salisbury	WWG5ZV62
Linesman Glove							
3	9	Black, Red	18"	Natural Rubber	26,500V	Salisbury	SALE318RB9
3	10	Black, Red	18"	Natural Rubber	26,500V	Salisbury	SALE318RB10
3	11	Black, Red	18"	Natural Rubber	26,500V	Salisbury	SALE318RB11

CARHARTT

Flame-Resistant Cotton Duck Jackets

Meet NFPA 70E and 2112

Flame-Resistant Duck Active Jacket/Quilt Lined - Features a sturdy brass front zipper with Nomex® FR zipper tape, and has inside and outside protective flaps with hook-and-loop closure for electric arc protection. The 2 inside patch pockets have FR hook-and-loop closures. Tough 13-oz., 100% cotton FR duck with 11.5-oz. FR quilt lining constructed of FR modacrylic batting quilted to FR twill face cloth. Attached quilt-lined hood with adjustable Nomex FR draw cord. Arc rating ATPV 54.3 cal./cm².



WWG35EN58

SALISBURY

Electrical Protection Equipment

Line Hoses - Type II ozone-resistant rubber remains flexible in cold weather. Safety orange color.

Insulating Blankets and Accessories - Fabric-reinforced Type II ozone-resistant Salcor® rubber is flexible and customizable.

Clear PVC Roll Blanket No. 5EU29 allows visibility of insulated surfaces.

Low Voltage Blankets feature hook-and-loop fasteners for fast installation and safe removal. Yellow color.

Eyelet Style Blankets have reinforced beaded edges for added strength and tear resistance. Designed to be easily secured using Clamp Pin No. SAL21 (sold separately). Safety orange color.

Slotted Style Blankets are designed for flexibility in special cover-up situations. Use where protruded objects interfere with proper placement of other cover-up devices.

Blanket Clamp Pin - Holds insulating blankets in place.

Blanket Canisters - Molded, high-impact orange polyethylene canisters protect insulating blankets in storage.

Grounding Sets and Accessories - Easy to apply multiple grounding jumpers. Recommended for 3-phase wye systems. Canvas Bag No. SAL620 available separately.

Hot Switch Sticks - Closed cell foam-filled tubular fiberglass. Meet ASTM F711 standard.

Switchboard Matting - Type II, 1/4"-thick corrugated rubber for protection in front of switchgears, motor control centers, and other high-voltage apparatus.



SALP4



SAL1300

Jacket	Size	Length	Colour	Fits Chest Size	Item No.			
	M	29 in	Brown	38" to 40"	WWG35EN58			
	XL	29 in	Brown	46" - 48"	WWG35EN60			

Dimensions	Length	Mat Length	Mat Width	Material	Includes	Colour	Item No.
9.5" Blanket Clamp Pin, Nylon							
9 1/2" L, 5" Opening	—	—	—	Fiberglass Reinforced Nylon	Rubber Molded Tips	Yellow	SAL21
Black Slotted Insulated Blanket	—	22"	—	Type II Synthetic Rubber	28 Eyelets	Orange	SAL15
Blanket Canister, 1 - 2 Blanket Capacity							
5 x 37"	—	—	—	Polyethylene	Cap Secured With Polypropylene Rope	Orange	SALP2
Blanket Canister, 1 - 4 Blanket Capacity							
7 x 37"	—	—	—	Polyethylene	Cap Secured With Polypropylene Rope	Orange	SALP4
Connector End Line Hose							
—	4 1/2 ft.	—	—	Type II SALCOR	—	Safety Orange	SALOR150-45C
—	6 ft.	—	—	Type II SALCOR	—	Safety Orange	SALOR150-6C
Electrical Insulating Blanket							
—	3 ft.	—	—	Type 1 Natural Rubber with Hook and Loop Fastening	—	Yellow	SAL1836YLV
—	3 ft.	—	—	Type 1 Natural Rubber with Hook and Loop Fastening	—	Yellow	SAL3636YLV
—	3 ft.	—	—	Synthetic	6 Eyelets	Orange	SAL900E
Electrical Insulating Roll Blanket							
—	30 ft.	—	—	Fabric Reinforced Type II Synthetic Rubber	—	Yellow	SALRLB0
—	30 ft.	—	—	PVC	—	Clear	SALRLBPVC1
—	30 ft.	—	—	PVC	—	Clear	WWG5EU29
External Rod Clampstick							
—	6 ft. 8"	—	—	Fiberglass with Thermoplastic Head Ferrule	15 1/16" Opening	Yellow	SAL4009
Four Way Grounding Set							
—	—	—	—	—	Socket Clamp, (3) 6 ft., (1) 10 ft. 2/0 Cable	—	SAL24307
—	—	—	—	—	C-Clamp, Input/Output Cable, (6) 6 ft., (1) 10 ft.	—	SAL24308
Hot Switch Stick							
—	8 ft.	—	—	Fiberglass	Universal Head, Standard Prong	Yellow	SAL4215
—	8 ft.	—	—	Fiberglass	Standard Head Prong	Orange	SAL935
Insulated Rescue Hook							
—	6 ft.	—	—	Fiberglass with Aluminum Bronze Alloy Head	18" Opening	Yellow	SAL24401
Magnetic Blanket Button							
—	—	—	—	Four Permanent Floating Magnets Mounted Between Nickel-Plated Steel Plates	One Way Eyelet	Red	SALMB6
Orange Slotted Insulated Blanket							
—	36"	—	—	Type II Synthetic Rubber	28 Eyelets	Orange	SAL1300
Single Grounding Set							
—	—	—	—	—	(2) C-Clamp, 6 ft. 2/0 Cable	—	SAL24309
—	—	—	—	—	(2) C-Clamp, Flat Jaw Clamp, 6 ft. 2/0 Cable	—	SAL24310
Static Discharge Stick							
—	4 ft	—	—	Fiberglass with Brass Alloy U Hook	6 ft. Copper Grounding Cable	Yellow	SAL20817
Storage Bag							
—	20 x 15 1/2" x 5 1/2"	—	—	Canvas	—	Tan	SAL620
Switchboard Mat							
—	6 ft.	6 ft.	24"	Rubber	—	Black	SALM24-2Y
—	3 ft.	3 ft.	30"	Rubber	—	Black	SALM30-1Y
—	6 ft.	6 ft.	30"	Rubber	—	Black	SALM30-2Y
—	9 ft.	9 ft.	30"	Rubber	—	Black	SALM30-3Y

EDGEWOOD**Switchboard Mats**

Switchboard mats insulate and protect individuals from electric shocks. They can be used in dry environments in front of high-voltage boxes, electrical fuse boxes, and transformers.



EDGSW3220310

Mat Length	Mat Width	Mat Thickness	Max. Use Voltage	Mat Color	Mat Surface Pattern	Item No.
3 ft.	3 ft.	3/8 in	26,500 VAC	Black	Ribbed	EDGSW3220305
5 ft.	3 ft.	3/8 in	26,500 VAC	Black	Ribbed	EDGSW3220310
5 ft.	3 ft.	1/4 in	17,000 VAC	Black	Ribbed	EDGSWB220305
6 ft.	4 ft.	1/4 in	17,000 VAC	Black	Ribbed	EDGSWB220406
10 ft.	3 ft.	3/8 in	26,500 VAC	Black	Ribbed	EDGSW3220315
10 ft.	3 ft.	1/4 in	17,000 VAC	Black	Ribbed	EDGSWB220310
10 ft.	4 ft.	1/4 in	17,000 VAC	Black	Ribbed	EDGSWB220410
15 ft.	3 ft.	1/4 in	17,000 VAC	Black	Ribbed	EDGSWB220315
15 ft.	4 ft.	1/4 in	17,000 VAC	Black	Ribbed	EDGSWB220415

NATIONAL SAFETY APPAREL, STEEL GRIP**Heat-Reflective Aluminized Clothing**

Reflects up to 95% radiant heat.

Steel Grip® - 5-ply Dual Mirror® construction provides wear resistance, reflectivity, and resistance to molten metal splash. 15-oz. aluminized PFR Rayon (ARL) fabric is used for short-term exposure. 19-oz. aluminized Thermonol (ATH) is a Kevlar®/fiberglass fabric for long-term contact.

NSA® - Aluminized Carbon Kevlar® fabric provides excellent thermal insulation and maximum protection against molten metal splash, including molten iron and aluminum.



WWG2YRK7

Item	Material	Size	Brand	Item No.
Aluminized Apron	Aluminized OPF/Para-Aramid	Universal	National Safety Apparel	WWG2YRK7
Aluminized Coat	Carbon Kevlar®	M	National Safety Apparel	WWG2YRK1
Aluminized Coat	Carbon Kevlar®	L	National Safety Apparel	WWG2YRK2
Aluminized Coat	Carbon Kevlar®	XL	National Safety Apparel	WWG2YRK3
Aluminized Coat	Carbon Kevlar®	2XL	National Safety Apparel	WWG2YRK4
Aluminized Glove	Thermobest™	One Size	National Safety Apparel	WWG3GAF2
Aluminized Glove	Thermobest™	Medium (8)	National Safety Apparel	WWG3PWH2
Aluminized Hand Pad	Aluminized outer Shell, Felt Lined, Leather Straps	Universal	Steel Grip	WWG2AV46
Aluminized Jacket	Thermonol	L	Steel Grip	WWG1E006
Aluminized Jacket	Thermonol	2XL	Steel Grip	WWG1E069
Aluminized Sleeves	Aluminized OPF/ Para-Aramid	Universal	National Safety Apparel	WWG2YRL3

TINGLEY**Flame-Resistant Outerwear**

Arc flash and flame-resistant jackets and coats help protect workers from burn injuries in areas with sparks, open flame, and other potential fire hazards.



TNGJ53129C2XL



TNGO53129C2XL

Size	Colour	Closure Type	Length	Item No.
Comfort Brite Jacket				
S	Fluorescent Orange, Red	Zipper	29 in	TNGJ53129CSM
M	Fluorescent Orange, Red	Zipper	30 in	TNGJ53129CMD
L	Fluorescent Orange, Red	Zipper	31 in	TNGJ53129CLG
XL	Fluorescent Orange, Red	Zipper	31 in	TNGJ53129CXL
2XL	Fluorescent Orange, Red	Zipper	32 in	TNGJ53129C2XL
3XL	Fluorescent Orange, Red	Zipper	32 in	TNGJ53129C3XL
4XL	Fluorescent Orange, Red	Zipper	33 in	TNGJ53129C4XL
5XL	Fluorescent Orange, Red	Zipper	33 in	TNGJ53129C5XL
Comfort Brite Overall				
S	Fluorescent Orange, Red	Buckle, Storm Flap, Zipper	—	TNGO53129CSM
M	Fluorescent Orange, Red	Buckle, Storm Flap, Zipper	—	TNGO53129CMD
L	Fluorescent Orange, Red	Buckle, Storm Flap, Zipper	—	TNGO53129CLG
XL	Fluorescent Orange, Red	Buckle, Storm Flap, Zipper	—	TNGO53129CXL
2XL	Fluorescent Orange, Red	Buckle, Storm Flap, Zipper	—	TNGO53129C2XL
3XL	Fluorescent Orange, Red	Buckle, Storm Flap, Zipper	—	TNGO53129C3XL
4XL	Fluorescent Orange, Red	Buckle, Storm Flap, Zipper	—	TNGO53129C4XL
5XL	Fluorescent Orange, Red	Buckle, Storm Flap, Zipper	—	TNGO53129C5XL

HELLY HANSEN, NATIONAL SAFETY APPAREL, N-FERNO BY ERGODYNE, SALISBURY, STANFIELD'S LIMITED

Arc-Rated Flame-Resistant Headwear**SALAFHOOD20**

Item	Material	Size	Hazard Risk Category (HRC)	Arc Rating	Colour	Brand	Item No.
Arc Flash Protection Hood	20% Nomex®/80% Lenzing	Universal	2	10.0 cal/sq cm	White	Salisbury	SALAFHOOD10
Arc Flash Protection Hood	40% P84/55% Lenzing/5% Kevlar®	Universal	2	20.0 cal/sq cm	Beige	Salisbury	SALAFHOOD20
Balaclava	Nomex®	Universal	2	10 cal/sq cm	White	National Safety Apparel	NSAH61NK
Balaclava	UltraSoft®	Universal	2	12.0 cal/sq cm	Navy	National Safety Apparel	NSAH11RY
Balaclava	Kermel®/Viscose/Beltron	Universal	2	12.2 cal/sq cm	Blue	Helly Hansen	HLH79892-560STD
Flame Resistant Balaclava	Nomex®	Universal	—	—	White	National Safety Apparel	WWG2YRH8
Flame Resistant Balaclava	Nomex®	Universal	—	—	White	National Safety Apparel	WWG2YRJ2
Flame Resistant Balaclava	20% Nomex®/80% Lenzing	Universal	—	—	White	National Safety Apparel	WWG2YRJ3
Flame Resistant Hood	Carbon X(R)	Universal	3	23.0 cal/sq cm	Black	National Safety Apparel	NSAH18CX
Flame-Resistant Liner	Modacrylic	Universal	2	20.0 cal/sq cm	Black	N-Ferno By Ergodyne	WWG48Z858
Flame-Resistant Pant	48.5% Kermel, 48.5% Lenzing, 3% Antistat	XL	—	12.2 cal/sq cm	Blue	Helly Hansen	HLH75490-560XL
Flame-Resistant Pant	48.5% Kermel, 48.5% Lenzing, 3% Antistat	2XL	—	12.2 cal/sq cm	Blue	Helly Hansen	HLH75490-560-2XL
Flame-Resistant Pant	48.5% Kermel, 48.5% Lenzing, 3% Antistat	S	—	—	Blue	Helly Hansen	HLH75490-560S
Flame-Resistant Pant	48.5% Kermel, 48.5% Lenzing, 3% Antistat	M	—	—	Blue	Helly Hansen	HLH75490-560M
Flame-Resistant Pant	48.5% Kermel, 48.5% Lenzing, 3% Antistat	L	—	—	Blue	Helly Hansen	HLH75490-560L
Long John	Kermel/ Lenzing FR Jersey	3XL	1	5.7 cal/sq cm	Navy	Stanfield's Limited	NVTFR21-125-3XL
Long Sleeve T-Shirt	—	S	—	5.7 cal/sq cm	Navy	Stanfield's Limited	NVTFR24SML
Shirt	48.5% Kermel, 48.5% Viscose, 3% Beltron	M	—	8.0 cal/sq cm	Blue	Helly Hansen	HLH75090-560M
Shirt	48.5% Kermel, 48.5% Viscose, 3% Beltron	L	—	8.0 cal/sq cm	Blue	Helly Hansen	HLH75090-560L
Shirt	48.5% Kermel, 48.5% Viscose, 3% Beltron	XL	—	8.0 cal/sq cm	Blue	Helly Hansen	HLH75090-560XL
Shirt	48.5% Kermel, 48.5% Viscose, 3% Beltron	3XL	—	8.0 cal/sq cm	Blue	Helly Hansen	HLH75090-560-3XL
Toque	—	Universal	—	9.2 cal/sq cm	Blue	Helly Hansen	HLH79895-560STD

NATIONAL SAFETY APPAREL**TuffWeld® Welding Jackets**

8½-oz. aramid/rayon blend is lighter than FR cotton, provides superb wicking, and offers superior protection and flame resistance, even after repeated laundering. Features front snap closures, shirt-style collar, and inside breast pocket. 30" L.

**WWG3TCE4**

Item	Size	Fits Chest Size	Item No.
Welding Jacket	L	48" - 50"	WWG3TCE4
Welding Jacket	XL	52" - 54"	WWG3TCE6

BOB DALE, CONDOR, GANDER BRAND
Leather Welding Clothing

Made from Kevlar®-sewn select cowhide. Steel rivet reinforcements are added to critical areas for increased wear.

Jackets - 30" length provides full protection.

Features underarm and back vents. Satin arm and shoulder lining for easy on/off.

Aprons - 1-pc., split cowhide waist aprons provide long-lasting waist-to-knee protection.

Bib Apron - Provides chest-to-knee protection. Secured around the neck and waist with webbing and snap buckle.

Detachable Bib - Extends to the waist. 1-pc. select cowhide bib attaches to cape sleeves (sold separately) with 4 snaps. Secured around the waist with belt and snap buckle.

Bib Aprons, Split Leg - Premium cowhide aprons have 2 adjustable nylon straps per leg.

Chaps - Adjustable-waist (20" to 50") leather chaps have snaps on each leg.

Sleeves - Secure with snaps at wrist and bicep with an adjustable strap. Priced and sold per pair. Cape Sleeves - Cover arms, shoulders, and upper torso.

Welding Cap - 100% cotton reversible cap with elastic sides and soft bill. Patterned on 1 side and a solid black color on the other side. Washable.



CDR4KXH6

	Size	Brand	Item No.
Sleeve	Universal	Condor	EBP5T180
Welding Apron	Universal	Condor	EBP5T179
	Universal	Condor	EBP4KXH3
	Universal	Condor	EBP4KXH4
	Universal	Condor	EBP4KXH5
	Universal	Condor	EBP5AC71
Welding Cap	OSFA	Condor	CDR1H158

	Size	Brand	Item No.
Welding Cape Sleeves	L	Condor	EBP5T176
	XL	Condor	EBP5T177
Welding Chaps	Universal	Condor	CDR4KXH6
Welding Glove	—	Gander Brand	ALG60-1-1940L
	Medium	Bob Dale	ALG60-1-1949M
Welding Jacket	2XL	Condor	EBP6AF88
	L	Condor	EBP2AJ40
	M	Condor	EBP2AZ36
	XL	Condor	EBP2AG83

TINGLEY**Flame-Resistant Rainwear**

Category 2 garments meet NFPA 70E standards and have a minimum arc flash rating of 8 cal/cm². Rain gear keeps workers dry when working outdoors or in damp and wet environments. High-visibility garments are made of bright colors and have reflective materials on the front and back to make workers more visible in critical and emergency response situations.



TNGJ44129C2XL



TNGO44129C2XL

	Size	Colour	Closure Type	Length	Item No.
Flame Resistant Rain Jacket	2XL	Orange	Snap	32 in	TNGJ44129C2XL
	3XL	Orange	Snap	32 in	TNGJ44129C3XL
	4XL	Orange	Snap	32 in	TNGJ44129C4XL
	5XL	Orange	Snap	33 in	TNGJ44129C5XL
	L	Orange	Snap	31 in	TNGJ44129CLG
	M	Orange	Snap	30 in	TNGJ44129CMD
	S	Orange	Snap	29 in	TNGJ44129CSM
	XL	Orange	Snap	31 in	TNGJ44129CXL
Flame-Resistant Bib Overalls	2XL	Fluorescent Orange, Red	Buckles	—	TNGO44129C2XL
	3XL	Fluorescent Orange, Red	Buckles	—	TNGO44129C3XL
	4XL	Fluorescent Orange, Red	Buckles	—	TNGO44129C4XL
	5XL	Fluorescent Orange, Red	Buckles	—	TNGO44129C5XL
	L	Fluorescent Orange, Red	Buckles	—	TNGO44129CLG
	M	Fluorescent Orange, Red	Buckles	—	TNGO44129CMD
	S	Fluorescent Orange, Red	Buckles	—	TNGO44129CSM
	XL	Fluorescent Orange, Red	Buckles	—	TNGO44129CXL

CONDOR, ELVEX

Chain Saw Chaps

- Stop chains up to 2,750 fpm
- Measure from waist to top of foot



CDR5AD18

Length	Material	Colour	Brand	Item No.
Chaps				
33"	Nylon	Orange	Elvex	WWG3MCH7
34"	Nylon	Orange	Condor	CDR6AJ60
36"	Nylon	Orange	Elvex	WWG3MCK4
38"	Nylon	Orange	Condor	CDR5AN17
42"	Nylon	Orange	Condor	CDR5AD18

TOUGH DUCK, WORK KING

High-Visibility Jackets and Bib Overalls

- Meet ANSI 107-2015 Class 3

Jackets - 100% polyester jackets feature reflective striping with 4" contrast backing for excellent visibility. Series RICS42611 include a removable hi-vis liner (reverses to black) with zip-off sleeves, 2 microphone loops, several pockets including an ID pocket with hook-and-loop closure, and quick-release hard hat hood.

Bib Overalls - Waterproof, 2-pc. overalls have 2" reflective tape around legs for increased visibility. Garment has a fly front with a center snap, hook-and-loop take-up straps at the leg cuffs, and black elastic suspenders straps with divider and quick-release buckles.



RICS41311S-FLGR

Size	Colour	Brand	Item No.
High Visibility Bib Overalls			
2XL	Green	Tough Duck	RICS79821-2XL-FLGR
2XL	Orange	Tough Duck	RICS79821-2XL-FLOR
2XL	Black	Work King	WWG30WT43
3XL	Orange	Tough Duck	RICS79821-3XL-FLOR
4XL	Green	Tough Duck	RICS79831-4XL-FLGR
4XL	Orange	Tough Duck	RICS79831-4XL-FLOR
L	Orange	Tough Duck	RICS79811L-FLOR
L	Black	Work King	WWG30WT41
M	Orange	Tough Duck	RICS79811M-FLOR
XL	Green	Tough Duck	RICS79811XL-FLGR
XL	Orange	Tough Duck	RICS79811XL-FLOR
High Visibility Jacket			
2XL	Fluorescent Green	Tough Duck	RICS42621-2XL-FLGR
2XL	Fluorescent Orange	Tough Duck	RICS42621-2XL-FLOR
2XL	Fluorescent Green	Tough Duck	RICS42651-2XLTFGLR
2XL	Fluorescent Orange	Tough Duck	RICS42651-2XLTFLOR
2XL	Fluorescent Green	Tough Duck	RICS41321-2XL-FLGR
2XL	Fluorescent Orange	Tough Duck	RICS41321-2XL-FLOR
2XL	Black	Tough Duck	RICS42621-2XL-BLK
2XL	Black	Work King	WWG30WT24
2XL	Black	Work King	WWG30WT30
3XL	Fluorescent Green	Tough Duck	RICS42621-3XL-FLGR
3XL	Fluorescent Orange	Tough Duck	RICS42621-3XL-FLOR
3XL	Fluorescent Orange	Tough Duck	RICS41321-3XL-FLOR
3XL	Fluorescent Green	Tough Duck	RICS41321-3XL-FLGR
3XL	Black	Tough Duck	RICS42621-3XL-BLK
3XL	Black	Tough Duck	RICS42651-3XLTFGLR
3XL	Fluorescent Green	Tough Duck	RICS42651-3XLTFLOR
3XL	Fluorescent Orange	Tough Duck	RICS42651-3XLTFLOR

Size	Colour	Brand	Item No.
4XL	Fluorescent Orange	Tough Duck	RICS42631-4XL-FLOR
4XL	Fluorescent Green	Tough Duck	RICS42631-4XL-FLGR
4XL	Black	Tough Duck	RICS42631-4XL-BLK
L	Fluorescent Green	Tough Duck	RICS42611L-FLGR
L	Fluorescent Orange	Tough Duck	RICS42611L-FLOR
L	Fluorescent Green	Tough Duck	RICS42641LT-FLGR
L	Fluorescent Orange	Tough Duck	RICS42641LT-FLOR
L	Fluorescent Orange	Tough Duck	RICS41311L-FLOR
L	Fluorescent Green	Tough Duck	RICS41311L-FLGR
L	Black	Tough Duck	RICS42611L-BLK
M	Fluorescent Green	Tough Duck	RICS42611M-FLGR
M	Fluorescent Orange	Tough Duck	RICS42611M-FLOR
M	Fluorescent Orange	Tough Duck	RICS41311M-FLOR
M	Black	Tough Duck	RICS42611M-BLK
M	Fluorescent Green	Tough Duck	RICS41311M-FLGR
S	Fluorescent Green	Tough Duck	RICS42611S-FLGR
S	Fluorescent Orange	Tough Duck	RICS42611S-FLOR
S	Fluorescent Orange	Tough Duck	RICS41311S-FLOR
S	Fluorescent Green	Tough Duck	RICS41311S-FLGR
S	Black	Tough Duck	RICS42611S-BLK
XL	Fluorescent Green	Tough Duck	RICS42611XL-FLGR
XL	Fluorescent Orange	Tough Duck	RICS42611XL-FLOR
XL	Fluorescent Green	Tough Duck	RICS42641XL-FLGR
XL	Fluorescent Orange	Tough Duck	RICS42641XL-FLOR
XL	Fluorescent Green	Tough Duck	RICS41311XL-FLGR
XL	Fluorescent Orange	Tough Duck	RICS41311XL-FLOR
XL	Orange	Tough Duck	RICS42611XL-BLK
XL	Black	Tough Duck	RICS42641XL-BLK

CONDOR
PVC Rainwear

- Yellow color
- Available in sizes S - 4XL

3-Pc. Disposable PVC Suit—0.10mm. Snap-front jacket, detachable hood with drawstring, elastic waist pants, and storage pouch included. Snap adjustable sleeves and pants.

3-Pc. PVC Suit—0.25mm. Snap-front jacket with detachable hood and bib overalls with snap-fly front. Elastic suspenders included.

PVC Raincoat—0.25mm. Features cape back ventilation, detachable hood, and 2 pockets.

3-Pc. PVC/Polyester Suits—0.35mm. Snap-front jacket with detachable hood and bib overalls with snap-fly front. Elastic suspenders included.

3-Pc. PVC/Nylon Suit—0.35mm. Snap-front jacket with detachable hood and bib overalls with snap-fly front. Elastic suspenders included.


CDR3AT35

Rainwear Size	Fits Chest Size	Fits Waist Size	Item No.
3-Piece Rain Suit with Jacket/Bib Overall			
S	37' - 40"	30 to 32"	CDR5AG45
M	40' - 41"	32 to 34"	CDR1BC75
S	42' - 44"	39 1/2"	CDR4T224
S	42' - 44"	40 - 42"	CDR5T911
L	44' - 46"	34 to 36"	CDR5AM96
M	44' - 46"	42 - 44"	CDR5T912
M	44' - 46"	42 1/2"	CDR4T225
XL	48' - 50"	36 to 38"	CDR3AK84
L	48' - 50"	44 - 46"	GGS5T913
L	48' - 50"	45 1/2"	CDR4T226
2XL	52' - 54"	38 to 40"	CDR3AT35
XL	52' - 54"	48 - 50"	CDR5T914
XL	52' - 54"	49 1/2"	CDR4T227
3XL	56' - 58"	45"	CDR1FB81
2XL	56' - 58"	52 - 54"	CDR5T915
2XL	56' - 58"	52 1/2"	CDR5T209
4XL	58' - 60"	52 to 54"	CDR1FB82
3XL	60' - 62"	54 - 56"	CDR6AL66

Rainwear Size	Fits Chest Size	Fits Waist Size	Item No.
3-Piece Rain Suit with Jacket/Pant			
3XL	60' - 62"	55"	CDR1FBB7
4XL	64' - 66"	58 - 60"	CDR1FBB5
5XL	66' - 68	60 - 62"	CDR1FBB6
Rain Coat			
S	37' - 40"	30 to 32"	CDR1FBB8
M	40" - 41"	32 to 34"	CDR2RB36
L	44" - 46"	34 to 36"	CDR2RB37
XL	48" - 50"	36 to 38"	CDR2RB38
2XL	52" - 54"	38 to 40"	CDR2RB39
3XL	56" - 58"	45"	CDR2RB40
4XL	58" - 60"	52 to 54"	CDR1FBB9

IRON EAGLE, TINGLEY
Polyurethane/Nylon Rainwear

- 0.25mm exterior coated polyurethane on Oxford nylon

Iron Eagle® rainwear provides exceptional snag and abrasion resistance. Protects against fats, oils, grease, and other chemicals. Heat-sealed seams can withstand extensive laundering. Jackets feature storm fly front and are available with attached hood or hood snaps. Bib Overalls have a plain front overall with premium snap-lock suspender buckles.


TNGJ22168-2XL

Rainwear Size	Includes	Brand	Yellow Item No.	Green Item No.
Bib Overall				
S	—	Tingley	—	TNGO22001SM
M	—	Tingley	—	TNGO22001MD
L	—	Tingley	—	TNGO22001LG
XL	—	Tingley	—	TNGO22001XL
3XL	—	Tingley	—	TNGO22001-3XL
4XL	—	Tingley	—	TNGO22001-4XL
6XL	—	Tingley	TNGO22007-6XL	—
Jacket				
2XL	—	Iron Eagle	TNGJ22107XXL	—
Rain Bib Overall				
S	Premium Snap-Lock Suspender Buckles	Tingley	TNGO22007SM	TNGO22008SM
S	Premium Snap-Lock Suspender Buckles	Tingley	WWG5CYR9	—
M	Premium Snap Lock Suspender Buckles	Tingley	TNGO22007MD	TNGO22008MD
L	Premium Snap-Lock Suspender Buckles	Tingley	TNGO22007LG	TNGO22008LG
XL	Premium Snap-Lock Suspender Buckles	Iron Eagle	TNGO22007XL	—
2XL	Full Cut Shoulder with 90° Sleeve	Tingley	—	TNGO22001-2XL
2XL	Premium Snap Lock Suspender Buckles	Tingley	TNGO22008-2XL	—
2XL	Premium Snap-Lock Suspender Buckles	Tingley	TNGO22007-2XL	TNGO22008XL
3XL	Premium Snap Lock Suspender Buckles	Tingley	TNGO22007-3XL	—
3XL	Premium Snap-Lock Suspender Buckles	Tingley	—	TNGO22008-3XL
4XL	Premium Snap-Lock Suspender Buckles	Tingley	TNGO22007-4XL	TNGO22008-4XL
5XL	Premium Snap-Lock Suspender Buckles	Tingley	TNGO22007-5XL	TNGO22008-5XL
Rain Jacket				
S	90 degree Sleeve-tobody angle and tapered sleeve cuffs	Tingley	—	TNGJ22201SM
S	Full Cut Shoulder with 90° Sleeve	Tingley	WWG5CYN8	—
S	Full Cut Shoulder with 90° Sleeve	Tingley	WWG13CT38	—
S	Full Cut Shoulder with 90° Sleeve	Tingley	TNGJ22107SM	TNGJ22208SM
S	Full Cut Shoulder with 90° Sleeve	Tingley	TNGJ2207SM	TNGJ22168SM

Rainwear Size	Includes	Brand	Yellow Item No.	Green Item No.
M	90 degree Sleeve-tobody angle and tapered sleeve cuffs	Tingley	—	TNGJ22201MD
M	90 degree Sleeve-tobody angle and tapered sleeve cuffs	Tingley	TNGJ22107MD	TNGJ22168MD
M	Full Cut Shoulder with 90° Sleeve	Tingley	TNGJ22207MD	TNGJ22208MD
L	90 degree Sleeve-tobody angle and tapered sleeve cuffs	Tingley	—	TNGJ22201LG
L	Full Cut Shoulder with 90° Sleeve	Tingley	TNGJ22207LG	TNGJ22168LG
L	Full Cut Shoulder with 90° Sleeve	Tingley	TNGJ22107LG	TNGJ22208LG
XL	Full Cut Shoulder with 90° Sleeve	Tingley	TNGJ22207XL	TNGJ22168XL
XL	Full Cut Shoulder with 90° Sleeve	Iron Eagle	TNGJ22107XL	—
XL	90 degree Sleeve-tobody angle and tapered sleeve cuffs	Tingley	—	TNGJ22208XL
2XL	90 degree Sleeve-tobody angle and tapered sleeve cuffs	Tingley	TNGJ22201XLL	—
2XL	90 degree Sleeve-tobody angle and tapered sleeve cuffs	Tingley	TNGJ22168-2XL	—
2XL	90 degree Sleeve-tobody angle and tapered sleeve cuffs	Tingley	TNGJ22208-2XL	—
2XL	Full Cut Shoulder with 90° Sleeve	Tingley	TNGJ22207-2XL	TNGJ22201-2XL
3XL	90 degree Sleeve-tobody angle and tapered sleeve cuffs	Tingley	TNGJ22207-3XL	TNGJ22201-3XL
3XL	Full Cut Shoulder with 90° Sleeve	Tingley	TNGJ22107-3XL	TNGJ22168-3XL
3XL	Full Cut Shoulder with 90° Sleeve	Tingley	—	TNGJ22208-3XL
4XL	90 degree Sleeve-tobody angle and tapered sleeve cuffs	Tingley	—	TNGJ22201-4XL
4XL	Full Cut Shoulder with 90° Sleeve	Tingley	TNGJ22107-4XL	TNGJ22208-4XL
4XL	Full Cut Shoulder with 90° Sleeve	Tingley	TNGJ22207-4XL	TNGJ22168-4XL
5XL	Full Cut Shoulder with 90° Sleeve	Tingley	TNGJ22107-5XL	TNGJ22168-5XL
6XL	90 degree Sleeve-tobody angle and tapered sleeve cuffs	Tingley	TNGJ22107-6XL	—

ACTION CHEMICAL, CONDOR, DUPONT,
INTERNATIONAL ENVIROGUARD SYSTEMS, POLYCO

Protective Sleeves

Elastic at both ends and provide you a comfortable and secure fit.

Chemical Resistant Sleeves—Feature a variety of durable, rugged materials that provide you an added layer of protection while working with harmful chemicals.

Cleanroom Sleeves—Can protect your forearms from nonchemical splashes and spills. Suitable for use in less-demanding, nonhazardous environments.

Disposable Sleeves—Offer you protection from nonhazardous materials ranging from dry particulates to nonhazardous aerosols and liquids.



DUCIC501BWH001000B

CDR26W860

WWG6LY63

Primary Material	Sleeves Length	Thickness	Colour	Brand	Item No.
Chemical Resistant Sleeves					
Polyester/Vinyl	18 in	18 mil	Green	Condor	CDR3XE80
Polyolefin	18 in	4 mil	Blue	PolyCo	WWG12Y489
Polyolefin	18 in	4 mil	Yellow	PolyCo	WWG12Y490
Polyolefin	18 in	6 mil	Yellow	PolyCo	WWG12Y492
Polyolefin	24 in	4 mil	Blue	PolyCo	WWG12Y493
Cleanroom Sleeves					
Tyvek® IsoClean®	18 in	5.4 mil	White	Dupont	DUCIC501BWH001000B
Polypropylene	18 in	9 mil	White	Condor	CDR26W805
Polypropylene	18 in	9 mil	Blue	Condor	CDR26W860
Disposable Sleeves					
Polyethylene	18 in	1.25 mil	Clear	Condor	WWG4XUA1
Microporous Fabric	18 in	15 mil	White	International Enviroguard Systems	WWG6XMP0
Polypropylene	18 in	12.5 mil	White	Condor	CDR2KTT9
Polyethylene/Polypropylene	18 in	1 mil	White	Action Chemical	WWG32ZK80
ProShield 60	18 in	10 mil	White	Dupont	WWG6LY63
Polypropylene	18 in	1.2 mil	White	Action Chemical	WWG13V895

APPROVED VENDOR, CELLUCAP, CONDOR, KEYSTONE TECHNOLOGIES

Beard Nets, Bouffants and Hairnets

Help prevent product contamination. Stretchable elastic provides a comfortable and secure fit.

Beard Nets—Use to contain facial hair and are ideal for use in food handling applications.

Bouffants—Can provide more protection than hairnets and help keep long hair out of face and eyes. Ideal for use in electronics manufacturing, laboratory, and cleanroom applications.

Hairnets—Provide reliable and economical protection in food handling applications. Can help keep long hair out of eyes and face.



CDR1TTU6

Diameter	Colour	Brand	Item No.	Pkg. Qty.	Diameter	Colour	Brand	Item No.	Pkg. Qty.					
Beard Cover														
19 in	White	Cellucap	WWG40N262	1000	24 in	Green	Condor	GGS3EZC8	100					
19 in	Blue	Cellucap	WWG40N261	1000	24 in	Blue	Condor	GGS3EZD2	100					
Polypropylene														
18 in	White	—	WWG4YMR3	100	24 in	Yellow	Condor	GGS3EZD5	100					
18 in	Blue	—	WWG9LJM9	100	24 in	Orange	Cellucap	WWG34G188	1000					
19 in	White	Cellucap	WWG4GL65	100	24 in	Blue	Cellucap	WWG40N276	1000					
19 in	White	Cellucap	WWG40N264	1000	24 in	Green	Cellucap	WWG40N277	1000					
19 in	Blue	Cellucap	WWG40N263	1000	24 in	Red	Cellucap	WWG40N278	1000					
Beard Net														
18 in	White	Condor	CDR1TTV5	100	24 in	Yellow	Cellucap	WWG40N279	1000					
18 in	Black	—	WWG8TU46	100	24 in	White	Cellucap	WWG34FZ77	100					
18 in	White	—	WWG9RD56	100	24 in	Blue	Cellucap	WWG34FZ79	100					
Polypropylene														
18 in	White	Condor	CDR1TTV4	100	24 in	Green	Cellucap	WWG34FZ81	100					
18 in	White	Condor	GGG23XK01	1000	24 in	White	Keystone Technologies	WWG33UA77	1000					
Bouffant Cap														
18 in	White	Condor	GGS3EZC4	100	24 in	Green	Keystone Technologies	WWG33UA78	1000					
18 in	Blue	Condor	GGS3EZD1	100	24 in	Red	Keystone Technologies	WWG33UA79	1000					
21 in	White	Condor	CDR1TTU9	100	24 in	White	Cellucap	WWG22CU26	1000					
21 in	Blue	Condor	CDR1TTV1	100	28 in	White	Condor	GGS3EZC6	100					
21 in	Green	Condor	GGG1TTV2	100	28 in	White	Cellucap	WWG22CU27	1000					
21 in	White	Cellucap	WWG3RK7	100	Hairnet									
21 in	Blue	Cellucap	WWG3RK75	100	18 in	White	Cellucap	WWG4GL64	144					
21 in	White	Cellucap	WWG34FZ76	100	21 in	White	Condor	CDR1TTU1	144					
21 in	Blue	Cellucap	WWG34FZ78	100	21 in	White	Condor	CDR1TTU4	144					
21 in	White	Keystone Technologies	WWG33UA73	1000	21 in	Brown	Condor	CDR1TTU3	144					
21 in	Green	Keystone Technologies	WWG33UA74	1000	21 in	Black	—	WWG9TYL6	100					
21 in	Red	Keystone Technologies	WWG33UA75	1000	22 in	Black	—	WWG8FAE2	144					
21 in	Blue	Keystone Technologies	WWG33UA76	1000	26 in	Black	Cellucap	WWG3RLF2	144					
21 in	White	Cellucap	WWG22CU25	1000	26 in	Brown	Cellucap	WWG4GL66	144					
21 in	White	Condor	GGG23XK11	1000	Polyester									
24 in	White	Condor	GGS3EZC5	100	18 in	White	Condor	CDR1TTU6	100					

EMERSON

Bouffant Caps and Hairnets

Keep hair out of product, machinery, and worker eyes. Used in food processing, meat packing, pharmaceutical manufacturing, electronics, and cleanrooms.

Item	Diameter	Material	Colour	Item No.	Pkg. Qty.
Bouffant Cap	19 in	Polypropylene	White	EMS4400WH	100
Bouffant Cap	21 in	Polypropylene	White	EMS4402WH	100
Hairnet	21 in	Nylon	White	EMS224WH	144
Hairnet	21 in	Nylon	Brown	EMS3585BR	12
Hairnet	21 in	Nylon	Brown	EMS375BR	144
Hairnet	21 in	Nylon	White	EMS375WH	144
Hairnet	23 in	Nylon	White	EMS375XL-WH	144
Hairnet	24 in	Nylon	Brown	EMS224BR	144



EMS224BR

APPROVED VENDOR

Dispensers

Hinged lid provides you easy 1-handed access to hairnets, shoe/boot covers, and other personal protective equipment. Dispensers are clear so you can easily view contents and know when it's time to refill. For use on desktop or mount on wall.



GGS4GMT3



GGS4GMT4



GGS3UZG1

Height	Width	Depth	Brand	Item No.
Hairnet Dispenser				
7"	4 3/4"	4 1/8"	—	GGS4GMT2
7"	4 3/4"	4 1/2"	—	GGS3UZG1
10 1/2"	8"	3 1/2"	—	GGS4GMT3
12 3/8"	12"	5 1/2"	—	GGS4GMT4

ACTION CHEMICAL, ALPHA PROTECH, APPROVED VENDOR, CELLUCAP, CONDOR, DUPONT, KEYSTONE TECHNOLOGIES, KIMBERLY-CLARK, POLYCO

Shoe Covers

Ankle height

Shoe covers can protect your footwear when working with chemical and biological liquids. Elastic top provides a secure fit.



CDR2KTU2

Fits Shoe Size	Size	Waterproof	Slip Resistant	Colour	Brand	Item No.	Pkg. Qty.
Microporous Film Laminate							
—	Universal	No	No	White	Kimberly-Clark	KMB44490	1
Polyethylene							
4 - 12	XL	Yes	Yes	Blue	Alpha Protech	WWG29DZ63	150
4 - 12	2XL	Yes	Yes	Blue	Alpha Protech	WWG29DZ64	150
4 - 12	XL	Yes	No	Blue	Alpha Protech	WWG29DZ75	1000
4 - 12	XL	Yes	Yes	White	Alpha Protech	WWG29DZ77	150
4 - 12	2XL	Yes	Yes	White	Alpha Protech	WWG29DZ78	150
4 - 12	2XL	No	Yes	Blue	Alpha Protech	WWG29DZ81	300
12 - 15	XL	Yes	No	Blue	Cellucap	WWG22CT86	300
6 - 10	Universal	No	No	White	Dupont	WWG24AH98	200
Polyolefin							
14 - 16	L	Yes	Yes	Blue	PolyCo	WWG12Z601	200
Polypropylene							
4 - 17	Universal	No	No	White	Condor	CDR2KTU2	200
4 - 17	Universal	No	Yes	White	Condor	CDR2KTU3	200
4 - 17	OSFA	No	Yes	White	Condor	CDR2RU22	50
12 - 15	XL	No	Yes	Blue	Cellucap	WWG8YR60	300
12 - 15	XL	No	Yes	White	Cellucap	WWG34G186	300
12 - 15	XL	No	Yes	White	Cellucap	WWG40N282	300
4 - 12	XL	No	Yes	Blue	Alpha Protech	WWG29DZ61	300
4 - 11	Universal	Yes	Yes	White	Alpha Protech	WWG29DZ70	200
6 - 11	L	Yes	Yes	White	Keystone Technologies	WWG33UA59	300
12 - 15	XL	No	Yes	Blue	Keystone Technologies	WWG33UA54	300
12 - 13	XL	No	Yes	Blue	Action Chemical	WWG13V939	300
SMMMS Polypropylene							
—	Universal	No	—	Blue	Kimberly-Clark	KMB36811	1
—	Universal	No	—	White	Kimberly-Clark	KMB36885	1

Find even MORE at Grainger.ca

EMERSON

Mesh Caps



EMS4010-10

Item	Size	Includes	Diameter	Material	Colour	Item No.	Pkg. Qty.
Hairnet	M	—	22 in	Nylon	Brown	EMSFL22-02B	200
Hairnet	24 in	—	24 in	Nylon	Brown	EMSFL24-02B	200
Hairnet Dispenser	—	Mounting Strips, Hairnet Separation Device	—	Acrylic	Clear	EMS4010-10	1

CONDOR, DUPONT, KIMBERLY-CLARK, KLEENGUARD, POLYCO

Boot Covers

Calf height

Boot covers help protect your footwear in areas with biological and chemical liquids. Elastic top provides a secure fit and the tall height accommodates most boots.



CDR2KTU4



CDR2RUZ3

Fits Shoe Size	Size	Waterproof	Slip Resistant	Colour	Item No.	Pkg. Qty.
Microporous Film Laminate						
—	2XL	No	No	White	KMB44495	1
—	Universal	No	No	White	KMB44491	1
Polyolefin						
4 - 17	L	No	No	Yellow	WWG12Z603	100
Polypropylene						
4 - 17	OSFA	No	Yes	White	CDR2KTU4	200
4 - 17	Universal	No	Yes	White	CDR2RUZ3	50
Polypropylene/Polyethylene						
—	Universal	No	No	White	KMB36880	1
Tyvek®						
5 - 19	Universal	No	No	White	WWG24AH01	100

CONDOR

Polypropylene Protective Clothing

Economical alternative for disposable clothing in less demanding environments. Lightweight items offer a reliable barrier against dust and splash. Medium-Weight items offer protection from dirty, nonhazardous conditions.



CDR26W755

Fabric Weight	Seam Style	Cuff Styles	Ankle Style	Size	Garment Style	Colour	Item No.	Pkg. Qty.
Coverall								
1.03 oz	Serged	Open	Open	S	Collared	White	CDR2KTK1	25
1.03 oz	Serged	Open	Open	M	Collared	White	CDR2KTK2	25
1.03 oz	Serged	Open	Open	L	Collared	White	CDR2KTK3	25
1.03 oz	Serged	Open	Open	XL	Collared	White	CDR2KTK4	25
1.03 oz	Serged	Open	Open	2XL	Collared	White	CDR2KTK5	25
1.03 oz	Serged	Open	Open	3XL	Collared	White	CDR2KTK6	25
1.03 oz	Serged	Open	Open	4XL	Collared	White	CDR2KTK7	25
1.03 oz	Serged	Open	Open	5XL	Collared	White	CDR2KTK8	25
1.03 oz	Serged	Elastic	Elastic	S	Collared	White	CDR2KTK9	25
1.03 oz	Serged	Elastic	Elastic	M	Collared	White	CDR2KTL1	25
1.03 oz	Serged	Elastic	Elastic	L	Collared	White	CDR2KTL2	25
1.03 oz	Serged	Elastic	Elastic	XL	Collared	White	CDR2KTL3	25
1.03 oz	Serged	Elastic	Elastic	2XL	Collared	White	CDR2KTL4	25
1.03 oz	Serged	Elastic	Elastic	3XL	Collared	White	CDR2KTL5	25
1.03 oz	Serged	Elastic	Elastic	4XL	Collared	White	CDR2KTL6	25
1.03 oz	Serged	Elastic	Elastic	5XL	Collared	White	CDR2KTL7	25
1.03 oz	Serged	Elastic	Elastic	M	Hooded	White	CDR2KTL9	25
1.03 oz	Serged	Elastic	Elastic	L	Hooded	White	CDR2KTN1	25
1.03 oz	Serged	Elastic	Elastic	XL	Hooded	White	CDR2KTN2	25
1.03 oz	Serged	Elastic	Elastic	2XL	Hooded	White	CDR2KTN3	25
1.03 oz	Serged	Elastic	Elastic	3XL	Hooded	White	CDR2KTN4	25
1.03 oz	Serged	Elastic	Elastic	4XL	Hooded	White	CDR2KTN5	25
1.03 oz	Serged	Elastic	Attached Boots	S	Hooded	White	CDR2KTN7	25
1.03 oz	Serged	Elastic	Attached Boots	M	Hooded	White	CDR2KTN8	25
1.03 oz	Serged	Elastic	Attached Boots	L	Hooded	White	CDR2KTN9	25
1.03 oz	Serged	Elastic	Attached Boots	XL	Hooded	White	CDR2KTP1	25
1.03 oz	Serged	Elastic	Attached Boots	2XL	Hooded	White	CDR2KTP2	25
1.03 oz	Serged	Elastic	Attached Boots	3XL	Hooded	White	CDR2KTP3	25
1.03 oz	Serged	Elastic	Attached Boots	4XL	Hooded	White	CDR2KTP4	25
1.39 oz	Serged	Elastic	Elastic	M	Collared	Blue	CDR26W815	25
1.39 oz	Serged	Elastic	Elastic	L	Collared	Blue	CDR26W816	25
1.39 oz	Serged	Elastic	Elastic	XL	Collared	Blue	CDR26W817	25
1.39 oz	Serged	Elastic	Elastic	2XL	Collared	Blue	CDR26W818	25
1.39 oz	Serged	Elastic	Elastic	3XL	Collared	Blue	CDR26W819	25
1.39 oz	Serged	Elastic	Elastic	4XL	Collared	Blue	CDR26W820	25
1.39 oz	Serged	Open	Open	L	Collared	White	CDR26W752	25
1.39 oz	Serged	Open	Open	XL	Collared	White	CDR26W753	25
1.39 oz	Serged	Open	Open	2XL	Collared	White	CDR26W754	25
1.39 oz	Serged	Open	Open	3XL	Collared	White	CDR26W755	25
1.39 oz	Serged	Elastic	Elastic	S	Collared	White	CDR26W758	25
1.39 oz	Serged	Elastic	Elastic	M	Collared	White	CDR26W759	25
1.39 oz	Serged	Elastic	Elastic	L	Collared	White	CDR26W760	25
1.39 oz	Serged	Elastic	Elastic	XL	Collared	White	CDR26W761	25
1.39 oz	Serged	Elastic	Elastic	2XL	Collared	White	CDR26W762	25
1.39 oz	Serged	Elastic	Elastic	3XL	Collared	White	CDR26W763	25
1.39 oz	Serged	Elastic	Elastic	4XL	Collared	White	CDR26W764	25
1.39 oz	Serged	Elastic	Elastic	5XL	Collared	White	CDR26W765	25
1.39 oz	Serged	Elastic	Elastic	L	Hooded	White	CDR26W768	25
1.39 oz	Serged	Elastic	Elastic	XL	Hooded	White	CDR26W769	25
1.39 oz	Serged	Elastic	Elastic	2XL	Hooded	White	CDR26W770	25
1.39 oz	Serged	Elastic	Elastic	3XL	Hooded	White	CDR26W771	25
1.39 oz	Serged	Elastic	Elastic	4XL	Hooded	White	CDR26W772	25
1.39 oz	Serged	Elastic	Elastic	L	Hooded	White	CDR26W774	25
1.39 oz	Serged	Elastic	Elastic	XL	Hooded	White	CDR26W775	25
1.39 oz	Serged	Elastic	Elastic	2XL	Hooded	White	CDR26W776	25
1.39 oz	Serged	Elastic	Elastic	3XL	Hooded	White	CDR26W777	25
1.39 oz	Serged	Open	Open	S	Collared	Blue	CDR26W806	25
1.39 oz	Serged	Open	Open	M	Collared	Blue	CDR26W807	25
1.39 oz	Serged	Open	Open	L	Collared	Blue	CDR26W808	25
1.39 oz	Serged	Open	Open	XL	Collared	Blue	CDR26W809	25
1.39 oz	Serged	Open	Open	2XL	Collared	Blue	CDR26W810	25
1.39 oz	Serged	Open	Open	3XL	Collared	Blue	CDR26W811	25

CONTINUED

CONTINUED**CONDOR**

Polypropylene Protective Clothing

Fabric Weight	Seam Style	Cuff Styles	Ankle Style	Size	Garment Style	Colour	Item No.	Pkg. Qty.
1.39 oz	Serged	Open	Open	4XL	Collared	Blue	CDR26W812	25
1.39 oz	Serged	Open	Open	5XL	Collared	Blue	CDR26W813	25
1.39 oz	Serged	Elastic	Elastic	L	Hooded	Blue	CDR26W830	25
1.39 oz	Serged	Elastic	Elastic	XL	Hooded	Blue	CDR26W831	25
1.39 oz	Serged	Elastic	Elastic	2XL	Hooded	Blue	CDR26W832	25
1.39 oz	Serged	Elastic	Elastic	3XL	Hooded	Blue	CDR26W833	25
1.39 oz	Serged	Elastic	Elastic	5XL	Collared	Blue	CDR26W821	25
1.39 oz	Serged	Elastic	Elastic	L	Hooded	Blue	CDR26W824	25
1.39 oz	Serged	Elastic	Elastic	XL	Hooded	Blue	CDR26W825	25
1.39 oz	Serged	Elastic	Elastic	2XL	Hooded	Blue	CDR26W826	25
1.39 oz	Serged	Elastic	Elastic	3XL	Hooded	Blue	CDR26W827	25
Disposable Pants								
35 oz.	Serged	—	Open	L/XL	—	White	CDR2KTR6	25
35 oz.	Serged	—	Open	S/M	—	White	CDR2KTR5	25
35 oz.	Serged	—	Open	2XL/3XL	—	White	CDR2KTR7	25
35 oz.	Serged	—	Open	4XL/5XL	—	White	CDR2KTR8	25
1.386 oz./sq. yd.	Serged	—	Open	L/XL	—	White	CDR26W791	25
1.386 oz./sq. yd.	Serged	—	Open	2XL/3XL	—	White	CDR26W792	25
1.386 oz./sq. yd.	Serged	—	Open	S/M	—	Blue	CDR26W846	25
1.386 oz./sq. yd.	Serged	—	Open	L/XL	—	Blue	CDR26W847	25
1.386 oz./sq. yd.	Serged	—	Open	2XL/3XL	—	Blue	CDR26W848	25
Disposable Shirt								
35 oz.	Serged	Open	—	S	Collared	White	CDR2KTP6	25
35 oz.	Serged	Open	—	M	Collared	White	CDR2KTP7	25
35 oz.	Serged	Open	—	L	Collared	White	CDR2KTP8	25
35 oz.	Serged	Open	—	XL	Collared	White	CDR2KTP9	25
35 oz.	Serged	Open	—	2XL	Collared	White	CDR2KTR1	25
35 oz.	Serged	Open	—	3XL	Collared	White	CDR2KTR2	25
35 oz.	Serged	Open	—	4XL	Collared	White	CDR2KTR3	25
35 oz.	Serged	Open	—	5XL	Collared	White	CDR2KTR4	25

CONDOR, DUPONT, KIMBERLY-CLARK

Disposable Lab Coats

Economical solution for disposable clothing and for use in less demanding environments. Breathable fabric offers protection against dry particles and nonhazardous water-based aerosols. Coats with knit or elastic cuffs help keep cuffs from snagging objects and can provide more protection from airborne particles. Serged seams. All coats have a collar (except Basic SMS coats) for a more comfortable fit.

Polypropylene Lab Coats - Durable polypropylene material resists wear and abrasion. No. H2308 has a hook-and-loop closure for easy donning/doffing.

Spunbond Polypropylene Lab Coats - Lightweight, spunbond polypropylene material is comfortable to wear.

Tyvek® 400 - Fabric features no films or laminates to abrade or wear away. Protection is built into the fabric itself, and it provides better protection than microporous film fabrics even after wear and abrasion.



CDR26W794

Closure Type	Cuff Styles	No. of Pockets	Size	Colour	Brand	Item No.	Pkg. Qty.
Polyethylene							
Snap	—	0	XL	White	Dupont	WWG3APW5	30
	—	0	2XL	White	Dupont	WWG3APW6	30
	—	0	3XL	White	Dupont	WWG3APW7	30
	Elastic	0	4XL	White	Dupont	WWG24AG76	30
	Elastic Wrists	0	L	White	Dupont	WWG3APW4	30
Polypropylene	Open	2	XL	White	Dupont	WWG4LUP3	30
	Elastic	0	L	White	Kimberly-Clark	KMB40103	1
		0	XL	White	Kimberly-Clark	KMB40104	1
		0	2XL	White	Kimberly-Clark	KMB40105	1
		0	3XL	White	Kimberly-Clark	KMB40106	1
Snap	Elastic	2	S	White	Condor	CDR2KTR9	25
		2	M	White	Condor	CDR2KTT1	25
		2	L	White	Condor	CDR2KTT2	25
		2	XL	White	Condor	CDR2KTT3	25
		2	2XL	White	Condor	CDR2KTT4	25
	Open	2	3XL	White	Condor	CDR2KTT5	25
		2	4XL	White	Condor	CDR2KTT6	25
		2	5XL	White	Condor	CDR2KTT7	25
		2	S	White	Condor	CDR26W794	25
		2	M	White	Condor	CDR26W795	25
	Open	2	4XL	White	Condor	CDR26W801	25
		2	5XL	White	Condor	CDR26W802	25
		2	L	White	Condor	CDR26W796	25
		2	XL	White	Condor	CDR26W797	25
		2	2XL	White	Condor	CDR26W798	25
	Open	2	3XL	White	Condor	CDR26W799	25
		2	S	Blue	Condor	CDR26W850	25
		2	M	Blue	Condor	CDR26W851	25
		2	L	Blue	Condor	CDR26W852	25
		2	XL	Blue	Condor	CDR26W853	25
		2	2XL	Blue	Condor	CDR26W854	25
		2	3XL	Blue	Condor	CDR26W855	25
		2	4XL	Blue	Condor	CDR26W856	25
		2	5XL	Blue	Condor	CDR26W857	25

DUPONT

Tyvek® 800 J Chemical-Resistant Protective Clothing

- CE Category III Type 3-B, 4-B, 5-B, and 6-B; require additional taping for liquid-tightness

Garments combine freedom of movement, durability, and protection. They resist pressurized jets of low-concentration, water-based inorganic chemicals. Proprietary fabric is designed to offer chemical, liquid, and oil protection in very humid applications. Elastic around the face and a self-adhesive chin flap help make a tight seal around a full-face respirator.



DUCTJ198TWH2X25PI

Material	Disposable Clothing Size	Colour	Item No.
Coverall			
Polyethylene	Large	White	DUCTJ198TWHLG25PI
Polyethylene	2X-Large	White	DUCTJ198TWH2X25PI
Polyethylene	3X-Large	White	DUCTJ198TWH3X25PI
Polyethylene	4X-Large	White	DUCTJ198TWH4X25PI
Polyethylene	5X-Large	White	DUCTJ198TWH5X25PI
Polyethylene	6X-Large	White	DUCTJ198TWH6X25PI
Polyethylene	7X-Large	White	DUCTJ198TWH7X25PI
Polyethylene	X-Large	White	WWG52XJ27

ANSELL, MICROFLEX

Microchem® by AlphaTec®

68-1500 - Breathable design help reduce the risk of heat stress and is proven to filter 100% of particles less than 3 microns. Ideal for applications involving stripping, clear up or handling of asbestos, general maintenance, construction and contract cleaning. Serged seams combine strength with a particle barrier.

68-1500 Plus FR - Flame retardant and anti-static SMMS nonwoven fabric provides a good barrier to particulates and low hazard liquid sprays or splashes. Comfortable design allows full freedom of movement when worn over heat and flame protective clothing. Strong serged seams provide a particle barrier.

68-1800 - Protects from low hazard liquid spray, splashes, and particles protection. Bound seams provide superior strength and a liquid and particle barrier. Low linting to help reduce the risk of fiber contamination in some critical areas.

68-2000 - Helps provide both protection and comfort with exceptional liquid and particulate protection. Bound seams offer excellent strength and a liquid and particle barrier.

68-2000 Comfort - Specifically designed for those working in warmer climates or working environments to help reduce the possibility of heat stress. Bound seams offer superior strength, and a liquid, and particle barrier.



ANLNR17S92-103-02

Material	Fabric Weight	Seam Style	Size	Colour	Brand	Model No.	Item No.
Coverall							
	1.47 oz	Serged	S	White	Microflex	68-1500	ANLWH15S92-101-02
	1.47 oz	Serged	M	White	Microflex	68-1500	ANLWH15S92-101-03
	1.47 oz	Serged	L	White	Ansell	68-1500	ANLWH15S92-101-04
	1.47 oz	Serged	XL	White	Ansell	68-1500	ANLWH15S92-101-05
	1.47 oz	Serged	2XL	White	Microflex	68-1500	ANLWH15S92-101-06
	1.47 oz	Serged	3XL	White	Microflex	68-1500	ANLWH15S92-101-07
	1.47 oz	Serged	4XL	White	Microflex	68-1500	ANLWH15S92-101-08
	1.47 oz	Serged	5XL	White	Microflex	68-1500	ANLWH15S92-101-09
	1.47 oz	Serged	S	White	Ansell	68-1500	ANLWH15S92-106-02
	1.47 oz	Serged	M	White	Microflex	68-1500	ANLWH15S92-106-03
	1.47 oz	Serged	L	White	Microflex	68-1500	ANLWH15S92-106-04
	1.47 oz	Serged	XL	White	Microflex	68-1500	ANLWH15S92-106-05
SMS	1.47 oz	Serged	2XL	White	Microflex	68-1500	ANLWH15S92-106-06
	1.47 oz	Serged	3XL	White	Microflex	68-1500	ANLWH15S92-106-07
	1.47 oz	Serged	4XL	White	Microflex	68-1500	ANLWH15S92-106-08
	1.47 oz	Serged	5XL	White	Microflex	68-1500	ANLWH15S92-106-09
	1.47 oz	Taped	3XL	White	Microflex	68-1500	ANLWH15S92-100-07
	1.47 oz	Taped	4XL	White	Microflex	68-1500	ANLWH15S92-100-08
	1.47 oz	Taped	5XL	White	Microflex	68-1500	ANLWH15S92-100-09
	1.47 oz	Taped	S	White	Ansell	68-1500	ANLWH15S92-100-02
	1.47 oz	Taped	M	White	Ansell	68-1500	ANLWH15S92-100-03
	1.47 oz	Taped	L	White	Microflex	68-1500	ANLWH15S92-100-04
	1.47 oz	Taped	XL	White	Microflex	68-1500	ANLWH15S92-100-05
	1.47 oz	Taped	2XL	White	Microflex	68-1500	ANLWH15S92-100-06

CONTINUED ▶

CONTINUED

ANSELL, MICROFLEX

Microchem® by AlphaTec®

DUNLOP, DUPONT, ONGUARD
Shoe/Boot Covers



BUORF4406BULLC

Fits Shoe Size	Size	Thickness	Colour	Brand	Item No.	Pkg. Qty.
9 - 11	L	5.5 mil	Yellow	Dunlop	WWG13G201	1
12 - 14	XL	5.5 mil	Yellow	Onguard	WWG13G202	1
—	2XL	5.5 mil	Yellow	Dunlop	WWG13G203	1
ProShield(R) 30						
15 - 17	L	5.4 mil	Blue	Dupont	DUCPE440SBU-LG	1
15 - 17	L	5.4 mil	White	Dupont	DUCPE440SWH-LG	1
16 - 18	L	5.4 mil	White	Dupont	DUCPE444SWH-LG	1
20 - 22	XL	5.4 mil	Blue	Dupont	DUCPE440SBU-XL	1
20 - 22	XL	5.4 mil	White	Dupont	DUCPE440SWH-XL	1
21 - 23	XL	5.4 mil	White	Dupont	DUCPE444SWH-XL	1
ProShield(R) 70						
6 - 10	Universal	—	Grey	Dupont	WWG24AF86	200

Find even MORE at Grainger.ca

DUPONT

Disposable Protective Clothing

Tyvek® 400 - Fabric is comfortable and lightweight while providing puncture- and tear-resistant protection in wet or dry applications without restricting movement when stretching and bending. Offers inherent barrier to particles down to 1 micron even after abrasion. Coveralls meet OSHA requirements for asbestos and lead abatement.

Tyvek® 400D - Fabric offers the high protection of Tyvek on the front of the garment, while the back is made from highly breathable DuPont™ ProShield® fabric to increase breathability and help reduce heat stress. Thumb loops on sleeve ends and elastic waists help keep garments in place when donning gloves and performing strenuous activities. Excellent for use in demanding applications that have limited frontal exposure to hazardous particles and liquid splash. Both fabrics are low-linting with antistatic properties. White front and blue back.



DUCNG125S2X

Disposable Clothing Size	Size	Disposable Clothing Primary Material	Material	Closure Type	Ankle Style	Cuff Styles	Colour	Item No.	Pkg. Qty.
Boot Covers									
—	Universal	—	Polyethylene	Elastic	—	—	Grey	WWG4LUR4	100
—	L	—	Polyethylene	Elastic	—	—	White	WWG5WYD0	100
—	XL	—	Polyethylene	Elastic	—	—	White	WWG5WYD1	100
Chemical Resistant Apron									
—	Universal	—	Polypropylene	—	—	—	White	DUCTY273B	1
Coverall									
—	2XL	—	Microporous Film and Nonwoven Fabric	Zipper	Elastic	Elastic	White	DUCNG125S2X	1
—	3XL	—	Microporous Film and Nonwoven Fabric	Zipper	Elastic	Elastic	White	DUCNG125S3X	1
—	L	—	Microporous Film and Nonwoven Fabric	Zipper	Elastic	Elastic	White	DUCNG125S-LG	1
—	M	—	Microporous Film and Nonwoven Fabric	Zipper	Elastic	Elastic	White	DUCNG125S-MD	1
—	XL	—	Microporous Film and Nonwoven Fabric	Zipper	Elastic	Elastic	White	DUCNG125S-XL	1
—	2XL	—	Microporous Film and Nonwoven Fabric	Zipper	Elastic	Elastic	White	DUCNG127S2X	1
—	3XL	—	Microporous Film and Nonwoven Fabric	Zipper	Elastic	Elastic	White	DUCNG127S3X	1
—	4XL	—	Microporous Film and Nonwoven Fabric	Zipper	Elastic	Elastic	White	DUCNG127S4X	1
—	M	—	Microporous Film and Nonwoven Fabric	Zipper	Elastic	Elastic	White	DUCNG127S-MD	1
—	XL	—	Microporous Film and Nonwoven Fabric	Zipper	Elastic	Elastic	White	DUCNG127S-XL	1
2X-Large	2XL	Tyvek® 400 D	Polyethylene	Zipper	Elastic	Elastic	White	DUCTD125SWB2X	1
3X-Large	3XL	Tyvek® 400 D	Polyethylene	Zipper	Elastic	Elastic	White	DUCTD125SWB3X	1
4X-Large	4XL	Tyvek® 400 D	Polyethylene	Zipper	Elastic	Elastic	White	DUCTD125SWB4X	1
Medium	M	Tyvek® 400 D	Polyethylene	Zipper	Elastic	Elastic	White	DUCTD125SWRMD	1
X-Large	XL	Tyvek® 400 D	Polyethylene	Zipper	Elastic	Elastic	White	DUCTD125SWBXL	1
2X-Large	2XL	Tyvek® 400 D	Polyethylene	Zipper	Elastic	Elastic	White	DUCTD127SWB2X	1
4X-Large	4XL	Tyvek® 400 D	Polyethylene	Zipper	Elastic	Elastic	White	DUCTD127SWB4X	1
Large	L	Tyvek® 400 D	Polyethylene	Zipper	Elastic	Elastic	White	DUCTD125SWBLG	1
3X-Large	3XL	Tyvek® 400 D	Polyethylene	Zipper	Elastic	Elastic	White	DUCTD127SWB3X	1
Medium	M	Tyvek® 400 D	Polyethylene	Zipper	Elastic	Elastic	White	DUCTD127SWBMD	1
Large	L	Tyvek® 400 D	Polyethylene	Zipper	Elastic	Elastic	White	DUCTD127SWBLG	1
X-Large	XL	Tyvek® 400 D	Polyethylene	Zipper	Elastic	Elastic	White	DUCTD127SWBXL	1
Medium	—	Tyvek® 400	Polyethylene	Zipper	Open	Open	White	WWG4T046	6
Large	—	Tyvek® 400	Polyethylene	Zipper	Open	Open	White	WWG4T047	6
X-Large	—	Tyvek® 400	Polyethylene	Zipper	Open	Open	White	WWG4T048	6
Medium	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG5HH48	6
Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG5HH49	6
X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG5HH50	6
Medium	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG6LY80	6
Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG6LY81	6
X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG6LY82	6
Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG4T049	6
X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG4T050	6
Medium	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG5HH44	6
2X-Large	—	Tyvek® 400	Polyethylene	Zipper	Open	Open	White	WWG4T831	6
3X-Large	—	Tyvek® 400	Polyethylene	Zipper	Open	Open	White	WWG5HH43	6
2X-Large	—	Tyvek® 400	Polyethylene	Zipper	Open	Open	White	WWG3AG59	25
3X-Large	—	Tyvek® 400	Polyethylene	Zipper	Open	Open	White	WWG3AT83	25
2X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG5HH51	6
3X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG5HH52	6
4X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG6LY41	25
2X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG5HH38	25
3X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG5HH39	25
2X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG6LY83	6
3X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG6LY84	6
5X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG4LUN2	25
2X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG6LY37	25
3X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG6LY38	25
4X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG6LY39	25
2X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG4T832	6
3X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG5HH45	6
3X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG4AG52	25
4X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG6LY42	25
2X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG5AK79	25
X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG6LY36	25
Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG6LY35	25
Medium	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG5HH34	25
X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG5HH37	25
Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG5AF44	25

CONTINUED ▶

CONTINUED

DUPONT

Disposable Protective Clothing

Disposable Clothing Size	Size	Disposable Clothing Primary Material	Material	Closure Type	Ankle Style	Cuff Styles	Colour	Item No.	Pkg. Qty.	
X-Large	—	Tyvek® 400	Polyethylene	Zipper	Elastic	Elastic	White	WWG5AN66	25	
Disposable Hood	—	Universal	—	Polyethylene	Elastic	—	White	WWG4T063	100	
Disposable Lab Coat	—	M	—	Polyethylene	Snap	—	Open	WWG4T052	8	
—	L	—	—	Polyethylene	Snap	—	Open	WWG4T053	8	
—	XL	—	—	Polyethylene	Snap	—	Open	WWG4T054	8	
—	M	—	—	Polyethylene	Snap	—	Open	WWG4LUN3	30	
—	L	—	—	Polyethylene	Snap	—	Open	WWG4LUN4	30	
—	XL	—	—	Polyethylene	Snap	—	Open	WWG4LUN5	30	
—	4XL	—	—	Polyethylene	Snap	—	Open	WWG4LUN8	30	
—	2XL	—	—	Polyethylene	Snap	—	Open	WWG4T833	8	
—	3XL	—	—	Polyethylene	Snap	—	Open	WWG5HH46	8	
Disposable Pants	—	M	—	Polyethylene	Elastic Waist	Open	—	White	WWG4T058	12
—	XL	—	—	Polyethylene	Elastic Waist	Open	—	White	WWG4T059	12
—	3XL	—	—	Polyethylene	Elastic Waist	Open	—	White	WWG5HH47	12
—	L	—	—	Polyethylene	Elastic Waist	Open	—	White	WWG24AG95	50
Disposable Shirt	—	L	—	Polypropylene	Snap	—	Open	White	WWG4T056	12
—	XL	—	—	Polypropylene	Snap	—	Open	White	WWG4T057	12
—	2XL	—	—	Polypropylene	Snap	—	Open	White	WWG5HH41	12
—	3XL	—	—	Polypropylene	Snap	—	Open	White	WWG5HH42	12
—	4XL	—	—	Polypropylene	Snap	—	Open Wrists	White	WWG24AG87	50
Disposable Sleeve	—	Universal	—	Tyvek® 400	—	—	Elastic	White	WWG4T062	200
Lab Coat	—	2XL	—	Polyethylene	Snap	—	Open	White	DUCTY210S2X	1
—	3XL	—	—	Polyethylene	Snap	—	Open	White	DUCTY210S3X	1
Shoe Covers	—	Universal	—	Polyethylene	Elastic	—	—	Grey	WWG6LY43	200
—	Universal	—	—	Polyethylene	Elastic	—	—	White	WWG5WYC9	200

DUPONT

Tyvek® IsoClean® Controlled Environment Clothing

- ISO Class 5 to 8

- White color

Protective material creates an effective barrier against dry particulates, nonhazardous liquids, and microorganisms.

Available options include clean processed and sterilized, clean processed, and sterile. Individually packaged. Ideal for critical environments. A bulk packaged option is also available. Bound-seam garments provide a higher protection level than serge-seam garments.



WWG1MKU7

Material	Disposable Clothing Size	Size	Colour	Item No.
Shoe Covers				
PVC	—	M	White	WWG1MKY2
PVC	—	L	White	WWG1MKY3
PVC	—	XL	White	WWG1MKY4
Lab Coat				
Polyethylene	—	XL	White	WWG1MKY8
Disposable Lab Coat				
Polyethylene	—	M	White	WWG1MKY6
Polyethylene	—	L	White	WWG1MKY7
Polyethylene	—	S	White	WWG5WYJ9
Polyethylene	—	2XL	White	WWG1MKX2
Overall				
Polyethylene	Small	—	White	WWG5WYH2
Polyethylene	Medium	—	White	WWG1MKY9
Polyethylene	Large	—	White	WWG1MKZ1
Polyethylene	X-Large	—	White	WWG1MKZ2
—	Medium	—	White	WWG1MKU7
—	Large	—	White	WWG1MKU8
—	X-Large	—	White	WWG1MKU9
Polyethylene	Large	—	White	WWG1MKX7
Polyethylene	X-Large	—	White	WWG1MKX8
Polyethylene	Medium	—	White	WWG1MKZ4
—	2XL	—	White	WWG1MKV1
Polyethylene	2XL	—	White	WWG1MKX9
Polyethylene	3X-Large	—	White	WWG1MKY1
Polyethylene	2X-Large	—	White	WWG1MKZ3
Polyethylene	3X-Large	—	White	WWG5WYH3
Polyethylene	4X-Large	—	White	WWG5WYH4
—	3X-Large	—	White	WWG5WYH7
—	Large	—	White	WWG5WYJ0
—	Medium	—	White	WWG5WYJ1
—	2X-Large	—	White	WWG5WYH5
Bouffant Cap				
Tyvek® IsoClean®	—	M	White	WWG5WYL9
Boot Covers				
Polyethylene	—	XL	White	WWG5WYLO
Polyethylene	—	M	White	WWG5WYL3
Polyethylene	—	L	White	WWG5WYL1
Polyethylene	—	L	White	WWG5WYL2
Polyethylene	—	XL	White	WWG5WYL6
Polyethylene	—	XL	White	WWG30J233
Polyethylene	—	XL	White	WWG30J227
Polyethylene	—	2XL	White	WWG30J234
Polyethylene	—	L	White	DUCIC444S-LG

DUPONT, TYCHEM

Chemical-Resistant Protective Coveralls

Provide puncture and tear-resistant protection in wet or dry applications without restricting movement.

Tychem® 2000 - Provide protection from light chemical splash and biohazards. Made from polyethylene-coated DuPont™ Tyvek®.

Tychem® 2000 SFR - Protects against a range of chemicals and also provides secondary flame resistance when worn over FR garments like those made with DuPont™ Nomex®.

Tychem® 4000 - Provide protection against a wide range of chemicals. Made from DuPont™ Tyvek® fabric with Saranex® 23-P lamination construction.



DUCQC122S-LG

Disposable Clothing Size	Material	Ankle Style	Cuff Styles	Colour	Brand	Item No.	Pkg. Qty.
Chemical Resistant Apron	Polyethylene	—	—	White	Dupont	WWG5HH68	12
Chemical Resistant Sleeves	Polyethylene	—	Elastic	Yellow	Dupont	DUCQC500B	1
Overall							
X-Large	Polyethylene	Attached Socks	Elastic	Yellow	Dupont	DUCQC122S-XL	1
2X-Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	DUCQC127B2X	1
3X-Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	DUCQC127B3X	1
Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	DUCQC127B-LG	1
X-Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	DUCQC127B-XL	1
4X-Large	Polyethylene	Elastic	Elastic	White	Dupont	DUCSL127B4X	1
2X-Large	Polyethylene	Elastic	Elastic	White	Dupont	DUCSL127T2X	1
Large	Polyethylene	Attached Socks	Elastic	Yellow	Dupont	DUCQC122S-LG	1
Medium	Polyethylene	Elastic	Elastic	White	Dupont	DUCSL127B-MG	1
Small	Polyethylene	Elastic	Elastic	Green	Tychem	DUCQS127TGRSM00040	4
Medium	Polyethylene	Elastic	Elastic	Green	Tychem	DUCQS127TGRMD00040	4
Large	Polyethylene	Elastic	Elastic	Green	Tychem	DUCQS127TGRLG00040	4
X-Large	Polyethylene	Elastic	Elastic	Green	Tychem	DUCQS127TGRXL00040	4
2X-Large	Polyethylene	Elastic	Elastic	Green	Tychem	DUCQS127TGR2X00040	4
3X-Large	Polyethylene	Elastic	Elastic	Green	Tychem	DUCQS127TGR3X00040	4
4X-Large	Polyethylene	Elastic	Elastic	Green	Tychem	DUCQS127TGR4X00040	4
5X-Large	Polyethylene	Elastic	Elastic	Green	Tychem	DUCQS127TGR5X00040	4
6X-Large	Polyethylene	Elastic	Elastic	Green	Tychem	DUCQS127TGR6X00040	4
7X-Large	Polyethylene	Elastic	Elastic	Green	Tychem	DUCQS127TGR7X00040	4
Medium	Polyethylene	Open	Open	Yellow	Dupont	WWG4LU2D	12
Large	Polyethylene	Open	Open	Yellow	Dupont	WWG4LU3D	12
X-Large	Polyethylene	Open	Open	Yellow	Dupont	WWG4LU4D	12
2X-Large	Polyethylene	Open	Open	Yellow	Dupont	WWG4LU5D	12
3X-Large	Polyethylene	Open	Open	Yellow	Dupont	WWG4LU6D	12
4X-Large	Polyethylene	Open	Open	Yellow	Dupont	WWG4LU7D	12
Large	Polyethylene	Open	Open	Yellow	Dupont	WWG4LTZ6	12
X-Large	Polyethylene	Open	Open	Yellow	Dupont	WWG4LTZ7	12
2X-Large	Polyethylene	Open	Open	Yellow	Dupont	WWG4LTZ8	12
3X-Large	Polyethylene	Open	Open	Yellow	Dupont	WWG4LTZ9	12
4X-Large	Polyethylene	Open	Open	Yellow	Dupont	WWG4LUA1	12
Medium	Polyethylene	Elastic	Elastic	Yellow	Dupont	WWG4LU5	12
Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	WWG4LU6	12
X-Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	WWG4LU7	12
2X-Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	WWG4LU8	12
3X-Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	WWG4LU9	12
4X-Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	WWG4LU10	12
Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	WWG4LU11	12
X-Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	WWG4LU12	12
2X-Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	WWG4LU13	12
3X-Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	WWG4LU14	12
4X-Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	WWG4LU15	12
Medium	Polyethylene	Elastic	Elastic	Yellow	Dupont	WWG4LU16	12
Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	WWG4LU17	12
X-Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	WWG4LU18	12
2X-Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	WWG4LU19	12
3X-Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	WWG4LU20	12
4X-Large	Polyethylene	Elastic	Elastic	Yellow	Dupont	WWG4LU21	12
Medium	Polyethylene	Attached Socks	Elastic	Yellow	Dupont	WWG4LU22	12
Large	Polyethylene	Attached Socks	Elastic	Yellow	Dupont	WWG4LU23	12
X-Large	Polyethylene	Attached Socks	Elastic	Yellow	Dupont	WWG4LU24	12
2X-Large	Polyethylene	Attached Socks	Elastic	Yellow	Dupont	WWG4LU25	12
3X-Large	Polyethylene	Attached Socks	Elastic	Yellow	Dupont	WWG4LU26	12
4X-Large	Polyethylene	Attached Socks	Elastic	Yellow	Dupont	WWG4LU27	12
Medium	Polyethylene	Attached Socks	Elastic	Yellow	Dupont	WWG4LU28	12
Large	Polyethylene	Attached Socks	Elastic	Yellow	Dupont	WWG4LU29	12
X-Large	Polyethylene	Attached Socks	Elastic	Yellow	Dupont	WWG4LU30	12
2X-Large	Polyethylene	Attached Socks	Elastic	Yellow	Dupont	WWG4LU31	12
3X-Large	Polyethylene	Attached Socks	Elastic	Yellow	Dupont	WWG4LU32	12
4X-Large	Polyethylene	Attached Socks	Elastic	Yellow	Dupont	WWG4LU33	12
Medium	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU34	12
Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU35	12
X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU36	12
2X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU37	12
3X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU38	12
4X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU39	12
Medium	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU40	12
Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU41	12
X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU42	12
2X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU43	12
3X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU44	12
4X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU45	12
Medium	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU46	12
Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU47	12
X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU48	12
2X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU49	12
3X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU50	12
4X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU51	12
Medium	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU52	6
Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU53	6
X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU54	6
3X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU55	6
Medium	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU56	12
Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU57	12
X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU58	12
2X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU59	12
3X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU60	12
4X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU61	12
Medium	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU62	12
Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU63	12
X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU64	12
2X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU65	12
3X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU66	12
4X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU67	12
Medium	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU68	12
Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU69	12
X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU70	12
2X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU71	12
3X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU72	12
4X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU73	12
Medium	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU74	12
Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU75	12
X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU76	12
2X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU77	12
3X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU78	12
4X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU79	12
Medium	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU80	12
Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU81	12
X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU82	12
2X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU83	12
3X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU84	12
4X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU85	12
Medium	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU86	12
Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU87	12
X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU88	12
2X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU89	12
3X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU90	12
4X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU91	12
Medium	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU92	12
Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU93	12
X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU94	12
2X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU95	12
3X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU96	12
4X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU97	12
Medium	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU98	12
Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU99	12
X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU100	12
2X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU101	12
3X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU102	12
4X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU103	12
Medium	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU104	12
Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU105	12
X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU106	12
2X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU107	12
3X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU108	12
4X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU109	12
Medium	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU110	12
Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU111	12
X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU112	12
2X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU113	12
3X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU114	12
4X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU115	12
Medium	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU116	12
Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU117	12
X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU118	12
2X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU119	12
3X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	WWG4LU120	12
4X-Large	Polyethylene	Attached Socks	Elastic	White	Dupont	DUCSL122B4X	12

DUPONT

Tychem® 6000 FR Chemical-Resistant Protective Clothing

- Meets NFPA 1992, 2112, and 70E
- Arc rating ATPV 8 cal./cm² HRC 2

Proprietary material provides protection against flash fires, electric arc, and chemicals. Feature zipper front, double storm flap with hook-and-loop closure.



DUCC3127T2XL

DUPONT

Tychem® 5000 Chemical-Resistant Protective Clothing

- Meets ASTM D751

Multilayer barrier provides protection against potential exposure to 145 hazardous chemicals. Zipper front and double storm flap with hook-and-loop closure. Attached dual-layer gloves provide a high level of dexterity and tactility. Tan color.



WWG4LTY3

Disposable Clothing Size	Material	Ankle Style	Cuff Styles	Colour	Item No.	Pkg. Qty.
Coverall						
Large	Multi-layer Barrier Laminated to Non-Woven Polypropylene Substrate	Elastic	Elastic	Tan	WWG4LTY3	6
X-Large	Multi-layer Barrier Laminated to Non-Woven Polypropylene Substrate	Elastic	Elastic	Tan	WWG4LTY4	6
2X-Large	Multi-layer Barrier Laminated to Non-Woven Polypropylene Substrate	Elastic	Elastic	Tan	WWG4LTY5	6
3X-Large	Multi-layer Barrier Laminated to Non-Woven Polypropylene Substrate	Elastic	Elastic	Tan	WWG4LTY6	6
4X-Large	Multi-layer Barrier Laminated to Non-Woven Polypropylene Substrate	Elastic	Elastic	Tan	WWG4LTY7	6
Medium	Multi-layer Barrier Laminated to Non-Woven Polypropylene Substrate	Attached Socks	Elastic	Tan	WWG4LTY8	6
3X-Large	Multi-layer Barrier Laminated to Non-Woven Polypropylene Substrate	Attached Socks	Elastic	Tan	WWG4LTZ3	6
4X-Large	Multi-layer Barrier Laminated to Non-Woven Polypropylene Substrate	Attached Socks	Elastic	Tan	WWG4LTZ4	6

ANSELL, MICROFLEX

Microchem by AlphaTec Chemical Resistant Clothing

68-2300 Series - Protect against harmful chemicals and blood borne pathogens, while being lightweight and relatively strong and durable. Bound seams provide superior strength in a liquid and particle barrier.

68-4000 Series - Provide an exceptional barrier against biological agents and organic and inorganic chemicals. Feature ultrasonically welded and taped seams for a strong liquid and particle barrier.

Item	Fabric Weight	Seam Style	Cuff Styles	Ankle Style	Size	Colour	Mfg. Model	Item No.	Brand	Pkg. Qty.
Overall	1.92 oz	Bound	Elastic	Elastic	S	Yellow	68-2300	ANLYYY23B92-103-02	Ansell	1
	1.92 oz	Bound	Elastic	Elastic	M	Yellow	68-2300	ANLYYY23B92-103-03	Microflex	1
	1.92 oz	Bound	Elastic	Elastic	L	Yellow	68-2300	ANLYYY23B92-103-04	Microflex	1
	1.92 oz	Bound	Elastic	Elastic	XL	Yellow	68-2300	ANLYYY23B92-103-05	Ansell	1
	1.92 oz	Bound	Elastic	Elastic	2XL	Yellow	68-2300	ANLYYY23B92-103-06	Microflex	1
	1.92 oz	Bound	Elastic	Elastic	3XL	Yellow	68-2300	ANLYYY23B92-103-07	Microflex	1
	1.92 oz	Bound	Elastic	Elastic	4XL	Yellow	68-2300	ANLYYY23B92-103-08	Microflex	1
	1.92 oz	Bound	Elastic	Elastic	5XL	Yellow	68-2300	ANLYYY23B92-103-09	Microflex	1
	1.92 oz	Bound	Elastic	Elastic	S	Yellow	68-2300	ANLYYY23B92-111-02	Ansell	1
	1.92 oz	Bound	Elastic	Elastic	M	Yellow	68-2300	ANLYYY23B92-111-03	Ansell	1
	1.92 oz	Bound	Elastic	Elastic	L	Yellow	68-2300	ANLYYY23B92-111-04	Microflex	1
	1.92 oz	Bound	Elastic	Elastic	XL	Yellow	68-2300	ANLYYY23B92-111-05	Microflex	1
	1.92 oz	Bound	Elastic	Elastic	2XL	Yellow	68-2300	ANLYYY23B92-111-06	Ansell	1
	1.92 oz	Bound	Elastic	Elastic	3XL	Yellow	68-2300	ANLYYY23B92-111-07	Ansell	1
	1.92 oz	Bound	Elastic	Elastic	4XL	Yellow	68-2300	ANLYYY23B92-111-08	Microflex	1
	1.92 oz	Bound	Elastic	Elastic	5XL	Yellow	68-2300	ANLYYY23B92-111-09	Ansell	1
	1.92 oz	Bound	Elastic	Attached Socks	S	Yellow	68-2300	ANLYYY23B92-147-02	Microflex	1
	1.92 oz	Bound	Elastic	Attached Socks	M	Yellow	68-2300	ANLYYY23B92-147-03	Ansell	1
	1.92 oz	Bound	Elastic	Attached Socks	L	Yellow	68-2300	ANLYYY23B92-147-04	Microflex	1
	1.92 oz	Bound	Elastic	Attached Socks	XL	Yellow	68-2300	ANLYYY23B92-147-05	Microflex	1
	1.92 oz	Bound	Elastic	Attached Socks	2XL	Yellow	68-2300	ANLYYY23B92-147-06	Microflex	1
	1.92 oz	Bound	Elastic	Attached Socks	3XL	Yellow	68-2300	ANLYYY23B92-147-07	Microflex	1
	1.92 oz	Bound	Elastic	Attached Socks	4XL	Yellow	68-2300	ANLYYY23B92-147-08	Microflex	1
	1.92 oz	Bound	Elastic	Attached Socks	5XL	Yellow	68-2300	ANLYYY23B92-147-09	Microflex	1
	2.98 oz	Taped, Welded	Knit	Elastic	S	Green	68-4000	ANLGR40T92-111-02	Microflex	1
	2.98 oz	Taped, Welded	Knit	Elastic	M	Green	68-4000	ANLGR40T92-111-03	Ansell	1
	2.98 oz	Taped, Welded	Knit	Elastic	L	Green	68-4000	ANLGR40T92-111-04	Ansell	1
	2.98 oz	Taped, Welded	Knit	Elastic	XL	Green	68-4000	ANLGR40T92-111-05	Microflex	1
	2.98 oz	Taped, Welded	Knit	Elastic	2XL	Green	68-4000	ANLGR40T92-111-06	Microflex	1
	2.98 oz	Taped, Welded	Knit	Elastic	3XL	Green	68-4000	ANLGR40T92-111-07	Ansell	1
	2.98 oz	Taped, Welded	Knit	Elastic	4XL	Green	68-4000	ANLGR40T92-111-08	Ansell	1
	2.98 oz	Taped, Welded	Knit	Elastic	5XL	Green	68-4000	ANLGR40T92-111-09	Ansell	1
	2.98 oz	Taped, Welded	Knit	Elastic	S	Green	68-4000	ANLGR40T92-122-02	Microflex	1
	2.98 oz	Taped, Welded	Knit	Elastic	M	Green	68-4000	ANLGR40T92-122-03	Microflex	1
	2.98 oz	Taped, Welded	Knit	Elastic	L	Green	68-4000	ANLGR40T92-122-04	Microflex	1
	2.98 oz	Taped, Welded	Knit	Elastic	XL	Green	68-4000	ANLGR40T92-122-05	Microflex	1
	2.98 oz	Taped, Welded	Knit	Elastic	2XL	Green	68-4000	ANLGR40T92-122-06	Microflex	1
	2.98 oz	Taped, Welded	Knit	Elastic	3XL	Green	68-4000	ANLGR40T92-122-07	Microflex	1
	2.98 oz	Taped, Welded	Knit	Elastic	4XL	Green	68-4000	ANLGR40T92-122-08	Microflex	1
	2.98 oz	Taped, Welded	Knit	Elastic	5XL	Green	68-4000	ANLGR40T92-122-09	Microflex	1



ANLGR40T92-111-02

WINTER WALKING

Over-the-Shoe Ice Cleats

Fit easily over all styles of footwear to increase traction on icy and snowy surfaces.

Note: Men's sizes are shown unless specified.

SPARE SPIKE™ NOS. JDSJD510S-JDSJD510XXL

Economical yet aggressive traction for moderate use. Tungsten carbide studs with built-in replacement stud stored in toe.

LOW-PRO® ICE CLEAT NOS. JDSJD6610S-JDSJD6610XXL

Compact and lightweight industrial-strength ice spikes are easy to put on and take off with dual rear pull tabs. Low-profile design is virtually inconspicuous on your foot.



JDSJD510L



JDSJD6610L

Fits Shoe Size	Item No.
10 to 12	JDSJD350L
11.5 to 13	JDSJD6610XL
11.5 to 13.5	JDSJD350XL
11 to 13.5	JDSJD510XL
13.5	JDSJD6610XXL
14	JDSJD510XXL
2.5 to 4.5	JDSJD510XS
4.5 to 6.5	JDSJD350S
5 to 6.5	JDSJD510S
5 to 6.5	JDSJD6610S
7 to 8.5	JDSJD510M

Fits Shoe Size	Item No.
7 to 8.5	JDSJD350M
7 to 9	JDSJD6610M
9.5 to 11.5	JDSJD6610L
9 to 10.5	JDSJD510L
Men's 11 1/2 to 13 / Women's 11 1/2	JDSJD6625XL
13 1/2 to 15	JDSJD6625XXL
Men's 13 1/2 / Women's 16 1/2	JDSJD6625XL
Men's 7 to 9 / Women's 9 to 11	JDSJD6625MED

WINTER WALKING

Grips® Ice Traction Overshoes

Aluminum oxide bands and self-cleaning soles provide increased traction. Trim-Line® allows you to cut away a portion of the upper overshoe to expand the opening for large and bulkier boots.

Fits Shoe Size	Closure Type	Toe Type	Colour	Item No.
7 to 9.5	Pull On	Plain	Black	JDSJD912L
6 to 7	Pull On	Plain	Black	JDSJD912M
4 to 5.5	Pull On	Plain	Black	JDSJD912S
16 to 17	Button Tab	Plain	Black	JDSJD912XXXL
14 to 15.5	Button Tab	Plain	Black	JDSJD912XXL
12 to 13.5	Pull On	Plain	Black	JDSJD912XXL
10 to 11.5	Pull On	Plain	Black	JDSJD912XL
10 to 11.5	Slip-On	Plain	Black	JDSJD922XL



JDSJD912L

SALISBURY

Dielectric Overshoes

Meet ASTM F1117 and ASTM F1116 standards

100% waterproof rubber. Feature pole climbing reinforcement patch and nonskid bar tread outsole.

Size	Closure Type	Height	Footwear Sole Pattern	Colour	Item No.
7	—	—	Non-Skid Bar	Red	SAL51508-070
8	—	—	—	Red	SAL51508-080
9	—	—	—	Red	SAL51508-090
10	—	—	—	Red	SAL51508-100
11	Slip-On	Ankle	Anti-Skid Bars	Red	SAL51508-110
12	—	—	—	Red	SAL51508-120
13	—	—	—	Red	SAL51508-130
14	—	—	—	Red	SAL51508-140
15	—	—	—	Red	SAL51508-150
16	—	—	Non-Skid Bar	Red	SAL51508-160
17	—	—	—	Red	SAL51508-170



SAL51508

BATA, DUNLOP

Polyurethane Boots

- Meet ASTM F2413-11 M I/75 C/75 SD PR and CSA Z195-09 SD PR
- Thermally insulated to -58°F

Purofort® Thermo+ all-terrain boots for extreme cold temperatures feature a roomy upper for easy fit and wide comfort tread with antistatic, oil-resistant sole. Extra-thick sole retains heat and softens impact, while the deep tread is sturdy for wet areas.

**DUNDLPLKL01508**

Toe Type	Size	Colour	Brand	Item No.
Work Boots				
Lug				
Steel	6	Black	Bata	BTA86622060
Steel	7	Black	Bata	BTA86622070
Steel	8	Black	Bata	BTA86622080
Steel	9	Black	Bata	BTA86622090
Steel	10	Black	Bata	BTA86622100
Steel	11	Black	Bata	BTA86622110
Steel	12	Black	Bata	BTA86622120
Steel	13	Black	Bata	BTA86622130
Rubber Boots				
Anti-Slip				
Composite	8	Green	Dunlop	DUNDLPLKL01508
Composite	15	Green	Dunlop	DUNDLPLKL01515
Rubber Boot				
Cleated				
Steel	3	Black, Green	Dunlop	DUNE762943.03
Steel	4	Black, Green	Dunlop	DUNE762943.04
Steel	5	Black, Green	Dunlop	DUNE762943.05
Steel	6	Black, Green	Dunlop	DUNE762943.06
Steel	7	Black, Green	Dunlop	DUNE762943.07
Steel	8	Black, Green	Dunlop	DUNE762943.08
Steel	9	Black, Green	Dunlop	DUNE762943.09
Steel	10	Black, Green	Dunlop	DUNE762943.10
Steel	11	Black, Green	Dunlop	DUNE762943.11
Steel	12	Black, Green	Dunlop	DUNE762943.12
Steel	13	Black, Green	Dunlop	DUNE762943.13

ERGOMATES, IMPACTO**ErgoMates™****Antifatigue Outsoles**

Serve as a personal, mobile antifatigue matting system. Soles provide superior slip resistance on wet or dry surfaces. Proprietary strapping system attaches securely to your existing footwear.

**IMOG88603B**

Size	Colour	Features	Brand	Item No.
Overshoe				
XS	Black	EVA Innersole	Ergomates	WWG5YZT7
S	Black	EVA Innersole	Impacto	IMOG88903B
M	Black	EVA Innersole	Impacto	IMOG88803B
L	Black	EVA Innersole	Impacto	IMOG88703B
XL	Black	EVA Innersole	Impacto	IMOG88603B
XL	Black	EVA Innersole	Ergomates	WWG5YZU1
M	Black	Sealer In Upper and Lower Soles, Self-Cleaning Tread Design, Resistant Against Most Oils, Solvents and Cleaning Agents	Impacto	SFTH20803B
XL	Black	Sealer In Upper and Lower Soles, Self-Cleaning Tread Design, Resistant Against Most Oils, Solvents and Cleaning Agents	Impacto	SFTH20603B
L	Black	EVA Innersole	Impacto	IMOG87703B
M	Black	EVA Innersole	Impacto	SFTG87803B
X	Black	EVA Innersole	Impacto	IMOG87903B
XS	Black	EVA Innersole	Impacto	IMOG88103B
Traction Device				
7 to 10	Black, Green	—	Impacto	IMOG88802
10 to 13	Black, Green	—	Impacto	IMOG88702

APPROVED VENDOR**Boot Brushes**

Boot Brushes and Scrapers - Nos. WWG8DAX6 and WWG8CVD2 have durable bristles that dislodge dirt and grime. Designed to let dirt fall through so it doesn't clog the bristles. Soft polypropylene side bristles won't scratch footwear. Stiff bottom bristles thoroughly clean mud and dirt out of soles. Can be permanently mounted to heavy rubber mats, wood, concrete, and other surfaces for year-round outdoor use. Mounting hardware included. No. WWG8CVD2 has heavier-duty bottom bristles, an extra bottom brush, and a heavy-duty steel base. No. WWG9RZ71 has 2 V-shaped brushes with more than 100 sq. in. of plastic bristles to clean all types of footwear. Unit can be flipped over to expose steel scraper bar. Can be secured using anchor holes.

**WWG8CVD2****WWG9RZ71**

Item	Overall Dimensions	Item No.
Boot Brush	9 in L x 6 in W x 5 in H	WWG8DAX6
Boot Brush	9 in L x 9 in W x 9 in H	WWG8CVD2
Boot Brush	16 1/2 in L x 14 1/4 in W x 7 in H	WWG9RZ71
Boot Brush Base	20 in L x 18 in W x 1 in H	WWG8DEL3

IMPACTO

Overshoe Steel Toe Guards

Waterproof guards fit tightly over shoes, providing a solid steel cap to protect against accidental crushing or stubbing. Withstand the impact of up to 75 lb., per ASTM F2412-11/F2413-11.

Note: Men's sizes are shown unless specified.



IMOIMPACTOECL

Fits Shoe Size	Resists	Toe Type	Material	Footwear Sole Pattern	Colour	Item No.
Overshoe						
4 to 5	Slip	Steel	PVC	Chevron	Black, Grey	IMOTTXS
5.5 to 6	Impact, Water, Acids, Animal Fats, Oils, Slips	Steel	Steel, Vulcanized Rubber	Weave	Black	IMOIMPACTOEXXS
6 to 7	Slip	Steel	PVC	Chevron	Black, White	IMOTTS
6.5 to 7	Impact, Water, Acids, Animal Fats, Oils, Slips	Steel	Rubber	Weave	Black	IMOIMPACTOEXCS
7.5 to 8	Impact, Water, Acids, Animal Fats, Oils, Slips	Steel	Rubber	Weave	Black	IMOIMPACTOEC
8 to 9	Slip	Steel	PVC	Chevron	Black, Yellow	IMOTTM
8.5 to 9	Impact, Water, Acids, Animal Fats, Oils, Slips	Steel	Rubber	Weave	Black	IMOIMPACTOECM
10 to 11	Slip	Steel	PVC	Chevron	Black, Red	IMOTTL
10.5 to 11.5	Impact, Water, Acids, Animal Fats, Oils, Slips	Steel	Rubber	Weave	Black	IMOIMPACTOEC
12 to 13	Slip	Steel	PVC	Chevron	Black, Blue	IMOTTXL
12 to 12.5	Impact, Water, Acids, Animal Fats, Oils, Slips	Steel	Rubber	Weave	Black	IMOIMPACTOECXL
13 to 14	Slip	Steel	PVC	Chevron	Black, Green	IMOTTXL
14 to 15.5	Impact, Water, Acids, Animal Fats, Oils, Slips	Steel	Rubber	Weave	Black	IMOIMPACTOECXXL
15 to 16	Slip	Steel	Rubber, Steel	Chevron	Black	IMOTTXXXL

IMPACTO, IMPACTO AIRSOL

Shoe/Boot Insoles

Ventilated pads with antimicrobial treatment help dampen shock in critical areas. Sold in pairs. Fit most styles of shoes and boots. Molded footbed.

AIRSOL® Molded - Made of cellular foam to provide heel stability, arch support, and constant cushioning.

RHINOTUFF™ - Puncture-resistant insoles have a stainless steel plate. Orthotic support system is complete with heel cup, arch support, metatarsal support, and cushioned footbed. Meet ASTM F2413-5.3.2.

AIRSOL® Flat - Designed for low-cut footwear. Cellular foam for greater resilience and breathability.

ULTRA WORK-SPORT® - Features expanded Sorbothane® inlays to absorb shock and help relieve more pain in the feet, knees and lower back. Molded design with cupped heel for rear foot stability. Antibacterial soft fabric cover wicks away moisture.



IMOASFLAT-A

Size	Colour	Material	Features	Item No.
8 to 9	Black, Yellow	Fabric, Memory Foam	Arch Support, Molded Heel, Breathable, Washable	IMOMEM89
10 to 11	Black, Yellow	Fabric, Memory Foam	Breathable, Washable, Electrostatic Dissipative Protection	IMOMEMESD1011
10 to 11	Black, Yellow	Fabric, Memory Foam	Arch Support, Molded Heel, Breathable, Washable	IMOEMEM1011
11 to 12	Blue, Orange	Graphite Composite, Sorbothane	Molded Heel, Fabric cover, Washable	IMOERINGRAF
12 to 13	Black, Yellow	Fabric, Memory Foam	Arch Support, Molded Heel, Breathable, Washable	IMOMEM1213
AIRSOL® Flat				
3 to 4.5	Green	Open-Cell Foam	Breathable, Washable	IMOASFLAT-A
5 to 6.5	Green	Open-Cell Foam	Breathable, Washable	IMOASFLAT-B
7 to 8.5	Green	Open-Cell Foam	Breathable, Washable	IMOASFLATC/E
Men's 13 to 14	Green	Open-Cell Foam	Breathable, Washable	IMOASFLATH
AIRSOL® Molded				
3 to 4.5	Green	Open-Cell Foam	Arch Support, Molded Heel, Breathable, Washable	IMOASMOLD-A
5 to 6	Green	Open-Cell Foam	Arch Support, Molded Heel, Breathable, Washable	IMOASMOLD-B
7 to 8.5	Green	Open-Cell Foam	Arch Support, Molded Heel, Breathable, Washable	IMOASMOLDCE
8.5 to 9	Green	Open-Cell Foam	Arch Support, Molded Heel, Breathable, Washable	IMOASMOLDDF
11 to 12.5	Green	Open-Cell Foam	Arch Support, Molded Heel, Breathable, Washable	IMOASMOLD-G
Men's 13 to 14	Green	Open-Cell Foam	Arch Support, Molded Heel, Breathable, Washable	IMOASMOLD-H
RHINOTUFF™				
5 to 6	Black, Red	Fabric, Stainless Steel Plate	Arch Support, Molded Heel	IMORHINOTUFFA
7 to 8	Black, Red	Fabric, Stainless Steel Plate	Arch Support, Molded Heel	IMORHINOTUFFB
9 to 10	Black, Red	Fabric, Stainless Steel Plate	Arch Support, Molded Heel	IMORHINOTUFFC
11 to 12	Black, Red	Fabric, Stainless Steel Plate	Arch Support, Molded Heel	IMORHINOTUFFD
13 to 15	Black, Red	Fabric, Stainless Steel Plate	Arch Support, Molded Heel	IMORHINOTUFFE
ULTRA WORK-SPORT®				
4 to 5	Blue, Orange	Fabric, Polyurethane, Sorbothane	Molded Heel, Washable	IMOERINWRKA
5 to 6	Blue, Orange	Fabric, Polyurethane, Sorbothane	Molded Heel, Washable	IMOERINWRKB
6.5 to 7	Blue, Orange	Fabric, Polyurethane, Sorbothane	Molded Heel, Washable	IMOERINWRKC
8 to 9	Blue, Orange	Fabric, Polyurethane, Sorbothane	Molded Heel, Washable	IMOERINWRKD
9.5 to 10.5	Blue, Orange	Fabric, Polyurethane, Sorbothane	Molded Heel, Washable	IMOERINWRKE
11 to 12	Blue, Orange	Fabric, Polyurethane, Sorbothane	Molded Heel, Washable	IMOERINWRKF
12.5 to 13.5	Blue, Orange	Fabric, Polyurethane, Sorbothane	Molded Heel, Washable	IMOERINWRKG

APPROVED VENDOR, IMPACTO, OSBORN**Toe, Foot, Metatarsal, and Shin Guards**

All styles sold in pairs. Footwear sold separately.

Aluminum Overshoe Steel Toe Guards -

Supplemental metatarsal protection for workers wearing steel-toed footwear. Withstand the impact of 75 lb. dropped from 1-ft. height. Measure 3 1/2" H x 4 3/4" W. Silver color.

Steel Toe Guard - Lightweight toe guard fits over any footwear and withstands the impact of 75 lb. dropped from 1-ft. height. Measures 3 1/2" H x 4 3/4" W. Silver color.**Aluminum Foot Guard** - 1-pc. guard has a rubber toe bottom, cross bar, and rubber strap to provide additional stability. Withstands the impact of 75 lb. dropped from 1-ft. height. Measures 5 1/2" H x 4 3/4" W. Silver color.**Plastic Shin/Instep Guard** - Provides maximum protection to both shin and instep. Contoured and foam padded for better comfort and fit. Measures 20" H x 6" W. Black color.**Plastic Foot Guard** - 1-pc. guard with a rubber toe strap and heavy-duty rubber heel strap for additional stability. Withstands the impact of 50 lb. from 1-ft. height. Measures 5 1/2" H x 4 1/2" W. Green color.**Plastic Knee/Shin/Instep Guard** - Same features as No. GGS5T458, plus knee protection. Measures 27" H x 6" W. Black color.

GGS1AG91

**APPROVED VENDOR,
CONDOR, HONEYWELL****Nuisance Dust and
Procedural Masks**

- Not NIOSH approved
- Universal size

Designed to protect against nontoxic dust and irritants, these masks have elastic headstraps and a nose clip to hold them in place. Not for use with toxic mists and chemicals.



CDR2KFY4

Item	Brand	Item No.	Pkg. Qty.
Nuisance Dust Mask	Condor	CDR2KFY4	50
Disposable Face Mask	Approved Vendor	EBP56JD44	50
Nuisance Dust Mask	Honeywell	WSSCP1000VP-PK	50

3M, VFLEX**Disposable Particulate Respirators****▪ NIOSH Approved**

Electrostatically charged microfibers are designed for ease of breathing. R and P series respirators may have additional time-use limitations. Refer to instructions for specific information.



MMM9105

Mask Shape	Mask Size	Nuisance Odour Removal	Headstrap Type	Exhalation Valve	Individually Packaged	Nose Clip	Face Seal Type	Face Seal	Colour	Brand	Item No.	Pkg. Qty.
N100												
Molded	M	None	Adjustable Buckle	Yes	Yes	Yes	Comfort	Full	White	3M	MMM8233	1
N95												
Flat-Fold	Universal	—	—	No	Yes	—	Standard	—	White	3M	MMM9205PLUSCAN	440
Flat-Fold	Universal	None	Stapled	No	No	Yes	Standard	None	White	Vflex	MMM9105	50
Flat-Fold	S	None	Stapled	No	No	Yes	Standard	None	White	Vflex	MMM9105S	50
Molded	M	None	Adjustable Buckle	Yes	No	Yes	Standard	Full	White	3M	MMM8212	10
Molded	Universal	None	Braided Elastic	Yes	No	Yes	Standard	None	White	3M	MMM8511	10
Molded	M	None	Braided Elastic	Yes	No	Yes	Standard	None	White	3M	MMM8515	10
Molded	S	None	Stapled	No	Yes	Yes	Standard	None	White	3M	MMM8110S	20
Molded	Universal	None	Stapled	No	No	Yes	Standard	None	White	3M	MMM8200	20
Molded	Universal	None	Stapled	Yes	No	Yes	Standard	None	White	3M	MMM8210V	10
Molded	Universal	None	Welded	No	No	Yes	Standard	None	White	3M	MMM8210	20
Nuisance Acid Gas, P95												
Molded	M	Acid Gas Irritants	Braided Elastic	Yes	No	Yes	Standard	None	White	3M	MMM8576	10
Nuisance Acid Gas, R95												
Molded	M	Acid Gas Irritants	Stapled	No	Yes	Yes	Standard	None	Blue	3M	MMM8246	20
Nuisance Organic Vapor, P95												
Molded	M	Organic Vapour	Braided Elastic	Yes	No	Yes	Standard	None	White	3M	MMM8577	10
Nuisance Organic Vapor, R95												
Molded	M	Organic Vapour	Stapled	No	No	Yes	Standard	None	Grey	3M	MMM8247	20
P100												
Molded	M	None	Adjustable Buckle	Yes	Yes	Yes	Comfort	Full	White	3M	MMM8293	1
P95												
Molded	M	None	Stapled	Yes	No	Yes	Standard	Full	White	3M	MMM8271	10

MOLDEX

Disposable Particulate Respirators

■ NIOSH approved

Dura-Mesh® shell resists collapse, even under hot and humid conditions. Contour-molded nosebridge has a foam cushion for an easy soft, comfortable seal without a metal nose band.

Standard 2-Strap - Elastic straps are attached securely so they don't break the seal.

Nos. MDX2207N95 and MDX2307N95 feature a low-profile design with a lower, wider nosebridge.

Adjustable Cloth Straps - Tug-to-fit adjustable cloth straps provide speedy, comfortable fit.

AirWave® - FlexFit® design expands and contracts as you move and speak for all-day comfort. Wave design lets more air flow in and out for easier breathing. SmartStrap® models with adjustable soft cloth strap allows the respirator to hang loosely from the neck when not in use.

HandyStrap® - Cloth strap with buckle allows mask to hang around the wearer's neck, always ready for use.



MDX2200N95

Respirator Filter Class	Mask Shape	Mask Size	Nuisance Odour Removal	Exhalation Valve	Individually Packaged	Nose Clip	Face Seal	Colour	Item No.	Pkg. Qty.
Dual, Adjustable										
N95	Molded	M/L	None	No	No	No	None	Grey	MDX4600	10
N95	Molded	S	None	No	No	No	None	Grey	MDX4601	10
N95	Molded	M	Organic Vapour, Ozone	No	No	No	Full	Grey	MDX4800	8
N100	Molded	M	None	Yes	No	No	Full	White	MDX4700N100	5
Dual, Non-Adjustable										
N95	Molded	M	None	No	No	No	None	White	MDX2200N95	20
N95	Molded	S	None	No	No	No	None	White	MDX2201N95	20
N95	Molded	M	None	Yes	No	No	None	Blue	MDX2300N95	10
N95	Molded	S	None	Yes	No	No	None	Blue	MDX2301N95	10
N95	Molded	M	Organic Vapour, Ozone	Yes	No	No	None	Grey	MDX2400N95	10
N95	Molded	M	Acid Gas Irritants	Yes	No	No	None	Blue	MDX2500N95	10
N95	Molded	M	None	Yes	No	No	None	White	MDX2700N95	10
N95	Molded	S	None	Yes	No	No	None	White	MDX2701N95	10
N95	Molded	M	Organic Vapour, Ozone	Yes	No	No	None	White	MDX2800N95	10
N95	Molded	Universal	None	No	No	No	None	White	MDX2207N95	1
N95	Molded	M	None	Yes	No	No	None	Black	MDXM2700N95	1
N95	Molded	M	Organic Vapour, Ozone	Yes	No	No	None	Black	MDXM2800N95	1

VERSAFLO

Versaflo™ TR-Series Powered Air Purifying Respirators (PAPRs) Kits

Easy-Clean Kit - No. MMMTR600ECK includes PAPR blower unit, easy-clean belt, headcover/hood assembly, prefilter, filter, adjustable-length tube, and battery charger.

Heavy Industry Kit - No. MMMTR600HIK provides combined eye, face, head, and respiratory protection for rugged operations. Include PAPR, high-durability leather belt, respirator hard hat, spark arrester/filter, heavy-duty breathing tube, and battery charger.



MMMTTR600ECK

Item	Includes	Item No.
PAPR System Kit	(2) BT 92 Breathing Tube Covers, (2) TR 66 Spark Arrestors, (2) TR 6600 Prefilter, BT 30 Length Adjusting Breathing Tube, S 433L Hood with Integrated Head Suspension, TR 602N PAPR Unit, TR 627 Easy Clean Belt, TR 630 Standard Battery, TR 641N Single Station Battery Charger, TR 6700 Filter Covers, TR 6710N (HE) Filter, TR 97 Airflow Indicator	MMMTTR600ECK
PAPR System Kit	BT-926 Breathing Tube Cover, Filter Cover, M-307 Headtop Hard Hat Assembly, TR-616 PAPR Assembly with Breathing Tube, TR-64Single Station Battery Charger, TR-6530N HE/OV/AG/HF Filter/Cartridge	MMMTTR600HIK

3M

Half- and Full-Facepiece Respirators

- NIOSH approved

Cartridges and filters sold separately. Fit test kits sold separately.

6000 Series - Soft, lightweight facepiece with easily adjustable head strap offers increased comfort. Full-facepiece models feature a large lens that provides a wide field of view.

6500 Series - Adjustable head harnesses provide excellent fit and comfort over long shifts. The Cool Flow™ valve helps reduce heat and moisture, for better comfort and easier breathing. With a light, comfortable silicone face seal. Models with Quick Latch mechanism permit easy on and off; no need to remove your hard hat or faceshield as you move in and out of contaminated areas.

FF-400 Series - Feature a soft silicone nose cup and large lens that allow for superior peripheral vision. Unique 3M™ Scotchgard™ protector helps the lens resist dirt, paint, and stains and makes it easier to clean. 3M™ Cool Flow™ exhalation valve reduces heat and moisture buildup inside the facepiece.

Facepiece Material	Mask Size	Suspension	Item No.
Full Face Respirator			
Silicone	S	6-Point	MMMF401
	M	6-Point	MMMF402
	L	6-Point	MMMF403
Silicone/Thermoplastic Elastomer	S	4-Point	MMM6700
	M	4-Point	MMM6800
	L	4 Point	MMM6900
Half Mask Respirator			
Thermoplastic Elastomer	S	Yolk and Cradle	MMMF6100
	M	Yolk and Cradle	MMMF6200
	L	Yolk and Cradle	MMMF6300
Silicone	S	Yolk and Cradle	MMMF7501
	M	Yolk and Cradle	MMMF7502
	L	Yolk and Cradle	MMMF7503
	L	Yolk and Cradle	MMMF6503QL
	M	Yolk and Cradle	MMMF6502QL
	S	Yolk and Cradle	MMMF6501QL
	L	Yolk and Cradle	MMMF6503
	M	Yolk and Cradle	MMMF6502
	S	Yolk and Cradle	MMMF6501
Item			
Case Accessory	6000 Series, FF-400 Series	Includes Spectacle, Mounting Frame	MMM102R
Constant Flow High Pressure Dual Airline Back-Mounted Adapter Kit	Supplied Air Respirator Systems with High Pressure	Belt, SA-2600 Breathing Tube, SA-1007 Regulator Assembly	MMMSA2100
Filter Holder	3M 6000 Series, 3M 6500 Series, 3M 7000 Series, à 3M Ultimate FX FF-400 Series	—	MMMF603
Filter Retainer Cap	6000 Series Full Face Respirators, 7500 Series Half Mask, FF-400 Series Full Face Respirators	—	MMMF501
High Pressure Dual Airline Back-Mounted Adapter Kit	Full Face Respirators	3M Breathing Tube SA 2500, 3M Valve SA 1009, 3M Waist Belt GVP 127	MMMSA2000
Lens Covers	Mfr. No. FF-401, FF-402, FF-403	—	MMMF400-15
Lens Covers	Mfr. No. FF-400	—	MMMF400-17
Lens Covers	6000 Series Full Facepiece Respirator	—	MMMF6885
Low Pressure Dual Airline Back-Mounted Adapter Kit	Full Face Respirators	3M Breathing Tube SA 2500, Air Regulator SA 1029, Waist Belt GVP 127	MMMSA2000LP
Prefilter Adapter	6000 Series Series Full Face Respirators, 7500 Series Half Mask, FF-400 Series Full Face Respirators	—	MMMF502
Spectacle Kit	FF-401, FF-402, FF-403	—	MMMF400-20

7000 Series - Soft, pliable facepiece and adjustable head strap for maximum comfort. Half-facepiece respirators are easily adjustable and feature Cool Flow™ exhalation valve. Full-facepiece respirators feature standard nose cup to prevent fogging, double-flap face seal, and an antiscratch polycarbonate lens for greater durability.

Dual Airline Adapter Kit - Use with 6000, FF-400, and 7000 series facepieces and supplied air hose to have respirators in supplied air mode. Kit includes waist belt, air control valve, and breathing tube.



MMM2071

3M

Disposable Dual Cartridge Half-Facepiece Respirator Kits

- NIOSH approved

For easy ordering, commonly used respirators are preassembled with permanently attached cartridges on a 5000 series half-facepiece respirator.



MMMF5101

	Mask Size	Item No.
AG, OV	S	MMMF5103
	M	MMMF5203
	L	MMMF5303
OV	S	MMMF5101
	M	MMMF5201
	L	MMMF5301
OV, P95	S	MMMF5P71
	M	MMMF5P71
	L	MMMF5P71

MSA

Advantage Half- and Full-Facepiece Respirators

■ NIOSH approved

Cartridges and filters sold separately. Fit test kits available.

200 LS Half-Facepiece - Soft, light, and comfortable. Sealing surface conforms to wearer.

420 Half-Facepiece - Allow quick adjustment for stable, comfortable fit. Adapt to a variety of head sizes and facial contours. Switch easily between lock-down and drop-down modes.

3200 Full-Facepiece - Soft facepiece with rubber head harness and adjustable straps. Respirators feature antiscratch polycarbonate wraparound lens and nose cup.

4200 Twin-Port Full-Facepiece - Dedicated twin-cartridge respirators with adaptable bayonet cartridge adapters mounted onto the lens. Rubber head harness. In-turned lip provides ideal face seal.

4200 Respirator RD40 Adapter - Converts the 4200 full-facepiece respirator for applications including supplied air respirators, powered air-purifying respirators (PAPRs), and gas mask configurations.

3200 and 4200 Accessories - Spectacle kit allows prescription eyewear to be worn with respirator. Lens covers protect lenses from soil or damage.



MSA10028995

Facepiece Material	Mask Size	Series	Suspension	Item No.
Half Mask Respirator				
Silicone	S	Advantage 420	Yolk and Cradle	MSA10102182
	M	Advantage 420	Yolk and Cradle	MSA10102183
	L	Advantage 420	Yolk and Cradle	MSA10102184
Thermoplastic Rubber	M	Advantage 200 LS	Single Neck Strap	MSA815444
	L	Advantage 200 LS	Single Neck Strap	MSA815452
	M	Advantage 200 LS	Single Strap with Cradle	MSA815692
	S	Advantage 200 LS	Single Strap with Cradle	MSA815696
	L	Advantage 200 LS	Single Strap with Cradle	MSA815700
	S	Advantage 200 LS	Single Neck Strap	MSA815448
Full Face Respirator				
Silicone	M	Advantage 3200	European Style 4 Point	MSA10031309
	S	Advantage 3200	European Style 4 Point	MSA10031340
	L	Advantage 3200	European Style 4 Point	MSA10031341
	M	Advantage 4200	4 Point	MSA10083782
	S	Advantage 4200	4 Point	MSA10083786
	L	Advantage 4200	4 Point	MSA10083790

Item	For Use With	Item No.
Spectacle Kit	Advantage 3000, Advantage 4000 Full Face Respirator	MSA10029298
Lens Covers	MSA Full Face Respirator	MSA10031542
Full Face Respirator	Advantage Series Cartridges and Filters	MSA10028995
Full Face Respirator	Advantage Series Cartridges and Filters	MSA10028996
Full Face Respirator	Advantage Series Cartridges and Filters	MSA10028997
Twin Cartridge Adapter	Advantage 4000 Series Full Face Respirators	MSA10065328
Push to Connect Supplied Air Adapter	Advantage 4000 Series Full Face Respirators	MSA10065329
Chin Mount Gas Mask Canister Adapter	Advantage 4100 Series Full Face Respirators	MSA10065330
Filter Cover	Advantage Series Full Face Respirators, Advantage Series Half Mask	MSA815392
Filter Cover	Advantage Series Full Face Respirators, Advantage Series Half Mask Respirators	MSA815401

Cartridge Approved For	Colour Code	Item No.
R95	Black	MSA815397
P100	Magenta	MSA815369
OV, P100	Black, Magenta	MSA815362
OV, P100	Black, Magenta	MSA815641 *
OV	Black	MSA815355
N95, OV, OZ	Black	MSA818347
N95	Black	MSA815394
N95	White	MSA818346
N95	Black	MSA816357
CL, MV, P100	Magenta, Olive	MSA815368
CL, MV	Orange	MSA815361
CD, CL, HC, P100, SD	Magenta, White	MSA815363
CD, CL, HC, OV, SD	Yellow	MSA815357
CD, CL, HC, OV, P100, SD	Magenta, Yellow	MSA815364
CD, CL, HC, HS, SD	White	MSA815356
AM, MA, P100	Green, Magenta	MSA815365
AM, MA	Green	MSA815358
AM, CD, CL, FM, HC, HF, OV, SD	Olive	MSA815359
AM, CD, CL, FM, HC, HF, MA, OV, P100, SD	Magenta, Olive	MSA815366

* Effective against, but not NIOSH approved for, iodine vapor.

MSA

Advantage Single-Port Full-Facepiece Respirators

■ NIOSH approved

3100 series respirators have a nosecup that helps reduce lens fogging. Canisters attach directly to the facepiece with a single-port, standard-thread filter connection at the chin.



MSA10031342

Facepiece Material	Mask Size	Suspension	Item No.
Silicone	S	4 pt. Strap	MSA10031343
	M	4 pt. Strap	MSA10031342
	L	4 pt. Strap	MSA10031344
Approved for	Gas Mask Canister	Colour Code	Item No.
OV, P100	Black/Magenta	MSA10067469	
FM, AG, CD, HS, P100	Magenta/Olive	MSA10067470	
HF	Magenta/Olive	MSA10067491	

CONDOR, HONEYWELL, HONEYWELL NORTH, NORTH

Half- and Full-Facepiece Respirators

- NIOSH approved

Cartridges and filters sold separately. Fit test kits available.

HALF-FACEPIECE RESPIRATORS

5500 Series - Comfortable, low-profile design in latex-free materials is an economical choice for subcontractors, plant guests, and occasional users.

7700 Series - Medical-grade silicone half mask with a dual flange provides complete face-to-mask sealing and all day comfort.

RU8500 Series - Features a speech diaphragm that provides vocal clarity and aids in communication.

FULL-FACEPIECE RESPIRATORS

5400 Series - Economical models feature a 200° field of vision. Support APR, PAPR, and CF-SAR configurations.

RU6500 Series - Soft, durable silicone seal for all day comfort. Models feature the most configurations for APR, PAPR, and CF-SAR using either the center port or side ports.

7600 Series - Medical-grade silicone sealing surfaces and a speech diaphragm that allows clear communication. Antiscratch polycarbonate lens provides a 200° field of vision and a downward view for sight in all directions. Support APR, PAPR and CF-SAR configurations.

7600 Series Welding - The welding shield can be flipped up or removed when not welding. 2" x 4 1/4" shade plates not included.



NON54001

Facepiece Material	Mask Size	Suspension	Series	Brand	Item No.
Elastomer	S	Yolk and Cradle	5500	North	NON550030S
	M	Yolk and Cradle	5500	North	NON550030M
	L	Yolk and Cradle	5500	North	NON550030L
	L	Yolk and Cradle	7700	North	NON770030L
Silicone	M	Yolk and Cradle	7700	North	NON770030M
	S	Yolk and Cradle	7700	North	NON770030S
	S	Yes	RU8500	Honeywell North	NONRU85001S
	M	Yes	RU8500	Honeywell North	NONRU85001M
Elastomer	M/L	4 Point	5400	North	NON54001
	S	4 Point	5400	North	NON54001S
	S	5 Point	7600	North	NON760008AS
	M/L	5 Point	7600	North	NON760008AW
Silicone	S	5 Point	7600	Honeywell North	NON760008ASW
	L	5-Point Head Strap	RU6500	Honeywell North	NONRU65001L
	M	5-Point Head Strap	RU6500	Honeywell North	NONRU65001M
	S	5-Point Head Strap	RU6500	Honeywell North	NONRU65001S
	S	Headnet	RU6500	Honeywell North	NONRU65002S
	M	Headnet	RU6500	Honeywell North	NONRU65002M
	L	Headnet	RU6500	Honeywell North	NONRU65002L

Item	For Use With	Brand	Item No.
Spectacle Kit	Full Facepieces, Metal Frame with Wire Spring	Honeywell North	NON760024
Spectacle Kit	752000, 762000, 772000	Honeywell	SVR962260
Backpack Filter Holder	5400 Series, 5500 Series, 7600 Series, 7700 Series Respirators	North	NONBP1002
P100 Pancake Filter Adapter	5400 Series, 5500 Series, 7600 Series and 7700 Series Respirators	Honeywell North	NONN750035
Filter Cover Assembly	7506N99, 7506R95, Filter Retainer for 7506N95	Honeywell North	NONN750036

Cartridge Approved For	Colour Code	Brand	Item No.
AG, OV, OZ, P100	Magenta	North	NON75FFP100NL
AG, OV, P100	Magenta, Yellow	Honeywell	NON7583P100L
AG, P100	Magenta, White	Honeywell	NON7582P100L
AM, CD, CL, FM, HC, HF, HS, MA, OV, P100, SD	Magenta, Olive	Honeywell	NON75SCP100L
AM, CD, CL, FM, HC, HF, HS, MA, OV, SD	Olive	Honeywell	NON755CL
AM, MA	Green	Honeywell	NON75004L
AM, MA, P100	Green, Magenta	Honeywell	NON7584P100L
CD, CL, HC, HF, HS, OV, SD	Yellow	Honeywell	NON75003L
CD, CL, HC, HF, HS, SD	White	Honeywell	NON75002L
CL, MV	Olive	Honeywell	NON750052L
CL, MV, P100	Magenta, Olive	Honeywell	NON75852P100L
N95	White	North	NON7506N95
N99	White	North	NON7506N99
OV	Black	Honeywell	NON75001L
OV, P100	Black, Magenta	Honeywell	NON7581P100L
P100	Magenta	North	NON7580P100
P100	Magenta	North	NON75FFP100
R95	White	North	NON7506R95

3M, VERSAFLO

Versaflo™ TR-300 Powered Air Purifying Respirators Assembly Kits

- Breathing tube and headgear sold separately.

Respirator systems for particulate environments also help protect against nuisance odors. Slim profile for use in tight spaces. With audible and LED alarms to alert for low airflow and low battery power.



MMMTR613N

Item	For Use With	Colour	Standards	Includes	Brand	Item No.
PAPR Assembly	TR600 Series Products	—	NIOSH Approved	BT-30 Length Adjusting Breathing Tube, TR-602N Motor/Blower, TR-626 High Durability Belt, TR-630 Standard Battery, TR-971 Airflow Indicator	Versaflo	MMMTTR613N
PAPR Assembly	TR600 Series Products	—	NIOSH Approved	BT-30 Length Adjusting Breathing Tube, TR-602N Motor/Blower, TR-627 Easy Clean Belt, TR-630 Standard Battery, TR-971 Airflow Indicator	Versaflo	MMMTTR614N
PAPR Assembly	TR600 Series Products	—	NIOSH Approved	BT-30 Length Adjusting Breathing Tube, TR-602N Motor/Blower, TR-626 High Durability Belt, TR-632 High Capacity Battery, TR-971 Airflow Indicator	Versaflo	MMMTTR616N
PAPR Assembly	TR600 Series Products	—	NIOSH Approved	BT-30 Length Adjusting Breathing Tube, TR-602N Motor/Blower, TR-627 Easy Clean Belt, TR-632 High Capacity Battery, TR-971 Airflow Indicator	Versaflo	MMMTTR617N
Combination Cartridge/Filter	TR-600 Series PAPR	—	NIOSH	—	Versaflo	MMMTTR6320N
Combination Cartridge/Filter	TR-600 Series PAPR	—	NIOSH	—	Versaflo	MMMTTR6350N
Combination Cartridge/Filter	Mfr. No. TR-600 PAPR	—	NIOSH	—	Versaflo	MMMTTR6360N
Combination Cartridge/Filter	TR-600 Series PAPR	—	NIOSH	—	Versaflo	MMMTTR6510N
Combination Cartridge/Filter	TR-600 Series PAPR	—	NIOSH	—	Versaflo	MMMTTR6530N
Filter	TR-600 Series PAPR	—	NIOSH	—	Versaflo	MMMTTR6710N5
Battery Charger Kit	TR-300 Series	—	NIOSH Approved	TR-340 Cradle, TR-941N Power Supply	3M	MMMTTR341N
Battery	TR600 Series PAPR	Blue, Grey	NIOSH Approved	—	Versaflo	MMMTTR630
Battery	TR600 Series PAPR	Blue, Grey	NIOSH Approved	—	Versaflo	MMMTTR632
Filter Cover	TR-600, TR-6300 Series	—	NIOSH Approved	—	Versaflo	MMMTTR6300FC
Filter Cover	TR-6510N, TR-6530N and TR-6590N Cartridges	—	NIOSH Approved	—	Versaflo	MMMTTR6500FC
Versaflo Filter Cover	TR-600, TR-6700 Series	—	NIOSH Approved	—	Versaflo	MMMTTR6700FC

BULLARD

EVA Series Powered Air-Purifying Respirators (PAPRs)

- NIOSH approved

Active Flow Technology automatically responds to the user's need for constant, steady airflow. Systems feature an easy-to-read battery status display and alarms for low battery power and low airflow. Easy-to-install combination filter. PAPR Assemblies include battery, belt, blower, and charger. To complete the PAPR system, select a filter cartridge, hood or full-facepiece respirator, and breathing tube.



BULEVA2

Item	For Use With	Item No.
PAPR Blower Assembly	Mfr. No. PAPRFC4, EVABAT1, 20TJN, 20TICN, 20TICH, 20LCL, 20TG, 20RT, PA1BT	BULEVA2
Filter	Bullard EVA® PAPR	BULPAPRFC3
Combination Cartridge/Filter	Bullard EVA® PAPR	BULPAPRFC4
Battery Pack	Mr. No. EVA2	BULEVABAT1
Breathing Tube	CC20 Series Hood, RT Series Hood	BULPA1BT
Breathing Tube	EVA, LF Series Hood	BULPA20LFBT
4-Point Ratchet Headband Suspension	CC20, GR50, MB30, PC90	BUL20RT
Double Bib Hood	PAPR or Supplied Air Respiratory Systems	BUL20TICN

NORTH

CA200 Series Powered Air-Purifying Respirator (PAPR) Assembly Kits

- NIOSH approved

Assemblies feature a triple-alarm system with audible, vibratory, and visual alerts that warn the wearer when there are blocked or clogged filters and at 5% and 10% battery life remaining. Airflow automatically adjusts to meet OSHA and CSA cfm requirements. Each kit includes a blower, Li-ion battery, belt (standard or decon), single-unit charger, flow meter, and carrying case. Require breathing tube, headgear, and cartridges, sold separately.



NONPA111

Item	Mask Size	Brand	Item No.
Bib Hood	Universal	North	NONPA111
Bib Hood	Universal	North	NONPA121
Head Cover	Universal	North	NONPA131
Organic Vapour Cartridge	—	North	NON4001
AM/ME/HE Cartridge	—	North	NON4004HE
Head Cover	Medium/Large	North	NONPA101M
Head Cover	Small	North	NONPA101S

MSA

OptimAir TL Powered Air Purifying Respirators (PAPRs)

- NIOSH approved
- Facepieces meet ANSI Z87.1

Each PAPR system includes motor-blower, battery, charger, breathing hose, and decontamination belt. Feature audible and visual low-flow and low-battery alarms. To complete the PAPR system, select a hood or full-facepiece respirator and appropriate cartridge. Advantage 4000® series facepieces require Cartridge Adapter No. MSA10065330, sold separately.



MSA10081116

Item	Mask Size	For Use With	Item No.
PAPR System	—	Full Face Piece Respirators Mfr. No. 10031340, 10031309, 10031341, 10083798, 10083794, 10083802, 493020 or 493108. Cartridges Mfr. No. 10080455, 10080454 or 10080456	MSA10081115
PAPR System	—	PAPR Hood Mfr. No. 10083330 or 10083382	MSA10081116
Cartridge	—	MSA TL Powered Air Purifying Respirator (PAPR)	MSA10080454
Filter	—	MSA TL Powered Air Purifying Respirator (PAPR)	MSA10080455
Cartridge	—	MSA TL Powered Air Purifying Respirator (PAPR)	MSA10080456
Hood	—	—	MSA10083329
Hood	—	—	MSA10083383
Hood	—	—	MSA10083384
PAPR System	—	Mfr. No. 10083798, 10083794, 10083802 Face Pieces will all also require adapter 10065330 to attach to breathing tube	MSA10081114
PAPR System	—	Respirator Hoods Mfr. No. 10083330 or 10083382, Cartridges Mfr. No. 10080455, 10080454 or 10080456	MSA10081117
Battery	—	Mfr. No. 10081114, 10081116	MSA10076108
Battery Charger	—	Mfr. No. 10081114, Mfr. No. 10081116	MSA10076110
Double Bib Hood	Universal	OptimAir® TL PAPR	MSA10083330
Double Bib Hood	Universal	OptimAir® TL PAPR	MSA10083382
Full Face Respirator	M	Cartridges and Filters for the 200LS, 3000, and 4000 Series	MSA10083794
Full Face Respirator	S	Cartridges and Filters for the 200LS, 3000, and 4000 Series	MSA10083798
Full Face Respirator	L	Cartridges and Filters for the 200LS, 3000, and 4000 Series	MSA10083802
Full Face Respirator	M	Cartridges and Filters	MSA493020
Full Face Respirator	L	Cartridges and Filters	MSA493108

3M, ADFLO, SPEEDGLAS

Adflo™ Powered Air-Purifying Respirator (PAPR) Systems for Welding

Speedglas™ Auto Darkening Filters (ADF) and Magnification Plates - Filters feature a built-in magnification plate holder and 7 selectable dark shades, plus the capability to lock in a shade for plasma and torch cutting. They also have a shade 3 grinding mode and tack welding mode to help reduce eye fatigue during tacking applications. Can be used in TIG applications on settings as low as 1A.



MMM06-0000-30



MMM06-0500-57

Item	For Use With	Approved for	Brand	Item No.
Auto Darkening Filter, Shades 5, 8-13	Welding Shield Series 9100	—	3M	MMM06-0000-30
Cartridge	Welding PAPR Systems 1AGB8, 1AGB9, 1AGC1, 1AGC3 to 1AGC7	OV, SD, CL, HC	3M	MMM15-0499-99X02
Cartridge	All Adflo PAPR Systems	OV, SD, CL, HC	3M	MMM15-0499-99X06
HE Filter	Powered Air Purifying Respirator, Welding Helmet	—	Adflo	MMM15-0299-99X20
Magnification Plate 2.0X	9100 Series Welding Helmets	—	Speedglas	MMM06-0500-57
PAPR High Efficiency Particulate Filter	3M Adflo Powered Air Purifying Respirator	—	Adflo	MMM15-0299-99X02PK
PAPR Prefilter	All Adflo PAPR Systems	OV, AG	3M	MMM15-0099-99X06
Spark Arrestor	3M Adflo Powered Air Purifying Respirator	—	3M	MMM15-0009-99X02

3M

First Responder CBRN Full-Facepiece Respirator Canister

▪ For use with First Responder CBRN Full-Facepiece Respirators.
Protect against certain chemical warfare agents (sarin and mustard gas) and industrial chemicals and particulates. Canister can be mounted on either side for convenience.



MMMF15CBRN

Item	For Use With	Mask Size	Item No.
Gas Mask Canister	FR 40	—	MMMF15CBRN

3M, VERSAFLO, VORTEMP

Supplied Air System Components

Easily build a supplied air respirator system. Just choose headgear, a breathing tube, and an air source that fits your needs.



MMMBT20L

Item	For Use With	Includes	Brand	Item No.
Airline Hose	Low Pressure Supplied Air System		3M	MMMW3020-100
Airline Hose	Breathing Air Compressor	MPTs on Both Ends to Accept $\frac{3}{8}$ " FPT Fittings	3M	MMMW3020-25
Airline Hose	Low Pressure Supplied Air System	—	3M	MMMW3020-50
Airline Hose	High Pressure Supplied Air System	—	3M	MMMW9435-100
Airline Hose	High Pressure Supplied Air System	—	3M	MMMW9435-25
Airline Hose	High Pressure Supplied Air System	—	3M	MMMW9435-50
Air Regulating Assembly	Air Regulating Valves	Valve, Waist Belt	3M	MMMV300
Breathing Tube	TR-300 Series, Versaflo Air Source, Versaflo Headtop	—	3M	MMMBT20L
Breathing Tube	TR-300 Series, Versaflo Air Source	—	3M	MMMBT20S
Breathing Tube	TR-300 Series, Versaflo Air Source, Versaflo Headtop	Four Point Textile Straps, Visor	3M	MMMBT30
Breathing Tube	Speedglas 9100, TR-300 Series	—	3M	MMMBT40
Breathing Tube	H-Series	—	3M	MMMGVP122
Breathing Tube	3M GVP Systems	Connectors	3M	MMMGVP123
Comfort Faceseal	M-300 Series Parts and Accessories	Four Point Textile Straps, Visor	Versaflo	MMMM936
Double Bib Hood	S-657 Hoods	Inner Shroud	3M	MMMS607-10
Double Bib Hood	3M™ Belt-Mounted PAPR & SAR Systems	S-607 Hood with Inner Shroud, Premium Head Suspension, Airflow Adjustment Cover, Size Reducing Pad, Visor Covers	3M	MMMS657
Double Bib Hood	3M™ Belt-Mounted PAPR & SAR Systems	Inner Shroud, Premium Head Suspension, Airflow Adjustment Cover, Size Reducing Pad, Visor Covers	3M	MMMS757
Faceshield Head Inserts	Faceshields, M-100 Series	Left and Right Insert	Versaflo	MMMM170
Forehead Seal	M-100 Series Faceshields	Deflector, Headtop, Neck Cover, Optional Head, Shoulder	3M	MMMM154
Forehead Seal	M-300 Helmets	Four Point Textile Straps, Visor	3M	MMMM354
Hard Hat	3M™ Belt-Mounted PAPR & SAR Systems	FaceSeal, Reducing Ratchet, Standard Visor, Visor Covers	Versaflo	MMMM305
Hard Hat	3M™ Belt-Mounted PAPR & SAR Systems	Easy Clean Belt, Flame Resistant FaceSeal, Reducing Ratchet, Visor Covers	Versaflo	MMMM307
Head Cover	3M™ Belt-Mounted PAPR & SAR Systems	—	3M	MMMS133L5
Head Cover	Certain 3M™ Powered Air Purifying and Supplied Air Respirator Systems	—	3M	MMMS133S5
Head Suspension	M-300 Hardhats, M-400 Hardhats	(6) Point Suspension	Versaflo	MMMM350
Head Suspension	M-100 Series Faceshields	(4) Point Suspension	3M	MMMM150
Heating Assembly	Supplied Air Respiratory Systems	Heating Tube; Waist Belt; Holder	3M	MMMV200
Helmet with Visor and Flame Resistant Shroud	3M™ Belt-Mounted PAPR & SAR Systems	Easy Clean Belt, FR Outer Shroud, Inner Collar, Reducing Ratchet, Respirator Helmet, Visor Covers	Versaflo	MMMM407
Hood	Certain 3M™ Powered Air Purifying and Supplied Air Respirator Systems	—	3M	MMMS533S
Hood and Hard Hat Assembly	3M™ Belt-Mounted PAPR & SAR Systems	(2) 3M™ Hoods H-420, (2) Face Shield Covers H-110, 3M™ Hatshell W-3258, Chin Strap H-114 and Squeeze Clamp W-3222, Head Suspension W-2878	3M	MMMH422
Hood Assembly with Collar and Hard Hat	3M™ Belt-Mounted PAPR & SAR Systems	(2) Hoods, (2) Faceshield Covers, Chin Strap, Collar, Hard Hat, Head Suspension, Squeeze Clamp	3M	MMMH412
Hood with Chest Coverage	S-855 Hoods	Inner Collar	3M	MMMS805-5
Hood with Chest Coverage	3M™ Belt-Mounted PAPR & SAR Systems	S-805 Hood with Inner Collar, Premium Head Suspension, Airflow Adjustment Cover, Size Reducing Pad, Visor Covers	3M	MMMS855
Hood with Collar	3M™ Belt-Mounted PAPR & SAR Systems	Collar	3M	MMMH410-10
Hood with Inner Collar	S-655 Hoods	Inner Collar	3M	MMMS605-10
Hood with Neck Coverage	Certain 3M™ Powered Air Purifying and Supplied Air Respirator Systems	—	3M	MMMS533L
Hood with Shoulder Coverage	3M™ Belt-Mounted PAPR & SAR Systems	S-605 Hood with Inner Collar, Premium Head Suspension, Airflow Adjustment Cover, Size Reducing Pad, Visor Covers	3M	MMMS655
Inner Collar	Helmet 3M M-407 Versaflo, M-Series Outer Shrouds	Four Point Textile Straps, Visor	Versaflo	MMMM444
Lens Covers	M-925 Standard Visor	—	Versaflo	MMMM926
Lens Covers	M-927 Premium Visor	—	Versaflo	MMMM928
Lens Covers	600 to 800 S Series	—	3M	MMMS920L
Lens Covers	Small Or Medium S Series Headcovers	—	3M	MMMS920S
Low Pressure Connector Assembly	Hoses	Connector, Waist Belt	Vortemp	MMMV400
Outer Shroud	Helmet 3M M-407 Versaflo	—	3M	MMMM446
Painter's Hood	S-757 Hoods	Inner Shroud	3M	MMMS707-10
Premium Visor	3M Versaflo M Series Helmet	M921 Visor Gasket	Versaflo	MMMM927
Respirator Helmet	3M™ Belt-Mounted PAPR & SAR Systems	Inner Collar, Outer Shroud, Reducing Ratchet, Standard Visor, Visor Covers	Versaflo	MMMM405
Standard Faceseal	M-300 Series Parts and Accessories	Four Point Textile Straps, Visor	Versaflo	MMMM935
Standard Outer Shroud	Helmet 3M M-407 Versaflo	Four Point Textile Straps, Visor	Versaflo	MMMM445
Standard Visor	M Series Helmet	M921 Visor Gasket	Versaflo	MMMM925
Vortex Cooling Assembly	High Pressure Airline Systems	Cooling Tube, Waist Belt and Holder	3M	MMMV100
Wall Mount Air Filter and Regulator Panel	Compressed Air	(3) Industrial Interchange Quick Connect Outlet Fittings	3M	MMMW2806

ALLEGRO

Supplied Air Respiratory (SAR) Packaged Systems

- NIOSH approved

Air Shield SARs - Provide clean, continuous air flow for personal protection. Low-profile, lightweight air shield/helmet has quick-release suspension and antifog polycarbonate lens. Each system includes shield/helmet(s), ambient air pump, and 50-ft. breathing hose. 1-person systems have a $\frac{3}{4}$ -HP pump and 1 shield. 2-person systems have a 1 $\frac{1}{2}$ -HP pump and 2 shields. Models with welding helmet have an autodarkening filter good for all welding processes including TIG and TIG pulsing.

Abrasive Blast Helmet SAR - Nova 2000™ helmet features large wraparound lens for optimal vision and sound-deadening foam padding. System provides a portable air source with even air flow for 1 user and includes helmet, $\frac{3}{4}$ -HP pump, and 50-ft. air hose. Facepiece meets ANSI Z87.1.



ALO9245-01

Item	For Use With	Length	Includes	Item No.
Supplied Air Pump Package	—	—	$\frac{3}{4}$ hp Ambient Air Pump, 50 ft Hose, Full Hood Shield, Breathing Tube	AL09245-01
Supplied Air Pump Package	—	—	(2) 50 ft Hoses, (2) Breathing Tubes, (2) Full Hood Shields, 1 $\frac{1}{2}$ hp Ambient Air Pump	AL09245-02
Supplied Air Pump Package	Nova 2000™ Abrasive Blasting Helmets	50	$\frac{3}{4}$ hp Ambient Air Pump, 50 ft Hose, Blasting Helmet, Breathing Tube	AL09285-01

HONEYWELL NORTH, NORTH

Mouthbit Escape Respirators

Designed for emergency escape from nonIDLH contaminated atmospheres. The optional Carrying Bag No. 1AAL1 has belt loops so you can keep your respirator close at hand for quick access.



NON7902

Item	Used For	Item No.
Disposable Emergency Escape Mouth Bit Respirator	Acid Gas	NON7902
Disposable Emergency Escape Mouth Bit Respirator	—	NON7904
Respirator Carrying Bag	—	NON79BAG

AIR SYSTEMS, AIR SYSTEMS INTERNATIONAL

Air Cylinder Carts and Storage Rack

Air Cylinder Carts - Feature low-pressure alarm, adjustable pressure regulator, cylinder whips with check valves, rear hose rack, and 4 cylinder straps. Constructed of black powder-coated steel with fold-down handle for storage and 8" semipneumatic tires. No. 4EDZ4 includes CGA-346/347 universal cylinder connections with hand-tight knobs. No. 4EDZ5 includes CGA-346 wrench-tight cylinder connections.

Air Cylinder Storage Rack - Powder-coated steel wire rack holds any size cylinder up to 7 $\frac{3}{4}$ " dia.



ASIMP2H

Item	Holds	Item No.
SCBA Storage Rack	—	ASITR4
Air Cylinder Cart	(2) High Pressure Cylinders, 4,500 PSI	ASIMP2H
Air Cylinder Cart	(2) Low Pressure Cylinders, 2,400 PSI	ASIMP2L
Air Cylinder Cart	(2) High Pressure Cylinders, 4,500 PSI	ASIMP4H

ALLEGRO

Respiratory Equipment Storage

SCBA Wall Cabinets - Corrosion-resistant ABS construction cabinets protect respirators from harsh elements. Include viewing window, adjustable shelf, and an SCBA cylinder bracket. No. WWG2GWL5 does not include mounting hardware. No. AL04350 includes 2 universal mounting brackets.

SCBA Brackets - Mount to wall and allow easy access to SCBA.

EBA Storage Cabinet - Lightweight wall case is designed to hold up to two 5- or 10-min. EBAs and protect equipment from dust, moisture, and plant environments. Corner mountable.

PAPR Storage Case - Keeps PAPRs contaminant-free; can be stored without disassembling breathing tube. 2 windows allow quick identification of contents. Pass-through allows PAPR to charge while stored.



ALO4100P

Item	For Use With	Includes	Dimensions	Colour	Item No.
Dual SCBA Storage Cabinet	SCBA	—	32 in H x 34 in W x 14 in D	Green	AL04350
EBA Storage Cabinet	EBA	—	21 in H x 14 in W x 10 in D	Green	AL04550
PAPR Wall Case	PAPR	Shelf	32½ in H x 20 in W x 13 in D	Black/Yellow	AL04100P
SCBA Bracket	30 Minute HP Cylinder	5¼ in Clip	27 in H x 12 in D x 12 in W	Yellow	AL04111-05
SCBA Bracket	30 Minute LP Cylinder	6¾ in Clip	27 in H x 12 in D x 12 in W	Yellow	WWG3NPZ4
SCBA Bracket	45 Minute HP Cylinder	—	27 in H x 12 in D x 12 in W	Yellow	WWG3NPZ5
SCBA Bracket	60 Minute HP Cylinder	7¼ in Clip	27 in H x 12 in D x 12 in W	Yellow	WWG3NPZ6
SCBA Wall Cabinet	SCBA	Shelf	32½ in H x 20 in W	Black/Yellow	WWG2GWL5
SCBA Wall Case	SCBA	—	32 in H x 17 in W x 14 in D	Green	AL04150

NORTH
Respirator Cleaning Accessories


Item	Includes	For Use With	Colour	Item No.
Respirator Wipes	(100) Respirator Wipes	Half- and Full-Facepiece Respirators	Black	NON7003

3M, MILLER, SPEEDGLAS

Powered Air Purifying Respirator Systems and Respirators Accesories**LPR-100 Half Mask Respirators No. MLWML00894**

Low-profile design fits comfortably under a welding helmet without obstructing the user's view. Large exhaust valve eases breathing. Filter media maximizes efficiency in humid conditions, extending filter life. NIOSH Certified, APF of 10.

No. MMM35-1101-30ISW —3M™ Adflo™ Powered Air Purifying Respirator (PAPR) with Speedglas™ welding helmet offers grab-and-go respiratory protection and filter optics with auto-on in a compact and lightweight setup designed to encourage compliance. The system features easy-to-operate external controls that provide fast, easy access to grinding and memory modes. It offers adjustable arc detection sensitivity and a delay function for dark-to-light opening time. The 9100XXI auto-darkening filter offers better color recognition than previous models, to let the wearer focus on setup, technique, precision, and inspection.

CONDOR

PPE Gear and Duffle Bags

Lightweight bags store and transport respiratory and fall-protection equipment and other gear. Polyester fabric resists shrinking, stretching, and mildew.



GGS25F567

Item	Dimensions	Colour	Item No.
Fleece Lined Bag	14 in H x 8½ in W	Red	GGS25F567
Respirator Waist Pack	6 in H x 7¼ in W x 3½ in D	Black	GGS25F568
Respirator Storage Bag	8¼ in H x 10 in W x 4½ in D	Black	GGS25F569
Respirator Storage Bag	6¾ in H x 9 in W x 3½ in D	Black	GGS25F570
Respirator Storage Bag	10 in H x 9½ in W x 4½ in D	Black	GGS25F571

ALLEGRO

Respirator Cleaning Swabs

Essential supplies and tools for physicians' offices or other healthcare facilities.



Material	Handle Material	Length	Sterile/Non-Sterile	Tip Type	Item No.
Cotton	Wood	6"	Non-Sterile	Single	AL00205

CONDOR

Paint Spray Sock

Stretch knit material covers head to protect from overspray.



Size	Item No.	Pkg. Qty.
Universal	GGG46W162	12



MLWML00894



MMM35-1101-30ISWCA

Item	For Use With	Brand	Item No.
Respiratory			
Battery	3M™ Adflo™ PAPR Systems	3M	MMM35-1099-07
Battery Charger	3M Adflo Powered Air Purifying Respirator, Adflo Respirator	3M	MMM35-0099-08
Breathing Tube Cover	BT-Series, TR-300 Series	3M	MMML19SSG
Filter Cover	3M Adflo Powered Air Purifying Respirator	3M	MMM35-1099-81
Half Mask Respirator Kit	—	Miller	MLWML00894
PAPR System	3M™ Adflo™ Air Sources	Speedglas	MMMS35-1101-30ISWCA

3M, ALLEGRO, MSA

Qualitative Fit Test Kits for Half- and Full-Facepiece Respirators

3M™ - Use with any particulate or gas/vapor respirator with particulate filters. Kits include: hood and collar assembly, 2 nebulizers with replacement inserts, sensitivity solution, and fit test solution.

MSA® - Kits include: test hood, 2 nebulizers with replacement inserts, sensitivity solution, fit test solution, and a training video.



Item	Fit Testing Protocol	Includes	Brand	Item No.	Pkg. Qty.
Fit Testing Kit	Bitrex	Nebulizers, Test and Sensitivity Solutions			
Fit Testing Kit	Bitrex	Collar Assembly (FT-15), Hood (FT-14), (2) Nebulizers (FT-13), (2) Sets Replacement Nebulizer Inserts, Fit Test Solution (FT-32), Laminated Instruction Booklet (English/Spanish/Portuguese/French), Sensitivity Solution (FT-31)	3M	MMMF30	1
Fit Testing Kit	Bitrex	(2) Nebulizer Bulbs, (2) Replacement Sets of Nebulizer Inserts, Fit-Test Solution, Sensitivity Solution, Test Hood, Videotape	MSA	MSA697444	1
Fit Testing Kit	Irritant Smoke	Aspirator Assembly, (6) Irritant Smoke Tubes, Protective Carry Pouch	Allegro	AL02050	1
Fit Testing Kit	Saccharin	(2) Nebulizers, Polycoted Hood, Sensitivity and Fit Test Solutions	Allegro	AL02040	1
Fit Testing Kit	Saccharin	Collar Assembly (FT-15), Hood (FT-14), (2) Nebulizers (FT-13), (2) Sets Replacement Nebulizer Inserts, Fit Test Solution (FT-12), Laminated Instruction Booklet (English/Spanish/Portuguese/French), Sensitivity Solution (FT-11)	3M	MMMF10	1
Fit Testing Kit	Saccharin	(2) Nebulizer Bulbs, (2) Replacement Sets of Nebulizer Inserts, Fit-Test Solution, Sensitivity Solution, Test Hood, Videotape	MSA	MSA697287	1
Fit Testing Solution	Bitrex	Time Use Ampules	Allegro	AL02041-12K	6
Fit Testing Solution	Bitrex	—	3M	MMMF32	1
Fit Testing Solution	Saccharin	Time Use Ampules	Allegro	AL02040-12K	6
Fit Testing Solution	Saccharin	—	3M	MMMF12	1
Quantitative Fit Test Adapter	—	—	MSA	MSA10056424	1
Sensitivity Solution	Bitrex	Time Use Ampules	Allegro	AL02041-11K	6
Sensitivity Solution	Bitrex	—	3M	MMMF31	1
Sensitivity Solution	Saccharin	Time Use Ampules	Allegro	AL02040-11K	6
Sensitivity Solution	Saccharin	—	3M	MMMF11	1

INDUSTRIAL SCIENTIFIC

Ventis Pro Series Multi-Gas Detectors and Sensors



IDSVP5KJ532111111



IDS17155304-2

Gas Detector	Sensor Range	Gas Type	Item No.
O - 100% lel, 0 - 1,500 / 0 - 500 ppm CO/H2S, 0 - 500 ppm SO2, 0 - 30% O2	LEL, CO/H2S, SO2, O2	IDSVP5KJ532111111	
O - 100% lel, 0 - 1,500 / 0 - 500 ppm CO/H2S, 0 - 150 ppm NO2, 0 - 30% O2	LEL, CO/H2S, NO2, O2	IDSVP5KJ431101111	
O - 100% lel, 0 - 1,500 / 0 - 500 ppm CO/H2S, 0 - 500 ppm NH3, 0 - 30% O2	LEL, CO/H2S, NH3, O2	IDSVP5KJ632110111	
CO2: 0-5% vol CH4: 0-100% LEL, 0-2,000 ppm CO, 0-500 ppm H2S, 0-30% vol O2	CO2/HC IR, CO, H2S, O2	IDSVP5U12321101111	
CO2: 0-5% vol CH4: 0-100% LEL, 0-2,000 ppm CO, 0-500 ppm NH3, 0-30% vol O2	CO2/H2 IR, CO, NH3, O2	IDSVP5U16321111111	
LEL 0 to 100%, CO 0 to 1000 ppm, H2S 0 to 500 ppm, O2 0 to 30%	LEL, CO, H2S, O2	IDSVP5K12311011111	
LEL 0 to 100%, CO 0 to 1000 ppm, H2S 0 to 500 ppm, O2 0 to 30%	LEL, CO, H2S, O2	IDSVP5K12321101111	
LEL 0 to 100%, CO 0 to 1000 ppm, NO2 0 to 150 ppm, O2 0 to 30%	LEL, CO, NO2, O2	IDSVP5K14311011111	
LEL 0 to 100%, CO 0 to 1000 ppm, HCN 0 to 30 ppm, O2 0 to 30%	LEL, CO, HCN, O2	IDSVP5K1B311011111	
LEL 0 to 100%, CO 0 to 1000 ppm, HCN 0 to 30 ppm, O2 0 to 30%	LEL, CO, HCN, O2	IDSVP5K1B321111111	
LEL 0 to 100%, SO2 0 to 150 ppm, H2S 0 to 500 ppm, O2 0 to 30%	LEL, SO2, H2S, O2	IDSVP5K52311011111	

Replacement Sensor Ventis Pro4 & Pro5	Detects	Sensor Range	Temp. Range	Item No.
SO2	0-150 ppm	-40 °C to 50 °C (-40 °F to 122 °F)	IDS17155306-5	
O2	0-30%	-40 °C to 50 °C (-40 °F to 122 °F)	IDS17155304-3	
NO2	0-150 ppm	-40 °C to 50 °C (-40 °F to 122 °F)	IDS17155306-4	
LEL	0-100 %	-40 °C to 50 °C (-40 °F to 122 °F)	IDS17155304K	
LEL	0-100 %	-40 °C to 50 °C (-40 °F to 122 °F)	IDS17155304L	
LEL	0-5 %	-40 °C to 50 °C (-40 °F to 122 °F)	IDS17155304M	
HCN	0-30 ppm	-40 °C to 50 °C (-40 °F to 122 °F)	IDS17155306B	
H2S	0-500 ppm	-40 °C to 50 °C (-40 °F to 122 °F)	IDS17155306-2	
H2S	0-500 ppm	-40 °C to 50 °C (-40 °F to 122 °F)	IDS17155304-2	
CO/H2 LOW	0-2000 ppm	-40 °C to 50 °C (-40 °F to 122 °F)	IDS17155306-1	
CO/H2 LOW	0-1000 ppm	-40 °C to 50 °C (-40 °F to 122 °F)	IDS17155306G	

INDUSTRIAL SCIENTIFIC

Ventis MX4 Multi-Gas Detector

- 95dB audible, bright LED and vibrating alarms
- DSX™ Docking Station and iNet® compatible
- Backlit LCD

True portability with multi-gas detection in single-gas size. Configured for non-pump applications or with an integral pump for sample draw applications. Available with a tough, safety orange overmold for visibility of the instrument in dark environments. Detectors with diffusion include calibration cup. Detectors with pump include calibration tubing and sample tubing. All detectors include desktop charger and rechargeable batteries.



IDSVTS-K1231101101



IDSVTS-K1231100101

Item	Detects	Battery Life	Sensor Range	Item No.
Multi-Gas Detector, 4 Gas	Oxygen, Carbon Monoxide, Hydrogen Sulfide, Lower Explosive Limit	12 hr.	O2: 0 - 30%, CO: 0 - 1000 ppm, H2S: 0 - 500 ppm, LEL: 0 - 100%	IDSVTS-K1231100101
Multi-Gas Detector, 4 Gas	Oxygen, Carbon Monoxide, Hydrogen Sulfide, Lower Explosive Limit	12 hr.	O2: 0 - 30%, CO: 0 - 1000 ppm, H2S: 0 - 500 ppm, LEL: 0 - 10%	IDSVTS-K1231101101
Multi-Gas Detector, 4 Gas	Oxygen, Carbon Monoxide, Hydrogen Sulfide, Lower Explosive Limit	20 hr.	O2: 0 - 30%, CO: 0 - 1000 ppm, H2S: 0 - 500 ppm, LEL: 0 - 10%	IDSVTS-K1232100101
Multi-Gas Detector, 4 Gas	Oxygen, Carbon Monoxide, Hydrogen Sulfide, Lower Explosive Limit	20 hr.	O2: 0 - 30%, CO: 0 - 1000 ppm, H2S: 0 - 500 ppm, LEL: 0 - 10%	IDSVTS-K1232101101
Multi-Gas Detector, 4 Gas	Oxygen, Carbon Monoxide, Hydrogen Sulfide, Lower Explosive Limit	12 hr.	O2: 0 - 30%, CO: 0 - 1000 ppm, H2S: 0 - 500 ppm, LEL: 0 - 10%	IDSVTS-K12321010101
Multi-Gas Detector, 4 Gas	Oxygen, Hydrogen Sulfide, Sulfur Dioxide, Lower Explosive Limit	20 hr.	O2: 0 - 30%, H2S: 0 - 500 ppm, SO2: 0 - 150 ppm, LEL: 0 - 100%	IDSVTS-K5232101101
Replacement Battery for Ventis™, Alkaline, Black	—	8 hr.	—	IDSVTSB301
Replacement Battery for Ventis™, Alkaline, Orange	—	8 hr.	—	IDSVTSB311
Replacement Battery for Ventis™, Extended Run, Li-ion, Black	—	12 hr. with Pump / 20 hr. Without Pump	—	IDSVTSB201
Replacement Battery for Ventis™, Extended Run, Li-ion, Orange	—	12 hr. with Pump / 20 hr. Without Pump	—	IDSVTSB211
Replacement Battery for Ventis™, Li-ion, Black	—	12 hr.	—	IDSVTSB101
Replacement Battery for Ventis™, Li-ion, Orange	—	12 hr.	—	IDSVTSB111
Replacement Sensor, Carbon Monoxide (CO)	Carbon Monoxide	—	0 - 1,000 ppm	IDS17134487
Replacement Sensor, Combustible Gas (LEL/CH4)	Methane, Lower Explosive Limit	—	0 - 100% or 0 - 5% Vol	IDS17134495
Replacement Sensor, Hydrogen Sulfide (H2S)	Hydrogen Sulfide	—	0 - 500 ppm	IDS17134479
Replacement Sensor, Nitrogen Dioxide (NO2)	Nitrogen Dioxide	—	0 - 150 ppm	IDS17134503
Replacement Sensor, Oxygen (O2)	Oxygen	—	0 - 30% Vol	IDS17134461
Replacement Sensor, Sulfur Dioxide (SO2)	Sulfur Dioxide	—	0 - 150 ppm	IDS17143595
Single Unit Automotive Charger	—	—	—	IDS18108651
Single Unit Charger	—	—	—	IDS18108191
Single Unit Charger/Datalink	—	—	—	IDS18108209
Single Unit Truck Mount Charger, Hard Wired	—	—	—	IDS18108653
Single Unit Truck Mount Charger with Plug	—	—	—	IDS18108652
Single Unit V-Cal Station (Aspirated Models)	—	—	—	IDS18108631-10
Single Unit V-Cal Station (Diffusion Models)	—	—	—	IDS18108631-00
Six Unit Charger	—	—	—	IDS18108650-0
Ventis™ MX4 - LEL, CO, NO2, O2, Li-ion, Black	Oxygen, Carbon Monoxide, Nitrogen Dioxide, Lower Explosive Limit	20 hr.	—	IDSVTS-K1432100101
Ventis™ MX4 - LEL, CO, NO2, O2, Li-ion, Orange	Oxygen, Carbon Monoxide, Nitrogen Dioxide, Lower Explosive Limit	20 hr.	—	IDSVTS-K1431101101
Ventis™ MX4 - LEL, SO2, H2S, O2, Extended Run Li-ion, Black	Oxygen, Hydrogen Sulfide, Sulfur Dioxide, Lower Explosive Limit	20 hr.	O2 0 to 30%, H2S 0 to 500 ppm, SO2 0 to 150 ppm, LEL 0 to 100%	IDSVTS-K5232100101
Ventis™ MX4 with Pump - LEL, CO, H2S, O2, Li-ion, Orange	Oxygen, Carbon Monoxide, Hydrogen Sulfide, Lower Explosive Limit	12 hr.	O2 0 to 30%, CO 0 to 1000 ppm, H2S 0 to 500 ppm, LEL 0 to 10%	IDSVTS-K12321110101

INDUSTRIAL SCIENTIFIC

Tango TX1 Gas Monitor

- 100dB audible, visual, and vibrating alarms
- IP66/67 ingress protection
- DSX™ Docking Station and iNet® compatible

Detectors can be ordered as a carbon monoxide, hydrogen sulfide, sulfur dioxide, or nitrogen dioxide instrument. DualSense™ technology includes 2 of the same sensor for the detection of a single gas through a proprietary algorithm and displayed as a single reading to the user. Feature segment liquid crystal display and 2 button keypad. Top of case is designed with polycarbonate with a rubber overmold and the bottom is conductive polycarbonate. Replaceable lithium nonrechargeable battery provides 3-yr. run time.



IDS17154367

IDSTX1-1

Item	Battery Life	Sensor Range	Detects	Height	For Use With	Item No.
Single Gas Detector	3 yr.	0 - 1000 ppm	Carbon Monoxide	3 3/10"	—	IDSTX1-1
Single Gas Detector	3 yr.	0 - 150 ppm	Nitrogen Dioxide	3 3/10"	—	IDSTX1-4
Single Gas Detector	3 yr.	0 - 200 ppm	Hydrogen Sulfide	3 3/10"	—	IDSTX1-2
Single Gas Detector	3 yr.	0 - 150 ppm	Sulfur Dioxide	3 3/10"	—	IDSTX1-5
Tango TX1 Gas Detector	1 Yr.	—	—	—	Tango TX1	IDS17154367

INDUSTRIAL SCIENTIFIC

iBrid MX6 Multi-Gas Detectors and Confined Space Kits

- 95dB audible alarm
- DSX™ Docking Station and iNet® compatible

Readings are shown on a high-visibility full-graphic LCD. Feature 5-way navigation button and concussionproof overmold housing. Each includes calibration cup with tubing, belt clip, carrying case, and desktop charger.

Confined-Space Kits - Contain detector, sampling pump with 10 ft. of tubing, Li-ion 24-hr. battery, single unit charger, spare alkaline battery pack, calibration cup with tubing, calibration gas and regulator, and carrying case.



IDS17124975-1

Item	Detects	Battery Type	Battery Life	Item No.
Battery Charger, 12 Volt, MX6	—	—	—	IDS18107011
Battery Charger, 5 Unit, MX6	—	—	—	IDS18107136
Charger/Datalink	—	—	—	IDS18107094
DSX Docking Station, Stand-Alone Mode	—	—	—	IDS18109327-031
DSX Docking Station, Stand-Alone Mode	—	—	—	IDS18109327-031
DSXi Docking Station, Cloud-Connected Mode	—	—	—	IDS18109327-131
DSXi Docking Station, Cloud-Connected Mode	—	—	—	IDS18109329-131
Multi-Gas Detector, 2 Gas	Oxygen, Lower Explosive Limit	Alkaline	10½ hr.	IDS MX6 K0030301
Multi-Gas Detector, 4 Gas	Oxygen, Carbon Monoxide, Hydrogen Sulfide, Lower Explosive Limit	Alkaline	10½ hr.	IDS MX6 K1230301
Multi-Gas Detector, 5 Gas	Oxygen, Carbon Monoxide, Hydrogen Sulfide, Lower Explosive Limit, Photoionization Detector	Lithium-Ion	36 hr.	IDS MX6 K123R211
Multi-Gas Detector, 5 Gas	Oxygen, Carbon Monoxide, Hydrogen Sulfide, Lower Explosive Limit, Photoionization Detector	Lithium-Ion	36 hr.	IDS MX6 KIT-K123R211
MX6 iBrid Gas Detector	—	Li-ion	36 hr. on Detectors without Pump	IDS17131038-2
MX6 iBrid – LEI, CO, H2S, O2, Li-ion Diffusion	Lower Explosive Limit, Carbon Monoxide, Hydrogen Sulfide, Oxygen	—	24 hr.	IDS MX6 K1230102
MX6 iBrid – LEI, CO, H2S, O2, PID, Li-ion/ER, with Pump	Carbon Monoxide, Hydrogen Sulfide, Oxygen, Lower Explosive Limit	—	36 hrs without pump	IDS MX6 K123R212
MX6 iBrid – LEI, CO, O2, Alk, Diffusion	Lower Explosive Limit, Carbon Monoxide, Oxygen	Alkaline	10.5 hrs without pump	IDS MX6 K1030302
MX6 iBrid – LEI, CO, O2, Alk, Diffusion	Oxygen, Carbon Monoxide, Lower Explosive Limit	Alkaline	10½ hr.	IDS MX6 K1030301
MX6 iBrid – LEI, CO, O2, CO2, Li-ion/ER, with Pump	Oxygen, Carbon Monoxide, Carbon Dioxide, Lower Explosive Limit	Lithium-Ion	36 hr.	IDS MX6 K1030211
MX6 iBrid – LEI, CO, O2, CO2, Li-ion/ER, with Pump	Lower Explosive Limit, Carbon Monoxide, Oxygen, Carbon dioxide	—	36 hrs without pump	IDS MX6 K1030212
MX6 iBrid – LEI, H2S, O2, Alk, Diffusion	Oxygen, Hydrogen Sulfide, Lower Explosive Limit	Alkaline	10½ hr.	IDS MX6 K0230301
MX6 iBrid – LEI, H2S, O2, Alk, Diffusion	Lower Explosive Limit, Hydrogen Sulfide, Oxygen	Alkaline	10.5 hrs without pump	IDS MX6 K0230302
Replacement Battery Pack, Alkaline	—	AA Alkaline	10.5 hr.	IDS17131046-3
Replacement Sensor, Carbon Monoxide (CO)	Carbon Monoxide	—	—	IDS17124975-1
Replacement Sensor, CH4 IR	Methane	—	—	IDS17124975N
Replacement Sensor, CO2 IR	Carbon Dioxide	—	—	IDS171249750
Replacement Sensor, Combustible Gas (LEL/CH4)	Combustibles	—	—	IDS17124975K
Replacement Sensor, Hydrogen Sulfide (H2S)	Hydrogen Sulfide	—	—	IDS17124975-2
Replacement Sensor, Oxygen (O2)	Oxygen	—	—	IDS17124975-3
Replacement Sensor, PID	Volatile Organic Compounds	—	—	IDS17124975R
SP6 Motorized Sampling Pump	—	—	—	IDS18106765

INDUSTRIAL SCIENTIFIC

GasBadge® Pro Single-Gas Detectors

- 95dB audible, visual, and vibrating alarms
- IP66/67 rating for water and dust ingress
- DSX™ Docking Station and iNet® compatible

Feature continuous event logging record of past 15 alarm events. Reusable unit with interchangeable sensors. Minimum 1-yr. data logging capacity. Lithium battery lasts 2600 hr.

GasBadge® Datalink No. IDS18106260 - Connects via a graphic software package and USB PC connection. Allows download and viewing of alarm events.



IDS18106260

Item	Detects	Battery Type	Battery Life	Item No.
GasBadge® Datalink	—	—	—	IDS18106260
GasBadge® Pro – Ammonia (NH3)	Ammonia	CR2 Lithium	2600 hr.	IDS18100060-6
GasBadge® Pro – Carbon Monoxide (CO)	Carbon Monoxide	CR2 Lithium	2600 hr.	IDS18100060-1
GasBadge® Pro – Chlorine (Cl2)	Chlorine	CR2 Lithium	2600 hr.	IDS18100060-7
GasBadge® Pro – Chlorine Dioxide (ClO2)	Chlorine Dioxide	CR2 Lithium	2600 hr.	IDS18100060-8
GasBadge® Pro – CO/H2 NULL	Carbon Monoxide/Low Hydrogen Interference	CR2 Lithium	2600 hr.	IDS18100060G
GasBadge® Pro – Hydrogen Sulfide (H2S)	Hydrogen Sulfide	CR2 Lithium	2600 hr.	IDS18100060-2
GasBadge® Pro – Nitrogen Dioxide (NO2)	Nitrogen Dioxide	CR2 Lithium	2600 hr.	IDS18100060-4
GasBadge® Pro – Oxygen (O2)	Oxygen	CR2 Lithium	2600 hr.	IDS18100060-3
GasBadge® Pro – Phosphine (PH3)	Phosphine	CR2 Lithium	2,600 hr.	IDS18100060-9
GasBadge® Pro – Sulfur Dioxide (SO2)	Sulfur Dioxide	CR2 Lithium	2600 hr.	IDS18100060-5
Replacement Sensor	Carbon Monoxide	—	—	IDS17124983-1
Replacement Sensor	Hydrogen Sulfide	—	—	IDS17124983-2
Replacement Sensor	Oxygen	—	—	IDS17124983-3
Replacement Sensor	Sulfur Dioxide	—	—	IDS17124983-5
Replacement Sensor	Ammonia	—	—	IDS17124983-6
Replacement Sensor	Chlorine	—	—	IDS17124983-7
Replacement Sensor	Chlorine Dioxide	—	—	IDS17124983-8
Sensor GasBadge Pro Nitrogen Dioxide- NO2	Nitrogen Dioxide	—	—	IDS17124983-4
Sensor GasBadge Pro Phosphine PH3	Phosphine	—	—	IDS17124983-9

INDUSTRIAL SCIENTIFIC

Calibration Check Gas Cylinders

For calibration and maintenance of Industrial Scientific gas monitors. Certified component concentrations. Cylinders require regulator (sold separately). Kits include cylinders, regulator, and carrying case. Flow Regulator No. IDS18105841 attaches to cylinder to provide proper flow rate and indicates when it is empty.



IDS18100859

Item	Gas Mixture	Cylinder Capacity	Cylinder Size	Item No.
Calibration Gas	25 ppm H ₂ S	58 L	—	IDS18100859
Calibration Gas	25 ppm N ₂ O	58 L	—	IDS18101477
Calibration Gas	20.9% Zero Grade O ₂	103L	103 L	IDS18101584
Calibration Gas	10 ppm HCN	58L	—	IDS18102152
Calibration Gas	100 ppm C4H8	103L	—	IDS18102939
Calibration Gas	100 ppm CO, 25% LEL Pentane, 25 ppm H ₂ S, 18% O ₂	58L	—	IDS18109155
Calibration Gas	100 ppm CO, 25% LEL Pentane, 25 ppm H ₂ S, 18% O ₂	116L	—	IDS18109157
Calibration Gas	100 ppm CO, 2.5% Methane, 25 ppm H ₂ S, 18% O ₂	116L	—	IDS18109158
Calibration Gas	100 ppm CO, 25% LEL Pentane, 25 ppm H ₂ S, 18% O ₂	650L	—	IDS18109159
Calibration Gas	100 ppm CO, 2.5% Methane, 25 ppm H ₂ S, 18% O ₂	650L	—	IDS18109160
Calibration Gas	100 ppm CO, 2.5% Methane, 25 ppm H ₂ S, 18% O ₂	58L	—	IDS18109156
Calibration Gas	100 ppm CO, 18% O ₂ , 25% LEL Pentane	552L	—	IDS18109161
Calibration Gas	100 ppm CO, 25% LEL Pentane, 25 ppm H ₂ S, 18% O ₂	34L	—	IDS18109191
Calibration Gas	100PPM CO, 18% O ₂ , 25 LEL Pentane	34L	—	IDS18109190
Calibration Kit, 100 ppm CO (103 L)	—	—	103 L	IDS18102162
Calibration Kit, CO, H ₂ S, O ₂ , Pentane (1 Cylinder, 58 L)	—	—	58 L	IDS18102189
Calibration Kit, CO, O ₂ , Pentane (103 L)	—	—	103 L	IDS18102269
Cylinder 100 ppm CO, 18% O ₂ , 2.5% Methane	100 ppm CO, 18% O ₂ , 2.5% Methane	103L	—	IDS18109174
Cylinder 100 ppm CO, 18% O ₂ , 25% LEL Pentane	100 ppm CO, 18% O ₂ , 25% LEL Pentane	103L	—	IDS18109165
Cylinder 10 ppm Chlorine	10 ppm Cl ₂	58 L	—	IDS18101758
Cylinder 18% O ₂ , 25% LEL Pentane	18% O ₂ , 25% LEL Pentane	103L	—	IDS18109173
Cylinder 2.5% Methane	2.5% CH ₄	103L	103 L	IDS18101378
Cylinder 25 ppm Ammonia	25 ppm NH ₃	58L	58 L	IDS18102151
Cylinder 25 ppm H ₂ S, 5ppm SO ₂ , 18% O ₂ , 25% LEL Pentane	25 ppm H ₂ S, 25% LEL Pentane, 5 ppm SO ₂ , 18% O ₂	58L	—	IDS18109179
Cylinder 25 ppm Nitric Oxide	25 ppm NO	58 L	—	IDS18102153
Cylinder 5% Carbon Dioxide	—	—	—	IDS18103218
Demand Flow Regulator 58/103 L	—	—	58/103 L	IDS18102509
Gas Regulator	—	—	—	IDS18100883
Gas Regulator	—	—	34 L	IDS18100933
Gas Regulator	—	—	34 L	IDS18103564
Gas Regulator	—	—	34/58/103 L	IDS18105841

BW TECHNOLOGIES

BW GasAlertMax XT II Multi-Gas Detectors



BWTGA-USB1IR

BWTXT-XWHM-Y-NA

Item	Detects	Battery Type	Battery Life	Item No.
IR Connectivity Kit with Fleet Manager II Software	—	—	—	BWTGA-USB1IR
BW Technologies Vehicle Power Adaptor	—	—	—	BWTGA-VPA1
Replacement Sensor	Hydrogen Sulfide	—	—	BWTSR-H-MC
Replacement Sensor	Carbon Monoxide	—	—	BWTSR-M-MC
Replacement Sensor	Combustibles (LEL)	—	—	BWTSR-W-MP75C
Multi-Gas Detector, 4 Gas	Oxygen, Carbon Monoxide, Hydrogen Sulfide, Lower Explosive Limit	Lithium Polymer	2 yr.	BWTXT-XWHM-Y-NA

BW TECHNOLOGIES, HONEYWELL**BW Clip Single-Gas Detectors**

Compact, lightweight design features 1-button operation and 2 yr. continuous use without calibration, sensor replacement, or battery recharging/replacement. Extend the working life of detectors with the Hibernation Case, sold separately.



BWTBWC2S24



BWTCLIPHB-CASE

Item	Detects	Alarm Setting	Sensor Range	Brand	Item No.
Single Gas Detector	Sulfur dioxide	2 ppm (Low), 4 ppm (High)	0 - 100 ppm	Honeywell	BWTBWC2S24
Single Gas Detector	Sulfur dioxide	5 ppm (Low), 10 ppm (High)	0 - 100 ppm	Honeywell	BWTBWC2S
Single Gas Detector	Hydrogen Sulfide	5 ppm (Low), 10 ppm (High)	0 - 100 ppm	Honeywell	BWTBWC2H510
Single Gas Detector	Hydrogen Sulfide	5 ppm (Low), 15 ppm (High)	0 - 100 ppm	Bw Technologies	BWTBWC2H515
Single Gas Detector	Hydrogen Sulfide	10 ppm (Low), 15 ppm (High)	0 - 100 ppm	Bw Technologies	BWTBWC2H
Single Gas Detector	Carbon Monoxide	35 ppm (Low), 200 ppm (High)	0 - 300 ppm	Honeywell	BWTBWC2M
Single Gas Detector	Oxygen	19.5% Vol. (Low), 23.5% Vol. (High)	0 - 25% v/v	Honeywell	BWTBWC2X
Hibernation Case		—	—	Honeywell	BWTCLIPHB-CASE
Single Gas Detector	Carbon Monoxide	50 ppm (Low), 200 ppm (High)	0 - 300 ppm	Honeywell	BWTBWC2M50200

BW TECHNOLOGIES**BW GasAlertMicroClip XL Multi-Gas Detectors**

Slim, compact units have concussionproof housing, easy-to-use 1-button operation, and an easy-to-navigate interface. IntelliFlash™ feature provides continuous visual confirmation of detector operation and compliance. Include rechargeable lithium polymer battery, charging adapter, and calibration/test cap and hose.

Gas Type	Includes	Battery Life	Black Item No.	Yellow Item No.
O2, LEL, H2S, CO	Alligator Clip, Rechargeable Battery, Charging Adapter, Calibration/Test Cap and Hose, Manual, CD Manual	16 hr. at 68° F/20° C After 2 yr.: 12 hr. at 4° F/-20° C	BWTMCXL-XWHM-B-NA	—
O2, LEL, H2S, CO	Detector Complete with Specified Sensor Configuration, Stainless Steel Alligator Clip and Concussion Proof Housing, Test Cap, Manual	18 hr.	—	BWTMCXL-XWHM-Y-NA
O2, LEL, CO	Detector Complete with Specified Sensor Configuration, Stainless Steel Alligator Clip and Concussion Proof Housing, Test Cap, Manual	18 hr.	BWTMCXL-XWOM-B-NA	—
O2, LEL, H2S	Detector Complete with Specified Sensor Configuration, Stainless Steel Alligator Clip and Concussion Proof Housing, Test Cap, Manual	18 hr.	BWTMCXL-XWHOB-NA	BWTMCXL-XWHOY-NA
O2, CO	Detector Complete with Specified Sensor Configuration, Stainless Steel Alligator Clip and Concussion Proof Housing, Test Cap, Manual	18 hr.	BWTMCXL-XOOM-B-NA	BWTMCXL-XOOM-Y-NA
O2, LEL	Detector Complete with Specified Sensor Configuration, Stainless Steel Alligator Clip and Concussion Proof Housing, Test Cap, Manual	18 hr.	—	BWTMCXL-XWOODY-NA



BWTMCXL-XWHM-Y-NA

BW TECHNOLOGIES**BW GasAlertQuattro Multi-Gas Detectors**

Easy-to-use 1-button operation with graphic LCD and easy-to-identify icons indicating operational data such as bump test and calibration status to ease onsite auditing. IntelliFlash™ feature provides continuous visual confirmation of detector operation and compliance. Rechargeable models include a rechargeable battery pack and wall charger. Alkaline models include a 3 AA alkaline battery pack.



BWTQT-AS01

Item	Sensor Range	Detects	Battery Type	Battery Life	Item No.
Manual Sample Draw Pump Kit	—	—	—	—	BWTQT-AS01
Multi-Gas Detector, 4 Gas	O2 0 - 30%, CO 0 - 1000 ppm, H2S 0 - 200 ppm, LEL 0 - 100%	Oxygen, Carbon Monoxide, Hydrogen Sulfide, Lower Explosive Limit	Lithium Polymer	2 yr.	BWTQTXWHMRYNA
Rechargeable Battery Pack	—	—	Lithium Polymer	10 hr.	BWTQT-BAT-R01
Replacement Sensor	0 to 100 ppm, 0 to 5.0% Vol	Combustibles	—	—	BWTSR-W04-75C
Replacement Sensor	0 to 200 ppm	Hydrogen Sulfide	—	—	BWTSR-H04SC
Replacement Sensor	0 to 1000 ppm	Carbon Monoxide	—	—	BWTSR-M04SC

MSA

Calibration Check Gas Cylinders and Automated Test Stations

Calibration Check Gas Cylinders - Aluminum 500 psig cylinders contain sufficient gas for multiple MSA® instrument calibrations. Required regulator sold separately.

Automated Test Stations - Galaxy® GX2 stands provide simple, efficient gas detector testing, calibration, and charging. Compatible with detector data management systems.



MSA10128625



MSA10045035

Item	Gas Mixture	For Use With	Cylinder Capacity	Item No.
Model RP Regulator 0.25 LPM	—	MSA RP Calibration Check Gas Cylinders	—	MSA467895
Gas Regulator	—	MESA RP Calibration Cylinders, Fixed Installations Such as Work Benches, Calibration Stations and Bump Test Stations	—	MSA710288
Galaxy® GX2 System Test Stand for Altair® 5X – Charging	—	Mfr. No. 10116924, 10116925, 10116926, 10116927, 10116928, 10116929	—	MSA10128625
Galaxy® GX2 System Test Stand for Altair® 5X	—	Mfr. No. 10116924, 10116925, 10116926, 10116927, 10116928, 10116929	—	MSA10128627
Galaxy® GX2 System Test Stand for Altair® 4X – Charging	—	Mfr. No. 10107602, 10107603, 10110443, 10110444, 10110446, 10110482, 10110489	—	MSA10128629
Galaxy® GX2 System Test Stand for Altair® 4X	—	Mfr. No. 10107602, 10107603, 10110443, 10110445, 10110444, 10110446, 10110488, 10110489	—	MSA10128641
	1.45% CH ₄ , 15% O ₂ , 60 ppm CO, 20 ppm H ₂ S 100 ppm C4H8	Mfr. No. 10090344 and Mfr. No. 10051149 Mfr. No. 10052511	58L	MSA10045035
Calibration Gas	1.45% CH ₄ , 15% O ₂ , 60 ppm CO, 20 ppm H ₂ S 40 ppm H ₂ S 15% O ₂ , 300 ppm CO, 10 ppm H ₂ S, 1.45% CH ₄	Mfr. No. 10090344, Mfr. No. 10049297, Mfr. No. 10052511, Mfr. No. 10085989, Mfr. No. 10085981, Mfr. No. 10089105, Mfr. No. 10089103, Mfr. No. 10089106 and Mfr. No. 10089104 Multiple Instruments Mfr. No. 10025931, Mfr. No. 10025932, Mfr. No. 10025934, Mfr. No. 10025937, Mfr. No. 710898, Mfr. No. 710899	34L 58L 58L	MSA10048280 MSA467897 MSA804770

MSA

Altair Single-Gas Detectors

- 95dB audible, visual, and vibrating alarms
- IP67 rating for dust and water ingress
- 2-yr. disposable unit features 1-button operation, bump test, and 25-alarm memory.
- Includes lithium battery.



MSA10092521

Detects	Alarm Setting	Sensor Range	Item No.
Hydrogen Sulfide	Low 10 ppm, High 15 ppm	0 - 100 ppm	MSA10092521
Oxygen	Low 19.5% Vol, High 23% Vol	0 - 25% vol.	MSA10092523
Carbon Monoxide	Low 25 ppm, High 100 ppm	0 - 500 ppm	MSA10092522

BW TECHNOLOGIES

BW GasAlertMicro 5 Series Multi-Gas Detector Replacement Sensor

- Detects combustibles
 - Sensor range: 0 to 100% or 0 to 5% V/V
 - Resolution: 1%; 0.1%
 - Temp. range: Micro5 -4° F - 122° F, Micro 5 PID -14° F - 104° F
- For use with GasAlertMicro 5 Series Multi-gas detectors.



BWTSR-W04

Item No.
Replacement Sensor

Item No.
BWTSR-W04

Grainger catalogues Are digital too

- Choose from our library of catalogues
- Browse, download, and share pages
- Add items to your cart and checkout when ready



MSA

Altair 5X Multigas Detectors

- Audible (95+dB), visual, and vibrating alarms
- MotionAlert™ 30-sec. "man down" sensor

Rugged, datalogging portable detectors employ XCell® technology for faster performance and more than 4 yr. typical sensor life. Large buttons allow easy operation with gloved hands. Each includes calibration cap, tubing, and charger.

Multigas Detector - Integral pump for consistent flow. Nos. MSA10165445EA and MSA10165446EA measure gases simultaneously and detect VOCs. Kits No. MSA10165446EA comes with 10-ft. sampling line and 1-ft. probe. IP65 rating for dust and water ingress.



Item	Detects	For Use With	Item No.
Portable Multigas Detector with PID	LEL, O ₂ , CO/H ₂ S PID	—	MSA10165445EA MSA10165446EA
JetEye IR Adapter with USB Connector	—	MSA Altair 4 Gas Detectors	MSA10082834
Gas Regulator	—	MSA Gas Detectors, Regulator, Calibrating MSA Instruments	MSA10075893
Sampling Probe	—	Sampling Line Altair 5X 25 ft., Sampling Line Altair 4/Altair 5 10 ft.	MSA10042621
Silicone Sampling Line	—	5EMP3 Sample Probe	MSA10040664
Sampling Line	—	5EMP3 Sample Probe	MSA10040665EA
A4X Sensor LEL	Combustibles	Mfr. No. 10107602, 10110443, 10110444	MSA10106722
A4X Sensor H ₂ S/CO	Carbon Monoxide, Hydrogen Sulfide	Mfr. No. 10107602, 10110443, 10110444	MSA10106725
A4X Sensor O ₂	Oxygen	Mfr. No. 10107602, 10110443, 10110444	MSA10106729
Vehicle Battery Charger	—	Mfr. No. 10116924, 10116925, 10116926, 10116927, 10116928, 10116929, 10094910, 10094911, 10094912, 10094909, 10094909, 10094740, 10094901	MSA10099397
Sampling Line	—	5EMP3 Sample Probe	MSA10040665

DRAEGER

Gas Detection Tubes

Tubes have a wide diameter and well-spaced graduations that are easy to read and help provide decisive measurement results.



DGR8103631

Item	Measuring Range	Item No.	Item	Measuring Range	Item No.
Acetic Acid 5/a	5 - 80 ppm	DGR6722101	Hydrogen 0.2%/a	0.2 - 2% Vol.	DGR8101511
Acetone 100/b	100 - 12,000 ppm	DGRCH22901	Hydrogen Fluoride 0.5/a	0.5 - 90 ppm	DGR8103251
Amine Test	Qualitative	DGR8101061	Hydrogen Fluoride 1.5/b	1.5 - 15 ppm	DGRCH30301
Ammonia 0.25/a	0.25 - 3 ppm	DGR8101711	Hydrogen Peroxide 0.1/a	0.1 - 3 ppm	DGR8101041
Ammonia 0.5%/a	0.05 - 10% Vol	DGRCH31901	Hydrogen Sulfide + Sulphur Dioxide 0.2%/a	0.02 - 7% Vol	DGRCH28201
Ammonia 2/a	2 - 30 ppm	DGR6733231	Hydrogen Sulfide 0.2/a	0.2 - 5 ppm	DGR8101461
Ammonia 5/a	5 - 600 ppm	DGRCH20501	Hydrogen Sulfide 0.2/b	0.2 - 6 ppm	DGR8101991
Ammonia 5/b	2.5 - 100 ppm	DGR8101941	Hydrogen Sulfide 0.2%/a	0.2 - 7% Vol.	DGRCH28101
Arsine 0.05/a	0.05 - 3.0 ppm	DGRCH25001	Hydrogen Sulfide 0.5/a	0.5 - 15ppm	DGR6728041
Benzene 15/a	14 - 420 ppm	DGR8101741	Hydrogen Sulfide 1/d 1	1 - 200 ppm	DGR8101831
Benzene 2/a (5)	2 - 60 ppm	DGR8101231	Hydrogen Sulfide 100/a	100 - 2,000 ppm	DGRCH23101
Carbon Dioxide 0.1%/a	0.1 - 1.2, 0.5 - 6.0% vol.	DGRCH23501	Hydrogen Sulfide 2/b 1	1 - 60 ppm	DGR8101961
Carbon Dioxide 0.5%/a	0.5 - 10% Vol.	DGRCH31401	Hydrogen Sulfide 2%/a	2 - 40 Pct Vol	DGR8101211
Carbon Dioxide 1%/a	1 - 20% Vol.	DGRCH25101	Hydrogen Sulfide 5/b	5 - 60 ppm	DGRCH29801
Carbon Dioxide 100/a	100 - 3,000 ppm	DGR8101811	Mercaptan 0.5/a	0.5 - 5 ppm	DGR6728981
Carbon Dioxide 5%/A	5 - 60% Vol	DGRCH20301	Mercaptan 20/a	20 - 100 ppm	DGR8101871
Carbon Disulfide 30/a	32 - 3,200 ppm	DGRCH23201	Mercury 0.1/b	0.05 - 2 mg/cu. m	DGRCH23101
Carbon Monoxide 0.3%/b	0.3 - 7% Vol.	DGRCH29901	Natural Gas Test (5)	Qualitative	DGRCH20001
Carbon Monoxide 10/b	10 - 3,000 ppm	DGRCH20601	Nickel Tetracarbonyl 0.1/a (9)	0.1 - 1 ppm	DGRCH19501
Carbon Monoxide 2/a	2 - 300 ppm	DGR6733051	Nitric Acid 1/a	1 - 50 ppm	DGR6728311
Carbon Monoxide 5/c	5 - 700 ppm	DGRCH25601	Nitrogen Dioxide 2/c 2	2 - 100 ppm	DGR6719101
Carbon Monoxide 8/a	8 - 50 ppm	DGRCH19701	Nitrous Gases 2/a 2	2 - 150 ppm	DGRCH31101
Carbon Pertube	Qualitative	DGRCH24101	Oil 10/a-P	0.1 - 1mg/cu. m	DGR6728371
Chlorine 0.2/a	0.2 - 30 ppm	DGRCH24301	Oxygen 5%/C	5 - 23% Vol	DGR8103261
Chlorine 50/a	50 - 500 ppm	DGRCH20701	Ozone 0.05/b	0.05 - 1.4 ppm	DGR6733181
Chloroform 2/a (5)	2.0 - 10.0 ppm	DGR6728861	Petroleum Hydrocarbons 10/a	10 - 300 ppm	DGR8101691
Chromic Acid 0.1/a (9)	0.1 - 0.5 mg/cu. m	DGR6728681	Phenol 1/b	1 - 20 ppm	DGR8101641
Cyanide 2/a	2 - 15 mg/cu. m	DGR6728791	Phosphine 50/a	15 - 3,000 ppm	DGRCH21201
Cyanogen Chloride 0.25/a	0.25 - 5 ppm	DGRCH19801	Polytest	Qualitative	DGRCH28401
Detector tube	N/A	DGRCH25301	Styrene 10/b	10 - 250ppm	DGR6733141
Detector Tube	0.1 to 30 ppm	DGR8103631	Sulfuric Acid 1/a (9)	1.0 - 5.0mg/cu. m.	DGR6728781
Detector Tube	1 - 40mg/L	DGRCH23401	Sulfuryl Fluoride 1/a (5)	1 - 5 ppm	DGR8103471
Detector tube	2 - 200 ppm	DGR6728821	Sulphur Dioxide 0.1/a	0.1 - 3 ppm	DGR6727101
Detector tube	0.1 - 15 ppm	DGR8103281	Sulphur Dioxide 0.5/a	0.5 - 25 ppm	DGR6728491
Detector tube	0.2 - 20 ppm	DGR8103481	Sulphur Dioxide 1/a	1 - 25 ppm	DGRCH31701
Detector tube	0.5 - 100ppm	DGR8103601	Sulphur Dioxide 20/a	20 - 2,000 ppm	DGRCH24201
Ethyl Acetate 200/a	200 - 3,000 ppm	DGRCH20201	Sulphur Dioxide 50/b 50	50 - 8000 ppm	DGR8101531
Ethylene Glycol 10	10.0 - 180 mg/cu. m	DGR8101351	Thioether	1 mg/cu. m	DGRCH25803
Ethylene Oxide 1/a	1 - 30 ppm	DGR6728961	Toluene 5/b 5	5 - 300 ppm	DGR8101661
Formaldehyde 0.2/a	0.2 - 5 ppm	DGR6733081	Toluene 50/a	50 - 400 ppm	DGR8101701
Formaldehyde 2/a	2 - 40 ppm	DGR8101751	Vinyl Chloride 0.5/b	0.5 - 5.0, 5.0 - 30 ppm	DGR8101721
Formaldehyde Activation Tube- Use with HCHO 0.2/a	Extends Range to 0.04 ppm	DGR8101141	Water Vapor 0.1/a	0.05 - 1mg/L	DGR8101321
Halogenated Hydrocarbons 100/a (8)	200 - 2800 ppm	DGR8101601	Water Vapor 1/b 1	1 - 40 mg/L	DGR8101781
Hydrochloric Acid 1/a	0.5 - 100 ppm	DGRCH29501	Xylene 10/a	10 - 400 ppm	DGR6733161
Hydrochloric Acid 50/a	50 - 5,000 ppm	DGR6728181			

ALLEGRO, APPROVED VENDOR

Manhole Equipment

Manhole Guardrail—Collapsible. Steel frame construction. Includes heavy-duty safety chains.

Guardrail Winch—Mounts easily; 300-lb. cap. Side pieces are aluminum, and winch bar is steel tubing with a 3" drum. Includes 2 independent ratchet systems and automatic brake.

Manhole Lid Lifter—All-steel construction. Includes rubber grip for handle and foot. Recessable hook.

Magnetic Manhole Lid Lifters with Dolly

2-position lifting points help one person break loose the most stubborn covers—up to 36" dia.—safely and with minimal back strain. Lifters collapse for easy transport and storage.

Umbrella—Heavy-duty, waterproof vinyl umbrella is safety yellow color for visibility. Easy stowage in the included bag. Sturdy 2-pc. metal pole can be pushed into the ground, strapped to a manhole guard rail, or used with metal stand; tilts for convenient placement.



Item	Capacity	Overall Length	Overall Height	Includes	Colour	Brand	Item No.
Collapsible Manhole Guard Rail	—	33"	42"	(2) Hooking Chains	Yellow	Approved Vendor	GGS10K047
Guardrail Winch	—	36"	36"	Rope	Yellow	Allegro	WWG6MKN6
Magnetic Lid Lifter Extension	—	11 1/4"	—	—	Orange	Allegro	WWG32M72
Manhole Cover Hook	2.8 lbs	24"	—	Threaded Connector, Zinc-plated, 5/0 Chain	Silver	Allegro	WWG32M71
Manhole Cover Lid Lifter	660 lbs.	72"	44"	Steel Dolly, Magnet	Orange	Allegro	ALO9401-25
Manhole Cover Lid Lifter	900 lbs.	72"	44"	Steel Dolly, Magnet	Orange	Allegro	ALO9401-26
Manhole Cover Lid Lifter	300 lbs.	42"	41 1/2"	—	Silver	Approved Vendor	GGS10K048
Manhole Cover Lid Lifter	660 lbs.	12"	79"	Aluminum Collapsible Dolly	Aluminum	Allegro	ALO9401-25A
Manhole Cover Lid Lifter	900 lbs.	72"	44"	Aluminum Dolly, Magnet	Aluminum	Allegro	ALO9401-26A
Manhole Cover Lid Lifter	500 lbs.	13"	34"	—	Orange	Allegro	ALO9401-35
Manhole Deluxe Umbrella	—	—	92"	—	Yellow	Allegro	ALO9403
Manhole Economy Umbrella	—	—	84"	—	Yellow	Allegro	ALO9403-01

AIR SYSTEMS INTERNATIONAL, ALLEGRO**Venturi-Style Pneumatic Air Blowers**

Use to ventilate explosive and hazardous vapors safely. Operate on compressed air or steam pressure up to 140 psi.



Inlet Connection	Housing Material	Base Dia.	Overall Length	Total Air Flow @ 40 PSIG	Total Air Flow @ 60 PSIG	Total Air Flow @ 80 PSIG	Air Consumed @ 40 PSIG	Air Consumed @ 60 PSIG	Air Consumed @ 80 PSIG	Item No.
Air Systems International										
1/2" NPT	Galvanized Steel	7 1/8"	16 1/8"	—	—	1,422 CFM	—	—	—	ASIASI1000
1/2" NPT	Galvanized Steel	7 1/8"	32 1/8"	—	—	1,580 CFM	—	—	—	ASIASI1200
1" NPT	Galvanized Steel	11 1/4"	44"	—	—	3,752 CFM	—	—	—	ASIASI2900
1" NPT	Galvanized Steel	14 9/16"	46 1/2"	—	—	5,041 CFM	—	—	—	ASIASI4100
Allegro										
1/2" NPT	Steel	7 1/8"	16 1/4"	650 cfm	865 cfm	1080 cfm	20 scfm	30 scfm	40 scfm	WWG3TCK2
1/2" NPT	Plastic	7 1/8"	16 1/4"	650 cfm	865 cfm	1080 cfm	20 scfm	30 scfm	40 scfm	ALO9518-13S
1/2" NPT	Steel	7 1/8"	30 1/2"	960 cfm	1135 cfm	1310 cfm	20 scfm	30 scfm	40 scfm	WWG3TCK3
1/2" NPT	Plastic	7 1/8"	30 1/2"	960 cfm	1135 cfm	1310 cfm	20 scfm	30 scfm	40 scfm	ALO9518-13
1" NPT	Steel	11 1/4"	44 1/4"	2100 cfm	2560 cfm	3020 cfm	20 scfm	60 scfm	80 scfm	WWG3TCK4
1" NPT	Plastic	11 1/4"	44 1/4"	2280 cfm	2560 cfm	3020 cfm	40 scfm	60 scfm	80 scfm	ALO9518-16
1" NPT	Steel	14 1/8"	46"	3152 PCM	4215 PCM	4810 cfm	114 scfm	110 scfm	140 scfm	WWG3TCK5
1" NPT	Plastic	14 1/8"	46"	3620 cfm	4215 cfm	4810 cfm	80 scfm	110 scfm	140 scfm	ALO9518-18

AIR SYSTEMS, AIR SYSTEMS INTERNATIONAL**Confined-Space Fans, Blowers, and Accessories****PLASTIC AXIAL FANS**

Standard 115VAC and 12VDC models are portable 8" outlet fans constructed of orange polyethylene and are available with removable canister ducting. Explosionproof models are constructed of black conductive polyethylene to prevent static buildup and are available with conductive ducting. UL Listed, CSA Certified.

STEEL AXIAL FANS

Standard 115VAC No. ASISVF8AC runs at 72dBA at 1m for extra-quiet operation. Nos. ASISVF15ACAN and ASISVF25ACAN are 1-pc. axial fans with attached polyethylene duct canister. 12VDC Unit No. ASISVF25DCAN includes power cord with battery clips.

STEEL AXIAL IN-LINE FANS

Fans can be installed in series for running long lengths of ducting. Include 8" or 10" duct adapters on each end of the fan.

CENTRIFUGAL BLOWERS

All except No. ASISVB-E8EC are mounted on a lightweight tubular steel, dual-handle frame. Polyethylene housing with 8" inlet and outlet flange.

115V

Models have gray housing, aluminum nonsparking blower wheel, and include GFCI power cord, except Explosionproof Blower No. ASISVB-E8EXP has a black conductive housing and a grounding lug to remove static electricity.

Gasoline with Briggs & Stratton Engine

Includes a 5-ft. remote steel exhaust hose to keep CO away from blower's intake.

Pneumatic - Uses a compressed air source with a flow capacity of 10 to 100 cfm and a pressure range of 10 to 100 psi. Includes coalescing filter, regulator, and moisture separator/lubricator. Static grounding lug installed for intrinsic safety.

DUCTING

Retractable, wire-reinforced design with 8" cuffs on both sides. Conductive duct includes 18" ground wire on each end.

SADDLE VENT® VENTILATION ACCESSORY KITS

Include Saddle Vent with universal mount and 90° elbow, one 6-ft and 15-ft. length of 8"-dia. ducting, and duct storage canister.

SADDLE VENT®

Vents fit manhole openings 20" and larger. No. ASISV189CND removes static buildup in hazardous ventilation environments.

CONFINED-SPACE ACCESSORIES

Individual components to help you design a system to address your specific needs.

**ASICVF15ACAN**

Item	Material	Voltage	Diameter	Length	Duct Dia.	HP	Max. Flow in Free Air	Item No.
Axial Fan, 12VDC, 8" Battery Clips	—	12V DC	—	—	—	1/4	1,275 CFM	ASISVF8DC
Conductive 90° Elbow	—	—	—	—	—	—	—	ASISV90
Conductive 90° Elbow	—	—	8"	—	—	—	—	ASISV90CND
Conductive Duct Connector	—	—	—	12"	—	—	—	ASISVH88CND
Conductive Saddle Vent	—	—	—	43 1/2"	—	—	—	ASISV189CND
Conductive Ventilation Kit	—	—	8"	6 and 15 ft.	—	—	—	ASISV-CUPCND
Conductive Ventilation Kit	—	—	8"	15 ft.	—	—	—	ASISVH-CND815
Conductive Ventilation Kit	—	—	8"	25 ft.	—	—	—	ASISVH-CND825
Conductive Ventilation Kit	—	—	8"	6 ft.	—	—	—	ASISVH-CND86
Confined Space Blower	Plastic Housing/Steel Frame	115 VAC	8"	27"	8"	3/4	1,570 CFM	ASISVB-E8
Confined Space Blower	Plastic Housing/Steel Frame	115 VAC	8"	21"	8"	1/2	1,390 CFM	ASISVB-E8EC
Confined Space Blower	Steel Frame/Aluminum Blower Wheel	115 VAC	8"	27"	8"	3/4	1,570 CFM	ASISVB-E8EXP
Confined Space Blower	Plastic Housing/Steel Frame	115 VAC	8"	27"	8"	1/3 and 3/4	1,100/1,570 CFM	ASISVB-E8-2
Confined Space Centrifugal Blower	Steel	—	8"	23"	8"	4	3,000 CFM	ASISVB-A8
Confined Space Centrifugal Blower	Steel	—	8"	20"	8"	4	3,000 CFM	ASISVB-G8
Confined Space Fan	Plastic Housing Fan	115 VAC	—	16"	8"	1/3	974 CFM	ASICVF15ACAN
Confined Space Fan	Plastic Housing Fan	115 VAC	—	16"	8"	1/3	974 CFM	ASICVF15CANEX
Confined Space Fan	Plastic Housing Fan	12 VDC	—	16"	8"	1/4	848 CFM	ASICVF15DCAN
Confined Space Fan	Plastic Housing Fan	115 VAC	—	16"	8"	1/3	974 CFM	ASICVF25ACAN
Confined Space Fan	Plastic Housing Fan	115 VAC	—	16"	8"	1/3	974 CFM	ASICVF25CANEX
Confined Space Fan	Plastic Housing Fan	12 VDC	—	16"	8"	1/4	848 CFM	ASICVF25DCAN
Confined Space Fan	Plastic Housing Fan	115 VAC	—	16"	8"	1/3	974 CFM	ASICVF8AC
Confined Space Fan	Plastic Housing Fan	115 VAC	—	16"	8"	1/3	974 CFM	ASICVF8DC
Confined Space Fan	Plastic Housing Fan	115 VAC	—	16"	8"	1/3	974 CFM	ASICVF8EXP
Confined Space Fan	Steel	115 VAC	8"	40"	8"	1/3	870 CFM	ASISVF15ACAN
Confined Space Fan	Steel	115 VAC	8"	40"	8"	1/3	858 CFM	ASISVF25ACAN
Confined Space Fan	Steel	115 VAC	8"	18"	8"	1/3	1,275 CFM	ASISVF8AC
Confined Space Fan	Steel	115 VAC	8 or 10"	28"	8 or 10"	1/3	1,390 CFM	ASISVF10EXP
Confined Space Fan	Steel	12 VDC	8"	40"	8"	1/6	796 CFM	ASISVF25DCAN
Confined Space Fan	Steel	115VAC	8 or 10"	28"	8 or 10"	1/3	1,390 cfm	WWG3WE66
Confined Space Fan	Steel	115VAC	8"	18"	8"	1/6	1,395 cfm	WWG4YG70
Confined Space Fan	Steel	115 VAC	8 or 10"	28"	8 or 10"	1/3	1,390 CFM	ASISVF10E
Confined Space Fan Kit	Plastic Housing Fan	115 VAC	—	16"	8"	1/3	974 CFM	ASICVF8A15KIT
Confined Space Fan Kit	Plastic Housing Fan	12 VDC	—	16"	8"	1/4	848 CFM	ASICVF8D15KIT
Duct to Duct Connector	—	—	—	—	—	—	—	ASISVH88C
Filter Element	—	—	—	11 1/2"	—	—	—	ASISVB-IF9ST
Inlet Filter Holder	—	—	—	11 1/2"	—	—	—	ASISVB-IFH9
Manhole Saddle Vent	Standard 1/4" polyethylene	—	8"	43 1/2"	—	—	—	ASISV189
Portable Fan	Plastic	115VAC	—	18 1/2"	12"	1	1,866 cfm	WWG39FW23
Portable Fan	Plastic	115VAC	—	39 1/2"	12"	1	1,866 cfm	WWG39FW24
Portable Fan	Plastic	115VAC	—	39 1/2"	12"	1	1,866 cfm	WWG39FW25
Universal Saddle Vent Mount	—	—	—	—	—	—	—	ASISV-UM
Ventilation Duct Carrier	—	—	—	—	—	—	—	ASISVH-DC25
Ventilation Kit	—	—	8"	6 and 15 ft.	—	—	—	ASISV-CUP
Ventilation Kit	—	—	8"	15 ft.	—	—	—	ASISVH15
Ventilation Kit	—	—	8"	25 ft.	—	—	—	ASISVH25
Ventilation Kit	—	—	8"	6 ft.	—	—	—	ASISVH6

AIR SYSTEMS, AIR SYSTEMS INTERNATIONAL

Confined-Space Ventilation Kits

Available for hazardous and nonhazardous locations. Kits include fan or blower, Saddle Vent®, universal mount, 90° elbow, one 6-ft. duct, one 15-ft. duct, or one 25-ft. duct and duct carrier.



Duct Dia.	HP	Max. Flow in Free Air	Item No.
Confined Space Blower Kit			
8"	1/3 and 3/4	1,100/1,570 CFM	ASISVB-E8CUP
8"	1/2	1,390 CFM	ASISVB-E8CUP
8"	3/4	1,570 CFM	ASISVB-E8SCUP
8"	3/4	1,570 CFM	ASISVB-E8XCUP
Confined Space Centrifugal Blower			
8"	3.5	3,000 CFM	ASISVB-G8CUP
Confined Space Fan Kit			
8"	1/3	974 CFM	ASICVFEX15KIT
8 or 10"	1/3	1,390 CFM	ASISVF10ECUP
8"	1/3	974 CFM	ASICVF8A25KIT
8"	1/3	974 CFM	ASICVFEX25KIT
8 or 10"	1/3	1,390 CFM	ASISVF10EXCUP
8"	1/3	1,395 CFM	ASISVF8ACUP
Pneumatic Blower Kit			
8"	4	3,000 CFM	ASISVB-A8CUP

ALLEGRO

Confined-Space Fans, Blowers, and Accessories

Designed for positive and negative ventilation.

Plastic Axial Fans—Lightweight and quiet. Constructed of durable polyethylene with a builtin handle. Fans that include a canister assembly attach to the intake or exhaust side of a blower. Fans with DC motor include power cord with battery clips.

Steel Axial Fans—Steel construction with handle for easy transport.

Steel Axial Fan Air Bags—All-in-one portable axial fan system built into a heavy-duty polyester bag. Zippered ends allow blower to be used without removing unit from the bag.

Plastic Centrifugal Blowers—Polyethylene construction with a built-in handle and 8" flange on intake and exhaust ports.

Ducting—Retractable with wire-reinforced design. Cuffs on both sides ease attachment. Conductive ducting prevents static buildup in hazardous locations.

Manhole Ventilation Systems—Low-profile manhole air vent, 90° elbow, and built-in mounting all in 1 unit. Include collapsible duct for easy entry, stored in a small storage bag. Ducting is vinyl and polyester with PVC coating. Systems are compact, lightweight, and not statically conductive. Made from linear low-density polyethylene.

Confined-Space Accessories—Individual components to help design a system to address specific



ALO9500-01

Item	Duct Dia.	HP	Max. Flow in Free Air	Item No.
20" Explosion-Proof 1/2 HP 8.2/4.1 A/115/ 230 V 4,650/3,150/2,950 CFM (Free Air/1 - 90° Bend/2 - 90° Bend)	20"	1/2	4,650 CFM	AL09525-01
20" High Output 2 HP 21 A/115/230 V 7,500/6,700/6,130 CFM (Free Air/1 - 90° Bend/2 - 90° Bend)	20"	2	7,500 CFM	AL09525-50
Blower	16"	1	3,200 CFM	AL09553
Blower w/15 ft. Duct and Cannister	16"	1	3,200 CFM	AL09553-15
Blower w/15 ft. Duct and Cannister	16"	1	3,200 CFM	AL09553-25
Blower with 15 ft. Duct and Cannister	12"	1	1,842 CFM	AL09543-25
Confined Space Blower	8"	1/3	1,066 CFM	AL09504
Confined Space Blower Kit	8"	1/3	1,066 CFM	AL09520-04M
Confined Space Centrifugal Blower	8"	5.7	2,000 - 3,000 CFM	AL09505
Confined Space Fan	8"	1/3	1,275 CFM	AL09513
Confined Space Fan	8"	1/3	1,275 CFM	AL09514-25
Confined Space Fan	8"	1/3	900 CFM	AL09538
Confined Space Fan	8"	1/4	816 CFM	AL09536-25
Confined Space Fan	8"	1/3	900 CFM	AL09538-25
Confined Space Fan	12"	1	2,180 CFM	AL09539-12
Confined Space Fan	12"	1	1,842 CFM	AL09543
Confined Space Fan	12"	1	1,842 CFM	AL09543-15
Confined Space Fan	12"	1/3	1,450 CFM	AL09539-12DC
Confined Space Fan	12"	1/2	1,840 CFM	AL09535-12
Confined Space Fan	12"	1/3	1,636 CFM	GUS3PAK4
Confined Space Fan	16"	1/2	2,900 CFM	AL09515-01
Confined Space Fan	16"	2	5,500 CFM	AL09516
Confined Space Fan	16"	1/2	3,400 CFM	AL09515
Confined Space Fan	20"	1/2	4,650 CFM	AL09525
Confined Space Fan Kit	8"	1/3	1,150 CFM	AL09520-06M
Confined Space Fan Kit	8"	1/4	816 CFM	AL09520-36M
Industrial Blower 8" 115 VAC, 1/3 HP, 865 CFM Free Air	8"	1/3	865 CFM	AL09539-08
With 15 ft. Ducting	8"	1/4	760 CFM	AL09535-08
With 25 ft. Ducting	8"	1/4	760 CFM	AL09535-08L
With 25 ft. Ducting	12"	1/2	1,840 CFM	AL09535-12L

Item	For Use With	Construction	Colour	Diameter	Length	Item No.
Blower Ducting	Blower	Vinyl and Polyester Materials with PVC Coating	Black/Yellow	12"	15 ft.	AL09550-15
Blower Ducting	Blower	Vinyl and Polyester Materials with PVC Coating	Black/Yellow	12"	25 ft.	AL09550-25
Blower Ducting	Blower	Vinyl and Polyester Materials With PVC Coating	Black/Yellow	8"	15 ft.	AL09500-15
Blower Ducting	Blower	Vinyl and Polyester Materials With PVC Coating	Black/Yellow	8"	25 ft.	AL09500-25
Confined Space Fan	—	—	Safety Orange	—	17"	AL09539-12EX
Duct Storage Bag	8", 12", 16" or 20" Duct up to 25 ft. Long	Polyester	Black	—	—	AL09500-45
Duct to Duct Connector	Confined Space Duct	Galvanized Steel	Silver	—	—	WWG6MKN2
Duct to Duct Connector	Confined Space Duct	Galvanized Steel	Silver	—	—	AL09500-01
Duct to Duct Connector	Confined Space Duct	Galvanized Steel	Silver	—	10"	AL09550-01
Manhole Ventilation Pass Thru	Blowers and Ducting in Manhole Applications	Vinyl/Polyester	Yellow	—	32" (Duct Stored), 62" (Duct in Use)	AL09510-50
Manhole Ventilation Pass Thru	12" Plastic or Metal Blowers and Ducting	Linear Polyethylene	Yellow	—	67"	AL09510-60
Device for 12" Ducting	Blowers and Ducting	Linear Polyethylene	Yellow	—	67"	AL09510-60
Statically Conductive Duct	Explosion Proof Blower	Vinyl and Polyester Materials with a Neoprene Coating	Black	12"	15 ft.	AL09550-15EX
Statically Conductive Duct	Explosion Proof Blower	Vinyl and Polyester Materials With a Neoprene Coating	Black	8"	25 ft.	AL09500-25EX
Statically Conductive Duct	Blowers In Manhole Applications	Vinyl and Polyester Materials with a Neoprene Coating	Black	20"	25 ft.	AL09550-25EX
Statically Conductive Duct	Explosion Proof Blower	Vinyl and Polyester Materials with a Neoprene Coating	Black	12"	25 ft.	AL09550-25EX
Ventilation Duct	Mfr. No. 9515, 9600-15	Wire Reinforced, Polyester	Yellow	16"	25 ft.	AL09600-25
Ventilation Duct	Blowers In Manhole Applications	Vinyl and Polyester Materials with PVC Coating	Black/Yellow	20"	25 ft.	AL09650-25
Ventilation Duct	Mfr. No. 9515, 9516	Wire Reinforced, Polyester	Yellow	16"	15 ft.	AL09600-15
Ventilation Duct Carrier	Confined Space Duct	Linear Polyethylene	Orange	—	—	WWG6MKL7

ALLEGRO**Confined-Space Ventilation Kit**

Kit includes blower, 6 and 15 ft. of ducting with storage bag, and Manhole Ventilation System No. AL09510-50.



Item	Duct Dia.	HP	Max. Flow in Free Air	Item No.
Confined Space Fan Kit	8"	1/3	1,275 CFM	AL09520-14M

DBI-SALA**Advanced™ Confined-Space Equipment**

Davit Arm - No. DBI8510140 is for portable fall arrest post rescue. Assembles easily to address material handling or rescue needs.

Vehicle Hitch-Mount Sleeve - No. DBI8516693 installs into 2" hitch to provide portable anchor point connection.

Item	Max. Working Load	For Use With	Length	Width	Height	Item No.
Davit Arm	310 lbs.	Portable Fall Arrest Post	—	—	—	DBI8516693
Vehicle Hitch Mount Sleeve	450 lb.	2 in Vehicle Hitch Mount Sleeve Davit Base	41 in	51 1/4 in	3 ft	DBI8510140
Portable Fall Arrest Post	310 lbs.	Full Body Harness, Lanyard, SRL	—	—	30 1/2" - 54 1/2"	DBI8516691
Uni-Anchor	—	Fall Arrest Posts	1"	8"	3"	DBI8517412
4-in-1 Davit Guard	Personnel 310 lbs., Material Handling 620 lbs.	Mfr. No. 3400825, 3400800, 3403400, 3403500, 3403600, 1108752, 1108753, 1108526, 1108527, Also Need Winch	—	—	—	DBI8530352

HONEYWELL MILLER**DuraHoist™ Confined-Space Equipment**

Meets OSHA, ANSI, and CSA standards

Portable Fall-Arrest Anchor Post - Provides 3 independent swiveling connection points for anchoring fall-arrest devices. Telescoping design collapses to 33" for transport and storage. Powder-coated finish.

1-Pc. Adjustable Mast - Quick-release pin allows easy collapsibility. 12" to 29" offset.

2-Pc. Adjustable Upper Mast - Provides extra operating reach when needed and allows components to be used in various configurations.

Item	Length	Width	Height	Item No.
Adjustable Upper Mast	5"	22 to 38"	41 to 56 in	MLRDH21
Adjustable Upper Mast	55"	12"	74 to 89 in	MLRDH3/
Adjustable Upper Mast	63 3/8"	16"	46 to 63 1/2 in	MLRDH23/
Confined Space Hoist Mast Extension	3"	3"	21 in	MLRDH22/21
Confined Space Hoist Mast Extension	3"	3"	33 in	MLRDH22/33
Confined Space Hoist Mast Extension	3"	3"	45 in	MLRDH22/45
Three-Piece Portable Base	50 in	38 to 64 in	10 in	MLRDH4/
Confined Space Hoist Floor Mount Sleeve	10 in	10 in	9 1/4 in	MLRDH7SS/

Adjustable Offset Upper Mast and Lower Mast Extension - Provide flexibility to extend height from 41" to 146" when used with No. MLRDH4/. No. MLRDH21 adjusts from 12" to 29".

3-Pc. Portable Base - Adjustable screws and built-in level indicator for easy setup on uneven surfaces. Max 29" offset. Use with Nos. MLRDH3/ and MLRDH21.

Floor-Mount Sleeve - Use with Nos. MLRDH3/ or MLRDH21 for horizontal concrete or steel structures.

Bracket Assembly - Mounts winch to Adjustable Masts Nos. MLRDH3/ or MLRDH21.

Vehicle Hitch-Mount Sleeve - Easily installs on 2" hitch to provide a portable anchor connection for Adjustable Masts Nos. MLRDH3/ or MLRDH21.

**DBI-SALA****Confined-Space Rescue Equipment****Complete Confined-Space Rescue Systems**

Lightweight, portable systems are easily set up and transported from one location to another.

Rescue Self-Retracting Lifelines (SRLs)

Feature retrieval winch for emergency rescue. Include safety hook with impact indicator. 900-lb. max. arresting force and 420-lb. weight cap.

Boatman Chairs - Feature heavy-duty polyester webbing and plywood seat.

Rescue Wristlets - Keep victims upright during rescue operations.



Item	Item No.
Confined Space System	DBI8300030
Rescue Wristlets	DBI1001210
Rescue Wristlets	DBI1001220
Bosun Chair	DBI1001140
Self-Retracting Lifeline	DBI3400923C
Bosun Chair	DBI1001190
Confined Space Winch	DBI8102005

HONEYWELL MILLER

Confined-Space Rescue Equipment

- Meets OSHA, ANSI, and CSA standards

Tripod No. MLR51/7FT- Rubber skid pads on feet and safety chain between legs enhance stability. 310-lb. workload capacity.

ManHandler® Personnel-Rated Hoist/Winch No. MLR8442Z7/65FT -

Rescue speed of 20 fpm. Built-in mounting bracket.



MLR51/7FT

Item	Includes	Item No.
Confined Space Winch	Pulley, Carabiner	MLR8442Z7/65FT
Confined Space Tripod	Rubber Skid On Feet and Safety Chain Enhances Stability on Slippery Surfaces	MLR51/7FT

HONEYWELL MILLER

QuickPick™ Rescue Kits

- 5:1 lifting ratio
 - Weight cap.: 400 lb.
- Preassembled rescue solutions in an easy-to-store kit require only an overhead anchorage to employ. Backup Braking System acts as a foolproof secondary fall protection device in case the rescuer accidentally releases the rope.



MLRQP1/100FT

Includes	Cable Length	Item No.
Rescue System		
Pulleys, Rope, Rescue Pole with Clip, Pigtail, Rope Control Handle, Carabiners, Cross-Arm Anchorage Connector, Tool Lanyard, Kit Bag and Pole Bag	25 ft.	MLRQP1/25FT
	50 ft.	MLRQP1/50FT
	100 ft.	MLRQP1/100FT

DBI-SALA, PROTECTA

Portable Horizontal Lifeline System

- User-rated for up to 2 users
- Meets OSHA standards



DBI1200101

Item	Includes	Length	Brand	Item No.
Horizontal Lifeline	(2) 6 ft Tie Off Adapters, Carrying Bag, Lifeline, Shock Absorber, Tensioner	60 ft	Protecta	DBI1200101
Horizontal Lifeline	Energy Absorbers, Tensioner	60 ft	Dbi-Sala	DBI1200105

DBI-SALA

Lad-Saf™ X2 Detachable Cable Sleeve

Portable sleeve attaches by carabiner to the harness, arrests falls by locking onto the cable. For climbing fixed ladders.



DBI6160030

Item	Hardware Material	Item No.
Cable Sleeve	Stainless Steel	DBI6160030
Cable Sleeve	Stainless Steel	DBI6160054

HONEYWELL MILLER, TITAN

Titan™ Nonstretch Full-Body Harnesses

- ANSI Z359.11 compliant
- Tensile strength: 5000 lb.
- Capacity: 400 lb.

Titan™ Nonstretch Full-Body Harnesses - Durable non-stretch harnesses provide affordable lightweight fall protection for workers in the general construction, manufacturing, and oil and gas (refinery) industries, and similar fields. The harnesses feature easy vertical adjustability that stays in place, and a slip resistant back D-ring pad. Forward-positioned side D-rings help keep your tool bags in the right place for easy access, while Hi-Viz orange color webbing provides improved visibility for increased worksite safety. No. MLRT4577/UAK features lighter, strategically-placed padding for optimal airflow while working at heights and a removable tool belt that stays in position when disconnected, even when tools are attached.



MLR850K/UBL

Back D-Ring	Front D-Ring	Side D-Rings	Leg Strap Buckles	Chest Strap Buckles	Harness Sizing	Brand	Item No.
Fall Protection Harness							
—	—	—	Tongue	Quick-Connect	L/XL	Honeywell Miller	MLRRKN-TB/UBK
Yes	No	No	Quick-Connect	Quick-Connect	L/XL	Honeywell Miller	MLRRKN-QC/UBK
Yes	No	No	Tongue	Mating	2XL, L/XL, S/M	Honeywell Miller	MLRT4500/XXLAK
Yes	No	No	Tongue	Mating	2XL, L/XL, S/M	Honeywell Miller	MLRT4500/XXXLAK
Yes	Yes	Yes	Mating	Mating	L/XL	Honeywell Miller	MLRT4007FD/UAK
Harness							
—	—	—	Mating	Mating	Universal (L/XL)	Honeywell Miller	MLR850K/UBL
Yes	No	No	Mating	Mating	L/XL	Honeywell Miller	MLRT4000/UAK
Yes	No	No	Mating	Mating	L/XL	Honeywell Miller	MLRT2000/UAK
Yes	No	No	Tongue	Mating	L/XL	Honeywell Miller	MLRT4500/UAK
Yes	No	Yes	Mating	Mating	L/XL	Honeywell Miller	MLRT4007/UAK
Yes	No	Yes	Tongue	Mating	L/XL	Honeywell Miller	MLRT4507/UAK
Yes	No	Yes	Tongue	Mating	L/XL	Titan	MLRT4577/UAK

CONDOR, MSA

Safety Harnesses

- Weight capacity 400 lbs.
- CSA Standard Z259.10

MSA V-FORM+ standard, full-body harnesses feature stainless steel hardware, tongue buckle leg connection, and the patent-pending RaceFLEX chest connection system as well as dedicated attachment points for Personal Fall Limiters and a back D-ring. Green in colour.

Condor harnesses have steel D-ring and hardware, polyester webbing with friction and pass-through buckles for the chest straps, and pass-through buckles for the leg straps. Black/gray.



MSA10196642



CDRFPH2501D/L

Colour	Leg Strap Buckles	Chest Strap Buckles	Harness Sizing	Brand	Item No.
General Use					
Gray	Pass-Through	Pass-Through	XL	Condor	CDRFPH4001D/XL
Black/Gray	Pass-Through	Pass-Through	L	Condor	CDRFPH2501D/L
Black/Gray	Pass-Through	Pass-Through	XL	Condor	CDRFPH2501D/XL
Black/Gray	Tongue	Pass-Through	L	Condor	CDRFPH2501DG/L
Black/Gray	Tongue	Pass-Through	XL	Condor	CDRFPH2501DG/XL
Climbing, Confined Spaces, Positioning					
Green	Quick-Connect	Quick-Connect	XS	MSA	MSA10197195
Green	Quick-Connect	Quick-Connect	M	MSA	MSA10197196
Green	Quick-Connect	Quick-Connect	XL	MSA	MSA10197197
Green	Tongue	Quick-Connect	M	MSA	MSA10196642
Green	Tongue	Quick-Connect	XL	MSA	MSA10197160

HONEYWELL MILLER

Nonstretch Full-Body Harnesses

- Meet ANSI and CSA standards
- Tensile strength: 6000 lb.
- Capacity: 400 lb.
- Universal size (L/XL)

Feature lightweight polyester webbing with subpelvic straps for added support. Sliding back D-ring with D-ring pad provides added comfort. Pull-free lanyard ring allows user to attach lanyard when not in use.

Miller® Contractor - Include back and shoulder pads for additional comfort. Removable waist belt accommodates tool pouches.

Miller® Arc-Rated - Designed with Kevlar® webbing and leather insulators under all-metal hardware for additional protection. Meets ASTM F887-05 arc flash standard. For more arc-rated products.



MLR650CN-BDP-UGN

Item No.	Type	Back D-Ring	Front D-Ring	Side D-Rings	Leg Strap Buckles	Chest Strap Buckles	Harness Sizing	Item No.
850	Harness	Nonstretch	Yes	No	No	Mating	Universal (L/XL)	MLR850/UYK
	Harness	Nonstretch	Yes	No	No	Tongue	Universal (L/XL)	MLR850-4/UYK
	Harness	Nonstretch	Yes	No	Yes	Mating	Universal (L/XL)	MLR850-7/UYK

HONEYWELL MILLER

DuraFlex® Full-Body Harnesses

- Meet ANSI and CSA standards
- Tensile strength: 6000 lb.
- Capacity: 400 lb.
- Universal size (L/XL)

Synthetic elastomer webbed harness stretches to provide maximum comfort and mobility and conforms to shape of user. Pull-free lanyard ring allows lanyard to be attached when not in use. Stand-up D-ring allows simple attachment.

DuraFlex® - Solid color leg webbing straps. No. MLRE650-4/UGN have loops for optional tool belt attachment.

DuraFlex Ultra® - Same features as the DuraFlex harness with comfort-touch back D-ring pad with breathable fabric webbing.

DuraFlex Python® - Lightweight harnesses feature cushioned tubular webbing for shoulders. Stretchable DuraFlex webbing in the lower torso offers greater worker mobility.

DuraFlex Python Ultra® - Same features as the DuraFlex Python with comfort-touch D-ring pad with breathable fabric webbing and contoured edges for added comfort.



MLRP950/UGN



MLRP950QC/UGN

Back D-Ring	Front D-Ring	Side D-Rings	Leg Strap Buckles	Chest Strap Buckles	Harness Sizing	Item No.	
H500	—	—	Mating	Mating	Universal (L/XL)	MLRH5ISP111002	
—	—	—	Mating	Mating	Universal (L/XL)	MLRH5ISP111022	
—	—	—	Quick-Connect	Quick-Connect	Universal (L/XL)	MLRH5ISP221022	
—	—	—	Tongue	Mating	Universal (L/XL)	MLRH5ISP311022	
DuraFlex Ultra	Yes	No	No	Quick-Connect	Quick-Connect	L/XL	MLRE650QC/UGN
DuraFlex Python Ultra	Yes	No	Yes	Quick-Connect	Quick-Connect	L/XL	MLRP950QC7/UGN
DuraFlex Python	Yes	No	No	Mating	Mating	L/XL	MLRP950/UGN
Yes	No	No	Mating	Mating	S/M	MLRP950/S/MGN	
Yes	No	No	Quick-Connect	Quick-Connect	S/M	MLRP9500C/UGN	
Yes	No	No	Tongue	Mating	L/XL	MLRP950-4/UGN	
Yes	No	Yes	Tongue	Mating	L/XL	MLRP950-58/UGN	
DuraFlex	Yes	No	No	Mating	Mating	S/M	MLRE570/S/MRN
Yes	No	No	Mating	Mating	L/XL	MLRE570/URN	
Yes	No	No	Tongue	Mating	L/XL	MLRE650-4/UGN	

DBI-SALA

Delta™ Full-Body Harnesses

- Meet ANSI standards
- Tensile strength: 6000 lb.
- Capacity: 420 lb.

Durable polyester webbed construction repels water and resists abrasion. Delta No-Tangle™ design holds the shape of the harness, making it easier to put on. Revolver™ torso adjusters provide fast, secure fit. Padded spring-loaded stand-up back D-ring provides extra comfort throughout the neck, shoulders, and back and allows for quick and easy connections.

Standard and Positioning Vest Style - Good for general purpose applications. Models with side D-rings are also for work positioning.

Cross-OVER - The triangular-shaped, tangle-free design simplifies speedy donning. Front D-rings are for climbing, and side D-rings are for positioning applications.

Construction - Shoulder and hip padding with belt allows use with tool pouches. Side D-rings for positioning.



DBI1101656C

DBI1102001C

Item	Type	Back D-Ring	Front D-Ring	Side D-Rings	Leg Strap Buckles	Chest Strap Buckles	Harness Sizing	Item No.
Fall Protection Harnesses	—	Yes	No	No	Tongue	—	Universal	DBI1102008C
Fall Protection Harnesses	Cross-OVER Style	Yes	Yes	No	Pass-Through	—	Universal	DBI1102010C
Fall Protection Harnesses	Cross-OVER Style	Yes	Yes	Yes	Pass-Through	—	Universal	DBI1103270C
Fall Protection Harnesses	Vest Style	Yes	No	No	Pass-Through	—	Universal	DBI1103321C
Fall Protection Harnesses	—	—	—	—	Tongue	—	XL	DBI1101656C
Fall Protection Harnesses	Vest Style	Yes	No	No	Tongue	—	Universal	DBI1102000C

HONEYWELL MILLER, MILLER**AirCore™ Full-Body Harnesses**

- Meet ANSI and CSA standards
- Tensile strength: 5000 lb.
- Weight capacity: 400 lb.

Lightweight construction helps reduce fatigue for increased productivity. Comfortable, stylish design encourages compliance. Contoured padding is strategically placed at lumbar, neck, and inner thighs. Proprietary, breathable open-core pad construction reduces heat and moisture to help keep the wearer cool and comfortable. Lumbar pad is replaceable on select models. DuraFlex® stretchable webbing improves mobility. Low-profile cam buckles allow fast, easy, simultaneous shoulder web adjustment. The front D-ring extends performance and comfort for climbing, confined space, and rescue operations. Models with aluminum hardware are 20% lighter than steel models and corrosion-resistant for longer service life and reduced replacement costs. Certain models feature a removable belt with leather bos'n chair with select models provides an adjustable, rigid work seat; also available separately.



MLRAC-QC/S/MGN

Harness Sizing	Includes	Side D-Rings	Back D-Ring	Front D-Ring	Chest Strap Buckles	Leg Strap Buckles	Item No.
Climbing Blue							
S/M	Front D-Ring, Duraflex Webbing	No	Yes	Yes	Quick-Connect	Tongue	MLRAAF-TBSMB
Green							
S/M	Front D-Ring, Duraflex Webbing	No	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAF-QCSMG
S/M	Front D-Ring, Duraflex Webbing	No	Yes	Yes	Quick-Connect	Tongue	MLRAAF-TBSMG
Blue							
L/XL	Front D-Ring, Duraflex Webbing	No	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAF-QCUB
L/XL	Front D-Ring, Duraflex Webbing	No	Yes	Yes	Quick-Connect	Tongue	MLRAAF-TBUB
Green							
L/XL	Front D-Ring, Duraflex Webbing	No	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAF-QCUG
L/XL	Front D-Ring, Duraflex Webbing	No	Yes	Yes	Quick-Connect	Quick-Connect	MLRACF-QCUG
L/XL	Front D-Ring, Duraflex Webbing	No	Yes	Yes	Quick-Connect	Tongue	MLRAAF-TBUG
Blue							
2XL/3XL	Front D-Ring, Duraflex Webbing	No	Yes	Yes	Quick-Connect	Tongue	MLRAAF-TB23XB
Green							
2XL/3XL	Front D-Ring, Duraflex Webbing	No	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAF-QC23XG
2XL/3XL	Front D-Ring, Duraflex Webbing	No	Yes	Yes	Quick-Connect	Tongue	MLRAAF-TB23XG
Climbing, General Use							
L/XL	Instruction Manual	No	Yes	No	Quick-Connect	Quick-Connect	MLRACA-QC/UGN
L/XL	Instruction Manual	No	Yes	No	Quick-Connect	Tongue	MLRACA-TB/UGN

CONTINUED ➔

CONTINUED

HONEYWELL MILLER, MILLER

AirCore™ Full-Body Harnesses



MLRACF-QCBDPMB

Harness Sizing	Includes	Side D-Rings	Back D-Ring	Front D-Ring	Chest Strap Buckles	Leg Strap Buckles	Item No.
Climbing, Positioning							
Blue							
S/M	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRACF-QCBDPMB
S/M	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRACF-QCDPSMB
S/M	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAF-QCDPSMB
S/M	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAF-QCBDPMB
S/M	Lumbar Pad, Wear Pad, Tool Loops	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRACFW-QCBDPMB
S/M	Lumbar Pad, Wear Pad, Tool Loops	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAFW-QCBDPMB
S/M	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRACF-TBBDPUB
S/M	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRAAF-TBBDPSMB
S/M	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Mating	Tongue	MLRACOG-TBSSMB
Green							
S/M	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAF-QCDSMG
S/M	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAF-QCBDPMSG
S/M	Front D-Ring, Duraflex Webbing	No	Yes	Yes	Quick-Connect	Quick-Connect	MLRACF-QCSMG
S/M	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRACF-QCDSMG
S/M	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRACF-QCBDPMSG
S/M	Lumbar Pad, Wear Pad, Tool Loops	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRACFW-QCBDPMSG
S/M	Lumbar Pad, Wear Pad, Tool Loops	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAFW-QCBDPMSG
S/M	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRAAF-TBBDPSMG
S/M	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Mating	Tongue	MLRACOG-TBSSMG
S/M	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRACF-TBBDPSMG
S/M	Front D-Ring, Duraflex Webbing	No	Yes	Yes	Quick-Connect	Tongue	MLRACF-TBDSMG
S/M	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRACF-TBDSMG
Blue							
L/XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRACF-QCBOPUB
L/XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRACF-QCDOBUB
L/XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAF-QCDOBUB
L/XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAF-QCBOPUB
L/XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRACF-TBDBUB
L/XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRAAF-TBDBUB
L/XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRAAF-TBBDPUB
L/XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRAAF-TBBDPUB
L/XL	Front D-Ring, Duraflex Webbing, Seat Sling	Yes	Yes	Yes	Mating	Tongue	MLRACOG-TBSSUB
Green							
L/XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAF-QCDUG
L/XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAF-QCBDPUG
L/XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRACF-QCBDPUG
L/XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRAAF-TBDUG
L/XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRACF-TBBDPUG
L/XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRAAF-TBBDPUG
L/XL	Front D-Ring, Duraflex Webbing	No	Yes	Yes	Quick-Connect	Tongue	MLRACF-TBUG
L/XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRACF-TBUG
Blue							
2XL/3XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRACF-QCBDP23XB
2XL/3XL	Front D-Ring, Duraflex Webbing	No	Yes	Yes	Quick-Connect	Quick-Connect	MLRACF-QC23XB
2XL/3XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRACF-QCD23XB
2XL/3XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAF-QCD23XB
2XL/3XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAF-QCBDP23XB
2XL/3XL	Lumbar Pad, Wear Pad, Tool Loops	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRACFW-QCBDPUB
2XL/3XL	Lumbar Pad, Wear Pad, Tool Loops	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRACFW-QCBDP23XB
2XL/3XL	Lumbar Pad, Wear Pad, Tool Loops	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAFW-QCBDP23XB
2XL/3XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRACF-TBD23XB

CONTINUED

CONTINUED**HONEYWELL MILLER, MILLER****AirCore™ Full-Body Harnesses****MLRACOG-TBSSMB**

Harness Sizing	Includes	Side D-Rings	Back D-Ring	Front D-Ring	Chest Strap Buckles	Leg Strap Buckles	Item No.
2XL/3XL	Front D-Ring, Duraflex Webbing, Seat Sling	Yes	Yes	Yes	Quick-Connect	Tongue	MLRACF-TBBDP23XB
2XL/3XL	Front D-Ring, Duraflex Webbing	No	Yes	Yes	Quick-Connect	Tongue	MLRACF-TB23XB
2XL/3XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRAAF-TB23XB
2XL/3XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRAAF-TBBDP23XB
2XL/3XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Mating	Tongue	MLRACOG-TBSS23XB
Green							
2XL/3XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAF-QCD23XG
2XL/3XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRACF-QCBDP23XG
2XL/3XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRAAF-QCBDP23XG
2XL/3XL	Front D-Ring, Duraflex Webbing	No	Yes	Yes	Quick-Connect	Quick-Connect	MLRACF-QC23XG
2XL/3XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRACF-QCD23XG
2XL/3XL	Lumbar Pad, Wear Pad, Tool Loops	Yes	Yes	Yes	Quick-Connect	Quick-Connect	MLRACFW-OCBDP23XG
2XL/3XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRAAF-TBD23XG
2XL/3XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Mating	Tongue	MLRACOG-TBSS23XG
2XL/3XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRACF-TBBDP23XG
2XL/3XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRAAF-TBBDP23XG
2XL/3XL	Front D-Ring, Duraflex Webbing	No	Yes	Yes	Quick-Connect	Tongue	MLRACF-TB23XG
2XL/3XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Quick-Connect	Tongue	MLRACF-TBD23XG
General Use							
Black/Green							
S/M	Quick Connect Leg and Chest Straps, Integrated Shoulder Pads	No	Yes	No	Quick-Connect	Quick-Connect	MLRAC-QC/S/MGN
L/XL	Quick Connect Leg and Chest Straps, Integrated Shoulder Pads	No	Yes	No	Quick-Connect	Quick-Connect	MLRAC-QC/UGN
L/XL	Tongue Buckle Leg and Quick Connect Chest Straps, Integrated Shoulder Pads	No	Yes	No	Quick-Connect	Tongue	MLRAC-TB/UGN
Blue							
L/XL	—	No	Yes	No	Quick-Connect	Quick-Connect	MLRAC-QC/UBL
Green							
2XL/3XL	Back D-Ring	No	Yes	No	Quick-Connect	Quick-Connect	MLRAC-QC2/3XLGN
2XL/3XL	Back D-Ring	No	Yes	No	Quick-Connect	Tongue	MLRAC-TB2/3XLGN
Positioning							
Black/Green							
S/M	Quick Connect Leg and Chest Straps, Integrated Shoulder Pads, Side D-Rings	Yes	Yes	No	Quick-Connect	Quick-Connect	MLRAC-QC-D/S/MGN
S/M	Tongue Buckle Leg and Quick Connect Chest Straps, Integrated Shoulder Pads	Yes	Yes	No	Quick-Connect	Tongue	MLRAC-TB-D/S/MGN
L/XL	Quick Connect Leg and Chest Straps, Integrated Shoulder and Lumbar Pads, Side D-Rings	Yes	Yes	No	Quick-Connect	Quick-Connect	MLRAC-QC-BDP/UGN
L/XL	Quick Connect Leg and Chest Straps, Integrated Shoulder Pads, Side D-Rings	Yes	Yes	No	Quick-Connect	Quick-Connect	MLRAC-QC-D/UGN
L/XL	Tongue Buckle Leg and Quick Connect Chest Straps, Integrated Shoulder and Lumbar Pads, Side D-Rings	Yes	Yes	No	Quick-Connect	Tongue	MLRAC-TB-BDP/UGN
L/XL	Tongue Buckle Leg and Quick Connect Chest Straps, Integrated Shoulder and Lumbar Pads, Side D-Rings	Yes	Yes	No	Quick-Connect	Tongue	MLRAC-TB-D/UGN
Blue							
L/XL	Front D-Ring, Duraflex Webbing	Yes	Yes	Yes	Mating	Tongue	MLRACOG-TBBCUB
Green							
L/XL	Instruction Manual	Yes	Yes	No	Quick-Connect	Quick-Connect	MLRACA-QC-D/UGN
L/XL	Instruction Manual	Yes	Yes	No	Quick-Connect	Quick-Connect	MLRACA-QC-BDP/UGN
L/XL	Instruction Manual	Yes	Yes	No	Quick-Connect	Tongue	MLRACA-TB-D/UGN
L/XL	Instruction Manual	Yes	Yes	No	Quick-Connect	Tongue	MLRACA-TB-BDP/UGN
Black/Green							
2XL/3XL	Quick Connect Leg and Chest Straps, Integrated Shoulder and Lumbar Pads, Side D-Rings	Yes	Yes	No	Quick-Connect	Quick-Connect	MLRACQCBDP2/3XLGN
Green							
2XL/3XL	Side and Back D-Rings	Yes	Yes	No	Quick-Connect	Tongue	MLRAC-TB-D2/3XLGN

HONEYWELL MILLER

Miller Revolution™ Full-Body Harnesses

- Meet ANSI, and CSA standards
- Tensile strength: 6000 lb.
- Capacity: 400 lb.

Durable harnesses have flexible, 2-sided polyester webbing with contrasting color. Shape retention memory and independent upper- and lower-torso adjustments make them comfortable enough to wear all day. Web finials' clip-on design organizes webbing after proper adjustment. Highly visible encapsulated pack protects label. Stand-up D-ring allows easy attachment. Back shield conforms to most body shapes, keeps back D-ring in proper position, and minimizes impact from snap hooks and self-retracting lifelines. Cam buckle permits 1-handed adjustment or release simultaneous with shoulder strap. PivotLink™ Connection rotary design allows harnesses to move with the body. Provides attachment point for belts, tools, and accessories. Fall indicators take the guesswork out of when to take harnesses out of service. Flexible belt pads on Nos. MLRRDT-QC-DP/UBK to MLRRDT-TB-BDP/UBK minimize absorption and maintain optimal air circulation during positioning.

Revolution™ Construction - Designed to meet the durability requirements for construction applications while providing all-day comfort. Feature back and shoulder padding and modular accessory attachment system.

Revolution™ Arc-Rated - Insulated against electrical shock, with fire-retardant Kevlar® webbing and leather under all hardware. No. MLRRKNARRL-QC/UBK has front rescue loops.

Relief Step™ Safety Device No. MLR9099X/12 - Allows suspended worker to stand up in harness to enhance blood circulation and prevent suspension trauma after a fall. Small, lightweight unit attaches to any full-body harness.



MLR650/UYK

Item Positioning	Series	Back D-Ring	Front D-Ring	Side D-Rings	Leg Strap Buckles	Chest Strap Buckles	Harness Sizing	Item No.
Harness	Revolution	Yes	No	Yes	Mating	Mating	L/XL	MLR10CNTB-BDP/UGN
Harness	Miller Revolution	Yes	No	Yes	Quick-Connect	Quick-Connect	Universal	MLRRDT-QC-DP/UBK
Harness	Miller Revolution	Yes	No	Yes	Quick-Connect	Quick-Connect	Universal	MLRRDT-QC-BDP/UBK
Harness	Miller Revolution	Yes	No	Yes	Tongue	Quick-Connect	Universal	MLRRDT-TB-DP/UBK
Harness	Miller Revolution	Yes	No	Yes	Tongue	Quick-Connect	Universal	MLRRDT-TB-BDP/UBK
General Use								
Harness	Non-Stretch	Yes	No	No	Mating	Mating	L/XL	MLR650/UYK
Harness	Revolution	Yes	No	No	Mating	Mating	L/XL	MLRR10CN-MB/UGN
Harness	Revolution	Yes	No	No	Mating	Mating	L/XL	MLRR10CN-TB/UGN
Harness	Non-Stretch	Yes	No	No	Mating	Mating	L/XL	MLR650K/UBL
Harness	Miller Revolution	Yes	No	No	Quick-Connect	Quick-Connect	Universal	MLRRDT-QC/UBK
Harness	Miller Revolution	Yes	No	No	Quick-Connect	Quick-Connect	Universal	MLRRDT-QC-B/UBK
Fall Protection	Revolution	Web Loop	No	No	Quick-Connect	Quick-Connect	Universal	MLRRKNARL-QC/UBK
Harness	Miller Revolution	Yes	No	No	Tongue	Quick-Connect	Universal	MLRRDT-TB/UBK
—	Relief Step	—	Yes	—	—	—	—	MLR9099X/12



Register now
Enjoy these features & more

- ✓ Access your pricing
- ✓ View order history
- ✓ Save favourites to your personal lists
- ✓ Quicker check-outs with saved shipping features

Sign in or register on **Grainger.ca** today

DBI-SALA

Nano-Lok Connectors

Each Nano-Lok SRL has an integrated anchorage loop to let you install anchorage connections such as these and leave the harness dorsal D-ring open for other equipment or rescue.



DBI3100088

Item	Hardware Material	Body Material	Type	For Use With	Item No.
Harness Quick Connector	Steel	Zinc-Plated Steel	Twin Leg	Nano-Lok Twin Leg Self-Retracting Lanyards	DBI3100087
Harness Quick Connector	Steel	Zinc-Plated Steel	Single Leg	Nano-Lok Single Leg Self-Retracting Lanyards	DBI3100088
Cab Mount Bracket	Steel	Stainless Steel	Cab Mount	Nano-Lok Single Leg Self-Retracting Lanyards	DBI3100089

HONEYWELL MILLER, MILLER

Personal Fall Limiters (PFLs)

- Meet ANSI and CSA standards

Self-retracting lanyards with polyester webbing and quick-activating brake systems eliminate the need for extended fall distance clearance. 6-ft. working length is suitable for most applications; 9-ft. length is great for scaffolding and order picker applications; 11-ft. length offers maximum mobility. Harness connectors have 3600-lb. gate strength unless noted as 5K (5000 lb.). Connectors are made of steel unless noted as aluminium.

MiniLite® - Lightweight stainless steel interior components with high-impact thermoplastic housing.

Scorpion™ - Can be attached directly to the harness D-ring for use as a personal fall limiter or as a traditional lifeline.

TurboLite™ - Impact-resistant nylon housing is compact and lightweight. Unit attaches directly to harness back D-ring for increased mobility.

Twin Turbo™ Systems - Allow 2 TurboLite or Turbo T-BAK tie-back retractable PFLs to be connected to a single harness for 100% tie-off fall protection. Systems with D-ring connector easily attach to noncoated metallic back D-rings. Systems with lightweight G2 connector attach to harness webbing below the D-ring, leaving it open for other equipment. G2 Connector Kit and components are available separately.



MLRPFL6Z7/9FT



MLRMFLC4Z7/6FT



MLRMFLB/

SRL Length D-Ring Connector	Cable Dia.	No. of Legs	Anchorage Hook Type	Harness Hook Type	Weight Capacity	Series	Item No.
—	—	—	—	—	400 lb	Twin Turbo	MLRMFLB/
Fall Limiter							
6 ft.	—	1	Snap Hook	—	400 lb	TurboLite	MLRMFL3Z7/6FT
6 ft.	—	1	Rebar Hook	—	400 lb	TurboLite	MLRMFL4Z7/6FT
6 ft.	5/8"	2	Steel Snap Hook	Snap Hook	400 lb	Twin Turbo	MLRMFLB3Z7/6FT
Personal Fall Limiter							
6 ft.	1"	2	Steel Rebar Hook	Snap Hook	400 lb	Twin Turbo	MLRMFLB4Z7/6FT
—	—	1	—	—	310 lb	Scorpion™	MLRPFL6Z7/9FT
—	—	1	—	—	420 lb	TurboLite+	MLRMTL0HW105/11FT
—	—	1	—	—	420 lb	TurboLite+	MLRMTL0HW101/11FT
Self-Retracting Lifeline							
6 ft.	1"	2	Steel Snap Hook	Snap Hook	400 lb	Twin Turbo	MLRMFLC3Z7/6FT
6 ft.	1"	2	Steel Rebar Hook	Snap Hook	400 lb	Twin Turbo	MLRMFLC4Z7/6FT
9 ft.	1"	1	Steel Snap Hook	Steel Snap Hook	400 lb	TurboLite	MLRMFL9Z7/9FT
9 ft.	1"	1	Aluminum Rebar Hook	Aluminum Carabiner	400 lb	TurboLite	MLRMFL12Z7/9FT
9 ft.	1"	1	Steel Snap Hook	Steel Carabiner	400 lb	TurboLite	MLRMFL12Z7/9FT
9 ft.	1"	2	Steel Snap Hook	Snap Hook	400 lb	Twin Turbo	MLRMFLC3Z7/9FT
9 ft.	1"	2	Aluminum Rebar Hook	Snap Hook	400 lb	Twin Turbo	MLRMFLC12Z7/9FT
—	—	1	—	—	400 lb	TurboLite	MLRMFL9Z7/6FT
—	1"	1	—	—	310 lb	MiniLite	MLRFL11-1Z7/11FT

DBI-SALA, PROTECTA

Self-Retracting Lifelines

Talon™ - Tie-Back. Eliminate the need for a separate anchorage connector. Built-in lanyard keepers and hook-and-loop attachment fit most harnesses. Meet ANSI and CSA standards.



DBI3101554

Lifeline Length	No. of Legs	Cable Dia.	Locking Anchorage Connection Hook Type	Locking Harness Connection Hook Type	Weight Capacity	Line Material	Series	Brand	Item No.
30 ft	—	3/16"	—	—	310 lb	Galvanized Steel	Ultra-Lok	Dbi-Sala	DBI3504430C
33 ft	—	3/16"	Carabiner	—	310 lb	Galvanized Steel Cable	Rebel	Protecta	DBI3590502
33 ft	—	3/16"	Carabiner	—	310 lb	Stainless Steel	Rebel	Protecta	DBI3590503
50 ft	—	3/16"	Carabiner	—	310 lb	Galvanized Steel Cable	Rebel	Protecta	DBI3590552
8 ft	1	3/16"	Steel Swivel Snap Hook	Web Connector	310 lb	Galvanized Steel	Nano-Lok	Dbi-Sala	DBI3500218
8 ft	1	3/16"	Steel Rebar Lock Hook	Web Connector	310 lb	Galvanized Steel	Nano-Lok	Dbi-Sala	DBI3500219
8 ft	2	3/4"	(2) Steel Rebar Hooks	Web Connector	420 lb	Nomex®/Kevlar®	Nano-Lok	Dbi-Sala	DBI3101551
8 ft	2	3/4"	(2) Aluminum Rebar Hooks	Web Connector	420 lb	Nomex®/Kevlar®	Nano-Lok	Dbi-Sala	DBI3101554

HONEYWELL MILLER**Shock-Absorbing Lanyards**

- Meet ANSI standards
- Weight capacity: 310 lb.

Shock-absorbing woven inner core smoothly expand to reduce fall forces. Snap hooks have 3/4" gate opening; rebar hooks have 2 1/2" gate opening.



MLR231M-Z7/6FTGN

Line Material	Anchorage End Connection	Working Length	No. of Legs	Weight Capacity	Locking Anchorage Connection Hook Type	Locking Harness Connection Hook Type	Colour	Includes	Item No.
Polyester	Steel Snap Hook	4 ft. - 6 ft.	2	310 lb	(2) Rebar	Snap	Green	2-Legged, 6' Stretchable Web Lanyard with Locking Snap Hook and 2 Locking Rebar Hooks (2 1/2")	MLR231M-Z7/6FTGN