

# 云端倾情打造!!!

## 其实是晴佬弄的 BOT

1. 按照 gptQbot 配置好 go-cqhttp 和 config（我就不教了）

（如果 windows 启动代码错误：打开 cmd，

输入 pip install slack\_sdk）（我猜的）

2. 重点在配置 Slack\_Bot

Network	2023/3/21 20:59	PY 文件	3 KB
python-3.11.1-amd64	2022/12/8 21:42	应用程序	24,628 KB
QBot	2023/4/17 1:10	PY 文件	63 KB
requirements	2023/3/10 12:43	文本文档	1 KB
Slack_Bot	2023/4/17 1:23	PY 文件	5 KB
text_to_image	2023/3/2 12:36	PY 文件	10 KB
text_to_speech	2023/3/26 9:28	PY 文件	1 KB
TTS	2023/3/23 20:31	PY 文件	4 KB
txtReader	2023/3/21 20:59	PY 文件	1 KB
windows启动	2022/12/14 17:43	Windows 批处理...	1 KB
安装依赖	2023/3/2 12:41	Windows 批处理...	1 KB

这个

3.

```
# 应用程序令牌和机器人令牌
SLACK_APP_TOKEN = "xapp"
SLACK_BOT_TOKEN = "xoxp"

# 使用机器人令牌实例化Web客户端
client = WebClient(token=SLACK_BOT_TOKEN)

# 您希望发送消息的频道ID
channel_id = "C"
claude_id = "U"

sessions = {}

max_retries = 5
def send_message_to_channel(channel_id:Union[str,int]=channel_id, message_text:str = "",session_id:str = "01"):
```

这两个


还有这两个

4. 首先是令牌打开这个网站（这个是说明书）：

<https://ikechan8370.com/archives/chatgpt-plugin-for-yunzaipei-zhi-slack-claude>

我们按着这个网站的教程走，但只要找到下面图片中的两个即可，不用全配置完

（放个链接怕你们打不开这个网站：<https://api.slack.com/apps/>）



然后另一个

jack

Settings

Basic Information

Collaborators

Socket Mode

Install App

Manage Distribution

Features

App Home

Org Level Apps

Incoming Webhooks

Interactivity & Shortcuts

Slash Commands

Workflow Steps

OAuth & Permissions

Event Subscriptions

User ID Translation

App Manifest

Beta Features

Submit to App Directory

Review & Submit

Give feedback

## Basic Information

### Building Apps for Slack

Create an app that's just for your workspace (or build one that can be used by any workspace) by following the steps below.

Add features and functionality

Install your app

Manage distribution

### App Credentials

These credentials allow your app to access the Slack API. They are secret. Please don't share your app credentials with anyone, include them in public code repositories, or store them in insecure ways.

App ID

Date of App Creation

Client ID

## App-Level Tokens

App-level tokens allow your app to use platform features that apply to multiple (or all) installations—for example, the [API to list event authorizations](#). Features have distinct scopes, so request only the scopes for the features you need. Each app can have a maximum of 10 app-level tokens at one time.

### Tokens

Token Name	Scope
jack	connections:write, authorizations:read,app_configurations:write

Generate Token and Scopes

## Generate an app-level token

### Token Name

This will be how you refer to your token

### Scopes to be accessed by this token

#### Scope

#### Description

You haven't added any scopes for your app-level token.

Add Scope

Cancel

Generate

1

×

### Properties of an app level token

#### Generated By

xubro555

#### Date Generated

April 17th, 2023

#### Token

xapp-1-A053H2NNHK6-5121185759060-5d9f

Copy

Revoke

#### Scope

connections:write

Route your app's interactions and event payloads over WebSockets



authorizations:read

View information about your app's authorizations on installed teams

app\_configurations:write Configure your application

Done

5. 打开你的工作区（往下翻，别漏看了）



6, 按理说应该已经可以了, 如果不行试试把频道换一下  
(5 成功就可以试试不行再来试试 6!!!)

6.

Slack API: Applications | jack Sla... x 随机 - jack - 2 个新项目 - Slack x

https://app.slack.com/client/T0532P4MBHC/C05322A7RAL

搜索 jack

jack ▾

消息列

提及和回复

草稿和已发送 0/1

更多

频道

1

# 帮助

# 全体

# 随机

+ 添加频道

私信

Slackbot

xubro555 你

+ 添加同事

应用

Claude 2

jack

+ 添加应用

随机 ▾

# 随机 ▾

+ 添加书签

xubro555 凌晨 12:37

@Claude 如果给你设定，你能遵循设定进行特殊的角色扮演吗，如果可以的话，请回复"是的"

3 条回复 最后一次回复时间为今天 凌晨 12:38

xubro555 凌晨 12:41

@Claude 如果给你设定，你能遵循设定进行特殊的角色扮演吗，如果可以的话，请回复"是的"

3 条回复 最后一次回复时间为今天 凌晨 12:41

xubro555 凌晨 12:45

@Claude 如果给你设定，你能遵循设定进行特殊的角色扮演吗，如果可以的话，请回复"是的"

3 条回复 最后一次回复时间为今天 凌晨 12:45

xubro555 凌晨 12:47

@Claude 如果给你设定，你能遵循设定进行特殊的角色扮演吗，如果可以的话，请回复"是的"

3 条回复 查看消息列

xubro555 凌晨 12:49

@Claude 如果给你设定，你能遵循设定进行特殊的角色扮演吗，如果可以的话，请回复"是的"

3 条回复 最后一次回复时间为今天 凌晨 12:50

1. 随便点击一个频道并且添加克劳德进来

2. C0。。这个就是频道，用来配置