

# Test Results Report

---

River Hawk Consulting, LLC · IMAX HCD Prototype OT  
August 8, 2026

# CONTENTS

|                                      |       |
|--------------------------------------|-------|
| Test Results Report                  | ..... |
| Angular build — specs by file        | ..... |
| ng/bilingual.spec.js — 2/2           | ..... |
| ng/bulk-confirm.spec.js — 4/4        | ..... |
| ng/conversation-note.spec.js — 4/4   | ..... |
| ng/customs-file.spec.js — 3/3        | ..... |
| ng/enrichment.spec.js — 3/3          | ..... |
| ng/export-modal-fit.spec.js — 2/2    | ..... |
| ng/flagged-facet.spec.js — 3/3       | ..... |
| ng/gold-copy-panel.spec.js — 4/4     | ..... |
| ng/multipage-doc.spec.js — 2/2       | ..... |
| ng/ocr-bilingual-lines.spec.js — 3/3 | ..... |
| ng/ocr-gloss-review.spec.js — 4/4    | ..... |
| ng/ocr-threadgold.spec.js — 3/3      | ..... |
| ng/ocr-viewer-size.spec.js — 4/4     | ..... |
| ng/panels.spec.js — 2/2              | ..... |
| ng/queue-only.spec.js — 2/2          | ..... |
| ng/queue.spec.js — 3/3               | ..... |
| ng/search.spec.js — 3/3              | ..... |
| ng/viewer.spec.js — 4/4              | ..... |
| ng/virtual-scroll.spec.js — 5/5      | ..... |
| services.spec.js — 6/6               | ..... |
| shell.spec.js — 2/2                  | ..... |

React reference build .....  
Other suites .....  
What is not covered .....

# Test Results Report

**TDD data deliverable D3** · Agreement No. 5600002690012 River Hawk Consulting, LLC ·  
UNCLASSIFIED

Generated by `scripts/make-test-report.js` directly from the Playwright JSON reporter output in `project/evidence/`. The numbers below are read from the run, not transcribed, so this document cannot claim a result the suite did not produce.

| Suite                                           | Specs | Passed | Failed | Flaky | Duration | Run at                  | Verdict     |
|-------------------------------------------------|-------|--------|--------|-------|----------|-------------------------|-------------|
| Angular build<br>(delivered)                    | 68    | 68     | 0      | 0     | 8.1 s    | 2026-08-08<br>12:33:57Z | <b>PASS</b> |
| React reference<br>(evaluated Phase 2<br>build) | 16    | 16     | 0      | 0     | 6.2 s    | 2026-08-08<br>10:19:34Z | <b>PASS</b> |

Evidence files: `project/evidence/e2e-results-2026-08-08.json`,  
`project/evidence/react-reference-results-2026-08-08.json`.

## Angular build — specs by file

`NG/BILINGUAL.SPEC.JS` — 2/2

| Result | Specification                                                             | Duration |
|--------|---------------------------------------------------------------------------|----------|
| ✓      | threads open bilingual: English leads, source always on screen, no toggle | 450 ms   |
| ✓      | correction happens against the source; review state is obvious            | 412 ms   |

## NG/BULK-CONFIRM.SPEC.JS — 4/4

| Result | Specification                                                       | Duration |
|--------|---------------------------------------------------------------------|----------|
| ✓      | the bulk accept is not offered when reading each message is the job | 431 ms   |
| ✓      | a long thread can be cleared in one action, after stating the count | 596 ms   |
| ✓      | declining the accept changes nothing                                | 491 ms   |
| ✓      | the gold copy reports bulk acceptance as what it was                | 655 ms   |

## NG/CONVERSATION-NOTE.SPEC.JS — 4/4

| Result | Specification                                                                 | Duration |
|--------|-------------------------------------------------------------------------------|----------|
| ✓      | a conversation note is recorded against the thread and shown above the stream | 544 ms   |
| ✓      | the conversation note leads the gold copy, ahead of the transcript            | 579 ms   |
| ✓      | a conversation note can be withdrawn                                          | 327 ms   |
| ✓      | the note follows the conversation, not the screen                             | 395 ms   |

## NG/CUSTOMS-FILE.SPEC.JS — 3/3

| Result | Specification                                                            | Duration |
|--------|--------------------------------------------------------------------------|----------|
| ✓      | the customs file opens, pages through all five, and reads RTL            | 582 ms   |
| ✓      | the customs file carries an English gloss covering the whole document    | 312 ms   |
| ✓      | the customs file is reachable by its declaration number and its entities | 486 ms   |

**NG/ENRICHMENT.SPEC.JS — 3/3**

| Result | Specification                                                                                | Duration |
|--------|----------------------------------------------------------------------------------------------|----------|
| ✓      | auto-translation renders and thread-level entity extraction chips every message              | 621 ms   |
| ✓      | translation review and analyst note (smoke-6 review flow, clips removed)                     | 457 ms   |
| ✓      | the one output: export is locked until a thread is promoted, then carries verdicts and notes | 550 ms   |

**NG/EXPORT-MODAL-FIT.SPEC.JS — 2/2**

| Result | Specification                                                               | Duration |
|--------|-----------------------------------------------------------------------------|----------|
| ✓      | the transcript field stays inside the export dialog, restored and maximized | 755 ms   |
| ✓      | maximize grows the dialog in both directions, not just sideways             | 559 ms   |

**NG/FLAGGED-FACET.SPEC.JS — 3/3**

| Result | Specification                                                        | Duration |
|--------|----------------------------------------------------------------------|----------|
| ✓      | flagging surfaces a Flagged facet that isolates the handoff pile     | 706 ms   |
| ✓      | flagged-first sorting lifts the handoff pile without losing the rest | 271 ms   |
| ✓      | the flagged filter clears with everything else                       | 441 ms   |

**NG/GOLD-COPY-PANEL.SPEC.JS — 4/4**

| Result | Specification                                                      | Duration |
|--------|--------------------------------------------------------------------|----------|
| ✓      | copying the export confirms it happened                            | 767 ms   |
| ✓      | the export dialog is large and maximizes                           | 740 ms   |
| ✓      | gold threads reorder by drag, and the export follows the new order | 1150 ms  |
| ✓      | both side panels resize by dragging, and double-click restores     | 404 ms   |

## NG/MULTIPAGE-DOC.SPEC.JS — 2/2

| Result | Specification                                                  | Duration |
|--------|----------------------------------------------------------------|----------|
| ✓      | multi-page Russian document: pages, Cyrillic blocks, and gloss | 417 ms   |
| ✓      | the contract surfaces in a flagged-numbers watchlist sweep     | 486 ms   |

## NG/OCR-BILINGUAL-LINES.SPEC.JS — 3/3

| Result | Specification                                                              | Duration |
|--------|----------------------------------------------------------------------------|----------|
| ✓      | an RTL document puts the original on the right and the English on the left | 384 ms   |
| ✓      | an LTR document puts the original on the left and the English on the right | 344 ms   |
| ✓      | every line on the page is paired, and the pairing follows paging           | 389 ms   |

## NG/OCR-GLOSS-REVIEW.SPEC.JS — 4/4

| Result | Specification                                                         | Duration |
|--------|-----------------------------------------------------------------------|----------|
| ✓      | the document translation can be confirmed, and the verdict taken back | 419 ms   |
| ✓      | the document translation can be corrected against the original        | 426 ms   |
| ✓      | the document can be sent back for a fresh translation                 | 472 ms   |
| ✓      | the scan and the two text layers stack in reading order               | 357 ms   |

## NG/OCR-THREADGOLD.SPEC.JS — 3/3

| Result | Specification                                                          | Duration |
|--------|------------------------------------------------------------------------|----------|
| ✓      | officer document annotation: tag + note, and the tag filters the queue | 483 ms   |
| ✓      | OCR viewer: extracted blocks render with engine caption                | 291 ms   |
| ✓      | thread gold: translate thread, review all, promote — the stack ticks   | 440 ms   |

## NG/OCR-VIEWER-SIZE.SPEC.JS — 4/4

| Result | Specification                                                          | Duration |
|--------|------------------------------------------------------------------------|----------|
| ✓      | the scan viewer maximizes and the image grows with it                  | 473 ms   |
| ✓      | zoom controls scale the scan past fit                                  | 595 ms   |
| ✓      | a coined tag carries to the next document, and Add works without Enter | 578 ms   |
| ✓      | typing a tag and clicking away still commits it                        | 241 ms   |

## NG/PANELS.SPEC.JS — 2/2

| Result | Specification                                               | Duration |
|--------|-------------------------------------------------------------|----------|
| ✓      | triage panel collapses to a rail and expands via nav-expand | 258 ms   |
| ✓      | gold copy panel collapses independently via goldcopy-expand | 235 ms   |

## NG/QUEUE-ONLY.SPEC.JS — 2/2

| Result | Specification                                                    | Duration |
|--------|------------------------------------------------------------------|----------|
| ✓      | find tools collapse to leave just the queue; stack controls stay | 435 ms   |
| ✓      | hiding the find tools returns the linguist to their stack        | 516 ms   |

## NG/QUEUE.SPEC.JS — 3/3

| Result | Specification                                                            | Duration |
|--------|--------------------------------------------------------------------------|----------|
| ✓      | content-type, language scope, and the stack ticks only when work is done | 629 ms   |
| ✓      | queue progress ticks via strip decisions and the stack can run clear     | 629 ms   |
| ✓      | thread selection opens the viewer header                                 | 186 ms   |



## NG/SEARCH.SPEC.JS — 3/3

| Result | Specification                                                          | Duration |
|--------|------------------------------------------------------------------------|----------|
| ✓      | facet and group triage filters return scoped results                   | 1154 ms  |
| ✓      | 4-language search: native scripts, cross-language, stats               | 770 ms   |
| ✓      | entity mode with a group implies selector search; hit opens the thread | 537 ms   |

## NG/VIEWER.SPEC.JS — 4/4

| Result | Specification                                                   | Duration |
|--------|-----------------------------------------------------------------|----------|
| ✓      | thread queue loads and Arabic message renders RTL               | 200 ms   |
| ✓      | message search accepts native-script and cross-language queries | 879 ms   |
| ✓      | search hit lands on the evidence with a flash                   | 2253 ms  |
| ✓      | summary widget renders on demand and collapses out of the way   | 265 ms   |

## NG/VIRTUAL-SCROLL.SPEC.JS — 5/5

| Result | Specification                                                                | Duration |
|--------|------------------------------------------------------------------------------|----------|
| ✓      | the message stream is windowed: a 2,000-message thread renders a bounded DOM | 265 ms   |
| ✓      | scrolling a large thread stays inside the interaction budget                 | 378 ms   |
| ✓      | sort order applies at volume and the toggle reverses it                      | 538 ms   |
| ✓      | the reserved row height matches what a message actually renders at           | 660 ms   |
| ✓      | scrolling up slowly never leaves the window blank                            | 3111 ms  |

**SERVICES.SPEC.JS — 6/6**

| Result | Specification                                                 | Duration |
|--------|---------------------------------------------------------------|----------|
| ✓      | search: thread list, thread messages, groups                  | 71 ms    |
| ✓      | search: triage query returns matches, stats, and facet counts | 37 ms    |
| ✓      | translate: fixture message translates to English              | 46 ms    |
| ✓      | entities: fixture message yields person + phone               | 39 ms    |
| ✓      | summarize: fixture thread yields summary                      | 48 ms    |
| ✓      | ocr: fixture attachment yields full text and blocks           | 47 ms    |

**SHELL.SPEC.JS — 2/2**

| Result | Specification                                    | Duration |
|--------|--------------------------------------------------|----------|
| ✓      | app shell renders the toolbar and UNCLASS banner | 138 ms   |
| ✓      | dev proxy reaches the mock search service        | 42 ms    |

## React reference build

The evaluated Phase 2 implementation is retained in the repository unmodified and is re-proven on every push. It is the restoration path if the Government prefers strict parity with what it evaluated (see `hcd/one_output_model.md`).

| Result | Specification                                                          | Duration |
|--------|------------------------------------------------------------------------|----------|
| ✓      | capture demo state                                                     | 1368 ms  |
| ✓      | search: thread list, thread messages, groups                           | 214 ms   |
| ✓      | search: triage query returns matches, stats, and facet counts          | 37 ms    |
| ✓      | translate: fixture message translates to English                       | 39 ms    |
| ✓      | entities: fixture message yields person + phone                        | 33 ms    |
| ✓      | summarize: fixture thread yields summary                               | 35 ms    |
| ✓      | ocr: fixture attachment yields full text and blocks                    | 33 ms    |
| ✓      | app shell renders the toolbar and UNCLASS banner                       | 392 ms   |
| ✓      | dev proxy reaches the mock search service                              | 39 ms    |
| ✓      | thread queue loads and Arabic message renders RTL                      | 505 ms   |
| ✓      | translate, extract entities, and clip to gold copy with provenance     | 567 ms   |
| ✓      | message search accepts native-script and cross-language queries        | 902 ms   |
| ✓      | facet and group triage filters return scoped results                   | 1496 ms  |
| ✓      | content-type, language scope, and queue disposition                    | 940 ms   |
| ✓      | translation review and analyst note flow into gold copy                | 746 ms   |
| ✓      | officer document annotation: tag + note flow into search and gold copy | 675 ms   |

## Other suites

| Suite                                                      | Command                                | Count |
|------------------------------------------------------------|----------------------------------------|-------|
| Angular unit (wire-format and shell)                       | <code>npm test --prefix angular</code> | 10    |
| Node unit (identity resolution, SigV4, certificate shapes) | <code>npm run test:node</code>         | 59    |

## What is not covered

Stated rather than left to be discovered:

- **Screenshot-diff specs** were trimmed under the pre-agreed scope-trim order. Visual parity against the evaluated build is evidenced by side-by-side captures in `project/parity/` instead of by assertion.
- **No test runs against the target environment.** Every result here is from a local Kubernetes cluster in CI, which is the fallback the TDD states for pending sandbox access.
- **No test exercises the live model gateway.** `MODEL_ENDPOINT`, `MODEL_NAME` and `MODEL_API_KEY` are environment-specific and absent from the repository; the services answer from fixtures without them and log which mode they are in at startup.
- **The 200 ms interaction budget is measured on the corpus's standing channel**, a 2,388-message conversation collected over fourteen days and held as one thread because that is how a standing channel is worked (targeting direction, 8 Aug). `virtual-scroll.spec.js` additionally drives a synthetic 2,000-message thread as a controlled repeat. The budget itself is the TDD's (Task 5).