

Test Results Report

River Hawk Consulting, LLC · IMAX HCD Prototype OT
August 8, 2026

CONTENTS

Test Results Report	
Angular build — specs by file	
ng/bilingual.spec.js — 2/2	
ng/bulk-confirm.spec.js — 4/4	
ng/conversation-note.spec.js — 4/4	
ng/customs-file.spec.js — 3/3	
ng/degraded-service.spec.js — 2/2	
ng/enrichment.spec.js — 3/3	
ng/export-modal-fit.spec.js — 2/2	
ng/flagged-facet.spec.js — 3/3	
ng/gold-copy-panel.spec.js — 4/4	
ng/multipage-doc.spec.js — 2/2	
ng/ocr-bilingual-lines.spec.js — 3/3	
ng/ocr-gloss-review.spec.js — 4/4	
ng/ocr-threadgold.spec.js — 3/3	
ng/ocr-viewer-size.spec.js — 4/4	
ng/panels.spec.js — 2/2	
ng/queue-only.spec.js — 2/2	
ng/queue.spec.js — 3/3	
ng/search.spec.js — 3/3	
ng/viewer.spec.js — 4/4	
ng/virtual-scroll.spec.js — 7/7	
services.spec.js — 6/6	

shell.spec.js — 2/2	
React reference build	
Other suites	
What is not covered	

Test Results Report

TDD data deliverable D3 · Agreement No. 5600002690012 River Hawk Consulting, LLC ·
UNCLASSIFIED

Generated by `scripts/make-test-report.js` directly from the Playwright JSON reporter output in `project/evidence/`. The numbers below are read from the run, not transcribed, so this document cannot claim a result the suite did not produce.

Suite	Specs	Passed	Failed	Flaky	Duration	Run at	Verdict
Angular build (delivered)	72	72	0	0	15.1 s	2026-08-08 18:13:54Z	PASS
React reference (evaluated Phase 2 build)	16	16	0	0	6.2 s	2026-08-08 10:19:34Z	PASS

Evidence files: `project/evidence/e2e-results-2026-08-08.json`,
`project/evidence/react-reference-results-2026-08-08.json`.

Angular build — specs by file

`NG/BILINGUAL.SPEC.JS` — 2/2

Result	Specification	Duration
✓	threads open bilingual: English leads, source always on screen, no toggle	459 ms
✓	correction happens against the source; review state is obvious	399 ms

NG/BULK-CONFIRM.SPEC.JS — 4/4

Result	Specification	Duration
✓	the bulk accept is not offered when reading each message is the job	339 ms
✓	a long thread can be cleared in one action, after stating the count	544 ms
✓	declining the accept changes nothing	459 ms
✓	the gold copy reports bulk acceptance as what it was	642 ms

NG/CONVERSATION-NOTE.SPEC.JS — 4/4

Result	Specification	Duration
✓	a conversation note is recorded against the thread and shown above the stream	528 ms
✓	the conversation note leads the gold copy, ahead of the transcript	563 ms
✓	a conversation note can be withdrawn	393 ms
✓	the note follows the conversation, not the screen	361 ms

NG/CUSTOMS-FILE.SPEC.JS — 3/3

Result	Specification	Duration
✓	the customs file opens, pages through all five, and reads RTL	635 ms
✓	the customs file carries an English gloss covering the whole document	332 ms
✓	the customs file is reachable by its declaration number and its entities	463 ms

NG/DEGRADED-SERVICE.SPEC.JS — 2/2

Result	Specification	Duration
✓	a failed live service is stated on screen, not just in a server log	477 ms
✓	a healthy service shows no warning	307 ms

NG/ENRICHMENT.SPEC.JS — 3/3

Result	Specification	Duration
✓	auto-translation renders and thread-level entity extraction chips every message	469 ms
✓	translation review and analyst note (smoke-6 review flow, clips removed)	493 ms
✓	the one output: export is locked until a thread is promoted, then carries verdicts and notes	603 ms

NG/EXPORT-MODAL-FIT.SPEC.JS — 2/2

Result	Specification	Duration
✓	the transcript field stays inside the export dialog, restored and maximized	724 ms
✓	maximize grows the dialog in both directions, not just sideways	477 ms

NG/FLAGGED-FACET.SPEC.JS — 3/3

Result	Specification	Duration
✓	flagging surfaces a Flagged facet that isolates the handoff pile	659 ms
✓	flagged-first sorting lifts the handoff pile without losing the rest	274 ms
✓	the flagged filter clears with everything else	447 ms

NG/GOLD-COPY-PANEL.SPEC.JS — 4/4

Result	Specification	Duration
✓	copying the export confirms it happened	577 ms
✓	the export dialog is large and maximizes	713 ms
✓	gold threads reorder by drag, and the export follows the new order	1119 ms
✓	both side panels resize by dragging, and double-click restores	364 ms

NG/MULTIPAGE-DOC.SPEC.JS — 2/2

Result	Specification	Duration
✓	multi-page Russian document: pages, Cyrillic blocks, and gloss	386 ms
✓	the contract surfaces in a flagged-numbers watchlist sweep	482 ms

NG/OCR-BILINGUAL-LINES.SPEC.JS — 3/3

Result	Specification	Duration
✓	an RTL document puts the original on the right and the English on the left	318 ms
✓	an LTR document puts the original on the left and the English on the right	329 ms
✓	every line on the page is paired, and the pairing follows paging	394 ms

NG/OCR-GLOSS-REVIEW.SPEC.JS — 4/4

Result	Specification	Duration
✓	the document translation can be confirmed, and the verdict taken back	400 ms
✓	the document translation can be corrected against the original	365 ms
✓	the document can be sent back for a fresh translation	423 ms
✓	the scan and the two text layers stack in reading order	283 ms

NG/OCR-THREADGOLD.SPEC.JS — 3/3

Result	Specification	Duration
✓	officer document annotation: tag + note, and the tag filters the queue	459 ms
✓	OCR viewer: extracted blocks render with engine caption	308 ms
✓	thread gold: translate thread, review all, promote — the stack ticks	458 ms

NG/OCR-VIEWER-SIZE.SPEC.JS — 4/4

Result	Specification	Duration
✓	the scan viewer maximizes and the image grows with it	485 ms
✓	zoom controls scale the scan past fit	618 ms
✓	a coined tag carries to the next document, and Add works without Enter	533 ms
✓	typing a tag and clicking away still commits it	230 ms

NG/PANELS.SPEC.JS — 2/2

Result	Specification	Duration
✓	triage panel collapses to a rail and expands via nav-expand	201 ms
✓	gold copy panel collapses independently via goldcopy-expand	219 ms

NG/QUEUE-ONLY.SPEC.JS — 2/2

Result	Specification	Duration
✓	find tools collapse to leave just the queue; stack controls stay	433 ms
✓	hiding the find tools returns the linguist to their stack	499 ms

NG/QUEUE.SPEC.JS — 3/3

Result	Specification	Duration
✓	content-type, language scope, and the stack ticks only when work is done	660 ms
✓	queue progress ticks via strip decisions and the stack can run clear	661 ms
✓	thread selection opens the viewer header	201 ms

NG/SEARCH.SPEC.JS — 3/3

Result	Specification	Duration
✓	facet and group triage filters return scoped results	1114 ms
✓	4-language search: native scripts, cross-language, stats	808 ms
✓	entity mode with a group implies selector search; hit opens the thread	520 ms

NG/VIEWER.SPEC.JS — 4/4

Result	Specification	Duration
✓	thread queue loads and Arabic message renders RTL	215 ms
✓	message search accepts native-script and cross-language queries	800 ms
✓	search hit lands on the evidence with a flash	2329 ms
✓	summary widget renders on demand and collapses out of the way	260 ms

NG/VIRTUAL-SCROLL.SPEC.JS — 7/7

Result	Specification	Duration
✓	the message stream is windowed: a 2,000-message thread renders a bounded DOM	212 ms
✓	scrolling a large thread stays inside the interaction budget	390 ms
✓	sort order applies at volume and the toggle reverses it	1245 ms
✓	the reserved row height matches what a message actually renders at	942 ms
✓	scrolling up slowly never leaves the window blank	3162 ms
✓	the reservation follows the machine, not a number measured on one	1454 ms
✓	the row-height measurement converges and then stops	4632 ms

SERVICES.SPEC.JS — 6/6

Result	Specification	Duration
✓	search: thread list, thread messages, groups	53 ms
✓	search: triage query returns matches, stats, and facet counts	43 ms
✓	translate: fixture message translates to English	40 ms
✓	entities: fixture message yields person + phone	50 ms
✓	summarize: fixture thread yields summary	40 ms
✓	ocr: fixture attachment yields full text and blocks	35 ms

SHELL.SPEC.JS — 2/2

Result	Specification	Duration
✓	app shell renders the toolbar and UNCLASS banner	159 ms
✓	dev proxy reaches the mock search service	45 ms

React reference build

The evaluated Phase 2 implementation is retained in the repository unmodified and is re-proven on every push. It is the restoration path if the Government prefers strict parity with what it evaluated (see `hcd/one_output_model.md`).

Result	Specification	Duration
✓	capture demo state	1368 ms
✓	search: thread list, thread messages, groups	214 ms
✓	search: triage query returns matches, stats, and facet counts	37 ms
✓	translate: fixture message translates to English	39 ms
✓	entities: fixture message yields person + phone	33 ms
✓	summarize: fixture thread yields summary	35 ms
✓	ocr: fixture attachment yields full text and blocks	33 ms
✓	app shell renders the toolbar and UNCLASS banner	392 ms
✓	dev proxy reaches the mock search service	39 ms
✓	thread queue loads and Arabic message renders RTL	505 ms
✓	translate, extract entities, and clip to gold copy with provenance	567 ms
✓	message search accepts native-script and cross-language queries	902 ms
✓	facet and group triage filters return scoped results	1496 ms
✓	content-type, language scope, and queue disposition	940 ms
✓	translation review and analyst note flow into gold copy	746 ms
✓	officer document annotation: tag + note flow into search and gold copy	675 ms

Other suites

Suite	Command	Count
Angular unit (wire-format and shell)	<code>npm test --prefix angular</code>	10
Node unit (identity resolution, SigV4, certificate shapes)	<code>npm run test:node</code>	59

What is not covered

Stated rather than left to be discovered:

- **Screenshot-diff specs** were trimmed under the pre-agreed scope-trim order. Visual parity against the evaluated build is evidenced by side-by-side captures in `project/parity/` instead of by assertion.
- **No test runs against the target environment.** Every result here is from a local Kubernetes cluster in CI, which is the fallback the TDD states for pending sandbox access.
- **No test exercises the live model gateway.** `MODEL_ENDPOINT`, `MODEL_NAME` and `MODEL_API_KEY` are environment-specific and absent from the repository; the services answer from fixtures without them and log which mode they are in at startup.
- **The 200 ms interaction budget is measured on the corpus's standing channel**, a 2,388-message conversation collected over fourteen days and held as one thread because that is how a standing channel is worked (targeting direction, 8 Aug). `virtual-scroll.spec.js` additionally drives a synthetic 2,000-message thread as a controlled repeat. The budget itself is the TDD's (Task 5).