


```
"""
Django settings for wellnessreminder project.

Generated by 'django-admin startproject' using Django 5.2.11.

For more information on this file, see
https://docs.djangoproject.com/en/5.2/topics/settings/

For the full list of settings and their values, see
https://docs.djangoproject.com/en/5.2/ref/settings/
"""

import os
from pathlib import Path
from dotenv import load_dotenv

BASE_DIR = Path(__file__).resolve().parent.parent
```

```
load_dotenv(BASE_DIR / ".env")

DEBUG = os.getenv("DEBUG") == "True"

GRAPH_CLIENT_ID = os.getenv("GRAPH_CLIENT_ID")
GRAPH_CLIENT_SECRET = os.getenv("GRAPH_CLIENT_SECRET")
GRAPH_TENANT_ID = os.getenv("GRAPH_TENANT_ID")

# Build paths inside the project like this: BASE_DIR / 'subdir'.
BASE_DIR = Path(__file__).resolve().parent.parent


# Quick-start development settings - unsuitable for production
# See
https://docs.djangoproject.com/en/5.2/howto/deployment/checklist/

# SECURITY WARNING: keep the secret key used in production secret!
SECRET_KEY = 'django-insecure-
f@a+&a%uw2)h(%g+z8a93q5c@6_y6q!52k8eg1gyzs$akwkx))'


ALLOWED_HOSTS = [
    "127.0.0.1",
    "localhost",
    "unsecured-elsewhere-lea.ngrok-free.dev"
]
```

```
# Application definition

INSTALLED_APPS = [
    'django.contrib.admin',
    'django.contrib.auth',
    'django.contrib.contenttypes',
    'django.contrib.sessions',
    'django.contrib.messages',
    'django.contrib.staticfiles',
    'rest_framework',
    'corsheaders',
    'core.apps.CoreConfig',
]

MIDDLEWARE = [
    'corsheaders.middleware.CorsMiddleware',
    'django.middleware.security.SecurityMiddleware',
    'django.contrib.sessions.middleware.SessionMiddleware',
    'django.middleware.common.CommonMiddleware',
    'django.middleware.csrf.CsrfViewMiddleware',
    'django.contrib.auth.middleware.AuthenticationMiddleware',
    'django.contrib.messages.middleware.MessageMiddleware',
    'django.middleware.clickjacking.XFrameOptionsMiddleware',
]

ROOT_URLCONF = 'wellnessreminder.urls'

TEMPLATES = [
    {
```

```
        'BACKEND': 'django.template.backends.django.DjangoTemplates',
        'DIRS': [],
        'APP_DIRS': True,
        'OPTIONS': {
            'context_processors': [
                'django.template.context_processors.request',
                'django.contrib.auth.context_processors.auth',
                'django.contrib.messages.context_processors.messages',
            ],
        },
    },
]

WSGI_APPLICATION = 'wellnessreminder.wsgi.application'


# Database
# https://docs.djangoproject.com/en/5.2/ref/settings/#databases

DATABASES = {
    'default': {
        'ENGINE': 'django.db.backends.sqlite3',
        'NAME': BASE_DIR / 'db.sqlite3',
    }
}


# Password validation
# https://docs.djangoproject.com/en/5.2/ref/settings/#auth-password-
```

```
validators

AUTH_PASSWORD_VALIDATORS = [
    {
        'NAME':
'django.contrib.auth.password_validation.UserAttributeSimilarityValidat
or',
    },
    {
        'NAME':
'django.contrib.auth.password_validation.MinimumLengthValidator',
    },
    {
        'NAME':
'django.contrib.auth.password_validation.CommonPasswordValidator',
    },
    {
        'NAME':
'django.contrib.auth.password_validation.NumericPasswordValidator',
    },
]


# Internationalization
# https://docs.djangoproject.com/en/5.2/topics/i18n/

LANGUAGE_CODE = 'en-us'

TIME_ZONE = 'Asia/Kolkata'
```

```
USE_I18N = True

USE_TZ = True


# Static files (CSS, JavaScript, Images)
# https://docs.djangoproject.com/en/5.2/howto/static-files/

STATIC_URL = 'static/'

# Default primary key field type
# https://docs.djangoproject.com/en/5.2/ref/settings/#default-auto-
field

DEFAULT_AUTO_FIELD = 'django.db.models.BigAutoField'
CORS_ALLOW_ALL_ORIGINS = True

# CELERY_BROKER_URL = "redis://127.0.0.1:6379/0"
# CELERY_ACCEPT_CONTENT = ["json"]
# CELERY_TASK_SERIALIZER = "json"

# from celery.schedules import crontab

# CELERY_BEAT_SCHEDULE = {
#     "check-presence-every-10-minutes": {
#         "task": "core.tasks.run_presence_check_task",
#         "schedule": crontab(minute="*/10"),
#     },
```

```
# }
this is my main settings.py
from django.contrib import admin
from django.urls import path, include

urlpatterns = [
    path('admin/', admin.site.urls),
    path("api/", include("core.urls")),
]
mail urls.py
from django.urls import path
from core.views import (
    RunPresenceCheck,
    TestPresence,
    EmployeeListCreate,
    bot_messages,
)

urlpatterns = [
    path("employees/", EmployeeListCreate.as_view()),
    path("test-presence/", TestPresence.as_view()),
    path("run-check/", RunPresenceCheck.as_view()),
    path("bot/messages/", bot_messages),
]
this is above core/urls.py
why i am unable to check django backend admin and why it says no
resource found
```

You're **not actually opening Django admin yet** — you are opening the **root URL**:

👉 `http://127.0.0.1:8000/`

And in your project, **there is no route for** `/`.

That's why Django shows:

Not Found
The requested resource was not found on this server.

✅ Why this is happening

Your **main** `urls.py` is:

```
from django.contrib import admin
from django.urls import path, include

urlpatterns = [
    path('admin/', admin.site.urls),
    path("api/", include("core.urls")),
]
```

This means your project only has these routes:

- `http://127.0.0.1:8000/admin/` ← Django admin
- `http://127.0.0.1:8000/api/...` ← your API routes

But **you opened only**:

- `http://127.0.0.1:8000/` ❌

Since `/` is not defined, Django returns **404 Not Found**.

✅ Correct URLs you should open

1) Django Admin

Open this exactly:

```
http://127.0.0.1:8000/admin/
```

⚠️ **Important:** include the trailing slash `/`

---

2) Your API endpoints

Based on your `core/urls.py`, these are the working URLs:

- `http://127.0.0.1:8000/api/employees/`
- `http://127.0.0.1:8000/api/test-presence/`
- `http://127.0.0.1:8000/api/run-check/`
- `http://127.0.0.1:8000/api/bot/messages/`

✅ If `/admin/` still doesn't open, check these 3 things

Your settings already include:

```
'django.contrib.admin',
'django.contrib.auth',
'django.contrib.contenttypes',
'django.contrib.sessions',
'django.contrib.messages',
'django.contrib.staticfiles',
```

So admin is enabled correctly. Good 👍

Now make sure you also did:

Step 1: Run migrations

Bash

If admin tables are not created, admin won't work properly.

Step 2: Create superuser

Bash

Then enter:

- username
- email (optional)
- password

Without a superuser, admin login page may open, but you can't log in.

Step 3: Run server again

```bash
```

Then open:

```
http://127.0.0.1:8000/admin/
```

✅ Your project is actually working

Your routing is valid.

The issue is **not a bug in settings or urls**.

It's simply this:

- You opened `/` → no route exists → 404
- You need to open `/admin/` or `/api/...`

✅ If you want something to appear at `127.0.0.1:8000/`

If you want the root URL to show a welcome page instead of 404, add a root route.

`wellnessreminder/urls.py`

```
from django.contrib import admin
from django.urls import path, include
from django.http import HttpResponse

def home(request):
    return HttpResponse("Django backend is running!")

urlpatterns = [
    path('', home),
    path('admin/', admin.site.urls),
    path("api/", include("core.urls")),
]
```

Now:

- `http://127.0.0.1:8000/` → shows "Django backend is running!"
- `http://127.0.0.1:8000/admin/` → admin
- `http://127.0.0.1:8000/api/...` → API

✅ One more small note

You wrote:

> `mail urls.py`

I think you mean **main** `urls.py` 😄

Your structure should be:

- `wellnessreminder/urls.py` → main project URLs
- `core/urls.py` → app URLs

That part looks correct.

✅ Final answer (short)

Why you see "Not Found":

Because you opened:

```
http://127.0.0.1:8000/
```

But your project only has:

```python
path('admin/', admin.site.urls),
```

So open:

```
http://127.0.0.1:8000/admin/
```

or

```
http://127.0.0.1:8000/api/employees/
```

If you want, I can now give you the **exact final** `wellnessreminder/urls.py` + `core/urls.py` + **admin registration code** so your **admin panel shows Employee data properly**.



it look like this

Yes — **now I can see the real issue clearly** ✅

Your **Django admin page is opening**, but **CSS/JS static files are broken**.

That's why it looks like:

- plain ugly HTML
- no styling
- black square icons
- admin page layout broken

✅ Exact reason

In your `settings.py`, you have:

```python
```

❌ This is the problem.

Because this is a **relative path**, on the admin login page Django generates static URLs like:

```
admin/login/static/admin/css/base.css
```

instead of:

```
/static/admin/css/base.css
```

So browser tries to load CSS from the wrong place, and admin becomes unstyled.

✅ Fix (very important)

Change this:

Python Run

to this:

Python Run

✅ Your corrected `settings.py` part

Use this:

```python
# Static files (CSS, JavaScript, Images)
```

Python Run

✅ After changing it, do this

1) Save `settings.py`

2) Stop server (`Ctrl + C`)

3) Run again

Bash

4) Refresh admin page hard

In browser:

- Press **Ctrl + Shift + R**

  or
- **Ctrl + F5**

Then open again:

```
http://127.0.0.1:8000/admin/
```

✅ Why this happened (simple explanation)

When `STATIC_URL` is:

Python Run

it is treated like a **relative URL**.

So on this page:

```
http://127.0.0.1:8000/admin/login/?next=/admin/
```

browser tries to fetch CSS like:

```
http://127.0.0.1:8000/admin/login/static/admin/css/base.css
```

❌ Wrong

But with:

```python
```

browser fetches:

```
http://127.0.0.1:8000/static/admin/css/base.css
```

✅ Correct

✅ Final corrected block for your settings.py

Replace this section:

```python
# Static files (CSS, JavaScript, Images)
# https://docs.djangoproject.com/en/5.2/howto/static-files/
```

with:

```
# Static files (CSS, JavaScript, Images)
# https://docs.djangoproject.com/en/5.2/howto/static-files/
```

Python Run

✅ Optional (recommended for future)

You can also add this for better structure:

```python
STATIC_URL = '/static/'
```

Python Run

For local dev, `STATIC_ROOT` is not required, but good for production later.

✅ Summary

Problem:

Admin page is opening, but **static files are not loading**

Cause:

Python Run

Fix:

Python Run

✅ Do this now

1. Edit `settings.py`
2. Change to:

Python Run

3. Restart server
4. Refresh browser with **Ctrl + Shift + R**

If you want, I can now give you the **exact final production-ready** `settings.py` **for your project** (SQLite/MySQL ready, CORS, static, ngrok, REST framework, Teams bot safe config) so you can **copy-paste directly**.

Refused to apply style from '<URL>' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/dark_mode.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/base.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/nav_sidebar.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/dashboard.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/responsive.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/nav_sidebar.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error

admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/dashboard.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/nav_sidebar.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/dark_mode.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/base.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/dashboard.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/responsive.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
theme.js:1 Failed to load resource: the server responded with a status of 404 (Not Found)Understand this error
admin/:1 Refused to execute script from 'http://127.0.0.1:8000/static/admin/js/theme.js' because its MIME type ('text/html') is not executable, and strict MIME type checking is

enabled.Understand this error
nav_sidebar.js:1 Failed to load resource: the server responded with a status of 404 (Not Found)Understand this error
admin/:1 Refused to execute script from 'http://127.0.0.1:8000/static/admin/js/nav_sidebar.js' because its MIME type ('text/html') is not executable, and strict MIME type checking is enabled.
i see this in console

Perfect — **this console error tells us exactly what is wrong** ✅

Your Django admin is trying to load files like:

- `/static/admin/css/base.css`
- `/static/admin/js/theme.js`

but instead of getting real CSS/JS files, Django is returning a **404 HTML page**.

So browser says:

- "I expected CSS"
- "But server sent HTML"
- "MIME type is text/html"
- "I refuse to use it"

✅ What this error actually means

Example:

```
http://127.0.0.1:8000/static/admin/css/base.css
```

This should return a **real CSS file** with MIME type like:

```
text/css
```

But your server is returning:

- **404 Not Found page**
- which is **HTML**
- MIME type = `text/html`

So browser throws:

> Refused to apply style ... MIME type ('text/html') is not a supported stylesheet MIME type

---

✅ Root cause in your project

This usually means **Django is not serving static files in development**.

Even though `django.contrib.staticfiles` is installed, your project is likely missing the proper static setup.

✅ Fix it properly (copy-paste)

1) Fix `STATIC_URL`

In `settings.py`, make sure this is exactly:

Python Run

---

2) Add `STATIC_ROOT` and optionally `STATICFILES_DIRS`

At the bottom of `settings.py`, use:

```python
STATIC_URL = '/static/'
```

Python Run

For now, **do not add `STATICFILES_DIRS` unless you have your own custom static folder**.

---

3) VERY IMPORTANT: check your `DEBUG`

In your settings:

Python Run

This means if your `.env` file is missing or has:

env

then Django **won't serve static files automatically in dev**.

This is most likely your actual issue.

✅ Check your `.env` file now

Open `.env` in your project root and make sure it contains:

```env
```

⚠️ It must be exactly:

```env
```

Not:

- `DEBUG=true` ❌
- `DEBUG = True` (sometimes okay, but avoid spaces)
- `DEBUG=1` ❌ with your current code
- missing entirely ❌

Because your code checks:

```python
```

So only exact string `"True"` works.

✅ Best fix for local development

In `.env`:

```env
```

Then restart server:

```bash
```

Then open:

```
http://127.0.0.1:8000/static/admin/css/base.css
```

If everything is fixed, you should see raw CSS text in browser.

If you still see **Not Found**, continue below.

✅ 4) Make sure `django.contrib.staticfiles` is present

You already have this in `INSTALLED_APPS`:

Python Run

✅ Good

✅ 5) Check if you accidentally created a conflicting `/static/` URL

Your `main urls.py` should be only like this:

```python
from django.contrib import admin
from django.urls import path, include

urlpatterns = [
    path('admin/', admin.site.urls),
    path('api/', include('core.urls')),
]
```

✅ This is fine

❌ If you added any custom:

Python Run

remove it.

✅ 6) Add static serving manually in dev (recommended safe fix)

In your **main** `wellnessreminder/urls.py`, add this:

```
from django.contrib import admin
from django.urls import path, include
from django.conf import settings
from django.conf.urls.static import static

urlpatterns = [
    path('admin/', admin.site.urls),
    path('api/', include('core.urls')),
]

if settings.DEBUG:
    urlpatterns += static(settings.STATIC_URL, document_root=settings.STATIC_ROOT)
```

⚠️ But for Django admin static files, **this only helps if files are actually collected into** `STATIC_ROOT`.

So do next step too.

✅ 7) Run `collectstatic` (this will fix it fully)

Since your admin CSS/JS is not being found, do this:

‹/› Bash

When asked:

```
You have requested to collect static files at the destination
location as specified in your settings.

Type 'yes' to continue, or 'no' to cancel:
```

Type:

```
yes
```

This will copy Django admin static files into:

```
staticfiles/admin/css/base.css
staticfiles/admin/js/theme.js
...
```

✅ Final working local setup (copy exactly)

`settings.py`

Use this exact static section:

```python
STATIC_URL = '/static/'
```

Python Run

And for local development, make sure:

Python Run

And in `.env`:

env

`wellnessreminder/urls.py`

Use this:

```python
from django.contrib import admin
from django.urls import path, include
from django.conf import settings
from django.conf.urls.static import static

urlpatterns = [
    path('admin/', admin.site.urls),
    path('api/', include('core.urls')),
]

if settings.DEBUG:
    urlpatterns += static(settings.STATIC_URL, document_root=settings.STATIC_ROOT)
```

✅ Then run these commands in order

From your project folder:

```bash
python manage.py collectstatic
```

Then test these URLs in browser:

Test 1:

```
http://127.0.0.1:8000/static/admin/css/base.css
```

Test 2:

```
http://127.0.0.1:8000/static/admin/js/theme.js
```

If fixed:

- CSS URL should show CSS code
- JS URL should show JavaScript code

Then admin will look normal:

```
http://127.0.0.1:8000/admin/
```

✅ Why this is happening in *your* project specifically

Because your settings use:

Python Run

If `.env` is not set correctly, then:

- `DEBUG = False`
- Django stops serving static files in dev
- `/static/admin/...` becomes 404
- browser gets HTML 404 page instead of CSS/JS
- admin becomes broken

👉 **This is the most likely cause.**

✅ Quickest fix (do this now)

1. `.env`

env

2. `settings.py`

```python
STATIC_URL = '/static/'
```

Python Run

3. `urls.py`

```
from django.conf import settings
from django.conf.urls.static import static

urlpatterns = [
    path('admin/', admin.site.urls),
    path('api/', include('core.urls')),
]

if settings.DEBUG:
    urlpatterns += static(settings.STATIC_URL, document_root=settings.STATIC_ROOT)
```

4. Commands

```bash
python manage.py collectstatic
```

✅ One important note

Normally in Django dev mode, admin static files work **without** `collectstatic`.

But in your case, because of:

- `.env`-based `DEBUG`
- and likely `DEBUG=False` accidentally

the safest reliable fix is:

- set `DEBUG=True`
- add `STATIC_ROOT`
- run `collectstatic`

That will make it work for sure.

✅ My diagnosis (most likely exact issue)

Your `.env` currently does not have `DEBUG=True` exactly, so Django is running with `DEBUG=False`, causing `/static/admin/...` to return 404 HTML pages instead of CSS/JS files.

If you want, send me your `.env` **(hide secrets)** and I'll tell you in **one glance** whether that is the exact issue, and I'll give you the **final corrected full** `settings.py` ready to paste.



Refused to apply style from '<URL>' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/dark_mode.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/base.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/nav_sidebar.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from

'http://127.0.0.1:8000/static/admin/css/dashboard.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/responsive.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/dark_mode.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/base.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/nav_sidebar.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/dashboard.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/responsive.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
theme.js:1 Failed to load resource: the server responded with a status of 404 (Not Found)Understand this error

admin/:1 Refused to execute script from 'http://127.0.0.1:8000/static/admin/js/theme.js' because its MIME type ('text/html') is not executable, and strict MIME type checking is enabled.Understand this error
nav_sidebar.js:1 Failed to load resource: the server responded with a status of 404 (Not Found)Understand this error
admin/:1 Refused to execute script from 'http://127.0.0.1:8000/static/admin/js/nav_sidebar.js' because its MIME type ('text/html') is not executable, and strict MIME type checking is enabled.Understand this error
i still see this tell me how to fix this

Yes — now we know **100% exactly what is wrong**.
Your browser test proves it:

👉 `http://127.0.0.1:8000/static/admin/css/base.css`
is returning **Not Found**

That means:

- Django admin HTML is loading
- But **Django static files are NOT being served**
- So admin CSS/JS = 404
- Therefore admin page looks broken

✅ Exact fix (do this step by step)

I'll give you the **correct final setup**.

---

1) Fix `settings.py` first

In your `settings.py`, replace your static section with **this exact code**:

```python
# Static files (CSS, JavaScript, Images)
STATIC_URL = '/static/'
```

Python Run

⚠️ Make sure you **remove** this old one:

Python Run

---

2) Check `DEBUG` (very important)

Your current code is:

Python Run

This means `.env` must contain **exactly**:

```env
```

Open your `.env` file and make sure it has:

```env
DEBUG=True
GRAPH_CLIENT_ID=...
GRAPH_CLIENT_SECRET=...
GRAPH_TENANT_ID
```

⚠️ If `.env` is missing or says `DEBUG=False`, Django won't serve static properly in dev.

---

3) Fix your main project `urls.py`

This is `wellnessreminder/urls.py` (main project urls, not `core/urls.py`)

Use this exact code:

```
from django.contrib import admin
from django.urls import path, include
from django.conf import settings
from django.conf.urls.static import static

urlpatterns = [
    path('admin/', admin.site.urls),
    path('api/', include('core.urls')),
```

```
]

if settings.DEBUG:
    urlpatterns += static(settings.STATIC_URL, document_root=settings.STATIC_ROOT)
```

⚠️ This part is important because right now `/static/...` has **no URL handler**.

---

4) Run `collectstatic` (required in your case)

In terminal, from project root:

```bash
```

When it asks:

```
Type 'yes' to continue:
```

Type:

```
yes
```

This will copy Django admin files into:

- `staticfiles/admin/css/base.css`
- `staticfiles/admin/js/theme.js`
- etc.

---

5) Restart server completely

Stop server:

```bash
```

Then run again:

```bash
```

---

6) Test static file directly

Now open this in browser:

```
http://127.0.0.1:8000/static/admin/css/base.css
```

Expected result:

You should see **CSS code**, not “Not Found”.

If CSS code appears → admin will be fixed.

✅ Why your current setup is failing

Right now:

- `/static/admin/css/base.css` exists logically in Django admin
- But your app **doesn't have a working** `/static/` **route**
- And/or files were never collected into `STATIC_ROOT`

So Django returns a **404 HTML page** for CSS URLs.

Browser says:

- "I requested CSS"
- "Server gave me HTML"
- "MIME type = text/html"
- "I refuse to apply it"

That's why you see:

> Refused to apply style ... MIME type ('text/html')

✅ Final working code you should have

`settings.py` (only relevant part)

```
import os
from pathlib import Path
from dotenv import load_dotenv
```

```
BASE_DIR = Path(__file__).resolve().parent.parent

load_dotenv(BASE_DIR / ".env")

DEBUG = os.getenv("DEBUG") == "True"

ALLOWED_HOSTS = [
    "127.0.0.1",
    "localhost",
    "unsecured-elsewhere-lea.ngrok-free.dev"
]

INSTALLED_APPS = [
    'django.contrib.admin',
    'django.contrib.auth',
    'django.contrib.contenttypes',
    'django.contrib.sessions',
    'django.contrib.messages',
    'django.contrib.staticfiles',
    'rest_framework',
    'corsheaders',
    'core.apps.CoreConfig',
]

MIDDLEWARE = [
    'corsheaders.middleware.CorsMiddleware',
    'django.middleware.security.SecurityMiddleware',
    'django.contrib.sessions.middleware.SessionMiddleware',
    'django.middleware.common.CommonMiddleware',
    'django.middleware.csrf.CsrfViewMiddleware',
    'django.contrib.auth.middleware.AuthenticationMiddleware',
    'django.contrib.messages.middleware.MessageMiddleware',
    'django.middleware.clickjacking.XFrameOptionsMiddleware',
]
```

```
STATIC_URL = '/static/'
STATIC_ROOT = BASE_DIR / 'staticfiles'
```

`wellnessreminder/urls.py`

```
from django.contrib import admin
from django.urls import path, include
from django.conf import settings
from django.conf.urls.static import static

urlpatterns = [
    path('admin/', admin.site.urls),
    path('api/', include('core.urls')),
]

if settings.DEBUG:
    urlpatterns += static(settings.STATIC_URL, document_root=settings.STATIC_ROOT)
```

✅ Commands you must run now (in this exact order)

From your project folder:

```
python manage.py collectstatic
```

‹/› Bash

✅ Very important check after this

In browser, test:

1

```
http://127.0.0.1:8000/static/admin/css/base.css
```

2

```
http://127.0.0.1:8000/static/admin/js/theme.js
```

If both open as file contents, then:

3

```
http://127.0.0.1:8000/admin/
```

Admin will look normal.

🚨 Most likely exact reason in your case

Because your project uses:

```python
```

and you likely **don't have** `DEBUG=True` **exactly** in `.env`, or static route wasn't added, or you didn't run `collectstatic`.

So the reliable fix is:

- `DEBUG=True`
- `STATIC_URL = '/static/'`
- `STATIC_ROOT = BASE_DIR / 'staticfiles'`
- add `static(...)` in main `urls.py`
- run `collectstatic`

✅ Best next step (important)

Please do **one thing right now** and send me the output:

```bash
```

This command will tell us:

- whether Django can see admin static files
- exactly where they are

📌 **Send me the full output of that command**, and I'll tell you the exact final fix in one shot (no guessing).

```
(environment) D:\NOTIFY\Wellness>python manage.py collectstatic

You have requested to collect static files at the destination
location as specified in your settings.

This will overwrite existing files!
Are you sure you want to do this?

Type 'yes' to continue, or 'no' to cancel: yes
Traceback (most recent call last):
  File "D:\NOTIFY\Wellness\manage.py", line 22, in <module>
    main()
  File "D:\NOTIFY\Wellness\manage.py", line 18, in main
    execute_from_command_line(sys.argv)
  File "D:\NOTIFY\environment\Lib\site-
packages\django\core\management\__init__.py", line 442, in
execute_from_command_line
    utility.execute()
  File "D:\NOTIFY\environment\Lib\site-
packages\django\core\management\__init__.py", line 436, in execute
    self.fetch_command(subcommand).run_from_argv(self.argv)
  File "D:\NOTIFY\environment\Lib\site-
packages\django\core\management\base.py", line 420, in
run_from_argv
    self.execute(*args, **cmd_options)
  File "D:\NOTIFY\environment\Lib\site-
packages\django\core\management\base.py", line 464, in execute
```

```
    output = self.handle(*args, **options)
            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "D:\NOTIFY\environment\Lib\site-packages\django\contrib\staticfiles\management\commands\collectstatic.py", line 209, in handle
    collected = self.collect()
                ^^^^^^^^^^^^^^
  File "D:\NOTIFY\environment\Lib\site-packages\django\contrib\staticfiles\management\commands\collectstatic.py", line 135, in collect
    handler(path, prefixed_path, storage)
  File "D:\NOTIFY\environment\Lib\site-packages\django\contrib\staticfiles\management\commands\collectstatic.py", line 368, in copy_file
    if not self.delete_file(path, prefixed_path, source_storage):

^^^^^^^^^^^^^^^^^^^
```

```
    raise ImproperlyConfigured(
django.core.exceptions.ImproperlyConfigured: You're using the
staticfiles app without having set the STATIC_ROOT setting to a
filesystem path.

(environment) D:\NOTIFY\Wellness>python manage.py collectstatic

You have requested to collect static files at the destination
location as specified in your settings.

This will overwrite existing files!
Are you sure you want to do this?

Type 'yes' to continue, or 'no' to cancel: 'yes'
CommandError: Collecting static files cancelled.

(environment) D:\NOTIFY\Wellness>python manage.py collectstatic

You have requested to collect static files at the destination
location as specified in your settings.

This will overwrite existing files!
Are you sure you want to do this?

Type 'yes' to continue, or 'no' to cancel: yes
Traceback (most recent call last):
  File "D:\NOTIFY\Wellness\manage.py", line 22, in <module>
    main()
  File "D:\NOTIFY\Wellness\manage.py", line 18, in main
```

```
    execute_from_command_line(sys.argv)
  File "D:\NOTIFY\environment\Lib\site-packages\django\core\management\__init__.py", line 442, in execute_from_command_line
    utility.execute()
  File "D:\NOTIFY\environment\Lib\site-packages\django\core\management\__init__.py", line 436, in execute
    self.fetch_command(subcommand).run_from_argv(self.argv)
  File "D:\NOTIFY\environment\Lib\site-packages\django\core\management\base.py", line 420, in run_from_argv
    self.execute(*args, **cmd_options)
  File "D:\NOTIFY\environment\Lib\site-packages\django\core\management\base.py", line 464, in execute
    output = self.handle(*args, **options)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "D:\NOTIFY\environment\Lib\site-packages\django\contrib\staticfiles\management\commands\collectstatic.py", line 209, in handle
    collected = self.collect()
                ^^^^^^^^^^^^^^
  File "D:\NOTIFY\environment\Lib\site-packages\django\contrib\staticfiles\management\commands\collectstatic.py", line 135, in collect
    handler(path, prefixed_path, storage)
  File "D:\NOTIFY\environment\Lib\site-packages\django\contrib\staticfiles\management\commands\collectstatic.py", line 368, in copy_file
    if not self.delete_file(path, prefixed_path, source_storage):
```

```
^^^
```

```
March 23, 2026 - 13:10:33
Django version 5.2.11, using settings 'wellnessreminder.settings'
Starting development server at http://127.0.0.1:8000/
Quit the server with CTRL-BREAK.

WARNING: This is a development server. Do not use it in a production
setting. Use a production WSGI or ASGI server instead.
For more information on production servers see:
https://docs.djangoproject.com/en/5.2/howto/deployment/
[23/Mar/2026 13:10:35] "GET / HTTP/1.1" 404 179
```

Perfect — now we have the **exact root cause** ✅

This error proves it:

> `ImproperlyConfigured: You're using the staticfiles app without having set the STATIC_ROOT setting to a filesystem path.`

✅ What this means

Your Django project is still running with **no valid** `STATIC_ROOT`.

So even if you *thought* you added it, Django is **not seeing it**.

That is why:

- `/static/admin/css/base.css` = 404
- admin page broken

- `collectstatic` fails

🚨 Most likely reason

You either:

1. **Did not save** `settings.py` **after editing**, or
2. Added `STATIC_ROOT` in the wrong file, or
3. Added it with wrong syntax, or
4. There is another settings file being used (less likely, but possible)

✅ Fix it now (exact copy-paste)

Open your **main settings file**:

```
D:\NOTIFY\Wellness\wellnessreminder\settings.py
```

Then go to the **bottom of the file** and add this **exact code**:

```python
STATIC_URL = '/static/'
```

Python Run

⚠️ Remove or replace this old line if it exists:

Python Run

✅ Your static section should look EXACTLY like this

```
# Static files (CSS, JavaScript, Images)
# https://docs.djangoproject.com/en/5.2/howto/static-files/

STATIC_URL = '/static/'
STATIC_ROOT = BASE_DIR / 'staticfiles'
```

⚠️ Important: Save the file

After editing:

- Press **Ctrl + S**
- Make sure VS Code actually saved it

This is likely the exact thing that didn't happen.

✅ Then fix main `urls.py`

Open:

```
D:\NOTIFY\Wellness\wellnessreminder\urls.py
```

Replace with this exact code:

```
from django.contrib import admin
from django.urls import path, include
from django.conf import settings
from django.conf.urls.static import static

urlpatterns = [
    path('admin/', admin.site.urls),
    path('api/', include('core.urls')),
]

if settings.DEBUG:
    urlpatterns += static(settings.STATIC_URL, document_root=settings.STATIC_ROOT)
```

✅ Then verify Django sees `STATIC_ROOT`

Run this command:

```bash
```

Then inside shell:

```
from django.conf import settings
print("STATIC_URL =", settings.STATIC_URL)
```

Python Run

Expected output should be something like:

```python
STATIC_URL = /static/
```

Python Run

If `STATIC_ROOT` is empty / None / error → settings file still not fixed.

Then exit shell:

Python Run

✅ Then run collectstatic again

Bash

Type:

```
yes
```

(Without quotes)

✅ Then run server again

```bash
```

✅ Then test this URL

Open:

```
http://127.0.0.1:8000/static/admin/css/base.css
```

If fixed:

You should see **CSS code** in browser, not “Not Found”.

Then open:

```
http://127.0.0.1:8000/admin/
```

And admin will look normal.

🔍 Why I know this is the issue

Because Django literally said:

> `STATIC_ROOT setting` is not set to a filesystem path

That means **your current running settings do NOT contain a valid** `STATIC_ROOT`.

So the next step is not guessing anymore — it's verifying what Django is actually reading.

✅ Do this right now (important)

Please run these **two commands** and send me the output:

1)

Bash

Then:

```python
from django.conf import settings
print("STATIC_URL =", settings.STATIC_URL)
```

Python Run

2)

Then send me your **exact final static section** from `settings.py`

✅ One more thing I noticed in your `settings.py`

Earlier you had `BASE_DIR` **defined twice**:

```python
BASE_DIR = Path(__file__).resolve().parent.parent
...
# Build paths inside the project like this: BASE_DIR / 'subdir'.
```

Python Run

This is not breaking anything, but it's unnecessary.

You can keep only **one**:

```python
```

Python Run

✅ Final shortest fix

In `settings.py`

```python
STATIC_URL = '/static/'
```

Python Run

In `wellnessreminder/urls.py`

```python
from django.conf import settings
from django.conf.urls.static import static
```

```
urlpatterns = [
    path('admin/', admin.site.urls),
    path('api/', include('core.urls')),
]

if settings.DEBUG:
    urlpatterns += static(settings.STATIC_URL, document_root=settings.STATIC_ROOT)
```

Then run:

```bash

```

```python
from django.conf import settings
```

If it prints a path like:

```
D:\NOTIFY\Wellness\staticfiles
```

then run:

```bash
python manage.py collectstatic
```

👉 Best next step

Send me the output of:

```python
from django.conf import settings
print("STATIC_URL =", settings.STATIC_URL)
```

Python Run

That will let me tell you the exact final fix in one message.

Refused to apply style from '<URL>' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/base.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/dark_mode.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/nav_sidebar.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error

admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/dashboard.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:1 Refused to apply style from 'http://127.0.0.1:8000/static/admin/css/responsive.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.Understand this error
admin/:9 GET http://127.0.0.1:8000/static/admin/js/theme.js net::ERR_ABORTED 404 (Not Found)Understand this error
admin/:1 Refused to execute script from 'http://127.0.0.1:8000/static/admin/js/theme.js' because its MIME type ('text/html') is not executable, and strict MIME type checking is enabled.Understand this error
admin/:13 GET http://127.0.0.1:8000/static/admin/js/nav_sidebar.js net::ERR_ABORTED 404 (Not Found)Understand this error
admin/:1 Refused to execute script from 'http://127.0.0.1:8000/static/admin/js/nav_sidebar.js' because its MIME type ('text/html') is not executable, and strict MIME type checking is enabled.Understand this error
in console now tell me how to fix it for once

Yes — we can fix this **for once** now.
Your console error means **admin HTML is loading, but `/static/...` files are returning 404 HTML instead of real CSS/JS**.

So the fix is:

- set `STATIC_URL` correctly
- set `STATIC_ROOT` correctly
- make sure Django is actually reading it
- add static URL serving in dev
- run `collectstatic`

✅ Do this EXACTLY (copy-paste final fix)

---

1) Replace your entire `wellnessreminder/settings.py` with this cleaned version

> Keep your secrets in `.env`.
> This version fixes the static issue.

```
import os
from pathlib import Path
from dotenv import load_dotenv

# Base directory
BASE_DIR = Path(__file__).resolve().parent.parent

# Load .env
load_dotenv(BASE_DIR / ".env")

# Security
```

```
SECRET_KEY = 'django-insecure-f@a+&a%uw2)h(%g+z8a93q5c@6_y6q!52k8eg1gyzs$akwkx))'

# IMPORTANT: local dev must be exactly True in .env
DEBUG = os.getenv("DEBUG", "True") == "True"

ALLOWED_HOSTS = [
    "127.0.0.1",
    "localhost",
    "unsecured-elsewhere-lea.ngrok-free.dev",
]

# Graph / Bot env vars
GRAPH_CLIENT_ID = os.getenv("GRAPH_CLIENT_ID")
GRAPH_CLIENT_SECRET = os.getenv("GRAPH_CLIENT_SECRET")
GRAPH_TENANT_ID = os.getenv("GRAPH_TENANT_ID")

INSTALLED_APPS = [
    'django.contrib.admin',
    'django.contrib.auth',
    'django.contrib.contenttypes',
    'django.contrib.sessions',
    'django.contrib.messages',
    'django.contrib.staticfiles',

    'rest_framework',
    'corsheaders',
    'core.apps.CoreConfig',
]

MIDDLEWARE = [
    'corsheaders.middleware.CorsMiddleware',
    'django.middleware.security.SecurityMiddleware',
    'django.contrib.sessions.middleware.SessionMiddleware',
    'django.middleware.common.CommonMiddleware',
    'django.middleware.csrf.CsrfViewMiddleware',
```

```
    'django.contrib.auth.middleware.AuthenticationMiddleware',
    'django.contrib.messages.middleware.MessageMiddleware',
    'django.middleware.clickjacking.XFrameOptionsMiddleware',
]

ROOT_URLCONF = 'wellnessreminder.urls'

TEMPLATES = [
    {
        'BACKEND': 'django.template.backends.django.DjangoTemplates',
        'DIRS': [],
        'APP_DIRS': True,
        'OPTIONS': {
            'context_processors': [
                'django.template.context_processors.request',
                'django.contrib.auth.context_processors.auth',
                'django.contrib.messages.context_processors.messages',
            ],
        },
    },
]

WSGI_APPLICATION = 'wellnessreminder.wsgi.application'

# Database
DATABASES = {
    'default': {
        'ENGINE': 'django.db.backends.sqlite3',
        'NAME': BASE_DIR / 'db.sqlite3',
    }
}

# Password validation
AUTH_PASSWORD_VALIDATORS = [
    {
```

```
        'NAME': 'django.contrib.auth.password_validation.UserAttributeSimilarityValidator',
    },
    {
        'NAME': 'django.contrib.auth.password_validation.MinimumLengthValidator',
    },
    {
        'NAME': 'django.contrib.auth.password_validation.CommonPasswordValidator',
    },
    {
        'NAME': 'django.contrib.auth.password_validation.NumericPasswordValidator',
    },
]

# Internationalization
LANGUAGE_CODE = 'en-us'
TIME_ZONE = 'Asia/Kolkata'
USE_I18N = True
USE_TZ = True

# STATIC FILES (THIS IS THE IMPORTANT PART)
STATIC_URL = '/static/'
STATIC_ROOT = BASE_DIR / 'staticfiles'

# Default primary key field type
DEFAULT_AUTO_FIELD = 'django.db.models.BigAutoField'

# CORS
CORS_ALLOW_ALL_ORIGINS = True
```

---

2) Replace your main project `wellnessreminder/urls.py` with this exact code

⚠️ This is the **main** project urls file, not `core/urls.py`

```
from django.contrib import admin
from django.urls import path, include
from django.conf import settings
from django.conf.urls.static import static

urlpatterns = [
    path('admin/', admin.site.urls),
    path('api/', include('core.urls')),
]

if settings.DEBUG:
    urlpatterns += static(settings.STATIC_URL, document_root=settings.STATIC_ROOT)
```

---

3) Keep your `core/urls.py` as it is

```
from django.urls import path
from core.views import (
    RunPresenceCheck,
    TestPresence,
    EmployeeListCreate,
    bot_messages,
)

urlpatterns = [
    path("employees/", EmployeeListCreate.as_view()),
```

```
    path("test-presence/", TestPresence.as_view()),
    path("run-check/", RunPresenceCheck.as_view()),
    path("bot/messages/", bot_messages),
]
```

---

4) Fix your `.env` file (VERY IMPORTANT)

In project root (`D:\NOTIFY\Wellness\.env`), make sure it has:

```
DEBUG=True
GRAPH_CLIENT_ID=your_value
GRAPH_CLIENT_SECRET=your_value
```

⚠️ `DEBUG=True` must be **exactly** like that.

---

5) Delete old broken static folder if it exists (important cleanup)

In terminal from project root:

```bat
```

If it says folder not found, ignore it.

---

6) Verify Django is reading the correct static settings

Run:

```bash
```

Then inside shell:

```python
from django.conf import settings
print("DEBUG =", settings.DEBUG)
print("STATIC_URL =", settings.STATIC_URL)
```

You MUST see something like:

```python
DEBUG = True
STATIC_URL = /static/
```

Then exit:

```python
```

⚠️ If `STATIC_ROOT` is empty / None / error, then you edited the wrong file or didn't save.

7) Run this command to confirm Django can see admin CSS

Bash

You should see a path inside your virtualenv like:

```
D:\NOTIFY\environment\Lib\site-packages\django\contrib\admin\static\admin\css\base.css
```

If that appears → good.

---

8) Now run `collectstatic`

Bash

Type:

```
yes
```

(no quotes)

It should complete successfully.

---

9) Start server fresh

```bash
```

---

10) Test these URLs directly

Open these in browser:

CSS test

```
http://127.0.0.1:8000/static/admin/css/base.css
```

JS test

```
http://127.0.0.1:8000/static/admin/js/theme.js
```

✅ If fixed, both should show file contents (not “Not Found”).

Then:

```
http://127.0.0.1:8000/admin/
```

Admin will look normal.

🔥 Why this fixes it

Right now browser asks for:

- `/static/admin/css/base.css`
- `/static/admin/js/theme.js`

But your server returns **404 HTML page**, so browser says:

- CSS expected → got HTML (`text/html`) ❌
- JS expected → got HTML (`text/html`) ❌

That's why you see:

- `Refused to apply style... MIME type ('text/html')`
- `Refused to execute script... MIME type ('text/html')`

This final setup ensures:

- Django knows where static files live (`STATIC_ROOT`)
- Static URL is correct (`/static/`)
- Django can serve `/static/` in dev
- `collectstatic` copies admin files into `staticfiles/`

🚨 If you want the single most important truth

The reason it is still broken is:

> **Your running Django settings currently do NOT have a valid `STATIC_ROOT` path.**

That's exactly what the `ImproperlyConfigured` error already told us.

✅ Do this one final verification after editing

Run this **after you save the new** `settings.py`:

```bash
python manage.py shell -c "from django.conf import settings; print(settings.DEBUG); print(setting
```

Expected:

```
True
/static/
D:\NOTIFY\Wellness\staticfiles
```

If you see that, then:

```bash
python manage.py collectstatic
```

✅ If you want zero more back-and-forth

If it still fails after this, the issue will be **only one of these**:

1. You edited the wrong `settings.py`
2. File wasn't saved
3. Another settings file is being used
4. `DEBUG=False`

👉 Best command to run NOW (do this exactly)

```bash
python manage.py shell -c "from django.conf import settings; print('DEBUG=', settings.DEBUG); pri
```

If you paste me that one output, I can tell you the **exact remaining issue in one line**.

i got it what change have we done in settings file

Great 🔥
Here are the **exact changes we made in** `settings.py` to fix the Django admin static files issue.

✅ Main change we made

❌ Before

```python
```

✅ After

```python
STATIC_URL = '/static/'
```

Python Run

✅ What changed exactly

---

1) `STATIC_URL`

❌ Old

```python
```

Python Run

✅ New

```python
```

Python Run

Why?

Because:

- `'static/'` = **relative path**

- `'/static/'` = **absolute path**

Django admin needs static files from:

```
/static/admin/css/base.css
```

If you use `'static/'`, browser can build wrong paths depending on page URL.

---

2) Added `STATIC_ROOT`

✅ Added

```python
```

Python Run

Why?

This tells Django:

> "Collect all static files (including admin CSS/JS) into this physical folder."

Without this:

- `collectstatic` fails
- admin CSS/JS may not be available properly in your setup
- you got this error:

```
ImproperlyConfigured: You're using the staticfiles app without having set the STATIC_ROOT se
```

3) (Small improvement) `DEBUG`

Earlier you had:

```python
```

Safer version we suggested:

```python
DEBUG = os.getenv("DEBUG", "True") == "True"
```

Why?

If `.env` is missing `DEBUG`, then:

- old version → `DEBUG = False`
- new version → defaults to `True` for local development

This helps static files work in dev.

✅ Final static section we wanted

```python
# Static files (CSS, JavaScript, Images)
STATIC_URL = '/static/'
```

```
STATIC_ROOT = BASE_DIR / 'staticfiles'
```

✅ Summary in one line

We changed:

- `STATIC_URL = 'static/'` → `STATIC_URL = '/static/'`
- Added `STATIC_ROOT = BASE_DIR / 'staticfiles'`

These changes fixed:

- Django admin CSS not loading
- JS not loading
- MIME type `text/html` errors
- `/static/admin/...` returning 404

✅ Also note

The **other important change was not in** `settings.py`, it was in **main** `urls.py`:

Python Run

```python
from django.conf import settings
from django.conf.urls.static import static

if settings.DEBUG:
    urlpatterns += static(settings.STATIC_URL, document_root=settings.STATIC_ROOT)
```

This is what actually makes Django serve `/static/` in development in your current setup.

If you want, I can now give you:

✅ **final clean** `settings.py`
✅ **final clean** `urls.py`
✅ **explanation of why** `urls.py` **change was needed even though Django usually serves static automatically**

That will make this crystal clear for future interviews / project understanding.