Blackreef — AxiomIQ Fleet Overview

Generated: 2026-02-25 21:36

Coverage: 2026-01-01 -> 2026-01-30 | Samples: 3600 | Engines: 1

Run Configuration
Version: 0.1.2

Key Changes Since Last Report

• 4 added to fleet monitoring (priority LOW).

• DG1 removed from fleet monitoring.

• DG2 removed from fleet monitoring.

• DG3 removed from fleet monitoring.

• DG4 removed from fleet monitoring.

• DG5 removed from fleet monitoring.

• DG6 removed from fleet monitoring.

Fleet Verdict

4 remains healthy.

This page ranks generator sets by operational priority using health score, drift severity, and estimated time-to-limit.

Top Alerts

4 [LOW] Health 70.5 | lo_inlet_temp_c | ETA 241.8d | Monitor (30d)

Engine	Trend	Health	Top Risk	Reason	Action	ETA	Pri
4		70.5	lo_inlet_temp_c	ETA 241.8d to limit (lo_inlet_temp_c).	Monitor (30d)	241.8d	LOW

Blackreef — AxiomIQ Analytics Report

Executive Summary

Engine 4 is currently operating within defined limits, with an overall health score of 70.5 out of 100. Analysis indicates developing drift patterns rather than immediate failure conditions.

Key Developing Risk Indicators

lo_inlet_temp_c (Lubrication Oil) Trend: ↓

Observed trend suggests: Rising lube oil inlet temperature can indicate reduced cooling efficiency, oil cooler fouling, or increased engine friction.
Risk classification: Accelerated wear and oil breakdown
Estimated time to limits: min=241.8d | max=N/A

---

charge_air_pressure_bar (Air Intake / Turbocharging) Trend: ↑

Observed trend suggests: A sustained decline in charge air pressure may indicate intake restriction, air filter fouling, or reduced turbocharger efficiency.
Risk classification: Performance degradation leading to thermal stress
Estimated time to limits: min=N/A | max=0.5d

---

tc_lo_inlet_pressure_bar (Turbocharger Lubrication) Trend: ↓

Observed trend suggests: Declining turbocharger lube oil pressure may suggest filter restriction or pump performance issues.
Risk classification: Turbocharger bearing wear
Estimated time to limits: min=2.3d | max=N/A

---

htcw_engine_outlet_temp_c (High Temperature Cooling Water) Trend: ↑

Observed trend suggests: Increasing HT cooling water outlet temperature may indicate reduced heat transfer, cooler fouling, or elevated engine thermal load.
Risk classification: Thermal stress and reduced margin
Estimated time to limits: min=N/A | max=21.1d

---

engine_lo_inlet_pressure_bar (Main Lubrication System) Trend: ↑

Observed trend suggests: A gradual drop in lube oil inlet pressure can indicate filter loading, pump wear, or internal leakage.
Risk classification: Loss of lubrication margin
Estimated time to limits: min=N/A | max=0.8d

Operational Recommendations

- No immediate shutdown or load reduction is recommended at this time.
- Prioritize inspection of the highest-risk subsystem during the next planned maintenance opportunity.
- Monitor key lubrication and cooling parameters for continued drift over the next 72 hours.
- Re-run AxiomIQ analysis after additional data is collected (ideally 7–14 days).