PAGE NO.	:		
DATE:	1	1	

D. A.	Δ	A 1	- 0
Recetion	all	Vo	09

dim: White a cock to weat a bleb page using Table

Jags a) Using waspan and colspan

b) Background image in a table Cocle: Lidoctype html > Lhtml> (head) (meta chauset="cff-8") / meta mame = "description" content = "Table"> Ltitle > Practical 9 (/title) (Ihead) (body) style = "background-color: black; font-family: verdance i font-size= 25px">
Little style="color: darkgry; border-color: darkgry; border-aridth:thin" border="" bookground="imager.jpg">
-/4P> (th) Product ID (/th) 2th> Broduct Name (1th) (th) Price (1th) (th) Store (1th) (4H) /4P>


2td>7-29086 4td>

Ltd> Nike T-Shirt

4d> Rs. 799 (1+d)

Itd nowspan = "3">Big Baras

140>



PAGE NO. ;

A Conclusion:

Here we've learned about using lowspan and colspan and applying background images in a dable in HIML.

Partical No 10

PAGE NO.:
DATE: / /

dim: White a cock to create a web page using Table

Jags a Greate table of 3 sows and Columns

6) Having border, border size, border colors a Image in a particular cell. Locle: (Idoutype html) Lhtml> 2 head (meta chouse ="utf-8") <meta norme = "description" content="fablis"> Chite> Practical 10 Hitle> (Thead) Lody style = " leekground-color: black; font-family: verdance; Lh! Style = "color : clarkgrey" > Product Penchased (1/4) Ktable style="color: darkgry's border-color: green; border-width: Spx" border="Spx"> <HDProduct ID < Hh> < Los Product Name < 1+h> (th) Price (1th) Ar Ltp> (Hd) T-29086 (1+d) (td) Nike T-shird (1td) 21d) Re. 799 (11d)

Product Purchased


Praduct ID Product Name Price
T-29086 Nike T-shirt Rs. 799
T-26590 L&H Trousers Rs 899
Total Rs 1698

KOH > O Phiebro (Kon) KALL Smooth tricho (Kon) KALL Smooth tricho (Kon) KALL SMOOTH (AD)

241008000 TKHS

	DATE: / /
	(te)
	(td) T-26590
	(td) [8/+ Trousers (Hd)
	> Rs.899.
	(1+e)
	(te)
	(td colspan="2" background = "imagus.jpg"> Total (/td) (td) Rs. 1698 (/td)
)	2td>Rs. 1698
	(1+p)
	2/table>
	(160dy)
	21html>
	Ima ludina i
\$	Conclusion:
	Hence, from this practicals we've learned about some attributes of stable tags.
	Some water of the a stage
,	
1	

PAGE NO. :



a 2 to to 14 to 15 to 15

PAGE NO.	:		
DATE:	1	1	

Practical No. 14.

dim: deply in-line CSS to change colours of certain tent partier, bold, underline and italice certain words in your HTML web page. Also change background colour of each paragraph using in-line CSS.

lode:

Lidoctype html>

(html)

(head)

(meta chause = "UHF 8")

(meta name = "description" content = "In-line CSS")

Stitle & Practical 1421 +144

Lovem Josum

LP3 Style="font-weight: bold; font-style: italic; buckground-color: brown">

Loren Apsum is simply dummy tent of the printing and typesetting inclustry. Loren Apsum hers ban the inclustry's standard dummy tent ever since the 1500s, when in unknown printer took a gallery of type and scrambled it to make a type specimen book. </P

<160dy> <1htm>

	_	AGE NO. :
*	Conclusion: Hence, in this practical we've I in line CSS in HTML.	leand about
	in line CSS in HTML.	
		•
	,	

Click on the button

Submit

Hello, how you doing?

PAGE NO. :			
DATE:	1	1	

Practical No. 16.

A	din: Develop a simple Tavascript in HTML.
*	Crecle:
	document html
	<html></html>
	(head)
	Junetion Soutello () S
	Junction SayHello () { document.getElementByID ("reply").value"Hello, how you doing?";
	how they doing?";
	2
	(Iseript)
	1 head>
	(body)
	(h1) click on the button (/h 1)
	(button onclick = "SayHello ()" style = "Height : 37.5, width: 125;")
	submit
	limout id= "heal"
	Submit Lingut id= "reply"> / body>
	(/html)
*	Landusian:
	In this way, I created a simple icerarcript code in
	In this way, I created a simple javascript code in
	the button.

Current Date:

01/12/2021

discul	1/0	11

PAGE	NO.	1		
DATE	:	1	1	

dim: Write a program to print date using Turaseript

Code:

2 doctupe html)

(head)

(script)

var curday = function (sp) {
today = new Pate ();
var dd = today = get Date ();

var mm = today get Month ()+1;

var gygy = today. getFall Year (); if (dd <10) dd = 101 +dd;

if (mm <10) mm = "0" + mm;

return (mm+sp+dd+sp+gggg);

document . write (arrely ('/'));

· (Iscript)

(Thead)

(p) current date: (1p)

216ody)

2/html)

Conclusion: Hence, I wrote a code to pritt the date in a website wing Januscript.

		ON Proceedings	
Enter the First number:	5	Enter the Second number:	8
Add Sum=13 F	Product = 40		

PAGE NO.	:		
DATE:	1	1	

Eractical No. 18

* dim: White a program to sum and multiply two
numbers using Javascript.

(ocle: < | Doctype h+ml>

(head)

(seript)

junction add () {

var a,b,c,d

a = number (document.get Element By ID ("first").value); b = number (decement.get Element By ID ("second").value);

c=a+b;

d=a*b;

document. write ("sum = "+c); downent. write ("product = "+d);

(Iscript)

//head>

Enter the second number: Linput id="first">
Enter the second number: Linput id= "second">

< button onclick = "add()"> Add < 16 wton>

21body> 21html>

Conclusion: In this way I wrote a program to seem two