• <u>S61-427-0082</u>

• <u>My Account</u>

Register

Login

• <u>Wish List (0)</u>

f

CONTACT US

Shopping Cart

TELEPHONE

561-427-0082

E-MAIL

Tim@fuelinjectorclinic.com

ADDRESS

12938 SE Suzanne Dr

Hobe Sound, FL 33455

OPENING TIMES

Sunday: Closed

Monday: 9am-5pm

Tuesday: 9am-5pm

Wednesday: 9am-5pm

Thursday: 9am-5pm

Friday: 9am-5pm

Saturday: Closed

View Google Map

Contact Form

INFORMATION INFORMATION Frequently Asked Questions Return Policy About Us Become a Dealer Survey **Privacy Policy** Terms & Conditions **CUSTOMER SERVICE** Contact Us My Account Returns Order History Wish List (0) **EXTRAS Brands** Gift Certificates **Affiliate Specials** Newsletter Site Map







- 🙈
- - Honda
- K(01-11),D17,S2K(06-09)
- - 1200cc (Previously 1100cc) FIC Honda/Acura K, S2000 ('06-'09) Fuel Injector Clinic Injector Set (High-Z)

1200CC (PREVIOUSLY 1100CC) FIC HONDA/ACU K, S2000 ('06-'09) FUEL INJECTOR CLINIC INJECTOF SET (HIGH-Z)

Availability: In Stock Product Code: IS116-1200H Product viewed: 1985




\$540.00

★★★★ <u>0 reviews</u> <u> Write a review</u>

AVAILABLE OPTIONS





1

- Description
- Specification
- Reviews (0)

1200cc Honda/Acura K, S2000 (06-09) FIC's Data Matched high performance fuel injectors featuring high impedance Bosch core, E85 compatible, lifetime warranty.

This injector set is precisely matched using Fuel Injector Clinic's proprietary <u>Data Match Technology</u>. Each injector is individually serial numbered and the results are provided on the <u>Data Match Sheet</u> providing the most complete flow matching and latency value information available in the industry today.

Fuel Injector Clinic injectors are flow tested and rated at 43.5psi (3Bar) at 90deg F fuel temperature using CF-16B calibration fluid.

Superior short pulse width control and state of the art matching make these injectors easy to tune and provide great drivability.

Fuel Injector Clinic injectors are set up to and include all o-rings needed to fit the factory application for the listed vehicle. If you are using aftermarket or other unusual setups please contact us prior to placing your order to make sure you receive injectors that fit properly.

Every injector is covered against failure caused by defects in original manufacture by our lifetime warranty.

This set of injectors requires you to change the injector plug on the wiring harness in your car. This car done by soldering in the pigtails (included with purchase) to replace the plugs currently on your harn you can choose to purchase the optional plug-n-play adaptors which will convert from the type of plugs ...

these injectors to the plugs on your harness without any need for cutting or soldering.

This plug conversion is made necessary because FIC always chooses to provide brand new, unused injectors for its performance applications. We do not believe that increasing the chance of a failure due to using remanufactured or core program based injectors is ever warranted.

TECHNICAL

Cylinder Quantity	4
Engine Aspiration	naturally aspirated
Fuel Pressure	43.5
Impedance	High-Z
Plug and Play Adaptor	PADPJtoH4
WHP on E85 at 43psi 90%DC NA	515.60
WHP on E85 at 43psi 90%DC Supercharged	468.73
WHP on E85 at 43psi 90%DC Turbo	429.67
WHP on E85 at 58psi 90%DC NA	595.52
WHP on E85 at 58psi 90%DC Supercharged	541.38
WHP on E85 at 58psi 90%DC Turbo	496.27
WHP on Gas at 43psi 90%DC NA	670.29



TECHNICAL

WHP on Gas at 43psi
90%DC Supercharged

WHP on Gas at 43psi
90%DC Turbo

WHP on Gas at 58psi
90%DC NA

WHP on Gas at 58psi
90%DC Supercharged

WHP on Gas at 58psi
90%DC Turbo

609.35

774.18

774.18

There are no reviews for this product.

WRITE A REVIEW

* Your Name		
* Your Review	/	//

Note: HTML is not translated!

*Rating Bad O O O Good

Continue

IFORMATION

- Frequently Asked Questions
- Return Policy
- About Us
- Become a Dealer



- <u>Survey</u>
- Privacy Policy
- Terms & Conditions

JSTOMER SERVICE

- Contact Us
- My Account
- Order History
- Wish List



- •
- You Tub
- 0

