HANOI UNI. OF SCI. AND TECH. **FACULTY OF MATH. AND INFORMATICS**

MIDTERM TEST, SPRING 2026 **Course: CS370 - Nat. of PL** **Duration: 60 minutes**	**Student name:** ..... **Student Id:** ..... **Order:** ... **Class Id:** .....

Evaluators' name and signature	Proctors' name and signature	Total score

Test Id: 1 **(This test consists of 10 questions)**

Note: *No electronic devices (laptops, smart devices, etc. except calculators) are allowed.*

Questions with one correct answer

Question 1. In Prolog, suppose that the following clauses

$$ancestor(X, Y) :- parent(X, Z),\ ancestor(Z, Y).$$
$$ancestor(amy, bob).$$
$$parent(eve, amy).$$

have been entered into the database, then which of the following queries would cause the "yes" response?

- ☐ `?- ancestor(bob,amy).`
- ☐ `?- ancestor(eve,bob).`
- ☐ `?- ancestor(amy,eve).`
- ☐ `?- ancestor(eve,amy).`

Question 2. Which of the following Pascal programs causes a syntax error?

- ☐ `var i: Integer; begin Writeln; i:=1.0; end.`
- ☐ `var i: Integer; begin Writeln(i=1); end.`
- ☐ `var i: Integer; begin Writeln; i:=1; end.`
- ☐ `var i: Integer; begin Writeln(i:=1); end.`

Question 3. In Ada, which of the following statements is legal?

- ☐ `I = I + 1;`
- ☐ `while i <= 5 do J := J + 1; end loop;`
- ☐ `while i <= 5 do J := J + 1; end while;`
- ☐ `integer: boolean;`

Question 4. In Java, which of the following statements is legal?

- ☐ `System.out.println("Hello World");`
- ☐ `System.out.println(Hello World);`
- ☐ `int v; if (v == 0) v=v+1;`
- ☐ `System.out.println('Hello World');`

Question 5. In C#, which of the following statements is legal?

- ☐ `Console.WriteLine("Hello World");`
- ☐ `if (int v == 0) return v;`
- ☐ `Console.out.println("Hello World");`
- ☐ `int v; if (v == 0) v=v+1;`

Question 6. In Python, which of the following statements is legal?

- ☐ `if (v == 0) v=v+1;`
- ☐ `println('Hello World');`
- ☐ `printf ('Hello World');`
- ☐ `sum := float(1) + float(2);`
- ☐ `Console.out.println("Hello World");`
- ☐ `print ("Hello World");`

Troy University Resources

Constructed-response questions

Question 7. Describe briefly your contribution to your group project (i.e. the project that your group has taken in this course).

.....

.....

.....

.....

.....

.....

Question 8. Explain shortly why C is more memory-efficient than Python (i.e. 1.1 vs 3.9 for space).

.....

.....

.....

.....

.....

.....

Question 9. Give a functional form of the following Pascal code.

```
function sum (n: Integer): Integer;
  var i,s: Integer;
  begin
    s:=0;
    if n<=0 then
      sum:=0;
    else
      for i := 1 to n do
        s:=s+i;
    sum:=s;
  end
```

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 10. Explain in detail the meaning of the following code in C++.

```
enum Disc {IsInt,IsReal};
struct IntOrReal {
  enum Disc which;
  union {
    int i;
    double r;
  };
};
```

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

HANOI UNI. OF SCI. AND TECH. **FACULTY OF MATH. AND INFORMATICS**

MIDTERM TEST, SPRING 2026 **Course: CS370 - Nat. of PL** **Duration: 60 minutes**	**Student name:** ..... **Student Id:** ..... **Order:** ... **Class Id:** .....

Evaluators' name and signature	Proctors' name and signature	Total score

Test Id: 2 **(This test consists of 10 questions)**

Note: *No electronic devices (laptops, smart devices, etc. except calculators) are allowed.*

Questions with one correct answer

Question 1. In Prolog, suppose that the following clauses

$$ancestor(X,Y) :- parent(X,Z),\ ancestor(Z,Y).$$
$$ancestor(amy,bob).$$
$$parent(eve,amy).$$

have been entered into the database, then which of the following queries would cause the "no" response?

- ☐ `?- parent(eve,amy).`
- ☐ `?- ancestor(amy,bob).`
- ☐ `?- ancestor(eve,bob).`
- ☐ `?- ancestor(bob,eve).`

Question 2. Which of the following Pascal programs causes an incompatible type error?

- ☐ `var i: Integer; begin Writeln(i:=1); end.`
- ☐ `var i: Integer; begin Writeln(i=1); end.`
- ☐ `var i: Integer; begin Writeln; i:=1.0; end.`
- ☐ `var i: Integer; begin Writeln; i:=1; end.`

Question 3. In Ada, which of the following statements is legal?

- ☐ `while I >= 5 do J := J - 1; end while;`
- ☐ `while J <= 5 loop J := J + 1; end loop;`
- ☐ `while I <= 5 do J := J + 1; end loop;`
- ☐ `I = I + 1;`

Question 4. In Java, which of the following statements is legal?

- ☐ `if (int v = 0) return v;`
- ☐ `System.out.println(Hello World);`
- ☐ `int v; if (v == 0) v=v+1;`
- ☐ `int v=1; if (v != 0) v=v+1;`

Question 5. In C#, which of the following statements is legal?

- ☐ `System.out.println("Hello World");`
- ☐ `System.out.println('Hello World');`
- ☐ `Console.WriteLine("Hello World");`
- ☐ `int v; if (v != 0) v=v+1;`

Question 6. In Python, which of the following statements is legal?

- ☐ `if (v != 0) v=v+1;`
- ☐ `sum = float(1.0) + float(2);`
- ☐ `printf ("Hello World");`
- ☐ `sum := float(1) + float(2);`
- ☐ `Console.println("Hello World");`
- ☐ `println('Hello World');`

Troy University Resources

Constructed-response questions

Question 7. Describe briefly your role and tasks in your group project (i.e. the project that your group has taken in this course).

.....

.....

.....

.....

.....

.....

Question 8. Explain shortly why C is faster than Python (i.e. 1.0 vs 6.5 for speed).

.....

.....

.....

.....

.....

.....

Question 9. Give an imperative form of the following Pascal code.

```
function prod (n: Integer): Real;
  begin
    if n>=1 then
      prod:=n*prod(n-1)
    else
      prod:=1.0;
  end
```

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 10. Explain in detail the meaning of the following code in Java.

```
class A
{ A A(A A)
  { A:
    for(;;)
    { if (A.A(A) == A) break A; }
    return A;
  }
}
```

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....