



Join us on Microsoft Teams with the
following code

spfk2y4

GENERAL CHEMISTRY I

Dr. Vu Thi Ngoc Minh

Office: C4-103

Email: minh.vuthingoc@hust.edu.vn

Office hour: by appointment

Textbook: Chemistry: The Central Science, By Theodore E. Brown

Expected Learning Outcomes

1. Understand the basic principles of general chemistry
2. Be able to explain basic, everyday chemical phenomena and apply your knowledge to solving real-world problems
3. Be able to explain why chemistry is essential and how it applies to everyday life

5 ways to fail this course

- Use communication devices in the exams
- Do not fully participate in the lab sections
- Take more than 3 absent days with or without the faculty's permission
- Fake lab data
- Plagiarize

What's your own definition
of chemistry?

GENERAL CHEMISTRY I



Chapter 1 Introduction: Matter and Measurement

Contents

- 1-1 The Study of Chemistry
- 1-2 Classification of Matter
- 1-3 Properties of Matter
- 1-4 Units of Measurement: SI (Metric) System
- 1-5 Uncertainties in Scientific Measurements
- 1-6 Significant Figures

Nutrition Facts

Serving Size 12 fl oz (360 mL)

Servings Per Container 6

Amount Per Serving

Calories 140

% Daily Value*

Total Fat 0g 0%

Sodium 45mg 2%

Total Carbohydrate 39g 13%

Sugars 39g

Protein 0g

Not a significant source of calories from fat, saturated fat, trans fat, cholesterol, dietary fiber, vitamin A, vitamin C, calcium and iron.

*Percent Daily Values are based on a 2,000 calorie diet.

CAR
COL
FLAV
CAFF
©20
CON
CALL
WWW

Coke®



Chemistry is all around us

Energy

Solar panels are composed of specially treated silicon.



Biochemistry

The flash of the firefly results from a chemical reaction in the insect.



Technology

LED's (light emitting diodes) are formed from elements such as gallium, arsenic and phosphorus.



Medicine

Connectors and tubing for medical procedures such as intravenous injections are made from plastics highly resistant to chemical attack.



Chemistry


Chemistry is central to our understanding of the world around us

1-1 The Study of Chemistry



Chemistry is the study of matter
and the changes that matter undergoes

**DO YOU HAVE MASS? DO
YOU OCCUPY SPACE?**



YOU MATTER.

The Periodic Table of the Elements

The Periodic Table of the Elements

group 1

period 1

1

1.00794

H

Hydrogen

2

6.941

Li

Lithium

3

9.012182

Be

Beryllium

4

22.98976

Na

Sodium

5

24.3050

Mg

Magnesium

6

39.0983

K

Potassium

7

85.4678

Rb

Rubidium

8

132.9054

Cs

Cesium

9

223

Fr

Francium

10

40.078

Ca

Calcium

11

44.95591

Sc

Scandium

12

47.867

Ti

Titanium

13

50.9415

V

Vanadium

14

51.9962

Cr

Chromium

15

54.93804

Mn

Manganese

16

55.845

Fe

Iron

17

58.93319

Co

Cobalt

18

58.6934

Ni

Nickel

19

63.546

Cu

Copper

20

65.38

Zn

Zinc

21

69.723

Ga

Gallium

22

72.64

Ge

Germanium

23

74.9216

As

Arsenic

24

78.96

Se

Selenium

25

79.904

Br

Bromine

26

83.798

Kr

Krypton

27

85.4678

Rb

Rubidium

28

132.9054

Cs

Cesium

29

223

Fr

Francium

30

40.078

Ca

Calcium

31

44.95591

Sc

Scandium

32

47.867

Ti

Titanium

33

50.9415

V

Vanadium

34

51.9962

Cr

Chromium

35

54.93804

Mn

Manganese

36

55.845

Fe

Iron

37

58.93319

Co

Cobalt

38

58.6934

Ni

Nickel

39

63.546

Cu

Copper

40

65.38

Zn

Zinc

41

69.723

Ga

Gallium

42

72.64

Ge

Germanium

43

74.9216

As

Arsenic

44

78.96

Se

Selenium

45

79.904

Br

Bromine

46

83.798

Kr

Krypton

47

85.4678

Rb

Rubidium

48

132.9054

Cs

Cesium

49

223

Fr

Francium

50

40.078

Ca

Calcium

51

44.95591

Sc

Scandium

52

47.867

Ti

Titanium

53

50.9415

V

Vanadium

54

51.9962

Cr

Chromium

55

54.93804

Mn

Manganese

56

55.845

Fe

Iron

57

58.93319

Co

Cobalt

58

58.6934

Ni

Nickel

59

63.546

Cu

Copper

60

65.38

Zn

Zinc

61

69.723

Ga

Gallium

62

72.64

Ge

Germanium

63

74.9216

As

Arsenic

64

78.96

Se

Selenium

65

79.904

Br

Bromine

66

83.798

Kr

Krypton

67

85.4678

Rb

Rubidium

68

132.9054

Cs

Cesium

69

223

Fr

Francium

70

40.078

Ca

Calcium

71

44.95591

Sc

Scandium

72

47.867

Ti

Titanium

73

50.9415

V

Vanadium

74

51.9962

Cr

Chromium

75

54.93804

Mn

Manganese

76

55.845

Fe

Iron

77

58.93319

Co

Cobalt

78

58.6934

Ni

Nickel

79

63.546

Cu

Copper

80

65.38

Zn

Zinc

81

69.723

Ga

Gallium

82

72.64

Ge

Germanium

83

74.9216

As

Arsenic

84

78.96

Se

Selenium

85

79.904

Br

Bromine

86

83.798

Kr

Krypton

87

85.4678

Rb

Rubidium

88

132.9054

Cs

Cesium

89

223

Fr

Francium

90

40.078

Ca

Calcium

91

44.95591

Sc

Scandium

92

47.867

Ti

Titanium

93

50.9415

V

Vanadium

94

51.9962

Cr

Chromium

95

54.93804

Mn

Manganese

96

55.845

Fe

Iron

97

58.93319

Co

Cobalt

98

58.6934

Ni

Nickel

99

63.546

Cu

Copper

100

65.38

Zn

Zinc

101

69.723

Ga

Gallium

102

72.64

Ge

Germanium

103

74.9216

As

Arsenic

104

78.96

Se

Selenium

105

79.904

Br

Bromine

106

83.798

Kr

Krypton

107

85.4678

Rb

Rubidium

108

132.9054

Cs

Cesium

109

223

Fr

Francium

110

40.078

Ca

Calcium

111

44.95591

Sc

Scandium

112

47.867

Ti

Titanium

113

50.9415

V

Vanadium

114

51.9962

Cr

Chromium

115

54.93804

Mn

Manganese

116

55.845

Fe

Iron

117

58.93319

Co

Cobalt

118

58.6934

Ni

Nickel

119

63.546

Cu

Copper

120

65.38

Zn

Zinc

121

69.723

Ga

Gallium

122

72.64

Ge

Germanium

123

74.9216

As

Arsenic

124

78.96

Se

Selenium

125

79.904

Br

Bromine

126

83.798

Kr

Krypton

127

85.4678

Rb

Rubidium

128

132.9054

Cs

Cesium

129

223

Fr

Francium

130

40.078

Ca

Calcium

131

44.95591

Sc

Scandium

132

47.867

Ti

Titanium

133

50.9415

V

Vanadium

134

51.9962

Cr

Chromium

135

54.93804

Mn

Manganese

136

55.845

Fe

Iron

137

58.93319

Co

Cobalt

138

58.6934

Ni

Nickel

139

63.546

Cu

Copper

140

65.38

Zn

Zinc

141

69.723

Ga

Gallium

142

72.64

Ge

Germanium

143

74.9216

As

Arsenic

144

78.96

Se

Selenium

145

79.904

Br

Bromine

146

83.798

Kr

Krypton

147

85.4678

Rb

Rubidium

148

132.9054

Cs

Cesium

149

223

Fr

Francium

150

40.078

Ca

Calcium

151

44.95591

Sc

Scandium

152

47.867

Ti

Titanium

153

50.9415

V

Vanadium

154

51.9962

Cr

Chromium

155

54.93804

Mn

Manganese

156

55.845

Fe

Iron

157

58.93319

Co

Cobalt

158

58.6934

Ni

Nickel

159

63.546

Cu

Copper

160

65.38

Zn

Zinc

161

69.723

Ga

Gallium

162

72.64

Ge

Germanium

163

74.9216

As

Arsenic

164

78.96

Se

Selenium

165

79.904

Br

Bromine

166

83.798

Kr

Krypton

167

85.4678

Rb

Rubidium

168

132.9054

Cs

Cesium

169

223

Fr

Francium

170

40.078

Ca

Calcium

171

44.95591

Sc

Scandium

172

47.867

Ti

Titanium

173

50.9415

V

Vanadium

174

51.9962

Cr

Chromium

175

54.93804

Mn

Manganese

176

55.845

Fe

Iron

177

58.93319

Co

Cobalt

178

58.6934

Ni

Nickel

179

63.546

Cu

Copper

180

65.38

Zn

Zinc

181

69.723

Ga

Gallium

182

72.64

Ge

Germanium

183

74.9216

As

Arsenic

184

78.96

Se

Selenium

185

79.904

Br

Bromine

186

83.798

Kr

Krypton

187

85.4678

Rb

Rubidium

188

132.9054

Cs

Cesium

189

223

Fr

Francium

190

40.078

Ca

Calcium

191

44.95591

Sc

Scandium

192

47.867

Ti

Titanium

193

50.9415

V

Vanadium

194

51.9962

Cr

Chromium

195

54.93804

Mn

Manganese

196

55.845

Fe

Iron

197

58.93319

Co

Cobalt

198

58.6934

Ni

Nickel

199

63.546

Cu

Copper

200

65.38

Zn

Zinc

201

69.723

Ga

Gallium

202

72.64

Ge

Germanium

203

74.9216

As

Arsenic

204

78.96

Se

Selenium

205

79.904

Br

Bromine

206

83.798

Kr

Krypton

207

85.4678

Rb

Rubidium

208

132.9054

Cs

Cesium

209

223

Fr

Francium

210

40.078

Ca

Calcium

211

44.95591

Sc

Scandium

212

47.867

Ti

Titanium

213

50.9415

V

Vanadium

214

51.9962

Cr

Chromium

215

54.93804

Mn

Manganese

216

55.845

Fe

Iron

217

58.93319

Co

Cobalt

218

58.6934

Ni

Nickel

219

63.546

Cu

Copper

220

65.38

Zn

Zinc

221

69.723

Ga

Gallium

222

72.64

Ge

Germanium

223

74.9216

As

Arsenic

224

78.96

Se

Selenium

225

79.904

Br

Bromine

226

83.798

Kr

Krypton

227

85.4678

Rb

Rubidium

228

132.9054

Cs

Cesium

229

223

Fr

Francium

230

40.078

Ca

Calcium

231

44.95591

Sc

Scandium

232

47.867

Ti

Titanium

233

50.9415

V

Vanadium

234

51.9962

Cr

Chromium

235

54.93804

Mn

Manganese

236

55.845

Fe

Iron

237

58.93319

Co

Cobalt

238

58.6934

Ni

Nickel

239

63.546

Cu

Copper

240

65.38

Zn

Zinc

241

69.723

Ga

Gallium

242

72.64

Ge

Germanium

243

74.9216

As

Arsenic

244

78.96

Se

Selenium

245

79.904

Br

Bromine

246

83.798

Kr

Krypton

247

85.4678

Rb

Rubidium

248

132.9054

Cs

Cesium

249

223

Fr

Francium

250

40.078

Ca

Calcium

251

44.95591

Sc

Scandium

252

47.867

Ti

Titanium

253

50.9415

V

Vanadium

254

51.9962

Cr

Chromium

255

54.93804

Mn

Manganese

256

55.845

Fe

Iron

257

58.93319

Co

Cobalt

258

58.6934

Ni

Nickel

259

63.546

Cu

Copper

260

65.38

Zn

Zinc

261

69.723

Ga

Gallium

262

72.64

Ge

Germanium

263

74.9216

As

Arsenic

264

78.96

Se

Selenium

265

79.904

Br

Bromine

266

83.798

Kr

Krypton

267

85.4678

Rb

Rubidium

268

132.9054

Cs

Cesium

269

223

Fr

Francium

270

40.078

Ca

Calcium

271

44.95591

Sc

Scandium

272

47.867

Ti

Titanium

273

50.9415

V

Vanadium

274

51.9962

Cr

Chromium

275

54.93804

Mn

Manganese

276

55.845

Fe

Iron

277

58.93319

Co

Cobalt

278

58.6934

Ni

Nickel

279

63.546

Cu

Copper

280

65.38

Zn

Zinc

281

69.723

Ga

Gallium

282

72.64

Ge

Germanium

283

74.9216

As

Arsenic

284

78.96

Se

Selenium

285

79.904

Br

Bromine

286

83.798

Kr

Krypton

287

85.4678

Rb

Rubidium

288

132.9054

Cs

Cesium


289

223

Fr

Francium


290</





notes

- as of yet, elements 113, 115, 117 and 118 have no official name designated by the IUPAC.
- 1 kJ/mol = 96.485 eV.
- all elements are implied to have an oxidation state of zero.


138.9054	140.116	140.9076	144.242	(145)	150.36	151.964	157.25	158.9253	162.500	164.9303	167.259	168.9342	173.054	70
La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	
Lanthanum	Cerium	Praseodymium	Neodymium	Promethium	Samarium	Europium	Gadolinium	Terbium	Dysprosium	Holmium	Erbium	Thulium	Ytterbium	
(227)	232.0380	231.0358	238.0289	(237)	(244)	(243)	(247)	(247)	(251)	(252)	(257)	(258)	(259)	102
Ac	Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	
Actinium	Thorium	Protactinium	Uranium	Neptunium	Plutonium	Americium	Curium	Berkelium	Californium	Einsteinium	Fermium	Mendelevium	Nobelium	



Our Body is 60% ~70% Water



Earth's crust



Human body

Atoms

Atoms: the almost infinitesimally small building blocks of matter

The Scale of the Universe 2


Molecules and compounds

Molecule: two or more atoms are joined in specific shapes

Homonuclear molecule




Oxygen



Compound




Water




Ethanol



Carbon dioxide




Ethylene glycol



Aspirin

1-2 Classification of Matter




In which state of matter (gas, liquid or solid) are individual molecular furthest apart?

In which one they are the second furthest apart?

In which state are they closest together?

Physical States of Matter



Solids

have a fixed shape
and volume

not compressible

Liquids

conform to the shape
of a container, but not
the volume

not compressible

Gases

take up the shape
and volume of a
container

compressible

Pure substances

Pure substances: matter that has distinct properties and a composition that does not vary from sample to sample



Diamond (carbon, C)





Table salt (sodium chloride, NaCl)



Mixtures


Mixture: collection of two or more pure substances



rocks
a heterogeneous mixtures




copper(II) sulfate aqueous solution
a homogeneous mixtures




- **Matter** is made of atoms.
- **Atoms** are differentiated as **elements** (118 elements known).
- **Compounds** are comprised of two or more elements.
- **Molecules** are the smallest units of compounds.


How do the molecules of a compound differ from the molecules of an element?




(a) Atoms of an element



(b) Molecules of an element



(c) Molecules of a compound




(d) Mixture of elements and a compound

Only one kind of atom is in any element.

Compounds must have at least two kinds of atoms.

1-3 Properties of Matter


Physical
change



Physical appearance changes but chemical composition does not

Chemical change

Chemical change (also called a **chemical reaction**): a substance is transformed into a chemically different substance




Chemical change – formation of a new compound (water)



Chemical change – decomposition of a compound (ammonium chromate)

Separation of Mixtures

Physical change : a substance changes its physical appearance but not its composition



Separation of a mixture (salt water) by distillation

EXAMPLE


Which of the following represents a physical change?

- a. *Alkanes burn spontaneously.*
- b. *The sublimation of CO_2 .*
- c. $2 \text{H}_2 (\text{g}) + \text{O}_2 (\text{g}) \rightarrow 2 \text{H}_2\text{O} (\text{g})$
- d. *The rusting of a car.*


EXAMPLE

Determine which of the following represents a physical change and a chemical change.


a.



b.




c.




EXAMPLE


Answer each of the following questions based on the images provided below.




1




2



3



4



5

- a) Which images represents an elemental gas?
- b) Which images represents a heterogeneous mixture?
- c) Which images represents a liquid?

EXAMPLE

Identify each of the following homogeneous or heterogeneous mixture


a) Wood

b) Tap water

c) Dirt

d) Air

1-4 The Measurement of Matter



Scientific Method

Table 1.4 SI Base Units

Physical Quantity	Name of Unit	Abbreviation
Mass	Kilogram	kg
Length	Meter	m
Time	Second	s or sec
Temperature	Kelvin	K
Amount of substance	Mole	mol
Electric current	Ampere	A or amp
Luminous intensity	Candela	cd

Table 1.5 Prefixes Used in the Metric System and with SI Units

Prefix	Abbreviation	Meaning	Example	
Peta	P	10^{15}	1 petawatt (PW)	$= 1 \times 10^{15} \text{ watts}^a$
Tera	T	10^{12}	1 terawatt (TW)	$= 1 \times 10^{12} \text{ watts}$
Giga	G	10^9	1 gigawatt (GW)	$= 1 \times 10^9 \text{ watts}$
Mega	M	10^6	1 megawatt (MW)	$= 1 \times 10^6 \text{ watts}$
Kilo	k	10^3	1 kilowatt (kW)	$= 1 \times 10^3 \text{ watts}$
Deci	d	10^{-1}	1 deciwatt (dW)	$= 1 \times 10^{-1} \text{ watt}$
Centi	c	10^{-2}	1 centiwatt (cW)	$= 1 \times 10^{-2} \text{ watt}$
Milli	m	10^{-3}	1 milliwatt (mW)	$= 1 \times 10^{-3} \text{ watt}$
Micro	μ^b	10^{-6}	1 microwatt (μW)	$= 1 \times 10^{-6} \text{ watt}$
Nano	n	10^{-9}	1 nanowatt (nW)	$= 1 \times 10^{-9} \text{ watt}$
Pico	p	10^{-12}	1 picowatt (pW)	$= 1 \times 10^{-12} \text{ watt}$
Femto	f	10^{-15}	1 femtowatt (fW)	$= 1 \times 10^{-15} \text{ watt}$
Atto	a	10^{-18}	1 attowatt (aW)	$= 1 \times 10^{-18} \text{ watt}$
Zepto	z	10^{-21}	1 zeptowatt (zW)	$= 1 \times 10^{-21} \text{ watt}$

Scientific Notation

Scientific notation is used to turn small or large, inconvenient numbers into manageable ones

The diagram shows the scientific notation 6.88×10^{-12} . A blue arrow points from the word "digits" to the number 6.88. A purple arrow points from the words "power of ten" to the 10^{-12} part.

$$6.88 \times 10^{-12}$$

digits

power of ten

the decimal point placed after the first digit

Six point eighty eight times ten to the minus twelfth

EXAMPLE

Convert the following numbers into scientific notation

a. 377,000

b. 0.000101

c. 707.82

d. 161.00×10^7

Mass

- Mass is the **quantity** of matter in an object.
- Weight is the force of gravity on an object


$$W \propto m$$

$$W = g \cdot m$$



Temperature

Temperature is a measure of the hotness or coldness of an object




- **Temperature** is a measure of thermal energy in a substance, which is independent on the amount of matter.
 - This is an intensive property
 - Other examples of intensive properties: boiling point, melting point, color,...
- **Heat** is a form of thermal energy, which is dependent on the amount of matter.
 - This is an extensive property
 - Other examples of extensive properties: mole, mass, volume,...


EXAMPLE

Which of the following has the greater amount of heat?

a.




30 g H₂O at 50°C




300 g H₂O at 50°C

b.




30 g H₂O at 50°C



30 g H₂O at 100°C


Volume



Density

Density is the amount of mass in a unit volume of a substance.

$$\text{Density} = \frac{\text{mass}}{\text{volume}}$$



Common volumetric glassware for measuring volume of liquids

SI and non-SI Units Compared

1 Imperial qt
1.136 L

1 US qt
0.936 L


1 L

1 kg

1 lb

1 in

1 cm



Units

S.I. Units

Length	meter, m
Mass	Kilogram, kg
Time	second, s
Temperature	Kelvin, K
Quantity	Mole, $6.022 \times 10^{23} \text{ mol}^{-1}$

Other Common Units

Length	Angstrom, Å, 10^{-8} cm
Volume	Liter, L, 10^{-3} m^3
Energy	Calorie, cal, 4.184 J
Pressure	
	$1 \text{ Atm} = 1.064 \times 10^2 \text{ kPa}$
	$1 \text{ Atm} = 760 \text{ mm Hg}$

Derived Quantities

Force	Newton, kg m s^{-2}
Pressure	Pascal, $\text{kg m}^{-1} \text{ s}^{-2}$
Energy	Joule, $\text{kg m}^2 \text{ s}^{-2}$

Density and Percent Composition

$$\delta = m/V$$

$$m = V\delta$$

$$V = m/\delta$$

$$\text{g/mL}$$

Mass and volume are **extensive** properties

Density is an **intensive** property

Density in Conversion Pathways

What is the mass of a cube of osmium that is 1.25 inches on each side?

Have volume, need density = 22.48g/cm³


(converts in. to cm) (converts cm to cm³) (converts cm³ to g osmium)

$$? \text{ g osmium} = \left[1.25 \text{ in.} \times \frac{2.54 \text{ cm}}{1 \text{ in.}} \right]^3 \times \frac{22.48 \text{ g osmium}}{1 \text{ cm}^3} = 719 \text{ g osmium}$$

EXAMPLE

Relating Mass, Volume and Density

The stainless steel in the solid cylindrical rod pictured below has a density of 7.75 g/cm^3 . If we want a 1.00 kg mass of this rod, how long a section must we cut off?



Calculate the Volume needed

$$V = \frac{m}{d} = m \times \frac{1}{d}$$


$$V = (1.00 \cancel{\text{kg}})(1000 \cancel{\text{g/kg}}) \times \frac{1 \text{ cm}^3}{7.75 \cancel{\text{g}}} = 129 \text{ cm}^3$$

Calculate the Length

$$V = h \pi r^2 \quad h = \frac{V}{\pi r^2}$$

$$h = \frac{V}{\pi r^2} = \frac{129 \text{ cm}^3}{(3.1415)\{(0.5)(1.000 \cancel{\text{in}})(2.54 \cancel{\text{cm/in}})\}^2} = 25.5 \text{ cm}$$

Measuring Volume of an Irregular Object



1-5 Uncertainty in Measurement



Good accuracy
Good precision

- Precision
 - Reproducibility of a measurement.



Poor accuracy
Good precision

- Accuracy
 - How close to the real value.



Poor accuracy
Poor precision

- Systematic errors.
 - Constantly lower
 - Constantly higher
- Random errors
 - Limitation in reading a scale.

Precision



Reproducibility ± 0.1 g

Precision low




± 0.0001 g


high

EXAMPLE


Which of the 4 following images is not precise and not accurate?




1



2



3



4

EXAMPLE

A student must measure the weight of a sodium bicarbonate compound, NaHCO_3 , and obtains the following measurements: 23.12 g, 23.08 g and 23.17g. If the true weight of the compound is 18.01 g what can be said about the student's results?

- a. *They are accurate and precise.*
- b. *They are accurate, but not precise.*
- c. *They are neither accurate or precise.*
- d. *They are not accurate, but precise.*

Standard Deviation

The standard deviation measures **how close** data results are in relation to the mean, or average, value.

$$SD = \sqrt{\frac{\sum (x_i - \bar{x})^2}{n - 1}}$$

x_i = Observed value

$\bar{x}$ = Mean value

n = Number of observations

EXAMPLE

Calculate the standard deviation for the following results:

a. 5.29, 5.35, and 5.31


b. 0.39, 0.061, and 5.3×10^{-2}

Now, answer this question:

How tall are you?

Significant Figures

All digits of a measured quantity, including the uncertain one, are called significant figures



Significant Figures

Not significant:

zero for
“cosmetic”
purpose

0

Not significant:

zeros used only
to locate the
decimal point

0

0

4

0

0

4

5

0

0

Significant:

all nonzero
integers

Significant:

all zeros between
nonzero numbers

Significant:

zeros at the end of
a number to the right
of decimal point

EXAMPLE

How many sig figs does each number contain?

a. 0.0000185 m

b. 749 mol

c. $17.3 \times 10^3\text{ mL}$

d. 100 min

e. 0.0010050 kg

f. 1560 mol

Significant figures in calculation

For **addition and subtraction**, the result has the same number of decimal places as the measurement with the **fewest decimal places**

$$20.42 + 1.322 + 83.1 = 104.842$$

two decimal places

three decimal places

one decimal place


We report the result as **104.8** because 83.1 has only one decimal place

Significant figures in calculation


For **multiplication and division**, the result contains the same number of significant figures as the measurement with the **fewest significant figures**

$$\text{Area} = (6.221 \text{ cm})(5.2 \text{ cm}) = 32.3492 \text{ cm}^2 \Rightarrow \text{round off to } 32 \text{ cm}^2$$

four significant figures



two significant figures



We report the result as **32 cm²** because 5.2 has two significant figures

Check it at <https://www.omnicalculator.com/math/sig-fig>

EXAMPLE

Perform the following calculation to the right number of sig figs:

a. $(3.16) \times (0.003027) \times (5.7 \times 10^{-3})$

$$0.000054522324 = 5.4522324 \times 10^{-5} = 5.5 \times 10^{-5}$$

b. 2.628×10^6

$$6.281 \times 10^4$$

$$\underline{+ 0.827 \times 10^7}$$

$$10960180 = 1.0960180 \times 10^7 = 1.10 \times 10^7$$

EXAMPLE

Perform the following calculation to the right number of sig figs:

a. $(3.16) \times (0.003027) \times (5.7 \times 10^{-3})$

$= 5.5 \times 10^{-5}$

b.

2.628×10^6	0.110×10^8
6.281×10^4	1.10×10^7
<u>$+ 0.827 \times 10^7$</u>	

Significant figures in calculation

When a calculation involves two or more steps and you write answers for intermediate steps, **retain at least one nonsignificant digit** for the intermediate answers.