


GAME 2031

Lab 3 - 2%

Deploying an Xcode Project in Mac OS



Open Xcode and go to **File/New/Project**. Find the **macOS** group, select **Application/Command Line Tool** and click **Next**:



For **Product Name**, enter Panagram. Make sure that **Language** is set to **Swift**, then click **Next**.

Choose options for your new project:

Product Name:

Team:

Organization Name:

Organization Identifier:

Bundle Identifier:

Language:


Cancel

Previous

Next

Choose a location on your disk to save your project and click **Create**.

In the **Project Navigator** area you will now see the **main.swift** file that was created by the Xcode Command Line Tool template.



Many C-like languages have a `main` function that serves as the entry point — i.e. the code that the operating system will call when the program is executed. This means the program execution starts with the first line of this function. Swift doesn't have a `main` function; instead, it has a **main file**.

When you run your project, the first line inside the main file that isn't a method or class declaration is the first one to be executed. It's a good idea to keep your **main.swift** file as clean as possible and put all your classes and structs in their own files. This keeps things streamlined and helps you to understand the main execution path.


The Output Stream

In most command-line programs, you'd like to print some messages for the user. For example, a program that converts video files into different formats could print the current progress or some error message if something went wrong.

Unix-based systems such as macOS define two different output streams:

- The **standard output** stream (or `stdout`) is normally attached to the display and should be used to display messages to the user.
- The **standard error** stream (or `stderr`) is normally used to display status and error messages. This is normally attached to the display, but can be redirected to a file.

With the Panagram group selected in the Project navigator, press **Cmd + N** to create a new file. Under **macOS**, select **Source/Swift File** and press **Next**:



Save the file as **ConsoleIO.swift**. You'll wrap all the input and output elements in a small, handy class named `ConsoleIO`.

Add the following code to the end of **ConsoleIO.swift**:

```
class ConsoleIO {
}
```

Your next task is to change Panagram to use the two output streams.

In **ConsoleIO.swift** add the following enum at the top of the file, above the `ConsoleIO` class implementation and below the `import` line:

```
enum OutputType {
    case error
    case standard
}
```

This defines the output stream to use when writing messages.

Next, add the following method to the `ConsoleIO` class (between the curly braces for the class implementation):

```
func writeMessage(_ message: String, to: OutputType = .standard) {
```

```
switch to {
case .standard:
    print("\(message)")
case .error:
    fputs("Error: \(message)\n", stderr)
}
```

This method has two parameters; the first is the actual message to print, and the second is the destination. The second parameter defaults to `.standard`.

The code for the `.standard` option uses `print`, which by default writes to `stdout`.

The `.error` case uses the C function `fputs` to write to `stderr`, which is a global variable and points to the standard error stream.

Add the following code to the end of the `ConsoleIO` class:

```
func printUsage() {

    let executableName = (CommandLine.arguments[0] as NSString).lastPathComponent

    writeMessage("usage:")
    writeMessage("\(executableName) -a string1 string2")
    writeMessage("or")
    writeMessage("\(executableName) -p string")
    writeMessage("or")
        "\(executableName) -h to show usage information")
    writeMessage("Type \(executableName) without an option to enter interactive mode.")
}
```

This code defines the `printUsage()` method that prints usage information to the console.

Every time you run a program, the path to the executable is implicitly passed

as `argument[0]` and accessible through the global `CommandLine` enum. `CommandLine` is a small wrapper in the Swift Standard Library around the `argc` and `argv` arguments you may know from C-like languages.

Create another new Swift file named **Panagram.swift** (following the same steps as before) and add the following code to it:

```
class Panagram {

    let consoleIO = ConsoleIO()
```



```
func staticMode() {  
    consoleIO.printUsage()  
}  
  
}
```

This defines a `Panagram` class that has one method. The class will handle the program logic, with `staticMode()` representing non-interactive mode — i.e. when you provide all data through command line arguments. For now, it simply prints the usage information. Now, open **main.swift** and replace the `print` statement with the following code:

```
let panagram = Panagram()  
panagram.staticMode()
```

Build and run your project; you'll see the following output in Xcode's Console:

```
or  
Panagram -p string  
or  
Panagram -h to show usage information  
Type Panagram without an option to enter interactive mode.  
Program ended with exit code: 0
```

So far, you've learned what a command-line tool is, where the execution starts, how to send messages to `stdout` and `stderr` and how you can split your code into logical units to keep **main.swift** organized.

In the next section, you'll handle command-line arguments and complete the static mode of `Panagram`.

Command-Line Arguments

When you start a command-line program, everything you type after the name is passed as an argument to the program. Arguments can be separated with whitespace characters.

Usually, you'll run into two kind of arguments: **options** and **strings**.

Options start with a dash followed by a character, or two dashes followed by a word. For example, many programs have the option `-h` or `--help`, the first being simply a shortcut for the second. To keep things simple, Panagram will only support the short version of options.

Open **Panagram.swift** and add the following enum at the top of the file, outside the scope of the `Panagram` class:

```
enum OptionType: String {
    case palindrome = "p"
    case anagram = "a"
    case help = "h"
    case unknown

    init(value: String) {
        switch value {
            case "a": self = .anagram
            case "p": self = .palindrome
            case "h": self = .help
            default: self = .unknown
        }
    }
}
```

This defines an enum with `String` as its base type so you can pass the option argument directly to `init(_:)`. Panagram has three options: `-p` to detect palindromes, `-a` for anagrams and `-h` to show the usage information. Everything else will be handled as an error.

Next, add the following method to the `Panagram` class:

```
func getOption(_ option: String) -> (option:OptionType, value: String) {
    return (OptionType(value: option), option)
}
```

The above method accepts an option argument as a `String` and returns a tuple of `OptionType` and `String`.

In the `Panagram`, class replace the contents of `staticMode()` with the following:

```
//1
let argCount = CommandLine.argc
//2
let argument = CommandLine.arguments[1]
//3
let (option, value) = getOption(argument.substring(from:
argument.index(argument.startIndex, offsetBy: 1)))
//4
consoleIO.sendMessage("Argument count: \(argCount) Option: \(option) value: \(
value)")
```

Here's what's going on in the code above:


1. You first get the number of arguments passed to the program. Since the executable path is always passed in (as `CommandLine.arguments[0]`), the count value will always be greater than or equal to 1.
2. Next, take the first "real" argument (the option argument) from the `arguments` array.
3. Then you parse the argument and convert it to an `OptionType`.
The `index(_:offsetBy:)` method is simply skipping the first character in the argument's string, which in this case is the hyphen (^-) character before the option.
4. Finally, you log the parsing results to the Console.

In `main.swift`, replace the line `panagram.staticMode()` with the following:


```
if CommandLine.argc < 2 {
    //TODO: Handle interactive mode
} else {
    panagram.staticMode()
}
```

If your program is invoked with fewer than 2 arguments, then you're going to start interactive mode - you'll do this part later. Otherwise, you use the non-interactive static mode.


You now need to figure out how to pass arguments to your command-line tool from within Xcode. To do this, click on the **Scheme** named **Panagram** in the **Toolbar**:



Select **Edit Scheme...** from the menu that appears:



Ensure **Run** is selected in the left pane, click the **Arguments** tab, then click the **+** sign under **Arguments Passed On Launch**. Add `-p` as argument and click **Close**:



Now build and run, and you'll see the following output in the Console:

```
Argument count: 2 Option: Palindrome value: p
Program ended with exit code: 0
```

So far, you've added a basic option system to your tool, learned how to handle command-line arguments and how to pass arguments from within Xcode.

Next up, you'll build the main functionality of Panagram.

Anagrams and Palindromes

Before you can write any code to detect palindromes or anagrams, you should be clear on what they are!

Palindromes are words or sentences that read the same backwards and forwards. Here are some examples:

- level
- noon
- A man, a plan, a canal - Panama!

As you can see, capitalization and punctuation are often ignored. To keep things simple, Panagram will ignore capitalization and white spaces, but will not handle punctuation.

Anagrams are words or sentences that are built using the characters of other words or sentences. Some examples are:

- silent listen
- Bolivia Lobivia (it's a cactus from Bolivia)

You'll encapsulate the detection logic inside a small extension to `String`.

Create a new file named **StringExtension.swift** and add the following code to it:

```
extension String {  
}
```

Time for a bit of design work. First, how to detect an anagram:

1. Ignore capitalization and whitespace for both strings.
2. Check that both strings contain the same characters, and that all characters appear the same number of times.

Add the following method to **StringExtension.swift**:

```
func isAnagramOf(_ s: String) -> Bool {  
    //1  
    let lowerSelf = self.lowercased().replacingOccurrences(of: " ", with: "")  
    let lowerOther = s.lowercased().replacingOccurrences(of: " ", with: "")  
    //2  
    return lowerSelf.sorted() == lowerOther.sorted()  
}
```

Taking a closer look at the algorithm above:

1. First, you remove capitalization and whitespace from both Strings.

2. Then you sort and compare the characters.

Detecting palindromes is simple as well:

1. Ignore all capitalization and whitespace.
2. Reverse the string and compare; if it's the same, then you have a palindrome.

Add the following method to detect palindromes:

```
func isPalindrome() -> Bool {  
    //1  
    let f = self.lowercased().replacingOccurrences(of: " ", with: "")  
    //2  
    let s = String(f.reversed())  
    //3  
    return f == s  
}
```

The logic here is quite straightforward:

1. Remove capitalization and whitespace.
2. Create a second string with the reversed characters.
3. If they are equal, it is a palindrome.

Time to pull this all together and help Panagram do its job.

Open **Panagram.swift** and replace the call

to `writeMessage(_:to:)` in `staticMode()` with the following:

```
//1  
switch option {  
case .anagram:  
    //2  
    if argCount != 4 {  
        if argCount > 4 {  
            consoleIO.writeMessage("Too many arguments for option \  
(option.rawValue)", to: .error)  
        } else {  
            consoleIO.writeMessage("Too few arguments for option \  
(option.rawValue)", to: .error)  
        }  
        consoleIO.printUsage()  
    } else {  
        //3  
        let first = CommandLine.arguments[2]  
        let second = CommandLine.arguments[3]  
  
        if first.isAnagramOf(second) {  
            consoleIO.writeMessage("\(second) is an anagram of \(first)")  
        } else {
```

```
        consoleIO.sendMessage("\ (second) is not an anagram of \ (first)")
    }
}
case .palindrome:
    //4
    if argCount != 3 {
        if argCount > 3 {
            consoleIO.sendMessage("Too many arguments for option \
(option.rawValue)", to: .error)
        } else {
            consoleIO.sendMessage("Too few arguments for option \
(option.rawValue)", to: .error)
        }
        consoleIO.printUsage()
    } else {
        //5
        let s = CommandLine.arguments[2]
        let isPalindrome = s.isPalindrome()
        consoleIO.sendMessage("\ (s) is \ (isPalindrome ? "" : "not ")a
palindrome")
    }
//6
case .help:
    consoleIO.printUsage()
case .unknown:
    //7
    consoleIO.sendMessage("Unknown option \ (value)")
    consoleIO.printUsage()
}
```


Going through the above code step-by-step:

1. First, switch based on what argument you were passed, to determine what operation will be performed.
2. In the case of an anagram, there must be four command-line arguments passed in. The first is the executable path, the second the `-a` option and finally the two strings to check. If you don't have four arguments, then print an error message.
3. If the argument count is good, store the two strings in local variables, check them to see if they are anagrams of each other, and print the result.
4. In the case of a palindrome, you must have three arguments. The first is the executable path, the second is the `-p` option and finally the string to check. If you don't have three arguments, then print an error message.
5. Check the string to see if it is a palindrome and print the result.

6. If the `-h` option was passed in, then print the usage information.
7. If an unknown option is passed, print the usage information.

Now, modify the arguments inside the scheme. For example, to use the `-p` option you must pass two arguments (in addition to the first argument, the executable's path, which is always passed implicitly).

Select **Edit Scheme...** from the Set Active Scheme toolbar item, and add a second argument with the value **"level"** as shown below:



Build and run, and you'll see the following output in the console:

```
level is a palindrome
Program ended with exit code: 0
```

Handle Input Interactively

Now that you have a basic version of Panagram working, you can make it even more useful by adding the ability to type in the arguments interactively via the input stream.

In this section, you will add code so when Panagram is started without arguments, it will open in interactive mode and prompt the user for the input it needs.

First, you need a way to get input from the keyboard. `stdin` is attached to the keyboard and is therefore a way for you to collect input from users interactively.

Open **ConsoleIO.swift** and add the following method to the class:

```
func getInput() -> String {  
    // 1  
    let keyboard = FileHandle.standardInput  
    // 2  
    let inputData = keyboard.availableData  
    // 3  
    let strData = String(data: inputData, encoding: String.Encoding.utf8)!  
    // 4  
    return strData.trimmingCharacters(in: CharacterSet.newlines)  
}
```

Taking each numbered section in turn:

1. First, grab a handle to `stdin`.
2. Next, read any data on the stream.
3. Convert the data to a string.
4. Finally, remove any newline characters and return the string.

Next, open **Panagram.swift** and add the following method to the class:

```
func interactiveMode() {  
    //1  
    consoleIO.writeMessage("Welcome to Panagram. This program checks if an input  
string is an anagram or palindrome.")  
    //2  
    var shouldQuit = false  
    while !shouldQuit {  
        //3  
        consoleIO.writeMessage("Type 'a' to check for anagrams or 'p' for  
palindromes type 'q' to quit.")  
        let (option, value) = getOption(consoleIO.getInput())  
  
        switch option {  
            case .anagram:  
                //4  
                consoleIO.writeMessage("Type the first string:")  
                let first = consoleIO.getInput()  
                consoleIO.writeMessage("Type the second string:")  
                let second = consoleIO.getInput()  
  
                //5  
                if first.isAnagramOf(second) {  
                    consoleIO.writeMessage("\(second) is an anagram of \(first)")  
                } else {  
                    consoleIO.writeMessage("\(second) is not an anagram of \(first)")  
                }  
            }  
        }  
    }  
}
```

```
    }  
    case .palindrome:  
        consoleIO.writeMessage("Type a word or sentence:")  
        let s = consoleIO.getInput()  
        let isPalindrome = s.isPalindrome()  
        consoleIO.writeMessage("\(s) is \(isPalindrome ? "" : "not ")a  
palindrome")  
    default:  
        //6  
        consoleIO.writeMessage("Unknown option \(value)", to: .error)  
    }  
}  
}
```

Taking a look at what's going on above:

1. First, print a welcome message.
2. `shouldQuit` breaks the infinite loop that is started in the next line.
3. Prompt the user for input and convert it to one of the two options, if possible.
4. If the option was for anagrams, prompt the user for the two strings to compare.
5. Write the result out. The same logic flow applies to the palindrome option.
6. If the user enters an unknown option, print an error and start the loop again.

At the moment, you have no way to interrupt the `while` loop. In **Panagram.swift** add the following line to the `OptionType` enum:

```
case quit = "q"
```

Next, add the following line to the enum's `init(_):`

```
case "q": self = .quit
```

In the same file, add a `.quit` case to the `switch` statement inside `interactiveMode():`

```
case .quit:  
    shouldQuit = true
```


Then, change the `.unknown` case definition inside `staticMode()` as follows:

```
case .unknown, .quit:
```


Open **main.swift** and replace the comment `//TODO: Handle interactive mode` with the following:

```
panagram.interactiveMode()
```

To test interactive mode, you must not have any arguments defined in the Scheme. So, remove the two arguments you defined earlier. Select **Edit Scheme...** from the toolbar menu. Select each argument and then click the - sign under **Arguments Passed On Launch**. Once all arguments are deleted, click **Close**:



Build and run, and you'll see the following output in the Console:

```
Welcome to Panagram. This program checks if an input string is an anagram or
palindrome.
Type 'a' to check for anagrams or 'p' for palindromes type 'q' to quit.
```

Try out the different options. Type an option letter (do not prefix with a hyphen) followed by **Return**. You will be prompted for the arguments. Enter each value followed by **Return**. In the Console you should see something similar to this:

```
a
Type the first string:
silent
Type the second string:
```

```
listen
listen is an anagram of silent
Type 'a' to check for anagrams or 'p' for palindromes type 'q' to quit.
p
Type a word or sentence:
level
level is a palindrome
Type 'a' to check for anagrams or 'p' for palindromes type 'q' to quit.
f
Error: Unknown option f
Type 'a' to check for anagrams or 'p' for palindromes type 'q' to quit.
q
Program ended with exit code: 0
```


Launching Outside Xcode

Normally, a command-line program is launched from a shell utility like Terminal (vs. launching it from an IDE like Xcode). The following section walks you through launching your app in Terminal.


There are different ways to launch your program via Terminal. You could find the compiled binary using the Finder and start it directly via Terminal. Or, you could be lazy and tell Xcode to do this for you. First, you'll learn the lazy way.

Launch your app in Terminal from Xcode

Create a new scheme that will open Terminal and launch Panagram in the Terminal window. Click on the scheme named **Panagram** in the toolbar and select **New Scheme**:



Name the new scheme **Panagram on Terminal**:




The dialog box shows the 'Target' dropdown set to 'Panagram' and the 'Name' text field containing 'Panagram on Terminal'. At the bottom are 'Cancel' and 'OK' buttons.

Ensure the **Panagram on Terminal** scheme is selected as the active scheme. Click the scheme and select **Edit Scheme...** in the popover.

Ensure that the **Info** tab is selected and then click on the **Executable** drop down and select **Other**. Now, find the **Terminal.app** in your **Applications/Utilities** folder and click **Choose**. Now that Terminal is your executable, uncheck **Debug executable**.

Your **Panagram on Terminal** scheme's **Info** tab should look like this:



The 'Scheme Editor' window shows the 'Info' tab selected. The 'Build Configuration' is 'Debug'. The 'Executable' dropdown is set to 'Terminal.app', and the 'Debug executable' checkbox is unchecked. The 'Debug Process As' section has 'Me (gm)' selected. The 'Launch' section has 'Automatically' selected. At the bottom are buttons for 'Duplicate Scheme', 'Manage Schemes...', a 'Shared' checkbox, and a 'Close' button.

Next, select the **Arguments** tab, then add one new argument:

```
${BUILT_PRODUCTS_DIR}/${FULL_PRODUCT_NAME}
```



Finally, click **Close**.

Now, make sure you have the scheme **Panagram on Terminal** selected, then build and run your project. Xcode will open Terminal and pass through the path to your program.

Terminal will then launch your program as you'd expect.

```


[jeanpierresmbp:Debug pierre$ Panagram
Welcome to Panagram. This program checks if a input string is an anagram or pali
ndrome.
Type 'a' to check for anagrams or 'p' for palindroms type 'q' to quit.
a
Type the first string:
listen
Type the second string:
silent
silent is an angram of listen
Type 'a' to check for anagrams or 'p' for palindroms type 'q' to quit.
q
jeanpierresmbp:Debug pierre$

```


Launch your app directly from Terminal

Open Terminal from your **Applications/Utilities** folder.


In the **Project Navigator** select your product under the **Products** group. Copy your debug folder's **Full Path** from Xcode's Utility area as shown below (do not include "Panagram"):



Open a Finder window and select the **Go/Go to Folder...** menu item and paste the full path you copied in the previous step into the dialog's text field:



Click **Go** and Finder navigates to the folder containing the Panagram executable:



Drag the Panagram executable from Finder to the Terminal window and drop it there. Switch to the Terminal window and hit **Return** on the keyboard. Terminal launches Panagram in interactive mode since no arguments were specified:

```
Debug — -bash — 80x24
[jeanpierresmbp:Debug pierre$ Panagram
Welcome to Panagram. This program checks if a input string is an anagram or pali
ndrome.
Type 'a' to check for anagrams or 'p' for palindroms type 'q' to quit.
a
Type the first string:
listen
Type the second string:
silent
silent is an angram of listen
Type 'a' to check for anagrams or 'p' for palindroms type 'q' to quit.
q
jeanpierresmbp:Debug pierre$
```

Displaying Errors

Finally, you will add some code to display error messages in red.


Open **ConsoleIO.swift** and in `writeMessage(_:to:)`, replace the two `case` statements with the following:

```
case .standard:
    // 1
    print("\u{001B}[]m(message)")
case .error:
    // 2
    fputs("\u{001B}[0;31m(message)\n", stderr)
```

Taking each numbered line in turn:

1. The sequence `\u{001B}[]m` is used in the standard case to reset the terminal's text color back to the default.
2. The sequence `\u{001B}[0;31m` are control characters that cause Terminal to change the color of the following text strings to red.

Build and run, this will launch Panagram in Terminal. Type **f** for option, the **Unknown option f** error message will display in red:



```
jeanpierresmbp:Debug pierre$ Panagram -f
Unkonwn option f
usage:
Panagram -a string1 string2
or
Panagram -p string
Type Panagram without an option to enter interactive mode.
jeanpierresmbp:Debug pierre$
```