TinyExpr++

C++ formula parsing and evaluation library

```
te_parser tep;
tep.set_variables_and_functions({

/* This will compile the expression
if (tep.compile(expression))
    {
    x = 3; y = 4;
    const double r = tep.evaluate();
    std::cout << "Result:\n\t" << r << "\n";
    }
else
    {
    /* Show the user where the error is at */
    std::cout << "\t " << std::setfill(' ') <<
        std::setw(tep.get_last_error_position()) << "^" <<
        "\tError near here\n";
    }
```

```
/* Returns the p-level of a study if:
   p-level < 5% AND
   number of observations was at least 30.
   Otherwise, NaN is returned. */

IF(// Review the results from the analysis
   AND(P_LEVEL < .05, N_OBS >= 30),
   // ...and return the p-level if acceptable
   P_LEVEL,
   // or NaN if not
   NAN)
```

The Comprehensive User Reference & Programming Manual

Blake Madden

TinyExpr++

User Reference & Programming Manual

Blake Madden

TinyExpr++

User Reference & Programming Manual

Published in the United States

Table of contents

List of Tables

Overview

This is the programming manual for *TinyExpr++*, the C++ version of the *TinyExpr* (Winkle) formula parsing library. (This manual includes documentation from *TinyExpr* by Lewis Van Winkle.)

TinyExpr++ is a small parser and evaluation library for solving math expressions from C++. It's open-source, free, easy-to-use, and self-contained in a single source and header file pair.

Features

- C++20 with no dependencies.
- Single source file and header file.
- Simple and fast.
- Implements standard operator precedence.
- Implements logical and comparison operators.
- Includes standard C math functions (`sin`, `sqrt`, `ln`, etc.).
- Includes some *Excel*-like statistical, logical, and financial functions (e.g., `AVERAGE` and `IF`).
- Can add custom functions and variables easily.
- Can add a custom handler to resolve unknown variables.
- Can bind constants at eval-time.
- Supports variadic functions (taking between 1–24 arguments).
- Case-insensitive formulas. End-user expressions are evaluated without regard to case.
- Supports non-US formulas (e.g., `POW(2,2; 2)` instead of `POW(2.2, 2)`).
- Supports C and C++ style comments within math expressions.
- Can be configured to use `double`, `long double`, or `float` for its calculations.
- Released under the zlib license - free for nearly any use.
- Easy to use and integrate with your code.
- Thread-safe when each thread uses its own parser instance.

Part I

User Guide

Chapter 1

Usage

TinyExpr++ is an expression-evaluation library which accepts math and logic expressions such as:

```
ABS(((5+2) / (ABS(-2))) * -9 + 2) - 5^2
```

Applications using *TinyExpr++* may provide context-specific variables that you can use in your expressions. For example, in a spreadsheet application, values representing cells such as `C1` and `D2` may be available. This would enable the use of expressions such as:

```
SUM(C1, C2, C3, D1, D2, D3)
```

As another example, in a statistical program, the values `N_OBS` and `P_LEVEL` may be available. This would make an expression such as this possible:

```
IF(AND(P_LEVEL < .05, N_OBS >= 30),
   P_LEVEL,
   NAN)
```

Logical checks can also be nested, creating a "case"-like statement:

```
IF(AND(smartMeter1.power > 1900, sensor1.temperature < 52), TRUE,
   IF(AND(smartMeter1.power < 300, sensor1.temperature > 55), FALSE,                ①
      NAN) )                                                                        ②
```

① First logical check failed, so now check another scenario and return false if it meets our criteria.
② Neither scenario passed; return NaN because the values are in an unaccounted for scenario.

The same can be accomplished using the `IFS()` function:

```
IFS(AND(smartMeter1.power > 1900, sensor1.temperature < 52), TRUE,
    AND(smartMeter1.power < 0), FALSE,                                              ①
    AND(smartMeter1.power < 300, sensor1.temperature > 55), FALSE)                  ②
```

① First logical check failed, so now check another scenario and return false if it meets our criteria.
② Neither scenario passed; return NaN because the values are in an unaccounted for scenario.

> **Note**
> Expressions can optionally begin with an `=`, the same as spreadsheet programs. For example:
>
> `=SUM(C1, C2, C3, D1, D2, D3)`

Please consult your application's documentation for which custom variables and functions it may provide for its formulas.

Chapter 2

Operators

The following operators are supported within math expressions:

Table 2.1: Operators

Operator	Description
*	Multiplication.
/	Division.
%	Modulus: Divides two values and returns the remainder.
+	Addition.
-	Subtraction.
^	Either exponentiation (the default) or bitwise XOR. For exponentiation, the number in front of ^ is the base, the number after it is the power to raise it to.
**	Exponentiation. (This is an alias for ^)
<	Less than.
>	Greater than.
>=	Greater than or equal to.
<=	Less than or equal to.
=	Equality comparison.
==	Equality comparison. (This is an alias for =)
<>	Not equal to.
!=	Not equal to. (This is an alias for <>)
&	Either logical (the default) or bitwise conjunction (AND).
&&	Logical conjunction (AND).
|	Either Logical (the default) or bitwise alternative (OR).
||	Logical alternative (OR).
( )	Groups sub-expressions, overriding the order of operations.
~	Bitwise NOT.
<<	Bitwise left shift.
>>	Bitwise right shift.
<<<	Bitwise left rotate.
>>>	Bitwise right rotate.

Tip
Define `TE_BITWISE_OPERATORS` to enable bitwise behavior for `&`, `|`, and `^`.

Warning
If any argument within a comparison operation is NaN, then the result will be NaN. (This is how *Excel* works.)

For operators, the order of precedence is:

Operator	Description
( )	Instructions in parentheses are executed first. (If `TE_BRACKETS_AS_PARENS` is defined, then `[]` are treated the same way.)
+, -, ~	Positive or negative sign for a value, and bitwise NOT.
^	Exponentiation.
*, /, and %	Multiplication, division, and modulus.
+ and -	Addition and subtraction.
<<, >>, <<<, >>>	Bitwise left and right shift and rotation.
<, >, >=, <=	Relational comparisons.
= and !=	Equality comparisons.
&&	Logical conjunction (AND).
||	Logical alternative (OR).
&	Bitwise AND (if `TE_BITWISE_OPERATORS` is defined).
^	Bitwise XOR (if `TE_BITWISE_OPERATORS` is defined).
|	Bitwise OR (if `TE_BITWISE_OPERATORS` is defined).

⚠ Warning
Defining `TE_FLOAT` will disable all bitwise functions and operators.

For example, the following:

$$5 + 5 + 5/2$$

Will yield `12.5`. `5/2` is executed first, then added to the other fives. However, by using parentheses:

$$(5 + 5 + 5)/2$$

You can override it so that the additions happen first (resulting in `15`), followed by the division (finally yielding `7.5`). Likewise, `(2+5)^2` will yield `49` (`7` squared), while `2+5^2` will yield `27` (`5` squared, plus `2`).

Compatibility Note

The `%` character acts as a modulus operator in *TinyExpr++*, which is different from most spreadsheet programs. In programs such as *LibreOffice Calc* and *Excel*, `%` is used to convert a number to a percentage. For example, `=20%` would yield `0.20` in *Excel*. In *TinyExpr++*, however, `20%` will result in a syntax error as it is expecting a binary (modulus) operation.

Chapter 3

Functions

The following built-in functions are available:

Table 3.1: Math Functions

Function	Description
ABS(Number)	Absolute value of *Number*.
ACOS(Number)	Returns the arccosine, or inverse cosine, of *Number*. The arccosine is the angle whose cosine is number. The returned angle is given in radians in the range `0` (zero) to `PI`.
ASIN(Number)	Returns the arcsine, or inverse sine function, of *Number*, where -1 <= *Number* <= 1. The arcsine is the angle whose sine is *Number*. The returned angle is given in radians where -pi/2 <= angle <= pi/2.
ATAN(x)	Returns the principal value of the arc tangent of *x*, expressed in radians.
ATAN2(y, x)	Returns the principal value of the arc tangent of *y*,*x*, expressed in radians.
CEIL(Number)	Smallest integer not less than *Number*. `CEIL(-3.2)` = -3 `CEIL(3.2)` = 4
CLAMP(Number, Start, End)	Constrains *Number* within the range of *Start* and *End*.
COMBIN(Number, NumberChosen)	Returns the number of combinations for a given number (*NumberChosen*) of items from *Number* of items. Note that for combinations, order of items is not important.
COS(Number)	Cosine of the angle *Number* in radians.
COSH(Number)	Hyperbolic cosine of *Number*.
COT(Number)	Cotangent of *Number*.
EXP(Number)	Euler to the power of *Number*.
EVEN(Number)	Returns *Number* rounded up to the nearest even integer. Values are always rounded away from zero (e.g., `EVEN(-3)` = -4).

Function	Description
FAC(Number)	Returns the factorial of *Number*. The factorial of *Number* is equal to 1*2*3*…* *Number*
FACT(Number)	Alias for `FAC()`.
FLOOR(Number)	Returns the largest integer not greater than *Number*. `FLOOR(-3.2)` = -4 `FLOOR(3.2)` = 3
ISERR(Expression)	Returns true if *Expression* evaluates to NaN.
ISERROR(Expression)	Alias for `ISERR()`.
ISEVEN(Number)	Returns true if *Number* is even, false if odd.
ISNA(Expression)	Alias for `ISERR()`.
ISNAN(Expression)	Alias for `ISERR()`.
ISODD(Number)	Returns true if *Number* is odd, false if even.
LN(Number)	Natural logarithm of *Number* (base Euler).
LOG10(Number)	Common logarithm of *Number* (base 10).
MIN(Number1, Number2, …)	Returns the smallest value from a specified range of values.
MAX(Number1, Number2, …)	Returns the largest value from a specified range of values.
MAXINT()	Returns the largest integer that the parser can process.
MOD(Number, Divisor)	Returns the remainder after *Number* is divided by *Divisor*. The result has the same sign as divisor.
NA	Returns an invalid value (i.e., Not-a-number).
NAN	Alias for `NA()`.
NCR(Number, NumberChosen)	Alias for `COMBIN()`.
NPR(Number, NumberChosen)	Alias for `PERMUT()`.
ODD(Number)	Returns *Number* rounded up to the nearest odd integer. Values are always rounded away from zero (e.g., `ODD(-4)` = -5).
PERMUT(Number, NumberChosen)	Returns the number of permutations for a given number (*NumberChosen*) of items that can be selected *Number* of items. A permutation is any set of items where order is important. (This differs from combinations, where order is not important).
POW(Base, Exponent)	Raises *Base* to any power. For fractional exponents, *Base* must be greater than 0.
POWER(Base, Exponent)	Alias for `POW()`.
RAND()	Generates a random floating point number within the range of `0` and `1`.

Function	Description
ROUND(Number, NumDigits)	*Number* rounded to *NumDigits* decimal places. If *NumDigits* is negative, then *Number* is rounded to the left of the decimal point. (*NumDigits* is optional and defaults to zero.) `ROUND(-11.6, 0)` = 12 `ROUND(-11.6)` = 12 `ROUND(1.5, 0)` = 2 `ROUND(1.55, 1)` = 1.6 `ROUND(3.1415, 3)` = 3.142 `ROUND(-50.55, -2)` = -100
SIGN(Number)	Returns the sign of *Number*. Returns `1` if *Number* is positive, zero (`0`) if *Number* is `0`, and `-1` if *Number* is negative.
SIN(Number)	Sine of the angle *Number* in radians.
SINH(Number)	Hyperbolic sine of *Number*.
SQRT(Number)	Square root of *Number*.
TAN(Number)	Tangent of *Number*.
TGAMMA(Number)	Returns the gamma function of *Number*.
TRUNC(Number)	Discards the fractional part of *Number*. `TRUNC(-3.2)` = -3 `TRUNC(3.2)` = 3

⚠ Warning
`ISNA()` differs from some spreadsheet programs for certain expressions, such as divisions by zero. *TinyExpr++* will return true for this situation, while *Excel* will return false. This is because *Excel* distinguishes between `#DIV/0!` and `#N/A` errors, while *TinyExpr++* treats all invalid numbers (e.g., NaN, INF, -INF) as NaN.

Table 3.2: Engineering Functions

Function	Description
BITAND(Number1, Number2)	Returns a bitwise 'AND' of two (integral) numbers. (Both numbers must be positive and cannot exceed `(2^48)-1`.)
BITLROTATE8(Number, RotateAmount)	Returns *Number* left rotated to the most significant bit by the specified number (*RotateAmount*) of bits. Numbers are rotated as an unsigned 8-bit integer.
BITLROTATE16(Number, RotateAmount)	Returns *Number* left rotated to the most significant bit by the specified number (*RotateAmount*) of bits. Numbers are rotated as an unsigned 16-bit integer.
BITLROTATE32(Number, RotateAmount)	Returns *Number* left rotated to the most significant bit by the specified number (*RotateAmount*) of bits. Numbers are rotated as an unsigned 32-bit integer.
BITLROTATE64(Number, RotateAmount)	Returns *Number* left rotated to the most significant bit by the specified number (*RotateAmount*) of bits. Numbers are rotated as an unsigned 64-bit integer.
BITLROTATE(Number, RotateAmount)	Returns *Number* left rotated to the most significant bit by the specified number (*RotateAmount*) of bits. Numbers are rotated as either a 32- or 64-bit integer (depending on what is supported by the compiler).
BITLSHIFT(Number, ShiftAmount)	Returns *Number* left shifted by the specified number (*ShiftAmount*) of bits. Numbers cannot exceed `(2^48)-1` and *ShiftAmount* cannot exceed `53` (or `63`, if 64-bit is supported).
BITNOT8(Number)	Returns a bitwise 'NOT' of a 8-bit integer.
BITNOT16(Number)	Returns a bitwise 'NOT' of a 16-bit integer.
BITNOT32(Number)	Returns a bitwise 'NOT' of a 32-bit integer.
BITNOT64(Number)	Returns a bitwise 'NOT' of a 64-bit integer (if 64-bit integers are supported).
BITNOT(Number)	Returns a bitwise 'NOT' of a 32- or 64-bit integer (depending on whether 64-bit is supported).
BITOR(Number1, Number2)	Returns a bitwise 'OR' of two (integral) numbers. (Both numbers must be positive and cannot exceed `(2^48)-1`.)
BITRROTATE8(Number, RotateAmount)	Returns *Number* right rotated to the least significant bit by the specified number (*RotateAmount*) of bits. Numbers are rotated as an unsigned 8-bit integer.
BITRROTATE16(Number, RotateAmount)	Returns *Number* right rotated to the least significant bit by the specified number (*RotateAmount*) of bits. Numbers are rotated as an unsigned 16-bit integer.
BITRROTATE32(Number, RotateAmount)	Returns *Number* right rotated to the least significant bit by the specified number (*RotateAmount*) of bits. Numbers are rotated as an unsigned 32-bit integer.
BITRROTATE64(Number, RotateAmount)	Returns *Number* right rotated to the least significant bit by the specified number (*RotateAmount*) of bits. Numbers are rotated as an unsigned 64-bit integer.

Function	Description
BITRROTATE(Number, RotateAmount)	Returns *Number* right rotated to the least significant bit by the specified number (*RotateAmount*) of bits. Numbers are rotated as either a 32- or 64-bit integer (depending on what is supported by the compiler).
BITRSHIFT(Number, ShiftAmount)	Returns *Number* right shifted by the specified number (*ShiftAmount*) of bits. Numbers cannot exceed `(2^48)-1` and *ShiftAmount* cannot exceed `53` (or `63`, if 64-bit is supported).
BITXOR(Number1, Number2)	Returns a bitwise 'XOR' of two (integral) numbers. (Both numbers must be positive and cannot exceed `(2^48)-1`.)
SUPPORTS32BIT()	Returns true if 32-bit integers are supported. This will affect the supported range of values for bitwise operations.
SUPPORTS64BIT()	Returns true if 64-bit integers are supported. This will affect the supported range of values for bitwise operations.

⚠ Warning
Defining `TE_FLOAT` will disable all bitwise functions and operators.

Table 3.3: Statistical Functions

Function	Description
AVERAGE(Value1, Value2,…)	Returns the mean of a specified range of values.
SUM(Value1, Value2,…)	Returns the sum of a specified range of values.

Table 3.4: Logic Functions

Function	Description
AND(Value1, Value2, …)	Returns true if all conditions are true.
IF(Condition, ValueIfTrue, ValueIfFalse)	If *Condition* is true (non-zero), then *ValueIfTrue* is returned; otherwise, *ValueIfFalse* is returned. Note that multiple `IF` commands can be nested to create a "case" statement.
IFS(Condition1, Value1, Condition2, Value2, …)	Checks up to twelve conditions, returning the value corresponding to the first met condition. This is shorthand for multiple nested `IF` commands, providing better readability. Will accept 1–12 condition/value pairs. NaN will be returned if all conditions are false.
NOT(Value)	Returns the logical negation of *Value*.
OR(Value1, Value2, …)	Returns true if any condition is true.

⚠ Warning
`AND` and `OR` ignore NaN arguments during evaluation, so results may differ from *Excel* when subexpressions resolve to NaN.

Note
The first argument to any logic function must be valid (i.e., not NaN). If the first argument evaluates to NaN, then NaN will be returned. Any subsequent arguments that evaluate to NaN will be ignored.

Table 3.5: Financial Functions

Function	Description
CUMIPMT(Rate, Periods, PresentValue, StartPeriod, EndPeriod, Type)	Returns the cumulative interest paid on a loan between *StartPeriod* and *EndPeriod*, inclusive. *Type* specifies when payments are due: 0 = end of period, 1 = beginning of period. NaN will be returned if *Rate* <= 0, *Periods* <= 0, *PresentValue* <= 0, if *StartPeriod* or *EndPeriod* are out of range, or if *Type* is not 0 or 1.
CUMPRINC(Rate, Periods, PresentValue, StartPeriod, EndPeriod, Type)	Returns the cumulative principal paid on a loan between *StartPeriod* and *EndPeriod*, inclusive. Note that *Type* specifies when payments are due: 0 = end of period, 1 = beginning of period. NaN will be returned if *Rate* <= 0, *Periods* <= 0, *PresentValue* <= 0, if *StartPeriod* or *EndPeriod* are out of range, or if *Type* is not 0 or 1.
DB(Cost, Salvage, Lifetime, Period, Month)	Returns the depreciation of an asset for a specified period using the fixed-declining balance method.
EFFECT(NominalRate, Periods)	Returns the effective annual interest rate, provided the nominal annual interest rate and the number of compounding periods per year. NaN will be returned if *Periods* is < 1 or if *NominalRate* <= 0.
FV(Rate, Periods, Payment, [PresentValue], [Type])	Returns the future value of an investment based on a constant interest rate, a fixed number of periods, and periodic payments. Note that *PresentValue* and *Type* are optional and default to 0. Also, *Type* specifies when payments are due: 0 = end of period, 1 = beginning of period. NaN will be returned if *Periods* <= 0 or if any required argument is not finite.
IPMT(Rate, Period, Periods, PresentValue, [FutureValue], [Type])	Returns the interest portion of a payment for a specified period of an investment. *FutureValue* and *Type* are optional and default to 0. *Type* specifies when payments are due: 0 = end of period, 1 = beginning of period.
NOMINAL(EffectiveRate, Periods)	Returns the nominal annual interest rate, provided the effective rate and the number of compounding periods per year. NaN will be returned if *Periods* is < 1 or if *EffectiveRate* <= 0.
NPER(Rate, Payment, PresentValue, [FutureValue], [Type])	Returns the number of periods for an investment or loan based on a constant interest rate, periodic payments, and present and future values. Note that *FutureValue* and *Type* are optional and default to 0. Also, *Type* specifies when payments are due: 0 = end of period, 1 = beginning of period. NaN will be returned if any required argument is not finite or if the calculation is not defined.
PMT(Rate, Periods, PresentValue, [FutureValue], [Type])	Returns the periodic payment for an investment or loan based on a constant interest rate, a fixed number of periods, and a present value. Note that *FutureValue* and *Type* are optional and default to 0. Also, *Type* specifies when payments are due: 0 =

Compatibility Note

`BITNOT` will call either `BITNOT32` or `BITNOT64`, depending on whether 64-bit integers are supported. This differs from *Excel*, which only works with 16-bit integers. To match the behavior of *Excel*, explicitly call `BITNOT16`.

Chapter 4

Constants

The following mathematical and logical constants are available:

Table 4.1: Math Constants

Constant	Value
E	Euler's number (`2.71828182845904523536`)
NAN	NaN (Not-a-Number)
PI	pi (`3.14159265358979323846`)

⚠ Warning
If `TE_FLOAT` is defined, then some precision for pi and Euler's number will be lost.

Table 4.2: Logical Constants

Constant	Value
TRUE	`1`
FALSE	`0`

The following number formats are supported:

Table 4.3: Number Formats

Format	Example
Decimal	`5754615` or `3.14`
Hexadecimal	`0x57CEF7`, which yields `5754615`
Scientific notation	`1e3`, which yields `1000`

Chapter 5

Comments

Comments can be embedded within an expression to clarify its intent. C/C++ style comments are supported, which provide:

- multi-line comments (text within a pair of `/*` and `*/`).
- single line comments (everything after a `//` until the end of the current line).

For example, assuming that the variables `P_LEVEL` and `N_OBS` have been defined within the parser, an expression such as this could be used:

```
/* Returns the p-level of a study if:
   p-level < 5% AND
   number of observations was at least 30.
   Otherwise, NaN is returned. */                                    ①

IF(// Review the results from the analysis
   AND(P_LEVEL < .05, N_OBS >= 30),
   // ...and return the p-level if acceptable
   P_LEVEL,                                                          ②
   // or NaN if not
   NAN)
```

① Comment that can span multiple lines.
② Single line comment.

Part II

Developer Guide

Chapter 6

Building

TinyExpr++ is self-contained in two files: “tinyexpr.cpp” and “tinyexpr.h”. To use it, add those files to your project.

The API documentation can be built using the following:

```
doxygen docs/Doxyfile
```

Requirements

TinyExpr++ must be compiled as C++20.

MSVC, GCC, and Clang compilers are supported.

Chapter 7

Usage

Data Types

The following data types and constants are used throughout *TinyExpr++*:

`te_parser`: The main class for defining an evaluation engine and solving expressions.

`te_type`: The data type for variables, function parameters, and results. By default this is `double`, but can be `float` (when `TE_FLOAT` is defined) or `long double` (when `TE_LONG_DOUBLE` is defined).

If `long double` is in use, then various bitwise functions (`BITNOT()`, `BITRROTATE()`) may be able to support 64-bit integers. This will depend on the compiler used to build the library and can be verified by calling `te_parser::supports_64bit()` at compile time or `SUPPORTS64BIT()` in an expression at runtime.

> **Tip**
> `te_parser::supports_64bit()` is `constexpr`'ed and thus can be used in `if constexpr()` evaluations.

`te_variable`: A user-defined variable or function that can be embedded into a `te_parser`. (Refer to custom variables.)

`te_expr`: The base class for a compiled expression. Classes that derive from this can be bound to custom functions. In turn, this allows for connecting more complex, class-based objects to the parser. (Refer to custom classes.)

`te_parser::te_nan`: An invalid numeric value. This should be returned from user-defined functions to signal a failed calculation.

`te_parser::npos`: An invalid position. This is returned from `te_parser::get_last_error_position()` when no error occurred.

`te_usr_noop`: A no-op function. When passed to `te_parser::set_unknown_symbol_resolver()`, will disable unknown symbol resolution. (Refer to ch. 9.)

Functions

The primary interface to *TinyExpr++* is the class `te_parser`. A `te_parser` is a self-contained parser, which stores its own user-defined variables & functions, separators, and state information.

`te_parser` provides these functions:

```
te_type evaluate(const std::string_view expression);                                ①
te_type get_result();                                                               ②
bool success();
int64_t get_last_error_position();
std::string get_last_error_message();
set_variables_and_functions(const std::set<te_variable>& vars);                     ③
std::set<te_variable>& get_variables_and_functions();
add_variable_or_function(const te_variable& var);
remove_variable_or_function(te_variable::name_type var);
remove_unused_variables_and_functions();
set_unknown_symbol_resolver(te_usr_variant_type usr);                               ④
char get_decimal_separator();                                                       ⑤
set_decimal_separator(char);
char get_list_separator();
set_list_separator(char);
```

① `evaluate()` takes an expression and immediately returns the result. If there is a parse error, then it returns NaN (which can be verified by using `std::isnan()`). (`success()` will also return false.)
② `get_result()` can be called anytime afterwards to retrieve the result from `evaluate()`.
③ `set_variables_and_functions()`, `get_variables_and_functions()`, and `add_variable_or_function()` are used to add custom variables and functions to the parser. Likewise, `remove_variable_or_function()` and `remove_unused_variables_and_functions()` are used to remove them.
④ `set_unknown_symbol_resolver()` is used to provide a custom function to resolve unknown symbols in an expression. (Refer to ch. 9 for further details.)
⑤ `get_decimal_separator()`/`set_decimal_separator()` and `get_list_separator()`/`set_list_separator()` can be used to parse non-US formatted formulas.

Example:

```
te_parser tep;

// Returns 10, error position is set to te_parser::npos (i.e., no error).
auto result = tep.evaluate("(5+5)");
// Returns NaN, error position is set to 3.
auto result2 = tep.evaluate("(5+5");
```

You can also provide `set_variables_and_functions()` a list of constants, bound variables, and function pointers/lambdas. `evaluate()` will then evaluate expressions using these variables and functions.

Error Handling

TinyExpr++ will throw exceptions when:

- An illegal character is specified in a custom function or variable name.
- An illegal character is provided as a list or decimal separator.
- The same character is provided as both the list and decimal separator.

It is recommended to wrap the following functions in `try`/`catch` blocks to handle these exceptions:

- `compile()`
- `evaluate()`

- `set_variables_and_functions()`
- `add_variable_or_function()`
- `set_decimal_separator()`
- `set_list_separator()`

Syntax and calculation errors are trapped within calls to `compile()` and `evaluate()`. Error information can be retrieved afterwards by calling the following:

- `success()`: returns whether the last parse was successful or not.
- `get_last_error_position()`: returns the 0-based index of where in the expression the parse failed (useful for syntax errors). If there was no parse error, then this will return `te_parser::npos`.
- `get_last_error_message()`: returns a more detailed message for some calculation errors (e.g., division by zero).

Example:

```
#include "tinyexpr.h"
#include <iostream>

te_type x{ 0 }, y{ 0 };
// Store variable names and pointers.
te_parser tep;
tep.set_variables_and_functions({{"x", &x}, {"y", &y}});

// Compile the expression with variables.
auto result = tep.evaluate("sqrt(x^2+y^2)");

if (tep.success())
    {
    x = 3; y = 4;
    // Will use the previously used expression, returns 5.
    const auto h1 = tep.evaluate();

    x = 5; y = 12;
    // Returns 13.
    const auto h2 = tep.evaluate();
    }
else
    {
    std::cout << "Parse error at " <<
        std::to_string(tep.get_last_error_position()) << "\n";
    }
```

Along with positional and message information, the return value of a parse can also indicate failure. When an evaluation fails, the parser will return NaN (i.e., `std::numeric_limits<te_type>::quiet_NaN()`) as the result. NaN values can be verified using the standard function `std::isnan()`.

Example

The following is a short example demonstrating how to use *TinyExpr++*.

```
#include "tinyexpr.h"
#include <iostream>

int main(int argc, char *argv[])
    {
    te_parser tep;
    const char* expression = "sqrt(5^2+7^2+11^2+(8-2)^2)";
    const auto res = tep.evaluate(expression);
    std::cout << "The expression:\n\t" <<
        expression << "\nevaluates to:\n\t" << res << "\n";
    return EXIT_SUCCESS;
    }
```

Chapter 8

Custom Extensions

Binding to Custom Variables

Along with the built-in functions and constants, you can create custom variables for use in expressions:

```
#include "tinyexpr.h"
#include <iostream>
#include <iomanip>

int main(int argc, char* argv[])
    {
    if (argc < 2)
        {
        std::cout << "Usage: example \"expression\"\n";
        return EXIT_SUCCESS;
        }
    const char* expression = argv[1];

    te_type x{ 0 }, y{ 0 }; // x and y are bound at eval-time.
    // Store variable names and pointers.
    te_parser tep;
    tep.set_variables_and_functions({ {"x", &x}, {"y", &y} });

    if (tep.compile(expression)) // Compile the expression and check for errors.
        {
        /* The variables can be changed here, and evaluate can be called multiple
           times. This is efficient because the parsing has already been done.*/
        x = 3; y = 4;
        const auto r = tep.evaluate();
        std::cout << "Result:\n\t" << r << "\n";
        }
    else // Show the user where the error is at.
        {
        std::cout << "\t " << std::setfill(' ') <<
            std::setw(tep.get_last_error_position()) << '^' << "\tError here\n";
        }
    return EXIT_SUCCESS;
    }
```

Binding to Custom Functions

TinyExpr++ can also call custom functions. Here is a short example:

```
te_type my_sum(te_type a, te_type b)
    {
    /* Example function that adds two numbers together. */
    return a + b;
    }

te_parser tep;
tep.set_variables_and_functions(
{
    { "mysum", my_sum } // function pointer
});

const auto r = tep.evaluate("mysum(5, 6)");
// will be 11
```

Here is an example of using a lambda:

```
te_parser tep;
tep.set_variables_and_functions({
    { "mysum",
        [](te_type a, te_type b) noexcept
            { return a + b; } }
    });

const auto r = tep.evaluate("mysum(5, 6)");
// will be 11
```

Binding to Custom Classes

A class derived from `te_expr` can be bound to custom functions. This enables you to have full access to an object (via these functions) when parsing an expression.
The following demonstrates creating a `te_expr`-derived class which contains an array of values:

```
class te_expr_array : public te_expr
    {
public:
    explicit te_expr_array(const te_variable_flags type) noexcept :
        te_expr(type) {}
    std::array<te_type, 5> m_data = { 5, 6, 7, 8, 9 };
    };
```

Next, create two functions that can accept this object and perform actions on it. (Note that proper error handling is not included for brevity.):

```
// Returns the value of a cell from the object's data.
te_type cell(const te_expr* context, te_type a)
    {
    auto* c = dynamic_cast<const te_expr_array*>(context);
    return static_cast<te_type>(c->m_data[static_cast<size_t>(a)]);
    }

// Returns the max value of the object's data.
te_type cell_max(const te_expr* context)
    {
    auto* c = dynamic_cast<const te_expr_array*>(context);
    return static_cast<te_type>(
        *std::max_element(c->m_data.cbegin(), c->m_data.cend()));
    }
```

Finally, create an instance of the class and connect the custom functions to it, while also adding them to the parser:

```
te_expr_array teArray{ TE_DEFAULT };

te_parser tep;
tep.set_variables_and_functions(
    {
        {"cell", cell, TE_DEFAULT, &teArray},
        {"cellmax", cell_max, TE_DEFAULT, &teArray}
    });

// change the object's data and evaluate their summation
// (will be 30)
teArray.m_data = { 6, 7, 8, 5, 4 };
auto result = tep.evaluate("SUM(CELL 0, CELL 1, CELL 2, CELL 3, CELL 4)");

// call the other function, getting the object's max value
// (will be 8)
result = tep.evaluate("CellMax()");
```

> **Note**
> Valid variable and function names consist of a letter or underscore followed by any combination of: letters `a–z` or `A–Z`, digits `0–9`, periods, and underscores.

Chapter 9

Handling Unknown Variables

Although it is possible to add variables to the parser, there may be times when you can't anticipate the exact variable names that a user will enter. For example, a user could enter variables representing fiscal years in the format of `FY[year]`. From there, they would like to perform operation such as getting the range between them. In this situation, their expression may be something like this:

```
ABS(FY1999 - FY2009)
```

Here, one could expect the variables `FY1999` and `FY2009` to be treated as `1999` and `2009`, respectively. By subtracting them (and then taking the absolute value of the result), this should yield `10`. The problem is that you would need to set up custom variables prior for `FY1999` and `FY2009`. Even worse, to handle any additional years the user may enter, you would need to create custom variables for every year possible.

Rather than doing that, you can allow the parser to not recognize these variables as usual. At this point, it will fall back to a user-defined function that you provide to resolve it. This is called an "unknown symbol resolver" (USR), and this function will:

- Receive a `std::string_view` of the symbol (i.e., variable name) that the parser failed to recognize
- Determine how to resolve the name
  - If it can resolve it, return a numeric value for the symbol
  - Otherwise, either return `te_parser::te_nan` (i.e., NaN) or throw an exception

When your function resolves a symbol, then its name and numeric value will be added to the parser. Any future evaluations will recognize this name and return the value you previously resolved it to.

> **Tip**
> To change the value for a variable that was resolved previously, use `te_parser::set_constant()`.

This function is set up in the parser by passing it to `te_parser::set_unknown_symbol_resolver()` and can take one of the following signatures:

```
te_type callback(std::string_view);
te_type callback(std::string_view, std::string&);
```

The first version will accept the unknown symbol and either return a resolved value or `te_parser::te_nan`. The second version is the same, except that it also accepts a string reference to write a custom message to. (This message can later be retrieved by calling `te_parser::get_last_error_message()`.)

> **Note**
> If your USR throws a `std::runtime_error` with an error message in it, then that message will also be available through `te_parser::get_last_error_message()`.

`te_parser::set_unknown_symbol_resolver()` can accept either a function pointer or a lambda. Here is a simple example using a function:

```
te_type ResolveResolutionSymbols(std::string_view str)
    {
    // Note: this resolver itself is case-sensitive for brevity;
    // TinyExpr++ will still treat resolved symbols case-insensitively.
    return (str == "RES" || str == "RESOLUTION") ?
        96 : te_parser::te_nan;
    }
```

This can be connected as such:

```
te_parser tep;
tep.set_unknown_symbol_resolver(ResolveResolutionSymbols);

/* Will resolve to 288, and "RESOLUTION" will be added as a
   variable to the parser with a value of 96.
   Also, because TinyExpr++ is case insensitive,
   "resolution" will also be seen as 96 once "RESOLUTION" was resolved.*/
tep.evaluate("RESOLUTION * 3");
```

> **Warning**
> Although *TinyExpr++* is case insensitive, it is your USR's responsibility to process case-insensitively when resolving names. Once a name has been resolved, then the parser will recognize it case-insensitively in future evaluations.

The following is an example using a lambda and demonstrates the fiscal-year-variables scenario mentioned earlier:

```
te_parser tep;

// Create a handler for undefined tokens that will recognize
// dynamic strings like "FY2004" or "FY1997" and convert them to 2004 and 1997.
tep.set_unknown_symbol_resolver(
    // Handler should except a string (which will be the unrecognized token)
    // and return a te_type.
    [](std::string_view str) -> te_type
    {
    const std::regex re{ "FY([0-9]{4})",
        std::regex_constants::icase | std::regex_constants::ECMAScript };
    std::smatch matches;
    std::string var{ str };
    if (std::regex_search(var.cbegin(), var.cend(), matches, re))
        {
        /* Unrecognized token is something like "FY1982," so extract "1982"
           from that and return 1982 as a number. At this point, the variable
           "FY1982" will be added to the parser and set to 1982.
           All future evaluations will see this as 1982 (unless set_constant()
           is called to change it).*/
        if (matches.size() > 1)
            { return std::atol(matches[1].str().c_str()); }
        else
            { return te_parser::te_nan; }
        }
    // Can't resolve what this token is, so return NaN.
    else
        { return te_parser::te_nan; }
    });

// Calculate the range between two fiscal years (will be 10):
tep.evaluate("ABS(FY1999-FY2009)")
```

By default, the parser's USR is a no-op and will not process anything. If you had provided a USR but then need to turn off this feature, then pass a no-op lambda (e.g., `[]{}`) or no-op object (`te_usr_noop{}`) to `set_unknown_symbol_resolver()`.

Also, once a variable has been resolved by your USR, it will be added as a custom variable with the resolved value assigned to it. With subsequent evaluations, the previously unrecognized symbols you resolved will be remembered. This means that it will not be resolved again and will result in the value that your USR returned from before.

If you prefer to not have resolved symbols added to the parser, then pass `false` to the second parameter to `set_unknown_symbol_resolver()`. This will force the same unknown symbols to be resolved again with every call to `compile(expression)` or `evaluate(expression)`. (The version of `evaluate()` which does not take any parameters will not force calling the USR again, see below.) This can be useful for when your USR's symbol resolutions are dynamic and may change with each call.

For example, say that an end user will enter variables that start with "STRESS," but you are uncertain what the full name will be. Additionally, you want to increase the values of these variables with every evaluation. The following demonstrates this:

```
te_parser tep;

tep.set_unknown_symbol_resolver(
    [](std::string_view str) -> te_type
    {
    static te_type stressLevel{ 3 };
    if (std::strncmp(str.data(), "STRESS", 6) == 0)
        { return stressLevel++; }
    else
        { return te_parser::te_nan; }
    },
    // purge resolved variables after each evaluation
    false);

// Initial resolution of STRESS_LEVEL will be 3.
tep.evaluate("STRESS_LEVEL");
/* Because STRESS_LEVEL wasn't kept as a variable (with a value of 3)
   in the parser, then subsequent evaluations will require
   resolving it again:*/
tep.evaluate("STRESS_LEVEL"); // Will be 4.
tep.evaluate("STRESS_LEVEL"); // 5
tep.evaluate("STRESS_LEVEL"); // 6
```

As a final note, if you are not keeping resolved variables, your USR will only be called again if you call `evaluate` or `compile` with an expression. Because the original expression gets optimized, `evaluate()` will not re-evaluate any variables. Calling `evaluate` with the original expression will force a re-compilation and in turn call the USR again.

Chapter 10

Non-US Formatted Formulas

TinyExpr++ supports other locales and non-US formatted formulas. Here is an example:

```
#include "tinyexpr.h"
#include <iostream>
#include <iomanip>
#include <locale>
#include <clocale>

int main(int argc, char *argv[])
    {
    /* Set locale to German.
       This string is platform dependent. The following works on Windows,
       consult your platform's documentation for more details.*/
    setlocale(LC_ALL, "de-DE");
    std::locale::global(std::locale("de-DE"));

    /* After setting your locale to German, functions like strtod() will fail
       with values like "3.14" because it expects "3,14" instead.
       To fix this, we will tell the parser to use "," as the decimal separator
       and ";" as the list argument separator.*/
    const char* expression = "pow(2,2; 2)"; // instead of "pow(2.2, 2)"
    std::cout << "Evaluating:\n\t" << expression << "\n";

    te_parser tep;
    tep.set_decimal_separator(',');
    tep.set_list_separator(';');
    const auto result = tep.evaluate(expression);

    if (tep.success())
        { std::cout << "Result:\n\t" << result << "\n"; }
    else /* Show the user where the error is at. */
        {
        std::cout << "\t " << std::setfill(' ') <<
            std::setw(tep.get_last_error_position()) << "^\tError here\n";
        }

    return EXIT_SUCCESS;
    }
```

This produces the output:

```
$ Evaluating:
    pow(2,2; 2)
  Result:
    4,840000
```

Chapter 11

How it Works

`te_parser::evaluate()` uses a simple recursive descent parser to compile your expression into a syntax tree. For example, the expression `"sin x + 1/4"` parses as:



`te_parser::evaluate()` also automatically prunes constant branches. In this example, the compiled expression returned by `compile()` would become:



Grammar

TinyExpr++ parses the following grammar (from lowest-to-highest operator precedence):

```
<list>      =    <expr> {("," | ";" [dependent on locale]) <expr>}
<expr>      =    <term> {("&" | "|") <term>}
<expr>      =    <term> {("<>" | "!=" | "=" | "<") | "<=" | ">" | ">=") <term>}
<expr>      =    <term> {("<<" | ">>") <term>}
<expr>      =    <term> {("+" | "-") <term>}
<term>      =    <factor> {("*" | "/" | "%") <factor>}
<factor>    =    <power> {("^" | "**") <power>}
<power>     =    {("-" | "+")} <base>
```

```
<base>      =    <constant>
               | <variable>
               | <function-0> {"(" ")"}
               | <function-1> <power>
               | <function-X> "(" <expr> {"," <expr>} ")"
               | "(" <list> ")"
```

Chapter 12

Compile-time Options

TE_FLOAT

`double` is the default data type used for the parser's variable types, parameters, and return types. Compile with `TE_FLOAT` defined to use `float` instead.

Refer to floating-point numbers for more information.

> **⚠ Warning**
> This flag will also disable all bitwise functions and operators.

TE_LONG_DOUBLE

Compile with `TE_LONG_DOUBLE` defined to use `long double` as the default data type.

Depending on the compiler, this may provide sufficient mantissa precision to represent `uint64_t` values exactly. Call `te_parser::supports_64bit()` (or `SUPPORTS64BIT()` in an expression at runtime) to confirm this.

TE_RAND_SEED

Define this as an unsigned integer to seed the random number generator. This will affect the function `RAND()`, causing it to produce a deterministic series of numbers.

TE_RAND_SEED_TIME

Compile with `TE_RAND_SEED_TIME` to seed the random number generator with the current time. This is useful if compiling for microcontrollers that do not support entropy devices.

The default is to seed the random number generator with `std::random_device`.

TE_BITWISE_OPERATORS

By default, the operators `&`, `|`, and `^` represent logical AND, logical OR, and exponentiation. If `TE_BITWISE_OPERATORS` is defined, then they will represent bitwise AND, OR, and XOR.

TE_BRACKETS_AS_PARENS

Define this flag to treat `[]` pairs the same as `()`. This can be useful if using the parser for a debugger's watch window. For example, an expression such as `[rsp+1000]` would be evaluated as `1000` being added with the variable `rsp`. In this context, `rsp` could represent a memory address in the debugger.

TE_NO_BOOKKEEPING

By default, the parser will keep track of all functions and variables used in the last expression it evaluated. From this, the presence of a function or variable in the expression can be verified via `is_function_used()` and `is_variable_used()`.

Turning this option off can provide a small optimization, as it will result in less heap allocations and search operations. Defining `TE_NO_BOOKKEEPING` will disable this feature.

TE_POW_FROM_RIGHT

By default, *TinyExpr++* does exponentiation from left to right. For example:

`a^b^c == (a^b)^c` and `-a^b == (-a)^b`

This is by design; it's the way that spreadsheets do it (e.g., *LibreOffice Calc*, *Excel*, *Google Sheets*).

If you would rather have exponentiation work from right to left, you need to define `TE_POW_FROM_RIGHT` when compiling. With `TE_POW_FROM_RIGHT` defined, the behavior is:

`a^b^c == a^(b^c)` and `-a^b == -(a^b)`

That will match how many scripting languages do it (e.g., Python, Ruby).

> **Tip**
> Symbols can be defined by passing them to your compiler's command line (or in a *CMake* configuration) as such: `-DTE_POW_FROM_RIGHT`

Rotation Features

If `TE_FLOAT` is not defined, then the following functions and operators will be available:

- `BITLROTATE8`
- `BITLROTATE16`
- `BITLROTATE32`
- `BITLROTATE64`
- `BITLROTATE`
- `BITRROTATE8`
- `BITRROTATE16`
- `BITRROTATE32`
- `BITRROTATE64`
- `BITRROTATE`
- `<<<` (unsigned 64-bit left rotation)
- `>>>` (unsigned 64-bit right rotation)

Chapter 13

Embedded Programming

The following section discusses topics related to using *TinyExpr++* in an embedded environment.

Performance

TinyExpr++ is fairly fast compared to compiled C when the expression is short or does hard calculations (e.g., exponentiation). It is slower compared to C when the expression is long and involves only basic arithmetic.

Note that *TinyExpr++* is slower compared to *TinyExpr* because of additional type safety checks (e.g., the use of `std::variant` instead of unions), case insensitivity, and bookkeeping operations.

Refer to compile-time options for flags that can provide optimization.

Device Compatibility

By default, *TinyExpr++* uses `std::random_device` to seed its random number generator, which may cause compatibility issues with some microcontrollers. To instead seed it with the current time, compile with `TE_RAND_SEED_TIME`.

Volatility

If needing to use a `te_parser` object as `volatile` (e.g., accessing it in a system interrupt), then you will need to do the following.

First, declare your `te_parser` as a non-`volatile` object outside of the interrupt function (e.g., globally):

```
te_parser tep;
```

Then, in your interrupt function, create a `volatile` reference to it:

```
void OnInterrupt()
    {
    volatile te_parser& vTep = tep;
    }
```

Functions in `te_parser` which have `volatile` overloads can then be called directly:

```
void OnInterrupt()
    {
    volatile te_parser& vTep = tep;
    vTep.set_list_separator(',');
    vTep.set_decimal_separator('.');
    }
```

The following functions in the `te_parser` class have `volatile` overloads:

- `get_result()`
- `success()`
- `get_last_error_position()`
- `get_decimal_separator()`
- `set_decimal_separator()`
- `get_list_separator()`
- `set_list_separator()`

For any other functions, use `const_cast<>` to remove the parser reference's volatility:

```
void OnInterrupt()
    {
    volatile te_parser& vTep = tep;

    // Use 'const_cast<te_parser&>(vTep)' to access
    // non-volatile functions.
    const_cast<te_parser&>(vTep).set_variables_and_functions(
         { {"STRESS_L", 10.1},
           {"P_LEVEL", .5} });
    const_cast<te_parser&>(vTep).compile(("STRESS_L*P_LEVEL"));

    if (vTep.success())
        {
        auto res = vTep.get_result();
        // Do something else...
        }
    }
```

Note that it is required to make the initial declaration of your `te_parser` non-`volatile`; otherwise, the `const_cast<>` to the `volatile` reference will cause undefined behavior.

Floating-point Numbers

`double` is the default data type used for the parser's variable types, parameters, and return types. For embedded environments that require `float`, compile with `TE_FLOAT` defined to use `float` instead.

When using this option, it is recommended to use the helper typedef `te_type`. This will map to either `float` or `double` (depending on whether `TE_FLOAT` is defined). By defining your functions and variables with `te_type`, you won't need to replace `double` and `float` if needing to change this compiler flag.

For example, a custom function would be written as such:

```
// Regular function.
te_type my_sum(te_type a, te_type b)
    {
    return a + b;
    }

te_parser tep;
tep.set_variables_and_functions(
    {
    { "mysum", my_sum } // function pointer
    });

// Lambda.
tep.set_variables_and_functions({
    { "mysum2",
        [](te_type a, te_type b) noexcept
            { return a + b; } }
    });
```

Exception Handling

TinyExpr++ requires exception handling, although it does attempt to minimize the use of exceptions (e.g., `noexcept` is used extensively). Syntax errors will be reported without the use of exceptions; issues such as division by zero or arithmetic overflows, however, will internally use exceptions. The parser will trap these exceptions and return NaN (not a number) as the result.

Exceptions can also be thrown when defining custom functions or variables which do not follow the proper naming convention. (Function and variable names may only contain the characters `a-z`, `A-Z`, `0-9`, `.`, and `_`, and must begin with a letter.)

Finally, specifying an illegal character for a list or decimal separator will also throw.

The following functions in `te_parser` can throw and should be wrapped in `try/catch` blocks:

- `compile()`
- `evaluate()`
- `set_variables_and_functions()`
- `add_variable_or_function()`
- `set_decimal_separator()`
- `set_list_separator()`

The caught `std::runtime_error` exception will provide a description of the error in its `what()` method.

Virtual Functions

TinyExpr++ does not use virtual functions or derived classes, unless you create a custom class derived from `te_expr` yourself (refer to "Binding to Custom Classes" for an example). (`te_expr` defines a virtual destructor that may be implicitly optimized to `final` if no derived classes are defined.)

Part III

Appendix

References

Alexander, Michael, and Dick Kusleika. *Microsoft Excel 365 Bible*. Wiley, 2022.
Winkle, Lewis Van. *C Math Evaluation Library: TinyExpr*. 2016, https://codeplea.com/tinyexpr.

Index