COVID-19 Daily Cases & Deaths Dataset

Each row in the dataset represents one day for one geographical region, so the unit of observation is region-day.

Variables on following pages in bold

Entity: The geographical region that data point is measured in (ex: Canada, North America, World excl. China)
Code: A shortened label of the entity (ex: AFG, DMA, GIN)

```
len(df["Entity"].unique())
```

```
249
```

There are 249 unique entities, but we are only analyzing 6 of them (North America, South America, Australia, Europe, Africa, Asia)

Day: The date that the data point is measuring

```
print(min(df['Day']))
print(max(df['Day']))
```

```
2020-01-09 00:00:00
2026-02-08 00:00:00
```

Earliest Date: January 9, 2020
Latest Date: February 8, 2026

Deaths: The 7-day rolling average of COVID-19 deaths on the row's date in that entity






```
Minimum: 0.0
Q1 (25th percentile): 0.0
Median (50th percentile): 0.0
Q3 (75th percentile): 1.4285715
Maximum: 14820.714
```

Cases: The 7-day rolling average of COVID-19 cases on the row's date in that entity






```
Minimum: 0.0
Q1 (25th percentile): 0.0
Median (50th percentile): 3.142857
Q3 (75th percentile): 157.42857
Maximum: 6402033.0
```