

## 1.2.7 Package Testing: Supplemental Math/Symbol Fonts

```
mathfrak=ABCDEFGHJJRLMNDBQRETUVWXNJabcdefghijtlmnopgrstuvwxn30123456789
 mathfrakst=UBCDCFCHHTRLMNDBQRCTUDBXYZabcdefghijkImnopqrktudwxy3()<>***()!}
 mathtxmia=UBCDCFG53JRLMNDPQRSIUBWXYJabcdefghijflmnopqrstubwxy3gyvw
 varmathbb=ABCDEFGHIJKLMNOPQRSTUVWXYZ
\mathsf{mathbb} = \mathsf{ABCDEFGHIJKLMNOPQRSTUVWXYZ} \supset \mathsf{V} \supset \mathsf{MAII} \\ \sim \mathsf{RESTUVWXYZ} \supset \mathsf{V} \supset \mathsf{MAII} \\ \sim \mathsf{MAII} 
 mathbbm=ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz12
 mathpxsyb=ABCDEFGHIJKLMNOPQRSTUVWXYZƏ♂ŏ≂JJ¬<>××□□、~≈≅≦⋛✓✓F٢⊮₹№₹₤₫₫₩↔→
 mathds=ABCDEFGHIJKLMNOPQRSTUVWXYZAhk1
 mathbboard=ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefqhijklmnopqrstuvwxyz0123456789
 mathbbold=ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789
 mathbbst=ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefqhijklmnopqrstuvwxyz0123456789
 mathbbs=ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz12
 mathbbt = \texttt{ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopoprstuvwxyz} 12
\mathsf{mathcalst} = \mathcal{ABCDEFGHIJKLMNOPQRSTUVWXYZ} \subseteq \mathbb{E} = \mathbb{E} \times \mathbb{
 mathpzc=ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789
\mathsf{mathtxsy} = \mathcal{ABCDEFGHIJKLMNOPQRSTUVWXYZ} + \mathsf{IMMIT} + \mathsf{IMMIT
 \mathsf{mathrsfso} = \mathscr{ABCDEFGHIJ} \mathscr{KLMNOPQRITUVWXYZ}
 mathscript = A\mathcal{BCDEFGHJJKLMNOPQRSTUVWXYZA placed efghijklmnopqrstuvwxyz \land placed efficient effi
 \mathsf{mathrsfs} = \mathscr{ABCDEFGHIJKLMNOPQRSTUVWXYZ}
\mathsf{mathbick} = \mathcal{ABCDEFGHIJKEMNOP2ESTUDWXYZabcdefghijklmnopqrstuvwxyz0123456789}
mathbickx=ABCDEFGHIJKLMNODQQGSTUDWXYZabodef ghi jklmno pqrstuvwwy z0123456789
 ax = b
ax = b
 ax = b
```