



#### 1. Overview - What's New

### One Global Equities Spec for Buy & Sell Side

We have officially retired the BD+ brand and folded the broker dealer spec into this new global AES spec.

For those of you unaware the broker dealer spec, we originally offered a subset of our AES strategies eschewing the premier dark algo's for more traditional time/slice tactics.

Later on we offered our BD clients the same dark tactics (i.e., Guerrilla & Sniper), which diminished the need for separate specs and branding.

We are now offering a global consolidated algo suite to the buy and sell-side alike, with the same functionality and branding. For instance, in the broker dealer world, INLINE would be known as WORK-IT. Going forward, we will only recognize the AES branded strategy names, so in the example referenced above we would only know INLINE. For our broker dealer vendors, I will provide a mapping of names, so that they can make the necessary changes on the front-end.

### **Brave New World of Cross Currency**

We are also rapidly expanding our ability to trade into any market and settle in any currency.

To that end, we will include new cross-currency fields that will be supplemental to our standard offering. These new fields are standard FIX, not user defined tags like our 606X fields. The idea behind this was to shorten time to market by not re-inventing the wheel with user defined tags. Having said that, we are not looking to clutter our ticket, so these added fields would not be expected or required on our AES ticket.

We believe these new fields would be best applied by the user before they selected the broker code or strategy. How they are applied, we will leave up to the developers of the GUI's to determine what makes sense organically.

# **Buy & Sell Side Tactics**

This specification documents the required changes necessary to provide access to Credit Suisse's new algorithmic offering - AES.

post market trading)

The following trading tactics will be available to buy and sell side:

| VWAP                     | <ul><li>RESERVE</li></ul>       | ■ FLT-GUERRILLA                |
|--------------------------|---------------------------------|--------------------------------|
| <ul><li>INLINE</li></ul> | ■ FLOAT                         | <ul><li>SNIPER</li></ul>       |
| ■ TEX                    | <ul><li>VOLUME INLINE</li></ul> | <ul><li>CROSSFINDER+</li></ul> |

CUSTOM 3 TWAP IWOULD PATHFINDER CLOSE GUERRILLA PRE-PO (pre-market/ CUSTOM 4

### **Sell Side Tactics**

The following tactic is exclusive to US Sell side clients.

■ 10b-18 (Corporate buy back)

CUSTOM CUSTOM 1 CUSTOM 2

# **BD+ to AES Mapping**

| BD+ Algo      | AES Branded Algo | 6061 Value |
|---------------|------------------|------------|
| PATHFINDER    | PATHFINDER       | 9          |
| CROSSFINDER   | CROSSFINDER      | 4A         |
| STRIKE        | SNIPER           | С          |
| GUERRILLA     | GUERRILLA        | В          |
| FLT-GUERRILLA | FLT-GUERRILLA    | 7A         |
| WORKIT IW     | I WOULD          | D          |
| WORKIT        | INLINE           | 4          |
| VWAP          | VWAP             | 1          |
| TWAP          | TWAP             | 3          |
| TEX           | TEX              | 2          |
| FLOAT         | FLOAT            | 7          |
| RESERVE       | RESERVE          | 6          |
| 10b-18        | 10b-18           | 2A         |
| PRE-PO        | PRE-PO           | 6A         |
| CLOSE         | CLOSE            | 5          |
| CUSTOM        | CUSTOM           | 8          |
| CUSTOM 1      | CUSTOM 1         | Е          |
| CUSTOM 2      | CUSTOM 2         | F          |
| CUSTOM 3      | CUSTOM 3         | G          |
| CUSTOM 4      | CUSTOM 4         | Н          |
| VOLUME INLINE | VOLUME INLINE    | А          |

# **Implementing Cross Currency**

The following tags will be required in the FIX order for eligibility to trade cross currency.

The incoming FIX order can have two additional tags.

| TAG | Field Name    | Format | Comments  |
|-----|---------------|--------|---|
| 120 | SettlCurrency | Char   | Settlement currency for Trade (when tag 121 has Y this tag will become mandatory) |
| 121 | ForExReq      | Char   | Y or N To indicate if Cross Currency is required (either Y or N)                  |

The outgoing FIX execution will contain the additional tags below.

| TAG | Field Name          | Format   | Comments   |
|-----|---------------------|----------|--|
| 155 | SettlCurrFxRate     | Float    | The FX rate of the fill  |
| 156 | SettlCurrFxRateCalc | Char     | Specifies whether or not SettlCurrFxRate should be multiplied or divided. will be set to M |
| 120 | SettlCurrency       | Char     | Settlement currency  |
| 15  | Currency            | Currency | Trade currency of the order  |
| 119 | SettlCurrAmount     | Amt      | Amount in settlement currency  |

Note: If tags 120 and 121 are not sent in the original FIX order we will settle in local currency.

# **Enabling AES Ticket**

To properly enable these products for trading with Credit Suisse, changes are required in both the user interface and FIX gateway portions of the OMS/EMS placing the order.

- 1. Product: VWAP, INLINE, TEX, etc
- 2. Start Time
- 3. End Time
- 4. Max% Volume
- 5. Execution Style (patient, normal, aggressive)
- 6. Display Size
- 7. Trigger
- 8. Rx (not eligible for broker dealer vendors/clients)
- 9. In/Exclude Auction
- 10. Min% Volume

### **AES Enhancements Peripheral to the Ticket**

- 1. GTC (D) orders available across all tactics, except PRE-PO and 10b-18.
- 2. Storyboard: As part of the AES offering all orders need to be associated with a trader ID, which can be sent in Tags 115/116.
- 3. The OMS should be able to display the tactic and parameters associated with any given order in the blotter.
- 4. Display Size is not cancel replaceable, and should be blocked as a field to be modified.
- 5. RX is not cancel replaceable, and should be blocked as a field to be modified.
- 6. Custom fields should be editable (i.e., change Custom to Guerrilla aggressive if a client requires this).

### FIX Gateway Enhancements

| TAG | Field Name          | Format   | Comments   |
|-----|---------------------|----------|--|
| 40  | OrderType           | Char     | Valid values for AES are limited to:  1 = MKT  2 = LMT  3 = Stop (for Pathfinder only)  4 = Stop Limit (for Pathfinder only)  5 = MOC (for Pathfinder only)  B = LOC (for Pathfinder only) |
| 59  | TimeInForce         | Char     | Valid values for AES are limited to:  0 = DAY  1 = GTC  2 = OPG  6 = GTD (Good till Date)  |
| 126 | ExpireTime          | Time     | Time/Date of order expiration (always expressed in GMT)  |
| 120 | SettlCurrency       | Char     | Settlement currency for Trade (when tag 121 has Y this tag will become mandatory)  |
| 121 | ForExReq            | Char     | Y or N To indicate if Cross Currency is required (either Y or N)   |
| 155 | SettlCurrFxRate     | Float    | The FX rate of the fill  |
| 156 | SettlCurrFxRateCalc | Char     | Specifies whether or not SettlCurrFxRate should be multiplied or divided. will be set to M   |
| 120 | SettlCurrency       | Char     | Settlement currency  |
| 15  | Currency            | Currency | Trade currency of the order  |
| 119 | SettlCurrAmount     | Amt      | Amount in settlement currency  |

In addition to established FIX fields, the new order message would include the following:

| TAG  | Field Name         | Format | Comments  |
|------|--------------------|--------|---|
| 6061 | ExecServProduct    | Char   | Valid values:  9 = PATHFINDER  4A = CROSSFINDER+ C = SNIPER B = GUERRILLA 7A = FLT-GUERRILLA D = I WOULD 4 = INLINE 1 = VWAP 3 = TWAP 2 = TEX 7 = FLOAT 6 = RESERVE 2A = 10b-18 6A = PRE-PO 5 = CLOSE 8 = CUSTOM E = CUSTOM 1 F = CUSTOM 3 H = CUSTOM 4 A = VOLUME INLINE |
| 6062 | StartTime          | Time   | Order start time as expressed in the executing markets local time in GMT  Starttime must <endtime 20090106-1438:00="9:38" e.g.,="" est<="" td=""></endtime>   |
|      |                    |        | ■ StartTime must be <endtime [if="" aes="" blank,="" default="" now]<="" td="" to="" will=""></endtime>   |
| 6063 | <br>EndTime        | Time   | Order start time as expressed in the executing markets local time in GMT  |
|      |                    |        | Starttime must <endtime 20090106-20:12:00="3:12" e.g.,="" est<="" td=""></endtime>  |
|      |                    |        | [If blank, AES will default to executing market close time]   |
| 6064 | MaxPctVolume       | Int    | Valid Values:   |
|      |                    |        | 1-99 (only a required field in Volume Inline)   |
| 6065 | ExecutionStyle     | Int    | Valid Values:<br>1-9  |
|      |                    |        | Suggested implementation values in dropdown:  Patient = 2  Normal = 5  Aggressive = 8   |
| 6066 | DisplaySize        | Int    | Not a required field. The value should not be less than 100 shares or over the order qty  |
| 6067 | MinPctVolume       | Int    | Valid Values: 1-99  |
| 6075 | Trigger            | Char   | Free text with up to 9 characters in a string. GUI's should not validate this field as it is a wild card field  |
| 6077 | In/Exclude Auction |        | Int values:  1 = Regional Default  2 = All  3 = Open  4 = Close  5 = None   |
| 6083 | RX                 | Char   | Valid Value is Rx. Note: this tag is not applicable to BD applications  |

The following table details field usage for each AES tactic:

| ExecServProduct (6061) | Tag  | Field Name             | Required | Comment   |
|------------------------|------|------------------------|----------|---|
| VWAP (1)               | 6062 | Starttime              | Optional | Defaults to current time if no time is provided   |
|                        | 6063 | Endtime                | Optional | Defaults to market close if no time is provided   |
|                        | 6064 | MaxPctVolume           | Optional |   |
|                        | 6066 | DisplaySize            | Optional |   |
|                        | 6075 | Trigger                | Optional |   |
|                        | 6077 | In/Exclude Auction     | Optional |   |
|                        | 6083 | Rx                     | Optional | Not applicable to BD applications                 |
| TEX (2)                | 6062 | StartTime              | Optional | Defaults to current time if no time is provided   |
|                        | 6063 | Endtime                | Optional | Defaults to market close if no time is provided   |
|                        | 6064 | MaxPctVolume           | Optional | ·   |
|                        | 6065 | ExecutionStyle         | Optional | If no value is provided, we default to 5 (normal) |
|                        | 6066 | DisplaySize            | Optional |   |
|                        | 6075 | Trigger                | Optional |   |
|                        | 6077 | In/Exclude Auction     | Optional |   |
|                        | 6083 | Rx                     | Optional | Not applicable to BD applications                 |
| TWAP (3)               | 6062 | Starttime              | Optional | Defaults to current time if no time is provided   |
| (0)                    | 6063 | Endtime                | Optional | Defaults to market close if no time is provided   |
|                        | 6064 | MaxPctVolume           | Optional |   |
|                        | 6066 | DisplaySize            | Optional |   |
|                        | 6075 | Trigger                | Optional |   |
|                        | 6077 | In/Exclude Auction     | Optional |   |
|                        | 6083 | Rx                     | Optional | Not applicable to BD applications                 |
| INLINE (4)             | 6062 | Starttime              | Optional | Defaults to current time if no time is provided   |
| INCINC (4)             | 6063 | Endtime                | Optional | Defaults to market close if no time is provided   |
|                        | 6064 | MaxPctVolume           | Optional | Defaults to market close if no time is provided   |
|                        | 6065 | ExecutionStyle         | Optional | If no value is provided, we default to 5 (normal) |
|                        | 6066 | DisplaySize            | Optional | ii no value is provided, we default to 5 (normal) |
|                        | 6067 | MinPctVolume           | Optional |   |
|                        | 6075 |                        | •        |   |
|                        |      | Trigger                | Optional |   |
|                        | 6077 | In/Exclude Auction     | Optional | Net emiliable to PD emiliasticus                  |
|                        | 6083 | Rx<br>May Ret Values a | Optional | Not applicable to BD applications                 |
| CLOSE (5)              | 6064 | MaxPctVolume           | Optional |   |
|                        | 6066 | DisplaySize            | Optional |   |
|                        | 6075 | Trigger                | Optional |   |
|                        | 6077 | In/Exclude Auction     | Optional | NI PILIPO PP                                      |
| DE0ED\/E (0)           | 6083 | Rx                     | Optional | Not applicable to BD applications                 |
| RESERVE (6)            | 6062 | Starttime              | Optional | Defaults to current time if no time is provided   |
|                        | 6065 | ExecutionStyle         | Optional | If no value is provided, we default to 5 (normal) |
|                        | 6066 | DisplaySize            | Optional |   |
|                        | 6075 | Trigger                | Optional |   |
|                        | 6077 | In/Exclude Auction     | Optional |   |
|                        | 6083 | Rx                     | Optional | Not applicable to BD applications                 |
| FLOAT (7)              | 6062 | Starttime              | Optional | Defaults to current time if no time is provided   |
|                        | 6065 | ExecutionStyle         | Optional | If no value is provided, we default to 5 (normal) |
|                        | 6066 | DisplaySize            | Optional |   |

|  | 0075   | T:                 | 0 11 1    |  |
|--|--------|--------------------|-----------|--|
| FLOAT (7) (cont'd)   | 6075   | Trigger            | Optional  |  |
|  | 6077   | In/Exclude Auction | Optional  |  |
|  | 6083   | Rx                 | Optional  | Not applicable to BD applications  |
| FLT-GUERRILLA (7A)   | 6062   | Starttime          | Optional  | Defaults to current time if no time is provided  |
|  | 6064   | MaxPctVolume       | Optional  |  |
|  | 6065   | ExecutionStyle     | Optional  | If no value is provided, we default to 5 (normal)  |
|  | 6066   | DisplaySize        | Optional  |  |
|  | 6067   | MinPctVolume       | Optional  |  |
|  | 6075   | Trigger            | Optional  |  |
|  | 6077   | In/Exclude Auction | Optional  |  |
|  | 6083   | Rx                 | Optional  | Not applicable to BD applications  |
| GUERRILLA (B)  | 6062   | Starttime          | Optional  | Defaults to current time if no time is provided  |
|  | 6064   | MaxPctVolume       | Optional  |  |
|  | 6065   | ExecutionStyle     | Optional  | If no value is provided, we default to 5 (normal)  |
|  | 6066   | DisplaySize        | Optional  |  |
|  | 6067   | MinPctVolume       | Optional  |  |
|  | 6075   | Trigger            | Optional  |  |
|  | 6077   | In/Exclude Auction | Optional  |  |
|  | 6083   | Rx                 | Optional  | Not applicable to BD applications  |
| SNIPER (C)   | 6062   | Starttime          | Optional  | Defaults to current time at executing market (GMT)   |
| * Limit required   | 6064   | MaxPctVolume       | Optional  |  |
| Ziriit roquirod  | 6065   | ExecutionStyle     | Optional  | If no value is provided, we default to 5 (normal)  |
|  | 6066   | DisplaySize        | Optional  | ii no value is provided, we default to 5 (normal)  |
|  | 6067   | MinPctVolume       | •         |  |
|  |        |                    | Optional  |  |
|  | 6075   | Trigger            | Optional  |  |
|  | 6077   | In/Exclude Auction | Optional  | NI PILIPO PP   |
| \(\(\alpha\) \(\begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ | 6083   | Rx                 | Optional  | Not applicable to BD applications  |
| VOLUME INLINE (A)  | 6062   | Starttime          | Optional  | Defaults to current time at executing market (GMT)   |
|  | 6063   | Endtime            | Optional  | Defaults to market close (GMT)   |
|  | 6064   | MaxPctVolume       | Mandatory |  |
|  | 6065   | ExecutionStyle     | Optional  | If no value is provided, we default to 5 (normal)  |
|  | 6066   | DisplaySize        | Optional  |  |
|  | 6067   | MinPctVolume       | Optional  |  |
|  | 6075   | Trigger            | Optional  |  |
|  | 6077   | In/Exclude Auction | Optional  |  |
|  | 6083   | Rx                 | Optional  | Not applicable to BD applications  |
| IWOULD (D)   | 6062   | Starttime          | Optional  | Defaults to current time if no time is provided  |
|  | 6063   | Endtime            | Optional  | Defaults to market close if no time is provided  |
|  | 6064   | MaxPctVolume       | Optional  |  |
|  | 6065   | ExecutionStyle     | Optional  | If no value is provided, we default to 5 (normal)  |
|  | 6066   | DisplaySize        | Optional  |  |
|  | 6067   | MinPctVolume       | Optional  |  |
|  | 6075   | Trigger            | Optional  |  |
|  | 6077   | In/Exclude Auction | Optional  |  |
|  | 6083   | Rx                 | Optional  | Not applicable to BD applications  |
| CROSSFINDER+ (4A)  | 6062   | Starttime          | Optional  | Defaults to current time if no time is provided  |
|  | 6063   | Endtime            | Optional  | Defaults to market close if no time is provided  |
|  | - 1000 |                    |           | The state of the s |

|                         | 6064 | MaxPctVolume       | Optional |   |
|-------------------------|------|--------------------|----------|---|
|                         | 6065 | ExecutionStyle     | Optional | If no value is provided, we default to 5 (normal) |
|                         | 6066 | Display Size       | Optional |   |
|                         | 6067 | MinPctVolume       | Optional |   |
|                         | 6075 | Trigger            | Optional |   |
|                         |      |                    |          |   |
|                         | 6077 | In/Exclude Auction | Optional | N   |
|                         | 6083 | Rx                 | Optional | Not applicable to BD applications                 |
| PATHFINDER (9)          | 6062 | Starttime          | Optional | Defaults to current time if no time is provided   |
|                         | 6066 | DisplaySize        | Optional |   |
| PATHFINDER (9) (cont'd) | 6075 | Trigger            | Optional |   |
|                         | 6077 | In/Exclude Auction | Optional |   |
|                         | 6083 | Rx                 | Optional | Not applicable to BD applications                 |
| PRE-POST (6A)           | 6066 | DisplaySize        | Optional |   |
|                         | 6075 | Trigger            | Optional |   |
|                         | 6077 | In/Exclude Auction | Optional |   |
|                         | 6083 | Rx                 | Optional | Not applicable to BD applications                 |
| 10b-18 (2A)             | 6062 | Starttime          | Optional | Defaults to current time if no time is provided   |
|                         | 6063 | Endtime            | Optional | Defaults to market close if no time is provided   |
|                         | 6064 | MaxPctVolume       | Optional |   |
|                         | 6066 | DisplaySize        | Optional |   |
|                         | 6075 | Trigger            | Optional |   |
|                         | 6077 | In/Exclude Auction | Optional |   |
| CUSTOM (8)              |      |                    |          | All fields available, but not mandatory           |
| CUSTOM 1 (E)            |      |                    |          | All fields available, but not mandatory           |
| CUSTOM 2 (F)            |      |                    |          | All fields available, but not mandatory           |
| CUSTOM 3 (G)            |      |                    |          | All fields available, but not mandatory           |
| CUSTOM 4 (H)            |      |                    |          | All fields available, but not mandatory           |

## **Summary of Input Parameters**

| Tactic        | Start<br>Time | End<br>Time | Max %<br>Volume | Min %<br>Volume | Exec.<br>Style | Display<br>Size | Trigger | Rx | In/<br>Exclude |
|---------------|---------------|-------------|-----------------|-----------------|----------------|-----------------|---------|----|----------------|
| PATHFINDER    | ✓             |             |                 |                 |                | ✓               | ✓       | ✓  | ✓              |
| CROSSFINDER+  | ✓             | ✓           | ✓               | ✓               | ✓              | ✓               | ✓       | ✓  | ✓              |
| SNIPER        | ✓             |             | ✓               | ✓               | ✓              | ✓               | ✓       | ✓  | ✓              |
| GUERRILLA     | ✓             |             | ✓               | ✓               | ✓              | ✓               | ✓       | ✓  | ✓              |
| FLT-GUERRILLA | ✓             |             | ✓               | ✓               | ✓              | ✓               | ✓       | ✓  | ✓              |
| IWOULD        | ✓             | ✓           | ✓               | ✓               | ✓              | ✓               | ✓       | ✓  | ✓              |
| INLINE        | ✓             | ✓           | ✓               | ✓               | ✓              | ✓               | ✓       | ✓  | ✓              |
| VOLUME INLINE | ✓             | ✓           | M               | ✓               | ✓              | ✓               | ✓       | ✓  | ✓              |
| VWAP          | ✓             | ✓           | ✓               |                 |                | ✓               | ✓       | ✓  | ✓              |
| TWAP          | ✓             | ✓           | ✓               |                 |                | ✓               | ✓       | ✓  | ✓              |
| TEX           | ✓             | ✓           | ✓               |                 | ✓              | ✓               | ✓       | ✓  | ✓              |
| FLOAT         | ✓             |             |                 |                 | ✓              | ✓               | ✓       | ✓  | ✓              |
| RESERVE       | ✓             |             |                 |                 | ✓              | ✓               | ✓       | ✓  | ✓              |
| CLOSE         |               |             | ✓               |                 |                | ✓               | ✓       | ✓  | ✓              |
| 10b-18        | ✓             | ✓           | ✓               |                 |                | ✓               | ✓       |    | ✓              |
| PRE-POST      |               |             |                 |                 |                | ✓               | ✓       | ✓  | ✓              |
| CUSTOM        | ✓             | ✓           | ✓               | ✓               | ✓              | ✓               | ✓       | ✓  | ✓              |
| CUSTOM1       | ✓             | ✓           | ✓               | ✓               | ✓              | ✓               | ✓       | ✓  | ✓              |
| CUSTOM2       | ✓             | ✓           | ✓               | ✓               | ✓              | ✓               | ✓       | ✓  | ✓              |
| CUSTOM3       | ✓             | ✓           | ✓               | ✓               | ✓              | ✓               | ✓       | ✓  | ✓              |
| CUSTOM4       | ✓             | ✓           | ✓               | ✓               | ✓              | ✓               | ✓       | ✓  | ✓              |

<sup>✓</sup> Optional; M Mandatory

# 2. Modification of AES Parameters via FIX Cancel/Replace Message

Credit Suisse supports the ability to handle the modification of AES parameters via a FIX cancel/replace message. The following values may now be modified as part of an AES-enriched cancel/replace message:

- Limit Price as on any normal order cancel/replace
- Order Quantity as on any normal order cancel/replace
- Order Type as on any normal order cancel/replace
- 6061 ExecServProduct
- **6062** Starttime
- **6063** Endtime
- **6064** MaxPctVolume
- 6065 Execution Style
- 6067 MinPctVolume

Please note that all the same parameter rules apply (specified in the matrix on page 5 above), with regard to which parameters are available/required for each strategy. Credit Suisse will default any unspecified parameters on the original order (the client must specify the overall strategy if any other AES parameters are sent in the new order message). The client may change some or all of these parameters by sending a FIX cancel/replace message. Any parameters not specified in the cancel/replace message will be defaulted. The defaults that are applied will depend upon the cancel/replace implementation methodology used. One of two, logically different, and mutually exclusive methodologies can be used to support the cancel/replace of AES parameters. Either:

- 1. Basic: Parameter values not specified in the cancel/replace message will be defaulted, or:
- 2. Enhanced: Parameter values not specified in the cancel/replace message will retain the values from the original order.

### **Basic Implementation**

Requirement: An order management system (OMS) that has integrated the AES user-defined FIX tags for sending orders electronically.

Credit Suisse will apply default values for any applicable strategy's parameters that are not specified by the client in the cancel/replace request. This is consistent with how Credit Suisse applies default values on a new order, when a strategy's parameters are not specified.

#### For instance:

Original Order: tag 6064 (MaxPctVolume) = 20.

Replace #1: tag 6064 not specified and there is another parameter with value explicitly changed.

After the replacement, the MaxPctVolume will be 0.

Note: Display size is not amenable. Pathfinder is not eligible for cancel replace.

# **Enhanced Implementation**

#### Requirements:

- 1. An order management system (OMS) that has integrated the AES user-defined FIX tags for sending orders electronically.
- 2. An OMS that stores and maintains ("remembers") the most-recently sent AES parameters. The OMS must be able to store the most recently sent AES parameters so that the trader has the ability to pull those values up in the order ticket and modify them as part of a FIX cancel/replace message.

Credit Suisse will store all the AES information from the original order. When a replace message is sent for one of these orders, any parameters not supplied by the client will remain unaltered from the original order. Any parameters sent in the replace message will override those sent in the original order. Subsequent replacements that do not supply AES parameters will copy their values from the previous version of the order.

#### For instance:

Original Order: tag 6064 (MaxPctVolume) = 20.

Replace #1: tag 6064 = 15.

Replace #2: tag 6064 not supplied.

After the second replacement, the MaxPctVolume will be 15.

Credit Suisse natively supports Basic implementation but can support Enhanced if required.

We recommend consulting with your regional Client Connectivity Engineering Team to discuss the "Enhanced" methodology, before making your final implementation decision.



This material has been prepared by individual sales and/or trading personnel of Credit Suisse Europe Limited or its subsidiaries or affiliates (collectively "CS") and not by CS's research department. All CS research recommendations can be accessed through the following hyperlink: https://s.research-and-analytics.cs.com/login.asp subject to the use of a suitable login. This material is provided for information purposes, is intended for your use only and does not constitute an invitation or offer to subscribe for or purchase any of the products or services mentioned. The information provided is not intended to provide a sufficient basis on which to make an investment decision. It is intended only to provide observations and views of the said individual sales and/or trading personnel, which may be different from, or inconsistent with, the observations and views of CS analysts or other CS sales and/or trading personnel, or the proprietary positions of CS. Observations and views of the salesperson or trader may change at any time without notice. Information and opinions presented in this material have been obtained or derived from sources believed by CS to be reliable, but CS makes no representation as to their accuracy or completeness. CS accepts no liability for loss arising from the use of this material. This material is directed exclusively at CS's market professional and institutional investor customers i.e. market counterparties and intermediate customers as defined by the rules of the Financial Services Authority. It is not intended for private customers and such persons should not rely on this material. Moreover, any investment or service to which this material may relate, will not be made available by CS to such private customers.

#### CREDIT SUISSE SECURITIES (USA) LLC

11 Madison Avenue New York, NY 10010

www.credit-suisse.com