

# US Equities (BZX) FIX Specification

**Version 1.20.0** 

December 7, 2010

## **Contents**

1	Intr	oduction	4
	1.1	Overview	4
	1.2	Hours of Operation	4
	1.3	Data Types	4
2	Pro	rtocol	5
	2.1	Message Format	
	2.2	Sequence Numbers	5
	2.3	Version Compatibility	5
3	Ses	ssions	5
•	3.1	Connectivity	
	3.2	Logon	
	3.3	Heartbeat	
	3.4	Test Request	7
	3.5	Resend Request	7
	3.6	Reject	7
	3.7	Sequence Reset	
	3.8	Logout	7
4	FIX	Messages	8
	4.1	Standard Message Header	8
	4.2	Standard Message Trailer	
	4.3	BATS Specific Fields	
	4.4	Order Protocol – Member to BATS	
	4.4.	1 New Order Single	11
	4.4.	2 Order Cancel Request	21
	4.4.	.3 Order Cancel/Replace Request	22
	4.5	Order Protocol – BATS to Member	25
	4.5.	.1 Execution Report	25
	4.5.	.2 Cancel Reject	32
	4.5.	3 Trade Cancel/Correct	33
5	Imp	olementation Issues	34
	5.1	Automatic Cancel on Disconnect or Malfunction	34
	5.2	Access Fees Returned on Execution Reports	34
	5.3	Service Bureau Configuration	34
	5.4	Common Session Level Issues	
	5.4.		
	ANI	D DELIVERY / Ordered Message Processing	34
	5.4. Log		. /

R	Sunno	rt	38
7	Refere	nces	38
	6.4 Po	ort Options	38
	6.3 Ma	ax Number of Hits	38
	6.2 Or	der by Order FIX Drop	37
		andard FIX Drop	
6	FIX Dr	op	37
		FINANCIAL INFORMATION EXCHANGE PROTOCOL / ADMINISTRATIVE AGES / Sequence Reset (Gap Fill)	36
	_	FINANCIAL INFORMATION EXCHANGE PROTOCOL / ADMINISTRATIVE AGES / Resend Request	36
		FINANCIAL INFORMATION EXCHANGE PROTOCOL / SESSION PROTOCO ge Recovery	

#### 1 Introduction

#### 1.1 Overview

BATS members use a subset of the FIX 4.2 protocol for order entry and drop copies.

It is assumed that the reader is familiar with the FIX 4.2 protocol as described at <a href="http://www.fixprotocol.org">http://www.fixprotocol.org</a>. This document describes the differences between the BATS implementation and the FIX 4.2 standard.

### 1.2 Hours of Operation

Refer to the web site for hours of operation.

All orders are live upon acceptance by BATS. Orders are rejected if they are received outside the hours BATS is available for trading. BATS does not have an opening or closing auction.

All orders remaining after the Extended Session will be cancelled automatically (execution reports will be delivered).

### 1.3 Data Types

All FIX timestamps are GMT as per the FIX standard. Members are expected to synchronize their clocks with an external time source.

Prices - Members should program their systems to allow execution prices to be returned with up to four decimals.

- Order prices below \$1.00 may be priced up to four decimal places.
- Order prices of \$1.00 or more may be priced up to two decimal places.

#### Example:

0.0001 to 0.9999	Accepted
1.0010, 1.0001, 12.3456	Rejected – subpenny not allowed above one dollar.
1.0000, 1.00, 12.3400, 12.34, etc.	Accepted – round penny (extra trailing zeroes are fine).

### 2 Protocol

### 2.1 Message Format

FIX messages are ASCII formatted. The member will be provided with a *SenderCompId* and *SenderSubId* that must be sent on every message. The *TargetCompId* for all messages the member sends will be "BATS". All messages the member receives will have the Sender and Target fields swapped.

### 2.2 Sequence Numbers

Sequence numbers, both inbound and outbound, will be reset to 1 each night during the down time.

Messages are processed in sequence order. Behind sequence messages (other than Sequence Reset – Reset) cause immediate logout. Ahead of sequence messages (other than a Resend Request) trigger a message recovery via a Resend Request.

### 2.3 Version Compatibility

BATS uses the FIX 4.2 session protocol.

#### 3 Sessions

The following session messages are supported in both directions:

Message	Туре	Comment
Logon	A	Begin session (or resume a broken session).
Heartbeat	0	
Test Request	1	
Resend	2	
Request		
Reject	3	Malformed message or improper session level
		handling.
Sequence	4	Both Gap Fill (GapFillFlag=Y) and Reset.
Reset		
Logout	5	Used to gracefully close session.

### 3.1 Connectivity

IP Address	Address to connect to.	Supplied by BATS.
TCP Port	Port to connect to.	Supplied by BATS.
SenderCompID	Sent in every FIX message to BATS.	Supplied by BATS.
SenderSubID	Sent in every FIX message to BATS.	Supplied by BATS.
TargetCompID	Sent in every FIX message to BATS.	"BATS"
TargetSubID	Sent in every FIX message to BATS.	"TEST" for test system.
		"PROD" for production.

For information on connectivity options to BATS, refer to the BATS US Equity/Options Connectivity Manual at:

http://www.batstrading.com/resources/membership/BATS Connectivity Manual.pdf

### 3.2 Logon

The logon must be the first message sent by the member after the TCP connection is established. EncryptMethod is ignored (FIX level encryption is not supported).

The IP Address of the member, the *SenderCompId*, *SenderSubId* and *TargetCompId* ("BATS") and *TargetSubId* ("TEST"/"PROD") will be validated. If validation fails the connection will be dropped without a reject (to avoid corrupting the members sequence in the case that the member merely mistakenly connected to the wrong port).

If connection is unexpectedly broken, upon reconnection the member may receive a login reply with a sequence number greater than expected. This means that in-flight messages were missed (likely important execution reports). The member should issue a Resend Request to retrieve the missed messages.

Similarly BATS will issue a Resend Request to the member for messages that it missed. The member may wish to send gap fill messages in place of new orders to avoid re-submission of potentially stale orders.

HeartbeatInterval must be specified by the member in the logon message. This value will be clamped between 5 and 300 seconds and returned in the logon reply message. We recommend using as low a value as the reliability and latency of your telecommunications channel will allow.

#### 3.3 Heartbeat

A Heartbeat message should be sent if the agreed upon *HeartbeatInterval* has elapsed since the last message sent. If any message has been sent during the preceding *HeartbeatInterval* a Heartbeat message need not be sent.

### 3.4 Test Request

If a *HearbeatInterval* + 1 seconds have elapsed since the last message received, a Test Request should be issued. If another *HearbeatInterval* + 1 seconds go by without receiving a message the TCP connection should be dropped. This ensures that a broken TCP connection will be detected even if the TCP stack doesn't notice (this has been observed to happen in WAN environments, particularly when a VPN is involved).

### 3.5 Resend Request

A Resend Request message should be processed even if it is received ahead of sequence. Only after resending the requested range (all marked *PossDup="Y"*, including any gap fills) should Resend Request be issued in the opposite direction.

As discussed in the FIX 4.2 specification, it is possible to send an open or closed sequence range in a Resend Request (an open range uses sequence zero as the EndSeqNo). BATS will honor either type of request, but will always issue Resend Requests with a closed sequence range.

### 3.6 Reject

Session level rejects are used to indicate violations of the session protocol, or missing (or bogus) fields. These are to be expected during development and certification, while the member is being adapted for BATS, but should be extremely rare in production. Application layer rejects (like Order Reject and Cancel Reject) are normal.

### 3.7 Sequence Reset

Sequence Reset - Gap Fill messages (*GapFillFlag*="Y") must be received in sequence. Any messages (including any Gap Fills) sent in response to a Resend Request should have PossDup="Y".

Sequence Reset - Reset (*GapFillFlag* not "Y") is used only as a last resort, and always by human intervention, to allow an otherwise hopelessly confused session to be resumed. In these cases all chance at automatic message recovery are lost.

### 3.8 Logout

Either side may issue a logout to gracefully close the session. The side that issues the logout should process messages normally until it sees the logout reply, and then break the TCP connection. BATS will typically only request logout after the scheduled end of FIX session.

## 4 FIX Messages

## 4.1 Standard Message Header

Tag	Field Name	Description
8	BeginString	FIX.4.2 Must be first field in message.
9	BodyLength	Length of message following <i>BodyLength</i> field up to and including the delimiter preceding the CheckSum field.  Must be second field in message.
35	MsgType	Must be third field in message.
49	SenderCompID	ID of sender: Assigned by BATS for messages sent to BATS. (TargetCompID for messages from BATS)
50	SenderSubID	Sub ID of sender: Assigned by BATS for messages sent to BATS. (TargetSubID for messages from BATS)
56	TargetCompID	ID of destination: "BATS" for messages sent to BATS. (SenderCompID for messages from BATS)
57	TargetSubID	Sub ID of destination:  "TEST" for messages sent to BATS test system.  "PROD" for messages sent to BATS production system.  (SenderSubID for messages from BATS)
34	MsgSeqNum	Sequential sequence number for session.
43	PossDupFlag	Indicates a message resent from the admin level (has a duplicate sequence number). Default is "N".
52	SendingTime	GMT date-time that message was sent.
122	OrigSendingTime	For messages with <i>PossDupFlag=</i> "Y", indicates time that message was first sent.
115	OnBehalfOfCompld	Service Bureau must use. Identifies end-client on messages <b>to</b> BATS. Must be allowed NSCC MPID. May be used by non-service bureau to specify which clearing arrangement to use if multiple clearing arrangements are configured. Alternatively, non-service bureau may use 439 instead.
116	OnBehalfOfSubID	End-client sub identifier.  4 Characters alphanumeric, otherwise not validated. Recorded and returned in <i>DeliverToSubID</i> . Available via

		FIX Drop.
128	DeliverToCompld	Service Bureau use. Identifies end-client on messages from BATS. Must be allowed NSCC MPID.
129	DeliverToSubID	Returns OnBehalfOfSubID optionally sent by client.

## 4.2 Standard Message Trailer

Tag	Field Name	Description
10	CheckSum	Modulo 256 checksum of all characters in message up to and including the delimiter preceding the CheckSum field. Three digits with leading zeroes if necessary.

## 4.3 BATS Specific Fields

The following FIX fields are specific to BATS:

Tag	Field Name	Description
7928	PreventMemberMatch	Refer to definition in the New Order Single Section 4.4.1 for more details.
9303	RoutingInst	Refer to definition in the New Order Single Section 4.4.1 for more details.
9479	DisplayIndicator	Refer to definition in the New Order Single Section 4.4.1 for more details.
9617	ModifySequence	Refer to definition in the Execution Report Section 4.5.1 for more details.
9618	MaxRemovePct	Refer to definition in the New Order Single Section 4.4.1 for more details.
9619	CancelOrigOnReject	Refer to definition in the Order Cancel/Replace Section 4.4.3 for more details.
9620	CorrectedPrice	Refer to definition in the Trade Cancel/Correct Section 4.5.3 for more details.
9621	ExchangeAccessFee	Refer to definition in the Execution Report Section 4.5.1 for more details.
9622	DiscretionAmount	Refer to definitions in the New Order Single Section 4.4.1 and Execution Report Section 4.5.1 for more details.
9687	BypassHidden	Refer to definition in the New Order Single Section 4.4.1 for more details.
9688	OrigCompID	Refer to definition in the Execution Report Section

		4.5.1 for more details.
9689	OrigSubID	Refer to definition in the Execution Report Section 4.5.1 for more details.
9690	WorkingPrice	Refer to definition in the Execution Report Section 4.5.1 for more details.
9691	InitialDisplayPrice	Refer to definition in the Execution Report Section 4.5.1 for more details.
9730	TradeLiquidityIndicator	Refer to definitions in the Execution Report Section 4.5.1 and Trade Cancel/Correct Section 4.5.3 for more details.

## 4.4 Order Protocol – Member to BATS

### 4.4.1 New Order Single

Tag	Field Name	Description
35	Standard Message Header	MsgType="D"
97	PossResend	"N" (default) indicates a new order. "Y" indicates an application level resend and is NOT SUPPORTED.
		For reasons of economy, BATS does not track (in primary storage) the <i>ClOrdID</i> values of orders that are no longer live.
		For reasons of performance, BATS does not access secondary storage to enforce unique <i>ClOrdID</i> values against orders that are no longer live.
		Without full duplicate <i>ClOrdID</i> value enforcement, it is not possible to safely implement the full behavior specified in the FIX 4.2 Protocol for <i>PossResend=</i> "Y".
		To remain economical, fast <i>and</i> safe, all New Order messages with <i>PossResend</i> ="Y" will be simply ignored.
1	Account	Optional.  Reflected back on execution reports associated with this order. 16 characters or less (ASCII 33-126)  Available via Standard FIX Drop on an opt-in basis at the port level. Available by default on Order by Order FIX Drop (Market Maker Quoter users should refer to Section 6.2.1).  Not available via DROP.
11	CIOrdId	Day-unique ID chosen by client. 20 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe.
		For proper OATS handling, <i>ClOrdId</i> must comply with OATS 'Routed Order ID' as defined in Appendix A of the 'OATS Reporting Technical Specifications'.
		If the <i>ClOrdId</i> matches a live order it will be rejected as duplicate (unless <i>PossResend=</i> "Y", see above).  Note: BATS only enforces the uniqueness of <i>ClOrdID</i> values among currently live orders. However we

		strongly recommend that you keep your ClOrdlD values day unique.
60	TransactTime	Time order initiated/released. Required by FIX 4.2 but not used by BATS.
55	Symbol	Symbol (upper case)  Entire BATS format symbol or symbol root if using CQS or CMS format.
65	SymbolSfx	SymbolSfx: CQS or CMS suffix if used.  Do not send SymbolSfx if using BATS format or if symbol does not have a suffix.  (Refer to Symbology link in Chapter 7.)
54	Side	Buy = "1" Sell = "2" Sell Short = "5" (client affirms ability to borrow) Sell Short Exempt = "6" (supported effective 02/28/11)
114	LocateReqd	Optional, only processed for Sell Short and Sell Short Exempt N = client affirms ability to borrow ( <b>Default</b> ) Y = client does not affirm ability to borrow (results in a reject)
38	OrderQty	Number of shares for order, 1 to 999,999
111	MaxFloor	Portion of <i>OrderQty</i> to display. The balance is reserve. 0 displays entire quantity ( <b>Default</b> ). The displayed quantity of each order at a price level is decremented first. When displayed quantity is fully decremented it is reloaded up to <i>MaxFloor</i> from reserve.  Ignored if order is hidden or IOC
40	OrdType	Market = "1" Limit = "2" Pegged = "P"  Market implies <i>TimeInForce</i> of IOC. Pegged requires <i>ExecInst</i> =L, M, P or R. Pegged orders may not be routable.
44	Price	Limit Price. Order rejected if priced finer than the minimum trading increment for the stock.

9622	DiscretionAmount	Discretion is implicitly added to bid prices and subtracted from offer prices.  Order will be displayed at <i>Price</i> but can execute in discretionary range.  A discretionary order will use the minimum amount of discretion necessary to achieve execution.  Zero applies no discretion ( <b>Default</b> ).  Max discretion to apply to Price (non-negative 0.00 to 99.99).  Non-zero <i>DiscretionAmount</i> does not mix with IOC, Post-Only (9303 = P or Q) or directed orders (9303 = destination).
211	PegDifference	Optional signed dollar value up to 4 decimal places* is added to result of peg calculation.  Default is zero.  Must be >= 0 for Sell orders. Must be <= 0 for Buy orders. Must be zero (or not specified) for Midpoint peg or non-pegged orders  *PegDifference is rounded (down for Buy, up for Sell) if the resulting price is above \$1.00.
110	MinQty	Optional minimum* fill quantity for BATS-Only (BZX) hidden or IOC orders.  Ignored unless order is BATS-Only (BZX) hidden or BATS-Only (BZX) IOC Default is zero.  *When removing liquidity limits the minimum total fill size, which may be made up of several consecutive smaller fills.
47	Rule80A (aka OrderCapacity)	A = Agency P = Principal R = Riskless Other values from the FIX 4.2 specification will be accepted.

126	TimeInForce  ExpireTime	"0" = DAY (Expires at end of market day.)  "1" = GTC (Allowed, but treated same as Day.)  "3" = IOC (Portion not filled immediately is cancelled. Market orders are implicitly IOC.)  "5" = GTX (Expires at end of extended day.)  "6" = GTD (Expires at earlier of specified <i>ExpireTime</i> or end of extended day.)  Required for <i>TimeInForce</i> = "6" (GTD) orders, specifies the
		date-time (in GMT) that the order expires. Values may be specified at a millisecond level.
18	ExecInst	Single value only (with no trailing space)  f = Intermarket Sweep (Directed or BATS)  u = BATS+DRT (access liquidity on the BZX order book, then route to DRT Dark Liquidity Partners(DLPs), then return to BZX order book or be canceled depending on user's instruction)  v = Force DRT (to override a port-level opt-out of DRT)  w = Do not DRT (default is to DRT unless overridden at port level)  t = DarkScan - Deprecated Effective 1/3/11 (will automatically convert to 18=w on effective date)  z = DarkScan+DRT - Deprecated Effective 1/3/11 (will automatically convert to 18=v on effective date)  P = Market Peg (peg Buy to NBBO Offer, peg Sell to NBBO Bid)  R = Primary Peg (peg Buy to NBBO Bid, peg Sell to NBBO Offer)  M = Midpoint (peg to NBBO Midpoint)  m = Midpoint (peg to NBBO Midpoint)  m = Midpoint (peg to NBBO Midpoint, but do not match in event the NBBO locks) - available effective 12/10/10  L = Alternate Midpoint (less aggressive of midpoint and 1 tick inside NBBO)  NOTE: value L differs in meaning from standard FIX 4.2  All other values are ignored.  Peg Orders:  Midpoint Pegged orders (M and L) will be forced to hidden (DisplayIndicator = "I"), regardless of what is sent in the DisplayIndicator tag 9479.  Only Hidden Primary and Market Pegs (DisplayIndicator=I) will be accepted at this time. If DisplayIndicator = "V", the Primary/Market Peg order will be rejected. If DisplayIndicator

		is not sent, <i>DisplayIndicator</i> = "I" will be implied.
		Routable Orders:
		Force DRT (v), and BATS+DRT (u) requires 9303 = "R" in the 1 <sup>st</sup> character position.
		If the 1 <sup>st</sup> character of 9303 = "R" or is not specified, then Force DRT (v) will be implied.
7928	PreventMemberMatch	Member Match Trade Prevention: 2 characters (not space separated):
		1 <sup>st</sup> character – MMTP Modifier: N=Cancel Newest O = Cancel Oldest B = Cancel Both D = Decrement Larger / Cancel Smaller d = Same as (D) above, but only decrement LeavesQty. Do not restate OrdQty.
		2 <sup>nd</sup> character – Unique ID Level: F = Prevent Match at BATS Exchange Member level M = Prevent Match at MPID Level
		The Unique ID level (character 2) of both orders must match to prevent a trade.
		The MMTP Modifier (character 1) of the inbound order will be honored, except that if the inbound order specifies  Decrement and the resting order does not, and the resting order is larger, then both orders will be cancelled. This exception is to protect the order-entry software for the resting order from receiving an unexpected restatement message. If order-entry software is prepared to handle unexpected restatement messages, this exception may be overridden at the port level by requesting "Allow MMTP Decrement Override" functionality.
		Users of MMTP Modifier D or d AND users of Allow MMTP Override functionality must be prepared to receive a FIX Restatement (ExecReport with ExecType = D) that decrements LeavesQty (and also OrdQty for method D).

9303	RoutingInst	This tag currently supports up to 3 characters as follows:				
		1 <sup>st</sup> character: Specifies the target destination.				
			ed to enable/disable Re-Route on			
		Lock/Cross.	acifica the routing atrategy			
		3 <sup>rd</sup> character: Specifies the routing strategy.				
		1 <sup>st</sup> Character Destination				
		Α	NYSE ARCA			
		В	BATS (BZX) Only			
		С	NSX			
		D	EDGA			
		G	EDGX			
		I	BATS Only ISO (deprecated in			
			favor of 9303=B and 18=f)			
		J	BATS Y-Exchange (BYX) –			
			B2B			
		K Boston				
		L LavaFlow				
		М	Chicago			
		N	NASDAQ			
			BATS (BZX) Only Post Only			
			(will reject rather than remove			
			visible liquidity)			
		Q	BATS (BZX) Only Post Only At			
			Limit (remove shares that			
			improve upon limit price and			
			up to MaxRemovePct of			
		D (1.6.11)	remaining OrdQty at limit price)			
		R (default) Smart Route to Visible Markets				
		T	TRAC			
		U	NYSE AMEX			
		V	DATA			
		W	CBSX  Dhile delenie			
		X	Philadelphia			
		Υ	NYSE			
		Post Only does not mix with <i>TimeInForce</i> =IOC.				
		BATS (BZX) Only Post Only orders do not interact with				
		hidden orders on entry.				
		BATS (BZX) Only Post Only At Limit orders do not interact				
9303	RoutingInst	with hidden orders on entry at the stated limit price.				
(cont.)	(cont.)	2 <sup>nd</sup> and 3 <sup>rd</sup> characters are only applicable when the 1 <sup>st</sup>				

cha	racte	r is	'R'

2 <sup>nd</sup> Character	Re-Route on Lock/Cross
L	Yes. Allow for use of CYCLE
	or Parallel strategy up to limit
	or discretion price on entry and
	allow for re-route via CYCLE or
	Parallel strategy after the order
	has booked only if another
	market locks or crosses the
	limit or discretion price.
N (default)	Do not Re-Route

3 <sup>rd</sup> Character	Routing Strategy
С	CYCLE
D (default)	Parallel-D
R	TRIM
r	TRIM (do not scrape BZX book
	first)
S	SLIM
Т	Parallel-T: Available 11/22/10
2	Parallel-2D: Available 11/22/10

In order to specify values for the 2<sup>nd</sup> and/or 3<sup>rd</sup> character, the prior character(s) MUST be populated with a valid value. If tag 9303 is not specified, a default value of RND is implied (All Visible Markets/No Re-Route/Parallel-D). Empty values in the 2<sup>nd</sup> and/or 3<sup>rd</sup> character positions will imply the default value from their respective position.

As the default instruction for tag 9303 is subject to change with little or no notice, it is recommended you specify values for all 3 character positions if you wish to maintain maximum control of your routing decisions.

For more information regarding the various routing strategies available on BATS, refer to <a href="http://www.batstrading.com/features/">http://www.batstrading.com/features/</a>.

9303 RoutingInst (cont.)

Execlnst (18) values are supported in combination of 9303 1<sup>st</sup> character values as follows:

			Exe	ecInst (1	18)	
RoutingInst						MmL
(9303)		Not				PR
1 <sup>st</sup> Char.	Destination	Present	f	v	и	(peg)
Α	NYSE ARCA	OK	OK	REJ	REJ	REJ
В	BATS (BZX)	OK	OK	REJ	REJ	OK
	Only					
С	NSX	OK	OK	REJ	REJ	REJ
D	EDGA	OK	OK	REJ	REJ	REJ
G	EDGX	OK	OK	REJ	REJ	REJ
I	BATS (BZX)	OK	OK	REJ	REJ	REJ
	Only ISO					
	(deprecated in					
	favor of 9303=B					
<u> </u>	18=f)					
J	BATS	OK	OK	OK	REJ	REJ
	Y-Exchange					
	(BYX) – B2B	011	011	5	5	
K	Boston	OK	OK	REJ	REJ	REJ
L	LavaFlow	OK	OK	REJ	REJ	REJ
M	Chicago	OK	OK	REJ	REJ	REJ
N	NASDAQ	OK	OK	REJ	REJ	REJ
P	BATS (BZX)	OK	OK	REJ	REJ	OK
	Only Post Only					
	(will reject					
	rather than					
	remove					
	liquidity)	01/	014	55.	55.	55.
Q	BATS (BZX)	OK	OK	REJ	REJ	REJ
	Only					
	PostOnlyAtLimit					
	Will remove shares that					
	improve upon					
	the limit price,					
	and up to					
	MaxRemovePct					
	of remaining					
	OrdQty <b>at</b> the					
	limit price					
R (default)	Smart Route to	OK	REJ	OK	OK	REJ
(	Visible Markets	-		]		_
Т	TRAC	OK	OK	REJ	REJ	REJ
U	NYSE AMEX	OK	OK	REJ	REJ	REJ
V	DATA	OK	OK	REJ	REJ	REJ
W	CBSX	OK	OK	REJ	REJ	REJ
X	Philadelphia	OK	OK	REJ	REJ	REJ
Y	NYSE	OK	OK	REJ	REJ	REJ
		1				•

If ExecInst(18)=f and the order is directed to a market center, the order is sent to the market center as a directed ISO and does not interact with the BATS book. If the order is BATS (BZX) Only (9303=B) and ExecInst(18)=f, the order is treated as an ISO on the BATS book.

9479	DisplayIndicator	V: ( <b>Default</b> ) As determined by port level setting (defaults to S). S: Display Price Sliding (this is to override an opt-out of Display Price Sliding at the port level). L: Display Price Sliding, but reject if order <i>crosses</i> NBBO on entry. R: Reject the order if it cannot be booked and displayed without adjustment. I: Invisible (implied on all Peg orders). N: NoRescrapeAtLimit <b>Display Price Sliding</b> : If the limit price of the unexecuted remainder of a day order does not lock or cross the NBBO then BATS books it as is. If the limit price does lock or cross the market BATS offers
		Display Price Sliding.  Display Price Sliding permanently adjusts the booked price on entry to the strongest price that does not <b>cross</b> the NBBO. It will temporarily adjust the displayed price to the strongest price that does not <b>lock</b> the NBBO. When the NBBO widens, the display price will be readjusted to the booked price. The display price may be temporarily weaker than the booked price.
		NoRescrapeAtLimit: Applicable only to Fully Routable IOC orders (9303=R and 59=3). After walking the price down to the limit, there will be no final scrape at BATS and the cancel code will state "X: Expired" rather than "N: No Liquidity".
9687	BypassHidden	N: ( <b>Default</b> ) Allow for removing liquidity against hidden orders. Y: Opt out of removing liquidity against hidden orders.
439	ClearingFirm	Firm that will clear trade. Must be allowed NSCC MPID. 4 characters upper case alphanumeric. NOTE: Shares storage with OnBehalfOfCompID. If both fields are sent they must be equal.

440	ClearingAccount	Supplemental identifier (optional) 4 characters alphanumeric, not otherwise validated. Recorded and returned in execution reports. Available via FIX Drop. NOTE: Shares storage with OnBehalfOfSubID. If both fields are sent then OnBehalfOfSubID takes precedence for Service Bureau connections, and ClearingAccount takes precedence for other connections.
9618	MaxRemovePct	For PostOnlyAtLimit (9303=Q) what percentage of the order quantity which remains after price improvement may be removed at the limit price.  Integer 0-100 0 = Don't remove any shares at limit price. 100 = Remove any amount at limit price.
	Standard Message Trailer	

#### 4.4.1.1 Re-Route Orders

The following conventions are used when assigning liquidity add/remove status on fills that involve discretion or Re-Route:

- An IOC order is always charged the remove fee. Whatever order it hits always gets the provider rebate.
- A non IOC order that hits a discretionary order at other than its display price gets the provider rebate. The resting discretion order is charged the remove fee.
- A discretion order that hits a resting discretion order gets the provider rebate. The
  resting discretion order is charged the remove fee, but uses the minimum necessary
  amount of reserve.
- An inbound "add liquidity only" order may execute against a discretionary order at its
  displayed price. In this case the "add liquidity only" order gets the provider rebate and
  the resting discretionary order pays the remove fee.
- In event an inbound "add liquidity only" order executes against a resting Re-Route order, the "add liquidity only" order will receive the provider rebate and the Re-Route order will pay the remove fee.

#### 4.4.1.2 Peg Orders

Midpoint Pegs (ExecInst=M and L):

- Implicitly hidden.
- May execute at a half-penny price increment above \$1.00.
- Will not execute during crossed NBBO.
- May not use PegDifference.

Primary and Market pegs (Execlnst R and P)

- Must be hidden for now (Visible will be rejected).
- Will be temporarily clipped to the less aggressive side of the NBBO during crossed NBBO.
- May use a non-aggressive PegDifference.

Peg orders are prioritized behind non-pegged orders at each price and display level. With regard to hidden peg orders, regular peg orders (ExecInst R and P) have a higher priority than Midpoint peg orders ranked at the same price.

When discretion is used on a pegged order, the DiscretionAmount always is applied to the current Pegged price.

A resting peg order may remove liquidity when re-priced by an NBBO movement.

#### 4.4.2 Order Cancel Request

Tag	Field Name	Description
35	Standard Message Header	MsgType="F"
97	PossResend	"Y" Indicates an application level unsolicited resend. If <i>ClOrdID</i> has not yet been seen, the cancel is treated as normal. If <i>ClOrdID</i> already exists, the resent cancel is ignored.  "N" (default) indicates a new cancel.
11	CIOrdID	Day-unique cancel ID chosen by member. 20 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe.  Duplicate order <i>ClOrdID</i> s will be rejected (or ignored if <i>PossResend=</i> "Y").
41	OrigClOrdlD	CIOrdID of the order to cancel.
37	OrderId	OrderID supplied by BATS on the order acknowledgement. (Optional but recommended for performance).
60	TransactTime	Time cancel initiated/released. Required by FIX 4.2 but not used by BATS.
55	Symbol	Symbol (upper case). Must match original order.
65	SymbolSfx	Must match original order if used.

54	Side	Buy = "1" Sell = "2" Sell Short = "5" (client affirmed ability to borrow) Sell Short Exempt = "6" (supported effective 02/28/11) Must match original order.
38	OrderQty	Number of shares for order.  Must match original order.
	Standard Message Trailer	

### 4.4.3 Order Cancel/Replace Request

Only *Price, Side, OrderQty and OrdType* may be adjusted. Any change in *Price* or any increase in *OrderQty* will result in the order losing its time priority. *OrdType* may be adjusted from Limit to Market (but not from Limit to Peg or Peg to Limit). *Side* may only be used to change an order from a short sell to a long sell or vice versa and will not result in a loss of an order's time priority.

Other fields (including *ExecInst*) **will be ignored**, and the value from the original order will be re-used. In particular note that when a Day-ISO is modified the ISO designation is applied to the new order.

Changes in *OrderQty* result in an adjustment of the current order's *OrderQty*. The new *OrderQty* does **not** directly replace the current order's *LeavesQty*. Rather a delta is computed from the current *OrderQty* and the replacement *OrderQty*. This delta is then applied to the current *LeavesQty*. If the resulting *LeavesQty* is less than or equal to zero the order is cancelled. This results in safer behavior when the replace request overlaps partial fills for the current order, leaving the member in total control of the share exposure of the order.

MaxFloor and DiscretionAmount are preserved from the original order and applied to the new size and price.

A Cancel/Replace should not be issued until the ack for the previous Cancel/Replace has been received for that order (or the New Order Ack for the first Cancel/Replace). The FIX handler will reject a new Cancel/Replace if it has not seen the prior Cancel/Replace from the Matching Engine.

Cancel/Replace requests that merely reduce *OrderQty* may be overlapped if the existing ClOrdID is re-used. This is the only case (due to OATS restrictions) where re-use of the existing ClOrdID is allowed.

Tag	Field Name	Description
35	Standard Message Header	MsgType="G"
97	PossResend	"Y" Indicates an application level resend. If the CIOrdID

		does not indicate an already pending cancel/replace, the cancel is treated as normal. If <i>CIOrdID</i> does indicate an already pending cancel/replace then the resent cancel/replace is ignored.  "N" (default) indicates a new cancel.
1	Account	Ignored – Value preserved from original order except in the case of Order by Order FIX Drop messages resulting from Market Maker Quoter events, where value will equal Max Number of Hits (refer to Section 6.2.1 for more information).
11	ClOrdId	Day-unique ID chosen by member. 20 characters or less. Characters in ASCII range 33-126 are allowed, except for comma, semicolon, and pipe.  Duplicate order <i>ClOrdId</i> s will be rejected (or ignored if <i>PossResend=</i> "Y").
41	OrigClOrdlD	CIOrdID of the order to replace.  In the case of multiple changes to a single order, this will be the CIOrdID of the most recent accepted change.
37	OrderId	Orderld supplied by BATS on the order acknowledgement. In the case of multiple changes to a single order, this will be the Orderld from the most recent acknowledgement.
60	TransactTime	Time cancel/replace initiated/released.
55	Symbol	Ignored – value preserved from original order
65	SymbolSfx	Ignored – value preserved from original order
54	Side	Buy = "1" Sell = "2" Sell Short = "5" (client affirmed ability to borrow) Sell Short Exempt = "6" (supported effective 02/28/11)  Optional: (defaults to original order if not sent). Side may only be used to modify a Short Sell to a Long Sell or vice versa.
38	OrderQty	Number of shares for order.  This will modify the <i>OrderQty</i> of the current order; it does <b>not</b> directly set the remaining quantity.
40	OrdType	Market="1", Limit="2", Peg="P"  Optional: (defaults to original order if not sent).  May replace Limit with Market, but otherwise must match

		original order (or not sent).
44	Price	Limit Price. Order rejected if priced finer than the minimum trading increment for the stock.
18	ExecInst	Ignored – value preserved from original order
9619	CancelOrigOnReject	N = Leave original order alone. Y = Cancel original order if replacement fails (an unsolicited cancel report will be sent for original order in this case). Default is configurable per port (N if not configured).
	Standard Message Trailer	

## 4.5 Order Protocol – BATS to Member

### 4.5.1 Execution Report

Tag	Field Name	Description
35	Standard Message Header	MsgType="8"
52	SendingTime	GMT date-time that execution report was sent by BATS.
20	ExecTransType	"0" = New "1" = Cancel "2" = Correct "3" = Status
17	ExecID	Day-unique id of execution message. Will be zero for ExecTransType of Status (3).
18	ExecInst	ExecInst from order (if any)
19	ExecRefID	Only present when <i>ExecTransType</i> = Cancel (1) or Correct (2). Refers to the <i>ExecID</i> of the message being cancelled or corrected.
150	ЕхесТуре	Reason for this execution report:  "0" = New (acknowledgement of new order)  "1" = Partial Fill  "2" = Fill  "4" = Canceled  "5" = Replaced  "8" = Rejected  "D" = Restated  For Standard FIX Drop, only "1" or "2" will be sent and will always equal OrdStatus (tag 39). For Order by Order FIX Drop, all execution information will be sent.  Refer to section 6.2.
378	ExecRestatementReason	Only present when 150=D 4 = State Change 5 = Reduction of OrdQty

11	CIOrdID	CIOrdID of the order being accepted, executed or rejectedor- CIOrdID of the cancel or replace requestor- CIOrdID of the order subject to unsolicited cancel (OrigCIOrdID will not be present).
41	OrigClOrdID	CIOrdID of the order being cancelled or replaced (for a solicited cancel or cancel/replace, otherwise not present).
37	Orderld	OrderId (supplied by BATS).
382	NoContraBrokers	Only present on trades. Always 1.
375	ContraBroker	Only present on trades.  BATS = Internally matched (BZX)  BYXX = BATS Y-Exchange (BYX)  INET = Routed to Nasdaq  ARCA = Routed to NYSE Arca  NSX = Routed execution from NSX  AMEX = Routed to NYSE AMEX  BEX = Routed to Boston  CBSX = Routed to CBOE Stock Exchange  CHX = Routed to Chicago  DATA = Routed to Track  EDGA = Routed to Direct Edge  EDGX = Routed to Direct Edge  FLOW = Routed to LavaFlow  NYSE = Routed to New York  PSX = Routed to Philadelphia  TRAC = Routed to DRT Pool (formerly DART)

39	OrdStatus	State of order.  "0" = New  "1" = Partially Filled  "2" = Filled  "4" = Canceled  "5" = Replaced  "6" = Pending Cancel  "8" = Rejected  "A" = Pending Ack  "E" = Pending Replace
		For FIX Drop, only "1" or "2" will be sent and will always equal ExecType (tag 150). For Order by Order FIX Drop, all execution information will be sent. Refer to section 6.2.
103	OrdRejReason	Optional when ExecType is Rejected (8).  "0" = Broker option  "1" = Unknown symbol  "2" = Exchange closed  "3" = Order exceeds limit  "5" = Unknown order  "6" = Duplicate order  "8" = Stale order
1	Account	Copied from order (available in FIX Drop, not available in DROP). For Order by Order FIX Drop, all execution information will be sent. Refer to section 6.2 and section 6.2.1.
55	Symbol	Copied from order (available in FIX Drop, always BATS format in DROP).
65	SymbolSfx	Copied from order (available in FIX Drop, not available in DROP).
54	Side	Copied from order.
38	OrderQty	Copied from order.
111	MaxFloor	Copied from order.
44	Price	Copied from order.
9622	DiscretionAmount	Copied from order.
59	TimeInForce	Copied from order.

126	ExpireTime	Copied from order if <i>TimeInForce</i> is GTD (6).
439	ClearingFirm	Copied from order if present.
440	ClearingAccount	Copied from order if present.
32	LastShares	Quantity of shares traded on this fill (zero for non-fills).
		May opt-in at firm or port level to receive this field on a MMTP triggered cancel/restatement where both sides were either reduced or cancelled (i.e. inbound Cancel Both or Decrement). With MMTP, the number of shares that would have matched.
31	LastPx	Price of this fill (zero for non-fills).
		May opt-in at firm or port level to receive this field on a MMTP triggered cancel/restatement where both sides were either reduced or cancelled (i.e. inbound Cancel Both or Decrement). With MMTP, the price at which LastShares would have matched.
151	LeavesQty	Quantity of shares still open for further execution.  Will be zero if order is dead, otherwise will be <i>OrderQty-CumQty</i> . <b>Note:</b> It is possible for <i>LeavesQty</i> to be zero when <i>ExecType</i> = 5 indicating that the order is dead.
14	CumQty	Cumulative quantity of shares executed for this order.
6	AvgPx	Average price of executions for this order weighted by trade size. Zero if <i>CumQty</i> is zero.
198	SecondaryOrderID	Optional. Must be enabled at the firm or port level. Present on a MMTP triggered cancel/restatement and on a reserve reload restatement.
		BATS Orderld of contra side of prevented match (MMTP) or BATS PITCH Orderld for displayed portion of reserve order after reload.

9730	TradeLiquidityIndicator	Present for fills (150=1 or 150=2):  A = trade added liquidity  AH = trade added hidden liquidity  R = trade removed liquidity  X = routed
		Must request opt-in at firm or port level to receive the 2nd characters in this field. To allow for future expansion of this field, please ignore values with an unknown character in the 2nd position.
		For members that opt-in to Report MMTP Fields functionality (at firm or port level), the A / R values may be presented on an MMTP triggered cancel/restatement.
		For members that opt-in to State Change Tracking at the port level, order acks (150=0), modify acks (150=5) and restatements (150=D with 378=4) will carry 9730 messages defined as follows:  A=Zero or more immediate partial remove fills followed by posting.  R=Zero or more immediate partial remove fills followed by a cancel (or full fill).  X=Zero or more immediate partial remove fills followed by routing.
9621	ExchangeAccessFee	Only present for fills. Access fee for this fill (up to 5 decimal places, negative for rebate).
9690	WorkingPrice	Optional. Must be enabled at the firm or port level. Only present on Accepted or Replaced, and only when order is fully or partially booked. If <i>Price</i> had to be adjusted to a less aggressive value to avoid crossing the NBBO, the adjusted price will be reported here, otherwise equals <i>Price</i> .
9691	InitialDisplayPrice	Optional. Must be enabled at the firm or port level. Only present on Accepted or Replaced, and only when order is fully or partially booked. If order had to be temporarily displayed at a less aggressive value to avoid locking the NBBO, the initial displayed price will be reported here, otherwise equals WorkingPrice.

9617	ModifySequence	FIX Drop only. Base 36 number of times order has been replaced.
9688	OrigCompID	FIX Drop only. TargetCompID of original FIX exec report FIX Drop port must be configured to send this optional field.
9689	OrigSubID	FIX Drop only. TargetSubID of original FIX exec report. FIX Drop port must be configured to send this optional field.
60	TransactTime	GMT date-time that transaction occurred.
58	Text	If present, indicates reason for reject or cancel. Format is one letter reason code followed by colon and space followed by free form text message. (e.g. "N: No Liquidity at price") Reason codes are one of the following: A = Admin D = Duplicate ClOrdId F = Could not reflect to consolidated quote (SIP/SIAC) H = Halted K = Order Rate Threshold Exceeded L = Order would lock or cross NBBO N = Ran out of liquidity to execute against O = ClOrdId doesn't match a known order P = Can't modify an order that is pending fill Q = Waiting for first trade r = Reserve reload restatement R = Routing unavailable S = Short-sale price violation T = Fill would trade-through NBBO U = User requested V = Would Wash W = AddLiquidityOnly order would remove X = Order expired Y = Symbol not supported Z = Unforeseen reason
	Standard Message Trailer	

#### 4.5.1.1 State Change Tracking

For members that wish to track the state of their routable orders, they may **opt-in** to the following functionality at the port level by contacting the BATS Trade Desk.

Order acks (150=0), modify acks (150=5) and restatements (150=D with 378=4) will carry 9730 (liquidity) as follows:

- A = Zero or more immediate partial remove fills followed by posting.
- R = Zero or more immediate partial remove fills followed by a cancel (or full fill).
- X = Zero or more immediate partial remove fills followed by routing.

When an order returns from the router, a restatement will be generated with:

- 150 = D (Restated)
- 378 = 4 (State Change)
- 58 = A (Admin)
- 9730 = A, X or R (as defined in 4.5.1)
- Order details to match the order (OrdQty, Price, etc.)
- Cumulative execution details to match the current status (CumQty, LeavesQty, etc.)
- Current execution details zeroed (LastPx, LastShares, etc.)

### 4.5.2 Cancel Reject

Rejects a Cancel or Cancel/Replace request.

When a Cancel/Replace is rejected, by default the original order is left alive. A Cancel Reject should not be used as a sign that the original order has been cancelled. Even if the *CancelOrigOnReject* = Y option is being used a separate "unsolicited" cancel will be sent to close out the original order.

Tag	Field Name	Description
35	Standard Message Header	MsgType="9"
11	CIOrdID	CIOrdID from the Cancel or Cancel/Replace request.
41	OrigClOrdID	CIOrdID of the order that failed to be cancelled or replaced.
37	Orderld	OrderId of order that failed to be cancelled or replaced. "NONE" if CxIRejReason is Unknown (1).
39	OrdStatus	OrdStatus of order that failed to be cancelled or replaced.
1	Account	Copied from Cancel or Cancel/Replace request.
434	CxIRejResponseTo	"1" = Cancel "2" = Cancel/Replace
102	CxIRejReason	"0" = Too late to cancel.  "1" = Unknown order.  "3" = Already pending cancel or pending replace.
58	Text	Free form text message.
	Standard Message Trailer	

#### 4.5.3 Trade Cancel/Correct

Sends a trade/cancel or correct message for trade break.

Trade Cancel/Correct (UCC) is an optional message that must be enabled at the port level. It may be enabled for current-day only or for all cancels and corrections. Only the price of a trade may be corrected, all other details remain the same. Trade cancels and corrections do not alter live order state.

Tag	Field Name	Description
35	Standard Message Header	MsgType="UCC"
20	ExecTransType	"1" = Trade Cancel "2" = Trade Correct
17	ExecID	Day-unique id of execution message.
19	ExecRefID	Refers to the <i>ExecID</i> of the message being cancelled or corrected.
37	OrderId	OrderId of the original trade being cancelled/corrected.
11	CIOrdID	CIOrdID of the original trade being cancelled/corrected.
55	Symbol	Copied from original trade being cancelled/corrected (Available in FIX Drop).
65	SymbolSfx	Copied from original trade being cancelled/corrected (Available in FIX Drop).
54	Side	Copied from original trade being cancelled/corrected.
9730	TradeLiquidityIndicator	Copied from original trade being cancelled/corrected.
439	ClearingFirm	Copied from original trade being cancelled/corrected (if present).
440	ClearingAccount	Copied from original trade being cancelled/corrected (if present).
9620	CorrectedPrice	Only for Trade Corrects. Corrected price.
32	LastShares	Quantity of shares on the original trade being cancelled/corrected.
31	LastPx	Price on the original trade being cancelled/corrected.
42	OrigTime	GMT date-time of original trade.
60	TransactTime	GMT date-time of cancel/correct.
	Standard Msg Trailer	

### 5 Implementation Issues

#### 5.1 Automatic Cancel on Disconnect or Malfunction

All open orders for a member will be cancelled automatically if no messages have been received from the member for two heartbeat intervals. This is done to prevent orders from being stuck in an unknown state in the event of telecommunications failure. Members should choose their heartbeat interval carefully based on the latency and reliability of their telecommunications channel. The minimum supported interval is 5 seconds, and this is also the recommended interval if the latency and reliability of your telecommunications channel support it. Execution reports for the automatically cancelled orders are available upon reconnection. Members are responsible for rerouting orders to other market centers based on their business needs. This should be rare, but all open orders may also be cancelled in the event of a complete or partial system malfunction.

### 5.2 Access Fees Returned on Execution Reports

The access fee associated with each fill is calculated to 5 decimals and returned on each execution report. Negative numbers indicate liquidity rebates. Members should program their systems to read, validate, and pass along this field in order to avoid making software changes to their systems when the BATS fee schedule changes. The sum of the access fees received during a month should equal the access fee charged or rebated on a member's monthly bill, rounded to the nearest penny.

### 5.3 Service Bureau Configuration

Service Bureaus require special configuration. *OnBehalfOfCompld* should be set for Order, Cancel and Cancel/Replace messages sent to BATS. Orders with an unknown *OnBehalfOfCompld* will be rejected. *ClOrdld* values are required to be unique only within a given *OnBehalfOfCompld*. Execution Report and Cancel Reject messages sent by BATS will have the *DeliverToCompld* set. **Orders must be cancelled or replaced using the same** *OnBehalfOfCompld* as was sent on the Order.

#### 5.4 Common Session Level Issues

BATS uses FIX 4.2 as specified by the FPL document <u>Version 4.2 (with Errata 20010501)</u> with business level extensions described in our own FIX spec. The session level of the FPL spec is followed as closely as possible.

The version with errata cleared up **many** ambiguities with session level present in the earlier Version 4.2 (March 1, 2000).

Important notes direct from the public FPL spec (blue lines are anchor locations in the FPL document, bold emphasis is from original spec, purple emphasis added by BATS, green notes added by BATS):

# 5.4.1 FINANCIAL INFORMATION EXCHANGE PROTOCOL / FIX MESSAGE FORMAT AND DELIVERY / Ordered Message Processing

The FIX protocol assumes complete ordered delivery of messages between parties. Implementers should consider this when designing message gap fill processes. Two options exist for dealing with gaps, either request all messages subsequent to the last message received or ask for the specific message missed while maintaining an ordered list of all newer messages. For example, if the receiver misses the second of five messages, the application could ignore messages 3 through 5 and generate a resend request for messages 2 through 5, or, preferably 2 through 0 (where 0 represents infinity). Another option would involve saving messages 3 through 5 and resending only message 2. In both cases, messages 3 through 5 should not be processed before message 2.

# 5.4.2 FINANCIAL INFORMATION EXCHANGE PROTOCOL / SESSION PROTOCOL / Logon

After the initiator has been authenticated, the acceptor will respond **immediately** with a confirming *Logon* message.

# 5.4.3 FINANCIAL INFORMATION EXCHANGE PROTOCOL / SESSION PROTOCOL / Message Recovery

When the incoming sequence number does not match the expected number corrective processing is required. Note that the SeqReset-Reset message ([BATS: this refers only to GapFillFlag=No 123=N] to be used only to recover from a disaster scenario vs. normal resend request processing) is an exception to this rule as it should be processed without regards to its MsgSeqNum. If the incoming message has a sequence number less than expected and the PossDupFlag is not set, it indicates a serious error. It is strongly recommended that the session be terminated and manual intervention be initiated. If the incoming sequence number is greater than expected, it indicates that messages were missed and retransmission of the messages is requested via the Resend Request (see the earlier section, Ordered Message Processing).

. . .

If there are consecutive administrative messages to be resent, it is suggested that only one SeqReset-GapFill message be sent in their place. The sequence number of the SeqReset-GapFill message is the next expected outbound sequence number. The NewSeqNo field of the GapFill message contains the sequence number of the highest administrative message in this group plus 1. For example, during a Resend operation there are 7 sequential administrative messages waiting to be resent. They start with sequence number 9 and end with sequence number 15. Instead of transmitting 7 Gap Fill messages (which is perfectly legal, but not network friendly), a SeqReset-GapFill message may be sent. The sequence number of the Gap Fill message is set to 9 because the remote side is expecting that as the next sequence number. The NewSeqNo field of the GapFill message contains the number 16, because that will be the sequence number of the next message to be transmitted.

Sequence number checking is a vital part of FIX session management. However, a discrepancy in the sequence number stream is **handled differently for certain classes of FIX messages**.

The table below lists the actions to be taken when the incoming sequence number is greater than the expected incoming sequence number.

NOTE: In \*ALL\* cases except the Sequence Reset - Reset message, the FIX session should be terminated if the incoming sequence number is less than expected and the PossDupFlag is not set. A Logout message with some descriptive text should be sent to the other side before closing the session.

#### **Response by Message Type**

Message Type	Action to Be Taken on Sequence # Mismatch
Logon	Must always be the first message transmitted. Authenticate and accept the connection. <b>After sending a Logon confirmation back, send a ResendRequest</b> if a message gap was detected in the <i>Logon</i> sequence number.

. . . .

# 5.4.4 FINANCIAL INFORMATION EXCHANGE PROTOCOL / ADMINISTRATIVE MESSAGES / Resend Request

Note: the sending application may wish to consider the message type when resending messages; e.g. if a new order is in the resend series and a significant time period has elapsed since its original inception, the sender may not wish to retransmit the order given the potential for changed market conditions. (The Sequence Reset-GapFill message is used to skip messages that a sender does not wish to resend.)

# 5.4.5 FINANCIAL INFORMATION EXCHANGE PROTOCOL / ADMINISTRATIVE MESSAGES / Sequence Reset (Gap Fill)

The sequence reset message is used by the sending application to reset the incoming sequence number on the opposing side. This message has two modes: "Sequence Reset-Gap Fill" when GapFillFlag is 'Y' and "Sequence Reset-Reset" when GapFillFlag is N or not present. The "Sequence Reset-Reset" mode should ONLY be used to recover from a disaster situation which cannot be otherwise recovered via "Gap Fill" mode. The sequence reset message can be used in the following situations:

- During normal resend processing, the sending application may choose not to send a message (e.g. an aged order). The Sequence Reset – Gap Fill is used to mark the place of that message.
- During normal resend processing, a number of administrative messages are not resent, the Sequence Reset – Gap Fill message is used to fill the sequence gap created.

. . .

The sending application will initiate the sequence reset. The message in all situations specifies NewSeqNo to reset as the value of the <u>next</u> sequence number immediately following the messages and/or sequence numbers being skipped.

...

If the GapFillFlag field is present (and equal to Y), the MsgSeqNum should conform to standard message sequencing rules (i.e. the MsgSeqNum of the Sequence Reset-GapFill message should represent the beginning MsgSeqNum in the GapFill range because the remote side is expecting that next message).

The sequence reset can only increase the sequence number. If a sequence reset is received attempting to decrease the next expected sequence number the message should be rejected and treated as a serious error. It is possible to have multiple ResendRequests issued in a row (i.e. 5 to 10 followed by 5 to 11). If sequence number 8, 10, and 11 represent application messages while the 5-7 and 9 represent administrative messages, the series of messages as result of the Resend Request may appear as SeqReset-GapFill with NewSeqNo of 8, message 8, SeqReset-GapFill with NewSeqNo of 10, and message 10. This could then followed by SeqReset-GapFill with NewSeqNo of 8, message 8, SeqReset-GapFill with NewSeqNo of 10, message 10, and message 11. One must be careful to ignore the duplicate SeqReset-GapFill which is attempting to lower the next expected sequence number. This can be detected by checking to see if its MsgSeqNum is less than expected. If so, the SeqReset-GapFill is a duplicate and should be discarded.

### 6 FIX Drop

BATS offers two types of FIX Drop ports (Standard FIX Drop and Order by Order FIX Drop). Both port types do not accept orders. Their purpose is to provide real time information about order flow. They may be configured to send order flow based on various combinations of information relating to specific member firms, clearing MPIDS and/or sessions. With proper authorization (e.g. clearing or sponsored relationships), a single FIX Drop session can be used to obtain information about multiple members.

### 6.1 Standard FIX Drop

Standard FIX Drop ports only send execution information (i.e. execution reports where ExecType (tag 150) is Partially Filled (1) or Filled (2)).

## 6.2 Order by Order FIX Drop

Order by Order FIX Drop ports are designed to send more than execution information.

All order message types are supported including, but not limited to Acknowledgements (tag 150=0), Partially Filled (tag 150=1), Filled (tag 150=2), Cancelled (tag 150=4), Replaced (tag 150=5), Rejected (tag 150=8), Order Cancel Rejects (tag 35=9) and optionally (if configured at the port level) Trade Breaks (tag 35=UCC). If the Rejects/Cancels are due to incomplete clearing information, they may be unavailable on Order by Order FIX Drop ports.

#### 6.3 Max Number of Hits

BATS has repurposed FIX Tag 1 on FIX Drop ports to allow Registered Market Makers utilizing the BATS Market Maker Quoter to actively monitor the number of hits the Market Maker has remaining before BATS will pull both sides of their automated quote. FIX Tag 1 on FIX Drop ports will be used to maintain a count of hits remaining for a given security for all Market Maker Quoter events.

In event of an execution, FIX Tag 1 should be monitored for a value of "0" as at that point the Market Maker's quote will be pulled and the Market Maker will need to take appropriate action in order to continue to fulfill their quote obligations. This may involve contacting the BATS Trade Desk to re-establish their automated quote or the Market Maker may choose to start fulfilling their quote obligation on their own.

In the case where the **Max Quote** (refer to the <u>BATS US Equities Market Maker Quoter Specification</u>) parameter has not been defined for a registered security, a value of "UNLIMITED" will be displayed in FIX Tag 1.

### 6.4 Port Options

Both types of FIX Drop ports can be optionally configured with the following features:

- 1. Support various BATS supported symbology types.
- 2. Send Trade Break Messages (tag 35= UCC). Please note that enabling trade breaks on Order By Order drop port will be dependent on enabling trade breaks on corresponding FIX order entry port.
- 3. Enable Unique Wash Execution IDs.

#### 7 References

For more information on BATS Symbology, please refer to the BATS Symbology Reference document at http://www.batstrading.com/resources/membership/BATS Symbology.pdf.

## 8 Support

Please e-mail questions or comments regarding this specification to <a href="mailto:tradedesk@batstrading.com">tradedesk@batstrading.com</a>.

## **Revision History**

Document Version	Date	Description
1.1	04/20/07	Added Pegging support.
1.1.1	05/02/07	Disallowed Visible pegs.
1.1.2	05/05/07	Made Note on hidden peg priority.
1.2.0	06/01/07	Added support for CMS and CQS symbology with tag 65 (not available in DROP).
1.3.0	08/28/07	Added BATS+NYSE support.
1.3.1	09/21/07	Added support for Limit-to-Market Cancel/Replace.
1.3.2	10/09/07	Added documentation for Drop copy <i>OrigCompID</i> and <i>OrigSubID</i> fields. Added note in overview regarding sponsored access Drop copies. Added documentation for BATS+ISE and ISE+BATS (9303=E and 9303=S).
1.3.3	11/05/07	Added documentation for Active Price Sliding options on DisplayIndicator.
1.3.4	01/04/08	Added documentation for Directed+BATS ISO (18=s).
1.4.0	02/05/08	Restored MinQty and added BypassHiddenPeg.
1.5.0	02/27/08	Added ExecInst=z for DarkScan.
1.5.1	03/12/08	Updated RoutinstInst / ExecInst combination table.
1.5.2	03/13/08	Added ExecInst=x for ImproveOnly.
1.5.3	04/03/08	Document Side=ShortExempt as being obsolete. Clarify behavior of 9303=S or Z when combined with 18=f.
1.5.4	04/14/08	Fix Typos in "BATS Specific Fields" table for tags 9619 and 9687.
1.5.5	04/16/08	Updated ContraBroker (375) to include "DARK".  Added rounding note for PegDifference.  ExecInst=s now also works with ARCA RoutingInst (9303) =  A.
1.5.6	04/30/08	Change "Business Level Reject" wording to "Application Layer Reject". MinQty now allowed for any BATS-Only hidden (not just peg). Tag 9687 renamed to BypassHidden.
1.5.7	06/13/08	Added (optional) AH an RH values to TradeLiquidityIndicator (tag 9730).
1.5.8	06/20/08	Removed (optional) AH an RH values from

		TradeLiquidityIndicator (tag 9730).
1.5.9	06/26/08	Fixed typos (leading caps) in CQS column of Symbology table.
1.5.10	07/01/08	Clarified Sender/Target roles in Standard Header table.
1.5.11	09/08/08	Clarified that OrdRejReason is optional on Rejects and removed nonstandard value 99. Documented optional Text tag (58) for fills to distinguish ECN from Exchange.
1.6.0	10/06/08	Revised wording to reflect transition to BATS Exchange.
1.6.1	10/15/08	Removed ISE+BATS, NSX+BATS and ExecInst=s.
1.6.2	10/20/08	Removed ImproveOnly (18=x). Documented that 18=z requires 9303=R.
1.6.3	12/03/08	Moved Symbology reference to a separate document.
1.7.0	12/10/08	Document DART (18=w and v).
1.7.1	01/16/09	Boston Directed Orders Supported via 9303=K.
1.7.2	01/21/09	Allow prices down to 0.0001.
1.8.0	02/03/09	Added details for new Trade Cancel/Correct (UCC) message type.
1.9.0	02/23/09	Document PostOnlyAtLimit (9303=Q) and MaxRemovePct (9618).
1.9.1	02/27/09	Remove unused Display Price Sliding (9479=D,E).
1.9.2	04/08/09	Fix Typo in BeginString.
1.10.0	05/08/09	TimeInForce=GTX (59=5) for post-market trading.
1.11.0	05/18/09	Added RECYCLE (9303=RC or RL).
1.11.1	05/20/09	Added 9479=N (DisplayIndicator=NoRescrapeAtLimit).
1.12.0	05/26/09	Added BOLT (9479=B BATS Only opt-in, 9479=S Display Price Sliding).
1.12.1	05/29/09	Added 9479=C and revised 9479=B.
1.12.2	06/03/09	Added (optional) AB value to TradeLiquidityIndicator (tag 9730).
1.12.3	06/04/09	Added Cancel Reason "B = Bolt Expiry".
1.12.4	06/23/09	Documented (existing) restrictions of Cancel/Replace. Added support for overlapped reduce-only Cancel/Replace.
1.12.5	06/25/09	Added limited Side modification capability to Cancel/Replace.
1.12.6	07/02/09	Added (optional) AC value to TradeLiquidityIndicator (tag 9730).
1.13.0	07/10/09	MMTP documentation.

1.13.1	07/15/09	Add LastPx as optional field to MMTP.
1.14.0	08/11/09	Removed BOLT references.
1.14.1	09/29/09	New MMTP method 'd' to avoid OrdQty restatement. RouteOddLotToSlowExchange (tag 7771).
1.15.0	11/12/09	Converted FIX specification to new document template. Added FIX Drop section and updated DROP/FIX Drop references.
1.15.1	11/17/09	Update ExecType (tag 150) and OrdStatus (tag 39) documentation to reflect Order by Order FIX Drop behavior.
1.15.2	12/02/09	Added (optional) AH values from TradeLiquidityIndicator (tag 9730).
1.15.3	12/10/09	Removed "default" reference from OrderCapacity (tag 47).
1.15.4	01/27/10	Added State Change Tracking.
1.15.5	02/04/10	Added Common Session Level Issues.
1.15.6	02/09/10	Changed ContraBroker (tag 375) for PHLX to PSX.
1.16.0	03/31/10	Added BATS+DART.
1.16.1	04/15/10	Added explicit references to BZX.
1.16.2	05/14/10	Opt-in support added for MMTP Decrement method to work with other method types. Opt-in support added to allow Sponsored Participants to override port level MMTP settings on an order by order basis with approval of Sponsor. Added Contra for BATS Y-Exchange.
1.16.3	05/26/10	DarkScan (18=z) now defaults to DarkScan+DART. 18=t becomes DarkScan w/ DART opt-out.
1.16.4	06/01/10	Clarification added regarding Post Only behavior.
1.16.5	07/21/10	Removed references to ISE.
1.16.6	07/28/10	Removed RouteOddLotToSlowExchange (tag 7771).
1.17.0	08/20/10	Renamed DART to DRT.
1.17.1	08/25/10	9479=I Implied for all Peg Orders.
1.18.0	08/31/10	Updated 9303 definitions to include support for new Smart Order Routing strategies. BATS Specific Fields section converted into a reference table. Now accepting FIX 4.2 compatible values for Rule80A (tag 47). RECYCLE references renamed to Re-Route.
1.18.1	09/03/10	Updated tag 54 for Short Exempt (Reg SHO).
1.18.2	09/10/10	Added BATS Y-Exchange (BYX) destination (9303=J).

1.18.3	09/22/10	Default routing strategy changing effective 10/01/10 to Parallel-D. Clarification added regarding Post Only behavior with respect to interaction with hidden orders.
1.19.0	10/12/10	Added Max Number of Hits section to Order by Order FIX Drop section.  Added 9303 strategy definitions to include support for SLIM and TRIM order types.  B2B support for DRT defined.
1.19.1	11/03/10	Defined reserve reload restatements.
1.19.2	11/04/10	Parallel T and Parallel 2D effective date noted.
1.19.3	11/05/10	Updated Short Exempt effective date for tag 54.
1.19.4	11/17/10	Max Number of Hits applicable to both Standard and Order by Order FIX DROP.
1.20.0	12/07/10	DarkScan to be removed effective 01/03/11. Added 18=m, Midpoint Peg that will not match when NBBO locked.