Machine Learning - (One|Simple) Rule - (One Level Decision Tree)

You are here:

(https://gerardnico.com/wiki/start)

-Table of Contents

- 1 About
- · 2 Articles Related
- 3 Implementation
 - 3.1 Basic
 - o 3.2 Other
- 4 One Rule vs Baseline
- 5 minBucket Size

1 - About

One Rule is an simple method based on a 1-level decision tree (https://gerardnico.com/wiki/data mining/decision tree) described in 1993 by Rob Holte, Alberta, Canada.

Simple rules often outperformed far more complex methods because some datasets are:

- · really simple
- so small/noisy/complex that nothing can be learned from them

2 - Articles Related

- Data Mining (Classifier|Classification Function) (https://gerardnico.com/wiki/data mining/classification)
- Statistics (Confidence|likelihood) (Prediction probabilities|Probability classification) (https://gerardnico.com/wiki/data mining/confidence)
- Data Mining Decision Tree (DT) Algorithm (https://gerardnico.com/wiki/data mining/decision tree)
- Machine Learning Decision Stump (https://gerardnico.com/wiki/data_mining/decisionstump)
- Machine Learning Linear (Regression|Model)
 (https://gerardnico.com/wiki/data_mining/linear_regression)
- Data Mining Naive Bayes (NB) (https://gerardnico.com/wiki/data_mining/naive_bayes)
- Data Mining (Decision) Rule (https://gerardnico.com/wiki/data_mining/rule)

3 - Implementation

3.1 - Basic

- · One branch for each value
- · Each branch assigns most frequent class
- Error rate: proportion of instances that don't belong to the majority class of their corresponding branch

Choose attribute with smallest error rate

```
For each attribute,
For each value of the attribute,
make a rule as follows:
    count how often each class appears
    find the most frequent class
    make the rule assign that class to this attribute-value
Calculate the error rate of this attribute's rules
Choose the attribute with the smallest error rate
```

Example of output for the weather data set (https://gerardnico.com/wiki/data mining/weather)

```
outlook:
   if sunny -> no
   if overcast -> yes
   if rainy -> yes
```

with this one-level decision tree, 10 instances are correct on 14.

3.2 - Other

Algorithm to choose the best rule

```
For each attribute:
For each value of that attribute, create a rule:
1. count how often each class appears
2. find the most frequent class, c
3. make a rule "if attribute=value then class=c"
Calculate the error rate of this rule
Pick the attribute whose rules produce the lowest error rate
```

4 - One Rule vs Baseline

OneR always outperforms (or, at worst, equals) Baseline (https://gerardnico.com/wiki/data_mining/baseline) when evaluated on the training data. (evaluating on the training data doesn't reflect performance on independent test data.)


ZeroR (https://gerardnico.com/wiki/data_mining/baseline) sometimes outperforms OneR if the target (https://gerardnico.com/wiki/data_mining/target) distribution is skewed or limited data is available, predicting the majority class can yield better results than basing a rule on a single attribute. This happens with the nominal weather dataset (https://gerardnico.com/wiki/data_mining/weather)

5 - minBucket Size

The "minBucket size" parameter of weka (https://gerardnico.com/wiki/data_mining/weka) limits the complexity of rules in order to avoid overfitting (https://gerardnico.com/wiki/data_mining/overfitting) (Default 6)

With one "minBucket size" the accuracy on the training data set is really high and decreases whereas the "minBucket size parameter" increases.

The cross validation (https://gerardnico.com/wiki/data_mining/cross_validation) evaluation method (10 folders) limits the accuracy effect and make it more stable through the "minBucket size" values.



(https://gerardnico.com/wiki/_detail/data_mining/one_r_graph.jpg?id=data_mining%3Aone_rule)

min Bucket Size Parameter	Eval Method: Cross Valid- ation Accuracy		Eval Method: Training Set Accuracy		Number of conditions generated	
1		47.66		92.99		106
2		48.13		71.5		31
3		59.81		68.22		14
4		59.35		66.36		10
5		57.94		63.55		8
6		57.94		63.08		8
7		58.41		62.14		6
8		56.07		61.68		6
9		57.48		60.75		4
10		57.94		59.34		4

- Inttps://delicious.com/post?title=Machine+Learning+-+%28One%7CSimple%29+Rule+-
 - $+\%28One + Level + Decision + Tree\%29 \& url = https: \%3A\%2F\%2F gerardnico.com\%2F wiki\%2F data_mining\%2F one with the property of the property$
- 🔐 (https://digg.com/submit?phase=2&title=Machine+Learning+-+%28One%7CSimple%29+Rule+-
 - +%28One+Level+Decision+Tree%29&url=https%3A%2F%2Fgerardnico.com%2Fwiki%2Fdata_mining%2Fone
- (http://myjeeves.ask.com/mysearch/BookmarkIt?v=1.2&t=webpages&title=Machine+Learning++ +%28One%7CSimple%29+Rule+-
- +%28One+Level+Decision+Tree%29&url=https%3A%2F%2Fgerardnico.com%2Fwiki%2Fdata_mining%2Fone
- (https://www.google.com/bookmarks/mark?op=add&title=Machine+Learning+-
- +%28One%7CSimple%29+Rule+-
- +%28One+Level+Decision+Tree%29&bkmk=https%3A%2F%2Fgerardnico.com%2Fwiki%2Fdata mining%2F
- • • (http://www.stumbleupon.com/submit?title=Machine+Learning+-+%28One%7CSimple%29+Rule+-
- +%28One+Level+Decision+Tree%29&url=https%3A%2F%2Fgerardnico.com%2Fwiki%2Fdata_mining%2Fone
- (http://www.technorati.com/faves?
- add=https%3A%2F%2Fgerardnico.com%2Fwiki%2Fdata_mining%2Fone_rule)
- Method (https://favorites.live.com/quickadd.aspx?marklet=1&mkt=en-us&title=Machine+Learning+-
- +%28One%7CSimple%29+Rule+-
- +%28One+Level+Decision+Tree%29&url=https%3A%2F%2Fgerardnico.com%2Fwiki%2Fdata mining%2Fone
- [x] (http://myweb2.search.yahoo.com/myresults/bookmarklet?title=Machine+Learning+-
 - +%28One%7CSimple%29+Rule+-
- +%28One+Level+Decision+Tree%29&popup=true&u=https%3A%2F%2Fgerardnico.com%2Fwiki%2Fdata mi
- **f** (https://www.facebook.com/sharer.php? u=https%3A%2F%2Fgerardnico.com%2Fwiki%2Fdata_mining%2Fone_rule&t=Machine+Learning+-
- +%28One%7CSimple%29+Rule+-+%28One+Level+Decision+Tree%29)
- [in (http://bookmarks.yahoo.com/toolbar/savebm? opener=tb&u=https%3A%2F%2Fgerardnico.com%2Fwiki%2Fdata_mining%2Fone_rule&t=Machine+Learning +%28One%7CSimple%29+Rule+-+%28One+Level+Decision+Tree%29)
- (https://twitter.com/home?status=Machine+Learning+-+%28One%7CSimple%29+Rule+-+%28One+Level+Decision+Tree%29:https%3A%2F%2Fgerardnico.com%2Fwiki%2Fdata mining%2Fone rul
- thttp://favorites.my.aol.com/ffclient/AddBookmark?
 url=https%3A%2F%2Fgerardnico.com%2Fwiki%2Fdata_mining%2Fone_rule&title=Machine+Learning+-+%28One%7CSimple%29+Rule+-+%28One+Level+Decision+Tree%29&favelet=true)

data_mining/one_rule.txt · Last modified: 2013/10/11 17:35 by gerardnico

(Statistics|Probability|Machine Learning|Data Mining|Data and Knowledge Discovery|Pattern Recognition|Data Science|Data Analysis) (https://gerardnico.com/wiki/data_mining/start) 326 pages

The 1 Percent Rule (https://gerardnico.com/wiki/data mining/1 percent)

A/B (Test|Testing) (https://gerardnico.com/wiki/data mining/a b)

(Parameters|Model) (Accuracy|Precision|Fit|Performance) Metrics (https://gerardnico.com/wiki/data mining/accuracy)

Adjusted R^2 (https://gerardnico.com/wiki/data_mining/adjusted_r_squared)

Akaike information criterion (AIC) (https://gerardnico.com/wiki/data mining/aic)

Machine Learning - (One Simple) Rule - (One Level Decision Tree) [derardinco]
Algorithms (https://gerardnico.com/wiki/data_mining/algorithm)
(Anomaly outlier) Detection (https://gerardnico.com/wiki/data_mining/anomaly_detection)
Analysis of variance (Anova) (https://gerardnico.com/wiki/data_mining/anova)
Apriori algorithm (https://gerardnico.com/wiki/data_mining/apriori)
Association (Rules Function Model) - Market Basket Analysis (https://gerardnico.com/wiki/data_mining/association)
Sample (Variable Attribute) (https://gerardnico.com/wiki/data_mining/attribute)
Attribute (Importance Selection) - Affinity Analysis (https://gerardnico.com/wiki/data_mining/attribute_importance)
Area under the curve (AUC) (https://gerardnico.com/wiki/data_mining/auc)
Automatic Discovery (https://gerardnico.com/wiki/data_mining/automatic_discovery)
Bootstrap aggregating (bagging) (https://gerardnico.com/wiki/data_mining/bagging)
(Base rate fallacy Bonferroni's principle) (https://gerardnico.com/wiki/data_mining/base_rate_fallacy)
(Baseline Naive) classification (Zero R) (https://gerardnico.com/wiki/data_mining/baseline)
Bayes' Theorem (Probability) (https://gerardnico.com/wiki/data_mining/bayes)
Bayesian (https://gerardnico.com/wiki/data_mining/bayesian)
Benford's law (frequency distribution of digits) (https://gerardnico.com/wiki/data_mining/benford)
Best Subset Selection Regression (https://gerardnico.com/wiki/data_mining/best_subset)
Bias (Sampling error) (https://gerardnico.com/wiki/data_mining/bias)
Bias-variance trade-off (between overfitting and underfitting) (https://gerardnico.com/wiki/data_mining/bias_trade-off)
Bayesian Information Criterion (BIC) (https://gerardnico.com/wiki/data_mining/bic)
Data Science - Big Data (https://gerardnico.com/wiki/data_mining/big_data)
R (Big R) (https://gerardnico.com/wiki/data_mining/big_r)
Bimodal Distribution (https://gerardnico.com/wiki/data_mining/bimodal_distribution)

Binary logistic regression (https://gerardnico.com/wiki/data_mining/binary_logistic_regression)
Mathematics - (Combination Binomial coefficient n choose k) (https://gerardnico.com/wiki/data_mining/binomial_coefficient)
(Probability Statistics) - Binomial Distribution (https://gerardnico.com/wiki/data_mining/binomial_distribution)
Data Mining, Book (https://gerardnico.com/wiki/data_mining/book)
(Boosting Gradient Boosting Boosting trees) (https://gerardnico.com/wiki/data_mining/boosting)
Bootstrap Resampling (https://gerardnico.com/wiki/data_mining/bootstrap)
Decision boundary Visualization (https://gerardnico.com/wiki/data_mining/boundary)
(C4.5 J48) algorithm (https://gerardnico.com/wiki/data_mining/c4.5)
(Statistics Machine Learning Data Mining) - (Unit Individual Case Subject Observation Instance Input) (https://gerardnico.com/wiki/data_mining/case)
(Case-control retrospective) sampling (https://gerardnico.com/wiki/data_mining/case_control_sampling)
Causation - Causality (Cause and Effect) Relationship (https://gerardnico.com/wiki/data_mining/causality)
Cumulative Distribution Function (CDF) (https://gerardnico.com/wiki/data_mining/cdf)
Centering Continous Predictors (https://gerardnico.com/wiki/data_mining/centering)
Central limit theorem (CLT) (https://gerardnico.com/wiki/data_mining/central_limit_theorem)
Centroid (center of gravity) (https://gerardnico.com/wiki/data_mining/centroid)
Chance (https://gerardnico.com/wiki/data_mining/chance)
Characteristic, Property, Nature (https://gerardnico.com/wiki/data_mining/characteristic)
(Class Category Label) Target (https://gerardnico.com/wiki/data_mining/class)
(Classifier Classification Function) (https://gerardnico.com/wiki/data_mining/classification)
Clustering (Function Model) (https://gerardnico.com/wiki/data_mining/cluster)
(Prediction Recommender System) - Collaborative filtering (https://gerardnico.com/wiki/data_mining/collaborative_filtering)
Competitions (Kaggle and others) (https://gerardnico.com/wiki/data_mining/competition)

Machine Learning - (One Simple) Rule - (One Level Decision Tree) [derardinco]
Pattern Recognition - Computer Vision (https://gerardnico.com/wiki/data_mining/computer_vision)
Statistics - (Confidence likelihood) (Prediction probabilities Probability classification) (https://gerardnico.com/wiki/data_mining/confidence)
Confidence Interval (https://gerardnico.com/wiki/data_mining/confidence_interval)
Confounding (factor variable) - (Confound Confounder) (https://gerardnico.com/wiki/data_mining/confounding)
Confusion Matrix (https://gerardnico.com/wiki/data_mining/confusion_matrix)
Continuous Variable (https://gerardnico.com/wiki/data_mining/continuous)
(Scientific) Control (Group) (https://gerardnico.com/wiki/data_mining/control)
Convex (https://gerardnico.com/wiki/data_mining/convex)
Correlation (Coefficient analysis) (https://gerardnico.com/wiki/data_mining/correlation)
Correlation does not imply causation (https://gerardnico.com/wiki/data_mining/correlation_does_not_imply_causation)
Cosine Similarity (Measure of Angle) (https://gerardnico.com/wiki/data_mining/cosine_similarity)
Covariance (https://gerardnico.com/wiki/data_mining/covariance)
Mallow's Cp (https://gerardnico.com/wiki/data_mining/cp)
Cross Product (of X and Y) (CP SP) (https://gerardnico.com/wiki/data_mining/cross_product)
(Statistics Data Mining) - (K-Fold) Cross-validation (rotation estimation) (https://gerardnico.com/wiki/data_mining/cross_validation)
(Periodicity Periodic phenomena Cycle) (https://gerardnico.com/wiki/data_mining/cycle)
(Data Mining Machine Learning) - Data (Analysis Analyse) (https://gerardnico.com/wiki/data_mining/data_analysis)
(Data Knowledge) Discovery - Statistical Learning (https://gerardnico.com/wiki/data_mining/data_mining)
Data Point (https://gerardnico.com/wiki/data_mining/data_point)
Data (Preparation Wrangling Munging) (https://gerardnico.com/wiki/data_mining/data_preparation)
Data - Processing (Functions, Model) (https://gerardnico.com/wiki/data_mining/data_processing)

Data Product (https://gerardnico.com/wiki/data_mining/data_product)
Data - Science (https://gerardnico.com/wiki/data_mining/data_science)
Data Scientist (https://gerardnico.com/wiki/data_mining/data_scientist)
Decision Tree (DT) Algorithm (https://gerardnico.com/wiki/data_mining/decision_tree)
Decision Stump (https://gerardnico.com/wiki/data_mining/decisionstump)
Deep Learning (Network) (https://gerardnico.com/wiki/data_mining/deep_learning)
(Degree Level) of confidence (https://gerardnico.com/wiki/data_mining/degree_of_confidence)
Degree of freedom (df) (https://gerardnico.com/wiki/data_mining/degree_of_freedom)
(dependent paired sample) t-test (https://gerardnico.com/wiki/data_mining/dependent_t-test)
Math - Derivative (https://gerardnico.com/wiki/data_mining/derivative)
(Descriptive Discovery) Analysis (https://gerardnico.com/wiki/data_mining/description)
Deviance (https://gerardnico.com/wiki/data_mining/deviance)
Deviation Score (for one observation) (https://gerardnico.com/wiki/data_mining/deviation_score)
Dimensionality (number of variable, parameter) (P) (https://gerardnico.com/wiki/data_mining/dimension)
(Dimension Feature) (Reduction) (https://gerardnico.com/wiki/data_mining/dimension_reduction)
(Data Text) Mining - Word-sense disambiguation (WSD) (https://gerardnico.com/wiki/data_mining/disambiguation)
Discrete Variable (https://gerardnico.com/wiki/data_mining/discrete)
(Discretizing binning) (bin) (https://gerardnico.com/wiki/data_mining/discretization)
Discriminant analysis (https://gerardnico.com/wiki/data_mining/discriminant_analysis)
Quadratic discriminant analysis (QDA) (https://gerardnico.com/wiki/data_mining/discriminant_analysis_quadratic)
(Discriminative conditional) models (https://gerardnico.com/wiki/data_mining/discriminative_model)
Distance (https://gerardnico.com/wiki/data_mining/distance)

aca
(Probability Sampling) Distribution (https://gerardnico.com/wiki/data_mining/distribution)
Dummy (Coding Variable) - One-hot-encoding (OHE) (https://gerardnico.com/wiki/data_mining/dummy)
Effects (between predictor variable) (https://gerardnico.com/wiki/data_mining/effect)
Effect Size (https://gerardnico.com/wiki/data_mining/effect_size)
Elastic Net Model (https://gerardnico.com/wiki/data_mining/elastic_net)
Ensemble Learning (meta set) (https://gerardnico.com/wiki/data_mining/ensemble)
Entropy (Information Gain) (https://gerardnico.com/wiki/data_mining/entropy)
Prediction Error (Training versus Test) (https://gerardnico.com/wiki/data_mining/error)
(Error misclassification) Rate - false (positives negatives) (https://gerardnico.com/wiki/data_mining/error_rate)
(Estimation Approximation) (https://gerardnico.com/wiki/data_mining/estimation)
(Estimator Point Estimate) - Predicted (Score Target Outcome) (https://gerardnico.com/wiki/data_mining/estimator)
(Evaluation Estimation Validation Testing) (https://gerardnico.com/wiki/data_mining/evaluation)
(Experimentation Experimental research) (https://gerardnico.com/wiki/data_mining/experimentation)
Data analysis - Explanatory (https://gerardnico.com/wiki/data_mining/explanatory)
Data Science - (Data exploration Exploratory Analysis Discovery ?) (https://gerardnico.com/wiki/data_mining/exploratory)
Exponential Distribution (https://gerardnico.com/wiki/data_mining/exponential_distribution)
F-distributions (https://gerardnico.com/wiki/data_mining/f-distribution)
(F-Statistic F-test F-ratio) (https://gerardnico.com/wiki/data_mining/f_statistic)
Face Recognition (https://gerardnico.com/wiki/data_mining/face_recognition)
(Factor Variable Qualitative Predictor) (https://gerardnico.com/wiki/data_mining/factor)
Factor Analysis (https://gerardnico.com/wiki/data_mining/factor_analysis)
Factorial Anova (https://gerardnico.com/wiki/data_mining/factorial_anova)

(Feature Attribute) Extraction Function (https://gerardnico.com/wiki/data_mining/feature_extraction)
Feature Hashing (https://gerardnico.com/wiki/data_mining/feature_hashing)
(Attribute Feature) (Selection Importance) (https://gerardnico.com/wiki/data_mining/feature_selection)
Fraud Detection (https://gerardnico.com/wiki/data_mining/fraud)
(Frequency Rate) (https://gerardnico.com/wiki/data_mining/frequency)
(Frequent itemsets co-occurring items) (https://gerardnico.com/wiki/data_mining/frequent_itemset)
Frequentist (https://gerardnico.com/wiki/data_mining/frequentist)
Data Model - Fudge factor (https://gerardnico.com/wiki/data_mining/fudge_factor)
Fuzzy Logic (Partial Truth) (https://gerardnico.com/wiki/data_mining/fuzzy)
Generalized additive model (GAM) (https://gerardnico.com/wiki/data_mining/gam)
Gaussian processes (modelling probability distributions over functions) (https://gerardnico.com/wiki/data_mining/gaussian_proces)
Generalized Boosted Regression Models (https://gerardnico.com/wiki/data_mining/gbm)
Generative Model (https://gerardnico.com/wiki/data_mining/generative_model)
Getting Started (https://gerardnico.com/wiki/data_mining/getting_started)
Generalized Linear Models (GLM) - Extensions of the Linear Model (https://gerardnico.com/wiki/data_mining/glm)
(Stochastic) Gradient descent (SGD) (https://gerardnico.com/wiki/data_mining/gradient_descendent)
User Group (https://gerardnico.com/wiki/data_mining/group)
Grouping (https://gerardnico.com/wiki/data_mining/grouping)
Head (https://gerardnico.com/wiki/data_mining/head)
Hierarchical Clustering (https://gerardnico.com/wiki/data_mining/hierarchical_clustering)
Hierarchy (https://gerardnico.com/wiki/data_mining/hierarchy)
Data Science - History (https://gerardnico.com/wiki/data_mining/history)

Homoscedasticity (https://gerardnico.com/wiki/data_mining/homoscedasticity)		
ID3 Algorithm (https://gerardnico.com/wiki/data_mining/id3)		
Intrusion detection systems (IDS) (https://gerardnico.com/wiki/data_mining/ids)		
Independent t-test (https://gerardnico.com/wiki/data_mining/independent_t-test)		
Statistical - Inference (https://gerardnico.com/wiki/data_mining/inference)		
Information Gain (https://gerardnico.com/wiki/data_mining/information_gain)		
Information Retrieval (https://gerardnico.com/wiki/data_mining/information_retrieval)		
(Interaction Synergy) effect (https://gerardnico.com/wiki/data_mining/interaction)		
Intercept - Regression (coefficient constant) B_0 (https://gerardnico.com/wiki/data_mining/intercept)		
Model Interpretation (https://gerardnico.com/wiki/data_mining/interpretation)		
(Interval Delta) (Measurement) (https://gerardnico.com/wiki/data_mining/interval)		
Java API for data mining (JDM) (https://gerardnico.com/wiki/data_mining/jdm)		
K-Means Clustering algorithm (https://gerardnico.com/wiki/data_mining/k-means)		
Kernel (https://gerardnico.com/wiki/data_mining/kernel)		
Keep it simple (https://gerardnico.com/wiki/data_mining/kiss)		
K-Nearest Neighbors (KNN) algorithm - Instance based learning (https://gerardnico.com/wiki/data_mining/knn)		
Knots (Cut points) (https://gerardnico.com/wiki/data_mining/knot)		
Kurtosis (Distribution Tail extremity) (https://gerardnico.com/wiki/data_mining/kurtosis)		
Statistical Learning - Lasso (https://gerardnico.com/wiki/data_mining/lasso)		
Standard Least Squares Fit (https://gerardnico.com/wiki/data_mining/least_square)		
Leptokurtic distribution (https://gerardnico.com/wiki/data_mining/leptokurtic_distribution)		
(Level Label) (https://gerardnico.com/wiki/data_mining/level)		
(Lying Lie) (https://gerardnico.com/wiki/data_mining/lie)		

(Life cycle|Project|Data Pipeline) (https://gerardnico.com/wiki/data mining/lifecycle) Lift Chart (https://gerardnico.com/wiki/data mining/lift chart) Statistical Learning - Simple Linear Discriminant Analysis (LDA) (https://gerardnico.com/wiki/data mining/linear discriminant analysis) Fisher (Multiple Linear Discriminant Analysis|multi-variant Gaussian) (https://gerardnico.com/wiki/data mining/linear discriminant analysis multiple) Linear (Regression|Model) (https://gerardnico.com/wiki/data mining/linear regression) (Linear spline|Piecewise linear function) (https://gerardnico.com/wiki/data mining/linear spline) Little r - (Pearson product-moment Correlation coefficient) (https://gerardnico.com/wiki/data_mining/little_r) Global vs Local (https://gerardnico.com/wiki/data mining/local) LOcal (Weighted) regrESSion (LOESS|LOWESS) (https://gerardnico.com/wiki/data mining/local regression) Log-likelihood function (cross-entropy) (https://gerardnico.com/wiki/data mining/log likelihood) Logistic regression (Classification Algorithm) (https://gerardnico.com/wiki/data mining/logistic regression) (Logit|Logistic) (Function|Transformation) (https://gerardnico.com/wiki/data mining/logit) Loss functions (Incorrect predictions penalty) (https://gerardnico.com/wiki/data mining/loss function) Data Science - (Kalman Filtering|Linear quadratic estimation (LQE)) (https://gerardnico.com/wiki/data mining/lge) Machine Learning (https://gerardnico.com/wiki/data_mining/machine_learning) Main Effect (https://gerardnico.com/wiki/data mining/main) Probability mass function (PMF) (https://gerardnico.com/wiki/data_mining/mass) Maximum (https://gerardnico.com/wiki/data mining/maximum) Maximum Entropy Algorithm (https://gerardnico.com/wiki/data mining/maximum entropy) Maximum likelihood (https://gerardnico.com/wiki/data mining/maximum likelihood) Measure (https://gerardnico.com/wiki/data_mining/measure) (Scales of measurement|Type of variables) (https://gerardnico.com/wiki/data mining/measurement)

(Missing Value|Not Available) (https://gerardnico.com/wiki/data mining/missing) (Function|Model) (https://gerardnico.com/wiki/data mining/model) Model Selection (https://gerardnico.com/wiki/data_mining/model_selection) Model Size (d) (https://gerardnico.com/wiki/data mining/model size) Moderator Variable (Z) - Moderation (https://gerardnico.com/wiki/data_mining/moderator) Monte Carlo (method|experiment) (stochastic process simulations) (https://gerardnico.com/wiki/data mining/monte carlo) (Average|Mean) Squared (MS) prediction error (MSE) (https://gerardnico.com/wiki/data_mining/mse) Multi-variant logistic regression (https://gerardnico.com/wiki/data mining/multi-variant logistic regression) Multi-class (classification|problem) (https://gerardnico.com/wiki/data mining/multi class) (Multiclass Logistic|multinomial) Regression (https://gerardnico.com/wiki/data mining/multiclass logistic regression) Multidimensional scaling (similarity of individual cases in a dataset) (https://gerardnico.com/wiki/data mining/multidimensional scaling) Multiple Linear Regression (https://gerardnico.com/wiki/data_mining/multiple_regression) Naive Bayes (NB) (https://gerardnico.com/wiki/data mining/naive bayes) (Probabilistic?) Neural Network (PNN) (https://gerardnico.com/wiki/data_mining/neural_network) Null Hypothesis Significance Testing (NHST) (https://gerardnico.com/wiki/data mining/nhst) (No Predictor|Mean|Null) Model (https://gerardnico.com/wiki/data mining/no model) Noise (Unwanted variation) (https://gerardnico.com/wiki/data_mining/noise) (Discrete | Nominal | Category | Reference | Taxonomy | Class | Enumerated | Factor | Qualitative | Constant) Data (https://gerardnico.com/wiki/data mining/nominal) Non-linear (effect|function|model) (https://gerardnico.com/wiki/data mining/non-linear) Non-Negative Matrix Factorization (NMF) Algorithm (https://gerardnico.com/wiki/data_mining/nonnegative matrix factorization) Multi-response linear regression (Linear Decision trees) (https://gerardnico.com/wiki/data mining/non linear)

(Normal|Gaussian) Distribution - Bell Curve (https://gerardnico.com/wiki/data mining/normal distribution) Orthogonal Partitioning Clustering (O-Cluster or OC) algorithm (https://gerardnico.com/wiki/data mining/ocluster) Odds (Ratio) (https://gerardnico.com/wiki/data mining/odds) (One|Simple) Rule - (One Level Decision Tree) (https://gerardnico.com/wiki/data mining/one rule) Outliers Cases (https://gerardnico.com/wiki/data_mining/outlier) (Overfitting|Overtraining|Robust|Generalization) (Underfitting) (https://gerardnico.com/wiki/data mining/overfitting) Data Science - Over-generalization (https://gerardnico.com/wiki/data mining/overgeneralization) P-value (https://gerardnico.com/wiki/data mining/p-value) (Mathematics|Statistics) - Statistical Parameter (https://gerardnico.com/wiki/data mining/parameter) (Non) Parametrics (method|statistics) (https://gerardnico.com/wiki/data mining/parametric) Pareto (https://gerardnico.com/wiki/data_mining/pareto) Pattern (https://gerardnico.com/wiki/data mining/pattern) Principal Component (Analysis|Regression) (PCA) (https://gerardnico.com/wiki/data_mining/pca) (Probability) Density Function (PDF) (https://gerardnico.com/wiki/data_mining/pdf) Mathematics - Permutation (Ordered Combination) (https://gerardnico.com/wiki/data mining/permutation) Piecewise polynomials (https://gerardnico.com/wiki/data mining/piecewise polynomial) Partial least squares (PLS) (https://gerardnico.com/wiki/data_mining/pls) Predictive Model Markup Language (PMML) (https://gerardnico.com/wiki/data mining/pmml) Poisson (Process|distribution) (https://gerardnico.com/wiki/data_mining/poisson_distribution) (Global) Polynomial Regression (Degree) (https://gerardnico.com/wiki/data mining/polynomial) Population (https://gerardnico.com/wiki/data_mining/population) Population Parameter (https://gerardnico.com/wiki/data mining/population parameter)

Post-hoc test (https://gerardnico.com/wiki/data mining/post-hoc) Power of a test (https://gerardnico.com/wiki/data mining/power) (Prediction|Guess) (https://gerardnico.com/wiki/data_mining/prediction) Predictive Model Markup Language (PMML) (https://gerardnico.com/wiki/data mining/predictive model markup language) (Machine|Statistical) Learning - (Predictor|Feature|Regressor|Characteristic) - (Independent|Explanatory) Variable (X) (https://gerardnico.com/wiki/data mining/predictor) Privacy (Anonymization) (https://gerardnico.com/wiki/data mining/privacy) Probability (https://gerardnico.com/wiki/data_mining/probability) Probit Regression (probability on binary problem) (https://gerardnico.com/wiki/data mining/probit) Problem (https://gerardnico.com/wiki/data_mining/problem) Process control (SPC) (https://gerardnico.com/wiki/data mining/process) Pruning (a decision tree, decision rules) (https://gerardnico.com/wiki/data_mining/pruning) R-squared (R^2 |Coefficient of determination) for Model Accuracy (https://gerardnico.com/wiki/data_mining/r_squared) Random forest (https://gerardnico.com/wiki/data_mining/random_forest) Random Variable (https://gerardnico.com/wiki/data_mining/random_variable) Range (https://gerardnico.com/wiki/data_mining/range) Rare Event (https://gerardnico.com/wiki/data mining/rare) (Fraction|Ratio|Percentage|Share) (Variable|Measurement) (https://gerardnico.com/wiki/data mining/ratio) Raw score (https://gerardnico.com/wiki/data_mining/raw_score) Regression (https://gerardnico.com/wiki/data_mining/regression) (Regression Coefficient|Weight|Slope) (B) (https://gerardnico.com/wiki/data mining/regression coefficient) Assumptions underlying correlation and regression analysis (Never trust summary statistics alone) (https://gerardnico.com/wiki/data mining/regression correlation assumption)

(Machine learning|Inverse problems) - Regularization (https://gerardnico.com/wiki/data mining/regularization) Reinforcement learning (https://gerardnico.com/wiki/data mining/reinforcement) Sampling - Sampling (With|without) replacement (WR|WOR) (https://gerardnico.com/wiki/data mining/replacement) ReSampling Validation (https://gerardnico.com/wiki/data mining/resampling) Research (https://gerardnico.com/wiki/data_mining/research) (Residual|Error Term|Prediction error|Deviation) (e|e) (https://gerardnico.com/wiki/data mining/residual) Resistant (https://gerardnico.com/wiki/data_mining/resistant) Result Considerations (https://gerardnico.com/wiki/data mining/result) Ridge regression (https://gerardnico.com/wiki/data_mining/ridge_regression) Root mean squared (Error|Deviation) (RMSE|RMSD) (https://gerardnico.com/wiki/data mining/rmse) ROC Plot and Area under the curve (AUC) (https://gerardnico.com/wiki/data_mining/roc) Rote Classifier (https://gerardnico.com/wiki/data mining/rote) Residual sum of Squares (RSS) = Squared loss ? (https://gerardnico.com/wiki/data mining/rss) (Decision) Rule (https://gerardnico.com/wiki/data_mining/rule) (Data Set|Sample) (https://gerardnico.com/wiki/data_mining/sample) Sample size (N) (https://gerardnico.com/wiki/data mining/sample size) Sampling (https://gerardnico.com/wiki/data_mining/sampling) Sampling Distribution (https://gerardnico.com/wiki/data mining/sampling distribution) Sampling Error (https://gerardnico.com/wiki/data mining/sampling error) Scale (https://gerardnico.com/wiki/data_mining/scale) Python scikit-learn (https://gerardnico.com/wiki/data_mining/scikit-learn) Scoring (Applying) (https://gerardnico.com/wiki/data mining/scoring) (Random) Seed (https://gerardnico.com/wiki/data_mining/seed)

(Shrinkage Regularization) of Regression Coefficients (https://gerardnico.com/wiki/data_mining/shrinkage)
Signal (Wanted Variation) (https://gerardnico.com/wiki/data_mining/signal)
Significance level (https://gerardnico.com/wiki/data_mining/significance_level)
(Significance Significant) Effect (https://gerardnico.com/wiki/data_mining/significant)
Similarity (https://gerardnico.com/wiki/data_mining/similarity)
Simple Effect (https://gerardnico.com/wiki/data_mining/simple)
(Univariate Simple) Logistic regression (https://gerardnico.com/wiki/data_mining/simple_logistic_regression)
(Univariate Simple) Linear Regression (https://gerardnico.com/wiki/data_mining/simple_regression)
Skew (-ed Distribution Variable) (https://gerardnico.com/wiki/data_mining/skewed_distribution)
Data Mining / (Software Tool Programming Language) (https://gerardnico.com/wiki/data_mining/software)
(Spread Variability) of a sample (https://gerardnico.com/wiki/data_mining/spread)
Stacking (https://gerardnico.com/wiki/data_mining/stacking)
Standard Deviation (SD) (https://gerardnico.com/wiki/data_mining/standard_deviation)
Standard Error (SE) (https://gerardnico.com/wiki/data_mining/standard_error)
(Normalize Standardize) (https://gerardnico.com/wiki/data_mining/standardize)
Statistic (https://gerardnico.com/wiki/data_mining/statistic)
Statistics (https://gerardnico.com/wiki/data_mining/statistics)
Forward and Backward Stepwise (Selection Regression) (https://gerardnico.com/wiki/data_mining/stepwise_regression)
(Stochastic random) process (https://gerardnico.com/wiki/data_mining/stochastic_process)
(Data Data Set) (Summary Description) (https://gerardnico.com/wiki/data_mining/summary)
(Supervised Directed) Learning ("Training") (Problem) (https://gerardnico.com/wiki/data_mining/supervised)
Support Vector Machines (SVM) algorithm (https://gerardnico.com/wiki/data_mining/support_vector_machine)
Singular Value Decomposition (SVD) (https://gerardnico.com/wiki/data_mining/svd)

(Student's) t-test (Mean Comparison) (https://gerardnico.com/wiki/data_mining/t-test) (t-value|t-statistic) (https://gerardnico.com/wiki/data mining/t-value) T-distributions (https://gerardnico.com/wiki/data_mining/t_distribution) Tail (https://gerardnico.com/wiki/data mining/tail) (Machine|Statistical) Learning - (Target|Learned|Outcome|Dependent|Response) (Attribute|Variable) (Y|DV) (https://gerardnico.com/wiki/data_mining/target) Hypothesis (Tests|Testing) (https://gerardnico.com/wiki/data mining/test) (Test|Expected|Generalization) Error (https://gerardnico.com/wiki/data mining/test error) Test Set (https://gerardnico.com/wiki/data mining/test set) (Threshold|Cut-off) of binary classification (https://gerardnico.com/wiki/data mining/threshold) Titanic Data Set (https://gerardnico.com/wiki/data mining/titanic) (Training|Building|Learning|Fitting) (https://gerardnico.com/wiki/data_mining/training) Training Error (https://gerardnico.com/wiki/data mining/training error) Training (Data|Set) (https://gerardnico.com/wiki/data mining/training set) Nested (Transactional|Historical) Data (https://gerardnico.com/wiki/data mining/transactional data) Transform (https://gerardnico.com/wiki/data_mining/transform) Treatments (Combination of factor level) (https://gerardnico.com/wiki/data mining/treatment) True score (Classical test theory) (https://gerardnico.com/wiki/data_mining/true_score) (True Function|Truth) (https://gerardnico.com/wiki/data_mining/truth) (Total) Sum of the square (TSS|SS) (https://gerardnico.com/wiki/data_mining/tss) Tuning Parameter (https://gerardnico.com/wiki/data_mining/tuning_parameter) (two class|binary) classification problem (https://gerardnico.com/wiki/data_mining/two_class) Statistical Learning - Two-fold validation (https://gerardnico.com/wiki/data mining/two fold validation) Data - Uncertainty (https://gerardnico.com/wiki/data_mining/uncertainty)

Machine Learning - (One | Simple) Rule - (One Level Decision Tree) [Gerardnico]

Uniform Distribution (platykurtic) (https://gerardnico.com/wiki/data_mining/uniform_distribution)

Unsupervised Learning ("Mining") (https://gerardnico.com/wiki/data_mining/unsupervised)

Resampling through Random Percentage Split (https://gerardnico.com/wiki/data_mining/validation_set)

Validity (Valid Measures) (https://gerardnico.com/wiki/data_mining/validity)

(Variance|Dispersion|Mean Square) (MS|\sigma') (https://gerardnico.com/wiki/data_mining/variance)

Probability and Vizualization (https://gerardnico.com/wiki/data_mining/viz)

Statistics vs (Machine Learning|Data Mining) (https://gerardnico.com/wiki/data_mining/vs)

Random Walk (https://gerardnico.com/wiki/data_mining/walk)

(Golf|Weather) Data Set (https://gerardnico.com/wiki/data_mining/weather)

Weka (https://gerardnico.com/wiki/data_mining/weka)

Z Scale (https://gerardnico.com/wiki/data_mining/z_scale)

Z Score (Zero Mean) or Standard Score (https://gerardnico.com/wiki/data_mining/z_score)

Back to top

Except where otherwise noted, content on this wiki is licensed under the following license: CC Attribution-Noncommercial-Share Alike 4.0 International (https://creativecommons.org/licenses/by-nc-sa/4.0/)

(https://creativecommons.org/licenses/by-nc-sa/4.0/) WC NTHLS
(https://validator.w3.org/check/referer) W3C 035 (https://jigsaw.w3.org/css-validator/check/referer?profile=css3)

Bootie Template (http://gerardnico.com/wiki/dokuwiki/bootie) designed by Gerardnico (http://gerardnico.com/) with the help of Bootstrap (https://getbootstrap.com/).