Dismiss

deeplearning4j / rl4j


Join GitHub today

GitHub is home to over 20 million developers working together to host and review code, manage projects, and build software together.

Sign up

Deep Reinforcement Learning for the JVM (Deep-Q, A3C)

#reinforcement-learning #deeplearning4j #doom #cartpole #a3c #dqn #gym-java-client



https://github.com/deeplearning4j/rl4j

rl4j-gym	Update to version 0.9.2-SNAPSHOT	2 months ago
i rl4j-malmo	Add support for Malmo MDP (pull #21)	19 days ago
gitignore	Add version check support	2 months ago
LICENSE.txt	Public release	a year ago
■ README.md	Add support for Malmo MDP (pull #21)	19 days ago
acartpole.gif	Cartpole.gif	a year ago
doom.gif	gif doom	a year ago
malmo.gif	Add support for Malmo MDP (pull #21)	19 days ago
perform-release.sh	Introduce SKIP_BUILD mode to perform-release.sh script (#52)	2 months ago
pom.xml	Update URL of local nexus repo, as we moved from Nexus v2 to v3 (#65)	6 days ago
scoregraph.png	norender	a year ago

■ README.md

RL4J


RL4J is a reinforcement learning framework integrated with deeplearning4j and released under an Apache 2.0 open-source license. By contributing code to this repository, you agree to make your contribution available under an Apache 2.0 license.

- DQN (Deep Q Learning with double DQN)
- Async RL (A3C, Async NStepQlearning)

Both for Low-Dimensional (array of info) and high-dimensional (pixels) input.

https://github.com/deeplearning4j/rl4j 2/7





Here is a useful blog post I wrote to introduce you to reinforcement learning, DQN and Async RL:

Blog post

Examples

Cartpole example

Disclaimer

This is a tech preview and distributed as is. Comments are welcome on our gitter channel: gitter

Quickstart

- ** INSTALL rl4j-api before installing all (see below)!**
 - mvn install -pl rl4j-api
 - [if you want rl4j-gym too] Download and mvn install: gym-java-client
 - mvn install

Visualisation

webapp-rl4j

Quicktry cartpole:

- Install gym-http-api.
- · launch http api server.
- run with this main

Doom

Doom is not ready yet but you can make it work if you feel adventurous with some additional steps:

- You will need vizdoom, compile the native lib and move it into the root of your project in a folder
- export MAVEN_OPTS=-Djava.library.path=THEFOLDEROFTHELIB
- mvn compile exec:java -Dexec.mainClass="YOURMAINCLASS"

https://github.com/deeplearning4j/rl4j 5/7

Malmo (Minecraft)



- Download and unzip Malmo from here
- export MALMO_HOME=YOURMALMO_FOLDER
- export MALMO_XSD_PATH=\$MALMO_HOME/Schemas
- launch malmo per instructions
- run with this main

https://github.com/deeplearning4j/rl4j 6/7

WIP

- Documentation
- Serialization/Deserialization (load save)
- Compression of pixels in order to store 1M state in a reasonnable amount of memory
- Async learning: A3C and nstep learning (requires some missing features from dl4j (calc and apply gradients)).

Author

Ruben Fiszel

Proposed contribution area:

- Continuous control
- Policy Gradient
- Update gym-java-client when gym-http-api gets compatible with pixels environments to play with Pong, Doom, etc ..

https://github.com/deeplearning4j/rl4j 7/7