

MyNovaPilot — Manus Build Brief

Complete Product Build Specification

For: Manus AI Build Engine

CRITICAL RULES — READ BEFORE TOUCHING ANYTHING

1. **You do not have GitHub access.** Do not attempt to connect to GitHub or push code directly under any circumstances.
 2. **You do not have Vercel access.** Do not attempt to deploy or connect to Vercel.
 3. **Write all code and submit as output files only.** Everything goes into the designated output folder for Trevor to review.
 4. **No credentials in code.** Ever. All API keys referenced by name only — never hardcoded.
 5. **Commit a MANUS_HANDOFF.md at the end of every session** documenting exactly what was built, what files were changed, what comes next, and any known issues.
 6. **Read the .novacommand/manifest.json before touching any file** in any session.
 7. **Build Phase 1 only first.** Stop and wait for review before proceeding to Phase 2.
-

WHAT YOU ARE BUILDING

MyNovaPilot — mynovapilot.com

An AI-powered platform that takes non-technical founders from raw business idea to live product through five automated mission stages — with no developers, no technical knowledge, and no manual steps.

The brand uses a space flight metaphor throughout. Every screen, every label, every notification uses mission language. This is not decoration — it is the brand identity.

Fresh GitHub repository — do not touch existing novacommand.live project.

TECH STACK

- **Frontend:** React with TypeScript
 - **Styling:** Tailwind CSS + Radix UI + Shadcn/ui
 - **Database:** MySQL via PlanetScale or TiDB — Drizzle ORM
 - **Auth:** Supabase Auth
 - **Hosting:** Vercel (Trevor connects — you do not)
 - **API:** REST — Vercel serverless functions
 - **State:** React Query + Zustand
 - **Forms:** React Hook Form + Zod
 - **Animations:** Framer Motion — subtle only
 - **PWA:** Full manifest — installs on iPhone
-

THE MISSION LANGUAGE — USE THROUGHOUT

Every label, button, screen name, notification, and alert uses this language:

Navigation:

- Mission Control — main dashboard
- Flight Deck — settings
- Launch Pad — new idea/project entry
- Hangar — all products
- Fleet — portfolio overview
- Simulator — test environment
- Orbit — live version
- Black Box — golden backup/restore point
- Flight Recorder — audit log

- Control Tower — health monitoring
- Status Board — health scores
- Mission Log — progress journal
- Communications — notifications

Status indicators:

-  Clear Skies — all good
-  Weather Warning — minor issue
-  Launch Paused — critical issue
-  Launch Clearance — approved
-  Systems Locked — emergency lockdown

The three versions:

-  Orbit — live product
-  Simulator — test environment
-  Black Box — guaranteed restore point

Fix flow options:

- Option Alpha — auto-repair
- Option Bravo — adjust mission dossier
- Option Charlie — request ground support

COLOUR SYSTEM

```
--navy: #1a2744
--slate: #2d3748
--amber: #f59e0b
--teal: #0d9488
--orbit: #22c55e
--building: #3b82f6
--warning: #f59e0b
--critical: #ef4444
--inactive: #6b7280
--bg: #ffffff
```

--surface: #f8fafc

NAVIGATION — FIVE TABS

iPhone bottom tabs:

1.  Mission Control
2.  Launch Pad
3.  Assembly
4.  Systems
5.  Control Tower

iPad — persistent left sidebar with same five sections

THE FIVE SCREENS TO BUILD

SCREEN 1 — MISSION CONTROL (Home)

Sticky header:

- MyNovaPilot logo
- User avatar — taps to Flight Deck
- Systems clearance badge — “Full Mission Clearance: 98/100”

Hero section:

- Fleet summary — “3 products in orbit. 1 in assembly. 2 on launch pad.”
- Revenue summary — “Your fleet generated \$4,200 this month” with trend arrow
- Primary action — full width button — “Begin New Mission” or “Continue [Last Mission]”

Product cards — vertical scroll: Each card:

- Product name bold, domain below
- Mission status badge — colour coded pill

- Status Board score — large number with trend arrow ↑↓
- Plain English status line — “Clear Skies — all systems nominal”
- Last activity — “Updated 2 days ago”
- Two action buttons — “Continue Mission” and “Check Systems”

Alert section: Calm tinted cards. Never raw error codes. “Weather Warning on HireReady — tap to investigate”

Aria co-pilot bubble: Bottom right corner above tab bar. Floating. Warm. 56x56px circular button. Aria avatar inside. Amber accent ring. Subtle shadow. Tapping opens bottom sheet with three options:

- Ask Aria anything — free text input, she answers immediately
- Explain this screen — Aria explains current screen in plain English
- Open Nova Academy — seven foundational education topics

ARIA — COMPANION AND EDUCATOR THROUGHOUT EVERY STEP

Aria is not a chatbot or a help section. She is a constant warm presence that travels with the founder through every stage — available whenever needed, proactively helpful when they seem stuck, always explaining in plain English.

The Three Ways Aria Appears

1. Floating Co-Pilot Button — always present

Every screen. Bottom right. Above tab bar. Never intrusive.

Tapping opens bottom sheet:

- Ask Aria anything — free text, she answers immediately
- Explain this screen — what this screen is for and what to do
- Show me my options — what the founder can do from here

No founder is ever stuck. One tap and Aria explains everything.

2. Proactive Aria Cards — slides up gently

At key moments Aria appears without being asked. A gentle card slides up from the bottom. Can be dismissed with one tap. Never blocks the screen.

When Aria appears proactively:

- Founder on a screen 60+ seconds without action → *"Looks like you might be thinking this through. Want me to explain what this means?"*
- Score below 70 → *"Your score has room to grow. Want me to walk you through the three things that would make the biggest difference?"*
- High Risk label appears first time → *"This just means we want you to double check before we test. It does not mean anything is broken."*
- Credits below 20% → *"You are running a little low. Want me to show your top up options?"*
- Build completes → *"Your feature is ready for testing. Want me to walk you through what to look for?"*
- No login for 7 days → *"Welcome back. Your idea scored 84/100 last time. Want to pick up where you left off?"*
- After successful deployment → *"Congratulations — you are live. Here is what I recommend checking first."*

Card structure:

- Aria avatar small on left
- One to two sentences
- Two buttons — Yes please (primary) and Maybe later (secondary)
- Auto-dismisses after 30 seconds if no interaction
- Never appears more than once per session for same trigger
- Does not reappear for 7 days after dismissal

3. Stage Education Links — at every stage

Below every stage title — a subtle text link: *"What is this step? Ask Aria →"*

Tapping opens a modal with Aria's plain English explanation of that stage. Content is hardcoded per stage — not an AI call — fast and free.

Stage	What Aria Explains

Idea Input	What makes a good idea description — how much detail to give
Research	What the research engines are doing and why it matters
Brief Review	What a brief is and why approving it is the legal checkpoint
Build	What the build engine is doing — plain English, no jargon
Code Review	What the founder is approving and what risk levels mean
Test Copy	Why we test on a copy and never on the live product
Pre-flight	What each check is looking for and what a failure means
Founder Trial	How to test your own product — what to look for
Final Approval	What the quality score means before going live
After Deployment	What to monitor now and when to be concerned

The Nova Academy

Seven foundational topics. Accessible from Aria button → Show me my options → Open Nova Academy.

Seven cards in a scrollable list. Each: title, one-line description, reading time. Tap to open full topic.

1. How MyNovaPilot works — the complete journey from idea to live
 2. Understanding your security — what the Black Box protects you from
 3. What are AI engines — what they do and why they never act alone
 4. Your vault and your keys — why your credentials are always safe
 5. Understanding deployment — what going live actually means
 6. Reading your health score — what each number means in plain English
 7. What to do when something goes wrong — calm step by step guidance
-

Aria's Education Philosophy

Aria teaches without making the founder feel taught at. She explains things naturally as

they become relevant. The founder learns by doing.

Aria never uses these words — ever: Repository, staging environment, API endpoint, token, schema migration, dependency, environment variable, pull request, codebase, branch, commit, merge.

If she needs to reference these concepts she describes what they do in plain English instead.

After six months of using MyNovaPilot a founder understands what a deployment is, why testing on a copy matters, what encryption protects them from, and what to do when something breaks — not because they sat through a course but because Aria explained it gently at the right moment every time.

SCREEN 2 — LAUNCH SEQUENCE (Assembly Tab)

Funnel feel. One stage slides in at a time. Progress indicator at top in plain English:

Mission Brief → Intel → Dossier → Assembly → Review → Simulator → Trial → Clearan

Stage 1 — Mission Brief: Large text area. Microphone button prominent. "Tell Aria about your mission. What are you building?" "Ask Aria for help sizing your mission" — subtle link

Stage 2 — Intel Gathering: "Gathering mission intelligence..." Engine names not shown to founder. Calm progress animation.

Stage 3 — Mission Dossier: Clean document view. Large readable text. "Approve Mission Dossier" (primary) and "Adjust Dossier" (secondary)

Stage 4 — Launch Assembly: "Assembling your product — usually 2 to 5 minutes" "Show me the assembly code" — optional collapsed toggle

Stage 5 — Mission Review: Plain English summary card:

- What Was Assembled
- What Systems It Affects
- Clearance Level —  Routine /  Elevated /  High Alert
- Crew Impact — plain English
- "View technical assembly details" — collapsed

For High Alert: "Type CLEARANCE to proceed" For destructive operations: Red card — "Type PURGE to confirm data deletion — this cannot be undone"

Stage 6 — Simulator Prep: "Simulator ready. Your live product is untouched." Preview URL — tappable. Simulation checklist runs in real time.

Stage 7 — Pre-Launch Simulation: 26 checks in four mission groups. Items tick off in real time. Green tick on pass. Amber weather warning on issue.

Fix Flow: Three option cards:

- Alpha — Auto-repair (primary, recommended)
- Bravo — Adjust mission dossier (secondary)
- Charlie — Request ground support (tertiary)

Stage 8 — Crew Trial: "Simulation complete. Now fly it yourself." Preview URL with five-item guided checklist.

Stage 9 — Launch Clearance: Mission score: 94/100 Summary card. Large "Initiate Lift Off" button — green, full width.

After Lift Off: "Mission successful. [Product] is now in orbit." Prominent "Return to Black Box" amber button — visible for 24 hours. "Orbit Confirmation running — verifying live systems..." → "All systems nominal 

SCREEN 3 — SYSTEMS CHECK (Systems Tab)

Header: Systems clearance gauge — circular progress ring. "Systems Clearance: 94/100 — Mission Ready" "Connect 2 more systems to achieve Full Mission Clearance"

Connection wizard (full screen modal): One system at a time. Auto-advances on completion. "SYSTEM 3 OF 24 — ANTHROPIC" "Powers AI features in your products." Key format hint. Large input field. "Where do I find this?" popover. Silent ping runs — "Verifying connection..." → " Systems Online"

Connection status list:

STRIPE	[Systems Online]
SUPABASE	[Systems Online]
ANTHROPIC	[Connect System]

Mission Treasury section: Payment method card. Authentication method. Crypto wallet if connected.

SCREEN 4 — CONTROL TOWER (Control Tower Tab)

Header: Fleet health overview. Overall systems status. "All systems nominal" or "Weather Warning on 1 product"

Product health cards: Each product:

- Name and domain
- Status Board score — large with trend arrow
- Colour status indicator
- Plain English status line
- Key systems indicators — payment  database  auth 
- Last check time

Weather Warning cards: Calm amber tinted card below affected product. "Stripe connection not tested in 14 days. Tap to run diagnostics."

Emergency Systems Lock: Always visible. Not prominent enough to press accidentally. "Emergency Systems Lock" — amber background "Freeze all systems instantly"

Emergency mode: Everything fades to 20% opacity. Single card centre screen. "[Product] systems critical. Here is what to do right now." Step by step in plain English. Aria expands to full-width bottom sheet.

SCREEN 5 — MISSION PLANNING (Launch Pad Tab)

Nova Spark — free tier: Minimal. Email. Name optional. Country. "Test your mission in 4 minutes. No commitment." "Begin Mission Brief with Aria"

Aria interview: Full screen. Aria co-pilot avatar — warm, calm, consistent. Large microphone button — primary. Text input below — alternative. "Mission intelligence gathering... 60%" Aria questions appear as mission briefing cards.

Score reveal — free tier: Score counts up to final number. Animated reveal. Dimensions appear one by one with coaching suggestions.

Blacked out sections: Frosted glass effect. Lock icon. Mission clearance badge overlay. "Unlock Full Mission Blueprint — upgrade to begin your launch sequence"

Full dashboard — paid tier: Mission library — all concepts as cards. Each card: mission name, score, date, market signal colour. Mission Log — running narrative.

KEY FEATURES — CODE SPECIFICATIONS

Vault — Mission Security Systems

```
interface VaultKey {
  id: string
  productId: string
  systemName: string // service name in mission language
  encryptedKey: string
  nonce: string
  maskedPreview: string // last 4 chars only — never full key
  createdAt: Date
  lastVerifiedAt: Date
  assignedProducts: string[]
  systemsClearance: boolean
}
```

Connection Lease — Mission Duration Control

```
const MISSION_DURATION = {
  status_check: 2, // minutes
  systems_test: 10,
  standard_assembly: 15,
  full_launch_sequence: 30, // renewable with progress confirmation
  crew_action: 15
}

interface MissionLease {
  id: string
  systemName: string
  missionType: keyof typeof MISSION_DURATION
  openedAt: Date
  expiresAt: Date
  closedAt?: Date
  forceClosed: boolean
  renewalCount: number
}
```

Status Board Score

```
interface StatusBoard {
  productId: string
  overallScore: number // 0-10
  deploymentSystems: number
  connectionSystems: number
  assemblyQuality: number
  lastMissionClean: boolean
  trajectory: 'ascending' | 'descending' | 'stable'
  plainEnglishStatus: string
  missionRecommendations: string[]
  lastVerified: Date
}
```

Systems Clearance Score

```
interface SystemsClearance {
  total: number // 0-100
  vault: number // max 25
  authentication: number // max 20
  connections: number // max 15
  treasury: number // max 15
  recovery: number // max 15
  network: number // max 10
  clearanceLevel:
    | 'Mission Critical Risk'
    | 'Basic Shielding'
    | 'Moderate Protection'
    | 'Strong Systems'
    | 'Mission Ready'
    | 'Full Mission Clearance'
}
```

DLP Filter — Intelligence Intercept

```
const CLASSIFIED_PATTERNS = [
  /sk-ant-[a-zA-Z0-9]{20,}/,
  /sk-[a-zA-Z0-9]{48}/,
  /sk_(live|test)_[a-zA-Z0-9]{24,}/,
  /rk_live_[a-zA-Z0-9]+/,
  /ghp_[a-zA-Z0-9]{36}/,
  /eyJ[a-zA-Z0-9+\/]{100,}/,
  /postgres:\\\\\[^\s]+/,
```

```

/mysql:\\\\[^\s]+/,
/[A-Z_]{3,}=[^\s]{8,}/,
/-----BEGIN PRIVATE KEY-----/,
]

// On detection – mission intercept message:
// "Classified data detected. I've secured it automatically.
// Your credentials never need to leave Mission Control."

```

Nova Spark — Free Mission Validation

```

interface SparkMissionReport {
  missionTitle: string
  missionScore: number // 0-100
  marketSignal: 'clear_skies' | 'weather_warning' | 'storm_alert'
  missionStrengths: string[] // 3 items
  missionRecommendation: string
  missionCoaching: {
    dimension: string
    score: number
    maxScore: number
    coachingBriefing: string
    projectedScoreIfAddressed: number
  }[]
  // Classified for free tier – null until upgrade:
  intelligenceReport?: string
  pricingAnalysis?: string
  mvpScope?: string
  fullMissionBlueprint?: object
}

```

DATABASE SCHEMA

```

CREATE TABLE fleet_products (
  id VARCHAR(36) PRIMARY KEY,
  commander_id VARCHAR(36) NOT NULL,
  mission_name VARCHAR(255) NOT NULL,
  domain VARCHAR(255),
  github_repo VARCHAR(255),
  vercel_project VARCHAR(255),
  supabase_project VARCHAR(255),
  current_flywheel INT DEFAULT 1,

```

```

    orbit_status ENUM('planning','launch_pad','systems_check','assembly','simulator
    status_board_score DECIMAL(4,1),
    systems_clearance INT,
    is_imported BOOLEAN DEFAULT FALSE,
    created_at TIMESTAMP DEFAULT NOW(),
    updated_at TIMESTAMP DEFAULT NOW()
);

```

```

CREATE TABLE mission_vault (
    id VARCHAR(36) PRIMARY KEY,
    commander_id VARCHAR(36) NOT NULL,
    system_name VARCHAR(100) NOT NULL,
    encrypted_key TEXT NOT NULL,
    nonce VARCHAR(255) NOT NULL,
    masked_preview VARCHAR(20) NOT NULL,
    assigned_product_ids JSON,
    last_verification_at TIMESTAMP,
    last_verification_passed BOOLEAN,
    created_at TIMESTAMP DEFAULT NOW()
);

```

```

CREATE TABLE mission_leases (
    id VARCHAR(36) PRIMARY KEY,
    commander_id VARCHAR(36) NOT NULL,
    system_name VARCHAR(100) NOT NULL,
    mission_type VARCHAR(50) NOT NULL,
    opened_at TIMESTAMP NOT NULL,
    expires_at TIMESTAMP NOT NULL,
    closed_at TIMESTAMP,
    force_closed BOOLEAN DEFAULT FALSE,
    renewal_count INT DEFAULT 0,
    requested_duration_minutes INT NOT NULL
);

```

```

CREATE TABLE flight_recorder (
    id VARCHAR(36) PRIMARY KEY,
    commander_id VARCHAR(36) NOT NULL,
    product_id VARCHAR(36),
    crew_type VARCHAR(50) NOT NULL,
    mission_action VARCHAR(255) NOT NULL,
    outcome VARCHAR(50) NOT NULL,
    telemetry JSON,
    recorded_at TIMESTAMP DEFAULT NOW()
);

```

```

CREATE TABLE launch_sequences (
    id VARCHAR(36) PRIMARY KEY,

```

```

    product_id VARCHAR(36) NOT NULL,
    stage INT NOT NULL,
    sequence_status VARCHAR(50) NOT NULL,
    mission_brief TEXT,
    assembly_engine VARCHAR(50),
    clearance_score DECIMAL(4,1),
    cost_delta DECIMAL(10,2),
    handoff_committed BOOLEAN DEFAULT FALSE,
    initiated_at TIMESTAMP DEFAULT NOW(),
    completed_at TIMESTAMP
);

CREATE TABLE spark_missions (
    id VARCHAR(36) PRIMARY KEY,
    commander_email VARCHAR(255) NOT NULL,
    mission_concept TEXT NOT NULL,
    mission_score INT NOT NULL,
    market_signal VARCHAR(20) NOT NULL,
    mission_report JSON NOT NULL,
    validation_count INT DEFAULT 1,
    created_at TIMESTAMP DEFAULT NOW()
);

```

API ROUTES

```

POST /api/auth/signup
POST /api/auth/login
POST /api/auth/logout

```

```

GET  /api/fleet
POST /api/fleet
GET  /api/fleet/:id
PUT  /api/fleet/:id
POST /api/fleet/import

```

```

GET  /api/vault/systems
POST /api/vault/systems
DELETE /api/vault/systems/:id
POST /api/vault/systems/:id/verify
POST /api/vault/systems/:id/rotate

```

```

POST /api/launch/initiate
GET  /api/launch/:id/status
POST /api/launch/:id/approve

```

```
POST /api/launch/:id/reject
POST /api/launch/:id/lift-off

GET /api/control-tower/fleet
GET /api/control-tower/product/:id
POST /api/control-tower/check/:id

POST /api/spark/validate
GET /api/spark/remaining/:email

POST /api/treasury/setup
GET /api/treasury/costs
POST /api/treasury/payment

POST /api/systems/lock
POST /api/systems/unlock
```

BUILD PHASES — IN ORDER

Phase 1 — Foundation

1. React + TypeScript + Tailwind + Shadcn/ui project setup
2. Supabase auth — signup, login, session management
3. Database schema — all tables above
4. Five tab navigation — mission language labels
5. Mission Control shell — product cards, empty state, Aria bubble

Phase 2 — Mission Vault and Systems 6. Vault — key entry, AES encryption, masked display 7. Silent verification ping per system 8. Mission lease system 9. DLP intelligence intercept filter 10. Systems clearance score and display 11. Emergency Systems Lock flow

Phase 3 — Nova Spark 12. Free tier signup — email only 13. Aria interview interface — voice and text 14. Claude API — mission brief generation 15. Perplexity API — market intelligence 16. Mission scoring engine 17. Coaching briefings per dimension 18. Partial report — classified sections 19. Three validations per month limit

Phase 4 — Launch Sequence 20. Mission Brief input 21. Intel gathering dispatch 22. Mission Dossier generation and approval 23. Assembly engine dispatch 24. Systems integrity check — Stage 4.5 25. Mission Review — plain English 26. Simulator

preparation 27. Pre-launch simulation — 26 checks 28. Crew Trial screen 29. Launch Clearance gate 30. Lift Off sequence 31. Orbit Confirmation — live mirror check 32. Black Box management

Phase 5 — Control Tower 33. Status Board per product 34. Control Tower fleet view 35. Emergency mode UI 36. Return to Black Box flow 37. Mission Log journal

Phase 6 — Connection Hub 38. Systems connection wizard — 24 systems 39. OAuth connections 40. Manual entry with mission briefings 41. Mission Treasury setup 42. WebAuthn authentication 43. Stripe Connect 44. WalletConnect v2

Phase 7 — Fleet Import 45. Hangar Intake flow 46. Systems diagnostic for imported products 47. Vault handover 48. Flight control activation 49. Black Box creation for imported products

MANUS_HANDOFF.md TEMPLATE

```
# MANUS_HANDOFF.md
## MyNovaPilot — Mission Handoff Report
Date: [date]
Mission Session: [number]
Assembly Engine: Manus

## Mission Accomplished This Session
[Plain English — what was built]

## Systems Modified
[List of files created or changed]

## Current Mission Phase
Phase [X] — [name]
Completed: [list]
Next: [list]

## Known Issues / Weather Warnings
[Any issues found]

## Classified References (system names only — never values)
[List of vault system names referenced]

## Next Session Orders
[Specific instructions]

## Standing Orders — Never Violate
```

- No GitHub connections
 - No Vercel connections
 - No credentials in code
 - Submit all output to Mission Control only
-

OUTPUT STRUCTURE

```
/mynovapilot/  
  /src/  
    /components/  
      /mission-control/  
      /launch-sequence/  
      /systems-check/  
      /control-tower/  
      /mission-planning/  
      /aria/  
    /pages/  
    /hooks/  
    /lib/  
      /vault/  
      /scoring/  
      /dlp/  
    /styles/  
  /api/  
  /database/  
    schema.sql  
  package.json  
  tailwind.config.js  
  .novacommand/  
    manifest.json  
  MANUS_HANDOFF.md
```

FINAL MISSION ORDERS

You are building the operating system for non-technical founders. Every screen must feel warm, trustworthy, and simple. Mission language throughout — no generic labels anywhere.

If a UI element sounds technical — it is wrong. Rewrite it in mission language.

Build Phase 1 only. Commit MANUS_HANDOFF.md. Stop and await Mission

Control review.

MyNovaPilot — “If you can think it, you can build it.” “You are the pilot. We handle the rest.”