

FORMATTING IN HTML

Block Text

Regular text

Lorem ipsum dolor sit amet, consetetur
 sadipscing elitr, sed diam nonumy eirmod tempor
 invidunt ut labore et dolore magna aliquyam erat,
 sed diam voluptua. At vero eos et accusam et
 justo duo dolores et ea rebum.

FORMATTING IN HTML

Code

Text with some `code` in it.

Lorem ipsum dolor sit amet, consetetur sadipscing
 invidunt ut labore et dolore magna aliquyam erat,
 At vero eos et accusam et justo duo dolores et ea

Using this kind of formatting won't automatically add line-breaks,
 so the text will overflow at the borders.

FORMATTING IN HTML

Custom CSS

This text here still uses the standard layout.

*Everything in this text block uses the .description layout from
 file examples/basics/cardsgen.css.*

And here is the standard layout again.

FORMATTING IN HTML

Headings

Some text

Second Level Heading

Some text

Third Level Heading

Some text

FORMATTING IN HTML

Lists

Unordered List

- Item 1
- Item 2
- Item 3

Ordered List

1. Item 1
2. Item 2
3. Item 3

FORMATTING IN HTML

Separators

Text

Other text

FORMATTING IN HTML

Tables

Left	Centered	Right	Default
10	10	10	10
20	20	20	20

Left	Centered	Right	Default
10	10	10	10
20	20	20	20

FORMATTING IN HTML

Text

- Normal text
- *italics*
- **bold**
- ~~strikethrough~~

Text Alignment

Some text

Some text

Some text

FORMATTING IN MARKDOWN

A Formatting Overview

Formatting can be done in Markdown. Or HTML. Or both mixed in the same file.

Pandoc (the tool used to convert the input to HTML and then PDF) supports some extensions to the standard Markdown format. An overview over Markdown formatting with pandoc can be found at <https://pandoc.org/MANUAL.html#pandocs-markdown>.

See the following cards for concrete examples.

Formatting can be done in Markdown. Or HTML. Or both mixed in the same file.

Pandoc (the tool used to convert the input to HTML and then PDF) supports some extensions to the standard Markdown format.

An overview over Markdown formatting with pandoc can be found at <https://pandoc.org/MANUAL.html#pandocs-markdown>.

See the following cards for concrete examples.

FORMATTING IN MARKDOWN

Block Text

Regular text

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum.

Regular text

```
> Lorem ipsum dolor sit amet, consetetur
    sadipscing elitr, sed diam nonumy
    eirmod tempor
> invidunt ut labore et dolore magna aliquyam
    erat, sed diam voluptua.
> At vero eos et accusam et justo duo dolores et
    ea rebum.
```

FORMATTING IN MARKDOWN

Checkboxes

Without leading dot

- ☐ Unchecked Item
- ☒ Checked Item

With leading dot

- ☐ Unchecked Item
- ☒ Checked Item
- Something else

Without leading dot

- [] Unchecked Item
- [x] Checked Item

With leading dot

- [] Unchecked Item
- [x] Checked Item
- Something else

FORMATTING IN MARKDOWN

Code

Text with some code in it.

Lorem ipsum dolor sit amet, consetetur sadipscing invidunt ut labore et dolore magna aliquyam erat, At vero eos et accusam et justo duo dolores et ea

Using this kind of formatting won't automatically add line-breaks, so the text will overflow at the borders.

Text with `some code` in it.

```
...
Lorem ipsum dolor sit amet, consetetur
    sadipscing elitr, sed diam nonumy
    eirmod tempor
invidunt ut labore et dolore magna aliquyam
    erat, sed diam voluptua.
At vero eos et accusam et justo duo dolores et
    ea rebum.
...
```

Using this kind of formatting won't automatically add line-breaks, so the text will overflow at the borders.

FORMATTING IN MARKDOWN

Columns

This is some standard text without further formatting. It uses the whole line. But the following text will consist of 2/3 text on the left side vs 1/3 table on the right side.

>Lorem ipsum dolor sit amet, consetetur
sadipscing elitr, sed diam nonumy eirmod
tempor invidunt ut labore et dolore magna
aliquyam erat, sed diam voluptua. At vero
eos et accusam et justo duo dolores et ea
rebum.

A	B
7	5
-123	14

This is some standard text without further formatting.
It uses the whole line.
But the following text will consist of 2/3 text on the left side vs 1/3 table on the right side.

```
---  
  
::: {.columns}  
  
<!-- The following block should be 2 elements  
      wide -->  
::: {.col-2}  
Lorem ipsum dolor sit amet, consetetur  
      sadipscing elitr, sed diam nonumy  
      eirmod tempor  
invidunt ut labore et dolore magna aliquyam  
      erat, sed diam voluptua.  
At vero eos et accusam et justo duo dolores et
```

FORMATTING IN MARKDOWN

Custom CSS

This text here still uses the standard layout.

Everything in this text block uses the `.description` layout from file `examples/basics/cardsgen.css`.

And here is the standard layout again.

```
This text here still uses the standard layout.  
  
---  
  
::: {.description}  
Everything in this text block uses the  
  .description layout from file  
  examples/basics/cardsgen.css`.  
:::  
  
---  
  
And here is the standard layout again.
```

FORMATTING IN MARKDOWN

Headings

Some text
Second Level Heading
Some text
Third Level Heading
Some text

```
# Headings  
  
Some text  
  
## Second Level Heading  
  
Some text  
  
### Third Level Heading  
  
Some text
```

FORMATTING IN MARKDOWN

Lists

Unordered List

- Item 1
- Item 2
- Item 3

Ordered List

1. Item 1
2. Item 2
3. Item 3

Unordered List

- ```
* Item 1
* Item 2
* Item 3
```

## Ordered List

```
<!-- The concrete numbers do not matter, only
 that it starts with a number followed
 by a dot -->

1. Item 1
2. Item 2
1. Item 3
```

FORMATTING IN MARKDOWN

Separators

Text
 Other text

Text
 ---
 Other text

FORMATTING IN MARKDOWN

Tables

| Left | Centered | Right | Default |
|------|----------|-------|---------|
| 10   | 10       | 10    | 10      |
| 20   | 20       | 20    | 20      |

| Left | Centered | Right | Default |
|------|----------|-------|---------|
| 10   | 10       | 10    | 10      |
| 20   | 20       | 20    | 20      |

| Left | Centered | Right | Default |
|------|----------|-------|---------|
| 10   | 10       | 10    | 10      |
| 20   | 20       | 20    | 20      |

::: {.center .borderless}
 | Left | Centered | Right | Default |
 | :--- | :---: | :---: | :--- |
 | 10 | 10 | 10 | 10 |
 | 20 | 20 | 20 | 20 |
 :::

FORMATTING IN MARKDOWN

Text

- Normal text
- *italics*
- **bold**
- ~~strikethrough~~

- \* Normal text
- \* *italics*\*
- \* **bold**\*
- \* ~~strikethrough~~

FORMATTING IN MARKDOWN

Text Alignment

Some text
 Some text
 Some text

::: {.left}
 Some text
 :::

 ::: {.center}
 Some text
 :::

 ::: {.right}
 Some text
 :::

INPUT · single\_files

## Mixed Markdown and HTML

This is a file formatted using Markdown and HTML.

Just *adding* **some** text.

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum.

INPUT · single\_files

## Single HTML file

This is a file formatted using HTML.

Just *adding* **some** text.

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum.

INPUT · single\_files

## Single Markdown File

This is a file formatted using Markdown.

Just *adding* **some** text.

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum.

INPUT · template\_html

## CSV Multiple Item Example 1

An HTML template has been used to create this card for a CSV Multiple Item Example 1.

Some data for this item:

| Key  | Value                       |
|------|-----------------------------|
| name | CSV Multiple Item Example 1 |
| size | 123                         |

This entry can span over multiple lines if you add line breaks manually.

INPUT · template\_html

## CSV Multiple Item Example 1

An HTML template has been used to create this card for a CSV Multiple Item Example 1.

Some data for this item:

| Key  | Value                       |
|------|-----------------------------|
| name | CSV Multiple Item Example 1 |
| size | 123                         |

This entry can span over multiple lines if you add line breaks manually.

INPUT · template\_html

## CSV Multiple Item Example 2

An HTML template has been used to create this card for a CSV Multiple Item Example 2.

Some data for this item:

| Key  | Value                       |
|------|-----------------------------|
| name | CSV Multiple Item Example 2 |
| size | 456                         |

This entry can span over multiple lines if you add line breaks manually.

INPUT · template\_html

## CSV Multiple Item Example 2

An HTML template has been used to create this card for a CSV Multiple Item Example 2.

Some data for this item:

| Key  | Value                       |
|------|-----------------------------|
| name | CSV Multiple Item Example 2 |
| size | 456                         |

This entry can span over multiple lines if you add line breaks manually.

INPUT · template\_html

## Text Single Item Example

An HTML template has been used to create this card for a Text Single Item Example.

Some data for this item:

| Key  | Value                    |
|------|--------------------------|
| name | Text Single Item Example |
| size | 123                      |

This entry can span over multiple lines until a new line is reached that starts with <key>: . . .

INPUT · template\_html

## Yaml Multiple Items Example 1

An HTML template has been used to create this card for a Yaml Multiple Items Example 1.

Some data for this item:

| Key  | Value                         |
|------|-------------------------------|
| name | Yaml Multiple Items Example 1 |
| size | 123                           |

This entry can span  
over multiple  
lines using the Yaml literal block scalar.

INPUT · template\_html

## Yaml Multiple Items Example 2

An HTML template has been used to create this card for a Yaml Multiple Items Example 2.

Some data for this item:

| Key  | Value                         |
|------|-------------------------------|
| name | Yaml Multiple Items Example 2 |
| size | 456                           |

This entry can also span.

INPUT · template\_html

## Yaml Single Item Example

An HTML template has been used to create this card for a Yaml Single Item Example.

Some data for this item:

| Key  | Value                    |
|------|--------------------------|
| name | Yaml Single Item Example |
| size | 123                      |

This entry can span  
over multiple  
lines using the Yaml literal block scalar.

INPUT · template\_markdown

## CSV Multiple Item Example 1

A markdown template has been used to create this card for a CSV Multiple Item Example 1.

Some data for this item:

| Key  | Value                       |
|------|-----------------------------|
| name | CSV Multiple Item Example 1 |
| size | 123                         |

This entry can span over multiple  
lines if you add line breaks manually.

INPUT · template\_markdown

## CSV Multiple Item Example 1

A markdown template has been used to create this card for a CSV Multiple Item Example 1.

Some data for this item:

| Key  | Value                       |
|------|-----------------------------|
| name | CSV Multiple Item Example 1 |
| size | 123                         |

This entry can span over multiple  
lines if you add line breaks manually.

INPUT · template\_markdown

## CSV Multiple Item Example 2

A markdown template has been used to create this card for a CSV Multiple Item Example 2.

Some data for this item:

| Key  | Value                       |
|------|-----------------------------|
| name | CSV Multiple Item Example 2 |
| size | 456                         |

This entry can span over multiple  
lines if you add line breaks manually.

INPUT · template\_markdown

## CSV Multiple Item Example 2

A markdown template has been used to create this card for a CSV Multiple Item Example 2.

Some data for this item:

| Key  | Value                       |
|------|-----------------------------|
| name | CSV Multiple Item Example 2 |
| size | 456                         |

This entry can span over multiple  
lines if you add line breaks manually.

INPUT · template\_markdown

## Text Single Item Example

A markdown template has been used to create this card for a Text Single Item Example.

Some data for this item:

| Key  | Value                    |
|------|--------------------------|
| name | Text Single Item Example |
| size | 123                      |

This entry can span  
over multiple  
lines until a new line is reached that starts with <key>: . . .

## Yaml Multiple Items Example 1

A markdown template has been used to create this card for a Yaml Multiple Items Example 1.

Some data for this item:

| Key  | Value                         |
|------|-------------------------------|
| name | Yaml Multiple Items Example 1 |
| size | 123                           |

This entry can span  
over multiple  
lines using the Yaml literal block scalar.

## Yaml Multiple Items Example 2

A markdown template has been used to create this card for a Yaml Multiple Items Example 2.

Some data for this item:

| Key  | Value                         |
|------|-------------------------------|
| name | Yaml Multiple Items Example 2 |
| size | 456                           |

This entry can also span.

## Yaml Single Item Example

A markdown template has been used to create this card for a Yaml Single Item Example.

Some data for this item:

| Key  | Value                    |
|------|--------------------------|
| name | Yaml Single Item Example |
| size | 123                      |

This entry can span  
over multiple  
lines using the Yaml literal block scalar.